Dequadin lozenges: hawk owl.

Contributors

Allen & Hanburys

Publication/Creation

London: Allen & Hanburys, 1967.

Persistent URL

https://wellcomecollection.org/works/xvcdphd2

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).







Dequadin Lozenges

in infections of the mouth and throat

Dequadin I	Lozenges	contain	dequalinium	chloride	BP	which:
1.00- 1			THE RESERVE OF THE PARTY OF THE			

- kills almost all pathogens of the mouth and throat including Candida albicans and other fungi.
- is retained for prolonged periods on inflamed tissues.
- is not inactivated in the presence of pus or serum.
- is effective against antibiotic resistant bacteria.

Dequadin Lozenges relieve pain by their rapid action but contain no surface-acting anaesthetic to mask symptoms or cause sensitization reactions.

Each Dequadin Lozenge contains 0.25 mg dequalinium chloride BP.

Available in tubes of 20 lozenges and strip-packed

in cartons of 40. Basic NHS cost of 20 lozenges is 1/8d.

Dequadin is a Trade Mark of

ALLEN & HANBURYS LIMITED LONDON E 2

67/700/HN

Printed in England