## Triptafen-DA : red-breasted merganser.

### Contributors

Allen & Hanburys

### **Publication/Creation**

London : Allen & Hanburys, 1967.

### **Persistent URL**

https://wellcomecollection.org/works/p53wzum6

### License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org



## Triptafen-DA

# amitriptyline hydrochloride-perphenazine combined antidepressant and tranquilliser

### IN THE TREATMENT OF DEPRESSIVE ILLNESS

In a study of 113 patients the response rate was over 90 per cent for Triptafen-DA therapy and 65 per cent for amitriptyline therapy.

(Chacon, C. and Downham, E. T., Brit. J. Psychiat., 1967, 113, 201.)

In a double blind controlled trial in 129 patients improvement occurred in 79% of patients treated with Triptafen-DA and in 30% of patients treated with placebo.


(Haider, I., Brit. J. Psychiat., 1967, 113, 195).

#### Dosage

In most cases a dose of one Triptafen-DA Tablet or two teaspoonfuls (10 ml) of Triptafen-DA Suspension 3 times a day is recommended. If necessary a fourth similar dose may be prescribed at night.

### Presentation

TRIPTAFEN-DA Tablets are available in containers of 50 and 500 tablets. Basic NHS cost for a bottle of 50 tablets is 13/10d. TRIPTAFEN-DA Suspension is available in bottles of 142 ml (5 fl oz) and 500 ml. Basic NHS cost for a bottle of 142 ml is 7/6d.





Detailed information is available on request.

Triptafen is a Trade Mark

ALLEN & HANBURYS LIMITED LONDONE2 67/170/HN Printed in England