Fergon is the right iron.

Contributors

Bayer

Publication/Creation

London: Bayer, [between 1950 and 1955?]

Persistent URL

https://wellcomecollection.org/works/v93xwebz

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Fergon is the right iron



The oral iron with

the most

consistent haemoglobin

response

With 'Fergon'* a more marked rise in the haemoglobin level may be expected in all patients requiring oral iron therapy. Absence of gastrointestinal upsets results in better absorption and utilization of iron and is especially valuable, where there may be intolerance to other iron salts, in ensuring that the treatment is followed regularly.

'Fergon' is best taken about an hour before meals.

The average dose is 1 to 2 tablets thrice daily.

* specially prepared crystalline ferrous gluconate.

FERGON

Trade Mark



'Fergon'—well tolerated oral iron treatment for hypochromic anaemias

Packings: tablets gr.5 in bottles of 100 and 1,000. The basic N. H. S. cost of one week's treatment is only 8d.

'Fergon' is available for prescription on form E.C. 10. Medical literature and a sample will gladly be sent on request.

Manufactured in England by

Bayer Products Ltd. London

Associated export company: Winthrop Products Limited, London

