

Chilblain time... : ...time for Hexopal.

Contributors

Bayer Products

Publication/Creation

Surbiton-Upon-Thames, Surrey : Bayer Products, 1961.

Persistent URL

<https://wellcomecollection.org/works/srjjj24m>

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).

**wellcome
collection**

Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>



CHILBLAIN TIME...

... 'The vasodilatory effect upon normal vessels was insignificant, while there was a pronounced beneficial effect upon the cold-sensitive parts. This suggests that Hexopal approaches the requirements for an ideal remedy for vasospasm caused by cold.'¹

'We recommend 'Hexopal' since it is as effective as other preparations and less likely to produce unpleasant side effects'.²

For cold-sensitive vasospastic conditions such as chilblains, Raynaud's phenomenon and acrocyanosis, an initial dosage of 2 Hexopal tablets three times a day is recommended. The extremely low incidence of side effects allows this dosage to be considerably increased, where this is considered necessary. For night cramps and 'restless legs' 1-3 tablets at night.

1. Sartryck ur Svenska Lakartidningen, 55 :1 (No. 1) (1958)
2. Medical World, p. 224 (March, 1959)

Tablets of 200 mg meso-inositol hexanicotinate.
Basic NHS cost of an average week's treatment
(2 tablets tds) is 7/1d.

... TIME FOR **HEXOPAL**

regd

BAYER PRODUCTS · Division of Winthrop Group Ltd
Winthrop House · Surbiton-upon-Thames · Surrey

NOV 1961