Contributors

Sheppard, Raymond C.L. Bencard Ltd.

Publication/Creation

London : C.L. Bencard Ltd., [1955?]

Persistent URL

https://wellcomecollection.org/works/bubqpgmz

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org



An unusual degree of tolerance



ASPIRIN, one of the first synthetic drugs, has been in use for so long that it could justifiably be called old-fashioned; but it is now being prescribed more than ever. The promise of new and better drugs for treating rheumatoid arthritis, for instance, has not entirely been fulfilled. The latest work in this field has confirmed the value of aspirin, but the tendency to use increasingly large doses has accentuated its irritant properties.

PAYNOCIL

is almost completely non-irritant. It is a combination of aspirin with glycine; a formula in which the particles of aspirin are rendered dispersible and innocuous to the oesophageal and gastric mucosae without any change in the chemical composition of the aspirin. Paynocil tablets disintegrate pleasantly and rapidly on the tongue without water, and leave no unpleasant after-taste.



DOSAGE: One Paynocil tablet is therapeutically equivalent to 10 grains of aspirin. Each tablet is scored for halving when doses in units of 5 grains are required. **PACKAGES:** 18 tablets and tax-free dispensing packs of 240 tablets. Basic N.H.S. cost of 240 tablets, 21s. 8d. **REFERENCES:** Value of aspirin-glycine ('Paynocil'): Douthwaite, A. H., Lancet (1954), ii: 917. Editorial, Brit. med. J. (1955), ii: 31. Irritant effect of aspirin on the stomach: Douthwaite, A. H., Brit. med. J. (1938), i:1143. Douthwaite, A. H. and Lintott, G. A. M., Lancet (1938), ii:1222. Muir, A. and Cossar, I. A., Brit. med. J. (1955), ii:7. PAYNOCIL

C. L. BENCARD LTD. PARK ROYAL, LONDON, N.W.10 Telephone: ELGar 6681. Telegrams: Bencarlond, Harles, London.

Printed in England.