An unusual degree of tolerance ... Paynocil: the hermit crab and the sea anemone.

Contributors

Sheppard, Raymond C.L. Bencard Ltd.

Publication/Creation

London: C.L. Bencard Ltd., [1955?]

Persistent URL

https://wellcomecollection.org/works/nkxqx4jg

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org



An unusual degree of tolerance

WITH THE WIDER and more intensive use of aspirin as an analgesic and antirheumatic, more anxiety is being felt at the irritant action of the drug on the stomach.

PAYNOCIL

was developed to reduce irritation due to aspirin in long-term treatment, but has qualities of equal value to patients needing only occasional treatment.

Until now the only way of overcoming 'patient-resistance' to aspirin products has been dispersal or solution in water. Paynocil tablets, however, can be taken 'dry', when they disintegrate pleasantly on the tongue to be swallowed effortlessly without irritation to the throat, oesophagus or stomach.

Most patients who object to aspirin readily tolerate Paynocil. Children of all ages and tastes rarely need coaxing to take *Junior Paynocil*, a new tablet containing 2½ grains of aspirin, a convenient paediatric dose.

THE HERMIT CRAB

THE HERMIT CRAB

spectacular examples of symbiosis, manual tolerance by which both parties stand to gain. The oddness of this particular association is increased by the sharing of the remains of a third

increased by the sharing of the remains of a third animal, the shell of a whelk. The crab augments his second-hand defensive amount for the effective section of the

armour by the offensive protection of the anemone's tentacles; the anemone in turn receives priority transpart to ready-made feeding grounds, carring its 'head' downwards to sweep the sea floor with its tentacles for the crab's left-owers.



PAYNOCIL is a safe and pleasant form of aspirin not only for long-term treatment, but for occasional analgesia. The palatable tablet disintegrates almost instantaneously on the tongue, without water.

PAYNOCIL

Each tablet contains:

Acetylsalicylic acid . . . 10 grains Aminoacetic acid 5 grains

ADULT DOSAGE

 $\frac{1}{2}$ to $1\frac{1}{2}$ tablets placed on the tongue. Each Paynocil tablet is therapeutically equivalent to two 5-grain tablets of aspirin.

PACKAGES

Cartons of 18 tablets. Tax-free dispensing packs of 240 tablets: basic N.H.S. cost, 21s. 8d.

Junior PAYNOCIL

Each tablet contains:

Acetylsalicylic acid . . . 2½ grains Aminoacetic acid 11 grains

CHILDREN'S DOSAGE

3 to 6 years, ½ tablet; 6 to 12 years, 1 tablet; Over 12 years, $1\frac{1}{2}$ to 2 tablets.

Most children accept Junior Paynocil tablets directly on the tongue. The tablets should not be stirred into water or other liquid before administration.

PACKAGES

Cartons of 20 tablets. Tax-free dispensing packs of 240 tablets: basic N.H.S. cost, 15s.

REFERENCES

Value of aspirin-glycine (Paynocil)

- (1) Douthwaite, A. H., Lancet (1954), ii: 917.
- (2) Editorial, Brit. med. J. (1955), ii: 31.

Irritant effect of aspirin on the stomach

- (3) Douthwaite, A. H., Brit. med. J. (1938), i: 1143.
- (4) Douthwaite, A. H. and Lintott, G. A. M., Lancet (1938), ii : 1222. (5) Muir, A. and Cossar, I. A., Brit. med. J. (1955), ii : 7.

Dosage of Aspirin in Rheumatoid Arthritis

- (6) A report of the Joint Committee of The Medical Research Council and the Nuffield Foundation, Brit. med. J. (1954),
- (7) *Ibid.* (1955), ii: 695.
 (8) Ansell, B. M., Bywaters, E. G. L. and Isdale, I. C., *Brit. med. J.* (1956), i: 1075.



L. BENCARD LTD. PARK ROYAL, LONDON, N.W.10

Telephone: ELGar 6681

Telegrams: Bencarlond, Harles, London

Printed in England. 5.829