

## **Eating out. No. 6, The luncheon of the boating party.**

### **Contributors**

C.L. Bencard Ltd.

### **Publication/Creation**

London : C.L. Bencard Ltd., [1977?]

### **Persistent URL**

<https://wellcomecollection.org/works/s4whxjww>

### **License and attribution**

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).

**wellcome  
collection**

Wellcome Collection  
183 Euston Road  
London NW1 2BE UK  
T +44 (0)20 7611 8722  
E [library@wellcomecollection.org](mailto:library@wellcomecollection.org)  
<https://wellcomecollection.org>



*Pierre  
Auguste  
Renoir*

THE  
LUNCHEON  
OF THE  
BOATING  
PARTY

## **EATING OUT**

*No. 6 of a series*

### **THE LUNCHEON OF THE BOATING PARTY**

*Pierre Auguste Renoir (1841-1919)*

*Copyright by S.P.A.D.E.M., Paris*

The work of Renoir is the quintessence of impressionism, but transcends any cult or formula in its expression of the sheer joy of living.

The delicate, glowing tenderness of his treatment of flesh tints and rich materials, his loving rendering of the human form and his happy grouping of figures achieve pictures of a warmth and sincerity that place him among the world's great painters.

Those of Renoir's pictures most widely known, like the example given, are nostalgic documents of the gay, carefree life of the Paris of his time.

**G**OOD EATING in good company and—once in a while—the accompaniment of good wine, supply to the well ordered stomach a tonic of a formula and efficacy beyond the scope of pharmacy.

To the hyperacidic or peptic ulcer patient this tonic need not be exclusively contraindicated if he remembers to maintain the regularity of his prescribed antacid treatment.

So much the better if this is easily carried and unobtrusive, and gives a degree of pH control that allows a little latitude in the dosage timetable.

Prodexin tablets, discreet and palatable, can be taken anywhere, on any occasion, without embarrassment. When sucked, they rapidly buffer excess acid — without alkalisation — giving prolonged control of gastric pH at an equable and safe level.

Portable, pleasant and prolonged in action, Prodexin is the ideal antacid for the ambulant and sociable dyspeptic.

### EACH PRODEXIN TABLET CONTAINS

Aluminium glycinat (dihydroxy aluminium aminoacetate) 0.9 gm.  
Light magnesium carbonate . . . . . 0.1 gm.

### DOSAGE

For best results one tablet should be allowed to dissolve slowly in the mouth. If the tablets are chewed and swallowed the duration of the antacid action is correspondingly reduced and more frequent doses may be required.

*For hyperacidity:*

One to two tablets as required, or every two hours.

*For prevention of hyperacidic attacks:*

One tablet every two hours.

*For peptic ulcer:*

One to three tablets every hour depending on the severity of the condition.

### PACKINGS

Cartons of 30 individually wrapped tablets and dispensing packs of 240 tablets.

Basic N.H.S. cost of 240 tablets: 30s. 4d.



**C. L. BENCARD LTD.** PARK ROYAL, LONDON, N.W. 10

Telephone: ELGar 6681

Telegrams: Bencarlond, Harles, London

S.779

PRINTED IN ENGLAND