Prodexin: good living, a series of drawings by the Cruikshanks.

Contributors

Cruikshank, Robert, 1789-1856 C.L. Bencard Ltd.

Publication/Creation

London: C.L. Bencard Ltd., [1977?]

Persistent URL

https://wellcomecollection.org/works/vxh48rzm

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org



Drawn & Eng ! by R. Cruikshank;

Liston and the Lambkins or the Citizens Dinner Party.

Good Living

A SERIES OF DRAWINGS BY THE CRUIKSHANKS

No. 2 "The Citizen's Dinner Party"

By Robert Cruikshank

Our print is taken from the book "The English Spy" (1826) by Robert Cruikshank, brother of the more illustrious George. The title page describes the volume as "Characteristic, Satirical and Humorous. Comprising scenes and sketches in every rank of society, being portraits of the illustrious, eminent, eccentric and notorious".

The central character is John Liston, a comedian celebrated for his distinguished manners. He is shown as the embarrassed guest of a Mr. Lambkin, a coarse, newly rich merchant, who has invited him to dinner as a means of entertaining his own small fry.

PRODEXIN

Social eating has its own particular hazards for the dyspeptic patient.

The unaccustomed mealtime, unfamiliar venue and the obligation to do justice to the food without the embarrassment of taking medicine, all conspire to precipitate symptoms.

Ambulant antacid therapy is easiest with Prodexin.

The convenient and unobtrusive sucking of an occasional tablet controls gastric acidity at its therapeutic optimum of about pH 4 and maintains this level continuously. Prodexin is a powerful and harmless buffer preparation, rapid and prolonged in effect; the ideal antacid for ambulant therapy of dyspepsia and peptic ulcer.

The Ideal Antacid

Each Prodexin tablet contains

DOSAGE

To ensure a steady and prolonged flow of medicament to the stomach the tablet should be allowed to dissolve slowly in the mouth.

For hyperacidity
One to two tablets as required.

For prevention of hyperacidic attacks

One tablet every hour. If pain recurs regularly it is best to anticipate each attack by sucking a tablet 15 to 30 minutes before pain is expected.

One to four tablets every hour, depending on the degree of hyperacidity.

Cartons of 30 individually wrapped tablets and dispensing packs of 240. Basic N.H.S. cost of 240 tablets: 23s. 4d.



C. L. BENCARD LTD. PARK ROYAL, LONDON N.W.10

Telephone: ELGar 6681

Telegrams: Bencarlond, Harles, London

S.945

Printed in England