

Conium maculatum : Vertigo-Heel.

Contributors

Biologische Heilmittel Heel G.m.b.H.

Publication/Creation

Baden-Baden : Biologische Heilmittel Heel G.m.b.H., [between 1955 and 1965?]

Persistent URL

<https://wellcomecollection.org/works/rde6qe8e>

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).

**wellcome
collection**

Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>



FOR THE ATTENTION OF THE MEDICAL PROFESSION.

Vertigo-Heel

This is a product of the
Heel Laboratories G.m.b.H. of Baden-Baden, Western Germany.

Indications and mode of action.

Vertigo-Heel is a combination of biological remedies which do not induce a toxic effect, but acts as a stimulant of the great defensive system of the organism.

The ingredients of Vertigo-Heel are active dynamisations of the following remedies; . . . Conium Maculatum (hemlock) - Cocculus Indicus - Ambra Grisea (ambergris) - and Petroleum.

The pharmacological effect is observed through the attenuation of the parasympathetic impulses and through the sensitivity of the parasympathetic centres, whilst the antagonist effect of Conium is specifically directed against all prevailing conditions of dizziness.

The Conium, which is contained in Conium, was discovered as an active element and first alkaloid, by Ladenburg in 1888.

Vertigo-Heel is indicated in conditions of vertigo, especially in dizziness produced when turning the head, dizziness with vomiting, buzzing noises in the ears and nausea. Dizziness as a symptom of other conditions, following intoxications, for instance, after influenza or a cold too abruptly suppressed (reintoxication of the system).

Vertigo in anaemia and arteriosclerosis.

Vertigo-Heel may be taken in frequent doses whilst on any form of travel (plane, sea etc.).

Dosage: Generally as a prolonged cure, one tablet three times daily, preferably to be dissolved on the tongue, at least one hour before or after meals.

In fits of dizziness, migraine with vertigo and sickness or nausea when travelling, frequent doses, at the rate of every five or ten minutes.

Formulae: Conium maculatum 4x (0,0001) - Cocculus indic. 4x (0,0001) - Ambra grisea 6x (0,000001) - Petroleum 8x (0,00000001) - Saccharum lactis - Talcum - Amylum - Magnes. stearin.

Packing: box of 50 tablets.

Price for Great Britain . . . 3/6

Distributor for the United Kingdom:

ANGLO-GERMAN HOMEOPATHIC CENTRE,
58, Corporation Street, West, Walsall, Staffs. Tel. 4629

This product has passed the examination of the Pharmaceutical Association of Belgium . . . 13, rue Archimède. Brussels.

Please
affix stamp
here

Firma

Biologische Heilmittel
Heel G. m. b. H.

BADEN - BADEN

Postfach 639

Printed Matter Germany

FREE SAMPLES

Vertigo-Heel

Sirs,

*Would you please send me a free
sample of Vertigo-Heel to the
address . . . (Block letters please)*

(Signature)