#### [Report 1940-1945] / School Medical Service, Dunbarton County Council.

#### **Contributors**

Dunbartonshire (Scotland). County Council. School Medical Service.

#### **Publication/Creation**

1945.

#### **Persistent URL**

https://wellcomecollection.org/works/j2qeb5c8

#### License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



A 64628

### COUNTY COUNCIL OF DUNBARTON

\*

# REPORT

ON THE

Medical Inspection of School Children



For the years 1940 to 1945 Digitized by the Internet Archive in 2016 with funding from Wellcome Library









### COUNTY COUNCIL OF DUNBARTON.

### Thirtieth Annual Report

on the

MEDICAL INSPECTION OF SCHOOL CHILDREN.

1940-1941. (Year ending 31st July, 1941).

KIRKINTILLOCH
PRINTED BY D. MACLEOD, LTD.

Co NX

#### CONTENTS

MOTHER COUNCIL OF DUMPARTON

					Page
Preface			 	 	3
List of Staff			 ***	 	5
Report on Medical Inspection					6
Report on Medical Treatment	31	11707	 	 	35
Report by School Nurses			 	 	45
Revised Form of Report			 	 	47
Index			 	 	54

#### PREFACE.

To the County Council of the County of Dunbarton.

Ladies and Gentlemen,

I herewith submit the Report on the Medical Inspection and Treatment of School Children for the Sessions, 1940-41; 1941-1942; 1942-1943; 1943-1944; 1944-1945, inclusive, as prepared by the School Medical Officers.

Despite the upsets attendant on shortage of staff and evacuation during the war years, there was, on the whole, relatively little interference with the preventative and curative aspects of the Service.


Dr. Lauder Thomson retired on the 26th December, 1943, and tribute must be paid to his devoted service, and the craftmanship with which he guided the development of the Department.

I am,

Ladies and Gentlemen,

Your obedient Servant,

SAMUEL HARVEY.



#### County Council of Dunbarton.

### SCHOOL MEDICAL STAFF.

Supervising School Medical Officer. T. LAUDER THOMSON, M.D., D.P.H.

School Medical Officers.

MILDRED M. L. CATHELS, M.B., D.P.H. ANDREW D. COWAN, M.B., D.P.H. CHARLES C. SLORACH, M.B., D.P.H. (part-time)

Dental Surgeons.

ELIZABETH McKENDRICK, L.D.S. VERA PUGH, L.D.S. JOHN H. N. MACDONALD, L.D.S. FELIX A. CASSIDY, L.D.S.

Ophthalmic Surgeon. JAMES N. TENNENT, M.B., D.O.M.S., B.Sc. (part-time).

Ear, Nose and Throat Specialist. J. FULTON CHRISTIE, M.B., Ch.B., F.R.F.P.S.

Nurse in Charge, Orthopaedic Clinics. MORAG GALLOWAY.

Instructresses at Orthopaedic Clinics (part-time). E. MILLER. M. JOCKEL, J. S. HOWATT.

> Orthoptist (part-time). M. W. MARSH.

Inspection and Clinic Nurses.

C. M. JEFFREY. M. GILMOUR.

S. DOUGHERTY. J. SCOTT.

E. STEVENSON.

K. STEVENSON.

M. MacDONALD.

Nurses for Special Schools.

J. L. THOMSON. (Resigned 21st Dec., 1940). J. MacDONALD.

CHRISTINA ROGERS. (Commenced 6th Jan., 1941).

Dental Attendants.

ANNIE J. RAE.

WILLIAM BENNIE. (On Active Service).

ANNIE BLACK.

JAMES GALLACHER. (Commenced 16th August, 1940.) ELIZABETH MARTIN.

Attendant at Orthopaedic Clinics. ELIZABETH ROLLO.

Clerks.

GEORGE S. BROWNE.

BELLA J. N. AIRTH.

## REPORT

on the

MEDICAL INSPECTION AND TREATMENT OF SCHOOL CHILDREN IN THE COUNTY OF DUNBARTON.

#### I.-List of Staff.

See Page 5.

#### 2.-(a) Number of Schools.

#### School Management Area.

Cumbernauld	 	 					4
Kirkintilloch	 	 					6
New Kilpatrick	 	 					4
Old Kilpatrick	 	 			***		12
Dumbarton	 	 					9
Vale of Leven	 	 ***		***	***	***	12
Helensburgh	 	 	***	***	***	***	13
	Total	 					60
							Name .

## (b) Number of Children on Register and in Average Attendance during Session 1940-41.

Area.		Average on	Roll.	Average Attending.	Per Cent.
Cumbernauld		904-8			
Kirkintilloch		3,441 -4		Accurate	***
New Kilpatrick		1,928-5		figures	***
Old Kilpatrick	***	***		are	***
Dumbarton	***	4,326.0		not	***
Vale of Leven		3,486.6		available.	***
Helensburgh		2,009-5			
Total	F	lecords inco	mplete		

#### 3.-Number of Visits for Systematic Examination.

Note.—One whole day spent in school counts as two visits (morning and afternoon sessions).

Number of visits as above ... ... ... ... ... 448

#### 4.-Number of Special Visits by Medical Officers.

For re-examination of defective children					13
For examination of backward, or mentally,	orph	ysically	defect	ive	
children					54
Attendances at Clinics			***		309
Attendance for Office Work, etc					64
For inquiry regarding infectious disease					2
Others (examinations re-evacuation, etc.)					39

#### 5 .- Sanitary Condition of Schools.

The maintenance of the schools in the County is undertaken by the County Architect's Department and, in spite of the difficulties of the times, every endeavour was made throughout the Session to keep the high standard of sanitary equipment, cleanliness and comfort previously achieved.

### 6.—A, B, C, D, and E.—Organisation and Administration, etc., and Co-operation with Public Health Departments.

Full particulars regarding these matters are included in Section 4 of the revised report, page 50 of the Annual Report 1938-39.

#### 6.-F. Parents Present at Inspection.

School Management Area.	Number of Children Examined.	No. of Parents Present at Routine Examinations.	Per Cent.	No of Parents Present ac Non-Routine Examinations.
Cumbernauld	232	108	46.5	9
Kirkintilloch	992	337	34.0	186
New Kilpatrick	478	269	56.2	11
Old Kilpatrick	1701	849	49.9	295
Dumbarton	1169	421	36.0	210
Vale of Leven	1018	729	71.6	325
Helensburgh	941	431	45-8	218
Total	6531	3144	48-1	1254


7.-THE PHYSICAL CONDITION OF THE SCHOOL CHILDREN.

A.-Total Number of Children Examined.

1	-						100	TINIT	ACEC										Ī
							SON I	ROOTINE CASES.	ASES.						İ			-	
Entrants					Age	8			Age	14			Age	91		F	Total		lon- utin
Average Boys Girls Total age Bo	Girls Total age	Aver-		B	Boys	Girls	Total	Aver-	Boys	Girls	Total	Aver-	Boys	Girls	Total	Boys	Girls	Total	
5,1 55 48 103 8,7	103 813	80 21 21		,	49	43	92	13.2	61	8	37	:	:	:	:	123	601	232	43
51/2 156 147 303 81/2 183	303 812 1	812	_	83		130	313	1310	691	183	352	1619	15	6	24	523	469	992	640
5 Tr 94 84 178 8 Pr 103	178 81.2	e 0 0 1	_	103	1	74	177	13 10	57	99	123	:	:	:	:	254	224	478	32
5,5 332 346 678 8,5 228	678 81=	812	-	228		170	398	13 %	297	328	625	:	::	:	:	857	844	1701	517
5,12 146 135 281 9,12 193	281 914	9 16		193	-	181	374	13,12	192	250	442	16.3	32	40	72	563	909	1169	488
512 187 197 384 812 207	384 81%	8 N N	1000	207	_	202	409	13 1/2	94	011	204	1613	15	9	21	503	515	1018	409
5,4 136 109 245 819 230	245 819	8 20	100	23	0	200	430	13,1	121	= 3	234	16,3	91	91	32	503	438	94	244
5 1 106 1066 2172 8 1 1193	2172 8/3 1	8,3	-	6-1	18	1000	2193	13 /2	946	8901	2017	1614	78	11	149	3326	3205	6531	2384

#### 7.-B. Number of Children notified to Parents as sufferings from Defects.

Scho	ol Management Area	Cun	berna	uld	Kir	kintille	och	New	Kilpa	trick	Old	Kilpat	rick	Du	mbarte	on	Vale	of Le	ven	н	elensbu	rgh		Total	Name of
Numbe	r of Routine Cases Examined		232			992			478			1701			1169	03,000		1018			941			6531	-
		Rou	tine	Non-		tine	Non-	Rou		Non-	Rout	line	Non-	Rout	ine	Non-	Rou	tine	Non-	Rou	tine	Non-	Rou	tine	Nor
Card	Defect	No.	e/ /0	Rou- tine	No.	%	Rou- tine	No.	%	Rou- tine	No.	%	Rou- tine	No.	%	Rou- tine	No.	%	Rou- tine	No.	0/ /0	Rou- tine	No.	%	Rou-
Α.	Vermin or Nits on Head	11	4-7		38	3.8		1	0.2	***	82	4-8		128	10-9		16	1-5		6	0.6		282	4-3	
G.	Vermin on Clothing	***					***				***		***	1	0.1				***		***		- 1	0-1	
J.	Unsatisfactory Footgear							***				***					***			***	***			***	***
K.	Unsatisfactory Clothing		***			***				***		444		2	0.2	***		***	***	5	0.5		7	0-1	***
D.	Tonsils and Adenoids			1	2	0.2	6	***			5	0.3	25	88	7-5	***	2	0.2		. 1	0.1	66	98	1.5	49
E.	Ear Disease	***			2	0.2			***				6			414	1	0-1	***	2	0.2	5	5	0-1	- 1
н.	Defective Vision and Eye Disease			1	15	1.5	3	5	1.0	3	18	1.0	49	44	3.7		10	0-9	***	7	0.7	45	99	1.6	27
U.M.T.	Already under Treatment	3	1.3	1	14	1:4		4	0.8	3	12	0.7	3		***	***	10	0.9		51	5-4		94	1:4	
D.C.	Diphtheria Immunisation				8	0.8		26	5.4	***	12	0.7		90	7-6	***	68	6.6	***	178	18-9		382	5.8	***
P.A.	Parents Advised	26	11-2	9	59	5.9	190	23	4-8	,11	379	22-3	208	122	10.4	210	613	60-2		426	45-3	325	1648	26-2	218



	179
	v
	_
	7
	-
•	-
	-
۰	-
	-
	-
	-
	A
	v
•	
۰	-
	u
۰	
	- 4
	d
=	
•	M
я	
	-
۰	-
_	6.7

1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Rou-		1::	1:	1::	1:	1 : :	1:	1 : :	1:	1::	1	1::	1	1::	1	1::	
	P	0%	4 :	0.8	9.0	0.5	1::	1:	2:7	2.2	0.5	0.2	9.0	0.7	0.2	0.2	0.0	0.8
ZESS	Bad	l o	7 :	2	64	5	::	1:	23	38		2	W4	1		2	33	56
CLEANLINESS	En	%	1::	:	0.5	0	1::	1:	0.8	0.7	0.5	0.5	8 8	8.3	2.7	2.8	6.6	6.1
CLE	Medium	No.	1::	1:	- :	<u> </u> -	1::	1:	109	2		7	44	88	4 0	27	63	128
	Good	%	9.86	99.2	99.5	4.66	0.00	0.00	9.76	1.76	9.66	9.66	6.06	0.16	96.96	97.0	97.1	97.3
	ŝ	No.	121	230	519	986	254	478	827	1650	561	1165	458	976	488	912	3228	6347
-	Rou-		1::	1:	1::	1:	::	1:	::	:	::	1:	::	:	1::	:	1::	1
	Bad	%	8.0	4.0	::	:	::	:	3.0	2.3	0.5	0.1	1.7	7.1	3.4	2.8	2.4	2.1
~	8	No.	- :	-	1::	1:	::	:	26	9	- :	-	36	72	100	26	188	140
REPAIR	E	%	1::	1:	6.0	0.5	::	:	<u></u>	1.2	0.7	4.0	1.9	2.2	0.4	0.5	0.0	8.0
R	Medium	No.	1::	1	5 :	2	::	:	=0	21	4-	S	20	22	12	2	30	55
	P	%	99.2	9.66	0.00	5.66	0.00	0.00	95.7	5.96	99.66	5.66	91.0	20.06	9.96	97.0	96.74	97.1
	Good	No.	122	231	518	987	254	478	820	1640	558	1163	457	924	486	913	3215	6336
	Non- Rou-		::	:	::	:	::	:	::	:	::	:	::	:	::	:	::	:
		%	::	1	1::	:	::	:	:-	1.0	0.3	0.5		0.5	::	:		0.1
ZCY	Bad	No.	1 : :	:	111	:	11	:	:-	-	7 :	7	:7	7	::	:	25	2
SUFFICIENCY	En	%	1 : :	:	::	:	::	1	::	:	::	1	0.5	-	::	:	:-	ō
SUFF	Medium	No.	::	1	::	:	::	: ]	::	:	::	:	:-	-	::	:	:-	-
1	Po	%	0.00	0.001	0.001	0.001	0.00	0.001	6.66	6.66	0.001	8.66	100.0	1.66	0-001	0.001	8.66	8.66
	Good	No.	123	232	523	992	254	478	843	1700	561	1167	503	1015	503	941	3324	6525
No. of	Rou- tine cases exam-		123	232	523	992	254	478	857	1701	563	1169	503	1018	503	941	3326	6531
			Boys	Total	Boys	Total	Boys	Total	Boys	Total	Boys	Total	Boys Girls	Total	Boys	Total	Boys	Total
	School Management Area		Cumbernauld		Kirkintilloch		New Kilpatrick		Old Kilpatrick		Dumbarton		Vale of Leven		Helensburgh		Total	

7.-E. FOOTGEAR.


					ROUT	ROUTINE CASES	ES				NON-ROUTINE	DUTINE
School		Number	Good	P	Me	Medium	Bad	F	None	ne	Modilim	700
Management		Examined.	No.	%	Z o.	%	No.	%	No.	%		
Cumbernauld	Boys Girls	123	122	99.2	::	::	- :	8.0	::	::	::	::
	Total	232	231	9.66	:	****	-	4.0		::	:	3
Kirkintilloch	Boys Girls	523 469	522 469	8-66	::	::	- :	0.5	::	::	::	::
	Total	992	166	6.66	:		-	1.0	6		:	
New Kilpatrick	Boys	254	254	0.001	::	::	::	::	::	::	::	::
1	Total	478	478	0.001	:	:	:		***	::		
Old Kilpatrick	Boys	857	841	98.1	42	0.5	4	1.4	::	::	::	;;
	Total	1701	1679	98.8	9	0.3	91	6.0	-	**	-	:
Dumbarton	Boys	563	545	8.86	3 6	1.1	54	0.7	::	::	::	::
	Total	6911	1144	6.76	6	8.0	91	1.3	***	***	:	
Vale of Leven	Boys	503	478	95.0	49	0.8	10	1.9	::	::	::	::
	Total	1018	7776	0.96	10	0.1	31	3.0				
Helensburgh	Boys	503	496	98.6	:-	0.5	7	4.0	::	::	::	::
	Total	941	931	0.66	-	1.0	6	6.0		111		
Total	Boys	3326	3258	98.0	12	00.4	20	0.3	::	11	::	::
	Total	6531	6431	98.4	26	4.0	7.4	1.2	:	2000	-	69

								80	YS															G	IRLS							
		Entr	ants			Ag	e 8			Age	14		-	Age	16		-	Entr	rants			Αg	e 8	I	-	Ag	0 14	1	-	Ag	e 16	1
School Management Area	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Height	Weight
Cumbernauld	55	5/5	41-9	41-5	49	8/5	47-6	55:4	19	1375	60-5	95-9			***		48	5/4	40-8	39-1	43	8/4	49-0	55-4	18	13 /4	59-8	99-0				
Kirkintilloch	156	5/4	42-2	41-5	183	8/4	49-1	57-5	169	1317	59-3	91-6	15	16,5	67.9	134-5	147	5/4	41.8	39-7	130	8/4	48-7	54-4	183	1319	59.9	98-0	9	16%	62-1	109
New Kilpatrick	94	5/5	43:4	43.9	103	8,5	50-6	59-8	57	13/5	60-7	95-8					84	5/4	42.7	42-5	74	8 %	50-2	57-5	66	13/5	60-3	97-7	***		141	-
Old Kilpatrick	332	5/4	42-6	42.3	228	8/2	49-3	57-0	297	13.5	58-8	89-7		***	***		346	5/4	41-7	40.8	170	8/1	48-5	52-9	328	13/2		93-0			141	-
Dumbarton	146	5/-	42.6	41-3	193	96	51.0	56-3	192	137,	58-5	80.5	32	16,4		127-3	135	5/4	41.8	40.5	181	9/4	50-8	58-1	250	13/4	59-5	90-0	40	16		
Vale of Leven	187	5/1.	42-3	41:1	207	8/4	49-4	55-6	94	13/4	59-2	88-7	15	16/1		115-0	197	5.4		40.0	202	8/2	49.6	55-3	110	13/5	59-6	93-8	6	16/-	62.5	
Helensburgh	136	5%	44-1	44-0	230	811	50-7	59-2	121	13	58-8	89-3	16	161	67-5	133:4	109	5%	43-2	42-1	200	8/3	50.0	57-1	113	13%	58-8	88-4	16	16/5	63-1	114
Total	1106	5/2	42:7	42-2	1193	8.5	49-7	57-2	949	13A	59-4	90-2	78	16,5	66-7	127-5	1066	5.4	42-0	40-2	1000	8/5	49.5	55-8	1068	13/2	59-6	94:3	71	16.5	62-7	119
*County Average Years 1930-31 to 1934-35	6613	5/1	42-3	41-1	6151	8/3	48-9	55-5					615	16/5	65:4	122-4	6505	5/4	42:0	39.9	6173	8,5	48-6	53-4					458	16/4	62-6	113
County Average Years 1919-20 to 1929-30	13,328	5/2	42-1	41-2	11,863	8/:	48-3	54-3	+11		***	***	769	16.5	64-3	118-8	13,019	5/:	41-7	39-7	11,582	8/:	48-2	52:3					774	16/4	62-2	11
Anthropometric Standard			41-0	39-9			47-0	54-9							64-3	119-0			40-8	39-6			46-6	52-1	***		***	111			61-7	113

\*It was felt that the Anthropometric Standard was not satisfactory, as it was based on an insufficient number of observations.

A County of Dunbarton Standard has therefore been arrived at by combining and averaging the figures in previous Annual Reports for a number of years back.

Note:—There had been no 14 years Age Group examination until year 1938-39.



Nits Vermin : : : : :: : : : 1 1 : : NON-ROUTINE CASES Body 1 : : : : : : : : : : : : Nits Vermin : : : : : : : : : : : : : : : : : : :: : Head : : 11 N : : : : : :: :: 9 : : î 12 : 8.0 0.5 0.4 -0 0 ---: % : : : : : : : : : Vermin So. 2 -: : : :: i :-: : Body : : : : : : : : : :: : : : : : : : : : : ; % ROUTINE CASES Nits So. : : : : : : : : : : : : : : : : : : 0.2 0.5 -0 0.5 -0 :0 0.5 ; ; : : : : : : : % 00 Vermin So. :21 : - 50 9 : : 9.0 19.7 29.9 0.91 30.8 16.0 10.3 0.8 7.3 16.3 20.1 0.5 :2 8.7 4.9 -0 000 Nits So. 181 159 32 919 - 9 -8 167 70 : m 193 99 7 49 171 77 No. of Routine Cases exam-ined 232 523 254 478 857 563 1169 503 018 503 3326 6531 23 992 1701 94 Total Total Total Total Total Total Boys Total Boys Total Boys Boys Boys Boys Boys Boys SCHOOL MANAGEMENT AREA New Kilpatrick Old Kilpatrick of Leven Cumbernauld Kirkintilloch Helensburgh Dumbarton Total Vale

(a) Verminous Conditions.


7.—G. CLEANLINESS OF HEAD AND BODY.
(b) Cleanliness.

-																				
	NON- ROUTINE	Body	Bad		::	3	::	:	::		::	:	111	:	11		11	:	11	3
	ROUN	Head	Bad		::	::	::	:	::	:	::	::	::		::	***	::	***	::	
			P.	%	9-1	6.0	0.4	0.2	::	:-	6.0	6.0	4.6	3.2	2.5	1.7	0.7	8.0	0.0	1.2
			Bad	No.	2	2	2	2	::	:	000	91	30	38	13.5	18	S.E.	8	30	84
		ly .	mn	%	6.4-	3.4	3.6	4-1	::	:	224	3.2	0.5	1.0	4.0	0.5	0.5	1.0	96.	1.7
ľ		Body	Medium	No.	56	8	24	14	::	:	19	55	- :	-	46	5	:-	-	52	E
			po	%	93.5	95.7	95.1	7-56	0.00	0.001	96.9	6.56	98.4	9.96	9.86	8.76	0.66	1.66	97.5	1.76
	CASES.		Good	No.	1115	222	497	949	254	478	830	1630	554	1130	496	966	434	932	3244	6336
	ROUTINE		P	%	::	:	::	::	::	:	0.5	0.5	0.5	0.5	9.0	1.0	4:0:	0.2	0.0	0.3
	RO		Bad	No.	::	:	::	:	::	:	44	8	:m	3	40	7	7 :	2	00	20
		-	ium	%	3.2	4.3	3.6	2.9	::	:	4.9	2.7	0.5	0.2	0.5	0.5	0.5	-0	2.1	1.4
		Head	Medium	Zo.	49	10	12	29	::	:	45	46		2		2	:-	-	22	90
			Good	%	96.8	95.7	97.8	1-76	0.001	0.001	99.0	8.96	99.8	9.66	99.0	1.66	9.66	2.66	99.0	98.3
			0	No.	119	222	511	696	254	478	849	1647	562 602	1164	498	1009	501	938	3294	6421
1	- CN	Rou-	Cases	ined	123	232	523	992	254	478	857	1701	563	6911	503	1018	503	941	3326	6531
-		4	37.		Boys	Total	Boys Girls	Total	Boys	Total	Boys	Total	Boys	Total	Boys Girls	Total	Boys	Total	Boys	Total
	11/67	IOONOS	MANAGEMENT	Canc	Cumbernauld		Kirkintilloch		New Kilpatrick		Old Kilpatrick		Dumbarton		Vale of Leven		Helensburgh	The street of the	Total	The state of the s

7.- H. Condition of Skin.

ĺ	13	13.A	3A

				ECZE	HA					RINGWO	H.R				IHPETI	GO					SOME	1			SCABIES			ALOPEO	TA.		PSORIASIS				ОТН	ERS				TOTAL	L	
			Rost	ine		Non- Routin			Revel		N Re	on- utine		Routin		No Re	utine		Re	outine		Res	ion- itine	, Ro	utine	Non- Routine		Routine	Non- Routine	8.	eutine	Non- Routine		Restine		100	Non- outine		Res	cine		Non- Routine
School fanagement Area	Number of Reutine	He	ad	Body				Head		Bady			He	id	Body		T	н	end:	Be	ody				lady			Head		-	Body		Hea	6	Body				Head	Body		
	Examined	No.	% 1	No.	% H	rad I	body ?	16.	i N	4 5	Hea	Budy	No.	% N	8 %	Hea	d Bed	y No.	%	No.	%	Head	Body	No.	%	Body	No.	1/2	Head	No.	15	Body	No.	% N	la. %	Head	Bac	dy No	100	6 5	Her	ad Body
Cumbernauld	232										211		)	1-3		2				1	04		-	4	1-7	3		-	100	- 1	0-4							. 3	1-3	6 26	2	5
Kirkinelloch	992	-	***		- 1					1 5		2	8	0.8	-	77	- 200	111		,	0.9		82	,	0.9	53	1	0.1	1						4 04		4	. ,	0.9	22 22	78	1 141
New Kilpstrick	478				-	- 1	-			-			2	04 .		14.0	-	111					4			1			-						3 0			2	0-6	3 06	-	. 7
Old Kilpstrick	1701			1	0.1	-						1	4	02 .		25	311			,	0.5		31:	16	0.9	54			5		0-1	3	5 0	3	5 04	4	13	9	0.5	2 24	10	102
Dumbarton	1169	100		5 1	14		4					1	1	0-1		21	in			4	0.3		27	12	1-0	59	111		2	- 1	0-1	1	10 0	8 4	18 50	1	58	1 11	09	0 76	23	150
Vale of Leven	1018	-		2 1	2		-	-		-		***	1	01	-		- >***			,	0.9		17	22	2-1	42			1			1	10 9	9	5 14	4	19	11	10	8 47	9	79
Halansburgh	941			2	12		-			-	***		3	00 .	-	1		200		5	0.5		1	13	1-3	19	1	01		1	0-1		2 4	2 1	4 14		14	-	06	15 17	1	34
Total	6531			10	1	_						4	22	03 .		134			- 111	37	0.5		162	76	1-1	235	2	01	,		0-1	5	27 0	4 11	9 14		108	51	07 2	6 17	143	518



The following table shows at a glance a summary of the previous table [7.—G (a)], i.e., children in each area showing evidence of verminous condition of the head or body or both.

Schoo Managem Area	ent		Number of Routine Cases Examined	Number showing evidence of Vermin	Percentage
Cumbernauld			232	18	7.7
Kirkintilloch	***		992	49	4.9
New Kilpatrick			478	3	0.6
Old Kilpatrick		***	1701	171	10.0
Dumbarton			1169	194	16-6
Vale of Leven	***		1018	166	16-3
Helensburgh	•••		941	77	8.2
Total			6531	678	11:4

NON-ROUTINE CASES Very + : \* : : : : Below : : : : : : : : N \* : : : : 1 1 : : : : 1 : 4.0 0.5 0.5 0.3 0.3 9-6 0.5 0.3 0.5 0.5 0.5 00.7 Ξ : : 0 % Very o'N m -4 00 : -m \* N 500 : : :-= 23 7.0 6.5 5.3 7.1 5.4 15.2 10.5 6.01 1.6 -6.8 3.7 00 5.0 13.4 8.5 8.8 % 8 Below 12 69 30 27 8 19 50 29 58 155 53 103 275 574 9 °° 21 ROUTINE CASES 76.0 78.0 93.1 92.8 74.6 81.0 79.7 75.7 00 00 82.1 % 78-83. 78 H 78 77 80 Average 412 772 718 5280 199 395 524 359 759 382 712 98 377 084 2692 · oN 8 3.8 12.9 7.5 13.3 18.9 17.2 13.2 9.7 9.7 6.8 9.4 -01 15.1 6.1 1.6 % 94 Above 37 150 344 30 84 04 654 348 75 124 82 So. 52 23 46 93 57 Number of Routine Cases Exam-ined 123 232 523 254 478 1018 857 1169 503 3326 992 503 941 6531 1701 563 Boys Total Boys Total Boys Total Total Total Total Boys Total Boys Boys Total Boys Boys SCHOOL MANAGEMENT AREA Kirkintilloch ... New Kilpatrick : : Old Kilpatrick Vale of Leven Cumbernauld Helensburgh Dumbarton Total

7.-I. NUTRITION.

					RO	ROUTINE CASES	CASES				NON-ROUTINE CASES	SES
SCHOOL		Number of Routine	No T	to Teeth Decayed	I to 4 Tee Decayed	4 Teeth	5 or mor	or more Teeth Decayed	Oral	ral	5 or more Decayed	Sepsis
AREA		Examined	No.	%	No.	%	No.	%	, o Z	%		
Cumbernauld	Boys	123	35	28.4	62	50.5	26 18	21.1	2	9.1	::	::
	Total	232	82	35.3	901	45.8	44	18.9	2	0.8		:
Kirkintilloch	Boys	523 469	249	47.6	219	41.9	55	13.0	- m	0.5	::	1 : :
	Total	992	909	51.0	370	37.3	911	11.7	4	4.0	-	
New Kilpatrick	Boys	254	138	54.4	95	37.4	21	8.2	::	::	111,	::
	Total	478	278	58.5	164	34.1	36	7.4	::		:	1
Old Kilpatrick	Boys	857	359	42.0	345	40.2	153	17.8	24	2.6	::	1 : :
	Total	1701	760	44.7	635	37.3	306	18.0	47	2.7	3	1
Dumbarton	Boys	563	310	55.1	6=	3.4	234	41.5		0.2	::	1 : :
	Total	6911	740	63.1	30	2.5	399	34.4	2	0.2	2	:
Vale of Leven	Boys	503	212	42.1	137	27.2	154	30.7	39	7.5	::	
	Total	1018	442	43.4	278	27.3	298	29.3	80	7.8	7	
Helensburgh	Boys	503	266	55.3	123	24.4	114	22.7	31	5.7	::	1 : :
	Total	941	508	54.1	241	25.7	192	20.2	56	5.9	7	:
Total	Boys	3326	1569	47.2	1000	30·1 25·8	757	22.7	916	3.0	::	1 1 1
	Total	4531	3316	0.02	1074	0.00	1301	21.2	101	5.6	20	

7.-K. NOSE, THROAT AND LYMPHATIC GLANDS.
(a) Nose.

1001103			Catarrh.			Obstruction	uo		Others			Total	
MANAGEMENT	Routine	Routine	tine	1	Rou	Routine	1	Rou	Routine	N N	Rou	Routine	Non
ANEA	Examined	No.	%	Routine	No.	%	Routine	No.	%	Routine	No.	%	Routine
Cumbernauld	232	:	:				:	-	0.4	:	-	0.4	
Kirkintilloch	992	:	::	:	-	1.0	-	10	1.0	2	=	1.1	3
New Kilpatrick	478	:	:	:	-	0.5	:	-	0.5	1	7	4.0	
Old Kilpatrick	1701	6	10.5	:	39	2.3	2	13	2.0	- "	19	3.5	m
Dumbarton	6911	35	2.9	4-	-	0.1	-	80	2.0	91	44	3.7	31
Vale of Leven	8101	18	1.7	6	58	5.7	2	3	0.3	4	79	7.7	15
Helensburgh	941	91	1.7	5	54	5.7	-	ю	0.3	7	73	7.7	13
Total	6531	78	1.2	28	154	2.3	7	39	9.0	30	271	4.1	65

	50	
	3	
	0	
ŀ	-	
	-	
	0	

			Enlarged		Σ	Much Enlarged	P		Removed	
SCHOOL	Routine	Routine	tine		Rou	Routine	N N	Routine	tine	Non
	Examined	No.	%	Routine	Zo.	%	Routine	No.	%	Routine
	232	7	8.0	:	3	1.3	-	91	8.9	***
	992	12	1.2	4	17	1-1	12	145	14.6	:
New Kilpatrick	478	10	0.1	- ::	3	9.0	1 1	87	18.1	:
Old Kilpatrick	10/1	611	7.0	01	89	4.0	20	216	12.7	-
	6911	18	6.9	21	69	6.5	10	197	16.8	
	8101	151	14.8	4	70	8.9	#	190	18.6	-
Helensburgh	146	135	14.3	-	65	7.9	30	159	6.91	
1:	6531	505	7.7	50	295	4.5	113	1010	15.4	2

7.-K. NOSE, THROAT AND LYMPHATIC GLANDS-Continued.

(b) 2, Adenoids.

	Present		S	Suspected			Removed	
Routine	2	Non	Routine	ne	N N	Ron	Routine	1
No.	Routine	tine	o Z	%	Routine	No.	%	Routine
2 0.9	:	:	3	<u></u>	2	91	6.9	:
8 0 8	_	91	89	8.0	12	147	14.8	:
5 1.0		9	:	:	:	86	20.5	:
12 0.7	_	=	55	3.2	7	212	12.5	:
10 0.8		6	7	9.0	2	110	4.6	:
3 0.3		m	19	6.5	17	171	8.91	:
2 0.2		2	27	0.9	89	4	14.9	:
42 0.6	4	44	161	2.9	48	895	13.6	-

7.-K. NOSE, THROAT AND LYMPHATIC GLANDS-Continued.

(c) Lymphatic Glands-Submaxillary and Cervical.

	1	Soutine	1		-		:	-	:			
	_	-noN			_	_	_			:	:	-
40	Cervical	Routine	%		0.4	ö	9.0	0	:	:	ō	0.1
Cicatrices	Cer		Š		-	-	m	7	:	:	-	8
Cica	lary	Non-	4		:	:	:	1	:	:	:	ż
	Submaxillary	Routine	%		0.8	0.5	0.8	:	0.5	<u></u>	4.0	4.0
	Sub	Rou	No.		2	10	4	:	6	4	4	32
		Non-	A		:	:	:	:	:	:	:	:
	Cervica	Routine	%		:	:	:	:	:	:	:	::
ating	Ü	Rou	No.		:	:	:	:	:	:	:	-
Suppurating	ary	Non-	A	1	:	:	:	:		:	:	
S	Submaxillary	Routine	%		:	:	:	:	:	:	:	
	Subi	Rou	Š		:	:	:	:	:	:	:	1
	-	-noV	Я		:	2	:	:	:	-	7	2
ged .	Cervical	tine	%		:	:	:	0.1	-0	-0	:	0
Enlar	O	Routine	S S		:	1	:	-	-	-	:	3
Markedly Enlarged	lary	Non- outine		:	-	:	4	:	0	0	25	
Mark	Submaxillary	tine	%		4.0	:	:	2.5	:	9.4	1.9	2.7
	Sub	Routine	No.		-	:	:	43	:	78	58	180
		Non- noutine		:	-	:	:	4	2	:	1	
peg	vical	tine		0.4	0.2	:	:	- 2	:	:	0.5	
Enlar	Cervical	Routine	° N		-	2	:	:	4	:	:	1
Palpably Enlarged	ary	Non- outine	Я		:	9	:	2	3	3	:	55 0.8 14
Palp	Submaxillary	Routine	%		-3	8.0	:	0	0.5	<u>.</u>	Ξ	0.8
	Subn		° N		m	00	:	17	7	4	=	55
		Number of Routine Cases Examined			232	992	478	1701	6911	1018	941	6531
		SCHOOL MANAGEMENT AREA			Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Halensburgh	Total

7.-L. EXTERNAL EYE DISEASES.

		No. of	St	Strabismus	55	BI	Blepharitis	w	Con	Conjunctivitis	tris	Corne	Corneal Opacities	cities	Och	Other Diseases	ases
SCHOOL		Routine	Rou	Routine	Non-	Routine	tine	Non-	Routine	tine	Non-	Routine	ine	Non-	Routine	ine	Non-
AREA		Exam- ined	s. S	000	rine	o Z	0/0	tine	No.	0/0	tine	o Z	%	tine	No.	9/0	tine
Cumbernauld	Boys	123	4	3.6	::	::	::	11	::	::	: :	::	::	::	::	::	::
	Total	232	9	2.5	2	:		-		*					-	:	:
Kirkintilloch	Boys	523	= *	2.1	1::	m —	0.6	::	::	::	::	11	::	::	2	0.4	::
	Total	992	15	1.5	-	4	6.0	:	:	***	6	:	:	-	2	0.5	7
New Kilpatrick	Boys	254	7	3.1	::	::		::		0.4	::	:-	0.4	::	:-	0.4	::
	Total	478	4-	2.8	-	:	:		2	0.4		-	0.5	:	-	0.5	:
Old Kilpatrick	Boys	857	32	3.6	::	9	0.0	::		::	111	- :	· 0	: :	4-	00.4	::
	Total	1701	55	3.2	13	191	6.0	00	::		8	-	1.0	-	5	0.3	15
Dumbarton	Boys	563	21	3.7	::	17	3.0	::		0.5	::	- :	0.5	1:	-9	0.5	::
	Total	1169	38	3.2	2	32	2.7	6	2	0.7	17	-	1.0	4	7	9.0	7
Vale of Leven	Boys	503	8 8	3.5	::	47	0.8	::	5 ::	4.0	:::	:-	0.5	::	3	9.0	::
	Total	1018	36	3.4	12	9	9.0	4	2	0.2	-	-	1.0	:	2	0.5	7
Helensburgh	Boys	503	15	3.6	::	26	0.4	::	:-	0.5	::	m ;	9.0	::		0.5	: :
	Total	941	3.	3.2	-	5	0.5	:	-	1.0	2	2	0.3	:	2	0.5	2
Total	Boys	3326	106	3.2	1:	35	0.0	::	4 m	 0	::	2	00	::	20	0.00	::
	Total	6531	195	3.0	32	63	6.0	22	7	-0	40	7	-0	9	22	0.3	38

7.-N. EAR DISEASES.

	Non	Routine	8	35	-	34	27	20	12	132
Total	ne	%	8.0	Ξ	4.0	1.7	1.3	9.1	1.4	1.4
	Routine	No.	2	=	2	30	91	17	14	92
	N	Routine	-	15	:	12	2	2	2	37
Others	ine	%	:	1.0	:	1.0	0.2	0.5	9.0	0.5
	Routine	No.	:	-	:	2	3	5	9	17
	1	Routine	:	- 2		7	. 2	-	-	13
Wax	ine	9/0	:	0-2	:	0.5	1.0	1.0	1.0	0.5
877	Routine	No.	:	7		6	-	-	-	14
8		Routine	2	18	-	15	23	17	9	82
Otorrhoea	Routine	%	8.0	8.0	4.0	Ξ	0.1	0.1	2.0	6.0
	Ro	No.	2	80	2	61	12	=	7	19
No. of	Cases	ined ined	232	992	478	1021	6911	1018	941	6531
	MENT	AREA	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

7.-O. HEARING.

	Non-	Routine	:	-	:	S		_	-	80
Total	Routine	%	:	4.0	:	1.7	2.1	2.9	2.0	1.7
	Rou	No.		т	:	11	61	61	7	7.2
	Non	Routine	:	:	:	2	:	:	-	3
Very Deaf	ine	%	:	:	::		0.3	9.0	7:0	0.3
	Routine	No.	:	:	:		3	+	20	12
	1	Routine	:	-	:	3		-	. :	10
Slightly Deaf	tine	%	:	4.0	::	1.7	1.8	2.3	1.3	1.4
	Routine	No.	:	6	:	17	91	15	6	09
*	Routine	Examined	129	689	300	1023	888	634	969	4359
	SCHOOL	AREA	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

#### 214

7.—M. Visual Acuity (Snellen's Test at 6 Metres).
Visica shown is "Working Vision," i.e., Vision of batter eye. Good Vision=1. Fair Vision=1-1. Bad Vision=1, or worse

		_		_		200000		-				_	-	_	_		_		ROUT	INE C	ASES																				
School Management Area		-				Age 8									Age 14									Age	16								Total						Non- outine		
Area		No. Exam-	Ge	-	Terror, Street,	air	-	ad	Bad i		No.	G	ood	F	1/2		ad		in one only	No.		Good	Fa	ie	8	bel	Bad i	in one	No.	No. C		No. Good			air		ad		in One		8ad On
		ined	-	.0	No.	%	No.	8	No.	6.	ined	No.	%	No.	%	No.	%	No.	100	ined	No.	6.	No.	%	No.	0.7	No.	0,	Exam-	No.	1004	No.	46	No.	0.	No.	-	Bad	Eye		
Cumbernauld	Boys Girls	49	45	91-9	3	6-9	1	2:0	2	4.0	19	17	89-5	2 2	10.5	7	5.5	2	10.5	***									68	62	91-2	5	7.4	1	1:4	4	5-8		only		
	Total	92	84	91-4	6	6.5	2	2:1	2	2:1	37	-	86.5	4	10.8	1	2.7		5-4								- 111		61	54	88.5	5	8-2	2	3.3						
Kirkinsillech	Boys Girls	183	165	90.2	13	7-1	5	2.7	5	2.7	169	154	91/2	8	4.7	7	4:1	-	3.0	15	14	93-4			***				129	116	90-0	10	7.7	3	2.3	4	3:1	-1			
	-	313	120	92:3	16	2.3	7	5-4	-	0-7	183	164	89.7	10	5:4	9	4.9	9	4.9	9	8	88 9			1	11.1	2	22.2	367	333	90-8	13	5.7	13	3.5	11	3.0				
New Kilpatrick	Boys	103	101	98-2	16	5-1	12	1-8	6	1.9	352	318	90-4	18	5-1	16	4-5	14	3.9	24	22	91-7		***	2	8:3	3	12.5	689	625	90 8	34	4.9	30	43	23	3.3	25			
NEW KIIPSTRICK	Girls	74	67	90 6	6	8-1	1	1.3	2	2.7	66	61	92-5	2	3.5	8	14:0	1	1-7										160	148	92.5	3	1.9	9	5-6	3	1.9				
	Total	177	168	95-0	7	3.9	2	10	4	2.2	123	108	87-8	4	3:2	-11	9-0	1	0.8		-			-	-		-		300	276	920		3.7	4	2.8	- 2	1:4				
Old Kilpatrick	Boys Girls	228 170	209	91-7	15	6.6	4 5	1-7	8 7	3.5	297 328	258 296	86-9 90-3	23 20	7.8	16	5-3	11	3-7										525	467	810	38	7.2	20	1.0	19	3-6	- 8	-		
	Total	398	364	91-5	25	6.2	9	2:3	15	3.8	625		88-6	43	6.0	28	1-6	27	4:8		***		111		201	11.5			498	451	90-6	30	6.0	17	3.4	23	4-6				
Dumbarton	Boys	193	181	93-9	8	4:1	4	2-0	8	4:1	192	185	94-4	7	3.6	40		- 4	2.1	32		91-8	110	- 111				100	1023	918	89-8	68	6.6	37	3-6	42	4-1	29	2		
	Girls	374	174	96-2	6	3-3	-	0-5	4	2.2	250	224	89.6	18	7-2	8	3:2	8	3.2	40	10 16	90 0	ï	2.5	3	7.5	2	5-0	417	396 434	92.2	25	3·6 5·3	12	2.5	15	3.6				
Vale of Leven	Boys	207	184	95-0	14	3.7		10	12	3.2	442	-	92.6	25	5.6	8	1-8	14	3-1	72	46	91-7	- 1	1.4	5	6-9	3	4:2	806	830	93-5	40	4.5	18	2:0	29	3.2	17			
Tale of Cereil	Girls	202	189	93.6	7	3.4	6	3-3	4	2.9	110	90	37-3 E1-9	10	12.7	6	5-4	5	5-3	15	14	93-4	1	6-6			1	6-6	316	280 285	86.7	27 21	8.5	9	2-8	15	4-7	1			
	Total	409	373	91-3	23	5.6	13	3-1	13	3-1	204	172	84:4	24	11-7	8	3.9	01	4:9	21	20	95-2	1	4:8		-	2	9.6	634	565	89-1	48	7-6	21	2.2	25	19	17			
Helensburgh	Boys Girls	230	202	87-9 90-5	19	8·2 7·0	9 5	3.9	8	3.5	121	105	86-B 84-1	13	10:7	3	2.5	7	5-8	16	14	87-5			2	12-5			367	321	87-5	32	8.7	14	3.8	15	4-1	1/			
	Total	430	383	09:2	33	7.6	14	3:2	14	3.2	-	200	85-5	26	11:1	8	3:4	- 12	5-5	32	12	75-0	2	12.5	2	12-5	2	12:5	329	288	87-6	29	8.8	12	3-6	14	4-2	1-1			
Total	Boys Girls		1087	91·1 92·5	75	6-3	31	2.6	42	3.5	949	848	89-4	65	6-0	36	3.8	37	3.9	78	72	92-3	1	6:3	-	12:4	- 2	0.3	2220	609	87 6	141	8-7	26	3.7	29	4-1	19			
	Total	mana.		91.8	124	5-6	57	2-6	24	2:4		945	88-5	79	7-4	44	4-1	44	4-1	71	72 62	87 4	3	4.2	6	8-4	7	9-8		1932	90 4	131	6-3	72 76	3.5	75	3-7				
	- CLEI	/3			No.	3.6	3/	2.0	66	3-0	2017	1793	89 0	144	7-1	80	3.9	13	4-0	149	134	90 0	4	2.6	111	7.4	10	6-8	4359	3939	90-5	272	6.2	148	3-3	157	3.6	116	2		



7.-P. SPEECH.

		Defe	Defective Articulation	lation		Stammering			. Total	
SCHOOL	Routine	Rou	Routine		Routine	ine		Routine	tine	1 2
MANAGEMENT	Examined	No.	%	Routine	o Z	%	Routine	No.	%	Routine
Cumbernauld	232	:	:	:	:	:	:	:	;	:
Kirkintilloch	992	-	1.0	:	:	:	:	-	1.0	:
New Kilpatrick	478	:	:	:	2	4.0	:	2	0.4	:
Old Kilpatrick	1701	8	0.5	:	9	0.3	:	4	8.0	:
Dumbarton	6911	4	0.3	:	2	0.2	:	9	0.5	:
Vale of Leven	1018	2	0.2	-	4	4.0	:	9	9.0	-
Helensburgh	941	-	1.0	:	:	:	:	-	1.0	:
Total	6531	91	0.5	-	4	0.2	:	30	9.0	-

7.-Q. MENTAL CONDITION.

	Non-	Routine	:	7	7	m		2 .	:	6
Total	tine	%	-	<u>+</u>		4.0	0.3	2.0	0.5	0.5
	Routine	No.	:	4	:	7	4	7	5	37
ent	Non	Routine	:	:	:	2		:	:	2
Mentally Deficient	tine	%	:	1.0	:	:	0.5	4.0	0.5	1.0
Men	Routine	No.	:	-	:	:	2	4	2	6
rd	1	Routine	:	2	7	-	:	2		7
Dull or Backward	tine	%	-	1.3	:	0.4	0.2	0.3	0.3	0.4
	Routine	No.	:	13		7	2	3	3	28
	Number of Routine	Examined	232	992	478	10/1	6911	1018	941	6531
	SCHOOL	MANAGEMENI	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

7.-R. HEART AND CIRCULATION.

Organic Disease
Congenital
Exam- Routine Non- Routine Non-
No. % Cine No.
1 0.4
1 0.1 2 0.2
1 0.2
2 0.1 8 0.5
1 0.1 8 0.7
2 0.2 3 12 1.1
2 0.2 15 1.5
8 0.1 4 47 0.7

7.-S. LUNGS.

Routine         Non-         Routine         Non-         Routine         Non-         Routine         Routine         Routine            tine         No.         %         tine         No.         %         1         0.4         %                 1         0.4         %	Bronchial Catarrh Bronchit	Bronchit	Bronchit	Bronchit	= 1	= 1	tis		Tul	Tuberculosis	<u>s</u>	T	Tuberculosis	sis		Asthma	1		Total	1
tine       No.       %       tine       No.       %       tine       No.       %         9             11       1.1         7            11       1.1         7           11       1.1         9           1       0.1       1       30       1.8         2             1       0.1       1       30       1.8         2              1       35       3.4         2              1       35       3.4         2                             .	Cases Routine Non- Routine	Non-	Non-		Rout	-	ine	Non-	Ro	utine	Non-	Ro	utine	Non-	Rou	tine	Rou-	Rou	tine	Rou-
.	% ·oN pa	% tine	tine		No.		%	tine	No.	%	tine	No.	%	tine	No.	%	tine	No.	%	tine
9           7       0.7        11       1.1         7            1       0.1       1       30       1.8         9             1       30       1.8         2             1       30       1.8         2             1       30       1.8         2              1       33       3.4         2  <	232 1	:		- ::	-		4.0	:	:		:	:	:	:	:	:	:	-	0.4	:
11     2.2       7         1     0.1     1     30     1.8       9            1     30     1.8       2            33     3.4       2           4     0.4     2     23     2.4       29                 29	992 4	:		4	4		4.0	6	:	:	:	:	:	:	7	2.0	:	Ξ	Ξ	6
7           1       0·1       1       30       1·8         9       2       0·2       1          2       0·2       4       91       7·7         2            2       0·2       1       35       3·4         2            4       0·4       2       2·3       2·4         29       2       0·1       1           3·1	478 4	:	_	4	4		8.0	:	:	:	:	:	:	-	7	7	:	=	2.2	:
9     2     0.2     1       2     0.2     4     91     7.7       2         2     0.2     1     35     3.4       2          4     0.4     2     2     2     3.4       29     2     0.1     1        23     0.3     8     202     3.1	1701 16 0.9 2 13	0.9 2	2		13		0.7	7	:	:	:	:	:	:	-	-0	_	30	- 89	0
2          2     0.2     1     35     3.4       2          4     0.4     2     23     2.4       29     2     0.1     1        23     0.3     8     202     3.1	7 6-8 16 7	8.9		16 7	7		9.0	6	7	0.5	-	:	**	::	2	0.2	4	16	7.7	30
2 4 0.4 2 23 2.4 29 2 0.1 1 23 0.3 8 202 3.1	1018 29 2.8 6 4	2.8		6 4	4		4.0	7	::	:	:	:	:		2	0.5	-	35	3.4	6
29 2 0.1 1 23 0.3 8 202 3.1	1 01 6-1 18 176	6-1		- 01	-		- 0	2	:	***	:	:	:	:	4	4.0	7	23	2.4	4
	6531 143 2.3 34 34	2.3 34	34	-	34		0.5	29	2	1.0	-	:	:	:	23	0.3	8	202	3	77

7.-T. NERYOUS SYSTEM.

le	T	Kou-	1.2	4	0.4	0.2 6	0.2 2	0.2 10	9 0-1	
Total	Routine	No.	- 8	-	2 0	4	2 0	2 0	01	1
-	Non-		:	-		:	1	m	_	1
Others	ine	%	:	:	:	:	-0	-0	1.0	
	Routine	No.	:	÷	;	:	-	-	-	
alysis	Non-	tine	:	1	:	-	7	2	-	1
Infantile Paralysis	rine	0/0	0.8	1	:	0.5	-0	-0	4.0	
Infan	Routine	Š.	2	;	:	m	-	-	4	1
	Non-	tine	:	3	:	9	:	4	4	1
Chorea	tine	0/0	:	:	0.5	:	;	:	4.0	1
	Routine	No.	:	:	-	:	:	:	4	1
	Non-	tine	:	:	-	2	:	-	:	1
Epilepsy	tine	0/0	4.0	:	0.5	-0	:	:	-0	100
	Routine	No.	-	:	-	_		:	-	1
No. of	Cases	ined	232	892	478	1701	6911	1018	146	4521
			:	:	;	ŧ	:	:	1	
SCHOOL	MANAGEMENT		Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Toral

7.-U. TUBERCULOSIS (NON-PULMONARY).

Non-   Routine   Non-   Routine   Non-   Routine   Rou				;						100							-			
Non-   Routine   Routine   Non-   Routine   Non-   Routine	Glands					ш.	Bones			loints		Ab	domina		0	Others		-	otal	
No.   Col.   C	Routine Routine Rou-	Routine Non-	Rou-		Routine	ine		Rou-	Ro	utine	Rou-	Rout	ine	Non-	Rout	ine	Rou-	Rout	ine	Non
	No. % No.	% No.	. o Z	No.		0	9		No.	%	tine	No.	/0/	tine	No.	%	tine	Z.	%	tine
	232	:	:	:			:	:	:	:	:	:	:	:	:	:	:			1
	992			:		-	:	. :	:	:	:	:	:	:	:	:	:			
	478		:	:				:	:	:	:	:	:	:	:	:	:	. :	:	
	1.0 1 1071	:	:	:			:	:	:	:	:	-		:	:	:	:	2	0	
1 0.1 1 1 0.1 1 0.1	1 1.0 1 6911						:	:	:	:	:	:	:	:	:	:	:	-	-0	-
	1 8101		-					:	:	:	:	-	1.0	-	-:		:	-	1.0	. 2
2 0.1 1 4 0.1			:	:	-		:	:	:	:	:	:	:	:	:	:	:	:	:	1
	6531 2 0.1 2	0.1 2	2	:	1	1	1 :	1:	1:	1 ::	1:	2	0.1	-	1:	1:	1:	4	1.0	6

7.-V. RICKETS.

	N		Slight			Marked			Total	
SCHOOL	Routine	Rou	Routine	No.	Routine	tine	l della	Routine	tine	N N
AREA	Examined	, S	% <sup>0</sup> /	Routine	ŏZ	0/6	Routine	No.	%	Routine
Cumbernauld	232	:	1	:	:	:	:	:	:	:
Kirkintilloch	992	:	:	:	:	:	:	:	;	:
New Kilpatrick	478	:	:	:	:	-	:	:	:	
Old Kilpatrick	1701	:	1	1	-	-0	:	-	1.0	:
Dumbarton	6911	ıs	4.0	:	-	1.0	***	9	9.0	:
Vale of Leven	1018	-	0.1	1	:	:	1	-	1.0	:
Helensburgh	941	-	0.1	:	:	:	:	-	0.1	*
Total	6531	7	0.1	:	2	1.0		6	1.0	

7.-W. DEFORMITIES.

	No.N	Routine	:	=	:	7	-	+	8	3.1
Total	ine	%	4.7	2.7	7	2.8	4.3	2.0	2.2	2.8
	Routine	No.	=	27	7	48	51	21	22	187
ichitic)	Non	Routine	:	=	:	7	:	4	8	30
Acquired (Non-Rachitic)	tine	%	4.7	2.5	1.2	2.4	4.0	1.7	6.1	2.5
Acquir	Routine	No.	=	25	9	42	47	17	8	166
	N N	Routine	:	:	:	:	-	::	:	-
Congenital	tine	%	:	0.5	0.2	0.3	0.3	4.0	4.0	0.3
	Routine	No.	:	7	-	9	4	4	4	21
	Routine	Examined	23.	766	478	1701	6911	1018	941	6531
	SCHOOL	AREA	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

7.-X. INFECTIOUS OR CONTAGIOUS DISEASES.

	2		Scarlet	u u	D	Diphtheria	eria		German	es	>	Whooping	Sing		Chicken	ua	_	Mumps	s		Total	
SCHOOL	Routine	Routine		Non- Routine	Rouri	ne	Non	Routine	ine	Non-	Routine	rine	Non-	Routine	ine	Non-	Rou	Routine	Non		Routine	Non
AREA	Examined	No.	1	tine	o Z	00/	tine	° Z	0/0	rine	Š	0/0	tine	° Z	%	tine	o Z	0/	tine	Š	%	tine
Cumbernauld	232	:	:	:	:	:	:	:	:	:	:	:	:	2	6.0	:	:	:	:	2	6.0	:
Kirkintilloch	992	:	:	:	:	:	-	:	:	-	:	:	-	:	:	S	:	;	4	:	:	22
New Kilpatrick	478	:	:	:	:	:	:	:	:	:	;	-	1	:	1	:	:	:	:	:	:	:
Old Kilpatrick	1701	:	1	:	:	:	:	:	:	_	7	1.0	7	-	-0	6	:	:	:	m	0.5	17
Dumbarton	6911	:	:	:	:	:	:	:	:	:	:	:	-	7	9.0	01	:	:	т	7	9.0	4
Vale of Leven	1018	:	;		;	:	:	-	-0	-	6	0.8	:	;	:	-	:	:	9	2	6.0	6
Helensburgh	941	:	:	:	:	:	-	;	:	Ŋ	4	4.0	20	:	:	2	1	1		4	0.4	28
Total	6531	1	1	-	1:	1:	2	-	0	00	2	0.5	29	0	1-0	27	1	1	23	26	0.4	90

7.-Y. OTHER DISEASES AND DEFECTS.

	Non	Routine	9	112	-	90	66	76	52	436
Total	ine	%	3.4	0.1	4.0	2.9	7.7	3.7	3.5	3.5
	Routine	No.	00	10	2	20	06	38	32	230
	2012	Routine	9	112	-	68	66	92	52	435
Others	ine	%	3.0	6.0	4.0	2.7	7.3	3.6	3.2	3.3
	Routine	No.	7	6	2	46	98-	37	32	219
	1	Routine	-:		:	-	:	:	:	-
Hernia	ine	%	4.0	1.0	:	0.5	0.3	1.0	:	0.2.
	Routine	No.	-	-	:	4	4	-		=
	Routine	Examined	232	992	478	1701	6911	8101	941	6531
	SCHOOL	AREA	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

PREVIOUS ILLNESSES.

SCHOOL	No. of	Measles		Whooping	Sping	Chicken	ken	Mumps	sdu	Scarlet	er	Diphtheria	heria	Small- pox	=	Rheuma- tism	ma-	L	Fits	0	Others
AREA	Cases Exam- ined	Š	ò°	Š	0,	° Z	000	o Z	0,0	o Z	%	o Z	%	o Z	%	o Z	%	o Z	%	° Z	%
Cumbernauld	232	187	9.08	3.	56.4	72	31.0	45	19.4	32	13.7	S	2.1	:	:	-	4.0	1	;	400	20.7
Kirkintilloch	665	799	80.5	516	52.0	303	30.5	225	22.6	149	15.0	20	5.0	:	:	0	· -	-	-0	217	21.8
New Kilpatrick	478	349	72.8	230	48.0	194	40.5	601	22.8	47	4.6	7	4	:	:	2	0.	-	0.5	= 4	23.8
Old Kilpatrick	1701	1491	9.78	950	55.8	558	32.8	430	25.3	312	18.3	Ξ	6.5	:	:	61	Ξ	-	-0	434	25.5
Dumbarton	6911	888	75.9	741	63.3	400	34.0	319	27.2	174	14.9	105	6.8	:	:	20	1.7	4	0.3	317	27 · 1
Vale of Leven	1018	835	82.0	635	62.3	10+	39.3	298	29.2	153	15.0	54	5.3	:	:	0	6.0	-	-0	276	27-1
Helensburgh	941	716	1.92	520	55.3	397	42.9	237	25.2	127	3.5	62	9.9	:	:	6	6.0	:	:	266	28.2
Total	6531	5265	80.6 3723	3723	57.0	2325	35.6	1663	25.4	994	15.2	394	0.9	1	1	74	Ī	00	-0	1672	25.6

VACCINATION.

MANAGEMENT		Entrants	40		Age 8		-	Age 14		Ag	Age 16			Total	
	Rou-	Unvaccinated	inated	Rou-	Unvace	Unvaccinated	Rou-	Unvace	Unvaccinated	Rou-	Unvace	Jnvaccinated	Rou-	Unvace	Jnvaccinated
,	Exam- ined	No.	%	Exam- ined	No.	%	Exam- ined	No.	%	Exam- ined	No.	%	Exam- ined	No.	%
Cumbernauld	103	99	64.1	92	76	82.6	37	30	1.18		:		232	172	74.1
Kirkintilloch	303	220	72.6	313	239	76.3	352	256	72.7	24	13	54.2	992	728	73.4
New Kilpatrick	178	122	68.5	177	66	55.9	123	62	50.4	:	:	:	478	283	59.2
Old Kilpatrick	829	554	7.18	398	320	80.4	625	423	9.19	:		:	1701	1297	76-2
Dumbarton	281	197	70.1	374	267	71.4	442	294	5.99	72	24	33.3	6911	782	6.99
Vale of Leven	384	302	9.84	409	315	77.0	204	901	51.9	21	S	23.8	1018	728	71.5
Helensburgh	245	148	60.4	430	246	57.2	234	601	46.5	32	80	25.0	941	51.1	54.3
Total	2172	1609 *74.0	*74.0	2193	1562	*71.2	2017	1280	*63.4	149	50	*33.5	6531	4501	6.89*
	*Decre	*Decrease compared with last year — 2.0%	pared Ir -	*Increase compared with last year —	with last year —	pared	*Increa	*Increase compared with last year— 3-1%	pared	*Increase with	*Increase compared with last year — 6-4%	pared Ir —	*Increa	*Increase compared with last year-	pared

## 8 .- Special Schools and Classes.

Special Schools—There are three Special Schools in the County—Waverley Park Home, Kirkintilloch; Milton School, Bowling; and College Street School, Dumbarton.

In Waverley Park Home, which is maintained by the West of Scotland Association for the Care of the Feeble-minded, there is at present no pupil

from the County.

Milton Special School, which serves the Old Kilpatrick Area, and also includes Deaf-Mute pupils from Vale of Leven, Dumbarton, Helensburgh, and New Kilpatrick, has been closed since the outbreak of war. Some of the children were evacuated to Portkil Hotel, Kilcreggan, and later transferred to The Grove, Clynder, accompanied by a teacher and a nurse. At the end of the present session 7 children were still in residence there.

The other children from Milton Special School were conveyed to College

Street School, Dumbarton, and dispersed through the classes there.

With the additional pupils brought in from Milton Special School, College Street School now has 4 classes for Mentally Defectives, with 79 on the roll; and 2 classes for Physically Defectives with 31 on the roll; 3 classes for Myopics with 37 on the roll; and I class for Deaf Mutes, with 10 on the roll. The pupils in the Deaf Mute Classes are drawn from the whole County, except the parishes of Kirkintilloch and Cumbernauld.

Special Classes (a) For Mentally Defective Children-Lairdsland School,

Kirkintilloch, with 22 on the roll (two classes).

(b) For Conservation of Vision—Lairdsland School, Kirkintilloch, with 10 on the roll; Whitecrook School, Clydebank (temporarily at College Street School, Dumbarton), where there are 37 on the roll. Total 47.

The following are the	totals	for th	ne Cou	nty:-				
Mentally Defectives								108
Physically Defectives								31
Deaf Mutes				***		***		10
Conservation of Vision	on		***					47
	Total					***	***	196
Number of Physically the County Cou Number of Mentally I	ncil							5
the County Cou Blind Persons in train training borne b the Local Autho	ncil ing un y the	 der B	lind Pe	rsons'	Act, 19	920 (co	st of	2
(a) Glasgow	Royal	Blind	Asylu	m				6
(b) Edinburg	gh Roy	al Bli	nd Asy	/lum				2
	Total							15

Medical Inspection.—All the children attending special Schools were medically examined during the session, as has been done each year for some time past. During the present session 133 children—73 boys and 60 girls—were examined. Of these, 72 were mentally defective, and 61 physically defective. Of the 61 physically defective children 10 were myopic and 7 were deaf mute.

Twenty-seven of these children were classed as having nutrition below average, while four had very bad nutrition. Four showed evidence of ear, nose or throat disease, thirty-three had defective eyesight, while twenty-five showed physical deformities, congenital or acquired.

Special Appliances Supplied to Pupils.—During the session the committee agreed to the provision or repair of the following appliances:—

					,	Pupils.
Special Boots				 ***	***	1
Special Boots a	nd Spli	nts		 ***		2
Splint and Cru	tches			 	***	-
Splints				 	***	2
Foot Supports			***	 		-
Special Jackets				 		2
Artifical Eye				 		1
					HI T	-
						8

# 9.-Arrangements for Physical Education and Personal Hygiene.

A. Physical Exercises.—The arrangements for these remain much the same as in former years. (See Annual Reports, 1914-15, page 72; 1919-20, page 41; 1920-21, page 38; and 1927-28, page 37).

Children for whom exemption from Physical Exercises or Baths was asked were examined by the School Medical Officers and exemption was granted if sufficient reason were found. In addition to these a number of children who were found by the School Medical Officers in the course of routine examinations to be suffering from such physical defect as demanded exemption from drill or baths were exempted.

The reasons for exemption were as follows :-

		11 4				_		
a	2	Fre	m	rill	and I	Ra	the	
М	a	, ,,,	////		unu	Du.	1113	

	Defective Rheumatis					***		***	23
	Recent A	bdomi	nal Op	eration	(App	endicit	is, etc.	.)	6
	Affections	of Bo	nes or	Joints				***	4
	Hernia			***	***			***	-
	Others				***	***	***	***	17
								-	54
								-	-
									1111
(b)	From Bath	s Only	:-						
	Ear Disea								4
	Skin Dise	ase		***	***	***	***	***	-
	Others	***			***			***	1
								-	-
									5
								-	-

## 10.-Feeding of School Children.

In Cumbernauld Area seven pupils were granted one pint of milk daily for periods from eight to twenty-four weeks. In Vale of Leven Area nine were granted one pint of milk daily for periods from four to thirty-six weeks. In the other areas no children were granted free milk.

#### Milk-in-Schools Scheme.

The average number of pupils taking advantage of this scheme throughout the session was approximately 14,000, which gives an average of 60.5 per cent. of the number of pupils on the roll.

#### Employment of Children.

Permits under the Children and Young Persons (Scotland) Act, 1932, are now issued by the School Management Committees. New Bye-Laws came into operation during the Session 1933-34. The numbers of children examined by the Medical Inspectors during the year were as follows:—

		Granted.	Refused.	Total.
Cumbernauld		 3	_	. 3
Kirkintilloch		 -	_	_
New Kilpatrick		 37	_	37
Old Kilpatrick		 79	_	79
Dumbarton		 86	10	96
Vale of Leven		 36	4	40
Helensburgh		 2	_	2
			_	
Tota	1	 243	14	257
				Accesses to the latest terminal termina

## Admission of Children to Approved Schools.

During the session 25 children were examined with special regard to their suitability, physically and mentally, for admission to Approved Schools. All these children were committed by the Sheriff to institutions.

# II.—Arrangements for Medical Treatment.

See Annual Reports, 1927-28, pages 38, 39 and 40, and 1928-1929, pages 46 to 54.

See also Annual Report for 1935-36 for summary of facilities for treatment in the County.

#### X-Ray Treatment of Ringworm.

No cases of Ringworm of the scalp have been found on medical examination during the last four years.

## Ultra-Violet Light Treatment.

In the Old Kilpatrick Area the Duntocher Clinic was destroyed by enemy action in March, 1941. All records were destroyed, and there have been no cases treated by Ultra-Violet Light Treatment since that date.

In Dumbarton Burgh 14 children were treated. The number of attendances was 295, an average of 21.1 per patient. The causes of reference were Bronchitis 9, Dermatitis 1, Alopecia 1, Eczema 1, others 2. All were improved.

At the Alexandria Clinic 16 school children were treated. The number of attendances was 370, and the average number of treatments 23. The causes of reference were Debility 7; Bronchial conditions 4; Adenitis 1; others 4. Eleven were classified as improved, and 5 as showing no improvement.

At the Kirkintilloch Clinic 15 school-children were treated, making 372 attendances, an average of 25 visits per patient. The causes of references were Debility 8, Glands 2, Anaemia 2, Bronchitis 3. All cases were improved by treatment.

# Children Attending Nursery Schools.

Owing to war conditions the Nursery School in Elgin Street School had to be discontinued as the premises were required for other purposes. By arrangement with Glasgow Education Authority, Dr. Cathels visits Mile End Nursery School, now evacuated to Bellcairn, Cove, at intervals during the year.

# Attendance at Junior Instruction Centres.

No visits were paid during the session to any of the Junior Instruction Centres.

#### ORTHOPAEDIC TREATMENT.

It will be noted that there is a considerable reduction in the number of children receiving orthopaedic treatment. This was due to the closing of the Clinic at Whitecrook, Clydebank, after the air-raids in March. Every effort was made to trace the children under treatment who were evacuated to other areas in the County so that the treatment might be continued in the nearest available Clinic, but these efforts were not very successful.

The cases treated were as follows :-

Deformity or Disease		debank linic			mbarto: Clinic	n		kintillo Clinic	ch	Т	otal	
	Boys	Girls	Total	Boys	Girls	Total	Boys	Girls	Total	Boys	Girls	Total
Kyphosis Kyphosis and		4	4	3	2	5	2	1	3	5	7	12
Scoliosis Scoliosis Lordosis Kypho-	3	1 4	2 7	-	2 2	3	1 4	3	2 7	3 8	4 9	7 17
Lordosis	1	1	2	6	4	10	6	3	9	13	8	21
Deformities Infantile	- 1	3	4	15	4	19	2	1	3	18	8	26
Paralysis Knock Knees Foot		2	2	2	4	6		3	4	3	9	12
Deformities Others	2	10	12	8 2	6 5	14	10	12	22 10	20	28	48
Total	8	25	33	38	29	67	30	30	60	76	84	160

#### RESPONSE TO TREATMENT.

Clinic	 Good	Fair	Unsatisfactory
Clydebank Dumbarton Kirkintilloch	 12 28 27	15 31 25	6 8 8
Total	 67	71	22

#### NUMBER OF TREATMENTS GIVEN.

Clydebank 509, Dumbarton 1422, Kirkintilloch 1255.
Total 3186.

#### RESULTS OF REMOVAL OF TONSILS AND/OR ADENOIDS.

As it has been suggested that the effect of the removal of tonsils and adenoids produces little permanent benefit, an examination was made of children who had been operated on a considerable number of years before.

There were 907 children re-examined at the age of fourteen years who had had tonsils and adenoids removed previously. Of these, 828 were found to be absolutely satisfactory, the remaining 79 showing evidence of rheumatism, chorea, asthma, bronchial troubles, deafness and otorrhoea. Twenty-two children had been operated on twice, three of these remained unsatisfactory.

The following table shows details of this investigation :-

				Reasons	for Cl	assifica	tion as	unsatisf	actory
No. of Years after Operation	No. of Cases	Satisfactory	Unsatisfactory	Rheumatism	Chorea	Asthma	Bronchial	Deafness	Otorrhoea
More than 10 9 8 7 6 5 or less	171 126 208 128 91 183	155 111 194 119 86 163	16 15 14 9 5 20	4 2  1  2	1 1 2 	 2 2  1 2	5 4 3 2 2	1 3 2 	5 2 4 5 1 9
Total	907	828	79	9	4	7	21	12	26

The table which will be found on page 38 shows the results of the removal of tonsils and/or adenoids, as ascertained by examination at an interval of about one year from operation. The figures are cumulative from the investigation commenced during the session 1931-1932.

38

# RESULTS OF REMOVAL OF TONSILS AND/OR ADENOIDS.

	eg lar application aldered as		ls and Remov		oids	Ad	Remo	only oved.	
		Result Satisfactory.	Result Moderately Satisfactory.	Result Unsatisfactory	Total	Result Satisfactory	Result Moderately Satisfactory	Result Unsatisfactory	Total
	Number Percentage	2776 77·3	592 16·4	225 6·3	3593	298 45·7	226 34·6	129	653
Mouth Breathing	Present before operation Continuing after operation Apparently cured Beginning after operation	2062 90 1972	499 113 386 9	149 92 57 5	2710 295 2415 15	264 13 251	107 34 73	97 66 31	468 113 355 1
Deafness	Present before operation Continuing after operation Apparently cured Beginning after operation	442 56 386 8	161 79 82 4	46 35 11 4	649 170 479 16	186 30 156 5	41 16 25	19 13 6 1	246 59 187 6
Discharging Ear	Present before operation Continuing after operation Apparently cured Beginning after operation	359 62 297 16	112 61 51 11	496 146 350 29	967 269 698 56	51 13 38 2	22 6 16 1	13 9 4 2	86 28 58 5
Discharging Nose	Present before operation Continuing after operation Apparently cured Beginning after operation	1124 110 1014 23	285 163 122 30	115 106 9 10	1524 379 1145 63	166 16 150	77 50 27 5	85 78 7 5	328 144 184 10
Susceptibility to Colds and/or Sore Throats	Present before operation Continuing after operation Apparently cured Beginning after operation	2138 140 1998 11	496 184 312 4	154 124 30 9	2788 448 2340 24	214 19 195 	88 46 42 1	101 85 16 3	403 150 253 4
Enlarged Glands	Present before operation Continuing after operation Apparently cured Beginning after operation	1110 72 1038 8	437 70 367 8	43 22 21 2	1590 164 1426 18	38 10 28	13 4 9	32 23 9 4	83 37 46 4
Rheumatism or Chorea	Present before operation Continuing after operation Apparently cured Beginning after operation	134 45 89 50	78 36 42 36	11 7 4 4	223 88 135 90	10 7 3 2	1 3		11 8 3 5

## TREATMENT OF MINOR AILMENTS.

District	Nurse	Number of Children dealt with	Total Number of Attendances	Number of Visits to Parents	Number of Visits to Clinics or Schools	Eye Cases	Throat and Nose Cases	Ear Cases	Skin Cases	Others	Attendance at Eye Operation, Dental and X-Ray Clinics
Kirkintilloch, (Cumbernauld, Cumbernauld, S. Muirhead, Arns, Southern District, Condorrat)	C. Jeffrey	974	4422	29	120	110		66	737	61	184
New Kilpatrick, Old Kilpatrick (Landward), Cumbernauld Drumglass, Croy	M. M. Macdonald	704	2217	160	103	49	7	35	696	80	179
Old Kilpatrick, (Clydebank, Elgin Street, Our Holy Redeemer's)	S. Dougherty	304	1750	20	41	25	25	36	170	48	242
Old Kilpatrick (Radnor Park, Boguhanran, Dalmuir, St. Stephen's)	E. S. R. Stevenson	129	147	150	22	8		25	96		207
Dumbarton (Academy, Knox- land, College St., Hartfield, St. Patrick's	M. Gilmour	565	938	22	39	19		28	468	50	248
Vale of Leven (except Renton)	J. Scott	743	1894	122	63	14		28	658	43	193
Dumbarton, (West Bridgend, St. Pat- rick's High, Clerkhill), Helens- burgh, Vale of Leven (Renton)	K. Stevenson	445	2133	42	60	15		37	347	46	243
Total		3864	13,501	545	448	240	32	255	3172	328	1496

THROAT, NOSE AND EAR CLINICS.

	0	Clydebank	y	Kir	Kirkintilloch	4		Dumbarton	no	_	Total	
	School	Pre- School	Total	School	Pre- School	Total	School	Pre- School	Total	School	Pre- School	Total
Number of Children examined Number of Children operated on Attendances with Ambulance Home Visits for After-Care	203  21  21  21  515	35 30 30 113	238 151 151 628	145	37 32 31 80	182 144 142 407	339 252 252 252 853	68 56 56 138	407 308 308 991	687 485 484 1695	140	827 603 601 2026
Nature of Operations :— Excision of Tonsils and Adenoids Excision of Tonsils only Excision of Adenoids only Others	115	25	6 := :	108	35	6 :4 :	242	3: 3:	295	465	0 :8 :	575
Causation:— Discharging Ears Tonsils much enlarged Deafness Obstructed Breathing and Deafness Obstructed Breathing Rhinitis Tonsilitis Bronchitis	25 157 22 106 108 158 158 179	38: 2 22 35 35 4: 4: 4: 4: 4: 4: 4: 4: 4: 4: 4: 4: 4: 4	25 195 24 193 193 104 191 93	222-: 5	- 14 17 10m 1m	6: 2223: 6	20 234 26 172 193 139	29366	281 203 203 219 219 219	. 391 49 49 109 261 360 231 231	125 125 339 660 644 648 339	57 476 522 523 148 321 424 277
Progress definite and rapid Progress retarded Still on books	121 27:	98 ::	35: ::	107	v :::	38	250 25	244 ::	304	96 :::	E 2 ::	593

# DENTAL TREATMENT.

_	_					11	_									
		Anaesthetics	General	34	262	28	9	373	:	189	101	31	2	87	5	8
		Anaes	Local	205	735	236	262	1253	246	612	252	121	26	367	241	4556
Extractions		cted	Total No. of Extrac- tions	558	2401	445	268	3368	326	1811	785	350	44	1193	291	11 840
EXT		Teeth Extracted	Per- manent	06	437	79	77	497	74	531	221	83	5	257	48	2399
		Teet	Tem- porary	468	1964	366	161	2871	252	1280	564	267	39	936	243	0441
		Total No. of	Con- served	336	927	130	572	625	589	1213	969	310	17	1731	115	7361
tment	th.	ved ner	Per- manent	84	302	09	177	189	407	355	296	192	8	1086	89	317.4
Conservation Treatment	Teeth	by other Treatment	Tem- porary	36	62	1	57	:	36	43	-3	6	:	55	:	311
Ollservat		Filled	Per- manent	212	545	70	321	436	145	108	382	105	6	547	47	3620
)		Teeth Filled	Tem- porary	4	18	:	17	:	-	4	2	4	:	43	:	106
		Actual	Attend- ances	547	1844	360	745	1416	778	2216	1147	394	67	1817	291	11 622
sared		Total	Cases	144	1387	149	486	606	358	832	394	205	33	650	128	5972
naren 170			Cases	59	431	20	16	412	125	149	53	30	33	87	20	1510
Number of Children freated	100	Actual	Cases	382	956	129	395	497	233	683	341	175		563	108	4462
MOHIO	Routine Cases	No. of Cases		468	1115	236	553	915	436	1548	962	402	43	992	351	8021
	Roy	o o N	Cases In- spected	537	1419	367	793	1608	550	2273	1626	448	87	1073	374	10,289
		DENTIST		Mr. Cassidy	Mr. Cassidy	Miss McKendrick	Mr. Cassidy	Miss McKendrick	Mr. Macdonald	Miss Pugh	Miss Pugh	Mr. Macdonald	Miss McKendrick	Mr. Macdonald	Miss McKendrick	:
		COHOS	MANAGEMENT AREA	Cumbernauld	Kirkintilloch	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Vale of Leven	Vale of Leven	Helensburgh	Helensburgh	Total

Ophthalmic Treatment of School Children,

					SCHOOL		MANAGEMENT	AREA.					
	Dumb	Dumbarton.	Hele	Helensburgh.	Kirkintil	Kirkintilloch and Cumbernauld.	New Kilpatrick.	New patrick.	Old Kilpatrick,	d rick.	Vale of	f Leven.	· ·
	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.	Gir	Girls.
	R. L.	R. L.	R. L.	R. L.	R. L.	R. L.	R. L.	R. L.	R. L.	R. L.	R. L.	ď	نـ
Defective Vision H.A. treated with M. Spectacles M.A.	34 37 21 19 9 9 9 8 0 1	20 21 7 7 7 7 11 12	-259-	18 20 12 12 13 33 33 2 2 2 2	24 23 14 20 2 4 2 2 2 3	30 27 20 23 7 6 3 3	= s - c 0 = 4 c	004	29 30 32 32 7 4 4 5 4 4	32 31 29 30 6 5 6 5 2 2	PE-0-0	22288	27 480
Total	73 74	57 60	28 29	40 40	43 44	9 19	19 19	18 18	76 76	78 78	31 32	44	44
Defective Vision too slight to benefit from Spectacles	3 2	9 6	6 01	8 8	7 8	10 11	2 2	4	8	12 12	6 5	8	8
Defective Vision treated otherwise	4	7 7	-	-	6 4	7 7	2 2	2 2	8	2 2	2 2	-	-
Total Number of Children Examined	80	73	39	49	56	78	23	24	92	92	39	59	0
Re-examinations	88	71	13	12	49	99	6	6	16	66	74	88	8

Total Number of Children Examined-684. Total Number of Spectacles Supplied-450.

Ophthalmic Treatment of School Children-Continued.

	-					SCHC	SCHOOL MANAGEMENT AREA	IAGEMEN	T AREA.				
Complications		Dumb	Dumbarton	Helens	Helensburgh.	Kirkintil	Kirkintilloch and Cumbernauld.	New Kilpatrick.	New patrick.	Old Kilpatrick.	ick.	Vale of Leven.	Leven.
		Boys.	Girls	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.
Blepharitis Ptosis Dacryocystitis Strabismus convergens Strabismus divergens Conjunctivitis, Keratitis and Iritis Opacity of Cornea Coloboma Uveæ Opacity of Lens Aphakia Chorojdo-Retinitis Optic Atrophy Nystagmus Albinism Retinitis Pigmentosa Buphthalmos		400#-#400-00000	400+040-00-000	-00200000000000000000000000000000000000	00050-000000000	mor <u>8</u> 07m00-m0-	780-7	000000000000000000000000000000000000000	-009-0-000000000	woo40vwo0000	7000v0000000-0	0-080040000-0000	0000003300-

### ORTHOPTIC TREATMENT.

The present session marks the completion of the third year of activity of the Orthoptic Clinics, which have been established at Clydebank, Dumbarton and Kirkintilloch. In the establishment of these clinics a real advance has been made in the treatment of squint, that rather common disfigurement of child life.

Squint is conveniently classified into three groups. In the first group, a large one, the squint disappears when suitable glasses are worn constantly. In some of these cases, especially those dealt with at an early period, full binocular vision is retained, and no further treatment is required. In others, while the eye appears straight, the sight of one eye has deteriorated, and treatment is necessary to restore the vision.

In the second group glasses are not sufficient to correct the squint, though it may be improved, and steps have to be taken not only to restore vision but also to exercise weak muscles; in this way a cure is effected.

In the third group all those forms of treatment are insufficient, and, in addition to the use of glasses, occlusion and exercises, recourse to oper-

ation is necessary.

During the year children have been taught occlusion with the co-operation of the parents, and have been kept under observation to note progress. Others have been given suitable exercises to re-establish binocular vision and strengthen muscles. An increasing number of operations have also been done at the Ophthalmic Institution. The link which the Orthoptist also has with this Institute has been helpful in enabling treatment to be continued soon after the operation.

The following table shows the number of cases seen by the Orthoptist :-

	Clydebank	Dumbarton	Kirkintilloch	Total
Total number of Children Referred to Orthoptist	50	59	27	136
Method of Treatment— Under Observation Occlusion— Visual Acuity of Amblyopic Eye	29	24	9	62
Restored to Normal	5	15	4	24
Inproved but still having some Occlusion No Improvement Orthoptic Exercises—	9	5	4	18 2
Single Binocular Vision with Operation Single Binocular Vision without		1		1
Operation Cosmetically straight with Operation Cosmetically straight without	2	2	1.	5
Operation Still under Treatment Operations—		iö	1 7	20
(a) Already performed (b) Awaiting Operation	1 3	2 7	1 3	4
Number of Attendances	364	603	401	1368

45

# REPORT BY SCHOOL NURSES.

District	Nurse	Number of Children Examined	Total Number of Inspections	Number of Visits to Parents or Schools	Vermin or Nits on Head	Vermin or Nits on Body	Vermin Suspected	Unsatisfactory Clothing	Unsatisfactory Footgear	Others
Kirkintilloch, (Cumbernauld, S. Muirhead, Arns, Southern District, Condorrat)	C. Jeffrey	310	843	82	176	2	120	12		
New Kilpatrick, Old Kilpatrick (Land- ward), Cumber- nauld (Drumglass, Croy)	M. M. Macdonald	488	2380	299	444		22	84		10
Old Kilpatrick, (Clydebank, Elgin Street, Our Holy Redeemer's)	S. Dougherty	725	2537	141	522	11	47	8	2	119
Old Kilpatrick, (Radnor Park, Boquhanran, Dalmuir, St. Stephen's)	E. S. R. Stevenson	643	1829	162	357		96			245
Dumbarton (Academy, Knox- land, College St., Hartfield, St. Pat- rick's)	M. Gilmour	207	825	64	192					15
Vale of Leven (except Renton)	J. Scott	403	1002	199	334	18	18	41	1	22
Dumbarton (West Bridgend, St. Patrick's High, Clerkhill), Vale of Leven (Renton), Helensburgh	K. Stevenson	713	1669	86	504	2		3	2	202
Total		3489	11085	1033	2529	33	303	148	5	613

# SPEECH THERAPY.

A beginning to this most important treatment was made in March, 1941, when Miss Maud Kenny was appointed as Speech Therapist and began treatment in schools in the Burgh of Dumbarton. The treatment is given in schools and the cases are treated individually or in groups according to type and/or severity of defect. It is hoped to extend the work next session to other areas.

The following table gives a summary of the work accomplished since March 10th :-

		Stam	mer		1
	Total 88 5 25	Baby Speech	Other Defects	Stutter	Organic Defects
Number of Cases	88	29	35	21	3
(Evacuated or left) Discharged as cured	25	6	12	7	0
Retained for Obser- vation Retained for further	9	1	6	2	
Treatment	49	20	15	11	3

#### SECTION II.

# REVISED FORM OF REPORT FOR YEAR ENDING 31st JULY, 1941.

- (I) LIST OF STAFF. (See page 5.)
- (2) GENERAL STATISTICS.
  (See page 6.)
- (3) SANITARY CONDITION OF SCHOOLS. (See page 7.)
- (4) ORGANISATION AND ADMINISTRATION. (See Annual Report for 1938-39, pp. 50-55.)
  - (5) FINDINGS OF MEDICAL INSPECTION.

#### A .- General Review.

During the session 6531 pupils were examined at routine inspections (boys 3326, girls 3205). This is 691 fewer than in the previous session. The reduction, of course, was due to the air-raids on Clydeside, in which many of the schools were destroyed or rendered unusable. In the reception areas schools were used as rest centres, with consequent serious interruption of the educational and medical work in the schools.

- (1) Condition of Clothing was fairly satisfactory, there being only 0.2% whose clothing was insufficient, 2.9% whose clothing was in poor repair, and 2.7% whose cleanliness was unsatisfactory.
- (2) Footgear was bad in 74 cases (1.2%). In the summer months absence of footgear is not recorded.
- (3) Uncleanliness of the head or body, or both, including such conditions as nits or vermin, was found in 676 cases (10.3%). The great majority were girls with nits in the hair.
- (4) Skin Diseases were present in 246 cases (3.7%), an increase of almost 1% over last year. The worst feature of the session was the large number of cases of Scabies. There were 76 cases of this disease found in routine inspection (2.1%) and 235 cases found during non-routine inspections.
- (5) Defective Nutrition.—The total number of routine cases recorded as suffering from defective nutrition was 597 (9.1%) of whom 23 (0.3%) were classed as "very bad." The number below average shows an increase of 2.5% on the figures for 1939-40.
- (6) Mouth and Teeth.—The number of children found with no teeth decayed was 3316 (50.8%); with less than five teeth decayed, 1824 (28.0%); and with more than five teeth decayed, 1391 (21.2%). The number suffering from oral sepsis was 191 (2.9%).

The position with regard to teeth this session is worse than in the previous session. Part of this apparent deterioration may be due to the fact that there was a smaller number of older children examined than in previous sessions, and it is among the infants that the worst dental conditions are found. This does not account for all the deterioration that has taken place. The war-time restriction on the use of sugar seems to have had no effect in improvement of children's teeth, but perhaps it is too soon to draw such an inference.

- (7) Nose, Throat and Lymphatic Glands.
- (a) Nose.—The number of children suffering from defective conditions of the nose was 271 (4.1%). Of these, 78 (1.2%) suffered from nasal catarrh, usually chronic. These were referred to the Throat and Nose Specialist for further examination, and were afterwards put on treatment recommended by him. Some of these cases seem to resist all forms of treatment.

154 pupils (2.3%) were found to have nasal obstruction which, on examination by the Throat and Nose Specialist, was due to adenoids and treated accordingly.

There were 39 other cases (0.6%), some of which were nasal polypi

and deflected septum.

(b) I. Tonsils.—Of the 6531 routine cases examined, 505 (7.7%) had tonsils sufficiently enlarged to require further observation, and 295 (4.5%) had tonsils sufficiently enlarged to require removal. 1010 pupils (15.4%) had had their tonsils removed.

Pupils are not recommended for removal of tonsils merely because these are enlarged. There must be some indication that the tonsils are unhealthy—such as involvement of sub-maxillary glands—to justify such a course.

(b) 2. Adenoids.—The number of routine cases found to be suffering from adenoids was 42 (0.6%), and the number suspected of having adenoids and referred to the Ear, Throat and Nose Specialist for a decision, was 191 (2.9%). There were 895 routine cases who had had adenoids removed (13.6%). There were also 44 non-routine cases with adenoids, and 48 who were suspected of having adenoids.

As in former years the medical officers called up for review those pupils who had had tonsils, or tonsils and adenoids, removed a year previously, and the results are shown in a special table on p. 38. Then umber of such cases that have now been reviewed is 3593. Of these, 77.3% are classified as satisfactory, 16.4% as moderatly satisfactory, and 6.3% as unsatisfactory.

The number of cases reviewed who had had adenoids only removed is now 653. Of these, 45.7% were classified as satisfactory, 34.6% as moderately satisfactory, and 19.7% as unsatisfactory.

In addition to this review of cases, the medical officers also noted, in the course of their routine examinations, children who had had tonsils and adenoids, or adenoids alone, removed several years before. The number so noted since this examination was instituted is now 907, and the average period between the time of operation and the time of examination is 7 years, and the number classified as a satisfactory result was 828 (91.3%): the number of unsatisfactory results was 79 (8.7%).

(c) Lymphatic Glands.—The submaxillary glands were slightly enlarged in 55 routine cases (0.8%), and markedly enlarged in 180 routine cases (2.7%). The majority of markedly enlarged glands were associated with enlarged tonsils and/or adenoids, and when the throat condition was treated the enlargement of the glands disappeared.

The cervical glands were slightly enlarged in 17 routine cases (0.2%) and markedly enlarged in 3 routine cases (0.1%). The commonest cause of enlarged cervical glands was some scalp infection such as impetigo, or the irritation caused by vermin or nits.

(8) Eye Conditions.—Of the 6531 routine cases examined 294 (4.5%) were found to be suffering from some external eye disease. Of these, 195 (3%) had squint; 63 (0.9%) had blepharitis; 7 (0.1%) had conjunctivitis; 7 (0.1%) had corneal opacities; 22 (0.3%) had "other conditions." As mentioned in previous reports the treatment of squint by orthoptic methods appeals more to the parents than did other methods, and it is now easier to get consent for treatment of squint than it was in former years.

There is no routine testing of the vision of pupils under 7 years of age, but any child in this group who was suspected, by either parent or teacher, of having defective vision was referred to Dr. Tennent for further examination.

Of the 4359 routine cases who had their vision tested, 272 (6.2%) were classified as having "Fair Vision," and 148 (3.3%) as having bad vision. In addition 157 (3.6%) were found to have bad vision in one eye only. There were 116 non-routine cases with bad vision, and 2 with bad vision in one eye only. Pupils with bad vision were referred to Dr. Tennent, as were also a number of children whose vision was normal but who suffered from headaches suspected of being of ocular origin.

(9) Ear Conditions.—Of the 6531 routine cases examined, 92 (1.4%) had ear conditions needing attention. Otorrhoea was present in 61 cases (0.9%); 14 (0.2%) had wax in the ears sufficient to cause some degree of deafness; other conditions (chiefly furunculosis) were present in 17 cases (0.2%). There were also 82 non-routine cases of otorrhoea. Thirteen non-routine cases of wax, and 37 non-routine cases of "other conditions."

The hearing of pupils in the second, third, and fourth age groups was systematically examined. Of the 4359 cases tested, 60 (1.4%) were classified as slightly deaf (Grade I.), and I2 (0.3%) as very deaf (Grade II.). There were also 5 non-routine cases slightly deaf and 3 non-routine cases were very deaf. These figures do not include pupils in the deaf-mute classes.

(10) Defective Speech was present in 30 routine cases examined (0.4%) and in 1 non-routine case. Of this number 16 had defective articulation (0.2%) and 14 were stammerers (0.2%).

During the session the Education Committee seconded Miss Maud T. Kenny, M.A., to treat pupils in the Burgh of Dumbarton who suffered from speech defects. Of the 88 cases dealt with, 29 had "baby speech," 35 had other defects, 21 were stutterers, and 3 had organic defects. Five (5.7%) of the cases left or were evacuated before treatment was completed, 25 (18.5%) were discharged as cured, 9 (10.2%) were retained for observation, and 49 (56.7%) were retained for further treatment.

The details of the procedure, numbers and results are shown on p. 46.

(11) Mental and Nervous Conditions.—Of the 6531 routine cases examined, 23 (0.4%) were found to be suffering from diseases of the nervous system. Of these 4 (0.1%) had epilepsy, 5 (0.1%) had chorea, 11 (0.1%) had Infantile Paralysis, and 3 (0.1%) were suffering from other conditions. Among the non-routine cases there were 3 pupils with epilepsy, 14 with chorea, 6 with Infantile Paralysis, and 5 with other conditions.

Table 7—Q, (p. 22) showing number of Backward and Mentally Deficient Children, is of no value whatever as the medical officers have no means of knowing which children are backward until such times as the question of mental deficiency comes up for decision. The number of routine cases returned as backward was 28 (0.4%), and as mentally defective, 9 (0.1%).

There were 7 non-routine cases classified as backward and 2 as mentally defective. These figures take no account of pupils in the special schools.

- (12) Heart Conditions.—Of the 6531 routine cases examined, 66 (1.0%) were found to have either organic or functional heart disease. Of these, 55 (0.8%) had organic disease (8 congenital and 47 acquired); II cases (0.1%) had a functional condition. There were also 18 non-routine cases of organic heart disease (4 congenital and 14 acquired cases), and I non-routine case with functional defect.
- (13) Lung Conditions.—There were 202 cases of lung disease (3.1%) among the routine cases examined. Of these, 143 (2.3%) had bronchial catarrh; 34 (0.5%) had bronchitis; 2 (0.1%) had tuberculosis; and 23 (0.3%) had asthma. Among the non-routine cases, 34 had bronchial catarrh, 29 had bronchitis, I had tuberculosis, and 8 had asthma.

There is the closest co-operation between the school medical officers and the tuberculosis officers, and all cases where there is the slightest suspicion of tuberculosis are referred to the tuberculosis officers for an opinion.

(14) Deformities were present in 196 routine cases (2.9%), of which only 9 (0.1%) were due to rickets. Of the remainder, 21 (0.3%) were congenital conditions, and the remainder, 166 (2.5%) were acquired. There were also 31 non-routine cases, only one of which was congenital. The acquired cases consisted of postural deformities such as Kyphosis, Scoliosis and Flat Foot, and conditions following Infantile Paralysis.

Suitable cases were referred to the Orthopaedic Staff for treatment, and further particulars of this will be found on page 36.

- (15) Infectious Diseases.—Among the routine cases examined, 26 children (0.4%) were found to be suffering from Infectious Disease (German Measles I case, Whooping Cough 15 cases, Chickenpox 10 cases). There were also 90 cases of Infectious Disease among the non-routine cases (Mumps 23, Chicken-Pox 27, Whooping Cough 10, German Measles 8, Diphtheria 2, Scarlet Fever 1).
- (16) Other Diseases and Defects were present in 230 routine cases (3.5%), of which II (0.2%) had hernia, and 4 cases had non-pulmonary tuberculosis. There were 436 non-routine cases with other diseases, of whom I had hernia and 3 had non-pulmonary tuberculosis.

# (6) MEDICAL TREATMENT.

The details in connection with the following sub-headings will be found in the body of the Report on the pages indicated against each item. It is quite impossible to ascertain accurately how many children in these groups received treatment privately or through a voluntary hospital under arrangements made by parents.

- A.—Minor Ailments: (1), (2), (3), and (4). See "Treatment of Minor Ailments" table, on page 39.
- B.—Defective Vision and Squint. See table, "Ophthalmic Treatment of School Children," pages 42, 43; also, Report on Orthoptic Treatment, page 44.
- C.—Nose and Throat (operative treatment). See table, "Throat, Nose and Ear Clinics," page 40.
- D.—Orthopaedic and Postural Defects (Specialist Treatment).
  See page 36.

# (7) DENTAL INSPECTION AND TREATMENT.

The information required is contained in table "Dental Treatment," p. 41, and also in Table V., Dental Inspection and Treatment.

# (8) SPECIAL SCHOOLS AND CLASSES.

Particulars regarding the facilities in use for exceptional children will be found on page 33 of this Report. Arrangements are also made for the treatment of children in convalescent homes. There were no holiday camps during the present session.

# (9) ARRANGEMENTS FOR PHYSICAL EDUCATION AND PERSONAL HYGIENE.

This subject is referred to on page 34.

# (10) OTHER ACTIVITIES IN RELATION TO THE HEALTH OF SCHOOL CHILDREN.

On page 34 will be found a note on cases kept under special observation by the School Medical Officers for heart weakness and other causes. On the succeeding pages are recorded particulars regarding the Feeding of School Children under Local Authority schemes, Employment of School Children, and the Admission of Children to Approved Schools in so far as these affect the work of the School Medical Officers.

For some years the School Medical Officers have been investigating the results of the removal of tonsils and/or adenoids, as shown at about a year after the operation, and the cumulative findings of these enquiries are embodied in the table printed on page 38. For the third session in succession this enquiry has been extended to patients who had been operated on at varying periods up to ten years previously, and the data will be found on page 37.

# (5) FINDINGS OF MEDICAL INSPECTION.

#### B .- Statistical Tables.

#### TABLE I.

	mber of children exa				System minatio	ns.	Other Systematic xaminations.
(	Entrants				2172		_
Ordinary	Second Age Group				2193		
Schools	Third Age Group				2017		
	Fourth Age Group		***		-		_
Secondary Sci	hools Age Group				149		_
	Total				6531		Nil
	Special cases Re-Inspections by M	 ledical	 Officers	Exa	Other minatio 2384 8210		
	Total			-	10,594		

Number of individual children inspected at systematic examinations, who were notified to parents as requiring treatment (excluding uncleanliness and dental caries):—

Entrants			604
Second Age Group			693
Third Age Group			482
Fourth Age Group			_
Secondary Age Group			50
Other Systematic Exam	minatio	ns	_
Total			1829

Table III.—See page 53.
Table III.—See page 54.

# Table IV.—Return of All Exceptional Children of School Age in the Area.

It has not been found possible to give the details required by this table with sufficient accuracy, and the table is therefore omitted.

# Table V.-Dental Inspection and Treatment.

Number of children who were:-

(I) Inspected by the Dental Officers.

Age	(a) Systematic Examinations	(b) Special and Emergency Cases	Total
5	1327	120	1447
	1467	129	1596
6 7 8 9	1405	124	1529
8	1121	134	1255
9	1254	174	1428
10	994	165	1159
11	1178	171	1349
12	416	180	596
13	958	181	1139
14	106	84	190
15	52	42	94
16	9	1	10
17	2	5	7
otals	10.200		
otals	10,289	1510	11,799
		THE REAL PROPERTY.	

	Systematic Examinations	Special an Emergent Cases	
(2) Found to require treatment (3) Actually treated by School	. 8021	1510	9531
Dental Officers  (4) Number of attendances made by children	4462	1510	5972
for treatment	8716	2906	11,622
(5) Fillings* (a) Permanent Teeth	2004	716	3620
(b) Temporary teeth	00	17	106
(6) Extractions (a) Permanent teeth	2120	269	2399
(b) Temporary teeth	7081	2360	9441
(/) Number of administrations of a general	7001	2300	2771
anaestnetic for extractions	1062	56	1118
(8) Other operations* (a) Permanent teeth	2408	816	3224
(b) Temporary teeth	270	41	311
(9) Half-days devoted to (a) Inspection	105		
		240	105
(10) Number of children treated under		248	1487
private arrangements	(No accura		mation
privace arrangements	avai	lable).	

<sup>\*</sup> Temporary fillings whether in permanent or temporary teeth should be recorded as "other operations."

#### TABLE III .-- SYSTEMATIC MEDICAL EXAMINATIONS.

	Enti	ants.	Second A	ge-Group.	Third A	ge-Group.	Fourth A	ga-Group.	Т	otal
Classification.	Number of Ghildren.	Percentage of the Children Examined In this Group.	Number of Children,	Percentage of the Children Examined in this Group.	Number of Children,	Percentage of the Children Examined In this Group.	Number of Children.	Percentage of the Children Examined In this Group.	Number of Children,	Percentag of the Children Exam- Ined at Systematic Medical Examin- ations.
L.—Children free from Defects	1238	57-1	1188	54-1	1179	58-5	69	46-3	3674	56-2
II.—Children (otherwise free from defects) who suffer from :—  (a) Defective Vision not worse than 6/12 in the better eye with or without glasses; or (b) Conditions of the Mouth and Teeth	26	1-2	85	3-9	84	4-2	8	5-3	203	3.1
requiring treatment (c) Both (a) and (b)	330 4	15·2 0·2	310 34	14-2	338 26	16.8	30	20·2 0·7	1008	15-4
Total	360	16.6	429	19.6	448	22.3	39	26.2	1276	19-5
III.—Children suffering from Aliments (other than those mentioned in il.) from which complete recovery is anticipated within a few weeks	514	23-6	429	19-6	221	10-9	24	16-1	1188	18-2
V.—Children suffering from (or suspected to be suffer- ing from) defect less remediable than defects specified in II. or III., distinguishing cases:— (a) Where complete cure or restoration of function (in the case of eye defect, full cor- rection) is considered possible	55	2.5	94	4-3	121	6.0	14	9.4	284	4-4
of function	5	0.2	53	2.4	48	2.3	3	2.0	109	1.7
Total	60	2.7	147	6.7	169	8-3	17	11:4	393	6-1
Total Number of Children Examined	2172	100-0	2193	100-0	2017	100-0	149	100-0	6531	100-0

.

Return of Number and Percentage of Individual Children in each Age-Group suffering from Particular Defects. TABLE II. -SYSTEMATIC EXAMINATIONS.

4		Entr	Entrants.		Second		Age-Group.	onb.	1	Third Age-Group.	e-Gro	up.	Fou	Fourth Age-Group.	e-Gro	up.		All Ages.	ges,	
age group—by sexes.	B	Boys.	S	Girls.	B	Boys.	5	Girls.	B	Boys.	Girls.	, i	Во	Boys.	Girls	l vi	Bo	Boys.	9	Girls.
	=	9011	2	9901	= 1	1193	-	1000	6	949	0	1068		78	71	-	33	3326	3205	S
Nunber showing defects.	° N	%	o'N	0/0	° N	0/0	° Z	0,0	o Z	%	No.	0/0	No.	%	l o Z	1%	l o	0/0	No.	1%
Nature of Defect.															İ		Ī		-	1
I. Clothing Unsatisfactory	27	2.4	24	2.2	46	<del>-</del>	28	2.8	32	3.3	33	3.0	-	ë	:	:	601	3.2	55	2.6
2. Footgear Unsatisfactory	91	7	6	8.0	20	9.1	10	9.0	15	9.1	0	6.0	-	6.	:	:	52	9.1	24	0.7
3. Uncleanliness (Head, Body, or both)	8	9.	208	5.61	3	Ξ	236	23.6	23	2.4	961	18.3	:	-	*	9.5	54	1.7	644	20.1
4. Skin (Head and/or Body)	47	4.2	48	4.5	57	4.7	45	4.5	9	4.5	43	4.0	9	7.7	7	8.6	150	4.5	140	4.
5. Defective Nutrition	124	11.2	129	12.1	601	-6	911	9.11	5	5.3	9	5.7	Ŋ	4.9	_	4	289	8.7	307	9.6
6. Mouth and Teeth Unhealthy	228	20.6	242	22.7	280	23.4	191	1.91	223	23.5	266	24.9	25	32.0	22 3	31.0	756 2	22.9	169	21.5
7. Nose, Throat and/or Glands	77	6.9	73	8.9	40	3.2	46	4.6	91	1.7	34	<u>-</u>	7	2.5	:	:	135	4.0	153	4.7
8, Eye Conditions	70	6.3	2	4.8	911	2.6	93	6.3	9   1	12.2	136	12.7	9	7.7	6	2.7	308	9.5	289	9.0
9. Ear Conditions	-	1.2	22	2.0	91	<u>.</u>	7	2.0	17	œ.	=	0	7	2.5	:	:	49	4.	40	-2
10. Defective Speech	6	8.0	4	0.3	2	0.4	-	1.0	0	0-1	-	-0	7	2.5	:	:	26	0.7	9	0.5
II. Mental and Nervous Conditions	3	Ξ	4	0.3	22	<u>-</u>	=	Ξ	4	0.4	5	0.5	:	1	:	:	39	=	20	9.0
12. Heart Conditions	4	0.3	4	0.3	9	0.4	71	2.1	12	1.2	61	1.7	-	÷.	-	4	23	9.0	45	4
13. Lung Conditions	5	9.4	54	2.0	42	3.5	26	5.6	0	0.	00	1.0	:	:	-	4	103	3.0	68	2.7
14. Deformities	1.5	1.3	4	l · 3	46	3.9	53	5.3	38	4.0	29	2.7	w	4.9	:	-	104	3.	96	2.9
15. Infectious Diseases	80	0.7	-3	1.2	4	0.3	:	:	-	1.0	:	:	:	:	:	:	<u>m</u>	0.3	3	0.4
16. Other Diseases or Defects	,																			

# INDEX.

					Page
Preface			***		3
Administration /					7, 47
Approved Schools, Admission of Chil	dren t	o			35
Average Heights and Weights					112
Cleanliness of Head and Body					11, 12, 13
Clothing, Sufficiency of					9
Co-ordination with Public Health Ser	vice				7
Defects—					1 30
Dental				***	15, 41
Hearing					20
Mental					22
Notified to parents					10a
Speech					21
Visual					21a
Revised Form of Tables					54a, 54
Deformities					28
Diseases of—					1000
Ears					20
Eyes (external)					19
Heart and Circulation					23
Lungs					24
Lymphatic Glands					17
Nervous System					25
Nose					16
Skin					13a
Throat					16
Employment of School Children	***				25
Feeding of School Children				***	24
Footgear, Sufficiency of		•••			10
Infectious or Contagious Diseases					20
Junior Instruction Centres		***		***	26
List of Staff			***	***	-
Medical Treatment, Arrangements for			***		35, 50
Medical Treatment at Clinics					39, 40
Milk in Schools Scheme					24
Number of Schools	***	***	***	***	
Number of School Children	***		***		
Number of School Children Examined	4		***	***	0
Number of Special Visite		***		***	7
Nursery Schools	***	***	***	***	20
Nurses Reports by	•••		***	***	45
Nutrition			***		14
Onhthalmic Treatment			***		the State of the S
Orthoptic Treatment	***		***		42, 43
Orthoptic Treatment		***	***	***	44

Orthopaedic Treat	ment							 37
Other Diseases an	d Defe	cts						 30
Parents present at	Insped	ctions						 7
Personal Hygiene								 34
Physical Education	of Sch	ool C	hildren	٠				 34
Previous Illnesses								 31
Results of Ear, No	se and	Thro	at Tre	atment	t-Rep	ort		 38
Revised form of R	eport							 47
Rickets							***	 27
Ringworm, X-Ray	Treatn	nent						 35
Sanitary Condition	of Sci	hools						 7
Special Appliances								 33
Special Schools and	d Class	es						 33
Spectacles Supplied								 42
Speech Therapy								 46
Tuberculosis (Non-		nary)						 26
Ultra-Violet Light								 35
Vaccinations								 32
Visual Acuity		***						 21a

# COUNTY COUNCIL OF DUNBARTON.

# Thirty-first Annual Report

on the

MEDICAL INSPECTION OF SCHOOL CHILDREN.

1941-1942. (Year ending 31st July, 1942).

KIRKINTILLOCH
PRINTED BY D. MACLEOD, LTD.

# Thirty-first Annual Report

selly no

MEDICAL INSPECTION OF SCHOOL CHILDREN.

Tream anding ties tally 1961

PARTITION OF D. HACLEGER, LTD.

## CONTENTS

				Pago
Preface	 		 	 3
List of Staff	 		 	 5
Report on Medical Inspection	 	***	 	 6
Report on Medical Treatment	 		 	 35
Report by School Nurses	 		 	 45
Revised Form of Report	 		 	 47
Index	 		 	 54

## County Council of Dunbarton.

# SCHOOL MEDICAL STAFF.

Supervising School Medical Officer. T. LAUDER THOMSON, M.D., D.P.H.

School Medical Officers.

MILDRED M. L. CATHELS, M.B., D.P.H. ANDREW D. COWAN, M.B., D.P.H. CHARLES C. SLORACH, M.B., D.P.H. (part-time)

Dental Surgeons.

ELIZABETH McKENDRICK, L.D.S. VERA PUGH, L.D.S. JOHN H. N. MACDONALD, L.D.S. FELIX A. CASSIDY, L.D.S.

Ophthalmic Surgeon. JAMES N. TENNENT, M.B., D.O.M.S., B.Sc. (part-time).

Ear, Nose and Throat Specialist. J. FULTON CHRISTIE, M.B., Ch.B., F.R.F.P.S. (part-time).

> Nurse in Charge, Orthopaedic Clinics. MORAG GALLOWAY.

Instructresses at Orthopaedic Clinics (part-time). J. S. HOWATT. E. MILLER (Mrs. CURRIE). M. JOCKEL. (Resigned April, 1942).

Mrs. SMITH (Commenced April, 1942).

Orthoptist (part-time). M. W. MARSH.

Inspection and Clinic Nurses.

S. DOUGHERTY. C. M. JEFFREY.

(Retired 20th October, 1941). M. GILMOUR.

M. MacDONALD.

ANNIE J. RAE.

E. STEVENSON.

C. MACNAIR.

J. SCOTT.

K. STEVENSON. M. C. COUPER.

(Commenced duty 7th Nov., 1941). (Commenced 16th May, 1942)

Nurses for Special Schools. C. ROGERS.

J. MacDONALD.

Dental Attendants.

WILLIAM BENNIE. JAMES GALLACHER. (On Active Service).

ANNIE BLACK ELIZABETH MARTIN (Mrs. Sneddon).

> Attendant at Orthopaedic Clinics. ELIZABETH ROLLO.

> > Clerks.

GEORGE S. BROWNE.

BELLA J. N. AIRTH.

# REPORT

on the

MEDICAL INSPECTION AND TREATMENT OF SCHOOL CHILDREN IN THE COUNTY OF DUNBARTON.

### I .- List of Staff.

See Page 5.

# 2.-(a) Number of Schools.

# School Management Area.

Cumbernauld			 			 	4
Kirkintilloch			 			 	6
New Kilpatrick			 			 	4
Old Kilpatrick			 			 	10
Dumbarton		***	 			 	9
Vale of Leven Helensburgh			 			 	12
Helensburgh	***		 	***	***	 	13
		Total	 			 	58
							1000

# (b) Number of Children on Register and in Average Attendance during Session 1941-42.

School Management Area.	Average on Roll.	Average Attending.	Per Cent.
Cumbernauld Kirkintilloch New Kilpatrick Old Kilpatrick Dumbarton Vale of Leven Helensburgh	957-0 3,534-0 1,921-2 3,837-0 4,402-1 3,548-9 2,124-2	No accurate figures available.	
Total	20,324-4		

## 3.- Number of Visits for Systematic Examinations.

Note.—One whole day spent in school counts as two visits (morning and afternoon sessions).

Number of visits as above ... ... ... ... 479

## 4.-Number of Special Visits by Medical Officers.

For re-examination								44
For examination of	fbackwar	d, or m	entally,	orph	ysically	defect	ive	
children								59
Attendances at C								335
Attendance for O	ffice Wor	k, etc.			2.00			91
For inquiry regar	ding infe	ctious	disease					2
Others								22

#### 5.-Sanitary Condition of Schools.

It will be readily understood that no major improvements were carried out during these years. School lavatories have been maintained in a good state of repair and cleanliness, and broken fittings have been replaced.

# 6.—A, B, C, D, and E.—Organisation and Administration, etc., and Co-operation with Public Health Departments.

Full particulars regarding these matters are included in Section 4 of the revised report, page 50 of the Annual Report 1938-39.

#### 6.- F. Parents Present at Inspection.

School Management Area.	Number of Children Examined.	No. of Parents Present at Routine Examinations.	Per Cent.	No of Parents Present ac Non-Routine Examinations.
Cumbernauld	449	145	32.3	10
Kirkintilloch	1571	540	34-3	154
New Kilpatrick	739	312	42.2	1
Old Kilpatrick.	1298	707	54-4	171
Dumbarton	1233	430	34-9	337
Vale of Leven	1103	673	61.0	367
Helensburgh	711	348	48-9	231
Total	7104	3155	44-4	1271

7.-THE PHYSICAL CONDITION OF THE SCHOOL CHILDREN.

A.-Total Number of Children Examined.

								ROU	ROUTINE	CASES.										9
MANAGEMENT		Entrants	nts			Age	8			Age	14			Age	91		To	Total		lon- utin
AKEA	Aver.	Boys	Girls Total	Total	Aver.	Boys	Girls	Total	Aver.	Boys	Girls	Total	Aver.	Boys	Girls	Total	Boys	Girls	Total	
Cumbernauld	512	58	19	125	60	78	901	184	12,8	73	99	139	15	-	:	-	210	239	449	53
Kirkintilloch	512	206	194	400	81.2	211	206	417	1312	313	328	641	15,8	63	20	=3	793	778	1571	528
New Kilpatrick	5 T2	Ξ	105	216	8 12	113	127	240	13,5	133	136	269	1614	4	01	4	361	378	739	0
Old Kilpatrick	510	253	284	537	810	270	269	539	13,12	4=	108	222	:	:	:	:	637	199	1298	334
Dumbarton	5/3	180	185	365	916	156	182	338	1312	234	248	482	1613	61	29	48	589	644	1233	623
Vale of Leven	57.5	235	257	492	8	162	153	315	13 1/2	146	140	286	16,3	7	3	01	550	553	1103	442
Helensburgh	5/2	127	121	248	8	133	131	264	131%	16	98	189	16,1	8	7	01	359	352	711	277
Total	5,8	5/3 1170 1213		2383	8139	123	1174	2297	13.5	1104	1124	2228	1514	102	94	961	3499	3605	7104	2266

## 7.--B. Number of Children notified to Parents as suffering from Defects.

Scho	ol Management Area	Cun	nberna	uld	Ki	kintill	och	Nev	w Kilps	trick	Old	Kilpat	rick	D	umbar	ton	Val	e of L	even	I H	elensb	ireh	1	Total	
Numbe	or of Routine Cases Examined		449			1571			739			1298			1233			1103			711			7104	
		Rou		None	Ros	utine	Non-	Rou	tine	Non-		tine	Non-		tine		Rou	tine		Roi	itine	-	Rot	utine	
Card	Defect	No.	9/	Rou- tine	No.	%	Rou- tine	No.	%	Rou- tine	No.	%	Rou- tine	No.	%	Non- Rou- tine	No.	%	Non- Rou- tine	No.	%	Non- Rou- tine	No.	%	Rou- tine
Α.	Vermin or Nits on Head	27	6-0		44	2.8		3	0.4		39	3.0	2	131	10-6		134	12-1		68	9.5		446	6-3	2
G.	Vermin on Glothing	***						*						2	0.1								2	0-1	1
J.	Unsatisfactory Footgear					***													Section 1	100000		***		100000	***
K.	Unsatisfactory Clothing		***											2	0-1						***			0.1	
D.	Tonsils and Adenoids	3	0.6	4	4	0.2	26	2	0.2		3	0.2	29	90	7-3	62	102	9-2	59	49	6-9	34	253	3.5	214
E.	Ear Disease										1	0-1	1			7	5	0.4	37	77	0-4	34	253	0-1	14
H.	Defective Vision and Eye Disease	3	0.6	7	27	1.7	29	6	0.8	1	17	0.3	29	65	5-3	68	22	2.0	52	16	2.2	39	156	2-2	225
U.M.T.	Already under Treatment	2	0:4	5	42	2.7	1	26	3.5	2	12	0.9					2	0-2		7					225
	For Orthopædic or Ultra-Violet LightTreatment	***			5	0.3	12				6	0.4	8	15	1:2	10	2		9	,	0-1		91	1-3	8
P.A.	Parents Advised	43	9-5	10	138	8.7	154	68	9-2	1	551	42-4	71	67	5.4	337	659	59.7	367	344	48-3	231	1870	26-3	1171

100

		No of			SUF	SUFFICIENCY	ZCY				İ	-	REPAIR	~					CLE	CLEANLINESS	ZESS		ı
School Management Area	. 10	Rou- tine cases exam-	ŝ	Good	Med	Medium	Bad		Non- Rou-	Good	Po	Medium	E	Bad	P	Non- Rou- tine	Ğ	Good	Med	Medium	Bad	-	Non- Rou- tine
		ined	No.	10	No.	0,0	No.	30		No.	0/0	No.	0/6	° Z	0/		No.	0/0	° N	%	o Z	%	
Cumbernauld	Boys	210	210	0.00	1 : :	11	111	111	::	208	9.66	::	::	~-	0.0	111	205	97.8	- :	0.5	47	6.0	11
	Total	449	449	0.001	1	:	1	:	1	446	99.3	1	:	m	2.0	:	442	98.5	-	0.5	9	1.3	:
Kirkintilloch	Boys	793	793	0.001	::	111	111	1::	::	789	99.5	11	::	₹ :	0.5	111	786	99.5	- :	-0:	9 :	0.7	
	Total	1571	1571	0.001		1	1	1	:	1567	8.66	:		4	0.5	1	1564	5.66	-	-0	9	0.4	
New Kilpatrick	Boys	361	361	0.001	1:1	11	11	::	::	361	0.00	11	::	::	::	::	361	0.00	1:	::	::	::	
	Total	739	739	0.001	:	1	:	:	1	739	0.001	:		:	:	1	739	0.00	:		:	1	1
Old Kilpatrick	Boys	661	637	0.001		1 : :	1::	11	::	630	96.0	11	::	31	4.6	11	630	95.5	:-		30	2.4	1 1
	Total	1298	1298	0.001	1	1	:	:	-	1241	9.56	1	1	57	4.4	-	1238	95.4	-	-0	59	4.5	
Dumbarton	Boys	589	586	95.5	111	11	m :	0.5	::	582	98.8	9 :	<u>•</u> :	- :	0.5	1:	580	98.5	4.0	0.7	2	0.8	11
	Total	1233	1230	8.86	:	1	3	0.5	***	1226	0.66	9	6.0	-	1.0	***	1212	98.4	6	2.0	12	6.0	:
Vale of Leven	Boys	550	550	0.001	111		-	0.5	::	507	92.3	2=	8	33	5.9	111	507	92.3	60	9 9	34	5.7	1 1
	Total	1103	1102	6.66	:	:	-	-0		1017	92.4	7.	8.	65	5.8	:	1018	92.4	6	1.7	99	6.5	:
Helensburgh	Boys	359	352	0.00	::	11	1::	11	::	342	95.3		4.7	2:	3.4	11	341	95.1	107	2.8	9 8	2.3	1 :
	Total	711	711	0.001	1	1	:	:	::	189	95.8	8	2.5	12	1.7	:	675	64.6	12	1.7	24	3.4	:
Total	Boys	3499	3496	6.66	::	::	m -		::	3400	97.3	33	0.9	99	2.0	::	3388	97.1	17	0.5	89	2.4	: :
	Total	7104	7100	1.66	1	:	4	0	-	6917	97.5	45	9.0	142	6.1	-	6888	9.76	43	9.0	173	8.	:

7.-E. FOOTGEAR.

					ROUT	ROUTINE CASES	ES				NON-ROUTINE	OUTINE
School		Number	Good	P	Mec	Medium	Bad		None	ne		
Area		Examined.	No.	%	No.	%	No.	%	No.	%		
Cumbernauld	Boys Girls	210	208	0.001	::	::	2	6.0	::	::	:::	::
	Total	449	447	99.5	:	:	2	0.5				::
Kirkintilloch	Boys Girls	793	791	8-66	- :	::	- :	1.0	::	::	::	::
	Total	1571	1569	8.66	-	:	-	1.0	88			
New Kilpatrick Boys Girls	Boys Girls	361 378	361	0.001	::	::	::	::	::	::	::	:::
100000000000000000000000000000000000000	Total	739	739	0.001	:	:	:	:	:			:
Old Kilpatrick	Boys	637	613	96.2	- :	0.2	23	3.5	::	::	::	;:
	Total	1298	1253	5-96	-	1.0	44	3.4		::		
Dumbarton	Boys	589	566	96.2		0.5	22	3.6	::	::	::	::
	Total	1233	1206	8.76	2	0.5	25	2.0				
Vale of Leven	Boys Girls	550	527 526	95.8	44	0.7	19	3.5	::	111	:::	::
	Total	1103	1053	95.4	9	9.0	44	4.0		***		
Helensburgh	Boys Girls	352	343	95.5	7	0.9	15	3.4	::	::		::
	Total	711	189	95.8	3	0.4	27	3.8	***			
Total	Boys Girls	3499	3409	97.5	812	0.5	82	2.3	::	::	::	::
	Total	7104	6948	8.76	13	0.5	143	2.0	***			

								ВО	YS															G	IRLS							
		Entr	unts		-	Ag	e B		-	Age	14		-	Ago	16	_		Enti	rants		-	Αε	8 6		-	Ag	a 14			Ag	e 16	1
School Management Area	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Helght	Weight	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Height	Weight
Cumbernauld	58	5%	42:0	41-4	78	8/-	48-5	56-0	73	13	57-8	84-6	1	15	67-0	120-5	67	5%	41-2	38-1	106	8/4	48-5	55-5	66	12:1	55-4	78-0				
Cirkintilloch	206	5,5	41-4	41.8	211	87:	49.5	57-3	313	13/5	58-5	87-5	63	16	65.5	119-1	194	5/4	41.9	40.3	206	8.1	48-9	55-5	328	13 Å		94-2	50	15%	62-8	Ш
New Kilpatrick	111	Sin	43-5	43.5	113	8.	50-1	58-7	133	13/4	60.0	90.0	4	16	67.6	116.5	105	5,4	43-5	43-1	127	8/:	49.5	55-3	136	13/4		91.5	10	16 1	62-6	116
Old Kilpatrick	253	5,2	43-9	42-5	270	8 :	45-4	55-7	114	13	57-9	83-2					284	511	42.2	40.8	269	87.		53:5	108	13/4	57-1	83-7				
Dumbarton	180	5/-	42-7	40.9	156	9/2	51:4	55-4	234	13,5	59-0	88-0	19	16/4	65.7	120-3	185	5%	42.7	40.7	182	94	50-8	58-8	248	13/4	60-0	94-2	29	161/1	63-0	188
/ale of Leven	235	5,5	42-2	41.3	162	8,5	48-3	55-4	146	13 15	59-2	87-8	7	1615	66-6	126-3	257	5/4	42-2	40-1	153	811	48-3	54:1	140	137		90-2	3	16	63-6	
Helensburgh	127	5/4	43-1	41.8	133	9	49-8	57-5	91	1374	59-7	91.6	8	1612	64-7	129-0	121	57.	42.5	41:1	131	8/1	48-8	55-2	98	13%	60.0	93-0	2	15}}	65:2	113
Total	1170	5/4	42-7	41-9	1123	810	49-0	56-6	1104	13/4	56-6	87-5	102	16	66-3	121-8	1213	57,	42-3	40-6	1174	8/4	48-6	55-4	1124	13 🚉	58-8	89-2	94	16	63:4	117
County Average Years 1919-20 to 1939-40	25,523	Sin	42-4	41:4	23,630	8/4	48-9	55-5		***			1932	166	65-1	122-2	25, i 40	5/1	42-0	40-1	23,227	8,%	48-6	53-6					1661	16,4	62-6	113
County Average Years 1935-36 to 1939-40	5,582	5 (	42.6	42.0	5,616	875	49.5	56-8					548	16/5	65.7	125-4	5616	57:	42-4	40-7	5,472	8/4	49-1	55-1					429	16,5	62-9	11
Anthropometric Standard			41-0	39-9			47:0	54-9							84-3	119-0			40-8	39-6			46-6	52-1			***				61-7	113

\*It was felt that the Anthropometric Standard was not satisfactory, as It was based on an insufficient number of observations.

A County of Dunbarron Standard has cherefore been strived at by combining and averaging the figures in previous Annual Reports for a number of years back.


		1			22	OUTIN	ROUTINE CASES	ES			ž	NON-ROUTINE CASES	TINE	ASES
SCHOOL		Routine		H	Head			Body	dy		Ĭ	Head	Bo	Body
AREA		exam-	Nits	2	Ver	Vermin	Nics	CS CS	Ver	Vermin	Nits	Vermin	Z	Vermin
		ned	No.	%	S.	%	No.	%	No.	0/0				
Cumbernauld	Boys	210	32	13:4	::	::	::	::	::	111	111	::	::	::
	Total	449	32	7.1	:	1	:	:	:		3	:	:	1
Kirkintilloch	Boys	793	73	9.6	::	::	::	::	::	::	::	::	1 : :	::
	Total	1571	75	4.7	:	:	:	:	:	:	:	-	:	
New Kilpatrick	Boys	361	:=	2.9	:::	11	::	::	::	::	::	::	::	: :
	Total	739	=	1.5	:	:		:	:	:	1 ::	:	:	1
Old Kilpatrick	Boys	661	182	1.1	5:	0.3	::	::	::	::	1::	::	::	1::
	Total	1298	189	14.6	2	0.2	:	:	:		5	-	::	1:
Dumbarton	Boys	589	17	29.9	:-	0.2	::	::	- :	0.5	1::	::	::	:::
	Total	1233	216	17.5	-	0	:	:	-	1.0	5	:	:	1:
Vale of Leven	Boys	553	137	24.8	:-	0.5	::	:::	::	::	::	:::	::	::
	Total	1103	138	12.5	-	-0	:	:	:	:	7	-	:	:
Helensburgh	Boys Girls	359	19	0.3	::	::	::	::	::	1:	::	::	::	1::
	Total	711	89	9.5	:	:	1:	:	1	:	-			1
Total	Boys	3499	701	9.6	:4	1.0	::	::	- :	- :	::	::	::	1::
	Total	7104	729	10.3	1	1			1	1	1		-	

7.—G. CLEANLINESS OF HEAD AND BODY.
(b) Cleanliness.

						(4)										
		1					RO	ROUTINE	CASES.	is.					ROU	NON- ROUTINE
CONC		Rou-			Head	P					Body	1y			Head	Body
MANAGEMENT		Cases	Ü	Doog	Med	Medium	Bad	Pi	°S	Good	Medium	ium	Bad	P	Bad	Bad
ANEA		ined ined	So.	%	No.	%	No.	%	No.	%	No.	%	No.	%		
Cumbernauld	Boys Girls	210	207	98.8	77	6.0	- :	0.5	200 234	95.3	0.10	3.8	2 :	6.0	::	::
	Total	449	444	0.66	4	8.0	-	0.5	434	97.2	13	2.4	2	4.0	:	1
Kirkintilloch	Boys Girls	793	782	98.7	15	6-	- 2	0.5	765	96.5	15	2.6	- 1	6.0	::	::
	Total	1571	1544	98.3	24	1.5	3	0.5	1527	97.3	36	2.2	8	0.5		-
New Kilpatrick	Boys	361	361	100.0	:m	0.8	::	::	361	0.001	:-	0.3	::	::	::	::
	Total	739	736	9.66	3	0.4		:	738	6.66	-	1.0	:		****	:
Old Kilpatrick	Boys Girls	661	619	97.2	30	0.6	ω –	0-2	603	94.7	4=	2.2	20 6	3.1	::	::
	Total	1298	1266	9.16	23	8	6	9.0	1247	1.96	25	6.1	26	2-0	***	:
Dumbarton	Boys	589	584 643	99.2	:-	:-	5 :	8.0	577	97.9	-m	0.5	-9	2.5	::	::
	Total	1233	1227	99.5	-	1.0	5	4.0	1202	97.5	4	0.3	27	2.2		
Vale of Leven	Boys	550	540	98.2	99	EE	40	0.5	535	97.3	200	-6.0	60	9 8	::	::
	Total	1103	1084	98.3	12		7	9.0	1073	97.3	=	0.1	61	1.7		
Helensburgh	Boys	352	355	98.9	-:	0.3	23	9.0	352	98.1	4-	0.3	מימו	<u></u>	::	11
	Total	711	705	89.2	-	1.0	5	2.0	869	98.2	3	4.0	10	1.4	***	***
Total	Boys	3499	3448	98.6	40	8.0	23	0.6	3393	6.26	52	žΞ	38	1.0	::	11
					-			2	4010	2 40	000	1.0	00	1.3		-

7.-H. Condition of Skin.

				ECZE						HNGW					EST	ETIG	0					SORI	.5			SCABIE	5		A	LOPECI	A		PSORIASI	5				OTHE	AS				TOTAL		
School			Rest	ne		Routi	14		Rove	-	R.	utine		Rout	100		Rout			R	outine		8.0	Non- otine	R	outine	Non- Revok		Res	tine	Non- Restine		levoine	Ner Reusin	4	Re	outine		Ros	ioni		Rose			Non-
Area	Number of Reutine Cases	He		Body				He	ad .	Body					Body				H	end		ody				Body			He				Body		П	Head		Body			He		Body		
	Examined	No.	% N	lo. "	. н	126	Body 2	Vo.	20 1	4	He	8 Bod	y No.		No.	143	Head	Body	No.	14	No.		Head	Body	No.	15	Body	N		**	Head	No.	5	Body		la. 5	Ne		Head	Body			-		id Bod
Sumbernsuld	449									100			6	1-3			3				3	0.6			1	01	1		1	0.2	1	,	0.7		П			1 0-2					10		1
irkintilleth	1571			2 0	4		10			1 0	1 3		. 9	06			70				9	0-6		68	10	0.6	81		1	0-1	1	1	0.2					4 02							
lew Kilpatrick	739		-	1 0	4					4000		1	2	03			1				5	0.7			1	0-1												4 05					1		
lid Kilpatrick	1298									4800	1		. 7	0.5			25				13	10		10	62	4.0	94					,	01					4 11					6.9		
umbarton	1233			6 0	5		5			48.5	. 1		1	0.1			19				5	0.4		32	31	2.5	184					2	0.2					7 46		111			82		
ale of Leven	1103			1 0	1 .					480			4	04			16				10	0.9		12	41	3.7	127		,	0.3	1	- 0	01					5 1-3					61		
elensburgh	711			1 0	1 .		in .			489	1		4	0 6			4				-	0.1		14	22	2.9	82	18		01				1				0.4					3.7		133
-										1 0			-					-	Н		-							-							Н										100
Total	7104	1-1				-14	-	7		10	1 4		33	0.5			140		101		46	0.6		137	168	2.3	569			0.1	. 4	- 11	0-1	10			98	8 1-3		162	39 0	6 111	47	150	875



The following table shows at a glance a summary of the previous table [7.—G (a)], i.e., children in each area showing evidence of verminous condition of the head or body or both.

Schoo Managem Area	ent		Number of Routine Cases Examined	Number showing evidence of Vermin	Percentage
Cumbernauld			449	32	7-1
Kirkintilloch	***	***	1571	75	4.7
New Kilpatrick			739	- 11	1.5
Old Kilpatrick	***	***	1298	189	14.6
Dumbarton			1233	217	17-6
Vale of Leven	***		1103	138	12.5
Helensburgh	***		711	68	9-5
Total			7104	730	10-4

7.-I. NUTRITION.

					×	ROUTINE	CASES				NON-R	NON-ROUTINE CASES
SCHOOL		Routine Cases	Ave	Above	Ave	Average	Be	Below	Very	À.P.	Below	Very
AREA		ined ined	No.	%	No.	%	No.	%	No.	%		
Cumbernauld	Boys	210	24 23	4:11	170	90.0	16 34	7.6	::	::	: :	::
	Total	449	47	10.5	352	78-4	50	11.11				
Kirkintilloch	Boys	793	96	12.0	637 589	80.5	53	1.1		00.1	::	::
	Total	1571	231	14-7	1226	78-1	112	7.1	2	1.0		****
New Kilpatrick	Boys	361	64	17.7	285	79.0	12	3.3	::	::	::	::
	Total	739	601	14.8	009	81.2	30	4.0		:		
Old Kilpatrick	Boys	637	54	8.5	525 557	82.5	58	0.01	:-	1:0		::
	Total	1298	16	7.0	1082	83.4	124	9.5	-	1.0		:
Dumbarton	Boys	589	40	9.0	557 618	94.7	28	2.8		0.3	::	::
	Total	1233	0	8.0	1175	95.3	46	3.7	2	0.5		:
Vale of Leven	Boys	553	53	9.7	401	72.7	90	16.4	36	0.5	:::	::
	Total	1103	103	9.4	830	75-2	191	14.6	6	4.0		
Helensburgh	Boys	352	38	9.01	2777	77.2	42	9.4	7-	0.6	::	11
	Total	711	76	10.8	557	78.3	75	10.5	3	4.0		
Total	Boys	3499	333	9.5	2852 2971	81.6	305	8.7	7	0.5	::	
	Total	7104	667	9.4	5823	82.0	SAR	8.4	16	0.5	***	-

The state of the s	1 =				S <sub>O</sub>	ROUTINE CASES	ASES				NON-ROUTINE CASES	SES
SCHOOL		Number of Routine	No Teeth Decayed	lo Teeth Decayed	1 to 4 Ter	to 4 Teeth Decayed	5 or mor	or more Teeth Decayed	Sepsis	la sis	5 or more Decayed	Oral
AREA		Examined	No.	%	No.	%	No.	%	No.	%		
Cumbernauld	Boys	210	99	47.2	96	45.6	15	7.5	mm	4.5	::	::
	Total	449	221	49.2	198	44.1	30	6.7	9	1.3	:	:
Kirkintilloch	Boys	793	459	57.9	281	35.4	53	6.4	- :	1.0	::	::
	Total	1571	956	8.09	512	32.5	103	9.9	-	1.0	4	:
New Kilpatrick	Boys	361	243	67.4	93	29.8	25 -	6.9	:-	0.5		::
	Total	739	486	8.59	206	. 27.8	47	6.3	-	1.0	-	:
Old Kilpatrick	Boys	637	318	49.9	213	33.6	100	16.5	<u>6</u> 4	2.0	::	::
	Total	1298	999	51.3	427	32.9	205	15.8	27	2.1	-	:
Dumbarton	Boys Girls	589	356	60.5	105	17.7	128	21.9	. :	1.1		::
	Total	1233	758	4-19	206	16.7	269	21.9	:		13	
Vale of Leven	Boys	550	301	54.7	142	30.0	107	19.5	31	5.6	::	::
	Total	1103	009	54.4	308	27.9	195	17.7	76	8.9	3	:
Helensburgh	Boys	359	212	55.2	89	24.8	69	16.1.	28	7.7		
	Total	711	406	1.75	178	25-1	127	17.8	4	1.9	-	
Total	Boys	3499	1988	56.8	1020	29.2	491	13.4	90	2.6	::	::
	Total	7104	4093	57.6	2035	28.7	926	13-7	155	2.2	23	:

7.-K. NOSE, THROAT AND LYMPHATIC GLANDS.
(a) Nose.

			No.										
SCHOOL	Number of		Catarrh.			Obstruction	no		Others			Total	
MANAGEMENT	Routine	Rou	Routine	Non	Rou	Routine	Non	Routine	tine	No.	Rou	Routine	
	Examined	No.	%	8	No.	%	Routine	No.	%	Routine	No.	%	Routine
Cumbernauld	449			:	-	0.5	:	2	0.4	1:	3	9.0	1:
Kirkintilloch	157.1	:	:	:		-	2	20	1.3	17	20	1.3	61
New Kilpatrick	739	:	:		-	1.0	::	2	0.3	:	3	4.0	:
Old Kilpatrick	1298	21	9.1	:	83	6.4	-	3	0.5	Э	107	8.2	4
Dumbarton	1233	27	2.2	-	7	9.0	6	7	9.0	18	14	3.3	22
Vale of Leven	1103	24	2.2	3	98	9.8	-	52	0.5	3	124	11.2	7
Helensburgh	711	20	0.3	4	59	8.3	:	-	-0	2	80	11.2	9
Total	7104	92	1.3	8	246	3.5	7	40	0.5	43	378	5.3	58

(b) I, Tonsils.

(a) it constitution	Enlarged Removed	Routine	% Routine No. % Routine No. % Routine	2.7 1 5 1.1 3 28 6.2	1.2 1 18 1.1 22 215 13.7	1.9 7 0.9 135 18·3	0.8 237 18.3 34 121 10.0	7.9 10 75 6.1 18 172 13.9	12.0 7 102 9.2 31 176 15.9	16.6 2 49 6.9 22 106 14.9	1
	Enlarged			2.7	1.2						
	Nember		Examined No.	449 12	1571 19	739 14	11298	1233 98	1103 133	711 118	710.1
1		SCHOOL	İ	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

7.-K. NOSE, THROAT AND LYMPHATIC GLANDS-Continued.

(b) 2, Adenoids.

		) e								1
	1	Routine	:	**	:	:	00	:	:	00
Removed	Routine	%	6.5	13-4	18.3	9.2	6-1	16.2	13.8	12.2
	Rou	No.	28	211	135	611	86	179	86	898
	2012	Routine		22		01	2	13	3	50
Suspected	Routine	%	4.0	0.3	0.3	2.9	1.2	9.8	7.2	3.6
	Rou	No.	2	5	2	87	15	95	51	257
	N N	Routine	-	2	:	-	-	:	:	8
Present	tine	%	1.3	<u></u>	Ξ	4.0	9.0	2.0	9.0	7-2
	Routine	No.	9	21	00	5	7	80	4	59
Manchan	Routine	Examined	449	1571	739	1298	1233	1103	711	7104
	SCHOOL	AREA.	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

7.-K. NOSE, THROAT AND LYMPHATIC GLANDS-Continued.

(c) Lymphatic Glands-Submaxillary and Cervical.

		_	Palps	Palpably Enlarged	inlarg	pa			Mark	Markedly Enlarged	Enlarg	pei	-		Sup	Suppurating	guis				Cio	Cicatrices		
		Subn	Submaxillary	ıry	Cervical	ical		Subn	Submaxillary	ary	Ce	Cervical	1	Submaxillary	axillar	1	Cer	Cervical	S	Submaxillary	illary		Cervical	
SCHOOL MANAGEMENT AREA	Number of Routine Cases Examined	1	Routine	Non- outine	Routine		Non- outine	Routine		Non-	Routine	1	Non- loutine	Routine	-noN	outine	Routine	Non-	outine	Routine	-noN	Coutine	Routine	-noN enisuos
		° N	%	Я	o Z	%		So.	%	1000	o Z	%		o Z	%		No.	%	N N	%		° Z	%	1
								4																
Cumbernauld	449	-	0.5	:	:	:	:	:	:	4	:	:	:	:	:	:	:	:	:		:	:	:	:
Kirkintilloch	1571	4	0.5	4	:	:	3	-	1.0	:	7	1.0	:	:	:		:	:	:	-0	:	:	:	:
New Kilpatrick	739	2	0.3	(11)	:	:	:	7	0.3	:	:	-	:	• :		1	:	-	:	-	:	:	-	:
Old Kilpatrick	1298	22	8.0	-	-	:	:	72	5.5	7	:	:	:			:	:	:	:	2 0.1	:	:	:	1
Dumbarton	1233	3	0.5	:	1	:	6	:	:	:	:	:	:	:	:	:	;	-	:	2 0.2	:	:	:	1
Vale of Leven	1103	21	8.1	7	:	:	4	80	7.5	:	7	0.2	:	:	:	:	:	-	-	6.0 01	:	-	ō	*
Helensburgh	711	3	1.7	1	-	0	7	9	9.6	:	:	:	:	:	1	:	-	1	:	2 0.1	:	ч	ō	1
Total	7104	99	6.0 99	1	1-	1-0	18	195	2.7	9	4	0.1	1	1:	1:	1:	-:		-	18 0.2		m	0.1	1

Rou-tine 4 1 2 : : : : : : 26 Other Diseases 4.0 1.0 0.3 0.5 0.3 0.5 1.0 1 : ò ò 00 00 0 00 Ó Routine So. : : moo 7 : : 7 2 4 9 20 S -4 10 50 3 Rou-9 : : N : : : 7 : : Corneal Opacities 0.5 0.5 ..0 0.3 0.5 0.2 0.3 : : : % ò ò ò ò ò 00 ò Routine So. : 0 410 9 : : 4m N - : Rou-9 4 4 : : : : : : 7 Conjunctivitis 0.5 0.5 -0 000 : : : : : : : 00 00 Routine So. N : : Rou-4 4 3 : : Blepharitis 0.9 6.0 6.0 99 0 0.4 004 04 00 9 0.4 000 ò 00 o o NM N 00 ò ò Routine ° : m 90 0 m 004 7 500 35 22 7 Rou-5 50 S 9 9 2 Strabismus 3.0 3.7 2.5 3.5 3. 2.9 3.8 3.3 3. 2:1 00 4 ma Routine 209 19 mr 0 4 10 56 45 05 04 23 54 24 22 So. No. of Routine Cases Exam-ined 7104 210 793 361 739 359 3499 449 1298 589 1233 1103 637 711 571 Boys Boys Boys Boys Boys Total Total Total Total Total Boys Boys Total Total Boys Total SCHOOL MANAGEMENT AREA Kilpatrick Kilpatrick Leven Cumbernauld Helensburgh Kirkintilloch Total Dumbarton jo New Vale PIO

7.-L. EXTERNAL EYE DISEASES.

7.-N. EAR DISEASES.

SCHOOL	No. of		Otorrhoea	3		Wax			Others			Total	
MANAGEMENT	Cases	Ron	Routine	N N	Routine	tine	N N	Routine	ine	No.	Routine	ine	1
	ined	No.	%	Routine	No.	%	Routine	No.	%	Routine	No.	0/6	Routine
Cumbernauld	449	4	6-0	2	ю	7.0	:	:	:		7	1.5	2
Kirkintilloch	1571	6	9.0	7	7	4-0	9	-	0.1	01	17	Ξ	20
New Kilpatrick	739	2	0.3	:	-	1.0	:	:	:		3	4.0	
Old Kilpatrick	1298	91	1.2	7	9	0.5	2	3	0.5	4	25	6.1	13
Dumbarton	1233	9	0.5	80	е	0.5	20	5	4.0	4	4-	Ξ	- 11
Vale of Leven	1103	15	1.2	10	7	0.5	:	2	0.5	3	61	9.1	60
Helensburgh	711	5	2.0	2	-	1.0	4	2	0.3	2	80	1-1	8
Total	7104	57	0 8	31	23	0.3	14	13	0.5	23	93	1.3	89

7.-O. HEARING.

1		Non	Routine		7		-	3	7	S. A.	-	+
	Total	ine	0/0	6.0	2.0	0.3	1.5	6.1	9-1	8.0	-	1.2
	-	Routine	No.	4	12	2	61	24	18	9	-	85
		2012	Routine	:	7	:	-		***	111	-	8
	Very Deaf	ine	%	:	1.0		0.5	9.0	8.0	0.3		4.0
		Routine	No.	-	-		7	8	6	2		27
		Non	Routine					3	2	To de la constitución de la cons		9
	Slightly Deaf	tine	%	6.0	2.0	0.3	6.0	1.3	8.0	9.0		8.0
	IS	Routine	No.	4		2	12	91	6	4	-	58
	Number of	Routine	Examined	449	1571	739	1298	1233	1103	711	-	7104
		SCHOOL	AREA	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	-	lotal

#### 7.-M. Visual Acuity (Snellen's Test at 6 Metres).

Vision shown is "Working Vision," i.e., Vision of better eye. Good Vision=1. Fair Vision=1.- Bad Vision=4, or worse

																			ROUT	NE CA	SES																		lan-
School						Age 8		-							kge 14									Age	6								Total						utine
Management Area		No.	Go	od	Fi	ir.	8.	id .	Bad in Eye		No.	G	ood	Fa	ir	8:	od .	Bad Eye	in one	No.	G	ood	Fai	r	8.	ıd	Bad in Eye o	n one only	No.	G	ood	F	iir	8:	nd .	Bad i Eye	n One only	Bad	Bad in One Eve
		Exam- ined	No.	%	No.	9/	No.	56	No.	%	ined	No.	%	No.	%	No.	%	No.	%	ined	No.	6.	No.	%	No.	%	No.	%	ined	No.	1	No.	%	No.	97 70	No.	%		only
Cumbernauld	Boys Girls	78 106	76 102	97·6 96·2	1 2	1-2	1 2	1-2	4 3	5·1 2·8	73 66	70 59	96-0 89-4	2 4	2·7 6·1	3	1-3 4-5	5,	6-8 4-5	1					111	***	***	***	152	147	96-7	6	3:4	5	2-9	6	3-4	***	
	Total	184	178	96-8	3	1-6	3	1-6	7	3.8	139	129	92-8	6	4.4	4	2-8	8	5-6	1	- 1	100-0						100	324	308	95 2	9	2.7	7	2-1	15	4-6	5	
Kirkintilloch	Boys Girls	211	205 192	97-2	4 9	1-9	2 5	0.9	7 4	3-3	313 328	295 297	94-3 90-6	8	2.5	10	3·2 4·5	18	5-7 4-3	63 50	57 44	90-6 88-0	3	4-7	3 5	10-0	3	60	587 584	557	95-0	15 26	4.4	25	2·5 4·3	27	3-6		111
	Total	CHARLES		95-2	13	3:1	7	1.7	11	2.6	641	592	92-4	24	3.7	25	3.9	32	5-0	113	101	89-4	4	3.5	8	7:1	5	-6-4	1171	1090	93-1	41	3.5	40	3-4	48	4:1	20	
New Kilpstrick	Boys Girls	113	109	96-6	2 5	1.7	2	1:7		4.7	133	127	95-5	1	0.7	5	3.8	7 3	5-3	10	3 6	75·0 60·0			1	25·0 40·0			250 273	239 255	95-6 93-4	6	1.2	8	3·2 4·4	7 9	2.8		
	Total	-	-	95.9	7	2.9	- 5	2:1	- 6	2.5		257	95-5	2	0.7	10	3.8	10	3-8	14	9	64-3	41-4		5	35.7			523	494	94.5	9	1.7	20	3-8	16	3-0		1.00
Old Kilpstrick	Boys Girls	270	244 252	90-4	15	5.5	11 5	4:1	9 5	3:3	114	107	93·9 87·0	4 7	3·5 6·5	3 7	2:6	3 5	2·6 4·6		***		***				111		384 377	351 346	91-4	19	5 O 5 O	14	3 6 3 2	12	3·1 2·6	:	
	Total	-	496	92-1	27	5.0	16	2.9	14	2.6	222	201	90-5	11	5-0	10	4:5		3.6	***			414.	1000				110	761	697	91-6	38	5-0	26	3-4	22	2.9	14	
Dumbarton	Boys Girls	156	142	91-1	117	7.0	3 4	1.9	5 3	3-2	234 248	219	93-6 91-2	9	3-8 5-2	6 9	2.6	12	5·2 4·8	19	16	84·2 79·3	2	6-9	3 4	15-8			409 459	377 420	91-5	20 22	4-9	12	3.7	17	3 2		
	Total	-	-	92-6	18	5.4	7	2.0	8	2-4	482	445	92-4	22	4-5	15	3:1	24	5.0	48	39	81-3	2	4-1	7	14-6			868	797	91-9	42	4.8	29	3.3	32	3:7	13	
Vale of Leven	Boys Girls	162	143	88-2	11	6-8	8	5-0	4 5	2:4	146	133	91-1	10	6-9	3 6	2.0	5 8	3-4 5-7	7 3	4 2	57·2 66·7	3	42-8	ï	33-3			315 296	280 259	88 9	24 26	7-6 8-8	11	3.5	13	2·8 4·4		
	Total	-	281	89-2	22	7.0	12	3-8	9	2.8	286	252	88-1	25	8.8	9	3:1	13	4.5	10	6	60-0	3	30-0	1	10-0		111	611	539	88-2	50	8.2	22	3.6	22	3.6	13	
Helensburgh	Boys Girls	133	119	89-5 87-8	12	9-0	2 8	1-5	8	6-0	91 98	84 87	92·3 88·9	4 8	4:4 8:1	3	3.3	"3	3-0	8 2	7 2	87-5 100-0		12-5				:::	232 231	210 204	90 6	17	7·3 6·9	5	2·1 4·8	8 4	3-5	111	
	Total	264	234	88-6	20	7.6	10	3-8	9	3.4	189	171	90-5	12	6-3	6	3.2	3	1.6	10	9	90-0	1	10-0				111	463	414	89.5	33	7-1	16	3:4	12	2.6	30	
Total	Boys Girls	1123	1038	92-4 92-8	56 54	5-0 4-6	29 31	2-6 2-6	37 27	3:3	1104	1035	93-8	38 64	3:4 5:7	31 48	2·8 4·3	50 48	4-5	102	88 77	86-2	7 3	6·9 3·2	7	6-9	3	3.2	1319 1391	2161 2178	92.9	121	5-0	93	3.9	78	3-3		11.2
	-	2297	-	92-6	110	4-8	60	2.6	64	2.8	2228	2047	91.9	102	4-6	79	3.5	98	4:4	196	165	84-2	10	5-1	21	10-7	5	2.5	4721	4339	91.9	222	4-7	160	3-4	167	3-3	96	



7.-P. SPEECH.

		Defe	Defective Articulation	lation	o,	Stammering		-	Total	
SCHOOL	Routine	Rou	Routine	1 2	Routine	ine	1 2	Routine	ine	1 2
AREA	Examined	No.	%	Routine	ŏZ	%	Routine	No.	0/0	Routine
Cumbernauld	449	-	0.2	-	-	0.2	:	2	0.4	-
Kirkintilloch	1571	2	0.1	:	3	0.2	:	2	0.3	:
New Kilpatrick	739	-	1.0	:	2	2.0	:	9	8.0	:
Old Kilpatrick	1298	12	6-0	:	7	0.5	:	61	4-	:
Dumbarton	1233	3	0.5	:	2	0.2	***	5	0.4	
Vale of Leven	1103	01	6.0	:	9	0.5	:	91	1.4	:
Helensburgh	711	=	1.5	:	60		:	61	2.7	:
Total	7104	40	9.0	-	32	0.4	:	72	0.1	-

7.-Q. MENTAL CONDITION.

Number of Examined Cases         Routine Routine         Mon- Routine         Routine Routine         Non- Routine         Routine Routine         Non- Routine											
No.         Non-         Routine         Non-         Routine         Non-         Routine         Non-         Routine           1         0.2            1         0.2           12         0.7           1         0.2                   2         0.7            5         0.7           9         0.8          1         0.1          4         0.6             1         0.1          4         0.6           29         0.4          13         0.2          4         0.6		,	Dull	or Backwa	rd	Men	itally Defici	ent		Total	
No.         %         Routine         No.         %         Routine         No.         %           1         0.2	7	Routine	Rout	ine	Non	Rout	tine	Non	Rour	tine	Non
1         0.2           1.1         0.2           12         0.7          7         0.4          19         1.1                      5         0.7		Examined	, o Z	%	Routine	No.	%	Routine	No.	%	Routine
12     0.7      7     0.4      19     1·1       5     0.7             2     0.2      1     0·1      3     0·2       9     0.8      1     0·1      4     0·6         4     0·6      4     0·6       29     0.4      13     0·2      42     0·6		449	-	0.2	:	:	-	:	-	0.2	:
5     0.7         5     0.7       2     0.2      1     0.1      3     0.2       9     0.8      1     0.1      10     0.9         4     0.6      4     0.6       29     0.4      13     0.2      42     0.6		1571	12	2.0	:	7	0.4	:	61	Ξ	
5         0.7            5         0.7           2         0.2          1         0.1          3         0.2           9         0.8          1         0.1          10         0.9             4         0.6          4         0.6           29         0.4          13         0.2          42         0.6		739		:	:	1	:	:	:		:
2 0.2 1 0.1 3 0.2 9 0.8 1 0.1 10 0.9 4 0.6 4 0.6 29 0.4 13 0.2 42 0.6		1298	5	2.0		:	:	:	ın	2.0	:
9 0.8 1 0.1 10 0.9 4 0.6 4 0.6 42 0.6		1233	2	0.7		-	1.0		3	0.2	:
4     0.6      4     0.6       29     0.4      13     0.2      42     0.6		1103	6	8.0		-	1.0		01	6.0	***
29 0.4 13 0.2 42 0.6		711	:	:		4	9.0	::	4	9.0	:
		7104	29	4.0	1:	13	0.5	:	42	9.0	:

7.-R. HEART AND CIRCULATION.

	No of			Organic	Organic Disease			Funct	Functional Disease	sease		Total	
SCHOOL	Routine		Congenital			Acquired		0	in i	1	0		
AREA	Exam-	Ron	Routine	Non-	Ron	Routine	-uoN	nou	1116	Routine	nou		-Routine
	lued	No.	%	tine	No.	%	tine	o Z	%		No.	%	
Cumbernauld	449	:	:	:	:	:	:	:	:	:	:	:	:
Kirkintilloch	1571	2	1.0	:	9	4.0	*	:	:	:	00	0.5	:
New Kilpatrick	739	2	0.3	:	6	4.0	:	:	:	:	2	2.0	:
Old Kilpatrick	1298			:	6	2.0	-	3	0.5	:	12	6.0	-
Dumbarton	1233	4	0.3	:	6	2.0	2	:	-	:	13	0-	2
Vale of Leven	1103	2	4.0	2	7	9.0	-	6	8.0	-	21	÷	4
Helensburgh	711	-	1.0	:	4	6.1	:	2	0.3	:	17	2.2	:
Total	7104	14	0.5	2	48	2.0	4	4	0.5	<u> </u>	76	Ξ	7

7.-S. LUNGS.

		1		_	_	_	_	_		1
	Non-	tine	-	89	:	S	0	Ξ	7	37
Total	Routine	%	2.0	1.2	8.0	2.4	6.4	2.1	1.5	2.4
	Rou	No.	m	61	9	3	82	23	=	175
	Non-	tine	:	-	:		2	4	:	1
Asthma	tine	%	0.5	0.5	4.0	1.0	0.5	0.3	1.0	0.5
	Routine	No.	-	3	3	2	3	8	-	16
s p	Non-	tine	:	:	:	:	:		:	1:
Tuberculosis Suspected	Routine	%	:	:	:	:	:	:	:	1:
Tu	Ro	No.	:	:	:	:	:	:	:	:
50	Non-	tine	:	:	:	:	:		:	1:
Tuberculosis	Routine	0/0	:		:	::	:		1	1:
Tul	Rol	No.	:	-	:	***	:		:	1:
i.s	Non-	tine tine	-	7		25	3			91
Bronchitis	Routine	%	4.0	0	0.4	0.7	0.5	0.3	-0	0.5
	Ro	No.	2	91	3	6	3	3	-	37
tarrh	Lon Non	tine		-	:	.00	5	7	2	4
Bronchial Catarrh	Routine	%	***		:	1.5	6.2	1.5	1.3	1.7
Brond	Ro	No.		***	:	20	92	17	6	122
	Routine	Examined	449	1571	739	1298	1233	1103	711	7104
		AREA	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

7.-T. NERVOUS SYSTEM.

0000		No. of		Epilepsy			Chorea		Infant	Infantile Paralysis	lysis		Others			Total	
MANAGEMENT		Cases	Routine	tine	-uoN	Routine	tine	Non-	Routine	ine	- LoN	Routine	tine	Z on	Routine	ine	Non-
ANEX		ined	° Z	0/0	tine	Z o	0/0	tine	No.	%	tine	No.	%	tine	No.	%	tine
Cumbernauld	:	449	:	;	:	:	:	:	:	:	:	:	:	:	:	:	:
Kirkintilloch	-	1571	-	1.0	:	-	-0	:	2	-0	2	:	:	:	4	0.5	2
New Kilpatrick	:	739	-	-0	-	:	:	:	:	:	:	:	:	:	-	-0	-
Old Kilpatrick	;	1298	:		2	-	-0	1	2	- 0	2	6	0.5	:	9	0.5	Ŋ
Dumbarton	:	1233	1	:	:	:	;	:	2	0.5	:	-	-0	:	3	0.5	***
Vale of Leven	:	1103	:	:	:	-	-0	-	2	0.5	:	2	0.5	:	2	0.4	-
Helensburgh	;	711	:	1	:	3	4.0	_	-	-0	-	:	:	;	4	9.0	2
Total	1	7104	2	0.03	100	9	0.1	m	6	0.1	5	9	0.1	1:	23	0.3	=

7.-U. TUBERCULOSIS (NON-PULMONARY).

SCHOOL			Glands			Bones		-	Joints		Ab	Abdominal		0	Others			Total	
MANAGE. MENT AREA	Number of Routine	Routine	tine	Non-	Routine	ine	Non-	Roi	Routine	Non-	Routine		Non-	Routine	ine	Rou-	Routine	line	Rou-
	Examined	No.	0/0	cine	o Z	0/0	cine	No.	%	tine	No.	%	tine	No.	%	tine	No.	%	tine
Cumbernauld	449	:	:	:	:	:	:	:	:	:	:		:	:	:		:		
Kirkintilloch	1571	:	:	:	:	:	:	:		:	:	:	:	:	:	:	:	:	
New Kilpatrick	739	***	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
Old Kilpatrick	1298	-	***		:	:	:	:		:	:	:	:	:	:	:	:	:	:
Dumbarton	1233	:		:	:	:	:	:	:	:	:	:	:	2	0.5	:	2	0.5	:
Vale of Leven	1103	:	:	:	***	:	:	::	:	:	:	:	.:	:	:	:	:	:	
Helensburgh	7117	:	:	:	:	:	:	:	:	:	:	;	-	:	:	:	:	:	-
Total	7104	1:	1:	1	1	1		1			İ		-	1	0.03		2	0.03	-

7.-V. RICKETS.

SCHOOL Rander of Management AAREA         Routine Routine Routine         Non- Would Routine		4		Slight			Marked			Total	
Examined         No.         % Routine         No.         % No.           449	SCHOOL	Routine	Ron	tine	1	Rout	tine	1	Rou	tine	
449  .	AREA	Examined	No.	%	Routine	No.	9/0	Routine	No.	%	Routine
1571           1         0·1          1         0·1           739                  1238                 1233                1103               711               7104	Cumbernauld	449	:	:		:	:	:	1		:
739 <th>Kirkintilloch</th> <th>1571</th> <td></td> <td>:</td> <td>:</td> <td>-</td> <td>1-0</td> <td>:</td> <td>-</td> <td>1.0</td> <td>***</td>	Kirkintilloch	1571		:	:	-	1-0	:	-	1.0	***
1298 <th>New Kilpatrick</th> <th>739</th> <td>:</td> <td>:</td> <td>:</td> <td>:</td> <td>:</td> <td>:</td> <td>*</td> <td>:</td> <td>:</td>	New Kilpatrick	739	:	:	:	:	:	:	*	:	:
1233            1103            711           7104      1     0.01      1	Old Kilpatrick	1298	:	:	:	;	:	:	:	:	:
7104 1 0-001	Dumbarton	1233	:	:	:	:	:	:	***	:	::
7104 1 0-01	Vale of Leven	1103	:	:	:	:	:	:		:	:
7104 1 0.01	Helensburgh	711	:	÷	:	:	:	:	:	:	:
		7104		:	:	-	10-0	1:	-	0.01	:

7.-W. DEFORMITIES.

		Routine	-	11	:	2		9	S	30
Total	ine	%	2.2	3.0	8.1	2.7	3.0	8-1	2.3	1.5
	Routine	No.	0-	48	4	36	38	20	17	183
chitic)	1	Routine	:	=	:	7	4	9	ın	28
Acquired (Non-Rachitic)	ine	%	2.0	3.0	1.7	2.7	2.7	4:-	2.2	2.3
Acquir	Routine	No.	6	48	13	35	34	91	91	171
	Non	Routine	-	:	:	:	-	:	:	2
Congenital	ine	%	0.5	:	1.0	1.0	0.3	0.3	1.0	0.5
	Routine	No.	-	:	-	-	+	+	-	12
A second	Routine	Examined	449	1571	739	1298	1233	1103	711	7104
	SCHOOL	AREA	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

7.-X. INFECTIOUS OR CONTAGIOUS DISEASES.

			Scarlet		Q	Diphtheria	eria	>	Whooping	Sing	Ī	Measles	65	_	Mumps	10		Chicken	u.		Total	
SCHOOL	Routine	Routine	-	1	Routine	ne	Non-	Routine	tine	Non- Routine	Rout	ine	Non	Rou	Routine	Non-	Routine	i	Non-	Rou	Routine	
AREA	Examined	o Z	%	tine	No.	%	rine	Š	%	tine	o Z	%	tine tine	No.	0%		No.	1%		No.	000	Rou-
Cumbernauld	449	:	:	:	:	:	;	:	:	:	:	:	:	:	:	:	:	1	:	:	:	:
Kirkintilloch	1571	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	7	:	:	7
New Kilpatrick	739	:	:	***	:	:	:	:	:	:	:	:	:	:	:	-	:	:	:	:	:	-
Old Kilpatrick	1298	:	:	:	:	:	:	:	:	:	:	:	:	7		-	:		2	2	-0	3
Dumbarton	1233	:	:	:	:	:	:	1	:	:	:	:	:	:	:	:	:	:	2	:	:	2
Vale of Leven	1103	:	:	:	:	:	-	:	:	-	:	:	:	:	:	2	-	-0	2	-	-0	9
Helensburgh	711	1	:	:	:	:	:	:	:	:	:	:	:	-	-0	7	:	:	-	-	-0	00
Total	7104	1:	1:	1:	1:	1:	-	1:	1:	-	1:	1:	1	m		=	-	1-0	4	4	1-0	27

7.-Y. OTHER DISEASES AND DEFECTS.

	7		Hernia			Others			Total	
SCHOOL	Routine	Routine	tine	1	Routine	tine		Rou	Routine	1
AREA	Examined	No.	%	Routine	No.	%	Routine	No.	%	Routine
Cumbernauld	449	:		:	7	1.5	7	7	1.5	2
Kirkintiiloch	1571	3	0.2	2	30	6-1	. 27	33	2.1	29
New Kilpatrick	739	:	:	:	11	1.4	:	=	4.	:
Old Kilpatrick	1298	2	1.0	:	34	2.6	25	36	2.7	25
Dumbarton	1233	-	1.0	:	III	0.6	7.5	112	1.6	75
Vale of Leven	1103	2	0.5	:	43	3.8	98	45	4.0	98
Helensburgh	711	2	0.3	:	26	3.6	59	28	3.9	59
Total	7104	10	1.0	2	262	3.6	274	272	3.7	276

PREVIOUS ILLNESSES.

			_	_	_		_		
Others	%	21.8	22.2	27-2	21.5	25.3	29-3	27.8	24.9
O	ò	86	349	201	292	312	323	198	1773
Fits	%	:	:	:	:	-0	:	:	1.0
	o Z	:	:	:	1	-	:	:	-
ma-	%	9.1	9.1	Ξ	0.5	8.0	0.5	0.4	6.0
Rheuma- tism	o Z	7	25	00	9	01	9	9	65
= ,	%	:	:	:	:	:	:	-	1:
Small- pox	°Z	:	:	:	:	:	1	:	1:
heria	%	3.9	4.9	4.5	7.4	2.6	1.9	0.6	7.0
Diphtheria	° Z	17	001	33	96	120	19	64	497
et	%	6.01	1-4-	12.0	12.9	15.8	14-0	16.3	14.0
Scarlet	° Z	49	221	89	891	195	154	9 =	992
sdu	%	34.7	36.9	34.2	30.8	39.2	34.2	20.9	33.7
Mumps	ŏZ	156	580	253	400	483	376	149	2397
ken	%	37.0	35.0	39.9	30.2	37.6	33.8	42.9	35.8
Chicken	° Z	991	550	295	392	464	373	305	2545
aping ugh	%	6-19	58-1	63.0	58.3	0.09	62.3	57.2	59.8 2545
Whooping	Š	278	913	466	757	740	688	407	4249
sles	%	79.3	89.0	78.3	7.77	6.08	78.5	74.7	79-5 4249
Measles	Š	356	1310	579	1008	766	866	531	5647
No. of	Cases Exam- ined	449	1571	739	1298	1233	1103	711	7104
		:	:	-	:	:	:	:	1
SCHOOL	AREA	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

### VACCINATION.

H		A	Age 8		1	Age 14	ī	A	Age 16			Total	
trants	1		0 08			180		0	2			l Ocal	
Unvaccinated tine	Rou-		Unvaccinated	inated	Rou- tine	Unvaccinated	inated	Rou- tine	Unvace	Unvaccinated	Rou- tine	Unvaco	nvaccinated
No. % ined	хаш	1 m	o Z	%	Exam- ined	Š	%	Exam- ined	o Z	0/0	Exam- ined	o N	%
80.8	_	184	145	78.8	139	93	6.79	-	-	0.001	449	340	75.7
309 77-3 417	4	1	304	72.9	641	443	1.69	113	48	42.5	1571	1140	72.5
153 70-8 240	24	0	991	69.2	269	151	1.95	4	10	35.7	739	475	64.3
441 82-1 539	539		430	8.64	222	162	72.9	:	:		1298	1033	79.7
282 77.3 338	338	-	251	74.3	482	303	67.9	48	17	35.4	1233	853	1.69
418 82-9 315	315		247	78.4	286	174	6.09	0	2	20.0	1103	841	76.2
171 68.9 264	26	4	174	6.59	189	108	57.1	0	15	50.0	711	458	64.4
1875 +78-7 2297	229	1	1717	*74.3	2228	1434 *64-4	64.4	961	78	+39.7	7104	5140	*72.4
*Decrease compared *Incre with last year — wit	Wit	7.3	*Increase compared with last year — 3-1%	ared	*Increa with	*Increase compared	pared r-	*Increase compared with last year — 6-2%	with last year — 6-2%	ared r -	*Incres	*Increase compared with last year— 3.5%	pared ar-

### 8.—Special Schools and Classes.

Special Schools.—There are three Special Schools in the County—Waverley Park Home, Kirkintilloch; Milton School, Bowling; and College Street School, Dumbarton.

In Waverley Park Home, which is maintained by the West of Scotland Association for the Care of the Feeble-minded, there is at present no pupil

from the County.

Milton Special School, which serves the Old Kilpatrick Area, and also includes Deaf Mute pupils from Vale of Leven, Dumbarton, Helensburgh, and New Kilpatrick, has been closed since the outbreak of war. Some of the children were evacuated to Port Kil Hotel, Kilcreggan, and later transferred to The Grove, Clynder, accompanied by a teacher and a nurse. At the end of the present session six children were still in residence there.

The other children from Milton Special School were conveyed to College Street School, Dumbarton, and dispersed through the classes there. The numbers so conveyed until June, 1942, were 24 Mentally Defective, 3 Physi-

cally Defective, 7 Deaf Mutes and 7 Myopics, a total of 41.

College Street School, which serves the Dumbarton, Vale of Leven and Helensburgh Areas, has three classes for Mentally Defectives, with 52 on the roll, and two classes for Physically Defectives with 23 on the roll, a total of 75.

The pupils in the Deaf Mute Classes, 7 in number, are drawn from the whole county except the parishes of Kirkintilloch and Cumbernauld.

Special Classes—(a) For Mentally Defective Children—Lairdsland School,

Kirkintilloch, with 23 on the roll (two classes).

(b) For Conservation of Vision—Lairdsland School, Kirkintilloch, with 9 on the roll; Whitecrook School, Clydebank (temporarily at College Street School), with 7 on the roll; and College Street School, Dumbarton, with 18 on the roll. Total 34.

The following are the tot Mentally Defectives Physically Defectives Deaf Mutes Conservation of Vision	als for	the Co	ounty :				78 28 7 29
	Total						142
Number of Physically De for by the County C Number of Mentally De for by the County C Blind Persons in training of training borne by	ouncil fective ouncil under the Co	Childr  Blind	en in	Institu s Act,	 itions  1920	paid  (cost	6
by the Local Authori (a) Glasgow Roy (b) Edinburgh R	al Blind						4 2
Tot	al						15

Medical Inspection.—All the children attending Special Schools were medically examined during the session, as has been done each year for some time past. During the present session 66 children—43 boys and 23 girls—were examined. Of these, 23 were mentally defective and 43 physically defective. Of the 43 physically defective children, 15 were myopic, and 8 were deaf-mute.

Sixteen of these children were classed as having nutrition below average, while six had very bad nutrition. Nine showed evidence of ear, nose or throat disease, thirty had defective eyesight, while twenty-one showed evidence of physical deformities, congenital or acquired.

Special Appliances Supplied to Pupils.—During the session the Committee agreed to the provision or repair of the following appliances:—

				Pupils.
Special Jackets		 		2
Special Boots	***	 		1
Splint	***	 	***	
Artificial Eye	***	 ***	***	1
Others	***	 		2

### 9.-Arrangements for Physical Education and Personal Hygiene.

A. Physical Exercises. The arrangement for these remain much the same as in former years. (See Annual Reports, 1914-1915, page 72; 1919-1920, page 41; 1920-1921, page 38; and 1927-1928, page 37).

Children for whom exemption from Physical Exercises or Baths was asked were examined by the School Medical Officers, and exemption was granted if sufficient reason was found. In addition to these a number of children who were found by the School Medical Officers in the course of routine examination to be suffering from such physical defect as demanded exemption from drill or baths were exempted.

The reasons for exemption were as follows :-

(a) From Drill or Baths :-

0.1	Bones of	or Joi 	on (App	pendici	tis, etc.	15 10 3 4 2 6 40
(b) From Baths Only Ear Disease Skin Disease	: ::: Total					2 1 -3 =

### 10 .- Feeding of School Children.

In the Cumbernauld School Management Committee Area 7 children were granted a supply of milk, one pint per day, for varying periods.

### Milk-in-Schools Scheme.

I am indebted to the Director of Education for the following details in connection with the Milk-in-Schools Scheme:—

(a)	Total number	of pupils taking	milk at	October,	1941	12,924
	(66.2 per	cent of Roll)				

(b) Total number of pupils taking milk at February, 1942 ... 14,355 (71.4 per cent. of Roll)

### Employment of Children.

Permits under the Children and Young Persons (Scotland) Act, 1932, are now issued by the School Management Committees. New Bye-Laws came into operation during the Session 1933-34. The numbers of children examined by the Medical Inspectors during the year were as follows:—

	,	Granted.	Refused.	Total.
Cumbernauld	 ***	 _	_	_
Kirkintilloch	 	 24	14	38
New Kilpatrick		 20	_	20
Old Kilpatrick		 135	_	135
Dumbarton	 	 26	_	26
Vale of Leven	 	 18	1	19
Helensburgh	 	 5	_	5
			_	
Total	 	 228	15	243

### Admission of Children to Approved Schools.

During the session 14 children were examined with regard to their suitability, physically and mentally, for admission to Approved Schools. Of these, 12 were committed by the Sheriff to institutions.

### 11.-Arrangements for Medical Treatment.

See Annual Reports, 1927-1928, pages 38, 39 and 40; and 1928-1929, pages 46 to 54.

See also Section II., pages 50 to 55, Annual Report for 1938-1939.

### X-Ray Treatment of Ringworm.

No cases of Ringworm of the scalp were treated by X-Ray epilation during the session.

### Ultra-Violet Light Treatment.

In the Alexandria Clinic, 19 school children were treated. The number of attendances was 328, and the average number of treatments was 17.0. The causes of reference were Bronchitis, 3; Debility, 8; Enlarged Glands, 6; Asthma, 1; Anaemia, 1; Fourteen showed definite improvement.

Asthma, I; Anaemia, I; Fourteen showed definite improvement.
At the Helensburgh Clinic, 16 school children were treated. The number of attendances was 444, and the average number of treatments 27.7. The causes of reference were Debility, 6; Enlarged Glands, 8; Rheumatism, I; and Chest Trouble, I. Twelve were definitely improved.

At the Dumbarton Clinic, 20 school children were treated, making 301 attendances, an average of 15 per patient. The causes of reference were —Skin Diseases, 7; Bronchitis and Asthma, 10; Malnutrition, 2; Others, 1. All were improved.

At the Kirkintilloch Clinic, 13 school children were treated. The number of attendances was 239, and the average number of attendances was 18. The causes of reference were—Debility, 7; Anaemia, 1; Bronchitis, 1; Enlarged Glands, 4. Three cases stopped attendance, the others were much improved.

### Children Attending Nursery Schools.

The Nursery School opened in Elgin Street School early in the session of 1938-1939, has been discontinued for the time being.

### Attendance at Junior Instruction Centres.

No visits were paid to these centres during the present session.

# ORTHOPAEDIC TREATMENT.

The Orthopaedic Clinics in Dumbarton and Kirkintilloch were in full working order during the session. The work at the Clydebank Clinic was still very much hampered by present conditions. A clinic in Helensburgh was opened on 23rd April, 1942. The cases treated were as follows:—

	Total	5	: m	26	28	-3	91	:	59	171
Total	Girls	4	:m	4	-5	2	10	:	34	93
	Boys	-	: :	12	13	=	9	:	10	78
rgh	Total	:	: :	-	m	-	4	:	œ m	20
Helensburgh	Girls	:	: :	-	2	:	2	:	۲ ::	12
I	Boys	:	::	:	-	-	2		- m	8
/en	Total	3	:-	-	4	2	4	:	5	27
Vale of Leven Clinic	Girls	2	:-	-	-	-	3	:	7	18
Vale	Boys	-	: :	:	3	-	-	:	:m	6
ch	Total	:	:-	15	=	е	9	***	30	75
Kirkintilloch Clinic	Girls	:	:-	9	9	-	4	:	8 8	39
Ki	Boys	:	: :	6	5	2	2	:	17	36
uc	Total	-	::	:	9	9	2	:	7-	23
Dumbarton		-	::	-	4	:	1		2 :	==
Q	Boys	:	::	4	7	9	-		2 -	12
× -	Total	-	:-	6	4	-			7 8	26
Clydebank	Girls	-	:-	9	2	-	***	***	7-	13
	Boys	:	::	m	2	-		***	2	13
Deformity or Disease		Kyphosis and	Scoliosis	Lordosis	Lordosis	Deformities	Paralysis	Knock Knees	Deformities Others	Total

### Response to Treatment.

Clinic	ic.			Good	Fair	Unsatisfactory
Clydebank		***	:	6	13	4
Dumbarton	***	****	****	=	01	2
Kirkintilloch	****	***	****	34	31	0
Vale of Leven		::	***	12	0	20
Helensburgh	***	:		7	12	_
	Total		***	73	76	22

Number of Treatments Given.

Clydebank—319 Dumbarton—1331 Kirkintilloch—1644 Vale of Leven (Re-opened 16th Dec., 1942) (Including Clydebank, Vale of Leven and Helensburgh) (See Dumbarton)

Helensburgh-326

### RESULTS OF REMOVAL OF TONSILS AND/OR ADENOIDS.

As it has been suggested that the effect of the removal of tonsils and adenoids produces little permanent benefit, an examination was made of pupils who had been operated on a considerable number of years before.

There were 280 children re-examined at the age of fourteen years who had had tonsils or tonsils and adenoids, or adenoids only removed previously. Of these, 265 were found to be absolutely satisfactory, the remaining fifteen showing evidence of rheumatism, chorea, asthma, bronchial troubles, deafness and otorrhoea.

The following table shows details of this investigation :-

				Reasons	for Cl	assifica	tion as	unsatisf	actory
No. of Years after Operation	No. of Cases	Satisfactory	Unsatisfactory	Rheumatism	Chorea	Asthma	Bronchial Conditions	Deafness	Otorrhoea
More than 10 9 8	58 29 77	56 26 74	2 3 3			1	ï	1 2 1	
7 6 5 or less	46 23 47	44 22 43	1 4						1 2
Ťotal	280	265	15	1		3	1	5	5

The table which will be found on page 38 shows the results of the removal of tonsils and/or adenoids, as ascertained by examination at an interval of about one year from operation. The figures are cumulative from the investigation commenced during the session 1931-1932.

### REMOVAL OF TONSILS AND/OR ADENOIDS.

Owing to war conditions no operations were carried out in the Whitecrook Clinic, Clydebank, during the present session. All children from Clydebank requiring operations were conveyed to Dumbarton Clinic and dealt with there.

dasp solder	And introduced the last		Is and Remov		oids	Ad	Rem	only oved.	
		Result Satisfactory.	Result Moderately Satisfactory.	Result Unsatisfactory	Total	Result Satisfactory	Result Moderately Satisfactory	Result Unsatisfactory	Total
	Number Percentage	2942 77·4	624 16·4	236 6·2	3802	299 45·6	227 34·6	130	656
Mouth Breathing	Present before operation Continuing after operation Apparently cured Beginning after operation	2196 92 2104	524 113 411 9	157 96 61 5	2877 301 2576 15	265 13 252	108 34 74	97 66 31	470 113 357 2
Deafness	Present before operation Continuing after operation Apparently cured Beginning after operation	464 57 407 8	168 82 86 4	49 38 11 4	681 177 504 16	186 30 156 5	42 16 26	19 13 6 1	247 59 188 6
Discharging Ear	Present before operation Continuing after operation Apparently cured Beginning after operation	373 63 310 16	118 65 53 12	497 146 351 29	988 274 714 57	51 13 38 2	22 6 16 1	13 9 4 2	86 28 58 5
Discharging Nose	Present before operation Continuing after operation Apparently cured Beginning after operation	1225 110 1115 23	305 173 132 31	120 109 11 10	1650 392 1258 64	166 16 150	78 50 28 5	86 79 7 5	330 145 185 10
Susceptibility to Colds and/or Sore Throats	Present before operation Continuing after operation Apparently cured Beginning after operation	2292 142 2150 11	523 199 324 4	163 130 33 9	2978 471 2507 24	215 19 196	89 46 43 1	101 85 16 3	405 150 255 4
Enlarged Glands	Present before operation Continuing after operation Apparently cured Beginning after operation	1208 74 1134 8	450 72 378 8	45 22 23 2	1703 168 1535 18	38 10 28	13 4 9 	32 23 9 4	83 37 46 4
Rheumatism or Chorea	Present before operation Continuing after operation Apparently cured Beginning after operation	141 46 95 50	81 39 42 36	11 7 4 4	233 92 141 90	10 7 3 2	1 3		11 8 3 5

### TREATMENT OF MINOR AILMENTS.

District ,	Nurse	Number of Children dealt	Total Number of Attendances	Number of Visits to Parents	Number of Visits to Clinics or Schools	Eye Cases	Throat and Nose Cases	Ear Cases	Skin Cases	Others	Attendance at Eye, Operations Dental and X-Ray Clinics
Kirkintilloch	C. M. Jeffrey	724	3365	67	90	76		61	540	47	210
Cumbernauld Kirkintilloch (Landward)	M. M. Macdonald	611	1880	127	67		8	16	548	26	146
Old Kilpatrick (Burgh and Landward)	E. S. R. Stevenson	455	834	86	83	4	4	22	425		175
Dumbarton (except Notre Dame and West Bridgend Schools)	M. Gilmour	910	1701	11	43	15		46	774	75	243
New Kilpatrick Vale of Leven (Renton Public and St. Martin's)	C. Macnair	247	834	154	132	6		6	225	10	171
Vale of Leven (except Renton	J. Scott	534	1271	259	42	4		31	439	60	417
Helensburgh Dumbarton (Notre Dame and West Bridgend Schools)	K. S. Stevenson	307	. 1025	36	38	7		21	262	17	176
Total		3788	10,910	740	495	125	12	203	3213	235	1538

THROAT, NOSE AND EAR CLINICS.

	Ō	Clydebank	,	Kir	Kirkintilloch	the state of	۵	Dumbarton	по	-	Total	
	School	Pre- School	Total	School	Pre- School	Total	School	Pre- School	Total	School	Pre- School	Total
Number of Children examined Number of Children operated on Attendances with Ambulance Home Visits for After-Care	901	23 17 17 34	129	944 94 123	32 26 26 46	120	344 240 240 933	56 41 63	400 281 281 996	562 433 433 1254	84 143 143	673 517 517 1397
Nature of Operations :— Excision of Tonsils and Adenoids Excision of Tonsils only Excision of Adenoids only Others	97	9 :- :	E :: ::	94 ::::	26	120	236	39	275	427	≅ :° :	508
Causation:— Discharging Ears Tonsils much enlarged Deafness Obstructed Breathing and Deafness Obstructed Breathing Rhinitis Tonsilitis Enlarged Glands Various	25228-r4e-	14 is 1204-	256 26 26 26 26 26 26 26 26 26 26 26 26 26	25 26 3	u :- :α :=- :α	327 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	= <del>- 2</del> 2 2 2 2 2 2 2 3 2 2 2 2 3 2 3 2 2 2 2	24.4 + 28 - 38 - 54 9	259 31 212 153 268 153 153	290 223 223 223 168 279 17	38 554 - 4205	342 342 271 271 271 271 271 271 271 271 271 27
Progress definite and rapid Progress retarded Still on books Sent to Hospital	277	7:7:1	3: 5	24 30	26 :: 5 :: 5	30 + 16	228 12 59	8000::	264	<del>+</del> <del>+</del> <del>+</del> <del>+</del> <del>+</del> <del>+</del> <del>+</del> <del>+</del> <del>+</del> <del>+</del>	25.23	132

## DENTAL TREATMENT.

			Nun	Number of C	Children T	Treated			Conservation	ion Irea	reatment			2 2	EXCHOUS		
		   	Routine Cases	ses						Teeth	ch						
	DENTIST		No. of Cases	Actual	No. of Emer-	Total	Actual	Teeth	Teeth Filled	by other Treatment	ner	No. of		Teeth Extracted	cted	Anaes	Anaesthetics
SCHOOL MANAGEMENT AREA		No. of Cases In- spected	requir- ing treat- ment	No. of Cases Treated	gency Cases treated	No. of Cases treated	Attend- ances	Tem- porary	Per- manent	Tem- porary	Per- manent	Con- served	Tem- porary	Per- manent	Total No. of Extrac- tions	Local	General
Cumbernauld	Mr. Cassidy	366	273	331	43	374	407	:	103	28	50	181	386	77	463	176	39
	Cassidy	1385	1020	1097	276	1373	1703	21	435	75	374	908	1555	359	1914	444	237
	McKendr	789	424	335	87	422	706		208	:	191	369	840	238	1078	745	44
1.0	Mr. Cassidy	744	483	551	16	642	890	4-	306	09	961	576	468	105	573	248	39
Old Kilpatrick	McKendr	942	602	171	47	218	416	:	7.1	:	47	181	269	184	881	271	87
Old Kilpatrick	Mr. Macdonald	1210	868	4 4	65	479	629	8	138	S	349	510	375	85	460	217	25
Dumbarton	Miss Pugh	2197	1447	590	232	822	2273	5	779	38	488	1310	196	578	1545	512	187
Vale of Leven	Miss Pugh	1760	1184	450	102	552	1214	2	144	-	189	633	675	267	942	268	120
Vale of Leven	Mr. Macdonald	183	135	73	5	78	177	6	99	0	88	173	29	4	8	34	22
Vale of Leven	Miss McKendrick	430	263	123	103	226	559	:	77		35	112	165	95	989	285	55
Helensburgh	Mr. Macdonald	929	806	529	222	751	1619	68	469	70	1024	1631	615	1771	792	151	78
Helensburgh	Miss McKendrick	626	397	347	89	436	196	:	201		661	400	1088	174	1262	670	72
Total		11,561	7932	5011	1362	6373	11,604	137	3294	287	3200	8169	8324	2353	10,677	4021	988

Ophthalmic Treatment of School Children

SCHOOL MANAGEMENT AREA.	Kirkintilloch and New Old Kilpatrick, Kilpatrick, Vale of Leven,	Boys. Girls. Boys. Girls. Boys. Girls. Girls.	. L. R. L. R. L. R. L. R. L. R. L. R. L. R. L.	2     39     37     35     7     7     2     2     19     18     22     19     34     34     23     22     23     23     22     23     22     23     23     22     23     23     23     22     23     23     23     22     23	3 82 81 81 13 13 11 12 43 43 49 49 61 61 58 58	1 11 13 14 3 2 6 5 6 6 4 4 1 1	9 10 15 14 2 2 1 1 4 5 2 2 4 4 1 1	103 109 15 15 53 57 69 60	05 85 6 22 31 51 74 74
SC	Helensburgh. Cu	Boys. Girls.	R. L. R. L. R.	13 12 16 13 24 2 4 4 4 2 2 2 4 8 8 7 2 7 2 8 8 8 7 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	5 30 31 34 34 83	4 3 2 6 6 11	4 3 3 2 2 9	36 42	91 91
	Dumbarton.	Boys, Girls.	R. L. R. L.	27 26 26 27 24 25 22 21 7 8 6 7 12 11 9 9 9	70 70 63 65	5 5 6	. 7 7 4	82 73	65 70
		Marie Committee of the Parket	THE REPORT OF THE PARTY OF	Defective Vision H.A. treated with M. Spectacles M.A. Mix. A.	Total	Defective Vision too slight to benefit from Spectacles	Defective Vision treated otherwise	Total Number of Children Examined	Re-examinations

Total Number of Children Examined-714. Total Number of Spectacles Supplied-411.

Ophthalmic Treatment of School Children-Continued.

					SCHO	SCHOOL MANAGEMENT AREA	AGEMEN	T AREA.				
Complications	Dumb	Dumbarton	Helensburgh.	burgh.	Kirkintilloch and Cumbernauld.	rkintilloch and Cumbernauld.	New Kilpatrick.	rick.	Old Kilpatrick.	ick.	Vale of Leven.	Leven.
	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.
Blepharitis Ptosis Strabismus convergens Strabismus divergens Conjunctivitis, Keratitis and Iritis Opacity of Cornea Opacity of Lens Dislocation of Lens Aphakia Synechia Anterior Synechia Posterior Choroido-Retinitis Optic Atrophy Nystagmus Anophthalmos	W0404W-00000044-	40%04w0000000-4	000000000000000000000000000000000000000	-0_0-0000000000	00000000000000000000000000000000000000	608-840-0-00-00-	000000000000000000000000000000000000000	00m0000000000	00000000 00000000	000000000000000000000000000000000000000	N-W0-400-00000-	-00000000-0807

### ORTHOPTIC TREATMENT.

The present session marks the completion of the third year of activity of the Orthoptic Clinics, which have been established at Clydebank, Dumbarton and Kirkintilloch. In the establishment of these clinics a real advance has been made in the treatment of squint, that rather common disfigurement of child life.

Squint is conveniently classified into three groups. In the first group, a large one, the squint disappears when suitable glasses are worn constantly. In some of these cases, especially those dealt with at an early period, full binocular vision is retained, and no further treatment is required. In others, while the eye appears straight, the sight of one eye has deteriorated, and treatment is necessary to restore the vision.

In the second group glasses are not sufficient to correct the squint, though it may be improved, and steps have to be taken not only to restore vision but also to exercise weak muscles; in this way a cure is effected.

In the third group all those forms of treatment are insufficient, and, in addition to the use of glasses, occlusion and exercises, recourse to operation is necessary.

During the year children have been taught occlusion with the co-operation of the parents, and have been kept under observation to note progress. Others have been given suitable exercises to re-establish binocular vision and strengthen muscles. An increasing number of operations have also been done at the Ophthalmic Institution. The link which the Orthoptist also has with this Institute has been helpful in enabling treatment to be continued soon after the operation.

The following table shows the number of cases seen by the Orthoptist :-

### ORTHOPTIC TREATMENT.

The following table shows the number of cases seen by the Orthoptist:-

	Clydebank	Dumbarton	Kirkintilloch	Tot
Number of Children under Treatment	10	14	8	3
Number of Children under Observation	13	31	14	5
Attendances— Preliminary Examination Cases for Occlusion Cases for Orthoptic Exercises Cases Re-Examined	4 40 166 41	12 105 330 112	4 47 345 78	19 84 23
Total	251	559	474	128
Cases operated on Cases Discharged		3 2	1 3	

### REPORT BY SCHOOL NURSES.

		-	-			_	_		_	
D'strict	Nurse	Number of Children Examined	Total Number of Inspections	Number of Visits to Parents or Schools	Vermin or Nits on Head	Vermin or Nits on Body	Vermin Suspected	Unsatisfactory Clothing	Unsatisfactory Footgear	Others
Kirkintilloch						-				
Thirt saor	C. M. Jeffrey	181	863	95	126		47	8		
Cumbernauld Kirkintilloch (Landward)	M. M. Macdonald	233	1480	130	149		14	30		
Old Kilpatrick (Burgh and Landward)	E. S. R. Stevenson	490	745	164	344		32			31
Dumbarton (except Notre Dame and West Bridgend Schools)	M. Gilmour	369	1065	83	333	1	3			42
New Kilpatrick Vale of Leven (Renton Public and St. Martin's)	C. Macnair	236	934	128	198	25	27	21	19	14
Vale of Leven (except Renton)	J. Scott	452	1231	207	337	22	12	53		48
Helensburgh Dumbarton (Notre Dame and West Bridgend Schools)	K.S. Stevenson	405	1672	100	326			5	3	71
Total		2366	7990	907	1813	48	135	117	22	206

### SECTION II.

### REVISED FORM OF REPORT FOR YEAR ENDING 31st JULY, 1942.

- (I) LIST OF STAFF. (See page 5.)
- (2) GENERAL STATISTICS. (See page 6.)
- (3) SANITARY CONDITION OF SCHOOLS. (See page 7.)
- (4) ORGANISATION AND ADMINISTRATION. (See Annual Report for 1939, pp. 50-55.)
  - (5) FINDINGS OF MEDICAL INSPECTION.

### A .- General Review.

During the session, 7,104 pupils were examined at routine inspections (Boys, 3,499; Girls, 3605). This shows an increase of 573. The increase is due to the re-opening of some of the Clydebank schools, and also to the return of evacuee children to Clydebank.

- (1) The Condition of Clothing was satisfactory; only four pupils were found with grossly insufficient clothing (0·I per cent.). The repair of clothing was bad in 142 cases (1·9 per cent.), which is slightly less than the number in the previous year. Cleanliness was bad in 173 cases (1·8 per cent.), which also is a considerable increase on the previous year's figure. The explanation is probably that home supervision is less owing to mothers working at munitions. The difficulty of replacing clothing may also mean that clothes are being worn beyond the easily reparable stage.
- (2) Footgear was only moderately good in 13 cases (0.2 per cent.), and was bad in 143 cases (2.0 per cent.). This last figure shows a definite worsening of the condition of footgear, probably due to the same conditions as mentioned under clothing.
- (3) Uncleanliness of Head and Body, or both, including such conditions as nits or vermin was found in 734 cases (10.5 per cent.). The great majority of these pupils were girls with nits in the hair (701—19.4 per cent. of the girls examined). The girls mentioned include pupils with all degrees of infestation, from very slight to serious, and it is only fair to state that very many of them are in the former category. The numbers are about the same as in the previous year, and is still unsatisfactory. Perhaps the powers granted under the Scabies Order (Scotland), 1941, will help the authorities to deal drastically with the worst offenders, if the authorities are prepared to use the powers conferred on them.
- (4) Skin Diseases were present in 374 cases (5·3 per cent.), of whom no fewer than 168 suffered from scables (2·3 per cent.). In addition there were 569 non-routine cases of scables, making a total of 737 cases, as compared with 311 last year—an increase of 426 cases.

The wide-spread prevalence of this very contagious and distressing condition led to the passing of the Scabies Order (Scotland), 1941, which gives the Medical Officer of Health, on receiving notice of the existence of scabies, power to call up the members of the household to which the patient belongs for examination, and to give them, if necessary, the opportunity for treatment. As there is no doubt that the epidemic has been kept going by the unexamined contacts at home and at work, this power should lead to a rapid reduction in the number of people suffering from this disease.

There was only one child with Ringworm found among routine cases examined (0.01 per cent.), and six among the non-routine cases: in all seven, the disease was on the body.

(5) Defective Nutrition.—During the session, 604 children (9.1 per cent.) were found to be below the average in nutrition, of whom 16 (0.3 per cent.) were classified as very bad. The number above the average was 667 (9.4 per cent.). These figures show a slight improvement on those of previous years, but not sufficient to be significant. As far as can be observed, the war-time restrictions on dietary have had no effect one way or another on the nutrition of school children.

The introduction of school meals came too late in the session, and was too limited in extent to have any effect on nutrition; but it will be interesting in the immediate future to watch if there is any improvement in nutrition which could be fairly attributable to the school dinners.

(6) Mouth and Teeth.—The number of children found with no teeth decayed was 4,093 (57.6 per cent.), with fewer than five teeth decayed was 2,035 (28.7 per cent.), and with more than five teeth decayed was 976 (13.7 per cent.). The number suffering from oral sepsis was 155 (2.2 per cent.).

The position in regard to teeth shows a slight improvement on last session. It is still too soon to determine whether this may be due to some extent to the restriction in the use of sugar. The worst conditions of teeth are found amongst the infants and younger children, and decay of the six-year-old molar teeth is far too often noted. Even after years of dental inspection and treatment it is still too obvious that the public, as well as the parental, conscience has not been awakened to this real danger to the health of the rising generation.

- (7) Nose, Throat and Lymphatic Glands.-
- (a) Nose.—The number of children suffering from defective conditions of the nose was 378 (5.3 per cent.). Of these 92 (1.3 per cent.) suffered from nasal catarrh, usually chronic. These were referred to the Throat and Nose Specialist for further examination, and were afterwards put on treatment recommended by him. Some of these cases seem to resist all forms of treatment.

246 children (3.5 per cent.) were found to have nasal obstruction, which on examination by the Throat and Nose Specialist was found to be due to adenoids, and treated accordingly.

There were 40 (0.5 per cent.) other cases, some of which were nasal polypi or deflected septum.

Fifty-eight non-routine cases showed affections of the nose, 8 catarrh, 7 obstruction, and 43 others.

(b) (1) Tonsils.—Of the 7,104 routine cases examined 405 (5.7 per cent.) had tonsils sufficiently enlarged to require further observation, and 493 (6.9 per cent.) sufficiently enlarged to require removal. 953 (13.4 per cent.) children had had their tonsils removed.

Of the non-routine cases, 21 had tonsils requiring observation, and 130 tonsils requiring removal.

Pupils are not recommended for removal of tonsils merely because these are enlarged. There must be some indication that the tonsils are unhealthy, such as involvement of sub-maxillary glands, to justify such a course.

(b) (2) Adenoids.—The number of routine cases found to be suffering from adenoids was 59 (7.2 per cent.), and the number suspected of having adenoids and referred to the Ear, Nose and Throat Specialist for a decision was 257 (3.6 per cent.). There were 868 (12.2 per cent.) of routine cases who had had adenoids removed. There were also 8 non-routine cases with adenoids, and (50) who were suspected of having adenoids.

As in former years the medical officers called up for review those pupils who had had tonsils and/or adenoids removed a year previously. The results of this investigation are shown in a special table on page 38.

The number of such cases that have now been reviewed is 3,802. Of these, 77.4 per cent. are classified as satisfactory, 16.4 per cent. as moderately satisfactory, and 6.2 per cent. as unsatisfactory.

The number of cases who had adenoids only removed is now 656. Of these, 45.6 per cent. were classified as satisfactory, 34.6 per cent. as moderately satisfactory, and 19.8 per cent. as unsatisfactory.

In addition to this review of cases, the medical officers also noted in the course of their routine examinations, children who had had tonsils and adenoids, or adenoids only, removed several years before. The number noted since this examination was instituted is now 1,187, the average period between the time of operation and the time of examination is seven years, and the number classified as a satisfactory result was 1,093 (92.0 per cent.). The number of unsatisfactory results was 94 (8.0 per cent).

(c) Lymphatic Glands.—The sub-maxillary glands were slightly enlarged in 66 routine cases (0.9 per cent.), and markedly enlarged in 195 routine cases (2.7 per cent.). The majority of markedly enlarged glands were associated with enlarged tonsils and/or adenoids, and when the throat condition was treated, the enlargement of the glands disappeared.

The cervical glands were slightly enlarged in one routine case (0·1 per cent.), and markedly in 4 routine cases (0·1 per cent.). The commonest cause of enlarged cervical glands was some scalp infection, such as impetigo, or the irritation caused by vermin or nits.

(8) Eye Conditions.—Of the 7,104 routine cases examined, 323 were found to be suffering from external eye disease, 4.5 per cent.). Of these, 209 (2.9 per cent.) had squint; 71 (1.0 per cent.) had blepharitis; 3 (0.1 per cent.) had conjunctivitis; 9 (0.1 per cent.) had corneal opacities; 31 (0.4 per cent.) had "other conditions."

As mentioned in previous reports, the treatment of squint by orthoptic methods appeals more to parents than did other methods, and it is now easier to get consent for treatment of squint than it was in former years.

There is no routine testing of the vision of pupils under seven years of age, but any child in this group who was suspected, either by parent or teacher, of having defective vision, was referred to Dr. Tennent for further examination.

Of the 4,721 routine cases who had their vision tested, 222 (4-7 per cent.) were classified as "Fair Vision," and 160 (3-4 per cent.) as having bad vision. In addition, 167 (3-3 per cent.) were found to have bad vision in one eye only. There were 96 cases with bad vision; none were noted as having bad vision in one eye only.

Pupils with bad vision were referred to Dr. Tennent, as were also a number of children whose vision appeared to be normal, but who suffered from headaches suspected to be of ocular origin.

(9) Ear Conditions.—Of the 7,104 routine cases examined, 93 (1.3 per cent.) had ear conditions requiring treatment. Otorrhoea was present in 57 cases (0.8 per cent.); 23 (0.3 per cent.) had wax in the ears sufficient to cause discomfort or some degree of deafness. Other conditions, chiefly furunculosis, were present in 13 cases (0.2 per cent.). There were also 31 non-routine cases of otorrhoea, 14 cases of wax, and 23 "other conditions."

The hearing of pupils in the second, third and fourth age-groups was systematically examined.

Of the 4,721 cases so examined, 58 (0.8 per cent.) were classified as slightly deaf (Grade I); and 27 (0.4 per cent.) as very deaf (Grade II).

There were also 6 non-routine cases slightly deaf, and 8 non-routine cases who were very deaf. These figures do not include pupils in the deafmute classes.

(10) Defective Speech was present in 72 routine cases examined, and in one non-routine case. Of this number, 40 (0.6 per cent.) had defective articulation, and 32 (0.4 per cent.) were stammerers.

During the session Miss Kenny widened the scope of her treatment of children with defective speech to include Dumbarton, and Vale of Leven. The number of children treated was 211, of whom 30 were discharged as cured, 69 left with treatment incomplete, and 112 were retained.

### Procedure.

- (1) Treatment is given in schools.
- (2) Cases are treated individually or in small groups, according to type and/or severity of defect. In certain cases group and individual treatments alternate.
- (3) As far as is possible each case is treated at least once a fortnight, the more urgent, once a week.
  - (4) A treatment-session averages 20 minutes.
- (5) In every instance co-operation with Head Teacher and teaching staff has proved invaluable.
- (6) In many cases Head Teachers have arranged interviews between parent and Therapist.
- (7) Cases are frequently referred to School Medical Officers, Dentist and Psychology Staff for medical, surgical, orthodontic or psycho-therapeutic treatment. Such treatment has greatly aided speech treatment and shortened lits duration.
- (11) Mental and Nervous Conditions.—Of the 7,104 routine cases examined, 23 (0.3 per cent.) were found to be suffering from diseases of the inervous system. Of these, 2 (0.1 per cent.) had epilepsy, 6 (0.1 per cent.) lhad chorea, 9 (0.1 per cent.) had infantile paralysis, and 6 (0.1 per cent.) showed evidence of other conditions. Among the non-routine cases, there were 3 pupils with epilepsy, 3 with chorea, and 5 with infantile paralysis.

Table 7.—Q.—Showing the number of Backward and Mentally Deficient children is of no value whatever, as the medical officers have no means of knowing which children are backward until the question of the child's mental condition comes up for decision.

The number of routine cases returned as backward was 29 (0.4 per cent.); and as mentally defective, 13 (0.2 per cent.). No non-routine cases twere classified under either of these headings.

These figures do not include children in the special schools.

(12) Heart Conditions.—Of the 7,104 routine cases examined, 76 (1-1 per cent.) were found to have either organic or functional heart disease. Of these, 62 (0-9 per cent.) had organic disease (14 congenital, 48 acquired), while 14 cases (0-2 per cent.) had a functional condition. There were also form-routine cases of organic heart disease, two congenital and four acquired; and 1 non-routine case with functional defect.

It has not been found possible during the present session to continue the "following-up" and regular re-examination of cases showing evidence of heart weakness.

(13) Lung Conditions.—There were 175 cases of lung disease (2.4 per cent.) among the routine cases examined. Of these, 122 (1.7 per cent.) had bronchial catarrh; 37 (0.5 per cent.) had bronchitis; and 16 (0.2 per cent.) had asthma. Among the non-routine cases, 14 had bronchial catarrh, 16 had bronchitis, and 7 had asthma.

There is the closest co-operation between the School Medical Officers and the Tuberculosis Officers, and all cases where there is the slightest suspicion of tuberculosis are referred to the Tuberculosis Officers for an opinion.

- (14) Deformities.—Deformities were present in 184 cases, only one (0·1 per cent.) being due to rickets. Of the remainder, 12 (0·2 per cent.) were congenital conditions, and 171 (2·3 per cent.) were acquired. There were also 30 non-routine cases, of which 2 were congenital. The acquired cases consisted of postural deformities such as kyphosis, scoliosis, flat foot, and conditions following infantile paralysis. Suitable cases were referred to the Orthopaedic Staff for treatment, and further particulars will be found on page 36.
- (15) Infectious Diseases.—Among the routine cases examined, 4 were found to be suffering from infectious disease, 3 mumps, and I chickenpox. There were twenty-seven cases of infectious disease among the non-routine cases (Diphtheria, I; Whooping-cough, I; Mumps, II; and Chickenpox 14).
- (16) Other Diseases and Defects.—These were noted in 272 routine cases examined, of which 10 (0·1 per cent.) had hernia, and 262 (3·6 per cent.) with other diseases. Two cases showed evidence of non-pulmonary tuberculosis. There were 276 non-routine cases with other diseases, of whom 2 had hernia. One non-routine case had abdominal tuberculosis.

### (6) MEDICAL TREATMENT.

. The details in connection with the following sub-headings will be found in the body of the report on the pages indicated against each item. It is quite impossible to ascertain accurately how many children in these groups received treatment privately or through a voluntary hospital under arrangement made by parents.

A.—Minor Ailments:—(1), (2), (3) and (4). See "Treatment of Minor Ailments" on page 39.

B.—Defective Vision and Squint:—See tables "Ophthalmic Treatment of School Children," pages 42, 43, also "Report on Orthoptic Treatment" on page 44.

C,—Nose and Throat (Operative Treatment):—See Table "Throat, Nose and Ear Clinics" on page 40.

### (7) DENTAL TREATMENT.

The information required is contained in Table "Dental Treatment," page 41, and also in Table V "Dental Inspection and Treatment."

### (8) SPECIAL SCHOOLS AND CLASSES.

Particulars regarding the facilites in use for exceptional children will be

found on page 33 of this Report.

There were no holiday camps during the present session, but Cardross Park Home, which was opened in June, 1941, for accommodation of evacuee children requiring care while convalescing after illness, was brought into use. As the accommodation was not fully taken up by evacuee children, other children were sent. During the session, 24 Evacuee School Children and 71 others were admitted, and the results were excellent.

### (9) ARRANGEMENTS FOR PHYSICAL EDUCATION AND PERSONAL HYGIENE.

This subject is referred to on page 34.

### (10) OTHER ACTIVITIES IN RELATION TO THE HEALTH OF SCHOOL CHILDREN.

On page 34 and succeeding pages are recorded particulars regarding the Feeding of School Children under the Local Authority Schemes, Employment of School Children and the Admission of Children to Approved Schools, in so far as these affect the work of the School Medical Officers.

in so far as these affect the work of the School Medical Officers.

For some years the School Medical Officers have been investigating the results of the removal of tonsils and/or adenoids, as shown at about a year after the operation, and the cumulative findings of these enquiries are embodied in the table printed on page 38.

For the fourth session in succession this enquiry has been extended to children who had been operated on at varying periods up to ten years previously, and the data will be found on page 37.

### (5) FINDINGS OF MEDICAL INSPECTION.

### B.-Statistical Tables.

### TABLE I.

Total number of children examined at :-

Ordinary Schools	Entrants Second Age Group Third Age Group Fourth Age Group		(a) Sy	stematic inations. 2383 2297 2228	
Secondary Scho	ools Age Group .			196	_
	Total			7104	Nil
78 AUG	Re-inspections by M	edical O	Exa	Other 2266 7940 10206	5.

Number of individual children inspected at systematic examinations, who were notified to parents as requiring treatment (excluding uncleanliness and dental caries).

Entrants			1370
Second Age-Group			1173
Third Age-Group			754
Fourth Age-Group		***	
Secondary Age-Group			69
Other Systematic Exam	ninati	ons	_
Tot	al		3366

Table III.—See page 53.
Table III.—See page 54a.

### Table IV.—Return of All Exceptional Children of School Age in the Area.

It has not been found possible to give the details required by this table with sufficient accuracy, and the table is therefore omitted.

### TABLE V.-DENTAL INSPECTION AND TREATMENT.

(I) Inspected by the Dental Officers.

Age.	(a) Systematic Examinations.	(b) Special or Emergency Cases.	Total.
5	1481	170	1651
6	1515	165	1680
7	1608	169	1777
8	1320	126	1446
8 9	1473	152	1625
10	1248	154	1402
11	1412	154	1566
12	453	103	556
13	907	134	1041
14	92	20	112
15	44	12	56
16	6	3	9
17	2	_	2
.,			
Totals .	11,561	1362	12,923
		==	

	Systematic Examination:	Special or Emergency s. Cases.
	7932	1362
(3) Actually treated by School Dental Officers	5011	1362
(4) Number of Attendances made by children		
treatment	9965	1639
(5) Fillings* (a) Permanent Teeth (b) Temporary Teeth	3046	248
(b) Temporary Teeth	120	17
	1704	
(b) Temporary Teeth	6058	2266
(7) Number of Administrations of a gene		
anaesthetic or extractions	988	-
(8) Other operations* (a) Permanent Teeth	2724	476
	211	76
(9) Half-days devoted to (a) Inspection		-
	1218	305
(10) Children treated under private arrangements		urate infor-
	mation	available).

<sup>\*</sup>Temporary fillings whether in permanent or temporary teeth should be recorded as "other operations."

### TABLE III.-SYSTEMATIC MEDICAL EXAMINATIONS.

Entran		rants.	Second A	ge-Group.	Third A	ge-Group.	Fourth A	ge-Group.	Total		
Classification.	Number of Children.	Percentage of the Children Examined in this Group.	Number of Children.	Percentage of the Children Examined in this Group.	Number of Children.	Percentage of the Children Examined in this Group.	Number of Children.	Percentage of the Children Examined in this Group.	Number of Children.	Percentage of the Children Exam- ined in this Group.	
I.—Children free from Defects	1353	56.8	1361	59-2	1393	62.5	121	61.7	4228	59.5	
II.—Children (otherwise free from defects) who suffer from:—  (a) Defective Vision not worse than 6/12 in the better eye with or without glasses.  (b) Conditions of the	20	0.8	74	3-3	80	3.6	10	5-1	184	2.6	
Mouth and Teeth requiring treatment (c) Both (a) and (b)	237	9.9	222 18	9·6 0·8	271 39	12-1	19	9·7 4·1	749 67	10.6	
Total	259	10.8	314	13.7	390	17.5	37	18-9	. 1000	14:1	
III.—Children suffering from Ailments (other than those mentioned in II.) from which complete recovery is expected within a few weeks	671	28-2	489	21-3	284	12-8	15	7-7	1459	20.5	
IV.—Children suffering from (or suspected to be suffer- ing from) defect less remediable than defects specified in II. and III., distinguishing cases:— (a) Where complete cure or restoration of function (in the case of eye defect, full cor- rection) is considered possible	77	3-3	100	4:4	110	4.9	21	10-7	308	4-4	
Total	100	4.2	133	5-8	161	7.2	23	11.7	417	5.9	
Total Number of Children Examined	2383	100%	2297	100%	2228	100%	196	100%	7104	100%	

Return of Number and Percentage of Individual Children in each Age-Group suffering from Particular Defects. IRBER III-SISIRI

	Girls.	3605	%		:	:		:		:		:	:	:	:	-	:	:	:	:
ges.	0	36	No.		46	20	701	185	301	1502	527	280	48	20	28	45	78	6	7	159
All Ages.	Boys.	3499	%		:		:	:	:	:	:	:	:	:	:	:	:	:	:	:
	B	3,	No.		Ξ	89	101	06	291	15	406	236	45	48	43	34	001	94	7	= 3
roup.	59	94	0/0		-	:	:	:	:	:		:	:	:	1	:	:	;	:	
Age-G	Girls.	6	No.		:	:	:	4	4	26	m	17	:	:	:	:	-	7	:	2
Secondary Age-Group.	Boys.	102	%		:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
Secon	Bo	=	No.		:	:	-	4	4	29	-	4	:	7	-	7	2	10	:	-
	5.	1124	%		:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
Third Age-Group.	Girls.	=	° Z		6	2	180	4	42	403	93	112	4	-	7	8	7	23	:	47
A Ag	ys.	4	%		:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
Thir	Boys.	1104	S.		22	8	23	48	73	399	20	69	4	7	0	=	15	30	:	22
nb.	S.	1174	%		:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
Age-Group.	Girls.	=	No.		39	28	293	59	120	512	172	88	6	7	=	91	27	53	7	49
	75.	13	%		:	:	:	:	:	:	:	:	:	:	:	:	.:	:	:	
Second	Boys.	1123	No.		20	3	4	19	104	524	126	68	4	8	23	7	36	36	:	40
	1 35	100	%		3.2	4	8.8	2.9	=	47.1	:	***	:	:	:	:	:	:	:	
nts.	Girls.	1213	, oZ		39	17	228	8	135	561	259	63	25	12	01	=	43	2	:	19
Entrants.	100	10	%		3.5	9.1	3.1	1.9	4.6	47.7	0-	5.5	5.	80	8.0	1.2	4.0	2.0	0.5	4.3
	Boys.	1170	No.		39	61	36	1/	011	559	229	64	17	21	6	4	47	23	7	20
	Total examined in each age group—by sexes.		Nunber showing defects.	Nature of Defect.	I. Clothing Unsatisfactory	2, Footgear Unsatisfactory	3. Uncleanliness (Head, Body, or both)	4. Skin (Head and/or Body)	Defective Nutrition	6. Mouth and Teeth Unhealthy	7. Nose, Throat and/or Glands	8. Eye Conditions	9. Ear Conditions	10. Defective Speech	11. Mental and Nervous Conditions	12. Heart Conditions	13. Lung Conditions	14. Deformities	15. Infectious Diseases	A Oshar Disassas Or Dafages

### INDEX.

					Pag	e
Preface				***		3
Administration					7,4	16
Approved Schools, Admission of Child	ren to				3	35
Average Heights and Weights					11	la
Cleanliness of Head and Body					11, 12, 1	3
Clothing, Sufficiency of			***		***	9
Co-ordination with Public Health Serv	ice	***		***	***	7
Defects—						
Dental					15, 4	11
Hearing			***	***		20
Mental			***		2	22
Notified to parents						)a
Speech					2	11
Visual					21	2
Revised Form of Tables					53, 54	ła
Deformities					2	28
Diseases of—						
Ears						20
Eyes (external)		***				9
Heart and Circulation					2	23
Lungs					2	24
Lymphatic Glands					1	7
Nervous System					2	25
Nose				***		6
Skin					13	32
Throat						6
Employment of School Children		***				35
Feeding of School Children					3	34
Footgear, Sufficiency of						0
Infectious or Contagious Diseases					2	29
Junior Instruction Centres						15
List of Staff						5
Medical Treatment, Arrangements for					35, 5	0
Medical Treatment at Clinics					39, 4	10
Milk in Schools Scheme				***	3	14
Number of Schools			***	***		6
Number of School Children					***	6
Number of School Children Examined						8
Number of Special Visits			***	***		7
Nursery Schools	***		***			5
Nurses, Reports by	***			***	4	5
Nutrition			***	***	1	4
Ophthalmic Treatment	***			***	42, 4	3
Orthoptic Treatment		***			4	4

	Orthopaedic Treatment .							 36
	ther Diseases and Defects	S						 30
P	arents present at Inspection	ons						 7
P	ersonal Hygiene							 34
P	hysical Education of School	ol Chil	dren					 34
P	revious Illnesses							 31
R	esults of Ear, Nose and 7	Throat	Treat	ment-	-Repor	t		 38
R	evised form of Report .							 46
R	ickets							 27
R	ingworm, X-Ray Treatme	nt						 35
5	anitary Condition of Scho	ols						 7
S	pecial Appliances Supplied	1						 34
5	pecial Schools and Classes							 33
5	pectacles Supplied						***	 42
S	peech Therapy							 49
Т	uberculosis (Non-Pulmona	ary)						 26
R	Iltra-Violet Light Treatme	nt						 35
7	accinations							 32
1	isual Acuity							 21a

### COUNTY COUNCIL OF DUNBARTON.

### Thirty-second Annual Report

on the

MEDICAL INSPECTION OF SCHOOL CHILDREN.

1942-1943.

(Year ending 31st July, 1943).

PRINTED BY D. MACLEOD, LTD.

NOTRABBOO TO HOMUDO YTHUO

Thirty-second Annual Report

Mile min.

MEDICAL INCHES


substicker .

the tier act miles and

PRINCES OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER

### CONTENTS

					Page
List of Staff		 	 		5
Report on Medical Inspection		 	 		6
Report on Medical Treatment		 	 		35
Report by School Nurses		 	 		45
Revised Form of Report	***	 1	 ***	***	46
Index	***	 	 		54



County Council of Dunbarton.

### SCHOOL MEDICAL STAFF.

Supervising School Medical Officer. T. LAUDER THOMSON, M.D., D.P.H.

School Medical Officers.

MILDRED M. L. CATHELS, M.B., D.P.H. ANDREW D. COWAN, M.B., D.P.H. CHARLES C. SLORACH, M.B., D.P.H. (part-time)

Dental Surgeons.

ELIZABETH McKENDRICK, L.D.S. VERA PUGH, L.D.S. JOHN H. N. MACDONALD, L.D.S. FELIX A. CASSIDY, L.D.S.

Ophthalmic Surgeon.

JAMES N. TENNENT, M.B., D.O.M.S., B.Sc. (part-time).

Ear, Nose and Throat Specialist. J. FULTON CHRISTIE, M.B., Ch.B., F.R.F.P.S. (part-time).

> Nurse in Charge, Orthopaedic Clinics. MORAG GALLOWAY.

Instructresses at Orthopaedic Clinics (part-time). M. JOCKEL. J. S. HOWATT.

Orthoptist (part-time).

M. W. MARSH. (Resigned June, 1943)

Inspection and Clinic Nurses.

C. M. JEFFREY. J. SCOTT.

M. GILMOUR.

K. STEVENSON.

E. S. R. STEVENSON. M. MacDONALD.

C. MACNAIR.

M. C. COWPER.

Nurses for Special Schools.

J. MacDONALD.

C. ROGERS.

Dental Attendants.

ANNIE J. RAE.

WILLIAM BENNIE. JAMES GALLACHER.

(On Active Service).

ANNIE BLACK. ELIZABETH MARTIN (Mrs. Sneddon).

> Attendant at Orthopaedic Clinics. ELIZABETH ROLLO.

> > Clerks.

GEORGE S. BROWNE. BELLA J. N. AIRTH.

## REPORT

on the

MEDICAL INSPECTION AND TREATMENT OF SCHOOL CHILDREN IN THE COUNTY OF DUNBARTON.

I .- List of Staff.

See Page 5.

2.-(a) Number of Schools.

#### School Management Area.

 	 		***			4
 	 					6
 *	 ***	***	***			4
 ***	 		****	***	***	10
 	 					9
 .1.	 					12
 •••	 					13
Total	 					58
	 					Total

# (b) Number of Children on Register and in Average Attendance during Session 1942-43.

School Management Area.	Average on Roll.	Average Attending.	Per Cent.
Cumbernauld	883-1	Reliable detailed	***
Kirkintilloch	3,379.0	figures are not	244
New Kilpatrick	1,842-3	available on	***
Old Kilpatrick	4,906-6	account of the	
Dumbarton	4,445-4	emergency	***
Vale of Leven	3,324.9	conditions	***
Helensburgh	1,908-0	prevailing.	
Total	20,692-3	1	

#### 3.-Number of Visits for Systematic Examinations.

Note.—One whole day spent in school counts as two visits (morning and afternoon sessions).

Number of visits as above ... ... ... ... ... 375

#### 4.-Number of Special Visits by Medical Officers.

For re-examination of defective children					17
For examination of backward, or mentally,	orph	ysically	defect	ive	
children					35
Attendances at Clinics		***	***	***	354
Attendance for Office Work, etc					73
For inquiry regarding infectious diseases					0
Others			***		24
		1	otal		503

#### 5 .- Sanitary Condition of Schools.

The maintenance of the schools in the County is undertaken by the County Architect's Department, and every effort is made to keep the high standard of pre-war cleanliness and comfort.

### 6.—A, B, C, D, and E.—Organisation and Administration, etc., and Co-operation with Public Health Departments.

Full particulars regarding these matters are included in Section 4 of the revised report, page 50 of the Annual Report 1938-39.

#### 6.- F. Parents Present at Inspection.

School Management Area.	Number of Children Examined.	No. of Parents Present at Routine Examinations.	Per Cent.	No of Parents Present ac Non-Routine Examinations.
Cumbernauld	236	94	39-8	6
Kirkintilloch	932	392	42-0	148
New Kilpatrick	416	185	44-5	2
Old Kilpatrick	1367	657	48-0	136
Dumbarton	1228	473	38-5	300
Vale of Leven	827	456	55-1	195
Helensburgh	- 571	268	46.9	- 125
Total	5577	2525	45-2	912

7.-THE PHYSICAL CONDITION OF THE SCHOOL CHILDREN.


A .- Total Number of Children Examined.

1	-nol	Rol	24	476	26	328	603	229	142	1828
-		Total	236	. 932	416	1367	1228	827	571	5577
	Total	Girls	911	= 4	661	199	612	389	291	2679
	T	Boys	120	521	217	706	919	438	280	2898
		Total	:	3	35	:	55	13	17	151
	91	Girls		6	4	:	26	1	1	63
	Age	Boys	:	22	21.	:	29	9	0	88
		Aver.	:	16.9	1619	:	16.4	16 1	16,2	16,3
		Total	33	371	125	405	523	247	8	1885
	14	Girls	- 12	177	64	177	261	Ξ	100	905
CASES.	Age	Boys	18	194	19	228	262	136	18	980
ROUTINE CASES.		Aver.	13,7	13,5	1312	13.0	13.4	13,1	13 12	13.6
ROU		Total	101	197	99	458	341	316	186	1665
	83	Girls	5.	87	31	229	168	149	93	808
	Age	Boys	50	011	35	229	173	167	93	857
		Aver.	00 E	0110	, 00 ×	e 25	9.6	0010	8	818
		Total	102	333	190	504	309	251	187	1876
	nts	Girls	50	138	06	255	157	122	16	903
	Entrants	Boys	52	195	100	249	152	129	96	973
1		Aver.	5,4	512	512	5,2	5/2	515	5/2	5.0
CHOOL	MANAGEMENT		Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

10a

#### 7.-B. Number of Children notified to Parents as suffering from Defects.

Scho	ool Management Area	Curr	bernau	ıld	Kir	kintill	neh	Nev	v Klipa	trick	Old	Kilgat	rick )	Du	mbart	on	Vale	of Le	even	H	elensbu	rgh		Total	
	er of Routine Cases Examined		236			932			416			1367			1228			827			571			5577	
		Rout	tine	100.		utine		Rou	tine		Ros		Non-	Rou		Non-	Rou	tine	Non-	Rou	tine	Non-	Rou	tine	Non-
Card	Defect	No.		Non- Rou- tine	No.	%	Non- Rou- tine	No.	9%	Non- Rou- tine	No.	%	Rou- tine	No.	%	Rou-	No.	%	Rou- tine	No.	0.	Rou-	No.	%	Rou- tine
Α.	Vermin or Nits on Head	5	2.5		29	3-1	1	2	0.5	1	89	6.5	2	181	14-7	8	95	11-5	1	42	7-3	1	444	7.9	14
G.	Vermin on Clothing	1	0.4		****	3		***		***				***			111	-00					1	0.1	
1.	Unsatisfactory Footgear				1	0.1	***			*	5	0.3		12	0.9		10	: 1-2		5	0.8		33	0.5	***
К.	Unsatisfactory Clothing	1		1	2	0-2					20	1-4	***	7	0.5	***	18	2-1		12-	2-1		59	1.0	- 1
D	Tonsils and Adenoids	3	1-3	1	75	2.6	19	9	2-1	В	66	4.8	21	80	6.5	12	54	6-5	20	43	7-4	-26	280	5-0	107
E. /		3	1-3		14	1.5	10	2	0.5		26	1.9	17	14	1:1	.5	13	1-3	5	11	1.9	***	.81	1:4	58
H		10	4-2	3	41	4-4	22	11	2.6	5	6:	4.4	16	79	6.4	28	32	3.8	15	21	3.6	8	255	4.5	97
U.M.T.	Defective Vision and Eye Disease Already under Treatment	7	2.9	7	26	2.8	1	2	0.5	2	26	1.9	5				3	0.3		16	2.8	***	80	1-4	15
	For Orthopædic or Ultra-Violet LightTreatment				22	2:3		2	0.5	***	23	1.6		15	1-2		8	0.9		3	0.5		73	1-3	
P.A.	Parents Advised	94	39-8	6	392	42.0	148	185	44.5	2	657	48:0	136	473	38-5	300	456	55-1	195	268	46.9	125	2525	45-2	912



	1 0																	
	Rou-		::	-	::	:	::	:	1 : :	:	1 : :	:	111	1	::	:	1 : :	_
	. P	%	0.8	0.4	0.4	0.5	::	:	5:-	1.5	9.0	0.5	4.9	4.8	1.8	2.0	2.5	1.5
ZESS	Bad	° Z	:-	-	7 ::	2	::	:	==	21	m 4	7	22	40	7	12	£4	83
CLEANLINESS	ium.	%	::	:	9.0	0.3	::	:	- · · ·	1.0	9.0	0.3	1.6	1.8	0.3	0.5	0.5	0.4
CLE/	Medium	No.	::	:	m :	3	::	:	-:	-	4 :	4	L 8	15	:-	-	5 6	24
	Good	%	99.2	9.66	0.001	99.5	0.00	0.001	98.4	98.4	98.9	99.2	93.5	93.4	98-2	8.76	98.0	1.86
	S	No.	120	235	516	927	217	416	694	1345	609	1217	409	772	275	558	2840	5470
	Non- Rou-		::	:	::	:	::	:	::	:	::	:	::	:	::	:	::	:
	o o	%	::	:	0.4	0.2	::	:	4:5	1.4	0.5	1.0	5-1-9	4.9	1.8	2.0	44	4.1
	Bad	o'N	::	:	7 ::	2	::	:	00	20	- :	-	22 20	42	75	12	37	77
REPAIR	E	0/0	::		4.0	0.2	::	:	::	:	::	:	2:3	- 0	0.7	0.3	0.0	0.3
R	Medium	No.	::	:	: 5	2	::	:	::	:	::	:	96	15	:7	2	ω <u>=</u>	6-
	P	%	0.00	0.001	99.5	9.66	000	0.001	98.6	9.86	8-66	6.66	93.7	93.3	98.2	97.5	98.3	68.3
	Good	No.	120	236	517	928	217 1	416	696	347	615	227	410	770	275	557	2850	5481
-	Non-	_	::	:	::	:	::	:	::	-	::	:	::	:	111	:	1 ::	:
		%	1 : :	:	::	:	1 : :	:	::	:	- :		::	1:	1 : :	:	7 :	1-0
CY	Bad	No.	1 : :	1	1::	:	111	:	1 : :	:	- :	-	::	1	::	:	- :	F
CIEN	E	12	11	:	3.3	1	1::	1	::	:	::	:	1::	:	::	:	::	1
SUFFICIENCY	Medium	No.	11	1	11	:	1:	:	::	1	111	:	111	1	::	1	::	:
	9	%	0.00	0.001	0.00	0.001	0.00	0.001	0.00	0.001	6.66	6.66	0.00	0.001	0.001	0.001	6.66	6.66
	Good	No.	120	236 1	521	932	217	416	706	1367	615	1227	438	827	280	571	2897	5576
	Rou- tine cases exam-	Ded	120	236	521	932	217	416	706	1367	616	1228	438	827	280	571	2898	5577
			Boys	Total	Boys Girls	Total	Boys	Total	Boys	Total	Boys	Total	Boys	Total	Boys	Total	Boys	Total
	School Management Area		Cumbernauld		Kirkintilloch		New Kilpatrick		Old Kilpatrick		Dumbarton		Vale of Leven		Helensburgh		Total	


NON-ROUTINE :: :: \* : : 11 : 0.5 0.5 -0 -0 :: -% None 2 : N oN : : : 9.0 0.5 0.5 0.7 0.4 0.8 0.2 -0 4.0 -0 % Bad 3 : 9 Š : : 42 3 ma in 27 ROUTINE CASES 2.6 0.2 -00 -0 1.0 :: : : : : : : : % Medium 11 7 : : : : 00 3 : : 40 99.5 9.66 9.66 0.00 0.001 98.9 0 mo 4.66 86.66 96.1 1.76 99.1 % -66 -66 .66 66 Good 235 519 1360 217 612 424 287 566 5534 703 1224 803 2871 So. Number Examined. 236 217 616 1228 438 932 1367 280 5577 706 2898 827 521 571 Total Total Boys Total Boys Total Boys Total Boys Total Boys Total Total Boys Boys Kilpatrick Old Kilpatrick Vale of Leven School Management Area Cumbernauld Kirkintilloch Helensburgh Dumbarton Total New

7.-E. FOOTGEAR.

								BC	YS					200										G	RLS							
		Entr	ants		-	As	e B			Age	14		-	Age	e 16		- 1	Ent	rants		-	Ag	e 8			Az	e 14			Ag	e 16	
School Management Area	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Height	Weight	Number Examined	Average Ago	Height	Welghe	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Height	
Sumbernauld	52	5,3	41-4	40.5	50	87	48-8	56-5	18	13/2	58:4	88-5					50	5,4	41-6	40-7	51	811	49-1	56-6	15	13,5	60-1	102-3				1.
irkintilloch	195	5,3	42-1	42.0	110	8,4	49-4	58-1	194	13 /4	58-7	85-6	22	1619	67-1	129-5	138	5%	42.0	41-5	87	811	48.9	55-4	177	134	59-6		9		63-6	
ew Kilpatrick	100	5/5	43-5	44:3	35	8/2	50.7 .	59-5	61	13/4	60-6	90.9	21	1612	.70-2	128-1	90	5.4	42.7	42.7	31	8/1	49-2	56-6	64	13%	61-0		14		64-1	160
ld Kilpatrick	249	51	42.8	42-4	229	8/2	49.5	57-2	228	13/4	58-8	90-1					255	5%	42.5	41-7	229	8.4	48-8	54-8	177	137	58-0					ľ
umbarton	152	5/4	43-0	41-9	173	95	50-8	58-9	262	13.5	58-5	82-3	29	16/4	66-0	128-1	157	5,1	42.6	40-4	168	9%	50-9	58-1	261	13/4	59-2		26	16.5	62-4	100
de of Leven	129	50	42-1	40-9	167	819	50-1	57-3	136	13.4	58-8	86-C	6	161	68-0	122-2	122	54	41.9	39-9	149		48-8	54:6	111	13,5	59-1	91-9	7	16	62.3	Jii
elensburgh	96	5.%	43-6	41-8	93	8/5	49-8	56-6	81	13 %	59-6	89-8	10	167	65-5	124-3	91	5%	43-2	42:3	93	82	50-0	56-6	100	13/5	59-4	94-4	7		62.4	ш
Total	973	5/2	42-6	41.9	857	810	49-9	57-7	980	13%	59-1	87-6	88	16,5	57-4	122-4	903	5/-	42-4	41-3	808	812	49-4	56-1	905	13 Å	58-0	95-3	63	16/4	63-0	-
County Average ears 1919-20 to 39-40	25,523	5.	42-4	41-4	23,630	8/2	48-9	55-5					1932	16/4	65-1	122-2	25,140	5/-	42.0	40-1	23,227	8.%	48-6	53-6					1661	16/4	62-6	-
ounty Average ears 1935-36 to 39-40	5,582	57,	42-6	42:0	5,616	8,5	49-5	56-8			1		548	16/1	65-7	25:4	5616	5 /4	42-4	40-7	5,472	8/4	49:1	55-1					429	1614	62-9	-
nthropometric andard			41.0	39.9			47-0	54-9						*	64-3	119-0			40-8	39-5			46-6	52-1							61-7	-

"It was felt that the Anthropometric Standard was not stipifactory, as it was based on an insufficient number of observations.

A County of Dusbarton Standard has therefore been arrived at by combiting and averaging the figures in previous Annual Reports for a number of ware back.



		1			2	NITUO	ROUTINE CASES				Z	NON-ROUTINE CASES	TINE C	ASES
SCHOOL		Routine		He	Head			Body	ly l		He	Head	Bo	Body
AREA		exam-	NICS	2	Ver	Vermin	Nits	1 53	Ver	Vermin	Nits	Vermin	Nits	Vermin
		paul	No.	%	No.	%	No.	%	, o Z	%		-		
Cumbernauld	Boys Girls	120	:9	4.3	::		::	1:	:-	6.0	::	::	::	::
	Total	236	9	2.5	:		:	:	-	4.0	1:		:	:
Kirkintilloch	Boys Girls	512	29	7.0	::	::	::	::	::	::	::	::	::	::
	Total	932	29	3.1	1 ::	:	1:	1 ::	:	:	-	:	:	:
New Kilpatrick	Boys	217	5:		::	::	::	::	:::	::	::	::	:::	::
	Total	416	2	0.5	:	:	:			***	-	-	::	:
Old Kilpatrick	Boys Girls	706	85	0.6	m ;	0.4	::	1::	::		::	::	::	::
	Total	1367	68	6.4	3	0.2	:	:	:		2	:		:
Dumbarton	Boys Girls	616	172	28.1	::	::	::	::	::	::	::	::	::	:::
	Total	1228	181	14.7			:	:	:	:	8	9	:	:
Vale of Leven	Boys Girls	438	92	23.6	5::	0.5	1::	::	1::	::	::	::	::	1::
	Total	827	95	11.5	2	0.5			1		-	:		:
Helensburgh	Boys Girls	280	40	13.7	::	::	1 : :	::	::	111	::	::	::	::
	Total	571	42	7.3	::	1 ::	::	1 ::	1 ::	:	-	:	:	1:
Total	Boys	2898	18	0.6	3		::	::	:-	0.03	::	::	::	::
	Total	5577	444	6.7	5	1.0		-	-	10.0	14	7	:	:

7.—G. CLEANLINESS OF HEAD AND BODY.
(b) Cleanliness.

-	-						-		-										_
-	NON- ROUTINE	Body	Bad		::	:	::	-	::		::	:	11		::	10	: :		
-	ROU	Head	Bad		::		::		::		::		::		::	***	-: ::		
			P	%	8.0	0.4	8.0	0.4	::	:	0.4	8.0	1.6	6.1	1:3	6.1	1.4	0.1	0.8
			Bad	No.	- ;	-	4:	4	::	:	8 8	=	04	24	-2	91	77	9	38
		,	mn	%	3.4	4.6	3.8	3.1	0.5	0.5	3.1	2.0	0.3	0.5	0.7	0.4	11		8.0
-		Body	Medium	No.	L 4	=	. 20	29	:-	-	22 6	28	- 2	3	7-	3	111		53
			Po	%	93.6	95.0	95.4	4.96	99.5	8.66	95.8	97.2	98-1	6-16	97.2	1.16	98.6	0.66	6.96
1	CASES.		Good	No.	22	224	497	668	217	415	676	1328	604	1201	425	808	276	595	2807
1	ROUTINE		P	%	::		0.5	1.0	::	:	9.0	9.0	0.3	0.5	1.1	1.0	11	***	0.3
	RO		Bad	No.	::	:	- :	-	:::	:	44	8	5:	2	n –	9	::		10
1			mn m	%	2.5	2.5	1.2	1.5	0.5	0.5	0.8	6.0	0.5	1.0	0.5	6.0	::	***	7.0
		Head	Medium	No.	mm	9	6.5	14	:-	-	9	13	- :	-	77	4	::	,,,,	21
			Po	%	97.5	97.5	98.8	98.4	99.5	8-66	98.6	98.5	99.8	2.66	98.5	98.4	0.00	0.001	0.66
			Good	No.	113	230	511	116	217	415	969	1346	615	1225	431	817	280	175	2867
-		Rou-	Cases	ined	120	236	521	932	217	416	706	1367	616	1228	438	827	280	175	2898
-					Boys Girls	Total	Boys Girls	Total	Boys	Total	Boys	Total	Boys	Total	Boys	Total	Boys	Total	Boys
-	100		MANAGEMENT	AREA	Cumbernauld		Kirkintilloch		New Kilpatrick		Old Kilpatrick		Dumbarton		Vale of Leven		Helensburgh		Total

7.-H. Condition of Skin.

				ECZEH	Α.				RIN	GWOR	H				IMPET	ngo .					50	DRES		40		SCABIES			ALOPEC	IA.		PSORIASIS	- 20 1			OTI	HERS				TO	TAL	
chool			Rost	ine	Re	utine		Ri	etine		Rout	ine.		lautine		1	Non- Loutin			Rout	ine		Routin		Ross	ine	Non- Rousine	1	toutine	Non- Routine	Ro	etine	Non- Routine		Route	10	10	Non		,	loutine		Ross
sacement N	Routine Cases	Hea	d	Bedy				fead	8	ody			Hes	1 8	ody				Head		Body				8-0	dy			Head		100	dr		Hear		Body				Head	Bo	dy	
6	mamined	No.	% .	do. %	Head	Bod	y No.	154	No.	%	Head	Body	No.	% No	1 %	н	end !	lody N	14.	5 N	14. 7	. H	lead I	447	No.	79	Body	No.	154	Head	No.		Body	Ne.	%	No.	He	ed .	Body I	No. %	No.	%	Head
mbernauld	216			1 6					1				1				2				2 0			1	2	0.8	6	-												1 04	3	2-1	2
kinsillach	932	200		7 0		3	1-		1000			2		0-8		. 7	23				7 0	7		57	19	1.9	53	1	0.1	2	1	0.1	2			4 0			5	9 09			75
w Kilpstrick	416								100				2	2.5	-		-			-	1 0	2		481	4	10	1									4 1				2 05	9	21	
Kilpatrick	1367								311		3		11	0 0		. 2	2 -				12 0	0 .		8	40	2.9	101	1	0.1		1	01	-			12 0	8		4	12 08	65	44	25
mbarton	1228	2.		11 04		8			1	0-1		3	5	04			0				4 0			38	27	2-1	60	1	0-2				-			67 5	1 -		109	7.06	110	0.0	42
e of Leven	827			4 05		1			100								7				6 0	7		2	14	1.7	32	1	0.1		1	0:1	-			7 0			12	1 01	32	1-8	7
lensburgh	571			3 01	1411				1			1	3	05			2				5 0	8		7	16	1.7	. 19				1	01 "				1) 2	1		7	3 05	38	6.6	2

...



The following table shows at a glance a summary of the previous table 17.—G (a)], i.e., children in each area showing evidence of verminous condition of the head, or body, or both.

Schoo Managem Area	ent	Number of Routine Cases Examined	Number showing evidence of Vermin	Percentage
Cumbernauld		 236	7	2.9
Kirkintilloch		 932	29	3-1
New Kilpatrick		 416	2	0.4
Old Kilpatrick		 1367	89	6.5
Dumbarton		 1228	181	14-7
Vale of Leven		 827	95	11-5
Helensburgh		 571	42	7.3
Total		 5577	445	7-8

NON-ROUTINE CASES Very : : : : : 6 : Below : : : : : : : : : : : :: : : : : 9.0 0.5 8.0 0.3 919 : : : 1 1 : : : : % 00 Very : 40 : : 0,10 : : : : 1 500 : : 17.3 7.5 6.5 6.3 4.4 3.7 2.7 14.5 0.01 10.5 2.3 2.4 5.9 3.4 7:1 % Below 15 00 in in 0 5 76 122 9 82 4 23 26 42 28 ROUTINE CASES o'N 8 84.9 93.8 83.6 9.92 86.4 82.6 80.2 70.8 74.5 72.1 83.0 79.5 6.08 94.0 72.5 % Average 304 107 961 320 770 599 105 1154 202 2420 174 331 S. 17.0 9.9 3.3 10.5 10.7 13.0 14.6 13.2 2.7 2.0 9.6 10.2 17.9 50 18.1 % 1 8 Average 28 7 2 56 121 25 50 97 25 338 75 84 37 321 è. 8 Number of Routine Cases Exam-Ined 217 616 236 416 228 827 280 2898 120 932 706 1367 438 521 571 Total Total Total Total Total Boys Boys Total Boys Total Boys Boys Boys Boys Boys SCHOOL MANAGEMENT AREA Kirkintilloch ... New Kilpatrick Old Kilpatrick Vale of Leven Cumbernauld Helensburgh Dumbarton Total

7.-I. NUTRITION.

					RO	ROUTINE CASES	ASES				NON-ROUTINE CASES	OUTINE
SCHOOL		Number of Routine	No Teeth Decayed	lo Teeth Decayed	I to 4 Deca	to 4 Teeth Decayed	5 or mor	or more Teeth Decayed	Oral	la si	S or more Decayed	Oral
AREA		Examined	No.	%	No.	0/0	No.	0/0	No.	0/0		
Cumbernauld	Boys Girls	120	. 51	42.4	45	45.7	14	5.2	::	::	::	::
	Total	236	911	1.64	100	42.4	20	8.5	:	:	:	:
Kirkintilloch	Boys	521	300	57.6	180	34.6	41 28	7.8	2	::	::	::
	Total	932	550	59.3	313	33.4	69	7.3	2	0.5	:	:
New Kilpatrick	Boys	217	155	71.4	50 42	23-1	12	3.5	::	::	::	::
	Total	416	305	73-4	92	22.1	61	4.5		:	:	:
Old Kilpatrick	Boys	706	358	50.7	269	38-1	102	15:4	20	3.0		::
	Total	1367	989	50.2	200	36.5	181	13.3	28	2.0	2	-
Dumbarton	Boys	616	354	57.4	205	33.3	57	9.5	- m	0.5		::
	Total	1228	732	9-69	389	31.7	107	8.7	4	0.3	-	-
Vale of Leven	Boys	438	279	63.7	58	13.2	101	23-1	15	3.8		::
	Total	827	514	62.0	114	13.9	661	24.1	3	3.7	3	***
Helensburgh	Boys	280	186	66.5	32 36	12.4	45	22.1	66	3-7	::	::
	Total	571	396	69.3	89	6-11	107	18.8	8	3.1	3	:
Total	Boys	2898	1683	58.1	849	29-3	366	12.6	36 47	1.5	::	::
	Total	5577	3299	59.2	1576	28.2	702	12.6	83	- 5	6	2

7.-K. NOSE, THROAT AND LYMPHATIC GLANDS.
(a) Nose.

CORDS	Number		Catarrh.			Obstruction	uc		Others			Total	
MANAGEMENT	Routine	Routine			Rou	Routine	1	Routine	tine	I I	Rou	Routine	Non
Value	Examined	No.	%	Routine	No.	%	Routine	No.	%	Routine	No.	%	Routine
Cumbernauld	236	::			-	4.0	:	-	4.0	:	2	8.0	:
Kirkintilloch	932	:	:	:	4	4.0		4	4.0	13	80	8.0	13
New Kilpatrick	416	:		:	-	0.5		:	:	:	-	0.5	:
Old Kilpatrick	1367	01 -	2.0	-	4	0.3	:	-	-1-0	3	15	0-1	4
Dumbarton	1228	49	3.9	6	29	2.3	3	13	0.1	13	16	8.1	25
Vale of Leven	827	17	2.0	2	3	4.0	:	4	0.5	9	24	5.9	80
Helensburgh	571	6	9-1	2	-	0.5	:.	3	0.5	9	13	2.3	8
Total	5577	85	1.5	4-	43	2.0	8	26	4.0	14	154	2.8	58

	Non	Routine	:				2			2
Removed	tine	%	6.3	13.2	17.5	10.5	19.5	1.01	20-3	14.2
	Routine	No.	15	123	73	144	240	84	911	795
	Non	Routine	:	6	:	5	10	20	26	70
Much Enlarged	ine	%	8.0	2.0	:	7.4	7.3	13.9	7.5	4.9
М	Routine	No.	. 7	7		101	06	1115	43	358
	N N	Routine	:	7	7	13	23	-	2	53
Enlarged	tine	%	3.8	2.6	3.3	3.0	8.1	14.8	15.0	7.1
	Routine	No.	6	25	4	41	100	123	98	398
Minnhor	Routine	Examined	236	932	416	1367	1228	827	175	5577
	SCHOOL	AREA.	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

7.-K. NOSE, THROAT AND LYMPHATIC GLANDS-Continued.

(b) 2, Adenoids.

			Present			Suspected			Removed	
SCHOOL	Routine	Routine	tine	N	Rou	Routine	1 2	Rou	Routine	-
AREA.	Examined	No.	%	Routine	No.	9/0	Routine	No.	%	Routine
Cumbernauld	236	9	1.3	-	3	1.3		15	6.3	:
Kirkintilloch	932	61	2.0	61	10	9.0	:	122	13.1	:
New Kilpatrick	416	6	2.1	80	:	:	:	71	17.0	:
Old Kilpatrick	1367	99	4.8	21	4	0.3	:	146	9.01	:
Dumbarton	1228	13	0-1	4	12	6-0	2	70	9.5	-
Vale of Leven	827	53	6.4	:	00	6.0	00	691	20-4	:
Helensburgh	172	37	6.5	-	=	6.1	5	116	20.3	:
Total	5577	200	3.6	64	43	2-0	15	709	12.7	:

7.-K. NOSE, THROAT AND LYMPHATIC GLANDS-Continued.

(c) Lymphatic Glands-Submaxillary and Cervical.

	1	Soutine	,	100							_
		-noN		:	:	:	:	:	:	-	-
	Cervical	Routine	%	-	:	:	:	:	ō	0.5	0
Cicatrices	Cer		° Z	:	:		:	:	-	-	2
Cica	lary	Non-	4	:	:	:	:	:	:	:	111
	Submaxillary	Routine	%	4.0	1.0	:	0.5	-0	~	9	4.0
- 3	Sub	Rou	No.	-	-	:	3	-	=	9 .	23
	_	Non- soutine	A	:	:	0.	:	:	-	:	1
	Cervical	Routine	%	-	:	:	:	:	:	1	1:
Suppurating	ŭ	Rou	No.	:	:	:	:	:	:	1	:
nddr	ary	Non-		:	:	:	:	:	:	1	1:
St	Submaxillary	tine	%	:	:	:	1	:	:	:	1:
	Subn	Routine	s o Z	:	:	:	;	:	:	:	1
7	-	Non-	Я	1	1	:	:	:	-	:	-
ged	Cervical	ine	%	:		1	1	:	:	0.5	1.0
Enlarged	Ü	Routine	S.	:	:	:	:	:	:	-	-
edly	ary	Non-	Я	:	:	1		i	7	-	3
Markedly	Submaxillary	ine	%	:	:	:	4.0	• :	Ξ	1.2	10.4
	Subn	Routine	S.	:	:	:	10	:	6	_	21
-		-noN enisuo		:	:	:	:	0	:	1	0
Pe	cal		%	:	:	:	:	2.1	:	:	0.5
nlarg	Cervical	Routine	No.	:	:	:		26	-	:	26
Palpably Enlarged	7	Non-		1	00	:	:	10	7	:	12
Palpa	axilla		%	1.3	-2	1.7	4.7	0.5	0.9	8.8	
	Submaxillary	Routine	S.	3	=	1	65	7	20	49	187 3-3
	107	Number of Routine Cases Examined		236	932	416	1367	1228	7.08	175	5577
		SCHOOL MANAGEMENT AREA		Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

Rou-T Other Diseases 9.0 0.5 7.0 0.9 0.0 0.5 0.3 0.5 0.5 0.7 4.0 200 00 Routine ò 4 m in 4 - m 4 NN 4 95 -4 24 Rou-Corneal Opacities 11 : œ 0.5 00 : : 0 ò ò o ò 00 Routine No. :2 NI ব - : : : Rou-1 : : 4 20 Conjunctivitis 0.5 0.5 0.3 000 ò 00 00 00 Routine 0 No. -4 - m 4 : : mr 0 Roum 5 Blepharitis 0.3 0.5 6.0 - 60 0.5 0.5 -04 0.7 0.5 000 : 2 6.0 0.4 00 Routine 0 ON No. Nm 94 0 m co 0.0 : 40 0 37 5 Rou-4 4 : : T 23 Strabismus 0.0 2.8 3.3 3.4 3.8 2.3 00 2.4 ė ė mm Routine 中的 ma 00.00 4 94 0 50 NM 43 30 54 09 26 88 83 No. 8 23 No. of Routine Cases Exam-ined 416 706 616 1228 438 2898 1367 5577 217 827 280 932 571 527 Total Boys Total Boys Boys Total Boys Boys Total Boys Total Boys Total Total Boys Total SCHOOL MANAGEMENT AREA Kilpatrick Kilpatrick Leven Cumbernauld Kirkintilloch Helensburgh Total Dumbarton jo. Now Vale PIO

7.-L. EXTERNAL EYE DISEASES.

# 7.-N. EAR DISEASES.

SCHOOL	No. of		Otorrhoea	13		Wax	-	73-85	Others			Total	
MANAGEMENT	Cases	Roi	Routine	Non	Routine	tine	1	Routine	ine	1	Routine	ine	
	ined	No.	%	Routine	No.	%	Routine	No.	%	Routine	No.	%	Routine
Cumbernauld	236	2	8.0	-	-	0.4	:	:			3	1.2	-
Kirkintilloch	932	13	1.4	9	-	1.0	:	:		4	41	1.5	10
New Kilpatrick	416	-	0.5	:	-	0.2	:	:,	:	:	2	5.0	
Old Kilpatrick	1367	91	Ξ	00	5	4.0	7	5	0.5	7	26	6-1	17
Dumbarton	1228	01	8.0	17	:	:	6	4	0.3	2	14	1-1	25
Vale of Leven	827	7	8.0	3	2	0.2	-	2	0.2	-	=	1.3	2
Helensburgh	571	7	1.2	4	-	:	:	4	2.0	:	11	6.1	4
Total	5577	56	60	39	10	0.5	9	15	0.5	17	- 18	7	62

7.-0. HEARING.


-		_									_
		Nina	Routine	:	+		8	+	2	1	61
	Total	tine	%	8.0	0.5	0.5	Ξ	5.1	*-	9-1	1:1
-		Routine	No.	2	5	2	91	18	12	6	64
		1	Routine	:	3		8			-	- 11
	Very Deaf	tine	%	:	1.0	0.2	4.0	0.3	1.0	2.0	0.3
		Routine	No.	:	-	100	S	. 4	-	4	91
		Non	Routine	:	-			4	2	-	8
	Slightly Deaf	Routine	%	8.0	0.4	• 0.2	8.0	1:1	1.3	6.0	8.0
			No.	2	4	-		- 14	=	ın	48
	Number of	Routine	Examined	236	932	416	1367	1228	827	175	5577
		SCHOOL	AREA	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

#### , 21a

#### 7.-M. Visual Acuity (Snellen's Test at 6 Metres).

Vision shown is "Working Vision," i.e., Vision of better eye. Good Vision=1. Fair Vision=1. Bad Vision=1. or worse.

													- 1						ROUT	INE C	ASES																		
School Management						Age 8									Age 14									Age	16								Tota	ıl				Ro	Non-
Management Area		No. Exam-	Ge	od	F	air		lad	Bad Eye	enly	No.	G	ood	F	ir	8	a d		only	No.	0	bood	Fa	ir	8	ad	Bad i Eye	in one only	No.	0	ood	,	air	8	lad	Bad	in One		Bad in
	200	ined		%	No.	%	No.	10	No.	0'	ined	No.	%	No.	%	No.	0.0	No.	0,	ined	No.	0.	No.	%	No.	20	No.	%	ined	No.	90	No.	8/	No.	154	No.	0.	Bad	Eye
Cumbernauld	Boys Girls	, 50 51	448 46	96·0 90·2	3	5.9	2	3.9	1	4-0	18 15	16	89-0	1	5-5	1	5.5					***		***	:::	:::		-::	68 66	64	941	3	4·4 4·5	1 2	1.5	2	2.9		
	Total	101	94	93-1	5	50	2	1.9	3	2.9	33	31	94-0	- 1	3.0	1	3.0	***	***	444	111	***						18	134	125	93-3	6	4.5	3	2.2	3	2-2	3	
Kirlentilloch	Boys Girls	110	101 77	91-9	5 4	4.5	6	3.6	6 2	5.5	194 177	179 161	92-3 91-0	6 4	3-1	12	4-6 6-8	22 7	11:3	22	19	86-4	1	4.5	2	9-1	1	4-5	326 273	299 246	91-7	12	3.7	15	4.6 7.0	29	8-9		
	Total	197	178	90-4	9	4.5	10	5-1	8	4-0	371	340	91.6	10	2.7	21	5.7	29	7:8	31	27	87-1	1	3.2	3	9.7	1	3.2	599	545	91-0	20	3.3	34	5-7	38	6-3	22	-
New Kilpstrick	Boys Girls	35 31	32 28	91-4 90-4	3	8·6 3·2	2	64	1	3.2	61	57 59	93·4 92·2	2	3-3	2 4	3·3 6·2	1	1.7	21	19	90-4 92-9	1	4.8	1	48	I	4-8	117	108	92 4 91 8	6 2	5-1	3 7	2.5	3 2	2.5	-	-
	Total	66	60	91 0	4	60	2	3.0	2	3.0	125	116	92-8	3	2.4	6	4.8	2	1.6	35	32	91-4	-	2.9	2	5-7	1	2.9	226	208	92-1	8	3.5	10	4.4	5	2.2	4	
Old Kilpatrick	Boys Girls	229 229	212 203	92·6 88·6	14	6·1 7·0	10	12	5 8	2·2 3·5	228 177	196	86-0 89-3	22	9·7 6·2	10	4:3	18	7-9 3-4				111	110	-	-11	111		457 406	408 361	89-3 89-0	36 27	7.9	13	2.8	23	5.0		
	Total	458	415	90-6	30	6.6	13	2.8	13	2.8	405	354	87-5	33	8-1	18	4:4	24	5.9	(61)	101		114						863	769	89-1	63	7.3	31	3.6	37	4-3	16	
Dumbarton	Boys Girls	173 168	157	90·8 87·5	12 16	6-9 9-5	5	3.0	8 4	4·6 2·4	262 261	246 238	93-9 91-2	14	3-4 5-4	7 9	2·7 3·4	10	3-8	29 26	27 21	93-1	2 2	6-9	3	113	3 2	10-3	464 455	430 406	92.7 89.3	23	50	11 17	2:3	21	4:5		
	Ten	341	304	89-1	28	8.2	9	2.7	12	3.5	523	484	92-6	23	4-4	16	3-0	15	2.9	. 55	48	87-3	4	7-3	3	5-4	5	9-1	919	836	910	55	60	28	3.0	31	3-5	28	
Vale of Leven	Boys Girls	167	154	92·2 90·0	12	5.4	4 3	2.4	3	1.8	136	127	93-4 95-5	2 3	1.5	7 2	5-I I-8	7 4	5·1 3·6	6 7	4 6	66-6 85-7		16-7	1	16-7	ï	143	309 267	285 246	92 2 92 2	12	3.9 5.6	12	3-9	10	3-2		111
	Total	316	288	91-2	21	6.6	7	2.2	6	1-9	247	233	94-3	5	2-1	9	3-6	11	4.4	13	10	77:0	1	7-6	2	15:4	1	7-6	576	531	92 2	27	4-7	18	3:1	18	3-1	15	
Helensburgh	Boys Girls	93 93	90 84	96-9 90-3	2 5	2·1 5·4	1 4	1-0	2	2-1	81	78 85	96-3 85-0	13	13-0	2 2	2.5	1 4	1.2	10	9 4	90-0 57-1	7	14-3	1 2	10-0			184	177	94 2 86 5	19	9.5	4 8	2·2 4·0	1 6	0.5		111
11:	Total	186	174	93-6	7	3.7	5	2.7	2	1.0	181	163	90-1	14	7.7	4	2.2	5	2.7	17	13	76:5	1	5.9	3	17:6		300	384	350	91 2	21	5.7	12	3:1	7	1.8	8	
Total	Boys Girls	857 808	794 719	92·7 89·0	47 57	5·5 7·0	16 32	1-8	25 21	2.9	980 905	899 822	91·7 90·8	43 46	4:4 5:1	38 37	3-9	59 27	6-0 3-0	63	78 52	88-6 82-5	5 3	5·7 4·8	5 8	5:7	5 3	5-7 4-8	1925	1771	92 0	95 106	4.9	59 77	3-1 4-3	89	4-6	-::	112
	Total	1665	1513	90.9	104	6:2	40	2.9	46	2.7	1885	1721	91-3	89	4-7	75	4-0	86	4-5	151	130	86-1	8	5-3	13	8.6	8	5.3	3701	3364	90 9	201	5-4	136	3.7	140	3.7	96	-



7.-P. SPEECH.

		Routine		:	:	-	:	:	:	-
Total	ine	%	8.0	4.0	6.0	4.0	0.3	4-1	1-7	2.0
	Routine	Z o	2	4	2	9	4	12	01	40
		Routine	:	:	::	:	:	:	:	
Stammering	ine	%	4.0	1.0	6.0	1.0	0.2	0.5	2.0	0.5
O,	Routine	No.	-	-	2	2	2	4	4	91
lation	Non	Routine	:	• :	***	-	:	:	:	-
Defective Articulation	tine	%	4-0	0.3	:	0.3	0.2	6.0	0.1	0.4
	Routine	No.	-	m	:	4	2	œ	9	24
Number	Routine	Examined	236	932	416	1367	1228	827	571	5577
	SCHOOL	AREA	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

7.-Q. MENTAL CONDITION.

Total	Routine	% Routine	0.4	- "	6.0	- 3	0.3	6-1	6.0	0.6
	Rou	No.	-	:	4	91	4	91	52	36
ent	1	Routine	:	:	:	:	:	:		
Mentally Deficient	Routine	%	:	:	0.5	:	:	:	-	1.0
Mer	Rou	No.	:		_		:	*:	:	-
rd P.	1 2	Routine	:	-	:	-	:	***	- 1	2
Dull or Backward	Routine	%	4.0	:	2.0		0.3	6-1	6.0	8.0
		No.	-		3	91	4	91	ın	45
	Number of Routine	Examined	236	932	416	1367	1228	827	571	5577
	SCHOOL	MANAGEMENT	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

7.-R. HEART AND CIRCULATION.

						_		-			_
	Non	Routine		:	:	:	-	-	4	:	9
Total	Roueine		%	8.0	6.0	9.0	9-0	2.0	2.0	1.2	0.7
	B		No.	7	6	2	6	6	9	7	44
ease	Non	Routine			:		-	:	3	:	3
Functional Disease			%	:	7.0	:	1.0	:	:	0.3	0.1
Funct	Rousina		No.	:	2	:	-	:	:	2	5
		Non-	tine	:	:		-	-	:	:	2
	Acquired	tine	%	8.0	1.0	:	9.0	2.0	9.0	0.3	0.5
Organic Disease		Routine	No.	2	7	:	7	6	2	2	32
Organic		-uoN	rine	:	:	***		***	_	:	-
	Congenital	dine	%	-		5.0	1.0	:	1.0	5-0	0.1
	O	Routine	No.	:	:	2	-	:	-	m	7
1	Routine	Exam-	ined	236	932	416	1367	1228	827	571	5577
		AREA		Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

7.-S. LUNGS.

1		- 1		_	_	_	_	_	-	1
	Non-	tine	:	7	:	7	3	0	-	20
Total	Routine	%	4.0	1.2	6-0	2.1	5.8	2.3	9-1	2.6
	Rot	No.	-	12	4	29	11	61	6	145
	Non-	tine		2	:	-	4	9	-	4
Asthma	Routine	%	:	0.3	0.5	0.3	1.0	9.0	0.3	0.3
	Ron	o Z	:	8	2	4	-	2	2	17
sis	Non-	tine	:	:	:	:	:	:		1:
Tuberculosis Suspected	Routine	%	:	::	:	:	:	:	:	1:
Tu	Ro	No.		:	:	:	:	:	:-	1:
sis	Non-	tine	:	:	:	:	-	:	:	-
Tuberculosis	Routine	%	:	:	:	:	:	:	:	:
Tu	Ro	No.	:	:	:	:	:	:	:	1
s	Non-	Kou-	:	5	:	1,	=	-	:	18
Bronchitis	Routine	%	4.0	6-0	0.5	0.1	4.0	***	0.3	9.0
	Ro	ő	-	6	7	15	2	::	2	34
tarrh	-LoN	Kou-	:	:	:	:	15	7	:	17
Bronchial Catarrh	Routine	%	:	***	:	1.0	5.3	1.7	6.0	1.7
Brond	Ro	No.		***	:	01	9	4	2	94
	Number of Routine	Examined	236	932	416	1367	1228	827	571	5577
	- 4	AREA	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

7.-T. NERYOUS SYSTEM.

	Non-	tine	:	3	;	9	5	2	:	61
Total	tine	%	4.0	0.5	:	9.0	:	4-	0.5	0.5
	Routine	oZ	-	2	:	6	:	1.2	м	30
	Non-	tine	1	:	:	-	:	:	:	-
Others	ine	%	:	0		-0	:	4.0	:	0.1
	Routine	No.	:	-	:	2	:	m	:	9
lysis	Non-	tine	:	-	1	:	:	-	1	-
Infantile Paralysis	ine	0/0	:	0.5	:	0.4	***	1.0	0.2	0.5
Infant	Routine	o Z	1-	2	**	10	:	9	-	4
	Non-	tine	:	-	:	2	15	4	:	12
Chorea	ine	%	0.4	0.1	:	1.0	:	0.5	0.3	0
	Routine	° Z	-	-	:	-	:	2	2	7
	-tioN	tine	:	2	:	т	:	:	:	2
Epilepsy	ine	0/0	;	1.0		-0	:	1.0	:	1.0
	Routine	No.		-	:	-		-	:	3
No. of	Cases	ined	236	932	416	1367	1228	827	571	5577
			:	:	:	:	:	:	:	1:
0000	MANAGEMENT	AREA	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

7.-U. TUBERCULOSIS (NON-PULMONARY).

	Non-	tine	:		-	-	:		:	2
Total	tine	%	1	1.0	:	:	:	:	1.0	1.0
	Routine	No.	:	-	:	:	:		-	2
	Rou-	tine	:	:	:	:	:		:	1:
Others	ine	%	:	0.1	:	:	:	***	:	1.0
	Routine	No.	::	-	:	:	:	:	:	-
-	Rou-	tine	:	:	:	:	:	:	:	1:
Abdominal	ine	%	:	:	:	***	::	:	1.0	1.0
AP	Routine	No.	:	:	:	:	:	:	-	-
	Rou-	cine	:	:	:	:	:	:	:	1:
Joints	Routine	%	:	:	:	:	:	:	:	1
	Ro	No.	:	:	:	:	;		:	1:
	Rou-		:	:	:	-		:	***	-
Bones	tine	%	:	***	:	:	:	:	:	1:
	Routine	No.	:	****	. :	::	****		:	1:
	Non-		:	:	-	:	***	;	:	-
Glands	tine	%	:	:	:	***	***	:	:	1:
	Routine	. S	:	1		:	:	:	-	1:
	Number of Routine	Examined	236	932	416	1367	1228	827	571	5577
SCHOOL	MANAGE- MENT AREA		Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

7.--V. RICKETS.

Outine         Non- No.         Routine         Non- No.	Aura har	Slight			Marked			Total	
Routine No. % Routine No. %	2	Routine	1	Rout	tine	a di	Rou	tine	Z
10	O	9,0	Routine	No.	0/0	Routine	No.	%	Routine
100	1		3	:	:	4	:	:	:
100 1	:	:	:	:	;	:	:	;	:
100 1 1 00.1 1	-	•	1	:	***	:	:	:	:
1 0 0 1 1 0 0 1 1 0 0 1 3 0 0 1 3	:	-	:	-	1.0	:	-	0.1	:
1 0 · 1 0 ·	:	-	÷	-	1.0		-	1.0	:
3 0.1	:	:	:	1	:	*	:	:	:
3 0.1	:	:	:	-	0-1	;	-	0.1	:
	:	:	1	8	1.0	:	3	1.0	1

7.-W. DEFORMITIES.

	Non-	Routine	:	7	-	9	5	9	-	20
Total	tine	%	1.0	3.1	6.0	3.4	4-1	3.7	3.1	3.2
	Routine	No.	-	29	4	48	20	31	8	181
achitic)	Non	Routine	:	7	-	63	3	2	: .	91
Acquired (Non-Rachitic)	ine	%	1.0	3.1	2.0	3.4	3.5	2.8	2.4	2.9
Acquir	Routine	No.	-,	29	6	47	44	24	4	162
	1 2	Routine	:	:	:	:	2	-	-	4
Congenital	ine	%	:	:	0.2	0.1	0.5	8.0	2.0	0:3
	Routine	No.			-	-	9	7	4	19
	Routine	Examined	236	932	416	1367	1228	827	175	5577
	SCHOOL	AREA	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

7.-X. INFECTIOUS OR CONTAGIOUS DISEASES.

	LoN C	Kou-	:	es	:	4	-	3	-	12
Total	ine	%	:	-0	0.2	:	:	0.3	0.2	0
	Routine	l o	:	-	-	:	:	3	+	9
s	Non-	tine tine	:	:	:	:	:	:	-	-
Mumps	Routine	0/0	:	:	0.5	:	:	:	:	-0
	Rou	o Z	:	:	-	:	:	:	:	-
es	-uoN	tine	:	:	:	:	:	;	:	
German	ne	%	:	:	:	:	:	:	0.5	1-
-	Rout	S.	:	:	:	:	:	:	-	1-
ua.	Non-Routine	tine	:	:	:	4	-	· m	:	00
Chicken	ine	%	:	:	:	:	:	0.5	;	1.0
	Routine	° N	:	:	:	:	:	2	:	2
	-uoN	tine	:	3	:	:	:	:	:	m
Whooping	2	%	:	:	:	:	:	-0		1-0
5	Routine	o Z	:	:	:	:	:	-	:	1-
et r	Non-		:	:	:	:	:	:	;	:
Scarlet Fever	Routine	0/0	:	-0	:	:	:	1	;	1-0
	Rou	° Z	:	-	:	;	:	:	:	-
o c	Routine	P	236	932	416	1367	1228	827	571	5577
	SCHOOL	AREA	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

7.--Y. OTHER DISEASES AND DEFECTS.

				_			_	_	_	
	- acN	Routine	-	40	6	25	66	74	39	281
Total	Routine	%	2.5	2.3	4	3.1	6.7	5.6	3.5	4.3
	Rou	. oZ	9	22	9	43	86	46	- 20	241
	Non	Routine	-	40	3	25	66	7.4	39	281
Others	tine	%	9-1	2.3	1.2	3.0	6.7	5.2	3.3	4.2
	Routine	No.	4	22	2	4	86	44	61	233
	1	Routine	:	:	:	:	:	:	-	1:
Hernia	ine	%	8.0	:	0.2	1.0	:	0.5	0.2	1.0
	Routine	No.	2	:	-	2		2	-	80
	6 0	Examined No.	236 2	932	416	1367 2	1228	827 2	571 1	5577 8

PREVIOUS ILLNESSES.

- 1	1	1005					J. Santa	144	1-
Others	%	18.5	23.1	26.9	26-0	24.9	33.3	25.4	26.0
Ö	Š	4	215	112	356	306	275	145	1453
Fits	%	:	:	:	:	:	:	:	1:
	ŏZ	:	:	:	:	:	:	:	1:
Ba-	%	÷	2.4	1.2	6.0	0.5	1.7	0.5	Ξ
Rheuma- tism	o Z	м	23	15	12	m	4	т	63
Small- pox	%	:	:	1	:	:	:	:	1:
Smal	, o V	:	:	:	:	:	:	1	1:
Diphtheria	%	<u></u>	5.5	6.1	6.5	4.6	6.9	9.6	9.9
Diphe	Š	m	52	00	06	123	57	38	371
er	60/	4.9	12.6	12.3	12.1	17.0	14-	12.8	13.7
Scarlet	o Z	9	8	51	180	209	117	73	764
sdu	%	39.4	31.3	25.6	30.6	33.9	3 - 3	37.8	32.9
Mumps	o Z	93	767	148	419	416	259	216	1843
ken	%	32.9	35.0	38.5	37.6	37.4	37.5	<u>+</u>	37.3
Chicken	ŏZ	78	327	091	515	460	310	236	2086
ping 18h	%	56.7	55.8	6.99	57.9	58.5	60.3	6.09	58.0
Whooping	o Z	134	521	237	793	719	466	348	3241
	000	78.8	81.5	74.0		88 8	4.69	7.2.7	79.9 3241
Measles	ŏŽ	186	760	308	1134 82.9	1086	574	415	4463
No. of	Cases Exam- ined	236	932	416	1367	1228	827	175	5577
SCHOOL	AREA	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

# VACCINATION.

	_	_								
inated	%	38.1	24.6	22-1	35.5	61.2	8.65	47.1	*43.2	ar
Unvace	No.	06	230	92	486	752	464	269	2413	*Decrease compared with last year— 29.2%
Rou- tine Cases	Exam- ined	236	932	416	1367	1228	827	571	5577	*Decr
inated	%	:	12.9	7 =	:	32.7	30.8	17.7	*21.8	pared ar
Unvace	No.	:	4	4	**	-8	4	3	33	*Decrease compared with last year — 17.9%
Rou-*	Exam- ined	:	3	35	:	55	-3	17	151	
cinated	%	18.2.	26.1	20.8	29.4	54.7	47.7	47.0	*39.1	*Decrease compared with last year— 25.3%
Unvac	S.	9	46	26	611	286	118	85	737	Vecrease compar
Rou- tine	Exam- ined	33	371	125	405	523	247	181	1885	*Decre
inated	%	38.6	25.0	21.2	38.0	68.3	64.2	48.4	*48.1	pared ar —
Unvaco	No.	39	49	4	174	233	203	90	802	*Decrease compared with last year — 26.2%
Rou-	Exam- ined	101	197	99	458	341	316	186	1665	*Decre
inated	%	1.44	24.0	25.3	38.3	5.69	67.3	48.6	*44.8	pared
Unvaco	, oZ	45	80	48	193	215	691	16	841	*Decrease compared with last year — 33.9%
Rou-	Exam- ined	102	333	190	504	309	251	187	1876	*Decre
5		:	:	:		***		-	1	
SCHOOL MANAGEMEN AREA		Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total	
	MENT Rou- Rou- Rou- Invaccinated tine Unvaccinated tine Unvaccinated tine Unvaccinated tine Unvaccinated tine Unvaccinated	Routine Unvaccinated tine Unvaccinated tine Cases Exame Exame Ined No. % Ined Ined Ined Ined Ined Ined Ined Ined	Rou-   Rou-   Cases   Exam-   No.   %   Ined   No.   %   Ined   Ined   No.   %   Ined   Ined   No.   %   Ined   Ined   No.   %   Ined   No.   %   Ined   No.   %   Ined   No.   %   Ined   Ined   No.   %   Ined   Ined   No.   %   Ined   Ined   No.   %   Ined   Ined   Ined   No.   %   Ined	Rou-   Rou-   Cases	Table   Cases   Case	No.   Cases	Table   Cases   Case	No.   Cases   Exam-   Cases   Exam-   Cases   Exam-   Cases   Exam-   Cases   Exam-   Cases   Exam-   No.   %   Ined   No.   %   Ined   No.   %   Ined   No.   %   Ined   No.   %   Ined   No.   %   Ined   No.   %   Ined   No.   %   Ined	No.   Cases   Exam-   No.   Cases   Exam-   No.   Cases   Exam-   No.   Cases   Exam-   No.   Cases   Exam-   No.   Cases   Exam-   No.   Cases   Exam-   No.   Cases   Exam-   No.   Cases   Exam-   No.   Cases   Exam-   No.   Cases   Exam-   No.   Cases   Exam-   No.   Cases   Exam-   No.   Cases   Exam-   No.   Cases   Exam-   No.   Cases   Case	No.   Cases

#### 8.-Special Schools and Classes.

Special Schools—There are three Special Schools in the County—Waverley Park Home, Kirkintilloch; Milton School, Bowling; and College Street School, Dumbarton.

In Waverley Park Home, which is maintained by the West of Scotland Association for the Care of the Feeble-minded, there are at present 3 pupils from the County.

Milton Special School, which serves the areas of Old and New Kilpatrick, also receives Deaf-Mute pupils from Dumbarton, Helensburgh, and the Vale of Leven Areas. This school was taken over by the military authorities on the outbreak of the war, and, as far as possible, the pupils have been conveyed to College Street School, Dumbarton. A few pupils were evacuated with two teachers and a nurse to Port Kil, Kilcreggan, and later to "The Grove," Clynder. There are now 5 pupils at "The Grove," with one teacher and a nurse.

The number of children from Old Kilpatrick and New Kilpatrick Areas attending College Street School during the present session were:—Mentally Defective, 31; Physically Defective, 6; Myopic, 7; and Deaf Mute, 7; total, 51.

College Street School, which serves the Dumbarton, Vale of Leven and Helensburgh Areas, has three classes for Mentally Defectives and two classes for Physically Defectives. The numbers from Dumbarton, Vale of Leven and Helensburgh are:—Mentally Defective, 47; Physically Defective, 21; total, 68. The pupils in the Deaf-Mute Classes, 7 in number, are drawn from the whole county, except the parishes of Kirkintilloch and Cumbernauld. Deaf-Mute pupils from these two parishes are, by arrangement with the Glasgow Education Committee, taught in the Glasgow Schools for deaf-mutes.

Special Classes (a) For Mentally Defective Children—There are two classes in Lairdsland School with 19 on the roll.

(b) For Conservation of Vision—Lairdsland School with 8 on the roll; Whitecrook School, Clydebank (temporarily transferred to College Street School, Dumbarton), with 7 on the roll; College Street School, Dumbarton, with 16 on the roll. The total number of Myopic Children in these classes is 31.

The

following are	the totals for	the Co	unty :-	_		
Mentally Defect Physically Defe	ctive					100
Deaf-Mutes Conservation	of Vision		***			162
		Tot	al			292
tions paid The number of tions paid Blind Persons (1920), (c) Council, a Local Aut	Physically Defer for by the Cour f Mentally Defer for by the Cour in training under cost of training and cost of me hority) is as for	enty Cou ctive Ch nty Cou er the B g paid aintena collows:	uncil in ildren incil is blind Popular by the control of the contr	s in Ins s Persons he Co	titu-  Act unty	-11
In Gla	nburgh Royal Bli	nd Asyl	um ylum			2
		Tot	al			19
						Exposition 1

Medical Inspection—The pupils attending the special schools are examined every session. The numbers examined during the present session were:—50 Mentally Defectives, 51 Physically Defectives, a total of 101. Of the 51 Physically Defectives, 9 were Myopic and 9 Deaf-Mute, or very deaf. Of the total 101, 19 were classed as having nutrition below the average, while 7 had very bad nutrition, 2 showed evidence of ear, throat and nose trouble, 18 had defective vision, while 22 showed evidence of physical deformity, congenital or acquired.

Special Appliances Supplied to Pupils—During the session the Education Committee agreed to the provision or repair of the following appliances:—

6.000	 	· opan			o -L	
Splints	 		***			1
Splints, with	overs	hoe				3
Artificial Eye		***		***		2
Dental Plates	 					2
						_
		To	otal			8

#### 9.-Arrangements for Physical Education and Personal Hygiene.

A. Physical Exercises—The arrangements for these remain much the same as in former years (See Annual Reports, 1914-15, page 72; 1919-20, page 41; 1920-21, page 38; and 1927-28, page 37).

Children for whom exemption from Physical Training or Baths was asked were examined by the School Medical Officers and exemption was granted if sufficient reason was found. In addition to these there was a number of children who were found by the School Medical Officers in the course of routine examinations to be suffering from defects which justified exemption from drill or baths, and in these cases such exemption was granted.

The reasons for exemption were as follows :-

(a)	) From	Drill	and	Baths :	_
-----	--------	-------	-----	---------	---

(a)	From Dim	und but		_					
	Defective	Heart		***				***	11
	Recent A				(App	endicit	is, etc.	.)	4
	Affections			Joints					2
	Chest Co								2
	Rheumati	sm							2
	Others							***	6
					To	otal			27
(b)	From Bath	s Only :-	_						
	Ear Disea			.,.			***		4
	Skin Dise					***	***	***	1
	Chest Co			***		***	***	***	3
	Rheumatis	sm			***	***	***	***	2
	Qther							***	2
					To	otal	***		12
									Married Street,

#### 10.-Milk-in-Schools Scheme.

The Director of Education has kindly supplied the following information:—

The average number of pupils taking advantage of this scheme throughout the session was 13,274 which gives an average of 64% of the number of pupils on the roll. The total quantity of milk supplied during the session was 898,250 pints.

#### Employment of Children (Scotland) Act, 1932.

Permits under the above Act were issued as follows after the applicants bad been examined by the School Medical Officers.

			Granted.	Refused.	Total.
Cumbernauld .	 		_	_	_
Kirkintilloch .	 		9	-	9
New Kilpatrick			20	_	20
Old Kilpatrick .	 		_	_	-
Dumbarton .	 		24	1	25
Vale of Leven .	 		7	_	7
Helensburgh .	 		2	_	2
					_
Total .	 ***	***	62	1	63
			_		2000

#### - Admission of Children to Approved Schools.

During the session 46 children were examined with regard to their uitability for admission to Approved Schools. Of these, 39 were committed by the Sheriff to institutions.

#### II.-Arrangements for Medical Treatment.

See Annual Reports, 1927-1928, pages 38, 39 and 40; and 1928-1929, pages 46 to 54.

See also Appendix to Annual Report for 1938-1939.

#### X-Ray Treatment of Ringworm.

No cases were treated during the session.

#### Ultra-Violet Light Treatment.

No accurate figures are available for the work done under this heading, but every child found to require treatment was provided for if at all possible.

# ORTHOPAEDIC TREATMENT.

The Orthopaedic Clinics in Dumbarton and Kirkintilloch were in full working order during the present session. The work at the Clydebank Clinic was still very much hampered by present conditions, but in the other three clinics the work has increased so much that the present staff is too small. Vale of Leven cases were treated at Dumbarton. The cases treated were as follows:—

_					_			_
	Total	8 17	23	69	91	12	26	194
Total	Girls	40	<u>4</u> w	38	7	-	7.5	88
	Boys	4 8	6-	31	6	=	121	901
rgh .	Total		7	00	3	-	47	22
Helensburgh	Girls	:-	- :	2	2	:	:7	=
I	Boys	- :	- :	e	-	-	4:	=
ren	Total	7 -	- 2	6	2	2	40	28
Vale of Leven	Girls	- :	:-	9	-		:-	10
Valo	Boys		7 ::	6	-	7	44	18
ch	Total	40	6:	32	7	4	6.9	18
Kirkintilloch	Girls	32	-:	[3	6	-	-2	32
Kir	Boys	7.	7 :	61	4	3	00 4	49
uc	Total	:-	4 :		3	10	44	32
Dumbarton	Girls	:-	4 :	6	-	:	53	20
0	Boys	::	::	2	2	S	-7	12
Ä	Total	-4	36	6	-	***	52	31
Clydebank	Girls	-4	77	S	:	:	- :	15
0	Boys	11,	4-	4	1		44	16
Deformity or Disease		Kyphosis	Scoliosis	Deformity	Paralysis	Deformities	Breathing	Total

## Response to Treatment.

Clinic	0			Good	Fair	Unsatisfactory
Clydebank		1::		01	15	9
Dumbarton				61	8 6	50
Kirkintilloch		***	***	40	67	7
Vale of Leven	***	****			7	-
Helensburgh	***			9	8	20
	Total			84	72	38

Dumbarton-1701

Vale of Leven (with Dumbarton) Number of Treatments Given.

Kirkintilloch—2294 Total—5470

Helensburgh-760

Clydebank-715

#### RESULTS OF REMOVAL OF TONSILS AND/OR ADENOIDS.

As it has been suggested that the effect of the removal of tonsils and adenoids produces little permanent benefit, an examination was made of pupils who had been operated on a considerable number of years before.

There were 410 children re-examined at the age of fourteen years who lhad had tonsils and adenoids, or tonsils only, or adenoids only, removed previously. Of these, 388 were found to be absolutely satisfactory, the remaining twenty-two showing evidence of rheumatism, or chorea, asthma, bronchial troubles, deafness and otorrhoea.

The following table shows details of this investigation :-

				Reason	s for CI	assifica	tion as	unsatisf	actory.
No. of Years after Operation	No. of Cases	Satisfactory	Unsatisfactory	Rheumatism	General Health Bad	Asthma	Bronchial Conditions	Deafness	Otorrhoea
More than 10 9 8 7 6 5 or less	25 28 44 70 99 57 87	23 25 43 66 93 56 82	3 1 4 6 1 5	 1  3	  1 2 	2 2  1 	 2 	  2  1	
Total	.410	388	22	4	3	5	2	4	4

The table which will be found on page 38 shows the results of the removal of tonsils and/or adenoids, as ascertained by examination at an interval of about one year from operation. The figures are cumulative from the investigation commenced during the session 1931-1932.

#### REMOVAL OF TONSILS AND/OR ADENOIDS.

Owing to war conditions no operations were carried out in the White crook Clinic, Clydebank, during the present session. All children from Clydebank requiring operations were conveyed to Dumbarton Clinic and deal with there.

			ils and Remov		noids	Ad	Rem	only oved.	
		Result Satisfactory.	Result Moderately Satisfactory.	Result Unsatisfactory	Total*	Result Satisfactory	Result Moderately Satisfactory	Result Unsatisfactory	Total
	Number Percentage	3031 76·9	663	250 6·3	3944	300 45·5	229 34·7	131	660
Mouth Breathing	Present before operation Continuing after operation Apparently cured Beginning after operation	2263 95 2168 2	554 120 434 10	162 99 63 5	2979 314 2665 17	265 13 252	109 34 75	97 66 31	471 113 358 2
Deafness	Present before operation Continuing after operation Apparently cured Beginning after operation	468 57 411 8	180 88 92 4	52 41 11 4	700 186 514 16	186 30 156 5	42 16 26	19 13 6 1	247 59 188 6
Discharging Ear	Present before operation Continuing after operation Apparently cured Beginning after operation	384 63 321 16	127 68 59 12	500 148 352 29	1011 279 732 57	51 13 38 2	23 7 16 1	13 9 4 2	87 29 58 5
Discharging Nose	Present before operation Continuing after operation Apparently cured Beginning after operation	1246 111 1135 23	325 184 141 31	126 113 13 11	1697 408 1289 65	166 16 150	79 51 28 5	86 79 7 5	331 146 185 10
Susceptibility to Colds and/or Sore Throats	Present before operation Continuing after operation Apparently cured Beginning after operation	2370 142 2228 11	556 210 346 4	173 133 40 9	3099 485 2614 24	215 19 196	89 46 43 2	102 86 16 3	406 151 255 5
Enlarged Glands	Present before operation Continuing after operation Apparently cured Beginning after operation	1250 74 1176 8	471 73 398 8	45 22 23 3	1766 169 1597 19	39 10 29	14 4 10	32 23 9 4	85 37 48 4
Rheumatism or Chorea	Present before operation Continuing after operation Apparently cured Beginning after operation	141 46 95 51	82 39 43 36	11 7 4 4	234 92 142 91	10 7 3 2	3		11 8 3 5

#### TREATMENT OF MINOR AILMENTS.

District	Nurse	Number of Children dealt with	Total Number of Attendances	Number of Visits to Parents	Number of Visits to Clinics or Schools	Eye Cases	Throat and Nose Cases	Ear Cases	Skin Cases	Others	Attendance at Eye, Operations Dental and X-Ray Clinics
Kirkintilloch	C 4 1 "	***				-					
	C. M. Jeffrey	667	3779	183	82	7		39	575	46	160
Cumbernauld Kirkintilloch (Landward)	M. M. Macdonald	682	2448	139	94	15	10	16	615	26	212
Old Kilpatrick (Burgh and Landward)	E. S. R. Stevenson	405	987	94	106	3	2	35	364	1	271
Dumbarton (except Notre Dame and West Bridgend Schools)	M. Gilmour	1191	1740	11	43	14	***	27	1045	105	239
New Kilpatrick Vale of Leven (Renton Public and St. Martin's)	C. Macnair	1237	3903	102	111	8		9	1182	38	223
Vale of Leven (except Renton	J. Scott	688	1663	238	41	10		32	561	85	225
Helensburgh Dumbarton (Notre Dame and West Bridgend Schools)	K. S. Stevenson	377	1355	40	39	6	***	27	267	77	186
Total		5247	15,875	807	516	63	12	185	4609	378	1516

THROAT, NOSE AND EAR CLINICS.

-					
	Total	815 618 618 1192	119	266 260 260 249 266 1.53	613
Total	Pre- School	136 128 122 278	125	540 540 37 37 37 37 37	520 :::
Te	School	676 490 496 914	486	249 206 208 209 210 122	118
no	Total	397 305 305 587	301	250 220 220 220 220 220 250 143 143	305
Dumbarton	Pre- School	71 61 61 143	09 :- :	252 252 253 253 252 253 253	9 :E ::
D	School	326 244 244 444	241	202 202 173 173 174 175 176 177 177 178 179 179 179 179 179 179 179 179 179 179	511
ch	Total	168 113 113 205	112	7 14 15 19 10 10 10 10 10 10 10 10 10 10 10 10 10	108
Kirkintilloch	Pre- School	21 27 21 55	36	- ! ! ! ! ! ! ! - ! ? !	676 ::
Kir	School	147 86 92 150	8 : : :	6 4 4 5 50 50 50 50 50 50 50 50 50 50 50 50 5	83 24
×	Total	2000 2000 4000	198	777 39 44 44 74 74	47
C'ydebank	Pre- School	4448	39	10 7 11 11 11 11 11 11 11 11 11 11 11 11 1	4 : 1
Ü	School	203 160 160 320	159	4745 8444 8444	160
		Number of Children examined Number of Children operated on Attendances with Ambulance Home Visits for After-Care	Nature of Operations :— Excision of Tonsils and Adenoids Excision of Tonsils only Excision of Adenoids only	Causation:— Discharging Ears Tonsils much enlarged Deafness Obstructed Breathing and Deafness Obstructed Breathing Rhinitis Tonsilitis Enlarged Glands Warious	Results:— Progress definite and rapid Progress retarded Still on books Sent to Hospital

DENTAL TREATMENT.

		etics	General	57	193	23	451	131	67	51	94	17.0
		Anaesthetics	Local Ge	201	417	258	865	628	294	124	305	4092 17
ions	-		Total No. of Extrac- tions	542 2	1623 4	439 2	5007	1484 6	691 2	714	1296 3	11796 40
Extractions		Teeth Extracted	1 2	62	300	72	825	418	190	87	134	2088
		Teeth E	Tem- Per-	480	323 3	367	4182 8	1066 4	1 105	627	1162	9708 20
_		- Jo	۵		-		4					
		No. of	Con- served	220	821	501	971	1458	510	650	2183	7314
Treatment	th	ner nent	Per- manent	31	286	151	382	547	151	426	1383	3357
	Teeth	by other Treatment	Tem- porary	-	32	8	:	62	45	6	131	288
Conservation		Filled	Per- manent	182	473	324	589	849	312	198	617	3544
ŭ		Teeth Filled	Tem- porary	9	30	8	:	:	2	17	52	125
		Actual	Attend- ances	588	1525	889	2522	2514	1000	759	1820	11617
ated		Total	Cases	507	1239	678	1366	0901	493	308	634	6285
Ildren Tre			Cases	29	268	88	160	181	18	20	691	966
Number of Children Treated	5.2	Actual	Cases	478	126	290	1206	879	412	288	465	5289
Numb	Routine Cases	No. of Cases		474	855	320	2774	2164	1112	648	920	9267
	Ro	o c	Cases In- spected	579	1153	546	4434	3555	1883	998	1144	14163
		DENTIST		Mr. Cassidy	Mr. Cassidy	Mr. Cassidy	Miss McKendrick	Miss Pugh	Miss Pugh	Mr. Macdonald	Mr. Macdonald	:
		COHO	MANAGEMENT	Cumbernauld	Kirkintilloch P	New Kilpatrick P	Old Kilpatrick	Dumbarton N	Vale of Leven	Vale of Leven	Helensburgh P	Total

Ophthalmic Treatment of School Children

					SCHOO	SCHOOL MANAGEMENT AREA.	GEMENT	AREA.				
	Dumbarton.	arton.	Helens	Helensburgh.	Kirkintilloch and Cumbernauld.	Cumbernauld.	New Kilpatrick	New patrick.	Old Kilpatrick.	ick.	Vale of Leven.	Leven.
	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.
Defective Vision corrected with Spectacles	74	62	13 .	37	57	89	00	6	47	57	42	35
Defective Vision too slight to benefit from Spectacles	6	80	4	9	-13	91	8	2	10	=	5	7
Defective Vision treated otherwise	5	. 01	2	3	01	91	2	0	2	0	2	9
Total Number of Children Examined	88	80	61	46	80	100	13	=	62	89	49	45
Re-examinations	104	83	15	17	11	06	6	9	53	48	37	34

Total Number of Children Examined-661.

Ophthalmic Treatment of School Children-Continued.

						SCHO	OF MAN	SCHOOL MANAGEMENT AREA.	T AREA.				
Complications		Dum	Dumbarton	Helens	Helensburgh.	Kirkintilloch and Cumbernauld.	rkintilloch and Cumbernauld.	New Kilpatrick	rick.	Old Kilpatrick.	d ick.	Vale of	of Leven.
		Boys.	Girls	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.
20 00 00	s and it it is	00000000	m008-mm00000	-0000-0000	-00\0000	00007-7-80-0	27-680-0-0	000000000000000000000000000000000000000	-00m0000000	40- <u>6</u> -40000-0	-000,00-00-0	-0-70000000	-00400-40-00
Synechia Posterior Coloboma Uveae Uveitis Choroido-Retinitis Optic Atrophy Nystagmus Albinism Buphthalmos		000-0mm00	000-Nm000	0000000	000000-0	00-0m0-0	0000000	0000000	0000000	00000000	0000000	0000000	-000-000

#### ORTHOPTIC TREATMENT.

The present session marks the completion of the fifth year of activity of the Orthoptic Clinics, which have been established at Clydebank, Dumbarton and Kirkintilloch. In the establishment of these clinics a real advance has been made in the treatment of squint, that rather common disfigurement of child life.

Squint is conveniently classified into three groups. In the first group, a large one, the squint disappears when suitable glasses are worn constantly. In some of these cases, especially those dealt with at an early period, full binocular vision is retained, and no further treatment is required. In others, while the eye appears straight, the sight of one eye has deteriorated, and treatment is necessary to restore the vision.

In the second group glasses are not sufficient to correct the squint, though it may be improved, and steps have to be taken not only to restore vision but also to exercise weak muscles; in this way a cure is effected.

In the third group all those forms of treatment are insufficient, and, in addition to the use of glasses, occlusion and exercises, recourse to operation is necessary.

During the year children have been taught occlusion with the co-operation of the parents, and have been kept under observation to note progress. Others have been given suitable exercises to re-establish binocular vision and strengthen muscles. An increasing number of operations have also been done at the Ophthalmic Institution. The link which the Orthoptist also has with this Institute has been helpful in enabling treatment to be continued soon after the operation.

The following table shows the number of cases seen by the Orthoptist.

	Clydebank	Dumbarton	; irkintilloch	Total
Number of Children under Treatment	. 12	16	11	39
Observation	. 17	29	13	59
Attendances— Preliminary Examination Cases for Occlusion Cases for Orthoptic Exercises Cases for Re-examination	. 65	5 101 375 61	8 33 246 93	13 199 896 180
Total	. 366	542	380	1,288
Cases Operated on	0	2 7	7	4 22

#### REPORT BY SCHOOL NURSES.

District	Nurse	Number of Children Examined	Total Number of Inspections	Number of Visits to Parents or Schools	Vermin or Nits on Head	Vermin or Nits on Body	Vermin Suspected	Unsatisfactory Clothing	Unsatisfactory Footgear	Others
Kirkintilloch	C. M. Jeffrey	208	803	99	109	***	91	8		
Cumbernauld Kirkintilloch (Landward)	M. M. Macdonald	180	1 449	163	146		20	15		
Old Kilpatrick (Burgh and Landward)	E. S. R. Stevenson	565	929	141	318	149				60
Dumbarton (except Notre Dame and West Bridgend Schools)	M. Gilmour	285	1080	71	245			2		40
New Kilpatrick Vale of Leven (Renton Public and St. Martin's)	C. Macnair	319	2253	163	324	30	10	18	4	2
Vale of Leven (except Renton)	J. Scott	441	1473	260	294	25	29	71	11	72
Helensburgh Dumbarton (Notre Dame and West Bridgend Schools)	K.S. Stevenson	526	1848	98	346		20	6	4	85
Total		2524	9835	995	1782	204	170	120	19	259

#### SECTION II.

#### REVISED FORM OF REPORT FOR YEAR ENDING 31st JULY, 1943.

- (I) LIST OF STAFF. (See page 5.)
- (2) GENERAL STATISTICS. (See page 6.)
- (3) SANITARY CONDITIONS OF SCHOOLS. (See page 7.)
- (4) ORGANISATION AND ADMINISTRATION. (See Annual Report for 1939, pp. 50-55.)
  - (5) FINDINGS OF MEDICAL INSPECTION.

#### A .- General Review.

During the session 5,577 pupils were examined at routine inspections (boys, 2,898; girls, 2,867). This number is 1,527 less than the number examined in the previous year. The decrease is due to the absence on sick leave for considerable periods of two of the School Medical Officers.

- (1) The Condition of Clothing—Only one child was found with insufficient clothing (0·1 per cent.); 77 children (1·4 per cent.) had clothing in bad repair, and there were other 19 (0·3 per cent.) whose clothing was in moderately good repair; 83 children (1·5 per cent.) had dirty clothing, while 24 (0·4 per cent.) had clothing only moderately clean.
- (2) Footgear was bad in 27 cases (0.4 per cent.), and only moderately good in 14 cases (0.2 per cent.).
- (3) Uncleanliness of head or body, or both, including such conditions as nits or vermin. Of the routine cases examined 445 (7.8 per cent.) showed evidence of the presence of vermin. Of that number 426 were girls with nits in the hair (15.9 per cent. of girls examined). Only one routine case was found with vermin on the body, though there were 14 such cases among those examined as non-routine cases. The absence of so many mothers from their homes on war work certainly aggravates the lack of cleanliness in the children, though there are still many, even in normal times, whose standard of cleanliness is deplorably low.
- (4) Skin Disease—Among routine cases 35 (0.6 per cent.) were found suffering from some skin disease of the head, of whom 30 (0.5 per cent.) had Impetigo, and 5 (0.1 per cent.) had Alopecia. There were also 297 (5.3 per cent.) suffering from skin disease of the body, of these 122 (2.2 per cent.) had Scabies, 26 (0.4 per cent.) had Eczema, I (0.1 per cent.) had Ringworm, 4 (0.1 per cent.) had Psoriasis, and 37 (0.6 per cent.) had sores on the body. In addition there were 153 non-routine cases of skin disease on the head, mostly Impetigo, and 552 cases of skin disease on the body, more than half of whom suffered from Scabies. Scabies has become so prevalent throughout the country that Public Health Authorities have had to open special clinics for the treatment of this disease. In Dunbartonshire these clinics were established in the First-Aid Posts at Kirkintilloch, Dalmuir, Dumbarton, Alexandria, Bonhill and Helensburgh. The number of cases dealt with at these clinics (including adults) was 226.

During the session only one case of Ringworm was found among the routine cases, but there were 3 cases of ringworm of the scalp among the non-routine cases examined.

- (5) Defective Nutrition—Among the routine cases examined, the number found above the average was 608 (10.9 per cent.), and the number found below the average was 385 (6.9 per cent.), of whom 14 were classified as very bad (0.2 per cent.). There were no non-routine cases below the average. During the war years the nutrition of the school children has been well maintained.
- (6) The Dental Condition of the children shows a slight improvement as compared with the previous session. The number of pupils with no teeth decayed was 3,299 (59·2 per cent.); the number with less than 5 teeth decayed was 1,576 (28·2 per cent.), and the number with more than 5 teeth decayed was 702 (12·6 per cent.). 83 children (1·5 per cent.) had oral sepsis; several in this group were suffering from Vincent's Disease, which has definitely been on the increase in the last few years.
  - (7) Nose, Throat and Lymphatic Glands-
- (a) Nose—Of the 5,577 routine cases examined, 85 (1.5 per cent.) suffered from Catarrh, usually chronic. These were referred to the ear, throat and nose specialist for further investigation. Some of these catarrhs followed the removal of adenoids, and were usually watery. Advice as to diet and medical treatment was given to these. Obstruction of the nose was found in 43 cases (0.7 per cent.). On further investigation the cause of obstruction in many of these cases was found to be adenoids; polypus or deflected septum accounted for most of the others. Other nasal defects were found in 26 cases (0.4 per cent.).
- (b) I. Tonsils—Of the 5,577 routine cases examined, 398 had slightly enlarged tonsils. In most of these cases the tonsils were giving no trouble and required no treatment. Some of these pupils had recurring attacks of tonsilitis and were referred to Dr. Fulton Christie for tonsilectomy. There were also 53 non-routine cases with slightly enlarged tonsils.

The tonsils were much enlarged in 358 routine cases (6.4 per cent.), and 70 non-routine cases. These were all sent to the throat and nose specialist for treatment. Of the 5,577 children examined it was found that 795 (14.2 per cent.) had had their tonsils removed.

(b) 2. Adenoids—Of the 5,577 routine cases examined, 200 (3.6 per cent.) were found to have adenoids, while 43 (0.7 per cent.) were suspected to have adenoids and were referred to Dr. Fulton Christie for further examination. There were also 64 cases of adenoids, and 15 cases of suspected adenoids among non-routine cases examined. 709 children (12.7 per cent.) had had adenoids removed.

As in former years a record was kept of the results of removal of tonsils and adenoids. These are shown in the table on page 00. The number of such cases which have been reviewed one year after operation is now 3,944. Of these, 3031 (76.9 per cent.) have been classified as satisfactory; 663 (16.8 per cent.) as moderately satisfactory; and 250 (6.3 per cent.) as unsatisfactory. Of the 660 pupils who had adenoids only removed, 300 (45.5 per cent.) had a satisfactory result; 229 (34.7 per cent.) had a moderately satisfactory result; and 131 (19.8 per cent.) were unsatisfactory.

A record is also being kept of the late results of removal of tonsils and adenoids, or adenoids only. The number now examined is 410. The details are shown in the table on page 00. Of the 410 re-examined, 388 had been satisfactory, and 22 unsatisfactory. The period elapsing between the operation and the re-examination varied from 5 to 10 years.

(c) Lymphatic Glands—Submaxillary and Cervical—Of the 5,577 routine cases examined, 187 (3·3 per cent.) had slightly enlarged sub-maxillary glands, and 21 (0·4 per cent.) had these glands markedly enlarged. There were also 15 and 3 non-routine cases respectively. The commonest causes for the enlargement of these glands are tonsillar conditions, and cutting teeth.

The Cervical Glands were slightly enlarged in 26 routine cases (0.5 per cent.), and markedly enlarged in 1 case (0.1 per cent.). There were also 10 non-routine cases of slight enlargement, and 1 case of marked enlargement. The commonest causes of this enlargement are scalp conditions such as impetigo and vermin or nits.

(8) Eye Conditions—Of the 5,577 routine cases examined, 183 (3-2 per cent.) suffered from squint, 53 (0.9 per cent.) had Blepharitis, 10 (0-2 per cent.) had conjunctivitis, 4 (0.1 per cent.) had corneal opacities, and 24 (0.4 per cent.) suffered from other conditions. Among the non-routine cases, 23 had squint, 22 had blepharitis, 20 had conjunctivitis, 7 had corneal opacities, and 22 suffered from other conditions. At the end of May the Orthoptic treatment of squints came to a stand-still because of the resignation of Miss Marsh, who left to take up an appointment in Brighton. It has been found impossible to find a successor, but every effort is being made to find one. In the meantime this valuable treatment must be written down as a war casualty.

The vision of infants was not tested at the routine examinations. Of the 3,701 pupils whose vision was tested, 3,364 (90.9 per cent.) had good vision, 201 (5.4 per cent.) had fair vision, while 136 (3.7 per cent.) had bad vision; 140 pupils (3.7 per cent.) had bad vision in one eye only. There were also 96 non-routine cases with bad vision. Pupils with bad vision or bad vision in one eye were referred to Dr. Tennent. Pupils in the Infants Department, whose vision is not examined at the routine inspections, but who are suspected to have defective vision, are also referred to Dr. Tennent. This is also done with pupils whose vision is apparently normal, but who suffer from conditions such as headaches, which may be ocular in origin.

(9) Ear Conditions—Of the 5,577 Routine cases examined, 81 (1-4 per cent.) were suffering from ear conditions requiring treatment. 56 of these (0.9 per cent.) had Otorrhoea, 10 (0.2 per cent.) wax in one or both ears, and 15 (0.2 per cent.) suffered from other conditions such as polypus, foreign body in the ear, etc. There were also 39 non-routine cases with Otorrhoea, 6 with wax in the ears, and 17 with other ear conditions. Wax in the ear was only noted when it was sufficient to cause deafness.

There were 48 routine cases (0.8 per cent) classified as slightly deaf, and 16 (0.3 per cent) classified as very deaf. In addition, 8 non-routine cases were classified as slightly deaf, and 11 non-routine cases as very deaf. Many of the cases of slight deafness clear up after the removal of enlarged tonsils and adenoids.

(10) Defective Speech was present in 40 routine cases examined. Of this number, 24 (0.4 per cent.) had defective articulation, and 16 (0.2 per cent.) were stammerers. There were 2 non-routine cases. During the session, Miss Kenny carried on the treatment of these in Dumbarton and Vale of Leven. Of the 183 cases dealt with, 30 left before treatment was completed, 53 were discharged as cured, and 100 were retained for further treatment. The details of the procedure are given in the previous Annual Report.

(11) Mental and Nervous Conditions—Of the 5,577 routine cases examined, 30 (0.5 per cent.) were found to be suffering from diseases of the nervous system. Of these, 3 (0.1 per cent.) had epilepsy, 7 (0.1 per cent) had chorea, 14 (0.2 per cent.) had infantile paralysis, and 6 (0.1 per cent.) showed evidence of other conditions. Among the non-routine cases there were five pupils with epilepsy, 12 with chorea, and 1 with infantile paralysis, and 1 with other nervous disease, a total of 19.

Table 7—Q showing the number of Backward and Mentally Deficient Children is of no value whatever as the Medical Officers have no means of knowing which children are backward until the question of the child's mental condition comes up for decision. The number of routine cases returned as backward was 45 (0.8 per cent.), and as mentally defective I (0.1 per cent.).

Two non-routine cases were classified as backward.

These figures do not include children in the Special Schools.

(12) Heart Conditions—Of the 5,577 routine cases examined, 44 (0.7 per cent.) were found to have heart disease, either organic or functional. Of these, 39 (0.6 per cent.) had organic disease (7 congenital, 32 acquired), while 5 cases (0.1 per cent.) had a functional condition.

There were also 6 non-routine cases of heart disease, I congenital, 2 acquired, and 3 functional.

During the present session it has again not been found possible to continue the "following-up" and regular re-examination of cases showing evidence of heart weakness.

- (13) Lung Conditions—There were 145 cases of lung conditions (2.6 per cent.) among the routine cases examined. Of these, 94 (1.7 per cent.) had bronchial catarrh, 34 (0.6 per cent.) had bronchials, and 17 (0.3 per cent.) had asthma. Among the non-routine cases, 17 had bronchial catarrh, 18 had bronchitis, I had tuberculosis, and 14 had asthma. There is the closest co-operation between the School Medical Officers and the Tuberculosis Officers, and all cases in which there is the slightest suspicion of tuberculosis are referred to the Tuberculosis Officers for an opinion.
- (14) Deformities—Deformities were present in 184 cases, only 3 (0·1 per cent.) being due to rickets. Of the remainder, 19 (0·3 per cent.) were congenital conditions, and 162 (2·9 per cent.) were acquired. There were also 20 non-routine cases, of which 4 were congenital. The acquired cases consisted of postural deformities, such as Kyphosis, scoliosis, flat foot, and conditions following infantile paralysis.

Suitable cases were referred to the Orthopaedic Staff for treatment, and further particulars will be found on page 36.

- (15) Infectious Diseases—Among the routine cases examined, 6 were found to be suffering from infectious disease, I from scarlet fever, I from whooping cough, 2 from chickenpox, I from German measles, and I from mumps. There were 12 cases of infectious disease among the non-routine cases (whooping cough, 3; chickenpox, 8; mumps, 1).
- (16) Other Diseases and Defects—These were noted in 241 routine cases examined, of which 8 (0·1 per cent.) had hernia, and 233 (4·2 per cent.) showed other diseases. Two routine cases and two non-routine showed evidence of non-pulmonary tuberculosis. There were 281 non-routine cases who showed evidence of other diseases.

#### (6) MEDICAL TREATMENT.

The details in connection with the following sub-headings will be found in the body of the report on the pages indicated against each item. It is quite impossible to ascertain accurately how many children in these groups received treatment privately or through a voluntary hospital under arrangements made by parents.

- A.—Minor Ailments: (1), (2), (3), and (4). See "Treatment of Minor Ailments" on page 39.
- B.—Defective Vision and Squint: See tables "Ophthalmic Treatment of School Children," pages 42, and 43; also "Report on Orthoptic Treatment" on page 44.
- C.—Nose and Throat (Operative Treatment): See table "Throat, Nose and Ear Clinics" on page 40.

#### (7) DENTAL TREATMENT.

The information required is contained in table "Dental Treatment," page 41, and also in Table V., "Dental Inspection and Treatment."

#### (8) SPECIAL SCHOOLS AND CLASSES.

Particulars regarding the facilities in use for exceptional children will be found on page 33 of this Report.

There were no holiday camps during the present session, but Cardross Park Home, opened in June, 1941, for the accommodation of evacuee children, and now available for children of all ages, convalescent from illness or requiring special care, has proved increasingly useful during the present session. There is accommodation for some forty children, and there is now a teacher for those able to do lessons.

During the session, 98 children have been admitted, 21 evacuees and 77 others, for varying periods, with excellent results.

## (9) ARRANGEMENTS FOR PHYSICAL EDUCATION AND PERSONAL HYGIENE.

This subject is referred to on page 34.

## (10) OTHER ACTIVITIES IN RELATION TO THE HEALTH OF SCHOOL CHILDREN.

On page 34 and succeeding pages are recorded particulars regarding the Feeding of School Children under the Local Authority Schemes, Employment of School Children, and the Admission of Children to Approved Schools, in so far as these affect the work of the School Medical Officers.

For some years the School Medical Officers have been investigating the results of the removal of tonsils and/or adenoids, as shown at about a year after the operation, and the cumulative findings of these enquiries are embodied in the table printed on page 38. For the fifth session in succession this enquiry has been extended to children who had been operated on at varying periods up to ten years previously, and the data will be found on page 37.

The work of the Orthopaedic Clinics will be found detailed on page 36.

A Clinic was opened in Helensburgh during the present session, with an immediate improvement in attendance.

Clinics for the treatment of Scabies have also been in operation since August, 1943.

#### (5) FINDINGS OF MEDICAL INSPECTION.

#### .- Statistical Tables.

#### TABLE I.

Total number of children examined at :-

1 3			(E	a) Sy	stematic inations.	Other Systematic Examinations.
	Entrants				1876	_
rdinary	Second Age Group				1665	_
Schools	Third Age Group				1885	_
	Fourth Age Group				_	_
econdary So	chools Age Group				151	_
	Total				5577	Nil
					-	
					) Other mination	s.
	Special Cases Re-inspections by Mo	 edical		er	1828 7246	
	T	otal			9074	4

Number of individual children inspected at systematic examinations, tho were notified to parents as requiring treatment (excluding uncleanliness and dental caries).

Entrants		***	598
Second Age-Group			582
Third Age-Group			555
Fourth Age-Group			_
Secondary Age-Group	***		44
Other Systematic Exam	ninatio	ons	_
Tot	al		1779

Table III.—See page 53.
Table III.—See page 54a.

## able IV.—Return of All Exceptional Children of School Age in the Area.

It has not been found possible to give the details required by this table with sufficient accuracy, and the table is therefore omitted.

#### TABLE V.-DENTAL INSPECTION AND TREATMENT.

Number of children who were :-

(1) Inspected by the Dental Officers.

Age.	(a) Systematic Examinations.	(b) Special or Emergency Cases.	Total.
5	1814	139	1953
	1970	96	2066
6 7	1929	72	2001
	1621	97	1718
8 9	1947	97	2044
10	1446	101	1547
11	1418	121	1539
12	844	72	916
13	1138	109	1247
14	33	44	77
15		30	30
16	_	14	14
17	_	4	4
Totals	 14,160	996	15,156

63 85
17
544
25
88
708
67
357
88
03
191

<sup>(10)</sup> Children treated under private arrangements ... (No accurate information is available)

<sup>\*</sup>Temporary fillings whether in permanent or temporary teeth should be recorded as "other operations."

#### TABLE III.-SYSTEMATIC MEDICAL EXAMINATIONS.

	Enti	ants.	Second A	ge-Group.	Third A	ge-Group.	Fourth A	ge-Group.	1	Total
Classification.	Number of Children.	Percentage of the Children Examined in this Group.	Number of Children.	Percentage of the Children Examined in this Group.	Number of Children.	Percentage of the Children Examined in this Group.	Number of Children.	Percentage of the Children Examined in this Group.	Number of Children.	Percentage of the Children Exam- ined at Systematic Examin- ations
I.—Children free from Defects	1101	58-8	907	54-5	1063	56-4	89	59.0	3160	56 6
II.—Children (otherwise free from defects) who suffer from:—  (a) Defective Vision not worse than 6/12 in the better eye with or without glasses.  (b) Conditions of the	22	Į-J	74	4.5	90	4.8	7,	4.7	193	3.5
Mouth and Teeth requiring treatment (c) Both (a) and (b)	176	9·3 0·1	176 18	10.6	267 28	14·2 1·4	18	11 9	637 53	11.4
Total	199	10.5	268	16-1	385	20.4	31	20.6	883	15.9
III.—Children suffering from Ailments (other than those mentioned in II.) from which complete recovery is expected within a few weeks	476	25.4	369	22.2	276	14-6	17	11-2	1138	20.4
IV.—Children suffering from (or suspected to be suffering from) defect less remediable than defects specified in II. and III., distinguishing cases:— (a) Where complete cure or restoration of function (in the case of eye defect, full correction) is considered										
possible (b) Where improvement only is considered possible, e.g., without complete restoration	69	3.6	96	5.7	100	5-3	U	7-2	276	5.0
of function	31	1.7	25	1.5	6!	3.3	3	2.0	120	2.1
Total	100	5-3	121	7.2	161	8.6	14	9.2	396	7-1
Total Number of Children Examined	1876		1665		1885		151		5577	

Return of Number and Percentage of Individual Children in each Age-Group suffering from Particular Defects.

ges.	Girls.	2679	No.		36	91	426	145		772	=	207	37	=	4	26	19		2
All Ages.	Boys.	2898	%		:	:	:	1	:	:	:	:	:	:	:	:	:	:	:
	Во	28	S.		45	32	80	187	197	909	134	091	43	3	32	4	84	601	4
onb.	-ls	63	0/0		:	:	:	:	:	:	:	:	:	-	:	:	:	:	:
ge-Gr	Girls	9	° Z		:	i	:	9	-	4	:	00	:	:	i	:	į	2	:
Fourth Age-Group.	Boys.	88	0/0		:	:	:	:	:	:		1	:	:		:	;	:	:
For	B	80	° Z		:	:	:	2	:	6	-	S	:	-	:	:	2	т	:
·dno	ls.	908	0.		:	1	:	:	:	:	:	:	:,	:	:	:	:	:	:
ge-Gre	Girls.	96	o l		2	:	159	52	23	205	8	63	7	2	m	=	=	25	1
Third Age-Group.	Boys.	0	00/		:	:	:	.:	:	:	:	į	:		;	:	:	:	:
Th	B	980	è Z		3	7	4	59	43	219	91	58	12	0	12	9	20	36	:
onb.	Girls.	808	0/0		:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
ge-Gr	5	8	So l		20	4	166	38	98	171	42	93	6	4	4	12	22	36	-
Second Age-Group.	Boys.	7	0/0		:	1	:	:	:	:		:	:	;	:	:	:	:	:
Seco	B	857	s S		27	22	6	09	73	159	4	56	16	=	91	4	22	38	:
	Girls.	3	%		:	1	:	:	:	:	:	:	:	:	:	:	:	:	1
Entrants.	0	903	S.		4	7	0	49	84	187	15	43	21	2	7	m	28	4	-
Entr	Boys.	3	0/		:	:	:	:.	:	;	:	:	:	:	:	:	:	:	:
	B	973	l o		12	m	S	63	8	208	76	4	-5	6	4	4	40	37	4
	exes.		defects.	ect.	tory	tory	d, Body, or	Body)		nhealthy	or Glands		:		s Conditions		:		:
	age group-by sexes.		Nunber showing defects.	Nature of Defect.	1. Clothing Unsatisfactory	2. Footgear Unsatisfactory	3. Uncleanliness (Head, Body, or both)	4. Skin (Head and/or Body)	5. Defective Nutrition	6. Mouth and Teeth Unhealthy	7. Nose, Throat and/or Glands	8. Eye Conditions	9. Ear Conditions	10. Defective Speech	11. Mental and Nervous Conditions	12. Heart Conditions	13, Lung Conditions	14. Deformities	15. Infectious Diseases

#### INDEX.

						Page	
Administration						7, 46	
Approved Schools, Admission of	Childr	en to				35	1
Average Heights and Weights						11	
Cleanliness of Head and Body						11, 12, 13	į
Clothing, Sufficiency of						5	
Co-ordination with Public Health	n Servi	ce				7	
Defects—							
Dental						15, 41	
Hearing					***	20	
Mental						21	
Notified to parents						10	
Speech					***	2	
Visual						21	
Revised Form of Tables						53, 54	
Deformities						21	1
Diseases of—							ı
Ears						2	
Eyes (external)						1	
Heart and Circulation				***		2	
Lungs					***	2	
Lymphatic Glands						1	
Nervous System						2	
Nose					***	1	
Skin						13	
Throat						1	
Employment of School Children						3	
Footgear, Sufficiency of					***	1	
Infectious or Contagious Disease	S				***	2	
List of Staff					***	SE E	į
Medical Treatment, Arrangemen	ts for			***		35, 5	
Medical Treatment at Clinics				***	***	39, 4	
Milk in Schools Scheme				***	***		
Number of Schools Number of School Children			3		***	***	
Number of School Children Exa	minad						į
Number of Special Visits	mmed				***		Ì
N. D. L.			***		***	4	į
At a second			***				Ì
Ophthalmic Treatment			***			42, 4	
Orthoptic Treatment	***	***				A	
Orthopaedic Treatment	***					3	
Other Diseases and Defects						3	
Parents present at Inspections							
Personal Hygiene						3	

31
37
46
27
35
. 7
34
33
42
48
26
35
32
21a

#### COUNTY COUNCIL OF DUNBARTON.

## Thirty-third Annual Report

on the

MEDICAL INSPECTION OF SCHOOL CHILDREN.

1943-1944. (Year ending 31st July, 1944).

KIRKINTILLOCH
PRINTED BY D. MACLEOD, LTD.

MOTRARRIO TO MORRED YTHUD

Thirty-shird Annual Report

100

HERDICAL INSPECTION OF

Alexander Sales Sa

ALTERNATION OF THE STREET

#### CONTENTS

				Page
List of Staff	 	 	 	5
Report on Medical Inspection	 	 	 	6
Report on Medical Treatment	 	 	 	35
Report by School Nurses	 	 	 	45
Revised Form of Report	 	 	 	46
Index	 	 	 	54



#### County Council of Dunbarton.

### SCHOOL MEDICAL STAFF.

Supervising School Medical Officer.

T. LAUDER THOMSON, M.D., D.P.H. (Resigned 28th December, 1943). SAMUEL HARVEY, M.B., Ch.B., M.R.C.P. (Edin.), D.P.H.

School Medical Officers.

MILDRED M. L. CATHELS, M.B., Ch.B., D.P.H. ANDREW D. COWAN, M.B., Ch.B., D.P.H. CHARLES C. SLORACH, M.B., Ch.B., D.P.H. (part-time).

Dental Surgeons.

ELIZABETH McKENDRICK, L.D.S. VERA PUGH, L.D.S. JOHN H. N. MACDONALD, L.D.S. (Resigned 10th December, 1943). FELIX A. CASSIDY, L.D.S. Mrs. MARY W. DINN, L.D.S. (Commenced 5th April, 1944).

Ophthalmic Surgeon.

JAMES N. TENNENT, M.B., D.O.M.S., B.Sc. (part-time).

Ear, Nose and Throat Specialist. J. FULTON CHRISTIE, M.B., Ch.B., F.R.F.P.S. (part-time).

> Nurse in Charge, Orthopaedic Clinics. MORAG GALLOWAY.

Instructresses at Orthopaedic Clinics (Part-time).

M. JOCKEL. J. S. HOWATT.

> Orthoptist. CAROL RICHARDSON (Commenced 16th January, 1944).

> > Inspection and Clinic Nurses.

C. M. JEFFREY.

M. GILMOUR.

E. S. R. STEVENSON. (Resigned 15th April, 1943).

J. SCOTT.

K. STEVENSON.

M. MACDONALD.

C. MACNAIR.

M. C. COWPER. (Resigned 15th February, 1944).

A. GEE. (Commenced 21st February, 1944).

C. ROBERTSON. (Commenced 16th May, 1944).

A. McF. MALCOLM (Commenced 10th January, 1944).

Nurses for Special Schools. J. MACDONALD. C. ROGERS.

Dental Attendants.

ANNIE J. RAE. ANNIE BLACK. WILLIAM BENNIE.

JAMES GALLACHER.

(On Active Service).

ELIZ. MARTIN. (Resigned 15th August, 1943).

ELIZABETH ROLLO (Commenced 15th November, 1943).

Attendant at Orthopaedic Clinics.

ELIZABETH ROLLO (Transferred 16th November, 1943). MARGARET C. BLACK (Commenced 15th November, 1943).

Clerks.

GEORGE S. BROWNE.

BELLA J. N. AIRTH.

## REPORT

on the

MEDICAL INSPECTION AND TREATMENT OF SCHOOL CHILDREN IN THE COUNTY OF DUNBARTON.

I .- List of Staff.

See Page 5.

#### 2.-(a) Number of Schools.

#### School Management Area.

Cumbernauld	 	 	 	 	4
Kirkintilloch	 	 	 	 	6
New Kilpatrick	 	 	 	 	4
Old Kilpatrick	 	 	 	 	10
Dumbarton	 	 	 	 	9
Vale of Leven	 	 	 	 	12
Helensburgh	 	 	 	 ***	13
					-
	Total	 	 	 ***	58
					Married Woman

## (b) Number of Children on Register and in Average Attendance during Session 1943-44.

School Manageme Area.	ne	Average on Roll.	Average Attending.	Per Cent.
Cumbernauld		869-4	Reliable detailed	
Kirkintilloch		3,365.5	figures are not	
New Kilpatrick		1,815-6	available on	
Old Kilpatrick		5,262-0	account of the	
Dumbarton		4,560-4	emergency	***
Vale of Leven		3,302 -8	conditions	***
Helensburgh	***	1,808.5	prevailing.	
Total		20,984-2		

#### 3.- Number of Visits for Systematic Examinations.

Note.—One whole day spent in school counts as two visits (morning and afternoon sessions).

Number of visits as above ... ... ... ... 452

#### 4.- Number of Special Visits by Medical Officers.

				14
y, or ph	ysically	defect	ive	
				50
				444
				66
es				3
				32
		Total		609
	y, or ph   es	y, or physically	y, or physically defect	y, or physically defective

#### 5 .- Sanitary Condition of Schools.

In view of present circumstances, all major improvements of sanitary fittings such as the modernising of lavatories, have been delayed. The County Architect's Department have, however, been able to maintain a reasonably good standard of cleanliness in all the schools, and quite a considerable amount of painting and washing down has been carried out during the war years. Replacement of broken and defective sanitary fittings has been possible, and the school lavatories have been limewashed and painted at regular intervals. At several schools the old drinking wells have been replaced by the modern type of drinking fountain, and these are proving very satisfactory.

## 6.—A, B, C, D, and E.—Organisation and Administration, etc., and Co-operation with Public Health Departments.

Full particulars regarding these matters are included in Section 4 of the revised report, page 50 of the Annual Report 1938-39.

#### 6.- F. Parents Present at Inspection.

School Management Area.	Number of Children Examined.	No. of Parents Present at Routine Examinations.	Per Cent.	No of Parents Present at Non-Routine Examinations.
Cumbernauld	221	104	47-0	19
Kirkintilloch	1090	408	37-4	350
New Kilpatrick	487	214	43.9	50
Old Kilpatrick	1818	935	51-4	303
Dumbarton	1377	579	42.0	316
Vale of Leven	1033	601	58-2	286
Helensburgh	508	254	50-0	166
Total	6534	3095	47-3	1490

7.-THE PHYSICAL CONDITION OF THE SCHOOL CHILDREN.

A.-Total Number of Children Examined.

	11							ROU	ROUTINE CASES.	CASES.					*					
Entrants	Entrants	nts				Age	8			Age	13			Age	91		1	Total		on- utine
age Boys Girls Total age B	Girls Total age	Aver.	Aver.		ш	soys	Girls	Total	Aver.	Boys	Girls	Total	Aver.	Boys	Girls	Total	Boys	Girls	Total	
5 <sub>75</sub> 53 49 102 8 <sub>12</sub>	49 102 8 <sub>12</sub>	102 81%	812		The same	38	43	<u>e</u>	13 %	23	15	38	:	:	:	:	4	107	221	28
5 <sub>1</sub> <sup>2</sup> 177 182 359 8 <sub>1</sub> <sup>2</sup> 1.	182 359 812	359 812 1	8,12	_	-	53	155	308	13 15	189	201	390	16,2	91	17	33	535	555	1090	489
5 <sub>1</sub> g 75 86 161 8 <sub>1</sub> g 81	86 161 818	161 812	8 8		00	_	68	170	1316	19	99	127	161	01	61	29	227	260	487	76
51g 395 357 752 81g 293	357 752 812	752 813	81.2		29	3	307	9009	13,7	236	230	466	:	:	:	:	924	894	1818	473
5 <sub>1</sub> % 215 233 448 9 <sub>1</sub> % 161	233 448 915 1	448 915 1	912	-	9	_	153	314	13,4	295	262	557	16.15	25	33	58	969	189	1377	597
512 216 215 431 812 178	215 431 812 1	431 815 1	812	_	17	00	170	348	13.6	125	118	243	161	7	4	=	526	202	1033	338
5 <sub>7</sub> <sup>4</sup> 100 93 193 8 <sub>1</sub> <sup>4</sup> 83	93 193 815	193 8 Å	8 12		00	3	74	157	13,4	11	27	134	1613	15	6	24	275	233	508	199
5 123 1215 2446 8 1/3 987	1215 2446 875	2446 874	8 1.8	T.	987	T	166	1978	13,6	9001	949	1955	1614	73	82	155	3297	3237	6534 2200	2200

	-				SUF	SUFFICIENCY	NCY					4	REPAIR						CLE	CLEANLINESS	ESS		
School Management Area		No. of Rou- tine cases exam-	Good	po	Med	Medium	Bad	P	Non- Rou- tine	Good	P	Medium	Ę	Bad		Non- Rou- tine	5	Good	Medium	E n	Bad		Non- Rou-
		ined	No.	0,0	No.	0/	No.	000		No.	%	S.	0/0	No.	%		o N	0/0	° N	0/0	° l	%	
Cumbernauld	Boys	107	107	0.001	111	1::	1::	11	::	107	0.00	1:	::	::	::	11	107	0.001	1 1	11	11	11	111
	Total	221	221	0.001	3	1	1	1	:	221	0.001	1	***	:	***	::	221	0.001	1	:	:	:	1
Kirkintilloch	Boys	55.55	535	0.001	111	::	111	11	::	533	9.66	::	1:	7 :	4.0	::	530	0.001	1 1	11	10 :	6.0	::
	Total	10.90	1090	0.001	1	1	1	1	:	1088	8.66	i		2	0.5	:	1085	9.66	:	:	5	0.4	:
New Kilpatrick	Boys	227	227	0.001	1::	::	::	::	::	227	0.00	1:	111	::	::	::	227	0.00	11	::	::	::	::
	Total	487	437	0.001	1	1	:	:	:	487	0.001	1	:	;	:	1	487	0.001	:	:	1	:	:
Old Kilpatrick	Boys	924	924	0.00	1 1 1	111	::	1:	::	908	98.3	::	::	9 4	F 4:	111	905	98.1	- :	- :	8 5	899	111
	Total	1818	1818	0.001	1	1	1	1	1	1788	98.4	1	:	30	9.1	:	1784	1.86	-	- 0	33	00	1
Dumbarton	Boys	969	695	99.9	111	111	- :	- :	111	694	99.7	::	::	7 ::	0.3	1:	695	0.00	11	11	::	::	111
	Total	1377	1376	6.66	1:	1:	-		:	1375	6.66	1	:	2	1.0		1377	0.001	:	:	:	:	
Vale of Leven	Boys	526	526	0.00	11	::	1 : :	1 : :	1:	490	97.2	:-	0.5	5 9	38	::	488	97.2	:-	0.5	5 8	3.5	::
	Total	1033	1033	0.001	1	1	:	:	:	1001	0.76	-	1.0	<u>-</u>	2.9	:	666	1.96	-	-0	33	3.2	:
Helensburgh	Boys	275	275	0.001	11	1 : :	111	::	::	269	97.8	1:	::	9 %	2:2	::	269	97.8	::	::	98	2.5	::
	Total	508	508	0.001 9	1	:	1	1	:	499	2-86	:	:	6	8	:	499	2.86	:	:	6	80	:
Total	Boys	3237	3296	0.001	1:	11	- :	5:	::	3256	98.8	:-	:-0	33-	1.2	::	3252	98.86			36	<u>  </u>	11
	Total	6534	6533	2 99.9	L		-	1		1000	000		1	1	-		C387	00.7	0	-	00	9	

7.-E. FOOTGEAR.

					ROUT	ROUTINE CASES	ES				NON-ROUTINE	DUTINE
School		Number	Good	P	Me	Medium	Bad		None	ne	Pad	No and
Area		Examinede	No.	%	No.	%	No.	%	No.	%	pro	910
Cumbernauld	Boys Girls	1114	1114	0.00	::	::	::	1;	::	::	::	::
	Total	221	221	0-001	:		:	:	:			
Kirkintilloch	Boys	535	532 554	99.4	7-	0.4	- ;	0.5	::	::	::	::
	Total	0601	1086	9.66	3	0.3	-	1.0	:			
New Kilpatrick Boys Girls	Boys	227	227	0.001	::	::	::	::	::	::	::	::
	Total	487	487	0.001	::		:					
Old Kilpatrick	Boys	924 894	910	98.5	- :	1.0	13	1:4	::	::	::	::
	Total	1818	1797	8.86	-	1.0	20	1-1	:		:	::
Dumbarton	Boys	969	685	98.5	- :	1.0	0:	<u>+</u> ::	::	::	::	::
	Total	1377	1366	99.2	-	1.0	01	2.0				
Vale of Leven	Boys	526 507	515	97.9	2	0.4	6.8	1.7	::	::	::	::
	Total	1033	1014	98-2	2	0.2	17	9-1	:			
Helensburgh	Boys	275	271	98.6	::	::	4:	<u>*</u> :	::	::	::	::
100	Total	508	504	99.2		:	4	8.0		***		
Total	Boys Girls	3237	3254	98.7	9	0.5	37	1.1	11	::	::	::
Contraction of the last	Total	6534	6475	1.66	7	1.0	52	8.0			***	

#### 7.-B. Number of Children notified to Parents as suffering from Defects.

Scho	ool Management Area	Cum	berna	uld	Kir	kintill	och	Ne	w Kilpa	trick	Old	Kilpat	rick	D	umbart	ton	Val	e of L	even	Н	elensbu	rgh	1	Total	
Numbe	er of Routine Cases Examined		221			090			487			1818			1377			1033			508			6534	
		Rou	tine	Non-	Ros	tine	Non-		tine	Non-	Rou	tine	Non-	Rou	tine	Non-	Rot	tine	Non-	Ros	tine	Non-	Ros	itine	Non
Card	Defect	No.	%	Rou- tine	No.	%	Rou- tine	No.	%	Rou- tine	No.	%	Rou- tine	No.	%	Rou- tine	No.	%	Rou-	No.	%	Rou- tine	No.	9/	Rou-
A.	Vermin or Nits on Head	6	2.7		30	2.7					165	9-0	2	169	12.3	***	110	10-6		40	7.8		520	7-9	
G.	Vermin on Clothing				1	0.1					-1	0.1				***				-1	0.1		3	0-1	
1.	Unsatisfactory Footgear																			***					
K.	Unsatisfactory Clothing		***	***	4	0-3					13	0.7		8	0-6					3	0.6		28	0.4	***
D	Tonsils and Adenoids	7	3.1	1	45	4-1		25	5-1	7	150	8.2	62	156	11-3	32	91	8-8	58	77	15-0	14	551	8-4	160
E.	Ear Disease	1	0.4		10	0.9					20	1:1	7	23	1.6	***	37	3.6	3	8	1.5		99	1.5	10
н	Defective Vision and Eye Disease	11	5-0	4	120	11-0	9	54	11-1	8	210	11-5	23	206	14.9	18	65	6-3	42	47	9-1	37	713	10-9	141
U.M.T.	Already under Treatment	4	1-8		25	2.2		12	2.4	111	28	1.5	2			***				3	0-6		72	1-1	2
	For Orthopædic or Ultra-Violet Light Treatment				17	1-5	1	13	2.6		13	0.7	1	12	0.8		1	0-1		î	0-1		57	0-8	2
P.A.	Parents Advised	15	6-8	19	73	6-7	350	35	7.2	50	525	28-9	303	579	42-1	316	498	48-2	286	253	49-8	166	1978	30-2	1490

I Oa

take	No. of Routine		Head		NITUO	ROUTINE CASES	ES Body	ly l		ž ř	NON-ROUTINE CASES	TINE C	CASES
0	Cases exam-	NES	2	Ver	Vermin	NES			Vermin	Z	Vermin	N Z	Vermin
	paul	No.	0/0	Z.	0/0	No.	0/0	No.	0/0				
	1114	:4	3.7	::	::	::	:::	::	::	::	::	::	::
	221	4	8	:	:	:	:	:	:	:	:	:	0.0
	535	29	5.3	.:	0.4	::	::	::	::	::	::	::	::
	1090	31	2.8	2	0.5	:	1 ::	:	:	2	:	:	:
	227	::	::	::	::	::	::	::	::	::	::	::	::
	487	1	:	:	:	:	:	:	:	:	:	:	:
	924	9 190	0.6	:4	0.4	:::	::	::	::	::	::	1:	::
	1818	166	1.6	4	0.2	:	:	::	:	3	:	:	-
	969	170	24.8	- ;	-0 :	::	::	:-	:-	::	::	::	::
	1377	176	12.8	-	0	:	:	-	0	-	3	:	:
	526 507	4 4	22.4	5:	0.4	::	1 : :		::	::	::	::	::
	1033	118	= .3	2	0.5	:	:		:	2	2	:	:
	275	38	13:7	:-	:0	::	::	::	::	::	::	::	::
	508	4	7.8	-	0.2	:	:	:	:	:	:	:	:
	3297	515	0.6	-6	0.3	::	::	:-	:-	::	1:	::	::
	6534	536	8.2	0	0			-	10	0			-

7.—G. CLEANLINESS OF HEAD AND BODY.
(b) Cleanliness.

No. o					RC	ROUTINE CASES.	CASE						ROUN	NON- ROUTINE
		Ī	Head						Body	ly .			Head	Body
Goo	0	P	Medium	ium	Ba	Bad	Go	Good	Medium	mn	Ba	Bad	Bad	Bad
No.		%	No.	%	No.	%	No.	%	No.	. %	No.	%		
113 99	66	1.66		6.0	::	::	107	93.8	5	5.3	- :	6.0	::	::
219 99-1	66	-	2	6.0		:	212	0.96	80	3.6	-	0.4		
524 97.9 543 97.9	97	0.0	9=	7:1	4-	0.4	504	94.4	27	3.4	47	0.7	::	::
6.76 7901	16	6	20	8	3	0.3	1038	95.3	46	4.2	9	0.5		
227 100·0 260 100·0	000	00	::	::	::	::	227	0.00	::	::	::	::	::	::
487 100.0	100.0	-	:		:	::	487	0.001	:	:	:	:	::	
900 97·4 873 97·8	97.4		17	8-1-	7	0.5	876 866	94.8	35	3.8	13	4.0	::	::
1773 97-6	9.76		33	1.8	12	9.0	1742	6.56	55	3.0	21	121		
692 99·5 681 100·0	99.6		- :	1.0	e :	4.0	685	9.76	- :	I ::	0 ::	4 :	::	::
1373 99-7	2.66		-	1.0	3	0.2	1366	99.2	-	1.0	01	2.0		
523 99·4 505 99·6	66	***	::	::	23	9.0	520	98.9	:-	0.5	36	9.0	11	::
1028 99.5	66	10	***	-	5	0.5	1023	1.66	-	1.0	6	8.0		
272 98.9	- 86	60	11	::	3	Ξ:	272 233	0.001	::	::	E ::	Ξ	11	::
505 99.4	66	4	***	****	3	9.0	505	4.66		***	3	9.0	****	
3251 98	96	9.86	28	8.0	18	0.5	3191	96.8	69	2.1	37			
1	16	9 8 0	N. S. A.	0.0	3.6	0.4	6373	97:0	111	1	80	4:0	111	-

### 7.-F. Average Heights and Weights in Inches and Pounds.

		-	-	_	10			B4	SYC															G	IRLS					_		
		Ent	rants	1	-	_ A	ge 8	1		Ag	e 13	1	-	, A1	e 16			En	trants		-	A	re 8		1	Ag	e 13		11	A	re 16	
School Management Area	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Helght	Weight	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Helght	Weight
Cumbernauld	53	5,4	41-4	41-3	38	8/4	50-0	58-2	23	13,1	58-3	87-3					49	5,1	40-7	39-6	43	8/	46-1	52-5	15	13/5	60-2	92.5				
Cirkintilloch	177	5,4	42.0	41-7	153	8/1	49-4	57-5	189	13/5	58-3	87-4	16	16/4	66-4	126-6	182	5,5	41.5	38-6	155	10000	49-0	55-4	201	13/4	60-0	10000			***	
lew Kilpatrick	75	5,5	42-8	43-4	81	8/2	50-6	59-3	61	13/4	61-7	92-4	10	16%	68-2	133:4	86	5/4	42.9	44-8	89	8.4	1000	57-5	66			94:8	17	160	67-4	100
Old Kilpatrick	395	5,1	42.8	42-3	293	8,5	49-5	56-5	236	13%	54-2	88-6		****			357	5,4	42-0	41-1	307	8.4	1265	54-7	230	13/4	60-1	95-3	19	16 /	63-0	117
Dumbarton	215	5,5	42.7	42.0	161	9/4	51-2	61-0	295	13 1	58-9	86-1	25	16%		129-6	233	5/4	43:0	41-4	153		50-6			1317		94-1	***			10
ale of Leven	216	5,4	42.5	41-4	178	8,5	49-1	56-1	125	13.5	58-5	87-3	7	16%	1000	130-4	215	5/4	42.0	40-3	170			59-2	262	13/4		91.5	33	1614	62.9	120
lelensburgh	100	5/5	43-7	44-0	83	8,4	49-5	56-8	77	13,4	61-5	87-4	15	16%		127-4	93	5,5	42-8	41.5	74	8,5	49-1	54-6	118	13/4	59-9	96-3	4	1511	66-3	122
															•			-11	12.0	41.5		87	47.5	56.6	57	13,5	59.9	95-2	9	16%	63-6	118
Total	1231	5/2	42.5	42.3	987	8/4	49.7	57-9	1006	13/4	58-8	88-1	73	16:1	67-4	129-5	1215	5/4	42-1	41-0	991	8,1	49-0	55-8	949	13 Å	59-8	94-2	82	16.5	64-6	119
County Average ears 1930-31 to 934-35	6613	5 /2	42-3	41-1	6,151	8/4	48-9	55-5					615	16 🐴	65-4	122:4	6505	5 /1	42.0	39.9	6,173	8/\	48-6	53-4					458	16.5	62-6	
ounty Average ears 1919-20 to 929-30	13,328	5/2	42-1	41-2	11,863	8,5	48-3	54-3					769	16/4	64-3	118-8	13,019	5,1	41-7	39.7	11,582	8,1	48-2	52-3				***	774		62-2	
nthropometric tandard			41*0	39.9		.,,	47-0	54-9					-		64-3	119-0			40-8	39-6				52-1							61-7	

\*It was felt that the Anthropometric Standard was not satisfactory, as it was based on an insufficient number of observations.

A County of Dunbarton Standard has therefore been arrived at by combining and averaging the figures in previous Annual Reports for a number of years back.

\*


The following table shows at a glance a summary of the previous table [7.—G (a)], i.e., children in each area showing evidence of verminous conditions of the head, or body, or both.

Schoo Managem Area	ent	Number of Routine Cases Examined	Number showing evidence of Vermin	Percentage
Cumbernauld		 221	4	1.8
Kirkintilloch		 1090	31	2.8
New Kilpatrick		 487		
Old Kilpatrick		 1813	166	9-1
Dumbarton		 1377	177	12.9
Vale of Leven		 1033	118	11.3
Helensburgh		 508	41	7.8
Total		 6534	537	8.3

7.-I. NUTRITION.

NON-ROUTINE CASES	Below Very Average Bad		::				::	:	::	:	::	-		:				
Ž	Ave		1 1	:	2			:		-			m .s			***		
	Very	%	::	:	0.5	0	::	:	0.5	0.1	::	:	0.6	6.0	2 · 3	-0	0.5	0.3
		No.	::	:	- :	-	::	-	4-	3	::		3.7	01	9:	9	9 -	20
	Below	%	5.3	9.4	3.3	5.0	1.8	3.2	9.3	8.9	2.8	3.6	16.5	16.4	10.1	10.4	7.9	7.5
CASES	Be	No.	15	21	18	55	4 2	91	39	125	32	15	83	170	28 25	53	261 230	161
ROUTINE CASES	Average	%	88.6	82.5	84.6	82-2	77.5	9-82	9-77	6.87	95.2	1.96	67.0	8-99	68.3	68.3	80.3	80.3
€	Ave	No.	101	182	452 443	895	176 207	383	717	1433	662	1321	352	689	188	347	2648	5250
	Above	%	6.1	8.1	13.5	12-7	20.7	18.2	12.9	14.2	0.3	0.3	15.2	15.9	19.3	20.7	11.3	6-11
	Ave	No.		18	64 75	139	4 -	88	119	257	3	5	84	164	53	102	372	773
	Routine	ined	1114	221	535	1090	227	487	924 894	1818	969	1377	526 507	1033	275	508	3297	6534
			Boys Girls	Total	Boys Girls	Total	Boys Girls	Total	Boys Girls	Total	Boys	Total	Boys Girls	Total	Boys Girls	Total	Boys	Total
	SCHOOL	AKEA	Cumbernauld		Kirkintilloch		New Kilpatrick		Old Kilpatrick		Dumbarton		Vale of Leven		Helensburgh		Total	The second second

		-		ECZEN		ior-	-	-	RINGY		Non-			IM	PETIG	O Non		-			SORE				SCABIES	-		ALOPEC	IA	1	PSORIASIS				ОТН	ERS			т	OTAL		
School	Number of		Reut	ine	Ro	utine	-	Rev	tine		Routine		Res	tine		Reut	ine		Ro	utine		Rev	en- tine	Re	voine	Non- Routine		Routine	Non- Routine	Re	vetine	Nex- Revoine		Routin		1 80	ion-		Routin		Rev	lan-
Area	Routine	No.	% 1	Body to. 1	Head		y No.	ead	Body	-				Bod	_			H	_	Bo	-				ody			Head			ody	1	Head		Body			Hea	4 8	lody		
_	Lamines	140.		100	rieso	do.	y rea.	- 79	700	. "	ead Bo	oay N	0. 70	No.	%	Head	Body	No.	54	No.	%	Head	Body	No.	- %	Body	No.	%	Head	No.	5	Body	No.		io. %	Head	Body	Na.	% No.		Head	Bed
umbernsold	221		-	1 0	4	-	111		488		- 0					2		-					-	1	0.4		-				0-4				2 01							
irkintillech	1090			2 0	2	100	-		-210		2 3	4	7 06			52"				11	1.0		73		0.7	47				-	0-2				1 01		314			2-3	2	
ew Kilpatritic	487				- 11		100		0				1 02							7	14		2	1	01				1		-						,		6 24		52	133
ld Kilpstrick	1818			4 0	2	-			-4 10		-		5 0-3	-		29				0	0.5		24	19	2.2	40		1	2	1	01				23 10		100		2 8		1	2
umberton	1377	***	***	5 0	6	3	***		4 4			1	1 0-1	-		47				2	01/		50	15	111	38	2	0-1							15 5-				3 78			74
de of Leven	1033		***	3 0	3	.000	***		-10		-	1	1 0-1	Sec.		10				5	0.5		12	1	0.1	26	1	0:1			100				7 00		66		2 97			
elenaburgh	508			1 0	2				48			1	1 02			4				1	0.2		13	n	20	,			100		2-1				8 14		13		2 16		11	54
		-			-	-	-	0000	- 82	- 8		-		-			-										-			***	***	111					3	1 0	2 21	4-1	5	18
Total	6534	-		6 0		3	1					7 1	6 02			144				37	0.5		174	76	1.2	160	1	0.4	5	4	01	1		. 11	6 10	1	104	19 0	3 249	11	149	449



					R	ROUTINE	CASES				NON-ROUTINE CASES	SES
SCHOOL		Number of Routine	No Teeth Decayed	To Teeth Decayed	l to 4 Tee	4 Teeth	5 or mor	or more Teeth Decayed	Oral	al	5 or more Decayed	Oral
AKEA		Examined	No.	%	No.	%	No.	%	Z o Z	%		
Cumbernauld	Boys Girls	1114	900	53.6	48	36.0	126	10.4	::	::	::	1 : :
	Total	221	Ξ	50.3	68	40.3	21	4.6	:			
Kirkintilloch	Boys	535	335	55.5	207	38-7	32	5.8	251	4.00	::	
	Total	0601	632	58.0	395	36.3	63	5.7	4	0.4	1	-
New Kilpatrick	Boys	227	144	63.5	74	32.6	9 =	3.9	::	1:		::
	Total	487	317	1.59	150	30.8	20	4-1		:	:	:
Old Kilpatrick	Boys	924	506	54.8	306	33.1	112	12.1	61	2.0	::	: :
	Total	1818	1044	57.5	899	31.3	205	11.2	27	4.	2	:
Dumbarton	Boys	969	573	75.2	101	14.5	72 56	8.2	::	::		1 : :
	Total	1377	1051	76.4	198	14.4	128	9.5	:		2	1
Vale of Leven	Boys	\$26 507	317	60.3	85	19.6	124	23.6	22	4.2	::	1 : :
	Total	1033	655	63.3	154	15.0	224	21.7	36	3.5	3	1
Helensburgh	Boys	275	200	72.8	38	13.8	37	13.4	4.80	- £	::	
	Total	508	350	0.69	70	13.7	88	17.3	12	2.3	2	:
Total	Boys	3297	2048	62.2	852 773	25.8	397	12.0	32	40	:::	::
	Total	6534	4160	63.7	1625	24.9	749	4	79	1.2	13	-

7.-K. NOSE, THROAT AND LYMPHATIC GLANDS.

IOOHUS	Minnelland		Catarrh.			Obstruction	nc		Others			Total	
MANAGEMENT	Routine	Routine	tine	1	Rou	Routine	Non	Routine	tine	N N	Rou	Routine	Non
VANC	Examined	No.	%	Routine	No.	%	Routine	No.	%	Routine	No.	%	Routine
Cumbernauld	221			:	-	4.0	:		:	-	-	0.4	-
Kirkintilloch	0601		:	:	2	0.5	-	7	9.0	-	6	8.0	2
New Kilpatrick	487	2	4.0	:	3	9.0	:	ю	9.0	:	80	9.1	:
Old Kilpatrick	1818	61	0.1	-	5	6.0	e	6	0.5	9	33	6.1	01
Dumbarton	1377	36	5.6	-	23	1.7	10	91	8.0	01	75	5.4	21
Vale of Leven	1033	42	4.1	3	9	9.0	:	3	0.3	9	51	4.9	6
Helensburgh	508	17	3.3	-	80	9.1	i	1 00	. 0.2	4	26	5.1	S
Total	6534	911	1.8	9	48	1.0	4-	39	9.0	28	203	3.1	48

1											-
		Non	Routine	:	:				***	:	
	Removed	tine	90,	8.6	13.3	14.9	8-11	17.3	13.2	15.3	13.9
		Routine	No.	19	145	73	217	238	136	78	906
		Non	Routine	:	:		39	12	4	27	119
	Much Enlarged	ine	%		1.0	::	4-4	7.3	8.9	8.9	4.4
(b) I, Tonsils.	Mu	Routine	No.		-	***	18	100	70	35	287
(b) I,		1	Routine	-	26	15	36	45	+	2	132
1000	Enlarged	ine	%	2.7	3.2	4.1	1.6	9.3	11.4	12.9	8.2
		Routine	No.	9	35	20	991	128	611	65	539
		Routine	Examined	221	1090	487	1818	1377	-1033	809	6534
		SCHOOL	AREA.	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

7.-K. NOSE, THROAT AND LYMPHATIC GLANDS-Continued.

(b) 2, Adenoids.

Non-         Routine         Non-         Routine         Non-         Routine         Non-	
No.         %         Non-non-non-non-non-non-non-non-non-non-	Routine
1         0.4          20         9.0           1         0.1         2         143         13·1           2         0.4          73         14·9           11         0.6         8         217         11·9           10         0.7         7         20         1·4           8         0.8         12         103         10·0           9         1·8         4         79         15·6           42         0·6         33         655         10·0	No.
1   0.1   2   143   13.1     2   0.4     73   14.9     11   0.6   8   217   11.9     10   0.7   7   20   1.4     8   0.8   12   103   10.0     9   1.8   4   79   15.6     42   0.6   33   655   10.0	2 0.9
2 0.4 73 14.9 11 0.6 8 217 11.9 10 0.7 7 20 1.4 8 0.8 12 103 10.0 9 1.8 4 79 15.6 42 0.6 33 655 10.0	12 1-1
11   0.6   8   217   11.9   11.9   10.0   1.4   12   10.3   10.0   1.8   4   7.9   15.6   10.0   14.5   10.0   1	6 1-2
10         0.7         7         20         1.4           8         0.8         12         103         10.0           9         1.8         4         79         15.6           42         0.6         33         655         10.0	97 5-3
9 1-8 4 79 15-6 42 0-6 33 655 10-0	9.0 6
9 1-8 4 79 15·6 42 0·6 33 655 10·0	83 8.0
42 0.6 33 655	36 7.2
	245 3.7

7.-K. NOSE, THROAT AND LYMPHATIC GLANDS-Continued.

(c) Lymphatic Glands-Submaxillary and Cervical.

			Palpably		Enlarged	pei			Mark	Markedly Enlarged	Enlar	ged			Sı	nbbnr	Suppurating		
		Subm	Submaxillary	ıry	Cervica	ical		Subr	Submaxillary	агу	Ü	Cervica	-	Subr	Submaxillary	ary	Ü	Cervical	_
SCHOOL MANAGEMENT AREA	Number of Routine Cases Examined		Routine	-10N	Routine	tine	-noV enitue	Routine	ine	Non-	Routine	ine	Non-	Routine	ine	-noN outine	Rou	Routine	Non- anisuo
		Š	%	Я	No.	%	Я	No.	%	Я	Š	%	Я	ò	%	and the same of	No.	%	Я
Cumbernauld	221	9	F:3	1	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
Kirkintilloch	0601	3	0.3	7	2	0.7	9	:	:	:	:	:	:	:	:	:	:	:	:
New Kilpatrick	487	7	0.4	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1	:
Old Kilpatrick	1818	92	5.1	3	-	1.0	:	7	4.0	-	:	:	:	:	:	:	:	:	:
Dumbarton	1377	7	0.5	3	99	4.8	12	:	:	:	:	:	- :	:	:	:	:	:	:
Vale of Leven	1033	89	9.8	-	3	0 .3	:	4	4.0	7	:	:	:	:	:	1	:	:	
Helensburgh	208	35	8.9	7	:	1	:	2	0	7	:	1	7	1	:	:	:	:	:
Total	6534	231	3.5	16	72	=	18	19	0.5	101	1:	1:	7	T:	1:	1:	1:	1:	1

( ( )		No. of	Sci	Strabismus	N	BI	Blephariths	S		Conjunctivitis	tis	Corne	Corneal Opacities	cities	Och	Other Diseases	sases
MANAGEMENT		Cases	Routine	cino	Non-	Routine	tine	Non-	Routine	tine	Non-	Routine	ine	Non-	Routine	ine	Non-
AREA		ined ined	Š.	10/	tine	No.	0/0	tine	No.	0/0	tine	No.	%	tine	No.	0/0	tine
Cumbernauld	Boys	114	:6	2.8	11	- :	0.8	1.5	::	::	::		8.0	11	11	11	1 1
	Total	221	~	1.3	:	-	0.4	::		:	:	2	6.0			100	-
Kirkintilloch	Boys	535	9 1	3:1	1 1	3	0.4	111	5:	0.4	11	:-	0.5	::	44	0.7	::
	Total	0601	26	2.4	7	5	0.4	14	2	0.5	12	-	1.0	-	80	2.0	7
New Kilpatrick	Boys	227	9 7	3.9	::		4.0	::	::	::	::	-:	0 :	11	:-	0.4	::
	Total	487	9	3.3	2	2	0.4	:	:		2	-	0.5	:	-	0.5	:
Old Kilpatrick	Boys Girls	924	30	9.0		7	0.7	::	::	::	::	::	0.3	::	53	0.3	1 : :
	Total	1818	58	3.1	91	13	0.7	-	:	1::	2	3	0.5	2	5	0.3	9
Dumbarton	Boys	969	20	2.9	::	7	2.0	::	: m	0.4	::	::	::	::	50.50	7.0	::
	Total	1377	39	2.9	80	26	- 80	6	3	0.5	0	:		6	0	2.0	00
Vale of Leven	Boys	\$26 \$07	18	4.6	::	2: 5	:0	::	- :	0.5	1 : :	:-	0.5	::	- m	9.0	::
	Total	1033	9	3.8	=	2	0.5	6	-	1.0	8	-	-0	-	4	0.4	6
Helensburgh	Boys Girls	275	7	3.0	: :	- :	0.4	::	::	::	::	::	::	::	2	0.7	::
	Total	508	4	2.7	7	-	0.2	2	:	:	2	:	:	:	2	0.4	¥
Total	Boys	3297	91	3.7	: :	34	9.0	::	- 5		::	2 9	0.5	::	5.5	0.4	::
	Total	6534	961	3.0	5.1	53	0.8	23	9	0	36	00	0	7	30	0.4	35

T.-N. EAR DISEASES.

SCHOOL	Routine		Otorrhoea	To the state of th		Wax			Others			Total	
MANAGEMENT	Cases	Rot	Routine	Non	Rou	Routine	Non	Routine	ine	200	Routine	ine	Non
	ined	No.	%	000	No.	%	Routine	No.	%	Routine	No.	%	Routine
Cumbernauld	221	:	:	1	2	6.0		:	:	:	2	6.0	:
Kirkintilloch	1090	8	2.0	=	80	7-0	4	:	:	9	91	1.5	21
New Kilpatrick	487	-	0.2	2	***	***	::	:		:	-	0.5	2
Old Kilpatrick	1818	91	6.0	17	7	4.0	25	2	0.	2	25	1-3	24
Dumbarton	1377	12	8-0	13		:	7	9	4.0	15	-8	1.2	35
Vale of Leven	1033	13	1.2	10	2	0.5	-	2	0.5	3	17	9.1.	14
Helensburgh	508	2	0.4	2	_	0.5	-	1	:	2	8	9.0	S
Total	6534	52	0.8	55	20	0.3	18	10	1.0	28	82	1.2	101

7.-O. HEARING.


		15	Slightly Deaf			Very Deaf			Total	
SCHOOL	Number of Routine	Rou	Routine		P.ou	Poutine		Routine	tine	
AREA	Examined	No.	%	Routine	No.	000	Non- Routine	No.	36	Routine
Cumbernauld	221	_	4.0	2		***	***	-	4.0	2
Kirkintilloch	0601	-	1.0	3	2	0.5		3	0.3	6
New Kilpatrick	487	***	:	-	-	0.5	:	-	0.5	-
Old Kilpatrick	1818	. 13	2.0	2	7	0-4		20	E	S
Dumbarton	1377	7	5.0	4	3	0.2	***	10	2.0	+
Vale of Leven	1033	12	1-1	-	7	2.0	***	61	1.8	-
Helansburgh	208	3	9.0	-	4	8.0	***	7	*-	-
Total	6534	37	9.0	17	24	4.0		19	6.0	12

### 214

### 7.-M. Visual Acuity (Snellen's Test at 6 Metres).

Vision shown is "Working Vision," i.e., Vision of better eye. Good Vision=‡. Fair Vision=‡. Bad Vision=‡, or worse

		-		-	-	18. 10		-		-5.		_						_	ROU	INE C	ASES																	1	
School Management						Age 8									Age 13									Age	16								Tota	al .					Non- outine
Ares		No. Exam-	-	od	_	ir	-	ad	-	only.	No. Exam-	-	ood	F	air	8	ad	Bad Eye	in one	No.		Good	F	air	8	ad	Bad   Eye	in one only	No.	1 0	ood	F	air	1	lad	Bad	in One		Bad
		ined	-	%	No.	%	No.	3	No.	%	ined	No.	.0	No.	% .	No.	%	No.	%	Ined	No.	%	No.	26	No.	%	No.	%	ined.	No.	1	No.	%	No.	1 %	No.	-	- Bad	Eye
Cumbernauld	Boys Girls	38 43	36	94-8	2	4.6	3	7-0	3	7-0	23	21	91-3	2	8-7		***	1	4-3		100	111	***		114				61	- 57	9) 5	3	4.9	-	1.6	1	1:6		Only
	Total	81	74	91-4	3	3-7	4	49	3	3.7	18	36	94-8	2	5.2		-	1	2.6		100						100	100	58	-	9) 4	2	3:4	3	5.2	3	5.2		111
Kirkintilloch	Boys	153	145	94-8	7	4.5	1	07	2	1:3	189	175 176	92-6	10	5.3	4	2-1	6	3-1	16	11	68.8	1	4.7		25 0			-	110	92.5	5	4-2	4	3-3	4	3.3	111	910
	Total	308	283	92-0	12	7-7	5	1/2	3	3.2	-		87-6	19	9.4	- 6	3-0	8	4-0	17	15	88-2	i	11.8	1	11.8	i	11.8	358 373	331	88 3	32	8-5	12	3.2	14	3.7		***
New Kilpatrick	Boys	-	-	91-4	17	6-1		19	-	2.2	390	351	90-0	29	7:4	10	2.6	14	3.6	33	26	78-9	2	6.0	5	15-1	2	6-0	731	660	90.4	50	6.8	21	2.8	23	3-1	21	
New Allpatrick	Girls	89	74 82	92.2	7	7.8		-13	3	3-4	66	62	87-0 94-0	6	9.8	3	3·2 4·5	3	4.5	10	18	94-7			2	20-0	7	5-3	152	135	88.9	9	5.9	8	5-2	5	3:3		
	Total	170	156	91-8	10	,5-9	4	2:3	4	2:3	127	115	90-5	7	5.5	5	4-0	7	5.5	29	26	89-6	111		3	10-4	1	3.4	326	297	91.2	17	5-2	12	2.6	12	3-6	177	411
Old Kilpatrick	Boys Girls	293 307	265 276	90.5	21 18	7·1 5·8	7	214	16	5-4	236 230	199	84-3 89-6	23	9.7	14	6-0	14	6-0		201	.00							529	464	87-7	44	8.3	21	40	30	5.7	12	
	Total	600	541	90-2	39	6-5	20	3/3	28	4-7	466	405	87-0	37	7.9	24	5:1	23	5-0	100	111	-11	***	- 111	(14.)		-11	111	537	482	89 0	32	6-0	23	4:2	30	3.9		11.0
Dumbarton	Boys	161	149	92.6	11	6-8	1	06	8	5.0	295	270	91.5	20	6-8	5	1.7	18	6-1	25	22	92.0	***	***	***		144		1066	946	88.8	76	7-1	44	4-1	51	4:7	27	***
	Girls	153	142	92.8	9	5.9	2	19	2	1-3	262	226	86-3	29	114	7	2.6	15	5.7	33	23 29	87-9	ï	3.0	3	9-1	110	4-0	481	397	88-7	39	8-7	12	2.6	17	3-8		
	Total		291	92.7	20	6-3	3	110	10	3-1	-	496	89-1	49	8.8	12	2-1	33	5-9	58	52	89-7	- 1	1.7	5	8-6	1.	1.7	929	839	90-4	70	7.5	20	2-1	44	4-7	18	
Vale of Leven	Boys Girls	178 170	154	90.5	16	9:0	4	23	11	6.5	118	107	92-9	9	7-6	2	1.6	8 7	5-9	7 4	5 4	71-4	1	14-3	-1	14-3	211	104	310 292	282 265	910	26 21	8.4	2	0-6	16	5:1		
	Total	348	315	90-6	28	8-0	5	14	19	5-5	243	223	91.8	18	7-4	2	0.8	15	6-2	11	9	81-8	1	9-1	1	9-1		-	602	547	90.9	47	7.8	8	1.3	34	5-6	21	
Helensburgh	Boys Girls	83 74	72 71	86-8 96-0	6	7-2	5	60	1	1-2	77 57	70 50	90-9 87-7	3	3-9	4	5.2	2	2.6	15	14	93-4			1	6-6			175	156	89-2	9	5-1	10	5.7	1	1.7	41	
	Total	157		91-1	8	5-1	6	18	-	2.6	-	120	89-6	10	7.4	-	30	-	4-4	,	7	77-8	2	22.2	O THE	114	2	22-2	140	-	91-4	11	7.9	-1	0.7	9	6-4	***	110
Total	Boys Girls	-	902	91.5	65	6.5	20 28	20	36	3.6	1006	904	89.9	_	7-3	19		53		24	21	87-6	2	8-3	10	4-1	2	8-3	315	284	90-2	20	6.3	.01	3.5	12	3:7	18	
	-	591	901	91-0	62	6.2		28	36	3.9	949	842	88-8	73	8.3	29	2.9	53	5·2 4·8	73 82	73	89-0	4	4-9	5	6-1	4	4-9	2066	1867	90-4 89-9	140	7:1	59	3.0	91	4-4		
	Total	1978	1803	91-3	127	6.3	48	24	75	3-8	1955	1746	89-3	152	7-8	57	2.9	99	5.0	155	134	86:4	6	3.9	15	9.7	6	3-9	4088	3683	90.2	285	6.9	120	2.9	180	4.4	117	



7.-P. SPEECH.

		* Defe	Defective Articulation	ulation		Stammering			Total	
SCHOOL	Number of Routine	Rou	Routine		Routine	tine	1	Ron	Routine	Non
MANAGEMENT		No.	%	Routine	No.	9/	Routine	No.	%	Routine
Cumbernauld	221	1	:		:	:	-	:	:	-
Kirkintilloch	1090	63	0.3	-	-	1.0	2	4	0.4	3
New Kilpatrick	487	:		:	:	;	:	:	***	i
Old Kilpatrick	1818	=	9-0	3	9	0.3	:	17	6.0	3
Dumbarton	1377	4	0.3	:	3	0.5	:	7	0.5	:
Vale of Leven	1033	Ξ	0-1	:	3	0-3	:	4	-3	
Helensburgh	208	_	0.5	:	2	6.0	**	m	9.0	:
Total	6534	30	4.0	4	15	0.2	6	45	9-0	7

7.-Q. MENTAL CONDITION.

	Non	Routine	***	2	9	5	::	7	:	20
Total	Routine	0/0		3.2	8.0	1.3	0.5	2.0	9.0	2.0
	Rou	No.	:	8	+	25	3	7		50
ent	Non	Routine	:	:	4	4	:	7	-	15
Mentally Deficient	Routine	%	:	:	:					
Mer	Rout	No.	:	:	:	:	:		:	1
Pu	Non	Routine	:	2	2	-	:		:	5
Dull or Backward	tine	%	:	3.2	8.0	<u></u>	0.5	2.0	9.0	1.0
	Routine	No.	:	00	4	25	3	7	3	50
Number of	Routine	Examined	221	0601	487	1818	1377	1033	508	6534
		AREA	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

7.-R. HEART AND CIRCULATION.

				Organic	Organic Disease			Func	Functional Disease	sease		Total	
SCHOOL	Routine	Ú	Congenital			Acquired		a	Bourton	N N	a	Bouring	2
AREA	Exam-	Routine	tine	-uoN	Rou	Routine	-uoN	nou	-	Routine	Pou		Routine
	lued	No.	%	tine	o Z	%	tine	No.	0/0		No.	%	
Cumbernauld	221	:	:	:	:	:	-	:	:	:	:	:	-
Kirkintilloch	0601	:	:	:	е	0.3	е	:	:	2	М	0.3	2
New Kilpatrick	487	:	:	:	_	0.5	:	:	:	:	-	0.5	:
Old Kilpatrick	1818	2	-0	:	-3	2.0	Э	8	0.5	:	18	6.0	е
Dumbarton	1377	-	:	:	6	9.0	-	:	:	:	6	9.0	-
Vale of Leven	1033	2	0.2	2	6	6.0	-	4	4.0	-	15	<u>+</u>	4
Helensburgh	808	4	8.0	:	-	0.2	-	9	1.2	:	=	2.1	-
Total	6534	8	1.0	2	36	0.5	101	13	0.5	3	57	8.0	15

7.-S. LUNGS.

		1			_	_				
	Non-	tine	i	9	-	01	45	2	9	18
Total	Routine	90	2.7	1.7	2.0	-8	7.4	2.4	6-0	3-1
	Rou	No.	9	61	10	33	102	25	so.	200
	Non-	tine	:	-	-	2	4	S	-	=
Asthma	tine	%	6.0	0.5	0.1	1.0	0.3	0.3	0.5	0.3
	Routine	No.	7	7	2	-	4	m	-	-8
s s	Non-	tine tine	::		:	::	:		:	1:
Tuberculosis Suspected	Routine	%	:	:	:	:	:	:	1	1:
Tu	Ro	No.	:	:	:		:	:	:	1:
sis	Non-	Kou-	:	:	:	:	-	:	:	-
Tuberculosis	Routine	%		:	:	:	:	:	:	1:
Tu	Ro	No.	:	:	:	:	:	1:	:	1:
5	Non-	Rou-	:	2	:	9	25	4	:	40
Bronchitis	Routine	%	8-	9.1	0-1	=	0.5	4.0	0.5	0.8
	Ro	No.	4	17	2	20	3	4	-	54
tarrh	Non-	Rou-	:	:	:	7	15	4	25	26
Bronchial Catarrh	Routine	%	1	:	::	4.0	5.2	1.7	9.0	2.0
Brond		No.	:	:	1	12	95	- 8	e	128
	Number of Routine	Cases	221	0601	487	1818	1377	1033	809	6534
	SCHOOL MANAGE-	MENT	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

7.-T. NERVOUS SYSTEM.

SCHOOL		No. of		Epilepsy			Chorea		Infant	Infantile Paralysis	alysis		Others			Total	
MANAGEMENT		Cases	Routine	tine	Non-	Routine	ine	-LoN	Routing	ine	Non-	Routine	tine	Non-	Routine	tine	Non-
		ined	No.	0/0	tine	o Z	0/0	tine	Š	%	tine	No.	0/0	Kou-	No.	0/0	Kou-
Cumbernauld	:	221	:	:	:	;	:	:	:	:	:	:	:	:	:	:	!
Kirkintilloch	:	0601	:	÷	;	-	1.0	:	-	-0	:	:	:	:	2	0.5	::
New Kilpatrick	:	487	:	:	:	:	:	:	:	:	:	:	***	:	:	:	:
Old Kilpatrick	:	1818	-	-0	-	:	***	01	2	1.0	:	:	:	:	6	0.5	=
Dumbarton	:	1377	:	:	:	:	:	:		:	:	:		:	:	:	
Vale of Leven	:	1033	5	1	-	7	0.5	9	-	1.0	:	:			m	0.3	7
Helensburgh	:	508	:	:	:	-	0.5	-	4	8.0	-	:	:	:	'n	0-	2
														1			
Total	***	6534	-	1.0	2	4	1.0	17	8	1.0	-				13	0.5	20

Rouci -0 Total 8 Routine + Rou-\*\*\* ... Others % : : : Routine Š : : Rou-tine : Abdominal 0.7 -0 -0 % : Routine So. 2 Rou-: Joints Routine : % ° \*\*\* Rou-Bones : Routine ° :: Rou-tine Glands -0 % Routine Š 7 Number of Routine Cases 1818 1090 6534 487 1377 1033 508 New Kilpatrick Old Kilpatrick Vale of Leven SCHOOL MANAGE-MENT AREA Cumbernauld Kirkintilloch Helensburgh Dumbarton Total

7.-U. TUBERCULOSIS (NON-PULMONARY).

7.-V. RICKETS.

Slight , Marked	Routine	No. Routine No.		::	:	-		- ::	.:	9
peo		% Routine		_				0-1	9.0	1.0
To	Routine	OZ	:	:	:	_	_	_	т	9
Total		,0°	:	:	:	1.0	1.0	1.0	9 0	1-0
		Routine	:		:	1	1	÷	:	:

7.-W. DEFORMITIES.

		Routine	:	20	-	10	0	S	+	49
Total	ine	%	:	2.5	4.8	2.9	4.1	2.6	3.9	3.2
	Routine	No.	:	27	24	53	57	27	20	208
chitic)	2	Routine	:	20	-	10	6	5	4	49
Acquired (Non-Rachitic)	ine	%	:	2.2	4.8	2.6	3.7	2.0	3.5	3.0
Acquir	Routine	No.	:	24	24	48	52	21	18	187
	Non	Routine	:	:	:	:	:	:	:	
Congenital	ine	%	:	0.3	:	0.3	0.4	9.0	4.0	0.3
	Routine	No.	:	9	:	2	2	9	2	21
No.	Routine	Examined	221	0601	487	1818	1377	1033	508	6534
	SCHOOL	AREA	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

7.-X. INFECTIOUS OR CONTAGIOUS DISEASES.

	o oN		Scarlet Fever	4	5	Whooping	g ui		Chicken	en		German	an		Mumps	10		Total		Number of Routine Cases immunised	c Cases
SCHOOL	Routine	Routine		Non- Routine	Rout	ine	Non-	Routine	ine	Non-	Routine	ine	Non-	1	Routine	Non-	Routine	tine	Non-	Diphther	against Diphtheria.
AREA	_	No.	0/0	tine	No.	0/	tine	o N	90	tine	Š	0/0	rine tine	Š	0/0	Kou-	No.	0/6	Rou-	No.	0/0
Cumbernauld	221	1	:	:	- 1	1	:	:	:	:	-	1	1	1	:	:		:		146	0.99
Kirkintilloch	1090	-	1.0		1	:	:	2	0.5	m	Ė	:		:		:	m	0.3	m	782	71.7
New Kilpatrick	487	:	1	:	1	:	:	-	0.5	-	:	:	:	:	:	:	-	0.5	-	373	9.92
Old Kilpatrick	1818	1	-	:	-		1	m	0.5	-	-	-0	-	:	i	:	25	0.3	2	1121	9.19
Dumbarton	1377	m	0.5	1	:	:	3	-	-0	6	-	-0	М	:	;	:	5	4.0	15	1136	82.5
Vale of Leven	1033	1	;	;	m	0.3	4	4	0.4	4	-	-0	2	2	0.5	2	0	0.	12	673	1.59
Helensburgh	208	;	:	1	-	0.5	50	1	:	60	2	0.4	-	:	:	:	М	9.0	<del>-</del>	386	75.9
Total	6534	4	1-0	1:	100	0	12	=	0.5	26	100	0	7	2	0	2	27	0.4	47	46.17	7.07

The number of children given as immunised against diphtheria is probably an understatement, as young children, unaccompanied by parents, very frequently cannot give the necessary information, and are therefore included among those not immunised.

7.-Y. OTHER DISEASES AND DEFECTS.

Total	Routine	No. % Routine	6 2:7 6	3-0	13 2.7 10	3.1	9.2	22 2.0 92	28 5.5 63	288 4-4 433
	- acN	Routine	9	98	01	80	94	16	63	430
Others	Routine	%	2.7	2.7	2.7	2.9	0.6	2.0	5.3	4.2
	Rou	No.	9	30	13	54	126	22	27	278
	Non	Routine		-	:	-		-	:	3
Hernia	tine	%	:	0.3	:	0.2	0.2		0.2	1-0
	Routine	No.	:	3	::	3	3		-	01
	Routine	Examined	221	1090	487	1818	1377	1033	808	6534
	SCHOOL	AREA	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

PREVIOUS ILLNESSES.

SCHOOL	No. of	Measles	sles	Whooping	Buide	Chicken	Ken	Mumps	sde	Scarlet Fever	let	Diphtheria	heria	Small- pox		Rheuma- tism	ma-	ш	Fits	Others	ers
AREA	Cases Exam- ined	Š	0,0	° Z	0,0	o Z	0/0	óZ	0,	o Z	0/0	ŏZ	000	o Z	%	o Z	,0/ /0	, Z	0/0	ŏZ	0/
Cumbernauld	221	174	7.8.7	118 53-4	53.4	63	28.5	-5	23-1	22	6.6	i.C	2.2	:	:	5	2.2	:	:	65	29.4
Kirkintilloch	0601	914	83.8	594	54.5	370	33.9	266	24.4	43	<u>-</u>	74	8.9	1	:	17	·S.	:	:	276	25.3
New Kilpatrick	487	406	83.4	285	58.2	212	43.5	156	3 .4	53	6.01	3	2.7	:		6	8. –	:		156	31.4
Old Kilpatrick	1818	1476	81.2 1099	_	9.09	929	36.0	497	27.3	217	6. =	120	9.9	:	:	4	2.0	:	:	469	25.8
Dumbarton	1377	1179	85.7	006	65.4	574	41.7	442	32.1	214	15.5	139	1.01	:	:	:	:	1	:	379	27.5
Vale of Leven	1033	854	82.7	633	61.3	316	30.5	273	26.4	127	12.3	43	4.2	:	:	1	1	į	:	336	32.5
Helensburgh	508	366	72.0	3	61.2	254	90.09	991	21.0	22	1.2	29	2.7	:	1	3	9.0	1	:	180	35.4
Total	6534	5369	5369 82.1 3940 60.3	3940	-	2444	37.4	1851	28.3	833	12.7	423	6.5	1	1:	48	1.0	1:	1	1861	28.5

### VACCI NATION.

ICONO.			Entrants	54		Age 8			Age 13		Age	Age 16			Total	
MANAGEMENT	17	Rou-	Unvaccinated	inated	Rou-	Unvace	Unvaccinated	Rou- tine	Unvaco	Unvaccinated	Rou- tine	Unvaco	Unvaccinated	Rou- tine	Unvaccinated	inated
		Exam- ined	o Z	%	Exam- ined	o Z	%	Exam- ined	No.	%	Exam- ined	No.	%	Exam- ined	No.	%
Cumbernauld	:	102	48	47.0	-8	27	33.3	38	15	39.4	:	:	:	221	96	40.7
Kirkintilloch	:	359	811	32.9	308	98	27.9	390	42	20.2	33	=	33.3	1090	294	26.9
New Kilpatrick	:	191	70	43.4	170	39	23.0	127	91	12.6	29	10	17.2	487	130	26.6
Old Kilpatrick	***	752	339	45.2	009	238	39.6	466	127	27.2	:	:	:	1818	704	38.7
Dumbarton	:	448	319	71.2	314	214	1.89	557	293	52.6	58	4	24.1	1377	840	0-19
Vale of Leven		431	254	58.9	348	222	63.8	243	122	50.2	=	2	1-8-1	1033	009	58.0
Helensburgh	:	193	06	9.94	157	1	49.0	134	4	32.8	24	4	9.91	208	215	42.3
Total	:	2446 1238		*50.6	1978	903	*45.6	1955	969	*35.6	155	36	*23.2	6534	2873	*43.9
		*Increa with	*Increase compared with last year == 5.8%	pared	*Decrease compared with last year == 2.5%	Decrease compare with last year == 2.5%	pared	*Decre	*Decrease compared with last year = 3.5 %		*Increase compared with last year == 1.6%	with last year == 1.6%	bared ir ==	*Increa	*Increase compared with last year = 0.7%	pared

### 8.-Special Schools and Classes.

Special Schools—There are three Special Schools in the County—Waverley Park Home, Kirkintilloch; Milton School, Bowling; and College Street School, Dumbarton.

In Waverley Park Home, which is maintained by the West of Scotland Association for the Care of the Feeble-minded, there are at present 3 pupils from the County.

Milton Special School, which serves the areas of Old and New Kilpatrick also receives Deaf-mute pupils from Dumbarton, Helensburgh, and the Vale of Leven Areas. This school was taken over by the military authorities on the outbreak of the war, and, as far as possible, the pupils have been conveyed to College Street School, Dumbarton. A few pupils were evacuated, with two teachers and a nurse, to Port Kil, Kilcreggan, and later transferred to "The Grove," Clynder, where five children, with a teacher and a nurse, remained till the end of June, 1944, when other arrangements were made, as the teacher was due to retire.

College Street School, which serves the Dumbarton, Vale of Leven and Helensburgh Areas, is also meantime, owing to the closure of Milton School, serving the Old Kilpatrick and New Kilpatrick Areas. At present there are three classes for mental defectives with 75 on the roll, and two classes for physical defectives with 25 on the roll, a total of 100. The pupils in the Deaf Mute class, 6 in number, are drawn from the whole County, except the Parishes of Kirkintilloch and Cumbernauld.

Deaf Mute pupils from these two parishes are, by arrangement with the Glasgow Education Committee, taught in the Glasgow Schools for Deaf Mutes.

Special Classes—(a) For Mentally Defective Children—Lairdsland School, Kirkintilloch, with 19 on the roll (one class).

(b) For Conservation of Vision—Lairdsland School, Kirkintilloch, with 10 on the roll; Whitecrook School, Clydebank (temporarily at College Street School), with 7 on the roll; and College Street School, Dumbarton, with 14 on the roll. Total 31.

Th

ie	following are the totals	for the	e Cou	nty :-				
	Mentally Defectives							97
	Physically Defectives			***		***		25
	Deaf Mutes							6
	Conservation of Vision							31
			Т	otal				159
	Number of Physically D for by the County Number of Mentally Do for by the County	Coun	e Chil	***	***			3
	Blind Persons in training of training borne by ance by the Local  (a) Glasgow R	y the Autho	Countrity)	Perso ty Cou	ncii, ai	, 1920 nd mair	(cost	5
	(b) Edinburgh	Roya	l Blin	d Asylu	ım			_
			T	otals				24
								-

Medical Inspection.—All the children attending Special Schools were medically examined during the session, as has been done each year for some time past. During the present session 72 children—37 boys and 35 girls—were examined. Of these, 41 were mentally defective, and 31 physically defective. Of these, 12 children were myopic, and 5 were deaf mutes. Seventeen of these children were classed as having nutrition below average, while 3 had very bad nutrition. Two showed evidence of ear, nose or throat disease, 14 had defective eyesight, while 10 showed physical deformities, congenital or acquired.

Special Appliances Supplied to Pupils.—During the session the committee agreed to the provision or repair of the following appliances:—

Pup	ils.
	5
011000	2
Dental Plate	1
-	_
Total	8

### 9.-Arrangements for Physical Education and Personal Hygiene.

A.—Physical Exercises.—The arrangements for these remain much the same as in former years. (See Annual Reports, 1914-15, page 72; 1919-20, page 41; 1920-21, page 38; and 1927-28, page 37).

Children for whom exemption from Physical Exercises or Baths was asked, were examined by the School Medical Officers, and exemption was granted if sufficient reason were found. In addition to these, a number of children who were found by the School Medical Officers in the course of routine examination to be suffering from such physical defect as demanded exemption from drill or baths, were exempted.

The reasons for exemption were as follows :-

### (a) From Drill and Baths:-

Defective Heart Recent Abdomina Affections of Bon Rheumatism Others	Oper	ation (	Append	dicitis, e	etc.) .	15 5 3 3 8
			Total			34 —
(b) From Baths Only:						
Ear Disease						4
Skin Disease				***		3 2
Chest conditions		***	***	***		2
Others	***	***		***	***	2
			Total			11

### 10.-Milk-in-Schools Scheme.

The average number of pupils taking advantage of this scheme throughout the session was 13,589, which gives an average of sixty-four per cent. of the number of pupils on the roll.

### Employment of Children (Scotland) Act, 1932.

Permits under the above Act were issued as follows, after the applicants had been examined by the School Medical Officer:—

			Granted.	Refused.	Total.
Cumbernauld			_	_	
Kirkintilloch			11	_	11
New Kilpatrick			20	_	20
			2	_	2
Dumbarton	***		21	1	22
Vale of Leven		***	12	1	13
Helensburgh		***	_	_	_
	_		_	_	_
	Total		66	2	68
			-	Name .	_

### Admission of Children to Approved Schools.

During the session 40 children were examined with special regard to their suitability, physically and mentally, for admission to Approved Schools. Of these, 33 were committed by the Sheriff to institutions.

### 11.-Arrangements for Medical Treatment.

See Annual Reports, 1927-28, pages 38,39 and 40, and 1928-29, pages 46-54.

See also Annual Report for 1935-36 for summary of facilities for treatment in the County.

### X-Ray Treatment of Ringworm.

There were no cases of ringworm of the head treated by X-Ray epilation, but one family of five children was successfully treated at Glasgow Royal Infirmary by the administration of Thallium Acetate.

### Ultra-Violet Light Treatment.

At the Kirkintilloch Clinic 16 school children were treated. The number of attendances was 439, and the average number of attendances was 27. The causes of reference were: Debility, 8; Anaemia, 2; Bronchitis, 5; Asthma, 1. All were improved.

At the Dumbarton Clinic 43 school children were treated, making 762 attendances, an average of 17 per patient. The causes of reference were:—Bronchitis, 29; Asthma, 7; Malnutrition, 4; Others, 3. Two cases stopped attendance, the others were much improved.

In the Alexandria Clinic 17 school children were treated. The number of attendances was 304, and the average number of treatments was 18. The causes of reference were:—Bronchitis and Asthma, 8; Debility, 3; Anaemia, 1; Enlarged Glands, 5. Twelve were definitely improved.

At the Helensburgh Clinic 15 school children were treated. The number of attendances was 315, and the average number of treatments 20. The causes of reference were:—Debility, 5; Chest trouble, 1; Enlarged Glands, 7; Anaemia, 2. All were improved.

## ORTHOPAEDIC TREATMENT.

The Orthopaedic Clinics in Dumbarton, Kirkintilloch and Helensburgh were in full working order during the present session. The work at the Clydebank Clinic is still hampered by present conditions. A new clinic was opened in Milngavie on 21st April, 1944. Vale of Leven cases are treated in Dumbarton.

	i.	23	13	107	13	21	30	304
Total	Girls	10	0 4	49	6	01	2=3	144
	Boys	3.3	23	58	01	=	28 4 18	160
inic	F	m m	m —	6	-	:	:-m	24
Milngavie Clinic	Girls		7 ::	9	:	:	:::	10
Milng	Boys	m -		3	-	:	:-m	4-
H8-	Ë	4-	:-	80	3	9	r	32
Helensburgh	Girls	m-	:-	3	:	4	-::	13
Ĭ	Boys	- ;	::	25	m	2	9	61
en	Ë	7-	- :	17	:	7	F84	37
of Leven Clinic	Girls	2	-:	9	:	-	-23	91
Vale	Boys	:-	::	=	:	-	4-m	21
4	F	99	77	33	m	9	9 5 6	16
Kirkintilloch Clinic	Girls	77	- 2	91	7	-	049	46
Kir	Boys	44	:-	17	-	S	0-m	45
uo	Ë	63	m -	15	6	4	876	54
Dumbarton	Girls	: m	7-	co	:	7	mum	24
۵	Boys	m m	- :	7	е	2	9 : 9	30
×	F	20 00	4-	25	3	3	0 0 4	99
Clydebank	Girls	m 4	m-	01	-	2	536	35
0	Boys	4	- :	15	2	-	4 :4	31
Deformity or Disease		Kyphosis	Scoliosis	Deformity	Deformity	Paralysis	Breathing Rheumatism Others	Total

## Response to Treatment.

Clydebank			21	32	13
Dumbarton	***	::	23	23	8
	****	***	47	31	-13
u.	***		14	13	01
Helensburgh		****	12	15	S
	****	****	8	13	2

# Number of Treatments Given.

Helensburgh-974 Vale of Leven (with Dumbarton) Kirkintilloch-2173 Dumbarton-2441 Clydebank-1771

Milngavie-198

### RESULTS OF REMOVAL OF TONSILS AND/OR ADENOIDS.

As it has been suggested that the removal of tonsils and adenoids results in little permanent benefit, an examination was made of pupils who had been operated on a considerable number of years before.

There were 652 children re-examined at the age of fourteen or sixteen who had had tonsils and adenoids, or tonsils only, or adenoids only, removed previously. Of these, 607 were found to be absolutely satisfactory, the remaining forty-five showing evidence of rheumatism, or chorea, asthma, bronchial troubles, deafness and otorrhoea.

The following table shows details of this investigation :-

	-		>	Rea	sons for	Classif	fication	as unsa	tisfacto	ry.
No. of Years after Operation	No. of Cases	Satisfactory	Unsatisfactory	Rheumatism	General Health Un- satisfactory	Asthma	Bronchial	Heart	Deafness	Otorrhoea
		No.	No.							
10 or more 9 8 7	82 85 89 154 99	76 80 83 141 97	6 5 6 13 2	2 2 2		4 2	2   3	1	1 2	 1  4 2 2
5 or less	143	130	13	5		ï	2	1	2	2
Total	652	607 93-1 %	45 6.9%	11	3	7	8	2	5	9

The table which will be found on page 38 shows the results of the removal of tonsils and/or adenoids, as ascertained by examination at an interval of about one year from operation. The figures are cumulative from the investigation commenced during the session 1931-1932.

### REMOVAL OF TONSILS AND/OR ADENOIDS.

The following table shows the results of inquiry into results of Tonsil and Adenoid operations. The pupils are examined one year after operation. The figures given are totals since session 1932-33. See Annual Report, 1932-33, pp. 42-43.

	.770/ 7020		ls and Remov		noids	Ad	Rem	only oved.	
		Result Satisfactory.	Result Moderately Satisfactory.	Result Unsatisfactory	Total	Result Satisfactory	Result Moderately Satisfactory	Result Unsatisfactory	Total
	Number Percentage	3207 76·6	726 17·3	269 6·1	4202	303 45·6	229 34·4	132 20-0	664
Mouth Breathing	Present before operation Continuing after operation Apparently cured Beginning after operation	2395 98 2297 2	591 126 465 10	173 105 68 5	3159 329 2830 17	268 13 255	109 34 75	98 67 31	475 114 361 2
Deafness	Present before operation Continuing after operation Apparently cured Beginning after operation	494 59 435 8	188 92 96 4	55 43 12 5	737 194 544 17	187 30 157 5	42 16 26	20 13 7 1	249 59 190 6
Discharging Ear	Present before operation Continuing after operation Apparently cured Beginning after operation	403 63 340 23	140 77 63 31	503 150 353 11	1046 290 756 65	51 13 38	23 7 16 5	14 10 4 5	88 30 58 10
Discharging Nose	Present before operation Continuing after operation Apparently cured Beginning after operation	1246 111 1135 26	345 194 151 33	135 122 13 12	1726 427 1299 71	169 16 153	79 51 28 5	87 80 7 5	335 147 188 10
Susceptibility to Colds and/or Sore Throats	Present before operation Continuing after operation Apparently cured Beginning after operation	2514 148 2366 11	593 217 376 5	184 137 47 9	3291 502 2789 25	218 19 199	89 46 43 2	103 87 16 3	410 152 258 5
Enlarged Glands	Present before operation Continuing after operation Apparently cured Beginning after operation	1354 74 1280 8	496 75 421 8	49 22 27 3	1899 171 1728 19	42 11 31	14 4 10 	32 23 9 4	88 38 50 4
Rheumatism or Chorea	Present before operation Continuing after operation Apparently cured Beginning after operation	145 48 97 52	82 39 43 3	12 8 4 4	239 95 144 94	10 7 3 2	1 3		11 8 3 5

39
TREATMENT OF MINOR AILMENTS.

District	Nurse	Number of Children dealt with	Fotal Number of Attendances	Number of Visits to Parents	Number of Visits to Clinics or Schools	Eye Cases	Throat and Nose Cases	Ear Cases	Skin Cases	Others	Attendance at Eye, Operations and Dental X-Ray Clinics
Kirkintilloch	C. M. Jeffrey	675	3074	103	96	32	***	62	498	83	183
Cumbernauld Kirkintilloch (Landward)	J. C. Macbeth	139	283	16	12	2		10	123	4	
Cumbernauld Kirkintilloch (Landward) Duntocher and Clydebank	M. M. Mac- donald	506	941	12	63	8	***	50	302	146	124
Old Kilpatrick (Burgh and (Landward)	E. S. R. Stevenson	82	182	36	34		***	20	62	***	64
Cumbernauld Kirkintilloch (Landward)	E. A. Sandilands	325	684	6	30	6	***	13	297	9	75
Clydebank (Our Holy Redeemer and Elgin Street) New Kilpatrick	C. King	238	402	13	17	444		2	184	52	5
Dumbarton (except Notre Dame and West Bridgend Schools)	M. Gilmour	1079	1521	12	48	11	***	40	924	104	250
New Kilpatrick Dumbarton (West Bridgend, Notre Dame, St. Pat- rick's) Vale of Leven Renton Public and St. Martin's) Dumbarton (West Bridgend, Notre Dame, and St. Patrick's High)	G. Macnair	901	3503	49	87	4		12	875	10	232
Vale of Leven (except Renton)	I. Scott	372	1214	271	44	3		32	294	43	219
	C. R. Robertson	84	129		5	1		4	4	75	6
Helensburgh Dumbarton (Notre Dame and West Bridgend Schools)	K. S. Stevenson	337	1197	37	45	7		19		65	194
Renton	E. M. Rankin	152	570	20	24	3	***	8	9	132	
Total		4890	13,700	575	505	77		272	3818	723	1352

THROAT, NOSE AND EAR CLINICS.

	1			-	
	Total	849 639 639 1854	635	432 30 30 238 267 393 285	624
Total	Pre- School	156 106 106 132	: 3: 03	15 78 37 85 55 55 55	28
T	School	693 533 533 1422	532	28 28 28 20 20 324 328 328 12 229	94 5 : :
uo	Total	390 286 286 1111	284	244 244 210 210 261 261 123 123 124 124	279
Dumbarton	Pre- School	48 40 222	36 :- ::	32 33 33 33 33 33 33 33 33 33 33 33 33 3	\$ !* ! !
0	School	342 246 246 889	245	37 207 15 18 178 108 224 224	239
ch	Total	141	0::::	7 :- 23 :- 1 2 :-	106
Kirkintilloch	Pre- School	36	2::::	- : : : 2 : : : : : : : : : : : : : : :	1: 4-0
Kir	School	105 89 89 259	68 : : :	9: - 23: : 52: : 7	888
×	Total	318 243 243 414	241	30 188 12 3 77 132 121	239
Clydebank	Pre- School	145	43	5 41	54 :::
D	School	246 198 198 274	861	25 12 12 12 13 14 15 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	38 : :
		Number of Children examined Number of Children operated on Attendances with Ambulance Home Visits for After-Care	Nature of Operations :— Excision of Tonsils and Adenoids Excision of Tonsils only Excision of Adenoids only	Causation:— Discharging Ears	Progress definite and rapid Progress retarded Still on books Sent to Hospital

DENTAL TREATMENT.

_					-1								
		Anaesthetics	General	23	16	25	503	48	127	- 67	23	31	938
		Anae	Local	143	303	154	1120	232	452	261	84	115	2864
Extractions		cted	No. of Extrac-	295	824	332	4270	547	1235	689	691	345	8706
Ext		Teeth Extracted	Per- manent	35	180	40	582	43	355	140	29	64	1468
		Tec	Tem- porary	260	644	292	3688	504	880	549	140	281	7238
		No. of	Con- served	221	624	352	792	67	1590	437	159	592	4834
tment	th.	ved nent	Per- manent	51	236	137	289	20	749	121	76	328	2007
ion Trea	Teeth	by other Treatment	Tem- porary	2	12	00	:	:	55	32	12	4	136
Conservation Treatment		Filled	Per- manent	154	362	187	503	47	781	284	65	230	2613
Ü		Teeth Filled	Tem- porary	13	4-	20	:	:	5	::	9	20	78
		Actual No. of	Attend- ances	378	1213	710	2382	337	2334	858	175	260	8947
ated		Total No. of		353	=	587	1203	180	975	473	16	225	5198
Number of Children Treated			Cases treated t	09	174	107	114	:	245	94	20	118	932
er of Ch	S	Actual No. of	Cases	293	937	480	1089	180	730	379	71	107	4266
Num	Routine Cases	No. of Cases		407	948	224	2245	265	1994	6911	250	309	7811
	Rou	No. of		509	1261	391	4044	460	3863	2089	273	372	13262
-		DENTIST		ау	ду	ур	andrick	endrick	:	:	:	:	:
		DE		Mr. Cassidy	Mr. Cassidy	Mr. Cassidy	Miss McKendrick	Miss McKendrick	Miss Pugh	Miss Pugh	Mrs. Dinn	Mrs. Dinn	:
		SCHOOL	MANAGEMENT	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Killick (Burgh)	Old Kilpatrick (Landward)	Dumbarton	Vale of Leven	Vale of Leven	Helensburgh	Total

Ophthalmic Treatment of School Children

					SCHO	SCHOOL MANAGEMENT AREA.	GEMENT	AREA.				
	Dumb	Dumbarton.	Helens	Helensburgh,	Kirkintilloch and Cumbernauld.	rkintilloch and Cumbernauld.	New Kilpatrick.	sw rick.	Old Kilpatrick,	ick.	Vale of Leven.	Leven.
	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.
Defective Vision corrected with Spectacles	89	7.1	32	17	38	47	Ξ	17	74	52	46	50
Defective Vision too slight to benefit from Spectacles	6	10	5	9	8	61	9	7	14	12	6	9
Defective Vision treated otherwise	12	12	4	2	12	91	2	0	80	6	S	4
Total Number of Children Examined	89	93	41	25	58	82	61	24	96	73	09	09
Re-examinations	16	80	24	21	50	5.6	91	20	48	43	56	59

Total Number of Children Examined-720. Total Number of Spectacles Prescribed-523.

Ophthalmic Treatment of School Children-Continued.

	-				SCHO	SCHOOL MANAGEMENT AREA.	AGEMEN	T AREA.				
Complications	Dum	Dumbarton	Helens	Helensburgh.	Kirkintilloch and Cumbernauld.	rkintilloch and Cumbernauld.	New Kilpatrick.	ew trick.	Old Kilpatrick.	d rick.	Vale of Leven.	Leven.
	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.
Blepharitis Dacryocystitis Strabismus convergens Strabismus divergens Strabismus divergens Conjunctivitis, Keratitis and Irltis Opacity of Cornea Opacity of Lens Aphakia Synechia Anterior Synechia Anterior Synechia Posterior Coloboma Uveae Coloboma Coloboma Coloboma Coloboma Coloboma Coloboma C	E-0407-00-000-0	80080W400000-004W0-0	700207000000000000000000000000000000000	000000000000000000000000000000000000000	500000000000000000000000000000000000000	800000000000000000000000000000000000000	-0070-000000000-000	000000000000000000000000000000000000000	wo-ñowuoooooououoo	00000000000000000000000000000000000000	400%000000000000	moo_om-oooooooo-
Anophthalmos	>	>	>	>	2					-		

### ORTHOPTIC TREATMENT.

The following table shows the number of cases seen by the Orthoptist:-

	Clydebank	Dumbarton	Kirkintilloch	Total
Number of Children under Treatment	11	18	15	44
Number of Children under Observation	7	9	5	21
Attendances— Preliminary Examination Cases for Occlusion Cases for Orthoptic Exercises Cases Re-Examined	3 20 182 2	8 36 269 7	3 27 168 2	14 83 619
Total	207	320	200	727
Cases Operated on Cases Discharged	2 2	2 3		4 5

#### SPEECH THERAPY.

The following table gives a summary of the work done during the session.

Dumbarton Area Vale of Leven Area Clydebank Area Kirkintilloch Area Special Case Areas	 Articulation. 49 77 29 27	Stutter. 16 16 8 28 4	Organic. 2 8 1 2	Total. 67 101 38 57 6
	183	72	14	269

It is interesting to observe that, because of defects being treated early in the school life of a child, there is a decided decrease in the numbers of speech-defectives between the ages of seven and eleven. The majority of the cases are in infant, higher senior and secondary or advanced division classes.

The very large numbers in the above table do not make for quick results, and treatment sessions are too infrequent in most cases.

It is hoped that next session treatments will be carried out in centres in each area. This will economise in time. Visits will still be made to schools, and the co-operation of the school staffs will still be necessary to the success of the work.

### REPORT BY SCHOOL NURSES.

District	Nurse	Number of Children Examined	Total Number of Inspections	Number of Visits to Parents or Schools	L	Vermin or Nits on Body	Vermin Suspected	Unsatisfactory Clothing	Unsatisfactory Footgear	Others
Kirkintilloch	C. M. Jeffrey	215	921	209	103		98	14		
Cumbernauld, Kirkintilloch (Landward)	J. C. Macbeth	163	1130	35	150			13		
Cumbernauld, Kirkintilloch (Landward), Old Kilpatrick (Landward and Dalmuir, St. Stephen's, and Janetta Street Schools	M. M. Macdonald	475	2571	61	368	***	64	25		18
Old Kilpatrick (Burgh and Landward)	E. S. R. Stevenson	193	193	20	119	1	43			30
Cumbernauld, Kirkintilloch (Landward)	E. A. Sandilands	271	1205	24	233					38
Clydebank (Our Holy Redeemer's, Elgin Street), New Kilpatrick	C. King	242	337	30	222		13	1	6	
Dumbarton (except West Bridgend, Notre Dame, and St. Patrick's)	M. Gilmour	389	1053	67	340				5	44
New Kilpatrick, Vale of Leven (Renton Public and St. Martin's), Dumbarton (West Bridgend, Notre Dame and St. Patrick's)	C. Macnair	349	2245	321	349	***				
Vale of Leven (except Renton)	J. Scott	416	1512	290	290	4	20	70	2	30
(CASSPE MEMON)	C. R. Robertson	61	397	6						
Dumbarton (Notre Dame and West Bridgend Schools)	K. S. Stevenson	510	1549	74	392			8	4	106
Renton	E. M. Rankin	269	480	29	250			19		
Total		3553	15393	1166	2877	5	238	150	17	266

#### SECTION II.

### REVISED FORM OF REPORT FOR YEAR ENDING 31st JULY, 1944

- (I) LIST OF STAFF. (See page 5.)
- (2) GENERAL STATISTICS. (See page 6.)
- (3) SANITARY CONDITION OF SCHOOLS. (See page 7.)
- (4) ORGANISATION AND ADMINISTRATION. (See Annual Report for 1938-39, pages 50-55).
  - (5) FINDINGS OF MEDICAL INSPECTION.

#### A .- General Review.

During the session 6,534 pupils were examined at routine inspections (boys, 3,297; girls, 3,237). This number is an increase of 957 on the previous year. It is still short of the numbers done in pre-war years, as the school attendance in some areas is still somewhat unsatisfactory for various reasons. Of non-routine cases, 2,200 were examined, an increase on previous year.

- (1) The Condition of Clothing.—Again only one child (0·1 per cent.) was found to have insufficient clothing. Seventy-four children (1·1 per cent.) had clothing in bad repair, while one child (0·1 per cent.) had clothing in moderately good repair. Eighty children (1·2 per cent.) had dirty clothing, while two (0·1 per cent.) were classed as moderately clean.
- (2) Footgear was bad in 52 cases (0.8 per cent.), and only moderately good in 7 cases (0.1 per cent.)
- (3) Uncleanliness of Head or Body, or both, including such conditions as nits or vermin. Of the routine cases examined, 537 (8·3 per cent.) showed evidence of the presence of vermin. Of that number, 515 (15·9 per cent.) were girls with nits in the hair, while one girl (0·1 per cent.) showed vermin on the body. There were six children among the non-routine cases examined showing vermin of head or body. The absence of so many mothers from their homes on war-work certainly aggravates the lack of cleanliness in the children, though there are still many not engaged in any work outside their own homes whose standard of cleanliness is very low. There is a section of the school population, about 8 per cent., which seems to be permanently infested with vermin.
- (4) Skin Disease.—Among routine cases, 19 (0.3 per cent.) were found to be suffering from some skin disease of the head, of whom 16 (0.2 per cent.) had impetigo, and 3 (0.4 per cent.) had alopecia.

There were also 249 (3·1 per cent.) suffering from skin disease of the body. Of these, 76 (1·2 per cent.) had scabies, 16 (0·2 per cent.) had eczema, 4 (0·1 per cent.) had psoriasis, and 37 (0·5 per cent.) had sores on the body. In addition there were 149 non-routine cases of skin disease affecting the head, mostly impetigo, and 449 cases of skin disease of the body, 160 of which were scabies.

Scabies Clinics have been in full working order in the County during the present session, and the prevalence of the condition, with its deleterious effect on school attendance, has been greatly reduced.

Clinics are established in the First-Aid Posts in Alexandria, Bonhill, Dalmuir, Dumbarton, Helensburgh and Kirkintilloch, and towards the end of the present session, in Bearsden.

The number of cases dealt with at these clinics was (adults and children):

	Alexandria First-Aid Post	Bonhill First-Aid Post		Kirkintilloch First-Aid Post	
No. of Families	286	154	45	174	68
No. of Individuals	760	600	98	405	372
No. of Attendances No. still attending	3755	1848	775	1760	988
on 30th June, 1944	130	26	28	78	48

During the session seven cases of ringworm of the body were found in the non-routine cases. One family of five children were found to have ringworm of the scalp, and were successfully treated at Glasgow Royal Infirmary by the use of Thallium Acetate, under the supervision of Dr. George Harvey.

(5) Defective Nutritution.—Among the routine cases examined, the number found to be below average was 491 (7.5 per cent.). The number above the average was 773 (11.9 per cent.). Twenty were classified as very bad (0.3 per cent.). Only one non-routine case was classified as below average.

During the war years the nutrition of the children has been well maintained, the children in each age group being at least one pound heavier and one inch taller than the County average since 1930.

(6) Condition of Teeth.—The dental condition of the children shows a slight improvement as compared with the previous session. The number of pupils with no teeth decayed was 4,160 (63.7 per cent.) as compared with 59.2 per cent. last year. The number with fewer than five teeth decayed was 1,625 (24.9 per cent.), and the number with more than five teeth decayed was 749 (11.4 per cent). Seventy-nine children showed oral sepsis (1.2 per cent.). Several children in this group were suffering from Vincent's Disease, a condition which has definitely been on the increase in the last few years.

There is still a tendency on the part of parents to refuse dental treatment after routine dental examinations, when treatment would result in lasting benefit. The children appear later as emergency cases, impelled by toothache and its attendant ills, when the only treatment is extraction, often of permanent teeth.

(7) Nose, Throat, and Lymphatic Glands :-

(a) Nose.—Of the 6,534 routine cases examined, 116 (1.8 per cent.) suffered from catarrh, usually chronic. These were referred to the Ear, Nose and Throat Specialist for further investigation. Some cases of catarrh (non-purulent) followed the removal of adenoids. Advice as to diet and medical treatment was given to these. Nasal obstruction was noted in 48 cases (0.7 per cent.). This was usually due to adenoids, in some cases polypus or deflected nasal septum was found. Other nasal defects were found in 39 cases (0.6 per cent.).

(b) I—Tonsils.—Of the 6,534 routine cases examined, 539 (8.2 per cent.) had slightly enlarged tonsils. In most of these cases the tonsils were giving no trouble and required no treatment. Some of these children had recurring attacks of tonsilitis, and were referred to Dr. Fulton Christie. There were also 132 non-routine cases with slightly enlarged tonsils. The tonsils were much enlarged in 287 (4.4 per cent.) routine cases, and 119 non-routine cases. These were all referred to the Ear, Nose and Throat Specialist. Of the 6,534 routine cases examined, 906 (13.9 per cent.) had had tonsils and/or adenoids removed.

(b) 2—Adenoids.—Of the 6,534 routine cases examined, 245 (3.7 per cent.) were found to have adenoids, while 42 (0.6 per cent.) were suspected to have adenoids, and were referred to Dr. Fulton Christie for further examination. Among the non-routine cases examined there were 100 children with adenoids, and 33 suspected of having them. Of the routine cases, 655 had had adenoids removed.

As in former years, a record was kept of the results of the removal of tonsils and/or adenoids as shown one year after operation. This table is shown on page 38.

The number of such cases (tonsils and adenoids removed) is now 4,183. Of these, 3,207 (76.6 per cent.) have been classified as satisfactory; 725 (17.3 per cent.) as moderately satisfactory; and 269 (6.1 per cent.) as unsatisfactory. Of the 664 children who had adenoids only removed, 303 (45.6 per cent.) had a satisfactory result, 229 (34.4 per cent.) were moderately satisfactory, and 132 (20.0 per cent.) were classed as unsatisfactory.

A record is also being kept of the late results of removal of tonsils and/or adenoids as shown during the examination of the Third and Fourth Age Groups.

The number of whom we now have a record is 652. The details are shown in the table on page 37.

Of the 652 re-examined, 607 (93·I per cent.) had been satisfactory, and 45 (6·9 per cent.) unsatisfactory. The period elapsing between the operation and the re-examination varied from five years or under, to ten years.

(c) Lymphatic Glands, submaxillary and cervical.—Of the 6,534 routine cases examined, 231 (3.5 per cent.) had slightly enlarged sub-maxillary glands, and 16 (0.2 per cent.) had these glands markedly enlarged. There were also 16 non-routine cases slightly enlarged, and 10 markedly so.

Nearly all these enlargements were associated with an unhealthy condition of the tonsils or teeth. In only two cases was a tuberculous origin suspected.

The cervical glands were slightly enlarged in 72 cases (1-1 per cent.) routine, and 18 cases non-routine. Two non-routine cases were markedly enlarged. The commonest causes of this enlargement were scalp conditions associated with vermin or impetigo.

No children were examined who had suppurating glands.

(8) Eye Conditions.—Of the 6,534 routine cases examined, 196 (3.0 per cent.) suffered from squint, 53 (0.8 per cent.) had blepharitis, 6 (0.1 per cent.) had conjunctivitis, 8 (0.1 per cent.) had corneal opacities, and 30 (0.4 per cent.) suffered from other conditions. Among the non-routine cases examined, 51 had squint, 23 had blepharitis, 36 had conjunctivitis, 7 had corneal opacities, and 35 had other eye conditions.

The Orthoptic Treatment of Squints was resumed in January of this year, and a report of the work done will be found on page 44.

The vision of infants is not tested at the routine examinations. There were 4,088 children examined in the other age groups, and of these, 3,683 (90.2 per cent.) had good vision, 285 (6.9 per cent.) had fair vision, while 120 (2.9 per cent.) had bad vision, and 180 (4.4 per cent.) had bad vision in one eye only. There were also 117 non-routine cases with bad vision.

Pupils with bad vision or bad vision in one eye only were referred to Dr. Tennent, and also pupils in the Infant Department when for any reason defective vision is suspected.

This is also done with pupils whose vision is apparently normal, but who suffer from conditions such as headache which may be ocular in origin.

(9) Ear Conditions.—Of the 6,534 routine cases examined, 82 (1.2 per cent.) were suffering from ear conditions requiring treatment. Of these, 52 (0.8 per cent.) had otorrhoea, 20 (0.3 per cent.) had wax in one or both ears, and 10 (0.1 per cent.) suffered from other conditions such as polypus, foreign body in ear, etc.

There were also 55 non-routine cases with otorrhoea, 18 with wax, and 28 with other conditions.

Wax in the ear was noted only when it was sufficient to cause deafness.

There were 37 routine cases (0.6 per cent.) classified as slightly deaf, and 24 (0.4 per cent.) as very deaf. In addition, 17 non-routine cases were classified as slightly deaf, and none as very deaf. Many of the cases of deafness were associated with enlarged tonsils, and cleared up after their removal, as did also many cases of otorrhoea.

(10) Defective Speech was present in 45 routine cases examined (0.6 per cent.). Of this number, 30 (0.4 per cent.) had defective articulation, and 15 (0.2 per cent.) were stammerers. There were also 7 non-routine cases.

During the session Miss Kenny carried on the treatment of these by Speech Therapy. The number of children treated was 269, of whom 25 were discharged as cured, 17 left with treatment incomplete, and 227 were retained. A full report of the scheme will be found on page 44.

(11) Mental and Nervous Conditions.—Of the 6,534 routine cases examined, 13 were found to be suffering from diseases of the nervous system (0.2 per cent. of the whole). Of these, I (0.1 per cent.) had epilepsy, 4 (0.1 per cent.) had chorea, and 8 (0.1 per cent.) had infantile paralysis. Among the nonroutine cases examined there were 2 children with epilepsy, 17 with chorea, and I with infantile paralysis, a total of 20.

Table 7—Q showing the number of Backward and Mentally Deficient Children is of no value whatever, as the Medical Officers have no means of knowing which children are backward until the question of the child's mental condition comes up for decision.

The number of routine cases returned as backward was 50 (0.7 per cent.), and 20 non-routine cases.

These figures do not, of course, include children in Special Schools.

(12) Heart Conditions.—Of the 6,534 routine cases examined, 57 (0.8 per cent.) were found to have heart disease, either organic or functional. Of these, 44 (0.6 per cent.) had organic disease (8 congenital, 36 acquired), while 13 cases (0.2 per cent.) showed a functional condition.

There were also fifteen non-routine cases of heart disease, 12 organic and 3 functional. During the present session it has again not been found possible during the present session to continue the "following up" and regular re-examination of cases showing evidence of heart weakness, but every effort is made to keep them under supervision as regards drill and baths.

(13) Lung Conditions.—There were 200 cases (3·1 per cent.) of lung conditions among the routine cases examined. Of these, 128 (2·0 per cent.) had bronchial catarrh, 54 (0·8 per cent.) had bronchitis, and 18 (0·3 per cent.) had asthma. There were also 26 non-routine cases with bronchial catarrh, 40 with bronchitis, 14 with asthma, and one with tuberculosis.

There is the closest co-operation between the School Medical Officers and the Tuberculosis Officers, and all cases in which there is the slightest suspicion of tuberculosis, are referred to the Tuberculosis Officers for an opinion.

- (14) Deformities.—Deformities were present in 214 cases (3·3 per cent.) only 6 being due to rickets (0·1 per cent.). Of the remainder, 21 (0·3 per cent.) were congenital conditions, and 187 (3·0 per cent.) were acquired. There were also 49 non-routine cases, all acquired. The acquired cases consisted of postural deformities, such as Kyphosis, Scoliosis, Flat-Foot, and conditions following infantile paralysis. Suitable cases were referred to the Orthopaedic Staff for treatment, and further particulars will be found on page 36.
- (15) Infectious Diseases.—Among the routine cases examined, 27 (0.4 per cent.) were found to be suffering from infectious disease, 4 from scarlet fever, 5 from whooping-cough, 5 from German measles, 11 from chickenpox, and 2 from mumps. There were 47 cases of infectious disease among the non-routine cases (whooping-cough 12, German measles 7, chickenpox 26, and mumps 2).
- (16) Other Diseases and Defects.—These were noted in 288 (4.4 per cent.) of the routine cases examined, 10 (0.1 per cent.) with hernia, and 278 (4.2 per cent.) showed other diseases. There were 433 non-routine cases who showed evidence of other diseases, 3 of which had hernia. Four routine cases showed evidence of non-pulmonary tubercular disease, 2 glands, and 2 abdominal. One non-routine case showed infection of glands, and one of bones.

### (6) MEDICAL TREATMENT.

The details in connection with the following sub-headings will be found

in the body of the report on the pages indicated against each item.

It is quite impossible to ascertain accurately how many children in these groups received treatment privately or through a voluntary hospital under arrangements made by parents.

- A.—Minor Ailments: (1), (2), (3) and (4). See "Treatment of Minor Ailments" on page 39.
- B.—Defective Vision and Squint. See tables "Ophthalmic Treatment of School Children," pages 42-43; also "Report on Orthoptic Treatment" on page 44.
- C.—Nose and Throat (Operative Treatment). See Table "Throat, Nose and Ear Clinics" on page 40.

### (7) DENTAL TREATMENT.

The information required is contained in table "Dental Treatment," page 41, and also in Table V, "Dental Inspection and Treatment."

### (8) SPECIAL SCHOOLS AND CLASSES.

Particulars regarding the facilities in use for exceptional children will be found on page 33 of this report.

There were no holiday camps during the present session, but Cardross Park Home, opened in June, 1941, for the accommodation of evacuee children, and now available for children of all ages, convalescent from illness, or requiring special care, has once more proved of very real value to the County. There is accommodation for some forty children, and there is now a teacher for those able to do lessons.

During the session, 112 children have been admitted, 21 evacuees and 91 others, for varying periods, with excellent results.

## (9) ARRANGEMENTS FOR PHYSICAL EDUCATION AND PERSONAL HYGIENE.

This subject is referred to on page 34.

### (10 OTHER ACTIVITIES IN RELATION TO THE HEALTH OF

On page 34 and succeeding pages are recorded particulars regarding the Feeding of School Children under the Local Authority Schemes, Employment of School Children, and the Admission of Children to Approved Schools, in so far as these affect the work of the School Medical Officers.

For some years the School Medical Officers have been investigating the results of the removal of tonsils and/or adenoids, as shown at about a year after the operation, and the cumulative findings of these enquiries are embodied in the table printed on page 38.

For the sixth session in succession this enquiry has been extended to children who had been operated on at varying periods up to ten years previously, and the data will be found on page 37. The work of the Orthopaedic Clinics will be found detailed on page 36.

The Clinic in Helensburgh has resulted in a very definite increase in attendance, and a clinic has now been opened in Bearsden. There is an urgent need for a clinic in the Vale of Leven district.

Clinics for the treatment of Scabies have been in operation during the present session, and have very materially reduced the prevalence of this scourge.

### (5) FINDINGS OF MEDICAL INSPECTION.

### B.-Statistical Tables.

### TABLE I.

Total number of children examined at :-

				ystematic ninations.	Other Systematic Examinations.
	Entrants			2,446	_
Ordinary	Second Age Group			1,978	_
Schools	Third Age Group			1,955	_
	Fourth Age Group			_	
Secondary Sch	ools Age Group			155	_
LEE BLANK	Total			6,534	Nil
				(b) Other xamination	s.
	Special Cases Re-inspections by M	edical C	 Officer	2,200 8,189	
	. 1	Total		10,389	

Number of individual children inspected at systematic examinations, who were notified to parents as requiring treatment (excluding uncleanliness and dental caries).

Entrants			1,093
Second Age-Group			881
Third Age-Group			647
Fourth Age-Group			-
Secondary Age-Group			55
Other Systematic Exa	minatio	ons	_
т.	otal		2,676
- 10	otai		2,070

Table III.—See page 54.
Table III.—See page 54a.

## Table IV.—Return of All Exceptional Children of School Age in the Area.

It has not been found possible to give the details required by this table with sufficient accuracy, and the table is therefore omitted.

### TABLE III .- SYSTEMATIC MEDICAL EXAMINATIONS.

1 24 1	Entr	ants.	Second A	ge-Group.	Third A	ge-Group.	Fourth A	ge-Group.	1	Total
Classification.	Number of Children.	Percentage of the Children Examined in this Group.	Number of Children.	Percentage of the Children Examined in this Group.	Number of Children.	Percentage of the Children Examined in this Group.	Number of Children.	Percentage of the Children Examined in this Group.	Number of Children.	Percentag of the Children Exam- ined at Systemati Medical Examin- ations
I.—Children free from Defects	1509	61-8	1122	56-8	1157	59-2	94	60.6	3882	59-5
II.—Children (otherwise free from defects) who suffer from:— (a) Defective Vision not worse than 6/12 in								,		
the better eye with or without glasses. (b) Conditions of the Mouth and Teeth	34	1-4	102	5-2	114	5.8	7	4.5	257	3.9
requiring treatment (c) Both (a) and (b)	158	6·4 0·1	162 7	8·2 0·3	201 25	10.4	16	10'4 0-6	. 537 34	8·2 0·5
Total	193	7.9	271	13.7	340	17-4	24	15-5	828	12.6
III.—Children suffering from Allments (other than those mentioned in II.) from which complete recovery is expected within a few weeks	657	26.8	448	22.6	292	15:0	17	10.9	1414	21.7
IV.—Children suffering from (or suspected to be suffer- ing from) defect less remediable than defects specified in II. and iII., distinguishing cases:— (a) Where complete cure or restoration of function (in the case of eye defect, full cor-										
rection) is considered possible (b) Where improvement only is considered possible, e.g., without	64	2.6	99	5.0	102	5-2	16	10-4	281	4-3
of function	23	0.9	38	1.9	, 64	3-2	4	2.6	129	1.9
Total	87	3.5	137	6.9	166	8-4	20	13.0	410	6.2
Total Number of Children Examined	2446	100.0	1978	100.0	1955	100.0	155	100.0	6534	100.0



### TABLE V.-DENTAL INSPECTION AND TREATMENT.

### (I) Inspected by the Dental Officers :-

Age.	(a) Systematic Examinations.	(b) Special or Emergency Cases.	Total.
5 6 7 8 9 10 11 12 13 14 15 16	1364 1514 1859 1624 1211 1216 1381 1160 1706 136 63 18	105 104 112 116 84 77 90 67 96 58 11	1469 1618 1971 1740 1295 1293 1471 1227 1802 194 74 23 17
Totals	13,262	932	14,194

		ystematic xaminations.	Special or Emergency Cases.	Total.
(2) Found to require Treatment		7811	932	8743
(3) Actually treated by School De Officers	ental 	4266	932	5198
(4) Number of Attendances made children for treatment	ь у	8000	947	8947
(5) Fillings * (a) Permanent Teeth		2305	308	2613
(b) Temporary Teet	h	59	19	78
(6) Extractions (a) Permanent Tee	th	1209	259	1468
(b) Temporary Teet	th	6198	1040	7238
(7) Number of Administrations general anaesthetic for extract		885	53	938
(8) Other operations :- *				
(a) Permanent Teeth		1667	340	2007
(b) Temporary Teeth		123	13	136
(9) Half-days devoted to-				
(a) Inspection		90	3	93
(b) Treatment		1137	213	1350

<sup>(10)</sup> Children treated under private arrangements—No accurate information is available.

<sup>\*</sup> Temporary fillings, whether in permanent or temporary teeth, should be recorded as "other operations."

TABLE II.—SYSTEMATIC EXAMINATIONS.

B -Statistical Tables.

Return of Number and Percentage of Individual Children in each Age-Group suffering from Particular Defects,

		Entrants.	ants.		Second		Age-Group.	onb.	Thir	Third Age-Group.	-Gro	dp.	Fou	Fourth Age-Group.	e-Gre	onb.		All Ages.	es.	
Total examined in each age group—by sexes.	Bo	Boys.	0	Girls.	Bo	Boys.	15	Girls.	Boys.	ys.	Girls.		Boys.	ys.	Girls	100	Boys.	75.	G	Girls.
	12	1231	1215	5	987	1	86	166	1006	1.0	949		73		82	2	3297	14	32.37	37
Nunber showing defects.	No.	0/0	No.	%	l oʻ	%	l o	0/0	No.	%	S S	%	No.	%	S.	00/	No.	%	No.	%
Nature of Defect.	-																			
1. Clothing Unsatisfactory	6	1.0	12	0.1	27	2.7	61	6.1	00	8.0	2	0.5	:	:	:	:	4	÷.	36	Ξ
2. Footgear Unsatisfactory	0	8.0	9	0.5	91	9.1	80	8.0	3	<u></u>	е	0.3	:	:	:	:	39	Ξ	1	0.5
3. Uncleanliness (Head, Body, or both)	54	4.3	1.85	15.2	56	5.6	225	22.7	50	4.9	215	22.5	-	<u>.</u>	7	2.4	191	4.5	627	9.3
4. Skin (Head and/or Body)	52	4.2	40	3.3	19	1.9	30	3.0	45	4.4	44	4.6	0	13.7	S	1 -1 -9	891	4.9	611	3.6
5. Defective Nutrition	Ξ	0.6	= 4	1.6	95	9.6	611	12.0	69	8.9	4	4.3	2	8.9	:		280	8.4 2	274	8.4
6. Mouth and Teeth Unhealthy	92	7.4	77	5.9	129	13.0	125	12.6	172	17.1	152	0.91	13	17.8	6	6.01	406	2.2 3	358	0
7. Nose, Throat and/or Glands	87	7.0	92	7.5	32	3.2	38	3.8	20	6	29	3.0	-	<u></u>	7	2.4	9-	4.5	191	4.9
8. Eye Conditions	19	4.9	53	4.3	77	7.2	85	8.5	09	6.5	-8	8.5	2	8.41	80	9.7 2	206	6.0 2	227	7.0
9. Ear Conditions	20	9.1	24	6.1	-3	-3	80	8.0	4	<u>-</u>	01	0	:	:	:	:	47	Ť	42	2
10, Defective Speech	-3	0	6	1.0	6	6.0	7	1.0	4	0.3	6	6.0	:	:	:	:	26	0.7	25	0.7
II. Mental and Nervous Conditions	6	0.7	7	9.0	-8	8-1	4	4	е	0.5	7	2.0	-	-3	1	:	3	6.0	28	0.8
12. Heart Conditions	12	6.0	3	0.5	12	1.2	12	1.2	8	8.0	12	1.2	-	<u>.</u>	-	1.2	33	0-	28	0.8
13. Lung Conditions	49	3.9	52	4.2	35	3.5	25	2.5	21	2.0	1.5	1.5	4	5.4	-	1.2	60	3.3	93	2.8
14. Deformitles	38	3.0	25	2.0	54	5.4	46	4.6	39	3.8	18	6.1	-	E -	:	:	32	4.0	68	2.7
15. Infectious Diseases	4	1-0	=	6.0	2	0.5	10	0.5	9	0.5	:	1	:	:	:	:	12	0.3	91	0.4
															-		-	-		

### INDEX.

							Page
Administration							7, 46
Approved Schools, Admission of	Childr	en to					35
Average Heights and Weights							Ha
Cleanliness of Head and Body							12, 13
Clothing, Sufficiency of							9
Co-ordination with Public Health	Servi	ce					-
Defects—							
Dental						1	5, 41
Hearing							20
Mental							22
Notified to parents							10a
Speech							21
Visual							21a
Revised Form of Tables						54	1, 54a
Deformities						***	28
Diseases of—							
Ears				***			20
Eyes (external)							19
Heart and Circulation							23
Lungs							24
Lymphatic Glands							17
Nervous System							25
Nose							16
Skin							13a
Throat							16
Employment of School Children				***			35
Footgear, Sufficiency of			***		***		10
Infectious or Contagious Disease	S						29
List of Staff							5
Medical Treatment, Arrangement	ts for						35, 50
Medical Treatment at Clinics		***					39, 40
Milk in Schools Scheme						***	34
Number of Schools							6
Number of School Children						• • • •	6
Number of School Children Exa	mined		***				8
Number of Special Visits				***	***		7
Nurses, Reports by				***		***	45
Nutrition							14
Ophthalmic Treatment						*	
Orthoptic Treatment							44
Orthopaedic Treatment							36
Other Diseases and Defects				***		•••	30
Parents present at Inspections					***	***	7
Personal Hygiene							34

Physical Education	of Scho	ol C	hildren						34
Previous Illnesses						***	***	***	31
Results of Ear, No	se and	Thro	at Treat	tment	-Rep	ort	***	***	37
Revised form of R	eport								46
Rickets							***		27
Ringworm, X-Ray	Treatme	ent					***		35
Sanitary Condition	of Scho	ools				***			7
Special Appliances	Supplie	d						***	34
Special Schools and	d Classe	s							33
Spectacles Supplies	d				***				42
Speech Therapy									44, 48
Tuberculosis (Non	-Pulmon	ary)							26
Ultra-Violet Light	Treatme	ent							35
Vaccinations									32
Visual Acuity									21a
,									

### COUNTY COUNCIL OF DUNBARTON.

## Thirty-fourth Annual Report

on the

MEDICAL INSPECTION OF SCHOOL CHILDREN.

1944-1945. (Year ending 31st July, 1945).

PRINTED BY D. MACLEOD, LTD.

COUNTY COUNCIL OF DUNBARTON.

Thirty-fourth Annual Report

The state of the s

edd no.

MEDICAL INSPECTION OF

(Veny anding the inty, 1945)

PANNTED BY D. MACLEOD, LTD.

### CONTENTS

				Page
List of Staff	 	 	 	5
Report on Medical Inspection	 	 	 	6
Report on Medical Treatment	 	 	 	35
Report by School Nurses	 	 	 	44
Revised Form of Report	 	 	 	46
Index	 	 	 	55

### CONTENTS

400						
				erole.		
		1				

### County Council of Dunbarton.

## SCHOOL MEDICAL STAFF.

Supervising School Medical Officer.

SAMUEL HARVEY, M.B., Ch.B., M.R.C.P. (Edin.), D.P.H.

School Medical Officers.

MILDRED M. L. CATHELS, M.B., Ch.B., D.P.H.
ANDREW D. COWAN, M.B., Ch.B., D.P.H.
CHARLES C. SLORACH, M.B., Ch.B., D.P.H. (part-time).

Dental Surgeons.

ELIZABETH McKENDRICK, L.D.S. VERA PUGH, L.D.S. FELIX A. CASSIDY, L.D.S. Mrs. MARY W. DINN, L.D.S.

Ophthalmic Surgeon.

JAMES N. TENNENT, M.B., Ch.B., D.O.M.S., B.Sc. (part-time).

Ear, Throat and Nose Specialist.

J. FULTON CHRISTIE, M.B., Ch.B., F.R.F.P.S. (part-time).

Nurse in Charge, Orthopaedic Clinics.
MORAG GALLOWAY.

Instructresses at Orthopaedic Clinics (Part-time).

M. JOCKEL (Resigned 19th April, 1945). J. S. HOWATT. A. McF. MALCOLM.

#### Orthoptist.

#### CAROL RICHARDSON.

#### Nursing Staff.

C. M. JEFFREY.
J. SCOTT.

M. GILMOUR.

A. GEE.

C. McNAIR.

K. STEVENSON.

C. ROBERTSON. (Resigned 30th June, 1945).

I. OAKE\*. R. L. SHAW\*. M. MACDONALD.
C. KING\*.
R. SMITH\*.

J. C. MACBETH\*. M. McCALLUM\*.

E. A. SANDILANDS\*.

E. M. RANKIN.

M. CALLANDER\*.

\* During the Session the School Nursing Staff was amalgamated with the Child Welfare Staff.

Those marked \* were formerly Child Welfare Nurses. All Nurses now do both School and Child Welfare Work in their own districts except in Clydebank and Dumbarton Burghs where they do School Work only.

Nurse at Special School.

J. MACDONALD.

### Dental Attendants.

ANNIE J. RAE.

WILLIAM BENNIE (On Active Service).
ELIZABETH ROLLO. C. ROGERS.

Attendant at Orthopaedic Clinics.

MARGARET C. BLACK.

Clerks.

GEORGE S. BROWNE. BELLA J. N. AIRTH.

# REPORT

on the

MEDICAL INSPECTION AND TREATMENT OF SCHOOL CHILDREN IN THE COUNTY OF DUNBARTON.

I.-List of Staff.

See Page 5

2.-(a) Number of Schools.

### School Management Area.

Cumbernauld	 	 		 	 4
Kirkintilloch	 	 		 	 6
New Kilpatrick	 	 		 	 4
Old Kilpatrick	 	 		 	 10
Dumbarton	 	 	***	 	 9
Vale of Leven	 	 	***	 	 12
Helensburgh	 	 		 	 13
	Total	 		 ٠	 58

# (b) Number of Children on Register and in Average Attendance during Session 1944-45.

School Manageme Area.		Average on Roll.	Average Attending.	Per Cent.
Cumbernauld		857-3		
Kirkintilloch		3,347.13		
New Kilpatrick		1,859-1	No	accurate
Old Kilpatrick		5,495.7	figures	available
Dumbarton	***	4,648-6		
Vale of Leven		3,270 -9	THE PROPERTY OF THE PARTY OF TH	
Helensburgh		1,753.98		
Total		21,232.71		

### 3.-Number of Visits for Systematic Examinations.

Note.—One whole day spent in school counts as two visits (morning afternoon sessions).

Number of visits as above ... ... ... 457

### 4.-Number of Special Visits by Medical Officers.

For re-examination of defective children For examination of backward, or mentally, or ph	 ysically	defectiv	 ve	18
children		***		38
Attendances at Clinics Attendance for Office Work, etc	***			349
				69
For inquiry regarding infectious diseases (incl Diphtheria Immunisation	udings	cabies)		25
Dipitelleria milliumsacion	***	***		95

### 5.-Sanitary Condition of Schools.

The maintenance of the schools in the County is undertaken by the County Architects Department, and every effort was made to keep the high standard of pre-war cleanliness and comfort.

# 6.—A, B, C, D, and E.—Organisation and Administration, etc., and Co-operation with Public Health Departments.

Full particulars regarding these matters are included in Section 4 of the revised report, page 50 of the Annual Report 1938-39.

### 6.-F. Parents Present at Inspection.

School Management Area.	Number of Children Examined.	No. of Parents Present at Routine Examinations.	Per Cent.	No of Parents Present at Non-Routine Examinations.
Cumbernauld	243	90	37.0	5
Kirkintilloch	1114	461	41-3	113
New Kilpatrick	604	286	47-3	11
Old Kilpatrick	1666	813	48-8	360
Dumbarton	1360	494	36-3	278
Vale of Leven	973	538	55-2	306
Helensburgh	546	248	45-4	163
Total	6506	2930	45-0	1236

7.-THE PHYSICAL CONDITION OF SCHOOL CHILDREN.

A.-Total Number of Children Examined.

1	enisi	тоу	8	281	55	589	533	356	194	192
-	-uo	N								6506 2026
	1	Total	243	11.4	604	1666	1360	973	546	650
1	Total	Girls	139	523	301	662	694	489	256	3201
		Boys	104	165	303	867	999	484	290	3305
1		Total	:	43	32	:	09	20	35	061
(In)	91	Girls	:	17	=	:	22	12	20	82
	Age	Boys	:	26	21	:	38	89	15	108
		Aver.	:	1612	16,5	. :	161	16,7	16,1	16,4
		Total	42	386	146	435	9009	267	149	2025
rie.	13	Girls	61	185	77	214	315	128	78	9101
CASES.	Age	Boys	23	201	69	221	285	139	17	6001
ROUTINE		Aver.	1313	1315	13 19	1372	13,4	13 1	1314	13.4
ROU		Total	113	354	199	605	335	355	180	2141
	8	Girls	64	159	86	305	158	178	83	1045
	Age	Boys	49	195	101	300	177	177	16	9601
		Aver.	81.2	8,8	812	811	9,7	812	8,7	8,9
		Total	88	331	227	626	365	331	182	2150
	nts	Girls Total	56	162	115	280	661	171	75	1058
	Entrants	Boys	32	691	1112	346	991	091	107	1092
		Aver.	5,4	5,5	5,0	5,7	513	513	5,12	5,43
IOONUS	MANAGEMENT		Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

					-				-										
	Non	Rou-		11	:	::	:	::	:	::	:	::	:	::	:	::		::	:
		7	%	::	:	0.4	0.5	::	:	2.4	2.0	::	:	3.7	4.0	2.7	2.0	4.0	4
ESS		Bad	° Z	::	:	17:	7	::	:	13	34	::	:	18	39	9 /	15	43	90
CLEANLINESS	1	En	%	::	:	0.5	-0	::	1	0.3	0.5	0.3	1.0	0.5		::	:		0
CLEA		Medium	o N	11	:	- :	-	::	:	m —	4	5:	2	- }	-	::	:	n m	00
		po	000	0.00	0.001	9.66	2.66	0.00	0.00	97.3	8.76	0.00	6.66	96-1	6-56	97.3	98.0	98.2	98.5
		Good	o N	139	243	590	Ξ	303	604	843	1628	666	1358	465	933	282 249	531	3253	6408
-	L co Z	Rou-		::	:	::		::	:	::	:	::	:	::	:	::	:	::	:
-			%	::	:	0.5	1.0	::	:	11	:	::	:	3.9	3.8	2.7	2.7	8.0	8.0
	1	Bad	No.	::	:	- :	-	::	:	::	1	::	:	86	37	0.1	2	27 26	53
REPAIR		E	%	::	:	::	100	::	:	6:1	00	1:	1:	0.5	0.1	::	1	0.5	0.4
RE		Medium	o Z	::	:	::	1	::	:	7 4	31	::	:	- :	-	::	1	<u>~ 4</u>	32
			0/0	0.00	0.00	0.00	6.66	0.00	0.001	98.1	98.2	0.00	0.001	1.96	1.96	97-3	97.3	98.4	8.86
		Good	o Z	139 10	243 10	523 10	13	303 10	604	850	635	666	360	465	935	282 249	531	3260	6421
-	1 4	Rou-	Z	::	1	::	-		:	::	:	::	:	::	:	::	1:	::	1:
	Z	Rou-	1 -			0.5	1-0	1::	1:	1 ::	1:	::	1:	1::	1:	1::	1:	1.0	0.1
C	10	Bad	%		:	0 -	1-	1::	1	1::	1:		1:	1::	:	1::	1:	-:	-
ENO	-	E	No.		1 :		;	1 ::	1:	1 : :	1:	1::	1:	1::	1:	1::	1:	::	i i
SUFFICIEN		Medium	No.	1::	:	1 : :	1:	1::	1:	1::	1:	111	1:	1::	:	1::	1:	::	1:
IS	-		Z  %	0.001	0.001	8 66	6.66	0.00	0.001	0.001	0.001	0.00	0.001	0.001	0.001	0.001	0.001	6.66	6.66
		Good		104 100	243 10	523 10	1113 9	303 10	604 10	1 667	1666 10	666 10	1360	484	973 1	290 1	546	3304	6505
-	5 - 4		s Z	139	243 2	523 5	1	303	604 6	867	1666 10	666	1360	484	973	290	546	3305	9059
	Rou-	cases exam-	ined				1114	1			-						1-	-	-
		10		Boys	Total	Boys	Total	Boys	Total	Boys	Total	Boys	Total	Boys	Total	Boys	Total	Boys	Total
	200	Management		Cumbernauld		Kirkintilloch		New Kilpatrick		Old Kilpatrick		Dumbarton		Vale of Leven		Helensburgh		Total	

7.-E. FOOTGEAR.

NE BOT OUR	100		ō		ROUT	ROUTINE CASES	ES				NON-ROUTINE	DUTINE
School	0 8	Number	Good	F	Me	Medium	Bad		None	ie ie	Bad	None
Management Area		Examined.	No.	%	No.	%	No.	%	No.	%		
Cumbernauld	Boys	104	104	0.001	::	::	::	::	::	::	::	::
	Total	243	243	0.001				::		:	:	:
Kirkintilloch	Boys Girls	591	523	9.66	- :	0.2	- :	0.5	::	::	::	::
	Total	1114	1112	8.66	-	1.0	-	1.0	:	:	:	:
New Kilpatrick	Boys Girls	303	303	0.001	::	::	::	::	::	::	::	::
	Total	604	604	0.001				::	:		:	:
Old Kilpatrick	Boys Girls	867 799	851	98.3	e :	0.3	E 4	1.4	::	::	::	::
	Total	9991	1646	8.86	3	0.2	17	0.1		::	:	:
Dumbarton	Boys Girls	666	664	9.66	:::	::	35	0.3	::	::	::	::
	Total	1360	1355	9.66			5	4.0		:		:
Vale of Leven	Boys	484	471	97.3	::	::	==	2:2	::	::	::	::
	Total	973	949	9.76			24	2.4		:	***	
Helensburgh	Boys Girls	290 256	282 253	97.3 98.8	::	::	38	1:2	::	::	::	::
	Total	546	535	1.86	:	:	=	6.1		=		
Total	Boys Girls	3305	3264	98.8	7:	1.0:	37	0.6	::	::	::	::
	Total	9059	6444	1.66	4	1.0	58	8.0	****			
		-										

7.-B. Number of Children notified to Parents as suffering from Defects.

Scho	ool Management Area	Cur	mberna	uld	Ki	rkintill	och	Ne	w Kilp:	atrick	Old	Kilpa	trick	D	umbart	ton	Val	e of L	even	Н	elensb	irgh	1	Total	
Numbe	er of Routine Cases Examined		243			1114			604			1666			1360			973			546		-	6506	
		Rou	tine	Non-		utine	Non-		tine	Non-	Rou	tine	Non-	Rou	tine	Non-		tine	Non-	Rou	tine		Rot	utine	Non
Card	Defect	No.	%	Rou- tine	No.	%	Rou- tine	No.	%	Rou- tine	No.	%	Rou-	No.	%	Rou- tine	No.	%	Rou- tine	No.	9/0	Non- Rou- tine	No.	%	Rou- tine
Α.	Vermin or Nits on Head	7	2.9		43	3.8	4	14	2.3	2	168	10-1	6	176	12.9	9	120	12-3	2	39	7-1	1	567	8-7	24
G.	Vermin on Clothing		***		2	0.2				***	2	0-1		1			1						6	0-1	
1.	Unsatisfactory Footgear										***						***								
K.	Unsatisfactory Clothing				2	0.2								2	0-1		2	0.2		-1	0.2		7	0.1	
D	Tonsils and Adenoids	15	6-1	2	49	4.4	27	34	5.6	6	182	10.9	110	127	9.3	60	110	11-3	46	55	10-0	40	572	8-8	291
E.	Ear Disease	2	0.8	1	7	0.6	23	3	0.5		16	0.9	22	13	0.9	29	22	2-2	20	5	0.9	4	68	1.0	99
H.	Defective Vision and Eye Disease	29	11.9	4	142	12-7	27	48	7.9	10	222	13-3	124	207	15-2	52	121	12-4	45	60	10-9	30	829	12.7	292
U.M.T.	Already under Treatment	11	4.5		32	2.8	1	14	2.3		20	1-2		1	0-1		4	0.4					82	1-3	1
	For Orthopædic or Ultra-Violet Light Treatment	3	1.2		30	2.7	4	14	2:3	1	48	1:4	9	46	3-3	3	30	3.0	8	15	2.7	13	186	2.8	38
P.A.	Parents Advised	90	37-0	5	461	41:3	113	286	47-3	11	813	48-8	360	494	36-3	278	538	55-2	306	248	45-4	163	2930	45.0	1236

10a

A TOTAL STATE OF THE PARTY OF T

		No. of				NITUO	ROUTINE CASES	ES			ž	NON-ROUTINE CASES	F	NE C
MANAGEMENT		Routine	1	Head	pa			Body	ly		H	Head		Body
AREA		exam-	Nits	2	Ver	Vermin	Nits	23	Ver	Vermin	Nits	Vermin	NICS	
			No.	%	No.	%	No.	%	No.	%				_
Cumbernauld	Boys	104		5.0	::	::	::	::	::	::	::	::	::	
	Total	243	7	2.9	1:	1:	1:	1:	1:	1:	1::	1:	1	
Kirkintilloch	Boys	523	43	8.2	:-	0.5	::	1::	::	1::	::	1::	1::	
	Total	1114	43	4.1	-	1.0	:	:		::	3	-	1	
New Kilpatrick	Boys	303	-10	0.3	1::	1:	::	::	::	::	1::	1::	::	
	Total	604	9	0.1	-	:	:	1:	1:	1::	-	-	1:	1
Old Kilpatrick	Boys	867	163	20.3	:-	1.0	::	1::	7 :	0.:	::	::	::	1 : :
	Total	1666	167	10.4	-	0.1	:	1:	-	1.0	4	2	1:	1:
Dumbarton	Boys Girls	666	172	24.8	5:	0.3	::	::	::	1::	1::	1::	::	1::
	Total	1360	175	12.6	2	0.1	1:	1:	1 ::	1:	1	2	1:	1
Vale of Leven	Boys	484	120	24.5	::	::	1:	1::	::	::	::	::	1::	1 ::
	Total	973	123	12.5			:		1:	1:	2	:	1:	1
Helensburgh	Boys	290	37	14.4	2 ::	0.7	::	::	::	::	1::	::	1::	1 : :
	Total	546	39	7.5	2	0.3	1:	1:	:	:	:	-	1:	1
Total	Boys	3305	547	17.0	42	00	::	::	- :	ō:	111	::	::	1 ::
	Total	6506	240	0.7	1	1.0	-	-	İ	-	-	I	-	1

(a) remimous conginous.

7.—G. CLEANLINESS OF HEAD AND BODY.

(b) Cleanliness.

CASES.	Body Head Body	Good Medium Bad Bad Bad	% No. % .ov %	100 96.2 3 2.9 1 0.9	238 97.8 4 1.8 1 0.4	566 95.8 20 3.4 5 0.8 505 96.6 12 2.3 6 1.1	71 96.2 32 2.9 11 0.9	302 99.7 1 0.3	603 998 1 0.2	838 96.7 20 2.3 9 1.0 782 97.9 14 1.7 3 0.4	620 97.3 34 2.0 12 0.7	657 98.7 9 1.3 684 98.6 10	341 98.7 19 1.3	472 97·6 1 0·2 11 2·2 481 98·4	61 61 10 1 086 856	284 97.9 6 2.1 253 99.0 3 1.0	537 99.5 9 1.5	19 97·5 45 1·3 41 1·2	63 98-1 72 0.9 71 1.0
ROUTINE CA		m Bad	% No. %	6.0 1	1 0.4 2	1.3 5.1	1.0 1 9.1	9.3	0.2 6(	2.6 1 0.1 71	91 6 0 9 16	0-1 1 0-1 6	0.1 3 0.2 13	0.2 6 1.2 4	0.2 7 0.7 9	4 2	4 0.7 5.	0.5 17 0.2 3219	0.8 22 0.1 6363
20 1 20 1	Head	Good Medium	No. % No.	139 100.0	242 99.6	583 98.7 8 512 97.9 10	1095 98-3 18	303 100.0	603 99.8 1	854 98·5 8 777 97·3 21	1631 98.0 29	664 99.8 1	1355 99.7 2	477 98.6 1	964 99.1 2	256 100-0	542 99.3	3270 99·3 18 3162 98·8 34	6432 99.1 52
	1,3	76	ined	uld Boys 104 Girls 139	Total 243	ch Boys 591 Girls 523	Total 1114	atrick Boys 303 Girls 301	Total 604	trick Boys 867 Girls 799	Total 1666	n Boys 666 Girls 694	Total   1360	even Boys 484 Girls 489	Total 973	gh Boys 290 Girls 256	Total 546	Boys 3305 Girls 3201	Total 6506
	1001103	MANAGEMENT	AKEA	Cumbernauld		Kirkintilloch		New Kilpatrick		Old Kilpatrick		Dumbarton		Vale of Leven		Helensburgh		Total	Contract of the last

### 7.-F. Average Heights and Weights in Inches and Pounds.

		г.			16	-		- 0	2YC	-								300000	***					0	IRLS							-
		Ent	rants	1		^	ze 8	1		Ag	e 13	1	-	- A	e 15	-	-	Ent	rants	-	1-	A	ge B			Ag	e 13		1	A	e 16	
School Management Area	Number Examined	Average Ago	Height	Weight	Number Examined	Average Ago	Height	Weight	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Height	Weight	Number Examined	Average Age	Height	Weight
Cumbernauld	32	5,4	41-3	40-7	49	8/5	48-9	56-8	23	13:1	58-2	85-6					56	5,4	41-3	39-3	64	8.5	48-5	54-7	19	13.5	58-9	93-0				-
Kirkintilloch	169	5.5	42-3	41.9	195	8,	49-3	56.6	201	13/4	58.5	86-9	26	16/5	68-5	129-5	162	5,1	41.8	39-2	159	8,7	48-8	53-7	185				***	*10		
New Kilpatrick	112	5 1	43.0	44-0	101	8/5	49.9	58-8	69	1311	60-1	92-5	21	16%	67.7	138-4	115		43.5	43-0	98	8,1	49.9	57-5	77	1311	59-3	93.5	17	16,	62.8	116
Old Kilpatrick	346	511	42:6	42-4	300	9/1	49.7	57-4	221	13 7	58-8	89-6					280	5 /4	42-1	40-8	305	8/	49-1	55:3		13/4	60-7		111	16 %	63-5	122
Dumbarton	166	5,5	42-8	41-8	177	9,1	51-2	61.8	285	13 /-	58-7	84-4	38	16%	56-8	126-7	199	5,4	42-8	41-3	158		51-2	100000	214	13/5		93-6			***	1
Vale of Leven	160	5/4	42.6	41.6	177	8/4	49-2	55.7	139	13.5	58-9	89-0	8	16%	65-3	112-9	117	5.4	42-4	40-0	178			61-2	315	13/5	59.5		22	1675	62.9	117
Helensburgh	107	5,1	43-3	44:6	97	8,5	50-1	58-4	71	13.4	59-1	89-5	15	16%		132-5	75	5,0	42-8	42.5		8,	48-9	54-5	128	137		98-6	12	16,]	60.9	119
																1020		311	47.0	42.3	83	81	49-2	55.6	78	13,5	59-7	92-0	20	16/4	63-0	115
Total	1092	5/3	42.5	42-4	1096	8.%	49-7	57-9	1009	13/4	58-9	88-2	108	16,1	67-0	128-0	1058	5,4	42-4	40-9	1045	87.	49-3	56-1	1016	13/4	59-5	94:7	82	16%	62-6	118-
County Average Years 1940-41 to 1944-45	5572	5/4	42-6	42-1	5,256	8,5	49-6	57-4	5048	13/5	58-5	88-3	449	167	66.9	125-8	5455	5/4	42.2	40-8	5,018	8/4	49-1	55-8	5062	13,1	59-1	93-5	392	16/3	63-2	
County Average Years 1930-31 to 1939-40	12,495	5 1/2	42-6	41-8	11,767	8/;	49-4	56.5	*7108	13,5	58-9	89-5	1163	16,4	65-6	124-1	12,122	5.5	42-3	40-5	11,645	8,1	49-0	54-8	*7123			94-8	887	16.4	62-8	
county Average ears 1919-20 to 929-30	13,238	51.	42-1	41-2	11,863	8,1,	48-3	54-3					769	16,1	64-3	118-8	13,019	5,1	41-7	39-7	11,582	8.1	48-2						774		62-2	-

It was felt that the Anthropometric Standard was not satisfactory, as it was based on an insufficient number of observations.

A County of Dunbarton Standard has therefore bean arrived at by combining and averaging the figures in Annual Reports for a number of years back in ten-yearly periods.

† Frevious to the session 1930-1931 the average age of the Third Age-Group was 12 years. The number of children examined at the average age of thirsesn years is therefore comparatively small.

		1111		
				in land

and traditional magnificant to interest A

The following table shows at a glance a summary of the previous table [7.—G (a)], i.e., children in each area showing evidence of verminous conditions of the head, or body, or both.

School Managem Area	ent		Number Routine Cases Examined	sho	mber wing dence ermin	Percentage
Cumbernauld	***		243		7	2.8
Kirkintilloch		***	1114		44	3.9
New Kilpatrick			604		6	0.9
Old Kilpatrick	***	·	1666	420	169	10-1
Dumbarton			1360		177	13-0
Vale of Leven			973	2 2 1	123	12-6
Helensburgh			546		41	7.5
Total			6506		567	8.7

7.-I. NUTRITION.

					. A	ROUTINE	CASES				NON-R	NON-ROUTINE CASES
SCHOOL		Routine Cases	Ave	Average	Ave	Average	Ave	Below	Very	ć. P	Below	Very
AREA		ined ined	No.	%	No.	%	o Z	%	No.	%		
Cumbernauld	Boys	139	13.0	12.5	86	82.7	100	4-8	::	::	::	::
٠	Total	243	26	6.01	203	83.5	4-	5.6	:	:	:	::
Kirkintilloch	Boys	523	80	10.8	515	87.2 80.5	12	2.0	::	::	::	::
-	Total	1114	144	13.0	936	83.9	34	3.1	:		:	
New Kilpatrick	Boys	303	61 50	20.1	239	78.9	6.3	0-1	::	::	::	::
	Total	604	Ξ	18.3	484	80.3	6	1.4	::		:	:
Old Kilpatrick	Boys	867	129	14.9	685	79.0	47	5.4	9 -	0.7	::	::
	Total	9991	230	13.8	1308	78-4	121	7.4	7	4.0		"
Dumbarton	Boys	666	17	0.3	638	95.8	26	3.9	::	::	::	::
	Total	1360	61	1.4	1288	94.7	53	3.9	:	:	""	
Vale of Leven	Boys	484	69	14.0	343	71.0	56	11.5	24	0.0	::	::
	Total	973	137	14-1	703	72.3	124	12.7	6	6.0	""	:
Helensburgh	Boys	290	39	18.9	205	70.7	26	9.0	4 :	¥ :	::	::
	Total	546	94	17-1	401	73.6	47	8.6	4	2.0		""
Total	Boys	3305	392	9-11	2711	82.2	215	6.6	5 5	0.5	::	::
	Total	9059	761	11.7	5323	81.9	402	1.9	30	0-3		****

7.-H. Condition of Skin.

	τ	

				ECZ	MA					RING	WOR					IMPE							SORE	5			SCABIES			ALOPE	CIA		PSORIASI	5			-	THERS		-			TOTAL		
School			Ro	utine		No.	tine		Rev	ting		Reu	ine		Routin			Non- Reutic			Ro	usine		Res	ion-	R.	otine	Non- Routine		Reutine	Non- Routine		Routine	Non- Reutin		Routi		I	No Routi					1 . 1	Non-
Area	Number of Routine Cases	н	rad	Body				He	ad	Box	dy			Hea		Body				He	ad	80	dy				Body			Head			Body		Her		Bee		Newt			Routie	-		putine
	Examined	No.	54	No.	2	Hoad	Body	No.	- 1	No	70	Head	Body	No.	5 N	0. %	- 1	Head	Body	No.		No.	5	Head	Body	No.	1 %	Body	No.	1 %	Head	No.	15	Body	-				Head	Bady	No. 1	No.	Body	Head	
umbernauld	243			2	0.8					-80				5	20 .			3								4	16				5			1000									-		45
rkintillach	1114			3	0.3								1	5	04 .			21				2	0.3		32	4	0.1	24					0.4							1	5 2	0 7	2.9	1	
ew Kilpatrick	604													1	02																	1	0-1				5	0.4			5 0	4 16	14	22	
d Kilpscrick	1666			2	0.1		1						-1	6	04			26				3			44	12	0.7	42	- 111				0.2				3	2.5			1 0	2 4	0.7		
mbarton	1360			11	0.8		4						2					21				3			36	16	1.2	29		0.1		3	0.2	2			2	0-1	2	22	7 0	4 22	1.3	29	45
le of Leven	973			2	02									4	04			,				7			24	11	14		1	01		- 1	0-1		20	1.5	43	12	0	76 :	22 14	5 74	5.4	30	1
densburgh	546																						0.5		11	7		27	1	0-2	2			-	3 0	3-3	14	14	2	12	9 01	34	3.5	13	
		100				0		8		-10	1000							3					4.3			1	1.3							2			7	13		7		17	10		1
Total	6506			20	2-3		5					100	4	21	0-3			80				19	0.3	-	147	54 ,	0.8	128	5	0.1	5	7	01		23 0	-	74	1.2	12	118 4	42 0	174	2.7	97	-



Number of Routine Routine Cases Examined No. 243 149 223 35 523 301 22 148 443 484 443 484 489 310 256 1106 664 694 694 694 694 694 694 694 694 69
--

7.-K. NOSE, THROAT AND LYMPHATIC GLANDS.
(a) Nose.

IOODOS	Niumber of		Catarrh.	200	2 4 5	Obstruction	no		Others	93		Total	
-	Routine	Routine		0 1	Rou	Routine		Rou	Routine	2	Rou	Routine	1
CHUC	Examined	No.	%		No.	0/0	Routine	No.	%	Routine	No.	%	Routine
Cumbernauld	243						-	2 98		:	::	:	-
Kirkintilloch	11.14	:	:	-	9	0.5	3	11 0	6.0	4	17	1.5	7
New Kilpatrick	604				2	6-0	15 01	9	6.0	- 8	80	1.3	2
Old Kilpatrick	9991	61	1:1	5	4	0.5	01	6	0.5	12	32	6-1	27
Dumbarton	1360	36	2.6	2	17	1.2	80	25	1.8	24	78	5.7	37
Vale of Leven	973	22	2-2	12	10	0.1	2	2	0.7	12	34	3.5	26
Helensburgh	546	6	9-1	1	2	6.0	-	:	.:	9	4	2.5	89
Total	9059	98	1.3	23	44	9.0	26	53	8.0	59	183	2.8	108

	1		1					51		
		Routine		:		2		2	Cont.	5
Removed	ine	0,0	7.0	12.7	17.0	13.9	20.0	18.7	21.4	16.5
	Routine	No.	17	142	103	232	282	183	111	1076
	1	Routine	4	14	9	110	4	46	9	234
Much Enlarged	ine	%	8.0	1.0	0.3	5.7	9.9	9.5	6.9	4.9
Ω	Routine	Z. o.	2	I I	2	96	06	93	38	322
	1	Routine	:	6	7	4	28	8	50	55
Enlarged	dine	%	3.7	3.4	3.9	10.7	7.5	13.2	16.4	8.7
100	Routine	No.	6	38	24	178	103	129	06	571
mod .	Routine	Examined	243	1114	604	9991	1360	973	546	9059
	SCHOOL	AREA.	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

7.-K. NOSE, THROAT AND LYMPHATIC GLANDS-Continued.

(b) 2, Adenoids.

	Nium has of		Present			Suspected			Removed	
SCHOOL	Routine	Rou	Routine	N N	Rou	Routine	1	Rot	Routine	
AREA.	Examined	No.	0/0	Routine	No.	%	Routine	, oZ	%	Routine
Cumbernauld	243	S	2.0	:	ю	1.2	+	8	7.3	:
Kirkintilloch	1114	91	1.4	80	7	9.0	15	143	12.8	:
New Kilpatrick	604	01	9-1	4	4	2.0	9	103	17-0	:
Old Kilpatrick	1666	136	8.2	4	7	0.4	47	236	14.2	2
Dumbarton	1360	7	0.5	12	14	0.1	01	140	10.3	
Vale of Leven	973	83	8.5	3	20	2.0	6	691	17.3	2
Helensburgh	546	37	8.9	7	7	ē.	12	112	20.5	-
Total	9059	294	4.5	38	62	6.0	103	921	14.1	2

7.-K. NOSE, THROAT AND LYMPHATIC GLANDS-Continued.

(c) Lymphatic Glands-Submaxillary and Cervical.

20	_	Non- outine	Я		:	:	:	:	:	:	:	1:
uratir	Cervica	Routine	%		:	:	0.5	-0	:	:	0.5	10
Supp	O	Rou	ò		:	:	-	7	:	:	-	4
es or	lary	Non- outine	Я		:	:	:	:	:	:	:	1
Cicatrices or Suppurating	Submaxillary	Routine	%		:	:	0.5	-	·o	9.0	0.5	0.5
Ö	Sub	Rou	Š		:	:	-	-	7	9	m	-3
	le le	Non- outine	Я		:	:	:	:	:	-	:	-
peg	Cervical	tine	%		:	:	:	0.5	-0	0.5	:	0
Enla	O	Routine	Š		-	:	:	9	-	2	:	9
Markedly Enlarged	lary	Non-, outine	Я		:	-	-	m	:	2	:	1
Mark	Submaxillary	tine	%	i	:	-0	:	2.0	:		4.0	0.2
	Sub	Routine	No.		:	-	:	12	:	-	7	16
		Non- anisuo.	Я		;	3	:	:	2	-	:	6
pei	/ical	tine	%		:	1.0	0.2	0.7	5.4	0.5	0.5	1.2
Enlarged	Cervica	Routine	No.		:	-	-	0	74	2	-	82
ably I	ary	-noN anituo	A		:	3	:	-	:	7	-	1
Palpably	Submaxillary	tine	%		6.0	0.3	0.7	5.4	9.0	8.2	7:6	3.5
	Subm	Routine	No.		2	3	4	89	00	80	42	226
		Number of Routine Cases Examined			243	1114	604	1666	1360	973	546	6506
		SCHOOL MANAGEMENT AREA	Alle Rollings		Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

SCHOOL	-	No. of	Str	Strabismus	-	BI	Blepharitis	-	Con	Conjunctivitis	tis	Corne	Corneal Opacities	cities	Oth	Other Diseases	ases
TAIN CELLEIA	χ ,	Cases	Routine	ine	Non-	Routine	ine	Non-	Routine	tine	Non-	Routine	ine	Non-	Routine	ine	Non-
AREA		ined ined	No.	%	rine tine	No.	%	tine	No.	%	tine	No.	%	tine	Z o	%	tine
Cumbernauld Bo	Boys	104	8 %	7.6	::		0.9	11	:-	7:0	::	::	::	::	::	1::	::
To	Total	243	=	4.5	-	2	8.0	:	-	0.4		:	::	:	***	:	-
Kirkintilloch Bo	Boys	591	24	2.3	: ;	44	9-0	::	- :	0.1	::		0.1	::		:5	::
To	Total	4==	36	3.2		9	0.5	3	-	1.0	5	2	0.2		7	9.0	5
New Kilpatrick Bo	Boys	303	90	3.3	::	:-	0:3	::	- :	0.3	::	::	::	::	::	::	::
T	Total	604	91	2.6	-	-	0.1	-	-	0.1	:	:	:	:		:	2
Old Kilpatrick Bo	Boys	867	23	3.3	1::	52	0.5	::		00	::	.:.	0.5	::	94	0.5	::
To	Total	9991	50	3.0	7	7	4.0	10	2	1.0	9	2	1.0	4	01	9.0	2
Dumbarton G	Boys	666	31	4.6	::	20	2.0	::			::	5:	0.5	::	5-	0.7	::
°L	Total	1360	09	4.4	9	8	1.3	9	2	1.0	9	2	1.0	2	9	0.4	15
Vale of Leven Gi	Boys	484	15	3.0	::	5:	0.4	::	- :	0.5	::	:-	0.5	::	30	9.0	::
J.	Total	973	39	4.0	=	2	0.5	8	-	1.0	2	-	1.0		6	6.0	8
Helensburgh Gi	Boys	290	28	4·.	::	-2	0.3	::	- :	0.3	::	::	::	::		00.3	::
To	Total	546	20	3.6	4	8	0.5	6	-	0.2	2	:	:	-	2	0.3	3
Total Bo	Boys	3305	109		::	24	0.7	::	3.6	0.5	::	- 9	0.5	::	8 9	0.5	::
To	Total	9059	232	3.5	30	39	9.0	26	6	1.0	21	7	1.0	7	34	9.0	31

7.-N. EAR DISEASES.

SCHOOL	No. of		Otorrhoea	23		Wax			Others			Total	
ENT	Cases	Rou	Routine	2	Routine	tine		Routine	ine		Routine	ne	1
1900	Ined	No.	%	Routine	No.	%	Routine	No.	%	Routine	No.	%	Routine
Cumbernauld	243	2	8.0	-	8	:	:	:	:	:	2	8.0	-
Kirkintilloch	1114	9	0.5	00	-	0.1	2		:	01	7	9.0	23
New Kilpatrick	604	-	1-0		:		:	:	:	:		0.1	:
Old Kilpatrick	1666	12	2.0	17	2	0.1	3	2	1.0	2	91	6.0	22
Dumbarton	1360	11	0.8	4	:	:	3	2	0.3	12	91	Ξ	29
Vale of Leven	973	18	<u>.</u>	12	:	:	2	1	1.0	9	61	6.1	20
Helensburgh	546	4	2.0	2	-	:	-	2	0.3	170	9	0.1	4
Total	9059	54	8.0	54	3	1.0	14	01	1.0	31	- 67	0-	66


7.-0. HEARING.

		-	Routine		+	-	*		-		
	Total	Routine	000		0.5	0.3	1.0	1-1	9.0	0.3	2:0
		Rou	No.		9	2	17	91	9	2	49
		1	Routine	:	:	::		***		11.50	111
	Very Deaf	tine	0/0/		***	***	4.0	1.0	0.3	1.0	0.3
		Poutine	No.	:		-	89	-	3	-	13
1 000		Non	Routine		4	177	4	-	1		=
	Slightly Deaf	tine	%		0.5	0.3	. 0.5	0.1	0.3	1.0	5.0
		Routine	No.		9	2	6	15	3	-	36
	Number of	Routine	Examined	243	1114	604	9991	1360	973	546	9059
	GOOT	SCHOOL	AREA	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

### 21^

7.—M. Visual Acuity (Snellen's Test at 6 Metres).
Vision shown is "Working Vision," i.e., Vision of better eye. Good Vision=1. Fair Vision=1-4. Bad Vision=4, or worse.

		_			_			-		_									ROUT	INE CA	ASES																	1	lon-
School Management						Age 8									Age 13									Age	16								Total						utine
Area		No.	Go	ad	F	ir	8	d	Bad I	only	No.	G	ood	F	ul r	8	ad		in one only	No.	G	iood	Fa	ir	8.	16	Bad i Eye	n one only	No.	G	ood	F.	sir	Ba	ad I	Bad i Eye	in One only		Bad i One
		Ined	No.	%	No.	%	No.	%	No.	%	ined	No.	%	No.	%	No.	%	No.	%	ined	No.	%	No.	%	No.	%	No.	%	ined	No.	1.	No.	%	No.	%	No.	%	Bad	Eye
Cumbernsuld	Boys Girls	49	45 54	91·9 84·4	3 6	6-1	1 4	2:0 6:2	3	4-1	23 19	21 19	91:4	1	4:3		4.3	2	8-7	***	***			***					72 83	66 73	91-7 68-0	4 6	5-5 7-2	2 4	2·8 4·8	4 3	5·5 3·6		
	Total	113	99	87-6	9	8-0	5	4-4	5	44	42	40	95-2	1	2.4	1	2.4	2	4:7										155	139	89-6	10	6-5	6	3-9	7	4-5	3	
Kirkinsilloch	Boys Girls	195	177	90-8 93-1	8 6	4:1 3:8	10	511 311	5 6	2.5	201 185	188	93-6	8	4-0 4-3	5 7	2·4 3·8	10 7	4·9 3·8	26 17	24 15	92·3 88·2			2 2	7-7 11-8	2	7-7	422 361	389 333	92.2	16	3.8	17	3-9	17	4-0	111	
	Total	354	325	91-8	14	40	15	4/2	13	3.6	386	358	92-8	16	4-1	12	3:1	17	4:4	43	39	90-7		100	4	9-3	2	4:6	783	722	92-3	30	3.8	31	3.9	32	40	14	
New Kilpatrick	Boys Girls	101	95 95	94-0	2	2:0 1:0	4 2	40 26	3 2	3-0	69 77	65 72	94-3 93-5	3	4-3	1	1·4 5·2	1 2	1-4	21	20 10	95-2 90-9	T	4-8 9-1			1	4.8	191	180	94·3 95·2	6 3	3-1	5 6	2·6 3·2	5 4	2-6		221
	Yotal	199	193	95.5	3	1.5	6	3:0	5	2.5	146	137	93-9	4	2.7	5	3.4	3	2.0	32	30	93-8	2	6.2			1	3:1	377	357	94-7	9	2:4	11	2.9	9	2-4	6	
Old Kilpatrick	Boys Girls	300 305	260 267	86-7 87-6	26 25	8·7 8·2	14	416 412	17	5·6 3·2	221 214	201	91-0	14	6-3	6	2:7 4:7	9	4-0		***								521 519	461 457	88.5	40 39	7·7 7·5	20 23	3-8	26 21	5-0 4-0	***	:::
	Tota!	605	527	87:1	51	8:4	27	415	27	4:5	435	391	89.9	28	6.4	16	3.7	20	4.6		1111	***							1040	918	88-3	79	7-6	43	4:1	47	4.5	55	111
Dumbarton	Boys Girls	177	166	93-8 89-2	9	5-1	2 6	1-1	4 8	2·2 5·1	285 315	255 295	89·5 93·7	26 15	9-1	4 5	1-6	13	4-5	38 22	37 14	97·4 63·7	ï	13-6	5	2.6 22.7	2 5	5-2 22-7	500 495	458 450	91-6	35 29	7-0 5-8	7 16	3.2	19	3·8 5·6		
	Total	335	307	91.6	20	6-0	8	2.4	12	3.6	600	550	91-6	41	6.9	9	1.5	28	4-6	60	51	85-0	3	5-0	6	10-0	7	11.7	995	908	91-3	64	6.4	23	2.3	47	4-7	17	***
Vale of Leven	Boys Girls	177	158	89-3 87-2	13	7-4 9-5	6 6	3/3	3 :4	1-7	139	127	91-4 89-1	10	7·2 7·8	2 4	1:4	8 6	5-7 4-7	8	7	87 5 83 4	-	12:5 8:3	ï	8-3	1 2	12·5 16·6	324 318	292 279	90·1 87·8	24 28	7:4 8:8	8	3.4	12 22	3:7 6:8	***	***
	Total	355	313	88-2	30	8-4	12	314	17	4.5	267	241	90-3	20	7.5	. 6	2-2	14	5.2	20	17	85-0	2	10-0	1	5.0	3	15-0	642	571	89-0	52	8-1	19	2.9	34	5.3	26	
Helensburgh	Boys Girls	97 83	90 77	92·8 92·8	6	6-2 4-8	1 2	1:0	2	2.0	71 78	63 70	88-8 89-8	6	5·6 7·7	4 2	5·6 2·5	5 4	7-0 5-1	15 20	13	86-6 90-0	1	6·7 5·0	1	6·7 5·0	***		183	166 165	90 8 91 2	11	6-0	5	3:2	7 4	3.8		
	Total	180	167	92-8	10	5.5	3	17	2	14	149	133	89-3	10	6-7	6	4-0	9	6:0	35	31	88-6	2	5.7	2	5.7			364	331	91-0	22	6.0	11	3-0	11	3-0	17	- 1
Total	Boys Girls	1096	991 937	90·5 89·6	67 70	6-1	38	3-4 3-5	36 45	3-2 4-3	1009	920 930	91-2	66 54	6-6 5-3	23 32	2·2 3·1	48 45	4-7	108 82	101	93·5 81·7	3 6	2·8 7·3	4 9	3-7	6 7	5·5 8·5	2213 2143	2012 1934	91-0 90-3	136 130	6-0	65 79	3.7	90 97	4.0		
	Total	2141	1928	90-1	137	6.4	76	3.5	81	3-7	2025	1850	91-4	120	5-9	55	2.7	93	4-6	190	168	88-4	9	4-7	13	6.9	13	6-9	4356	3946	90 6	266	6-1	144	3-3	187	4-3	138	. 1



7.-P. SPEECH.

	-									
		Defe	Defective Articulation	lation	S	Stammering			Total	
SCHOOL	Routine	Routine	tine		Routine	ne	N N	Routine	tine	- acy
MANAGEMENT	Examined	, o Z	0/0	Routine	No.	0/	Routine	oZ	0/0	Routine
Cumbernauld	243	:	ŧ	:	:	:	:	:	1	-
Kirkintilloch	+===	7	0.5	::	3	0.3	:	2	4.0	:
New Kilpatrick	604	:	1	:	***	:	:	:		
Old Kilpatrick	1666	6	0.5	-	4	0-2	-	13	2.0	2
Dumbarton	1360	т	0.5		-	0.1	:	4	0.3	
Vale of Leven	973	9	9.0		7	0.5	.:	00	8.0	:
Helensburgh	546	4	2.0	:	ю	0.5	:	7	1.3	:
Total	9059	24	4-0		13	0.5	-	37	0.5	2

7.-Q. MENTAL CONDITION.

	Non-	Routine	:	***	:	-	:		:	-
Total	Routine	%	0.4	1.0	1.0	9.0		2.0	6.0	5.0
	Ron	No.	-	89	-	11	:	7	20	33
ent	Non	Routine	:	;	:	-	:		:	-
Mentally Deficient	tine	%	:	:				:	0.5	1.0
Men	Routine	No.	;	:		:	:	:	-	-
PL	No.	Routine	:	:	:	:	:		:	
Dull or Backward	tine	%	0-4	7.0	1.0	9.0		2.0	2.0	0.4
Dull	Routine	No.	-	8	-	=	:	7	4	32
	Routine	Examined	243	1114	604	9991	1360	973	546	6506
	SCHOOL	MANAGEMENI	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

7.-R. HEART AND CIRCULATION.

SCHOOL   Routine   Cases   Routine   Ined   No.	Non-tine No tine	Acquired Reutine R. Coutine	Routine %	Non-	Routine	ine	Non-	
243 243 604 1 0.1 1360 1 0.1 1360 1 0.1 0.1 973 8 0.8	Rou-	% 8.0	ž		0			
ck 604 1 0.1 1360 1 0.1 1360 1 0.1 973 8 0.8	tine			-	- Koutine			Routine
ck 604 1						No.	0/0	
ck 604 1								
604 1 604 1 1666 6 1360 1		-		:	:	2	8.0	:
1666 6 1360 1				:	:	20	4.0	:
1666 6	1 1.0	1.0		:	:	2	0.3	-
1360 i	6-3 9	0.5	.:	:	:	15	6.0	6
en 973 8	1:0	8.0		:	:	12	6.0	:
	0.8 2 11	=	2	:	:	61	6.1	4
Helensburgh 546 1 0-1	0-1 2	0.3	1 2	0.3	:	10	6.0	-
Total 6506 17 0.2	0.2 2 41	9.0	7 2	1.0	[:	09	6.0	6

7.-S. LUNGS.

	Non-	tine	-	9	-	×	39	17	-	76
Total	Routine	%	2.0	1.7	Ξ	2.0	2.1	8	3.7	2.6
	Rou	No.	2	61	7	34	70	-8	20	173
	Non-	tine	:	m	-	7	6	S	****	20
Asthma	Routine	0/0	:	0.5	8.0	0.5	0.5	0.3	0.3	0.3
		No.	:	2	25	4	В	3	2	6-
siso	Non	tine	:	***	::	-	:	:	:	1:
Tuberculosis	Routine	0/0	***			- 100	:	0.	1	::0
TS	Ro	No.	:	-		-	:			1 ::
sis	Non-	tine tine	:	:	:		:		:	- in
Tuberculosis	Routine	%	:	:	:	1	1.0	:	1	-0
Tu	Ro	No.	. :	:	:	:	-		:	-
tis	Non-	Kou-	-	3	:	7	6	3	:	23
Bronchitis	Routine	0/0	2.0	1.5	0.3	0.5	1.0	1.0	2.0	9.0
	Ro	No.	S	17	2	00	2	-	4	39
tarrh	Non-	Kou-	:	:	:	2	21	6	-	33
Bronchial Catarrh	Routine	%	-	:	:	F:-	4.6	4	1.5	1.7
Brond	Ro	No.	::	:	;	22	64	4	4	-14
	Number of Routine	Examined	243	1114	604	9991	1360	973	546	9059
		AREA	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

7.-T. NERVOUS SYSTEM.

		Rourine		Epilepsy			Chorea		Infan	Infantile Paralysis	lysis		Others			Total	
MANAGEMENT		Cases Exam-	Rou	Routine	Non-	Ron	Routine	Non	Routine	tine	Non-	Routine	ine	Non	Routine	tine	Non-
		ined	o Z	%	tine	No.	%	tine	No.	0/0	Kou-	No.	0/0	Kou-	No.	%	Rou-
Cumbernauld	:	243	:	:	:	:	:	:	-	4.0	:	1 :	1	1	-	0.4	:
Kirkintilloch	:	1114	-	1.0	-	:	:		m	0.5	2	***	:	:	4	0.3	2
New Kilpatrick	:	604	:	:	:	:	:	:	:	:	:	-		:			
Old Kilpatrick	:	9991	2	1.0	-	2	-0	9	m	0.2	m	-	0.1		60	0.5	0
Dumbarton	:	1360	-	:	-	-	0.1	-	2	1.0	-				m	0.0	
Vale of Leven	:	973	2	0.5	-	:	:	2	-	1.0	2	-	0	_	4	4:0	( 1/
Helensburgh	:	546	:	***	-	-	0.5	2			:	:			-	0.5	n m
																	,
Total	***	9059	5	1.0	2	4	1.0	=	01	1-0	80	2	-0	-	21	0.3	22

7.-U. TUBERCULOSIS (NON-PULMONARY).

	-	Rou-	tine		:	:	-			:	-
1	Ocal	Routine	%	:	:	-0	0.1	0.1	ō	0.1	1.0
		Rou	No.	:	:	-	7	2	-	-	7
		Rou-	tine	:	:	:	:	:	:	:	1 :
1	Criers	tine	%	:	:	:	:	:		:	1:
		Routine	No.	:	:	:	:	:		:	1:
-	-	Rou-	tine	:	:	:	-	:	:	:	-
Ahdomini		tine	%	1	:	:	0.1	1.0	·	:	
14		Routine	No.	:	:	:	-	-	-	:	3
		Rou-	tine	:	:	:	:	:	:	:	1:
lointe		Routine	%	:	:	:	 0	:	:		0.
		Ro	No.	:	:	:	-	:	::		-
	-	Rou-	CILIC	:	:	:	:	:	:	:	1:
Bones	I	tine	0/0	:	****	:	:	:	:		1:
	-	Routine	No.	:	:	:	:	:	:	:	1
	-	Rou-		:	:	::	:	:	:	:	1
Glands	-	ine	%	:	:	1.0	:	0.1	***	-0	-0
		Routine	No.	:	:	-	:	-	:	-	3
		Number of Routine	Examined	243	1 1 4	604	1666	1360	973	546	9059
	MANAGE.			Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

7.-V. RICKETS.

	4014	Routine	:	:	:	:	:		:	1:
Total	tine	%	:	:	:	0.5	:	0.2	:	1.0
	Routine	No.	:	:	:	е	:	2	:	20
	N N	Routine	:	:	:	:	:	:	:	:
Marked	ine	%	:	:	:	0.2	:	0.5	:	0.1
	Routine	No.	1	:	:	3	:	2	:	2
	Non	Routine	:	::	:	:		:	ş	:
Slight	tine	0/0	:	:		:	***			
	Routine	No.	:	-	1	•	:			:
Number of	Routine	Examined	243	1114	604	1666	1360	973	546	9059
	SCHOOL	AREA	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

7.-W. DEFORMITIES.

	-									
			Congenital		Acqui	Acquired (Non-Rachitic)	achitic)		Total	
	Routine	Routine	tine	2	Routine	tine	Non	Routine	tine	Non
MANAGEMENI	Examined	o Z	%	Routine	No.	%	Routine	. No	%	Routine
Cumbernauld	243	-	4.0	:	2	8.0		т	1.2	:
Kirkintilloch	4111	5	4.0	:	34	3.0	4	39	3.4	4
New Kilpatrick	604	-	1.0	:	91	5.6	-	17	2.7	-
Old Kilpatrick	1666	9	0.3	:	47	2.8	6	53	3.2	6
Dumbarton	1360	5	0.3	:	52	3.8	4	57	4.2	*
Vale of Leven	973	7	2.0		28	2.8	80	35	3.5	8
Helensburgh	546	2	0.3	:	91	2.9	13	89	3.2	13
1	9059	27	0.4	1::	195	3.0	39	222	3.4	39

7.-X. INFECTIOUS OR CONTAGIOUS DISEASES.

								_	_	
Cases nised	heria.	0/0	7.19	72.2	177-1	65.2	78.5	0.92	74.3	72.5
Routine Cases immunised	Diphtheria.	No	150	802	466	1087	1068	740	406	4722
	Non-	tine	:	01	:	m	7	9	6	29
Total	ine	0/0	:	0.5	0.3	0.3	1	0.5	1	0.5
	Routine	o'Z	:	7	-	9	:	2	:	=
in es	Non-	tine	:		:	:	:	:	:	:
German	Routine	0/0	:	:	:	:	:	**	:	1:
0-	Rou	o N	1	:	:	:	:	:	1	1
gu	-uoN	tine	:	:	:	:	:	-	:	-
Whooping	ine	%	:	:	:	:	:	0.5	:	0
3	Routine	No.	:	:	:	:	:	2	:	7
50	Non-	tine	:	т	:	2	m	:	69	=
Mumps	tine	%	:	1	:	0.5	:	:	:	0
	Routine	o Z	:	:	:	60	:	:	:	9
u .	Non-	tine	:	7	:	:	2	2	:	4
Chicken	ine	%	:	:	0.3	0.5	:	:	:	0.1
		No.	:	:	-	3	:	:	:	4
4	Non-	tine	:	:	:	-	2	:	:	6
Scarlet Fever	Routine	000	:	0.5	:	:	:	:	:	0.
	Rou	° Z	:	2	:	:	:	:	:	7
7	Routine	Examined	243	1114	604	1666	1360	973	546	9059
	SCHOOL	AREA	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

The number of children given as immunised against diphtheria is probably an understatement, as young children, unaccompanied by parents, very frequently cannot give the necessary information, and are therefore included among those not immunised.

7.-Y. OTHER DISEASES AND DEFECTS.

		-		_	_	-	_	_	_	
	Non	Routine	-	43	7	83	110	101	55	400
Total	ine	%	2.8	2.8	2.6	2.3	4.8	3.6	3.8	9.3
	Routine	No.	7	32	91	38	99	36	21	216
	N N	Routine	-	43	7	83	011	101	55	400
Others	ine	%	2.8	2.6	2.1	2.2	4.6	3.2	3.4	3.0
	Routine	No.	7	29	13	37	63	32	61	200
	Non	Routine	:	:	:	:	:		:	1
Hernia	ine	%	:	0.5	0.5	1.0	0.5	4.0	0.3	0.5
	Routine	No.	:	3	m	-	3	4	2	91
Number of	Routine	Examined	243	114	604	9991	1360	973	546	9059
100	SCHOOL	AREA	Cumbernauld	Kirkintillech	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

## PREVIOUS ILLNESSES.

	_								
ers	%	3.3	27.0	33.7	27.1	29.1	33·I	32.4	29.4
Others	Š	62	301	204	452	396	323	177	1915
Fits	%	:	:	:	:	-0	:	:	0.1
	° Z	:	:	:	:	7	;	:	2
Ba-	%	0.8	9.1	6.0	6.0	8.0	0.3		8.0
Rheuma- tism	Š	7	8	9	15	12	e	: '	56
-   ×	%	:	:	:	:	:	:	÷	1:
Small- pox	Š	:	:	:	:	:	:	:	1:
Diphtheria	%	2.4	5.3	3.8	7.2	11-7	4.2	6.5	8.9
Dipht	Š	9	59	23	121	159	4	34	443
et	,°	0.6	12.1	10.7	9.	15.1	6.11	12.9	12.0
Scarlet	Š	22	135	65	193	206	911	49	786
sdu	%	28.8	27.0	27.9	31.5	37.8	38.8	34.3	28.3
Mumps	ŏZ	70	301	691	525	5 4	378	188	1845
ken	%	33.7	37-1	46.3	42.5	43.1	43.8	43.0	42.0
Chicken	o Z	82	4 4	280	708	587	427	235	2733
aning 18h	%	50.2	54.9	6.19	57.3	63.9	62.0	6.65	9.65
Whooping	o Z	122	612	374	955	880	604	327	3874
les	%	75.7	82.5	78.3	80.3	84.7	83.8	72.1	81.1 3874
Measles	ģ	184	616	473	1339	1153	816	394	5278
S. o.	Cases Exam- ined	243		604	1666	1360	973	546	6506
1		:	:	×	:	:	:	:	1:
SCHOOL	AANAGEMEN	Cumbernauld	Kirkintilloch	New Kilpatrick	Old Kilpatrick	Dumbarton	Vale of Leven	Helensburgh	Total

### VACCINATION.

	_	Foot	2000	Ī	4	000			12	1	Am	71 .			Total	
SCHOOL	-	Ent	Entrants		-	Age 8	1	-	Age 13		Ag	Age 16			lotal	
MANAGEMENT	Rou-		Unvaccinated	ated	Rou-	Unvaccinated	inated	Rou-	Unvaco	Unvaccinated	Rou- tine	Unvace	Unvaccinated	Rou- tine	Unvace	Unvaccinated
O DESCRIPTION OF	Exam- ined	L Pa	0.	%	Exam- ined	No.	%	Exam- ined	No.	%	Exam- ined	No.	%	Exam- ined	S.	00/
Cumbernauld .	:	88	40	45.5	=3	53	6.94	42	01	24.0	:	:	:	243	103	42.4
Kirkintilloch .		331	108	32.6	354	123	34.7	386	99	17.1	43	=	25.6	1=4	308	27.6
New Kilpatrick .	2	227	89	39.2	199	84	42.2	146	34	23.3	32	9	0.61	604	213	35.2
Old Kilpatrick .	62	626 2	276	44-1	909	279	1.94	435	143	32.8	:	;	***	1666	869	41.9
Dumbarton	36	365 2	263 7	72.0	335	226	67.4	009	346	57.6	09	22	36.6	1360	857	67.9
Vale of Leven .	3	331 2	239 7	72.2	355	263	74.1	267	150	1.95	20	4	20.0	973	929	67.3
Helensburgh .		182	9 911	63.7	180	011	1.19	149	75	50.3	35	=	31.4	546	312	1.75
Total	215	2150 1131	1	*52.6	2141	1138	*53.1	2025	824	824 * 40.7	190	54	*28.4	6506	3147	*48.3
	*	*Increase compared with last year = 2.0%	year	per.	*Increa	*Increase compared with last year == 7.5%	pared	*Increi	*Increase compared with last year == 5.1%	pared	*Increase compared with last year == 5.2%	with last year == 5.2%	oared Ir ==	*Increa	*Increase compared with last year = 4.4%	pared ar ==

### 8.-Special Schools and Classes.

Special Schools—There are three Special Schools in the County—Waverley Park Home, Kirkintilloch; Milton School, Bowling; and College Street School, Dumbarton.

In Waverley Park Home, which is maintained by the West of Scotland Association for the Care of the Feeble-minded, there are at present 3 pupils from the County.

Milton Special School, which serves the areas of Old and New Kilpatrick, also receives Deaf-Mute pupils from Dumbarton, Helensburgh, and the Vale of Leven Areas. This school was taken over by the military authorities on the outbreak of the war. The pupils were at first evacuated under the care of teachers, but are now conveyed to College Street School.

College Street School, which serves the Dumbarton, Vale of Leven and Helensburgh Areas, is also meantime, owing to the closure of Milton School, serving the Old Kilpatrick and New Kilpatrick Areas. At present there are three classes for mental defectives with 84 on the roll, and two classes for physical defectives with 48 on the roll, a total of 132. The pupils in the Deaf Mute class, 7 in number, are drawn from the whole County, except the Parishes of Kirkintilloch and Cumbernauld.

Deaf Mute pupils from these two parishes are, by arrangement with the Glasgow Education Committee, taught in the Glasgow Schools for Deaf Mutes.

Special Classes—(a) For Mentally Defective Children—Lairdsland School, Kirkintilloch, with 18 on the roll (one class).

(b) For Conservation of Vision—Lairdsland School, Kirkintilloch, with 9 on the roll; Whitecrook School, Clydebank (temporarily at College Street School), with — on the roll; and College Street School, Dumbarton, with 21 on the roll. Total 30.

e f	following are the totals f	for the	Count	y :-				
	Mentally Defectives Physically Defectives							105
	Deaf Mutes Conservation of Vision							7 30
	99 4		Tot	al				190
	Number of Physically De for by the County	efective	e Child	Iren in	Institu	itions	paid 	3
	Number of Mentally De for by the County	Counc	Child	ren in	Institu	tions 	paid 	16
	Blind Persons in training of training borne by ance by the Local	y the (	County	Coun	s' Act, cil, and	1920 d mair	(cost nten-	
	(a) Glasgow R (b) Edinburgh	oval B	lind A	sylum	n			3
			То	tal				22

Medical Inspection.—All the children attending Special Schools were medically examined during the session, as has been done each year for some time past. During the present session 76 children—41 boys and 35 girls—were examined. Of these, 47 were mentally defective, and 29 physically defective. Of these, 13 children were myopic, and 5 were deaf mutes. Fifteen of these children were classed as having nutrition below average, while 2 had very bad nutrition.

Special Appliances Supplied to Pupils.—During the session the committee agreed to the provision or repair of the following appliances:—

							Pupils.
Splints						 	2
Splints	with	Boots	or	overs	hoe	 	2
							-
					Total	 ***	4
							-

### 9.—Arrangements for Physical Education and Personal Hygiene.

A.—Physical Exercises.—The arrangements for these remain much the same as in former years. (See Annual Reports, 1914-15, page 72; 1919-20, page 41; 1920-21, page 38; and 1927-28, page 37).

Children for whom exemption from Physical Exercises or Baths was asked, were examined by the School Medical Officers, and exemption was granted if sufficient reason were found. In addition to these, a number of children who were found by the School Medical Officers in the course of routine examination to be suffering from such physical defect as demanded exemption from drill or baths, were exempted.

The reasons for exemption were as follows:-

### (a) From Drill and Baths:-

	efective ecent Ab			ation (	 Append	 licitis,	 etc.)	8
Af	fections	of Bon	es or	Joints				4
	nest cor	nditions						2
. 0	thers							5
					Total			25
b) From	Raths (	Only .						
0) 110111	Dutiis (	Jilly .						
	r Diseas							5
	in Dise	ase						1
0	thers	***		***		***		1
					Total			7
								-

### 10.-Milk-in-Schools Scheme.

The Director of Education has kindly supplied the following information:

The average number of pupils taking advantage of this scheme throughout the session was 14,845, which gives an average of 78 per cent. of the number of pupils on the roll.

### Employment of Children (Scotland) Act, 1932.

Permits under the above Act were issued as follows, after the applicants had been examined by the School Medical Officer:—

			Granted.	Refused.	Total.
Cumbernauld			1	_	1
Kirkintilloch			_	_	
New Kilpatrick			18	_	18
Old Kilpatrick			-	_	_
Dumbarton		***	25		26
Vale of Leven			11	2	13
Helensburgh			14	_	14
	_		-	_	_
	Total		69	3	72
			_	-	_

### Admission of Children to Approved Schools.

During the session 24 children were examined with special regard to their suitability, physically and mentally, for admission to Approved Schools. Of these, 18 were committed by the Sheriff to institutions.

### 11.-Arrangements for Medical Treatment.

See Annual Reports, 1927-28, pages 38,39 and 40, and 1928-29, pages 46-54.

See also Annual Report for 1935-36 for summary of facilities for treatment in the County.

### X-Ray Treatment of Ringworm.

There were no cases of ringworm of the hair diagnosed during the present session.

### Ultra-Violet Light Treatment.

In the Alexandria Clinic 16 school children were treated. The number of attendances was 321, and the average number of treatments was 20.0. The causes of reference were—Debility 7, Enlarged Glands 6, Asthma 2, Bronchitis I. All were improved.

At the Helensburgh Clinic 14 school children were treated. The number of attendances was 326, and the average number of treatments was 23-3. The causes of reference were—Debility 5, Enlarged Glands 7, Rheumatism 1, Anaemia 1. All were improved.

At the Dumbarton Clinic 37 school children were treated. The number of attendances was 918, and the average number of treatments was 24.8. The causes of reference were—Asthma 10, Bronchitis 12, Debility 10, Skin Diseases 5. Two cases stopped attendance, the others were much improved.

At the Kirkintilloch Clinic 13 school children were treated. The number of attendances was 243, and the average number of treatments was 18-6. The causes of reference were—Debility 6, Enlarged Glands 5, Anaemia I, Bronchitis I. Twelve showed definite improvement.

# ORTHOPAEDIC TREATMENT.

The Orthopaedic Clinics in Dumbarton, Kirkintilloch and Helensburgh were in full working order during the present session. The work at the Clydebank Clinic is still somewhat hampered by present conditions. The Clinic in Milngavie, opened in April, 1944, had unfortunately to be discontinued in June as the premises used had to be vacated. Vale of Leven cases are treated in Dumbarton.

	T.	18	<u>E</u> 4	125	4	20	75	326
Total	Girls	8 9	2	09	m	6	8=3	191
	Boys	00	3	65	=	=	445	165
nic	Ë	11	::	:	:	:	:::	:
Milngavie Clinic	Girls	::	::	:	:	:	:::	
Milng	Boys	::	::		:	:	:::	- ::
4	=	4-	m -	21	-	4	0 : 0	48
Helensburgh	Girls	e :	m -	6	.:	2	m ;m	24
H	Boys		::	12	-	2	۲ : : :	24
en	Ë	s :	e :	20	-	N	00 m m	48
Vale of Leven Clinic	Girls	m :	m :	01	-	-	4 m -	25
Vale	Boys	7 ::	::	01	-	4	4 14	23
-	F	7.3	3 6	43	т	5	6.28	102
Kirkintilloch	Girls	-4	m —	23	2	3	730	55
Kir	Boys	25	53	20	-	2	64-	47
	Ë	46	::	8	4	m	27	55
Dumbarton	Girls	5:	::	6	:	2	376	23
۵	Boys	4-	::	6	4	2	0 :4	32
×	Ë	410	- :	23	2	60	732	73
Clydebank	Girls	-2	- :	6	-	2	= 64	3.4
Ü	Boys	mm	::	4	4	-	= :m	39
Deformity or Disease		Kyphosis	Kypho- Lordosis Scoliosis	Foot	Chest	Paralysis	Mouth Breathing Rheumatism Others	Total

### Response to Treatment.

Clinic	ic	Good	Fair	Unsatisfactory
Clydebank Dumbarton Kirkintilloch Vale of Leven Helensburgh		31 28 25 25 25	: 69 225 100 100 100 100 100 100 100 100 100 10	20047
	Total	 150	102	64

# Number of Treatments Given.

- 500	
- 2.11	
. 0	
e s	
25	
50	
-	
-	
-	
Milngay	
0	
=	
0	
-	
- 10	
1	
-	
200	
-	
-22	
Helens	
-	
-	
0	
-	
-	
-	
(uo)	
-	
-	
-	
155	
D	
E	
-	
3	
0	
-	
-	
- 44	
-	
3	
-	
-	
-	
6	
-	
-	
-	
0	
.0	
_	
-	
>	
>	
>	
>	
>	
5 \	
315 Va	
2815 Va	
-2815 Va	
ntilloch-	
ntilloch-	
ntilloch-	
ntilloch-	
ntilloch-	
66 Kirkintilloch-	
6 Kirkintilloch-	
66 Kirkintilloch-	
66 Kirkintilloch-	
-2366 Kirkintilloch-	
n-2366 Kirkintilloch-	
n-2366 Kirkintilloch-	
ton-2366 Kirkintilloch-	
rton-2366 Kirkintilloch-	
arton-2366 Kirkintilloch-	
barton-2366 Kirkintilloch-	
barton-2366 Kirkintilloch-	
mbarton-2366 Kirkintilloch-	
barton-2366 Kirkintilloch-	
mbarton-2366 Kirkintilloch-	
mbarton-2366 Kirkintilloch-	
mbarton-2366 Kirkintilloch-	
mbarton-2366 Kirkintilloch-	
mbarton-2366 Kirkintilloch-	
mbarton-2366 Kirkintilloch-	
mbarton-2366 Kirkintilloch-	
2 Dumbarton-2366 Kirkintilloch-	
2 Dumbarton-2366 Kirkintilloch-	
2 Dumbarton-2366 Kirkintilloch-	
2 Dumbarton-2366 Kirkintilloch-	
-1592 Dumbarton-2366 Kirkintilloch-	
k-1192 Dumbarton-2366 Kirkintilloch-	
nk-1592 Dumbarton-2366 Kirkintilloch-	
k-1192 Dumbarton-2366 Kirkintilloch-	
bank-1592 Dumbarton-2366 Kirkintilloch-	
ebank-1192 Dumbarton-2366 Kirkintilloch-	
bank-1592 Dumbarton-2366 Kirkintilloch-	
lydebank-1:92 Dumbarton-2366 Kirkintilloch-	
ebank-1192 Dumbarton-2366 Kirkintilloch-	

### RESULTS OF REMOVAL OF TONSILS AND/OR ADENOIDS.

As it has been suggested that the removal of tonsils and/or adenoids results in little permanent benefit, an examination was made of pupils who had been operated on a considerable number of years before.

There were 911 children re-examined at the age of fourteen or sixteen who had had tonsils and adenoids, or tonsils only, or adenoids only, removed previously. Of these, 854 were found to be absolutely satisfactory, the remaining fifty-seven showing evidence of rheumatism, or chorea, asthma, bronchial troubles, deafness and otorrhoea.

The following table shows details of this investigation :-

	-			>		Reas	ons for	Classifi	ication a	s unsat	isfactor	у.
No. of Years after Operation	No. of Cases	Satisfactory		Unsatisfactory		Rheumatism	General Health Un- satisfactory	Asthma	Bronchial	Heart	Deafness	Otorrhoea
		No.	%	No.	%							
10 or more 9 8 7 6	112 107 132 204 142	105 99 123 188 138	93·8 92·5 93·2 92·1 97·2	7 8 9 16 4	6·2 7·5 6·8 7·9 2·8	2 2 3	 I 3 I	4 2	1 2 3 4 1 2	- ! :: :: ::	1  2 	4 4 2 2
5 or less Total	911	854	93.9		6.1	5	5	7	13	2	6	12

### REMOVAL OF TONSILS AND/OR ADENOIDS.

The following table shows the results of inquiry as to conditions following the removal of Tonsils and/or Adenoids. The children are examined one year after operation. The figures given are the totals since session 1932-33. See Annual Report, 1932-33, pp. 42-43.

25.000	- manufacture to some	Tons	lls and Remov		noids	Ad	enoids Rem	only oved.	
	The second secon	Result Satisfactory.	Result Moderately Satisfactory.	Result Unsatisfactory	Total	Result Satisfactory	Result Moderately Satisfactory	Result Unsatisfactory	Total
	Number Percentage	3581 76·7	800 17·1	291	4672	306 45·7	231 34·5	133	670
Mouth Breathing	Present before operation Continuing after operation Apparently cured Beginning after operation	2702 103 2599 2	651 134 517 13	188 113 75 5	3541 350 3191 20	270 13 257	111 34 77 	99 68 31	480 115 365 2
Deafness	Present before operation Continuing after operation Apparently cured Beginning after operation	529 59 470 8	207 99 108 5	58 46 12 5	794 204 590 18	188 30 158 5	42 16 26	20 13 7 1	250 59 191 6
Discharging Ear	Present before operation Continuing after operation Apparently cured Beginning after operation	441 63 378 24	155 86 69 33	510 157 353 12	1106 306 800 69	51 13 38	23 7 16 5	14 10 4 5	88 30 58 10
Discharging Nose	Present before operation Continuing after operation Apparently cured Beginning after operation	1408 112 1296 27	381 214 167 34	146 133 13 12	1935 459 1476 73	171 16 155	79 51 28 5	87 80 7 5	337 147 190 10
Susceptibility to Colds and/or Sore Throats	Present before operation Continuing after operation Apparently cured Beginning after operation	2858 149 2709 11	657 238 419 5	196 144 52 9	3711 531 3180 25	220 19 201	90 46 44 1	104 88 16 3	414 153 261 4
Enlarged Glands	Present before operation Continuing after operation Apparently cured Beginning after operation	1593 77 1516 8	530 105 425 8	57 25 32 3	2180 207 1973 19	43 11 32	16 4 12 	32 23 9 4	91 38 53 4
Rheumatism or Chorea	Present before operation Continuing after operation Apparently cured Beginning after operation	152 48 104 52	86 41 45 39	12 8 4 4	250 97 153 95	10 7 3 2	1 4		11 8 3 6

39
TREATMENT OF MINOR AILMENTS.

							-100				
District	Nurse	Number of Children dealt with	Total Number of Attendances	Number of Visits to Parents	Number of Visits to Clinics or Schools	Eye Cases	Throat and Nose Cases	Ear Cases	Skin Cases	Others	Attendances at Eye, Operation, Dental and other Clinics
Cumbernauld	J. C. Macbeth										
Kirkintilloch	C. M. Jeffrey and J. Oake	619	3429	47	84	13		57	477	72	128
Kirkintilloch (Twechar) Cumbernauld (Croy)	A. Gee	291	1249	75	43	6		7	151	127	48
New Kilpatrick	C. King K. Stevenson M. M. MacDonald	353	501	66	23	10	***	14	298	31	32
Old Kilpatrick (Duntocher)	C. King M. McCallum	111	792	19	37	8		20	93	***	183
Old Kilpatrick Gavinburn and Milton)	R. L. Shaw										
Clydebank Burgh (Clydebank High Elgin Street (Our Holy Redeemers)	J. Scott	173	487	31	42	7		37	120	9	131
Clydebank Burgh (Dalmuir, Janetta Street and St. Stephen's)	M.M. MacDonald and C. King	479	852	18	49			15	173	291	198
Dumbarton (except West Bridgend, Notre Dame and St. Patrick's)	M. Gilmour	1030	1621		42	6		40	925	59	208
Dumbarton (West Bridgend, Notre Dame and St. Patrick's)	R. L. Shaw										19
Vale of Leven (Academy, Main Street, Levenvale, St. Mary's, Luss, Muirland, Ardoch Bridge and Croftamie)	C. R. Robert- son and R. Smith	578	922	11	41	2	***	69	265	242	195
Vale of Leven (Bonhill and Jamestown)	M. Callender			37	12						219
Renton (Cardross School)	E. M. Rankin	697	1733		46	10	411	13	58	626	103
Helensburgh	K. Stevenson C. Macnair										122
	E. A. Sandilands	353	609	8	32	31	***		140	123	132
Total		4684	12195	312	451	93	***	331	2700	1300	1370

THROAT, NOSE AND EAR CLINICS.

	Total	1043 727 727 2152	227	254 255 203 203 203 203 203 203 203 203 203 203	
Total	Pre- School	169 145 145 355	5 : 2 :	145   39   39   39   39   39   39   39   3	:
1	School	874 582 582 1797	579	54 441 65 447 467 417 417 417 417 169 169	:
no	Total	494 337 337 1027	336	278 278 37 219 219 161 294 136 136	:
Dumbarton	Pre- School	59 54 54 126	54 : : : :	401 32 - 32 - 404	:
0	School	435 283 283 901	282	238 335 35 140 140 261 275 275 88 88	
ch	Total	171 120 120 331	120	7 : 7 : 5   5   4   5   5   4   5   5   5   5	:
Kirkintilloch	Pre- School	25 . 25 . 53	25.	- :- :- :-   53 :-	
Kir	School	142 95 95 278	95	9 : 9 : 1 : 9   9   9   9   9   9   9   9   9   9	
×	Total	378 270 270 794	266	23 276 28 28 51 63 206 25 66 66 99	
Clydebank	Pre- School	81 66 66 176	64	73 74 77 77 77 77 77 77	
C	School	297 204 204 618	202	203 244 244 366 880 475 155 196 196 76	
AM		Number of Children examined Number of Children operated on Attendances with Ambulance Home Visits for After-Care	Nature of Operations :— Excision of Tonsils and Adenoids Excision of Tonsils only Excision of Adenoids only Others	rapi .	

### DENTAL TREATMENT.

						41							
		Anaesthetics	General	61	163	23	297	31	220	92	23	69	937
		Anae	Local	34	257	119	200	84	293	125	70	158	1640
Extractions		cted	Total No. of Extrac- tions	189	1097	256	2166	318	1209	516	237	463	6451
Ext		Teeth Extracted	Per- manent	01	211	47	147	7	331	137	74	129	1093
			Tem- porary	179	988	209	2019	311	878	379	163	334	5358
		No. of	Con- served	86	1147	672	217	9	1526	558	723	1483	6430
tment	th	her	Per- manent	22	627	439	94	3	699	271	242	447	2814
ion Trea	Conserved	by other Treatment	Tem- porary	:	5	:	:	:	50	18	24	92	189
Conservation Treatment		Teeth Filled	Per- manent	55	493	222	123	3	802	248	443	106	3293
0		Teeth	Tem- porary	21	22	11		:	2	21	14	43	134
		Actual	Attend- ances	183	1466	721	11112	104	2303	929	435	1045	8298
-eated		Total	Cases treated	170	1229	521	519	80	923	470	190	444	4546
Number of Children Treated		No. of Emer-	Cases	34	404	212	76	4	161	151	27	55	1154
ber of Cl	ses	Actual	Cases Treated	136	825	309	443	76	732	319	163	389	3392
Num	Routine Cases	No. of Cases	ing treat- ment	89	424	171	1369	128	1894	874	381	462	1777
	Ro	1	Cases In- spected	87	604	258	2399	234	3873	1679	540	566	10,240
		DENTIST		Mr. Cassidy	Mr. Cassidy	Mr. Cassidy	Miss McKendrick	Miss McKendrick	Miss Pugh	Miss Pugh	Mrs. Dinn	Mrs. Dinn	
-			MANAGEMENT	Cumbernauld P	Kirkintilloch P	New Kilpatrick M	Old Kil'ick (Burgh)	Old Kilpatrick (Landward)	Dumbarton N	Vale of Leven	Vale of Leven	Helensburgh P	Total

Owing to Miss McKendrick's serious illness the work in the Clydebank and Duntocher Clinics was very much interrupted. The Dentists from other areas are at present giving part-time assistance.

Ophthalmic Treatment of School Children

					SCHOO	OL MANA	SCHOOL MANAGEMENT AREA	AREA.				
	Dumbarton.	arton.	Helens	Helensburgh.	Kirkintilloch and Cumbernauld.	rkintilloch and Cumbernauld.	New Kilpatrick.	New patrick.	Old Kilpatrick.	Jrick.	Vale of Leven.	Leven.
	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.
Defective Vision corrected with Spectacles	58	89	8	12	89	92	6	4	71	80	30	46
Defective Vision too slight to benefit from Spectacles	01	0	6	4	20	7	7	6	17	91	8	12
Defective Vision treated otherwise	80	9	:	2	7	=	-	6	7	6	7	4
Total Number of Children Examined	76	84	21	8	80	011	17	20	95	105	45	62
Re-examinations	80	19	7	8	63	82	10	12	54	83	53	54

Total Number of Children Examined—733-Total Number of Spectacles Prescribed—566.

Ophthalmic Treatment of School Children-Continued.

				1	SCHO	SCHOOL MANAGEMENT AREA.	AGEMEN	T AREA.				
Complications	Dum	Dumbarton	Helens	Helensburgh.	Kirkintilloch and Cumbernauld.	rkintilloch and Cumbernauld.	New Kilpatrick	New patrick.	Old Kilpatrick.	ld rick.	Vale of Leven.	Leven.
	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.
Blepharitis Dacryocystitis Prosis Ptosis Strabismus convergens Strabismus divergens Conjunctivitis, Keratitis and Iritis Opacity of Cornea Opacity of Lens Aphakia Synechia Anterior Synechia Posterior Synechia Posterior Coloboma Uveae Choroido-Retinitis Optic Atrophy Albinism Buphthalmos	000000000000000000000000000000000000000	woob-44-00000000	000000000000000000000000000000000000000	-oomo-oooooooooo	0-0404-004-0000-00	00-0-440000000000	-004000000000000000	100mo-000000000000	no-2000000000000000000000000000000000000	L0070m40000000000	-0-80400-0000000	2006000000-0-0
Anophthalmos Coloboma of Lens	-0	00	00	00	0-	00	00	00	00	00	00	00

44
REPORT BY SCHOOL NURSES.

District	Nurse	Number of Children Examined	r of Insp	Number of Visits to Parents or Schools	Vermin or Nits on Head	Vermin or Nits on Body	Vermin Suspected	Unsatisfactory Clothing	Unsatisfactory Footgear	Others
Cumbernauld	J. C. Macbeth					***				
Kirkintilloch	C. M. Jeffrey and J. Oake	222	801	124	111		99	12		***
Kirkintilloch (Twechar) Cumbernauld (Croy)	A. Gee	112	596	93	69		13	4	1	25
New Kilpatrick	C. King, K. Stevenson, M. M. Macdonald	80	315	25	72			8		
Old Kilpatrick (Duntocher)	C. King, M. McCallum	155	579	56	126		12	12	5	***
Old Kilpatrick (Gavinburn Milton)	R. L. Shaw	27	159	28	13			1		14
Clydebank Burgh (Clydebank High, Elgin Street, Our Holy Redeemer's)	J. Scott	239	793	126	182	3	21	39		12
Clydebank Burgh (Dalmuir, Janetta Street, and St. Stephen's)	M. M. Macdonald and C. King	289	1348	83	268	3	9	. 12	9	
Dumbarton (except West Bridgend, Notre Dame and St. Patrick's)	M. Gilmour	275	1102	73	244	1			4	32
Dumbarton (West Bridgend, Notre Dame and St. Patrick's)	A. Gee, R. L. Shaw	249	1004	61	240		3	6		
Vale of Leven (Academy, Main Street, Levenvale St. Mary's, Luss, Muirland, Ardoch Bridge, Croftamie)	C. R. Robert- son and R. Smith	336	2190	116	241	6	6	56	2	14
Vale of Leven (Bonhill and Jamestown)	M. Callander	129	648	70	38	***	***	4	3	17
Renton (Cardross School)	E. M. Rankin	183	1053	33	179	4	***			
Helensburgh	K. Stevenson, C. Macnair, E. A. Sandilands	333	1131	110	217			52		68
Total		2629	11719	998	2000	17	163	206	24	182

### ORTHOPTIC TREATMENT.

The following table shows the number of cases seen by the Orthoptist:-

	Clydebank	Dumbarton	Kirkintilloch	Total
Number of Children under Treatment Number of Children under	17	27	15	59
Observation	23	58	10	91
Attendances— Preliminary Examination Cases for Occlusion Cases for Orthoptic Exercises Cases Re-Examined	8 26 232 4	18 54 655 20	7 41 496 6	33 121 1383 30
Total	270	747	550	1567
Cases Operated on Cases Discharged		3 5	1	4 6

### SPEECH THERAPY.

The following table gives a summary of the work done during the session.

	Visits per Month.	Articu-	Stutter.	Organic.	Total.
Janetta Street Clinic (Clydebank)	4	37	16	4	57
Hermitage Clinic (Helensburgh)	2	7	8	1	16
Hartfield Clinic (Dumbarton)	4	51	14	2	67
St. Mary's School (Alexandria)	4	49	17	11	77
Renton Public School	T	18	1	1	20
Kirkintilloch Clinic	2	20	8	3	31
Total		182	64	22	268

- I.—Treatments are now carried out at centres in Dumbarton, Alexandria, Helensburgh, Clydebank, Kirkintilloch and Renton.
- 2.—Cases are treated individually when possible, but, because of great demand for therapy, the majority are taken in small groups.
- 3.—Cases attend once per week, per fortnight, or per month, according to the number of cases being dealt with at each centre.
  - 4.—A treatment session is from twenty minutes to one hour.
- 5.—Cases are frequently referred to Medical Officers, Psychologist, and Dentists, for medical, surgical, psychological and orthodontic consultations and treatments necessary to speech readjustment.
- 6.—Consultation visits are paid at the request of the head teacher or
- parent of a child who attends a school not served by a centre.
- 7.—There is an urgent demand for help for the pre-school child, and much of the work could be avoided if the children were treated before going to school.

#### SECTION II.

#### REVISED FORM OF REPORT FOR YEAR ENDING 31st JULY, 1945.

(I) LIST OF STAFF.

(See page 5.)

- (2) GENERAL STATISTICS. (See page 6.)
- (3) SANITARY CONDITION OF SCHOOLS. (See page 7.)
- (4) ORGANISATION AND ADMINISTRATION. (See Annual Report for 1938-39, pages 50-55).
  - (5) FINDINGS OF MEDICAL INSPECTION.

#### A .- General Review.

During the session 6,506 pupils were examined at the routine inspections (boys, 3,305; girls, 3,201). This number is a decrease of 28 on the previous year. The number of non-routine cases examined was 2,026, which is 174 fewer than in the previous year.

- (1) Condition of Clothing—Again only one child (0.01 per cent.) was found with insufficient clothing: 53 pupils (0.8 per cent.) had clothing in bad repair, and 32 pupils (0.4 per cent.) had clothing in moderately good repair. With regard to cleanliness, 90 children (1.4 per cent.) had clothing classified as bad, and 8 (0.1 per cent.) had clothing classified as moderately good.
- (2) Footgear was bad in 58 cases (0.8 per cent.), and only moderately good in 4 cases (0.1 per cent.).
- (3) Uncleanliness of the Head or Body, or both, including such conditions as nits or vermin. Of the routine cases examined, 560 pupils (8·7 per cent.) showed evidence of vermin. Of that number, 547 (17·0 per cent.) were girls, and 13 (0·4 per cent.) were boys. Actually, vermin were found on only 6 children (0·1 per cent.), 4 of whom were girls, and 2 were boys. The absence of many mothers on war work continues to aggravate these conditions of lack of cleanliness, but it is unfortunately true that there is still a considerable number of cases for whom this excuse cannot be put forward. About 8 per cent. of the school population seems to be permanently infected with vermin.
- (4) Skin Disease—Of the routine cases examined, 49 (0.7 per cent.) had some skin disease of the head: 21 of them (0.3 per cent.) had impetigo, 5 (0.1 per cent.) had Alopecia, and 23 (0.3 per cent.) had "other conditions." There were also 174 (2.7 per cent.) pupils with skin disease of the body: of these, 54 (0.8 per cent.) had scabies, and 20 (0.3 per cent.) had eczema, 7 (0.1 per cent.) had psoriasis, 19 (0.3 per cent.) had sores, and there were 74 (1.2 per cent.) "other conditions." There were 97 non-routine cases with skin disease of the head, of whom 80 had impetigo, 5 had alopecia, and the remainder had "other conditions." Skin disease of the body was present in 406 non-routine cases: of these, 128 had scabies, 19 had sores, 4 had psoriasis, 4 had ringworm, and the remainder "other diseases."

The total number of cases of scabies (routine and non-routine) among school children is 54 fewer than in the previous session. Unfortunately, with the closing of the first-aid posts, in which special treatment centres had been established, the facilities for treatment were considerably reduced. This work is now done, as far as possible, at special sessions in the ordinary clinics. At these special sessions, adults are treated as well as children.

- (5) Defective Nutrition-Among the routine cases examined, the number found to be below the average was 422 (6.4 per cent.), of whom 20 (0.3 per cent.) were classified as very bad. The number who were above the average was 761 (11.7 per cent.). In spite of war conditions the nutrition of the children has been maintained at a satisfactory level.
- (6) Condition of Teeth-The dental condition this year shows a further improvement, the number of pupils with no teeth decayed being 4,524 (69.7 per cent.) as compared with 63.7 per cent. in the previous session. This number has shown an increase of 10 per cent. in two years. Whether this increase is due to war-time feeding, or to the spread of knowledge of how to care for the teeth, or, as is more probable, to both, it is a very satisfactory improvement. In the Eastern district of the County, Mr. Cassidy, the dentist, has given considerable attention to orthodontics as a preventive measure, especially in younger children, and so far the results are encouraging. The parents of the pupils are perhaps more interested in this branch of the work from an aesthetic point of view, but the cosmetic results are of secondary interest. It is fortunate that good dental results usually mean good cosmetic results, and so the interest of the patient and parent are maintained. As mouth-breathing frequently plays an important part in the production or maintenance of dental defects, there is close co-operation between the dentist, the throat and nose surgeon, and the orthopaedic staff, with a view to remedying this defect.

It is still unfortunately true that dental treatment is often refused, simply because the child does not complain of toothache, and then later treatment is demanded when the only thing the dentist can do is to extract the offending

tooth.

(7) Nose, Throat, and Lymphatic Glands :-

(a) Nose-During the session, 86 (1.3 per cent.) routine cases were found to be suffering from nasal catarrh, usually chronic, and most of them were referred to the ear, throat and nose surgeon for further investigation. Where a non-purulent catarrh followed the removal of adenoids, advice as to diet and medical treatment was given.

Nasal obstruction was present in 44 (0.6 per cent.) routine cases. In the great majority the cause was adenoids; in the others it was nasal polypus or deflected septum. Other nasal defects were found in 53 cases (0.8 per

cent.).

- (b) 1. Tonsils—Of the 6,506 routine cases examined, 571 (8.7 per cent.) had slightly enlarged tonsils which required no treatment. Some of these cases had tonsils removed because of frequent attacks of tonsilitis: there were also 55 non-routine cases with slightly enlarged tonsils. The tonsils were much enlarged in 322 (4.9 per cent.) routine cases, and in 234 non-routine cases. It was found at the routine examinations that 1076 children (16.5 per cent.) had had tonsils removed.
- (b) 2. Adenoids—Of the 6,506 pupils examined at routine examinations, 294 (4.5 per cent.) had adenoids, while 62 (0.9 per cent.) were suspected of having adenoids: at non-routine examinations, 38 children had adenoids, and 103 were suspected of having them. All these cases were referred to the ear, throat and nose surgeon. Of the routine cases examined, 921 (14-1 per cent.) had had adenoids removed.

As in former years, a record was kept of the results of removal of tonsils and/or adenoids, the pupils being examined one year after operation. This

table is shown on page 38.

The number of such cases of tonsils and adenoids removed is now 4,672. Of these, 3,581 (76.7 per cent.) have been classified as having had a satisfactory result, 800 (17.1 per cent.) were classified as moderately satisfactory, and 291 (6.2 per cent.) as unsatisfactory. Of the 670 operations for removal of adenoids only, 306 (45.7 per cent.) were classified as satisfactory, 231 (34.5 per cent.) were classified as moderately satisfactory, and 133 (19.8 per cent.) as unsatisfactory.

A record is also being kept of the late results of removal of tonsils and/or adenoids as shown during the routine examinations of the third and fourth age groups. The number now examined is 911. Of these, 854 (93.7 per cent.) were classified as satisfactory, and 57 (6.3 per cent.) as unsatisfactory. For further details see the table on page 37. During his examination of children who needed operations, Dr. J. Fulton Christie found a number who required some treatment before the operation could be done satisfactorily. He arranged for these pupils to be seen and treated at the Western Infirmary. He has kindly supplied the following information about these children:—91 children attended at the infirmary: 79 Sinus x-rays were done, the other 12 were x-rayed prior to the period under review, with the exception of one child who was x-rayed elsewhere. About one in ten had, in addition, an x-ray of the chest; 226 Lavages of the maxillary antra were done during the period; 60 of these Lavages required the administration of a general anaesthetic.

There is no doubt, he says, that the children derive much benefit from the treatment, and it would be foolish, if not foolhardy, to proceed with the T. and A. operation in the presence of known antral disease.

I am referring many children to Miss Galloway for breathing exercises, and to the school dentists for treatment of mal-occlusion of the teeth, as I consider that this is necessary in some cases, in order that they may derive full benefit of the T. and A. operation.

In addition to the children mentioned above, a number of other children received attention at the Western Infirmary. The following information regarding them is approximately correct:—5 dental x-rays; 2 x-rays of thymus; 6 estimation of bleeding and clotting time; 2 radical antral operations; I referred to plastic surgeon; 3 children were found to have bronchiectasis and were seen by a physician and a thoracic surgeon. One or two were treated in a medical ward, and the question of lobeclomy is being considered in one case. There were no mastoid operations done in the period under review.

- (c) Lymphatic Glands—Of the 6,506 routine cases examined, 226 (3.5 per cent.) had slightly enlarged submaxillary glands, and 16 (0.2 per cent.) had much enlarged submaxillary glands, 82 children (1.2 per cent.) had slightly enlarged cervical glands, and 6 (0.1 per cent.) had markedly enlarged cervical glands. At non-routine examinations 7 children had slightly enlarged submaxillary glands, and in 7 children they were much enlarged. Nine non-routine cases had slightly enlarged cervical glands, and one had much enlarged cervical gland.
- (8) Eye Conditions—Of the 6,506 routine cases examined, 232 (3.5 per cent.) suffered from squint, 39 (0.6 per cent.) had blepharitis, 9 (0.1 per cent.) had conjunctivitis, 7 (0.1 per cent.) had corneal opacities, and 34 (0.5 per cent.) suffered from other conditions. Among the non-routine cases examined, 30 had squint, 26 had blepharitis, 21 had conjunctivitis, 7 showed corneal opacities, and 31 had other eye conditions. The orthoptic treatment of squints has been continued all through the session, and a report of the work done will be found on page 45.

The vision of infants is not tested at the routine examinations. There were 4,356 children examined in the other age-groups, and of these, 3,946 (90.6 per cent.) had good vision, 266 (6.1 per cent.) had fair vision, while 144 (3.3 per cent.) had bad vision, and 187 (4.3 per cent.) had vision bad in one eye only. There were also 138 non-routine cases with bad vision. Pupils

with bad vision or bad vision in one eye only were referred to Dr. Tennent, and also pupils in the infant department, where for any reason defect of vision was suspected. This is also done with pupils whose vision is apparently normal, but who suffer from conditions such as headaches which may be ocular in origin.

- (9) Ear Conditions—Of the 6,506 routine cases examined, 67 (1.0 per cent.) were suffering from ear conditions requiring treatment. Of these, 54 (0.8 per cent.) had otorrhoea, 3 (0.1 per cent.) had wax in one or both ears, and 10 (0.1 per cent.) suffered from other conditions such as polypus, foreign body in ear, etc. There were also 54 non-routine cases with otorrhoea, 14 with wax, and 31 with other conditions. Wax in the ear was noted only when it was sufficient to cause deafness. There were 36 routine cases (0.5 per cent.) classified as slightly deaf, and 13 (0.2 per cent.) as very deaf. In addition, 11 non-routine cases were classified as slightly deaf. Many of the cases of deafness were associated with enlarged tonsils and adenoids, and cleared up after their removal, as did also many cases of otorrhoea.
- (10) Defective Speech was present in 37 routine cases examined (0.5 per cent.). Of this number, 24 (0.4 per cent.) had defective articulation, and 13 (0.2 per cent.) were stammerers. There were also 2 non-routine cases. During the session Miss Kenny carried out the treatment of these cases by speech therapy, and a detailed report of her work will be found on page 45. The number of children treated was 268, of whom 85 were discharged as cured, 34 left with treatment incomplete, and 149 were retained.
- (II) Mental and Nervous Conditions—Of the 6,506 routine cases examined, 21 were found to be suffering from diseases of the nervous system, 0.3 per cent. of the whole. Of these, 5 (0.1 per cent.) had epilepsy, 4 (0.1 per cent.) had chorea, and 10 (0.1 per cent.) had infantile paralysis. Among the nonroutine cases examined, there were 2 children with epilepsy, II with chorea, and 8 with infantile paralysis, a total of 22.

Table 7—Q showing the number of backward and mentally deficient children is of no value whatever, as the medical officers have no means of knowing which children are backward until the question of the child's mental condition comes up for decision. The number of routine cases returned as backward was 32 (0.4 per cent.), and I non-routine case. These figures do not, of course, include children in special schools.

- (12) Heart Conditions—Of the 6,506 routine cases examined, 60 (0.9 per cent.) were found to have heart disease, either organic or functional. Of these, 58 (0.8 per cent.) had organic disease (17 congenital, 41 acquired), while 2 cases (0.1 per cent.) showed a functional condition. There were also 9 non-routine cases of heart disease, all organic. During the present session it has again not been found possible to continue the "following up" and regular re-examination of cases showing evidence of heart weakness, but every effort is made to keep them under supervision as regards drill and baths.
- (13) Lung Conditions—There were 173 cases (2.6 per cent.) of lung conditions among the routine cases examined. Of these, 114 (1.7 per cent.) had bronchial catarrh, 39 (0.6 per cent.) had bronchitis, 1 (0.1 per cent.) had tuberculosis, and 19 (0.3 per cent.) had asthma. There were also 33 non-routine cases with bronchial catarrh, 23 with bronchitis, and 20 with asthma. There is the closest co-operation between the school medical officers and the tuberculosis officers, and all cases on which there is the slightest suspicion of tuberculosis, are referred to the tuberculosis officers for an opinion.
- (14) Deformities—Deformities were present in 227 cases, only 5 (0·1 per cent.) being due to rickets. Of the remainder, 27 (0·4 per cent.) were congenital conditions, and 195 (3·0 per cent.) were acquired. There were

also 39 non-routine cases, all acquired. The acquired cases comprised postural deformities such as kyphosis, scoliosis, flat foot, and conditions following infantile paralysis. Suitable cases were referred to the orthopaedic staff for treatment, and further particulars will be found on page 36.

(15) Infectious Diseases—Among the routine cases examined, 11 (0-2 per cent.) were found to be suffering from infectious disease, 2 from scarlet fever, 4 from chickenpox, 3 from mumps, and 2 from whooping cough. There were 29 cases of infectious disease among the non-routine cases examined (scarlet fever 3, chickenpox 14, mumps 11, and whooping cough 1).

Diphtheria Immunisation—During the session a considerable number of children were immunised against diphtheria, the immunisation being carried out either in schools or clinics.

(16) Other Diseases and Defects—These were noted in 216 (3-3 per cent.) of the routine cases examined, 16 (0-2 per cent.) with hernia, and 200 (3-0 per cent.) with other diseases. There were 400 non-routine cases who showed evidence of other diseases, none of which had hernia. Seven routine cases showed evidence of non-pulmonary tubercular disease, 3 with glands, 1 with joints, and 3 with abdominal. One non-routine case had abdominal tuberculosis.

#### (6) MEDICAL TREATMENT.

The details in connection with the following sub-headings will be found in the body of the report, on the pages indicated against each item.

It is quite impossible to ascertain accurately how many children in these groups received treatment privately or through a voluntary hospital under arrangements made by parents.

- A.—Minor Ailments:—(1), (2), (3) and (4). See "Treatment of Minor Ailments," on page 39.
- B.—Defective Vision and Squint:—See Tables "Ophthalmic Treatment of School Children," pages 42-43. Also "Report on Orthoptic Treatment," on page 45.
- C.—Nose and Throat (Operative Treatment):—See Table "Throat, Nose and Ear Clinics," on page 40.

#### (7) DENTAL TREATMENT.

The information required is obtained in Table "Dental Treatment," page 41, and also in Table V, "Dental Inspection and Treatment."

#### (8) SPECIAL SCHOOLS AND CLASSES.

Particulars regarding the facilities in use for exceptional children will be found on page 33 of this report.

There were no holiday camps during the present session, but Cardross Park Home, opened in June, 1941, for the accommodation of evacuee children, and now available for children of all ages convalescent from illness, or requiring special care, has once more proved of very real value to the county. There is accommodation for some 40 children, and there is now a teacher for those able to do lessons. During the session 80 children have been admitted for varying periods, with excellent results.

# PERSONAL HYGIENE.

This subject is referred to on page 34.

## 10) OTHER ACTIVITIES IN RELATION TO THE HEALTH OF SCHOOL CHILDREN.

On page 34 and succeeding pages are recorded particulars regarding the seeding of School Children under the Local Authority Schemes, Employment of School Children, and the Admission of Children to Approved Schools, in to far as these affect the work of the School Medical Officers.

For some years the School Medical Officers have been investigating the sesults of the removal of tonsils and/or adenoids, as shown at about a year after the operation, and the cumulative findings of these enquiries are embodied in the table printed on page 38.

For the seventh session in succession this enquiry has been extended to hildren who had been operated on at varying periods up to ten years previously, and the data will be found on page 37.

The work of the Orthopaedic Clinics will be found detailed on page 36.

The increase in the amount of work carried on for Helensburgh cases, ince the clinic was opened in Helensburgh, emphasizes the importance of a linic being established in each centre. It has to be remembered that Orthopaedic Treatment necessitates twice-weekly visits over long periods, and it is essential to minimize the time spent in travelling, and cost of travel.

#### (5) FINDINGS OF MEDICAL INSPECTION.

#### B.-Statistical Tables.

#### TABLE I.

Total number of children examined at :-

				ystematic ninations.	Other Systematic Examinations,
	Entrants			2,150	Secret 14
Ordinary	Second Age-Group			2,141	-
Schools	Third Age-Group	***		2,025	-
	Fourth Age-Group			-	40 min 1 - 1
Secondary Scho	ools Age-Group		***	190	-
	Total			6,506	Nil
				(b) Other xamination	ns.
	Special Cases Re-inspections by Me	 dical O	 fficer	2,026 7,914	
	To	otal		9,940	

Number of individual children inspected at systematic examinations, who were notified to parents as requiring treatment (excluding uncleanliness and dental caries).

Entrants			840
Second Age-Group			934
Third Age-Group			563
Fourth Age-Group			_
Secondary Age-Group			43
Other Systematic Exam	ninati	ons	_
Tot	al		2,380

Table III.—See page 54.
Table III.—See page 54a.

# Table IV.—Return of All Exceptional Children of School Age in the Area.

It has not been found possible to give the details required by this table with sufficient accuracy, and the table is therefore omitted.

### TABLE III.-SYSTEMATIC MEDICAL EXAMINATIONS.

	Entra				Third A	ge-Group.	Fourth A	ge-Group.	Total		
Ciassification.	Number of Children.	Percentage of the Children Examined in this Group.	Number of Children.	Percentage of the Children Examined in this Group.	Number of Children.	Percentage of the Children Examined in this Group.	Number of Children.	Percentage of the Children Examined in this Group.	Number of Children.	Percentag of the Children Exam- ined at Systemati Medical Examin- ations	
I.—Children free from Defects	1344	62-6	1277	59.7	1265	62.5	111	58.	3997	61.5	
II.—Children (otherwise free from defects) who suffer from:—  (a) Defective Vision not worse than 6/12 in the better eye with or without glasses.  (b) Conditions of the	38	1-7	105	5.0	104	5-2	18	9.5	265	4-1	
Mouth and Teeth	117	5-4	129	6.0	195	9.7	20	10.2	461	0.7	
(c) Both (a) and (b) Total	156	7-2	240	11.2	335	16.6	42	22.1	773	11.9	
III.—Children suffering from Ailments (other than those mentioned in II.) from which complete recovery is expected within a few weeks	562	26-1	449	21:0	268	13-2	19	10.0	1298	19.9	
IV.—Children suffering from (or suspected to be suffering from) defect less remediable than defects specified in II. and III., distinguishing cases:— (a) Where complete cure or restoration of function (in the case of eye defect, full cor- rection) is considered possible (b) Where improvement only is considered	57	2.7	115	5-3	94	4.6	4	2.1	270	4:1	
possible, e.g., without complete restoration	1000	1.4	60	2-8	63	3.1	14	7-4	168	2.6	
of function Total	31	4-1	175	8-1	157	7.7	18	9.5	438	6.7	
Total Number of Children Examined	2150	100.0	2141	100.0	2025	100-0	190	100-0	6506	100-0	

service beneated

## TABLE V.-DENTAL INSPECTION AND TREATMENT.

(I) Inspected by the Dental Officers :-

Age.	(a) Systematic Examinations.	(b) Special or Emergency Cases.	Total.
5	1128	110	1238
6	1095	125	1220
7	1034	127	1161
8	982	144	1126
9	997	85	1082
10	1126	78	1204
11	909	96	1005
12	785	59	844
13	939	49	988
14	252	24	276
15	172	I	173
16 17	5 5 9429	9 0	5
Totals	7429	907	10,336

	Systematic Examinations.	Special or Emergency Cases.	Total.
(2) Found to require Treatment	5571	907	6478
(3) Actually treated by School Dental Officers	3392	907	4299
(4) Number of Attendances made by children for treatment	6341	1957	8298
(5) Fillings * (a) Permanent Teeth	2346	914	3260
(b) Temporary Teeth	84	29	113
(6) Extractions (a) Permanent Teeth	946	147	1093
(b) Temporary Teeth	4231	1127	5358
(7) Number of Administrations of a general anaesthetic for extractions	896	41	937
(8) Other operations :- *			
(a) Permanent Teeth	2174	640	2814
(b) Temporary Teeth	154	35	189
(9) Half-days devoted to-			
(a) Inspection	102	0	102
(b) Treatment	1236	249	1485
110) 61:11			

<sup>(10)</sup> Children treated under private arrangements—No accurate information is available.

<sup>\*</sup> Temporary fillings, whether in permanent or temporary teeth, should be recorded as "other operations."

TABLE II.—SYSTEMATIC EXAMINATIONS.

B. -Statistical Tables.

Return of Number and Percentage of Individual Children in each Age-Group suffering from Particular Defects.

		9	NY.	a	MA	H	0	1521			1	AT	141	14.				1			1
		Girls.	10	%		4	9.0	20.5	3.4	8.9	11.5	6.3	7.8	6.0	1.0	6.0	9.0	2:3	3.0	0.5	3.7
	ges.	O	3201	No.	J.	45	21	649	601	220	370	204	250	30	*	29	2.1	73	96	9	21
	All Ages.	Boys.	35	%		1.5	1.2	3.6	3.5	1.9	11.2	5.6	8.9	Ξ	2.0	8.0	6.0	2.6	3.4	0.5	7 7 7
		B	3305	° N		50	39	121	611	204	372	187	226	37	23	28	29	87	= 3	9	1 000
	onb.	ls.	82	0/0		:	:	3.6	3.6	-:	14.6	1.2	12.2	- 2	1.2	:	:	:	-2	:	1.2 1140
	ge-Gr	Girls.	80 -	No.	1	:	:	m	m	:	12	-	0	-	-	:	:	:	-		1
	Fourth Age-Group.	Boys.	8	%		:	:	:	4.6	8	12.0	:	5.5	:	:	:	6.0	6.0	6.5	:	2.7
	Fou	Bo	108	o N		:	:	:	25	7	13	:	9	:	:	:	-	-	7	:	3
	ndn.	18.	9101	0,0		9.0	:	24.1	4.8	3.6	1.91	2.8	2.9	2.0	0.5	0.5	9.0	9.1	5.6	***	4.0
1	e-Gro	Girls.	0	No.		9	:	245	49	37	164	29	89	80	7	7	7	17	27	:	41
	Third Age-Group.	Boys.	6	%		8.0	0.5	3.7	3.7	4.0	14.6	8.	5.9	0	2.0	1.0	2.0	1	3.5		3.5
	Thi	Во	1009	No.		00	20	38	38	4	148	6	09	0	7	7	7	15	36		36
	onb.	Girls.	15	%		2.2	0	22.6	5.6	8.4	1.01	8.5	10.4	Ξ	0.3	1.7	0.3	7	4:7	1.0	4.1
1	Age-Group.	5	1045	° N		23	=	237	28	88	901	89	601	2	4	18	4	5	50	-	43
	nd Ag	Boys.	96	%		2.3	8.	4	4-	0.9	10.1	8.0	9.5	0.1	6.0	Ξ	0	2.3	3.8	1.0	5.5
	Second	Bo	9601	No.		26	20	45	45	99	Ξ	87	105	=	0	12	=	26	42	-	57
		Girls.	00	%		-i	6.0	15.5	2.7	0.6	8.3	8.0	6.5	8.0	9.0	8.0	6.0	3.8	1.7	4.0	3.4
	nts.	5	1058	No.		91	0	164	29	95	88	85	63	6	7	6	0	4	-8	15	36
	Entrants.	Boys.	92	%		4:1	1.2	3.5	2.8	8.7	1.6	7.4	5.0	4:	0.5	8.0	6.0	4-	2.5	4.0	4.7
		Bo	1092	Š.		91	4	38	3	95	001	18	55	91	9	6	0	45	28	S	52
Total Examined at all Ages-6506.	Tree Comments of the same	age group—by sexes.		Nunber showing defects.	Nature of Defect.	1. Clothing Unsatisfactory	2. Footgear Unsatisfactory	3. Uncleanliness (Head, Body, or both)	4. Skin (Head and/or Body)	5. Defective Nutrition	6. Mouth and Teeth Unhealthy	7. Nose, Throat and/or Glands	8. Eye Conditions	9. Ear Conditions	10. Defective Speech	II. Mental and Nervous Conditions	12. Heart Conditions	13. Lung Conditions	14. Deformities	15. Infectious Diseases	16. Other Diseases and Defects

#### INDEX.

							Page
Administration							
Approved Schools, Admission of							7, 46
						•••	lla
Cleanliness of Head and Body				***		11, 1	
Clothing, Sufficiency of							9
Co-ordination with Public Health							7
Defects—	3614	100			***		,
Dontal						11	. 41
Harata -							5, 41
W I		***			***	***	
							22
Notified to parents					***		10a
Speech					***		21
Visual	***					F.4	2la
Revised Form of Tables	***					54,	54a
Deformities							28
Diseases of—							20
Ears							20
Eyes (external)		***			***		19
Heart and Circulation		•••					23
Lungs	•••	***					24
Lymphatic Glands	• • •			***	***	***	17
Nervous System	***	***				***	25
Nose							16
Skin							13a
Throat							16
Employment of School Children		***					35
Footgear, Sufficiency of						***	10
Infectious or Contagious Disease	:S						29
List of Staff				***			5
Medical Treatment, Arrangement	ts for						5, 50
Medical Treatment at Clinics						3	9, 40
Milk in Schools Scheme							34
Number of Schools							6
Number of School Children							6
Number of School Children Exa	mined						8
Number of Special Visits			4.				. 7
Nurses, Reports by							44
Nutrition							14
Ophthalmic Treatment						4	
Orthoptic Treatment							45
Orthopaedic Treatment					***		36
Other Diseases and Defects							30
Parents present at Inspections							7
Personal Hygiene							34

Physical Education	of Scl	hool C	hildren		***			***	34
Previous Illnesses									31
Results of Ear, No	ose and	d Thro	at Trea	tment	-Repo	ort			37
Revised form of P	Report								46
Rickets						***	***	***	27
Ringworm, X-Ray	Treat	ment				***			35
Sanitary Condition	of Sc	hools							7
Special Appliances	Suppl	ied							34
Special Schools an	d Clas	ses					***	***	33
Spectacles Supplie	d					***			42
Speech Therapy									45, 49
Tuberculosis (Non	-Pulm	onary)			***			***	26
Ultra-Violet Light	Treati	ment							35
Vaccinations									32
Visual Acuity								1111	21a

