

**Save lives : first aid : keep me handy / Dr. Martin Sagrera.**

**Contributors**

Sagrera, Martín

**Publication/Creation**

[1997?]

**Persistent URL**

<https://wellcomecollection.org/works/v5x27g2p>

**License and attribution**

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).

**wellcome  
collection**

Wellcome Collection  
183 Euston Road  
London NW1 2BE UK  
T +44 (0)20 7611 8722  
E [library@wellcomecollection.org](mailto:library@wellcomecollection.org)  
<https://wellcomecollection.org>



## SAVE LIVES: FIRST AID Keep Me Handy!



In case of accident, don't move victim if back may be broken. If no pulse in neck, massage HEART.

—SUFFOCATION: Turn victim upside down, slap hard. Rub. RESPIRATION.

—SHOCK (pale, cold skin; pulse affected): Lay victim down, elevate feet. Loosen clothing. Avoid sweating. Warm water (nothing if abdominal wound). Make victim talk.

—CONVULSIONS: Do not immobilize. Place handkerchief between teeth.

—HEART (CARDIAC ARREST): Lay victim on hard surface. THREE BREATHS and 15 compressions (one per second) with one hand over the other in center of chest (not over ribs), compressing 3 to 4 cm. until victim revives.



—FAINTING: Lay victim down. Loosen clothing. Fresh air. Cold compresses.

—ELECTRICITY: Shut off current. If you can't, separate victim from current using dry object, without touching victim with your skin. RESPIRATION.

—POISONING: Provoke vomiting with fingers or salt water. Then 3 or 4 glasses milk, 4 raw egg whites, or strong coffee or tea.

—FRACTURE: Immobilize fracture. Splint with adjoining joints if victim must be moved.

—HEMORRHAGES: First priority. Make victim sit or lie down. Raise bleeding limb. Press with gauze or cloth, using entire hand. If bleeding continues, cut circulation by pressing nearest pressure point (drawing). If not sufficient, apply tourniquet (maximum one hour).



—WOUND (knife, etc.): Do not remove object (hemorrhage). Bandage object with wound, no pressure.

—BITES: Wash with soap.

—SNAKEBITE: Lay victim down. Press cord above wound. If poison, cut small X and suck.

—BURNS: Lay victim down. Do not remove stuck clothing. Gauze or clothing on burns. Cheer victim. Do not use ointments. If on fire, wrap with cloth and roll on floor.


—MOUTH TO MOUTH RESPIRATION: Lay victim chin elevated. Place mouth firmly over victim's mouth, clamp victim's nostrils shut, and blow hard. Watch for exhalation (if none, check position an THROAT). Every 3 seconds for hours if necessary.

### WHO GETS ALONG TOGETHER AND WHO DOESN'T

№	SIGN	FIGURE	DATES	YES	NO	SO-SO	CHARACTER
1	ARIES		MAR 21-APR 20	9-1-5-11-3	10-4-7	8-12-2-6	STRONG
2	TAURUS		APR 21-MAY 20	12-6-4-10-2	8-11-5	1-9-7-3	CLEVER
3	GEMINI		MAY 21-JUN 21	7-11-3-5-1	6-12-9	10-4-8-2	NICE
4	CANCER		JUN 22-JUL 22	8-12-6-2-4	10-7-1	5-11-3-9	LOGICAL
5	LEO		JUL 23-AUG 23	9-3-5-1-7	8-2-11	10-6-4-12	IMPULSIVE
6	VIRGO		AUG 24-SEP 23	10-6-8-2-4	3-12-9	1-11-7-5	INTUITIVE
7	LIBRA		SEP 24-OCT 23	7-5-9-11-3	1-10-4	12-2-6-8	BALANCED
8	SCORPIO		OCT 24-NOV 23	6-8-12-4-10	5-2-11	7-3-9-1	FAIR
9	SAGITARIUS		NOV 23-DEC 21	11-1-9-7-5	12-3-6	2-10-4-8	UNDERSTANDING
10	CAPRICORN		DEC 22-JAN 19	2-12-8-10-6	7-1-4	9-5-11-3	DIRECTING
11	ACUARIUS		JAN 20-FEB 18	1-9-3-11-7	5-8-2	6-12-4-10	CALCULATING
12	PISCES		FEB 19-MAR 20	4-10-2-12-8	9-6-3	11-5-1-7	DIPLOMATIC

Just as we look for a partner with a similar temperament, let's plan our children to be born compatibly with our health, economy... and sign. (Education can modify temperament somewhat).

## RELIEVE YOUR PAIN WITH FINGER PRESSURE




Try Chinese finger massage (the origin of acupuncture) and take advantage of this painless, non-contra-indicated method you yourself can apply: find the point in a tense, sensitive, or sunken spot for each problem, according to this drawing. Apply gentle but firm pressure with one or two fingers in a circular motion over the point. Rub clockwise to stimulate and counterclockwise to relax. Massage BOTH halves of the body simultaneously (the half shown in the drawing and the other half on the same side, front or back) except where there is only one point. Massage 1 to 5 minutes. The subject should be relaxed, seated or lying down, not undergoing digestion or pregnant, and not a heart patient. If pain continues, check point and technique and massage again, try a different point for that problem, or consult a specialist or a book on the subject.

## HEALTH AND CHILDREN: AVOID ABNORMALITY

Nowadays half the babies born don't die, as the used to. That's why we must control not only the number but also the quality of our children, because the weaker ones survive. Since now we can also satisfy our sexual needs without causing pregnancy, it's a crime to beget children if you're not healthy, and more so if you have transmissible hereditary diseases, such as schizophrenia, epilepsy, diabetes, venereal disease, alcoholism, or

also AIDS.

**Both mother and children are debilitated;** 1) if the mother is less than 20 or over 35. 2) if the children are born one right after another. 3) if many children are born. 4) if during pregnancy the mother works hard, eats too little, too much, badly, or underdone meat, suffers strong emotions, smokes, or takes medicines without consulting her doctor.



**FOR WOMEN:** 1. Contraceptive **PILLS**, the **INTRAUTERINE DEVICE (IUD)**, and **INJECTIONS** are very effective methods. The **DIAPHRAGM** is very effective, especially with cream.

2. Spermicide **TABLETS** and **CREAMS** also work. Aspirins in the vagina produce some irritation and are not reliable.

3. A vagina-sized rubber, cotton, or plastic **SPONGE** soaked in salt, soap, or lemon and placed in the vagina before sex is rather reliable.

4. Vaginal **DOUCHING** is very unreliable and is useless if done half a minute after sex.

5. **BREAST FEEDING** is healthy but no too reliable in preventing pregnancies.

**FOR MEN:** 1. **CONDOMS** (rubbers) are widely used to avoid disease. Many married couples also use them to prevent pregnancy.

2. **COITUS INTERRUPTUS** (withdrawal before ejaculation) is simple and quite effective if done in time, but sometimes unpleasant.

**FOR BOTH:** 1. **STERILIZATION** (vasectomy) for men and **TUBAL LIGATION** for women are very effective and permanent. Sex is not adversely affected, as opposed to after castration; the couple wouldn't even know if they weren't told.

2. **PERIODIC ABSTINENCE** (rhythm or calendar method) consists in abstaining from sex on fertile days. It's not very reliable.

In order to avoid surprises, use contraception from the beginning of your relationship. Couples should consolidate themselves first, by themselves. Having children is a very serious matter. Use the most reliable method you can. None of the ones listed here are dangerous. Get more information from doctors and nurses in clinics, maternity wards, hospitals, and so on.

**NOT ONE MORE CHILD THAT ISN'T FREELY AND PURPOSEFULLY CONCEIVED!**





## AIDS THREATENS US ALL: FIND OUT OR DIE



**AIDS IS TRANSMITTED:** A) **Sexually:** 1. By male/female intercourse (solution: use condoms). 2. By anal intercourse or sodomy (solution: use condoms). 3. By oral sex or "69", if skin is broken. B) **Non-sexually:** 1. By sharing hypodermic needles (solution: use disposables ones). 2. By blood transfusion (solution: medical control). 3. By pregnancy in the mother is a carrier (solution: use contraceptives). **AIDS IS NOT TRANSMITTED:** By shaking hands, sharing toilets, or family life.

**ANTIBODY DETECTION TEST:** This test should be taken by those who may have come into contact with the virus by sharing hypodermic needles or due to sexual practices. Maybe not all those who test positive will develop AIDS, but they should know **as soon as possible** that they have the virus, 1) because each fresh infection they receive will multiply their possibilities of developing the disease, and 2) in order not to infect their partners **or get re-infected from their partners**. 3) In order to use the treatments being tested to stop the disease.

**PROTECT YOURSELF AND OTHERS:** Avoid contact with secretions (blood, mucus, semen). Don't share toothbrushes, razors, and the like.

—Avoid contact with secretions (blood, mucus, semen).

—Remember that deep kissing and anal intercourse usually cause small, almost invisible wounds that favor infection.

—Try less sexual partners, longer-lasting forms of pleasure, and **SAFE SEX** in general.

Apart from this, in order to prevent AIDS as well, avoid chances of catching venereal diseases or hepatitis B, which are spread by sharing glasses, bottles, and so on.

---

## SEXUALLY TRANSMITTED DISEASES

1. **HERPES:** Passed by sexual contact. Symptoms: tiny red spots on genitals or anus, which are not always painful. Herpes can be serious for children. Avoid sexual contact until you get medical treatment.

2. **GONORRHEA:** Passed by sexual contact. Symptoms: in men, a burning feeling while urinating and yellow secretions from the penis. Women rarely feel itching but can transmit the disease to their children or become sterile. If you suspect you have gonorrhea, avoid sexual contact and visit your doctor; gonorrhea can lead to arthritis or meningitis. Well-treated, it's soon cured.

3. **SYPHILIS:** Passed almost solely by sexual contact. It develops in three weeks or more. A hard, painless ulcer (chancre) appears on the genitals or mouth. It will disappear (but the disease won't). Six weeks later a rash appears, highly contagious spots on feet, hands, or mouth. They disappear in a few weeks, and the third stage, which can be deadly, takes years to develop. Visit your doctor at the first symptom, when it's easier to cure. Meanwhile, avoid sexual contact and pregnancy.

This knowledge is vital. Loan this sheet to your friends and relatives. Explain it to those who can't read or understand it. Make copies and distribute them door to door and by mail. Dr. Martín Sagrera, 20 books author, as **El problema poblacional**, Editorial Fundamentos. 15, Caracas Street. 28010 Madrid. Spain.