How HIV transmission works: fucking men: being on top wasn't enough to keep Howard completely safe / GMFA, London Gay Men's HIV Prevention Partnership, MetroM8.

Contributors

London Gay Men's HIV Prevention Partnership Gay Men Fighting AIDS (Organization) MetroM8

Publication/Creation

[2009?]

Persistent URL

https://wellcomecollection.org/works/mw48qdrt

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org How HIV transmission works: Fucking Men



Being on top wasn't enough to keep Howard completely safe

How HIV transmission works: Fucking Men

A man can catch HIV by fucking someone else without a condom.

When you fuck someone, HIV-infected blood can get into your bloodstream through your urethra (piss-hole) or foreskin. There is likely to be some blood in his arse when you fuck him, even if neither of you are aware of it.

Piercings, rashes or cuts on your cock may also make you vulnerable to HIV because the cells closest to the damaged skin are the ones that are most easily infected.

For more information on HIV & AIDS call THT Direct Helpline on 0845 122 1200 Mon-Fri 10am-10pm; Sat-Sun 12noon-6pm or visit www.metromate.org.uk

GMFA's campaigns and actions are designed, planned and executed by positive, negative and untested volunteers. To volunteer for GMFA, phone, write or e-mail: 020 7738 6872 Unit 43, The Eurolink Centre, 49 Effra Road, London SW2 1BZ. newvol@gmfa.org.uk Registered Charity no: 1076854 Part of the London Gay Men's HIV Prevention Partnership.





