

How HIV transmission works: sex & risk : Howard was aware that some acts were riskier than others / GMFA, London Gay Men's HIV Prevention Partnership, MetroM8.

Contributors

London Gay Men's HIV Prevention Partnership
Gay Men Fighting AIDS (Organization)
MetroM8

Publication/Creation

[2009?]

Persistent URL

<https://wellcomecollection.org/works/hr8rbmqr>


License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

How HIV transmission works: Sex & Risk



**Howard was aware that some acts
were riskier than others**

How HIV transmission works: Sex & Risk

Getting fucked without a condom is the most risky sexual activity if you don't have HIV. Fucking a man without a condom probably carries the next highest risk.

HIV is in the blood, cum and pre-cum of an HIV positive man. HIV is passed on when the virus gets into the bloodstream of an HIV negative man, usually through sex.

It is rare to catch HIV through giving someone a blowjob or from sharing sex toys, but it happens.

For more information on HIV & AIDS call THT Direct Helpline on 0845 122 1200 Mon-Fri 10am-10pm; Sat-Sun 12noon-6pm or visit www.metromate.org.uk

GMFA's campaigns and actions are designed, planned and executed by positive, negative and untested volunteers. To volunteer for GMFA, phone, write or e-mail: 020 7738 6872
Unit 43, The Eurolink Centre, 49 Effra Road, London SW2 1BZ. newvol@gmfa.org.uk
Registered Charity no: 1076854 Part of the London Gay Men's HIV Prevention Partnership.



LONDON GAY MEN'S
HIV Prevention Partnership

