Contributors

Brook Advisory Centres

Publication/Creation

[between 1985 and 1990?]

Persistent URL

https://wellcomecollection.org/works/j34gpzfk

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

AREFU REMEMBER:

You can catch the AIDS virus from having sex with an infected person or sharing needles or syringes with an infected drug user.

You can't catch the A I D S virus from kissing, hugging, shaking hands, sharing a drink or using the same toilet as an infected person.

The more people you have sex with, the higher the risk of getting the AIDS virus (and all sexually transmitted infections). If you are going to have sex, unless you

know for sure that your partner is not infected use a condom.

Other contraceptives don't protect against the AIDS virus but don't give up your method of birth control if you're happy with it, use a condom as well.

Learn how to use a condom and get free supplies at your local family planning clinic or Brook Advisory Centre.
 Remember: people with AIDS need love

and acceptance.

For more information on AIDS contact:

- For more information of Albo Contact.
 Special AIDS line 0800-555777.
 Healthine Telephone Service 01-981-2717. If you're phon-ing from outside London ring 0345-581151 and you'll be charged at the local rate. (Recorded message) Terrence Higgins Trust 01-833-2971. Weish AIDS Campaign 0222-464121. Carolff AIDS helpline 6 9pn Mon Fri 0222-464121. Scottish AIDS Monitor 031-558-1167. London Lesbian and Gay Switchboard 01-837-7324. SCODA (Standing Conference on Drug Abuse) 01-430-2341.





Pepsi

Shirlie: *Remember girls can carry condoms too. So be smart and be prepared! Condoms help to protect us all from the AIDS virus, so use them! You can get them free from all family planning clinics and Brook Advisory Centres. Just walk in and ask."



Pepsi



"You may not know anyone now who has AIDS but you will in the future. AIDS is not a

gay disease, straight people are at risk too. If we're going to protect each other we've

got to take care together. Use a condom to help stop the

AIDS virus spreading.

Dr Robert: "If you care enough about someone to have sex with them, then care enough to protect them and yourself. Get hip! Learn how to use a condom and get free

supplies at your local family planning clinic or Brook Advisory Centre."

Dr Robert



Brook Advisory Centres provide free birth control advice and supplies, pregnancy test-ing and counselling for young people.

Brook Centres are in Avon, Birmingham, Coventry, Edinburgh, London, Merseyside and North East Lancashire.

Ring 01-708-1234 for your nearest centre.



You will have heard a lot about AIDS. Don't fool yourself into thinking it doesn't affect you. It does.

AIDS is caused by a virus which attacks the body's immune system. People with AIDS are unable to flight infections and eventually die.

Melanie McFadyean, Just 17

The ALD's virus lives in the blood, semen (spunk) and vaginal fluids of people already infected. It can only be passed from one person to another if the virus gets into the bloodstream.

gets into the blocksteam. This can happen in sexual intercourse when a man can catch the virus from infected vaginal fluids or a woman can catch it if infected semen gets into her vagina.

The ALDS virus can also be spread between drug users who share needles or syringes and can be passed from a mother to her baby during pregnancy.

AIDS is not a gay disease. The virus is now spreading among straight men and women. That means everyone having sex may be at risk and the more people you or your partner have sex with, the higher the risk of catching the virus.

Tak of catching the virus. You can't tell if someone is infected with the A1DS virus just by looking at them. So, if you are sure about having sex with a new partner use the method of birth control that suits you both but if you are not sure who they've had sex with before, use a condom as well. A condom (rubber, johnny, sheath, french letter) will help protect both of you.

Condoms help stop the A I D S virus passing from man to woman and woman to man. They also help to protect against all sexually transmitted diseases and cervical cancer.

So, love carefully and know the one you're with. Learn to ask any and every question and above all, don't be condom shy. Condom may be all there is between you and AIDS. Use them.



Use a condom

.