

"Condoms make me lose my hard on."

Contributors

RS Health

Publication/Creation

[1999?]

Persistent URL

<https://wellcomecollection.org/works/zv7ch6pk>

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

**"Condoms make me lose
my hard-on..."**

"Really, it's no joke. As soon as I get one out, my dick starts to go soft and it's embarrassing. Usually I just don't fuck rather than go through the hassle of trying to keep a hard-on. But sometimes - like last night - I meet a guy who's determined to get fucked. I knew I shouldn't, but I thought I'd just put it in a bit and stop before I came. But once I started I just couldn't stop. I've been feeling pissed off with myself ever since. It's not my fault. I want to use condoms...I just can't."

If you just can't get hard in a condom, try these tips:

- **get more comfortable with condoms by using them when you wank**
- **get the guy you're with to put the condom on you, wanking or sucking you to keep you horny**
- **get the condom on early in sex, a while before you're ready to fuck**
- **fuck using a Femidom (female condom). These seem to be a good barrier that should prevent HIV transmission**

**Rubberstuffers packs are FREE on the gay scene in London.
Will you talk to him about HIV, or will you just use one?**