Emergency contraception : if you have had sexual intercourse... without using birth conrol or the condom burst/came off or your cap was faulty...

Publication/Creation

[between 1988 and 1997]

Persistent URL

https://wellcomecollection.org/works/anjsc8xh

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

If you have had sexual intercourse...

- without using birth control
- or the condom burst/came off
- or your cap was faulty

Emergency contraception can prevent pregnancy

Treatment will be effective if given within 72 hours (3 days) after intercourse

Emergency Contraception is available from...

The Family Planning Service

Dean Terrace Centre 18 Dean Terrace tel 031 332 7941 tel 031 343 6243 Mon - Thurs: 9am to 8pm Fri: 9am to 4pm Sat: 9.30am to 12.30pm

Your GP

The Brook Advisory Centre

(for people under 20) 2 Lower Gilmore Place tel 031 229 3596 Mon, Tues, Fri, Sat: 9.15 to 11.50am Thurs: 12.30 to 3pm and 6 to 8pm Mon, Tues, Wed: 7 to 9pm

As a last resort

the Accident and Emergency Department of your local hospital

What happens when you get emergency contraception? Most women are given pills, a few may be fitted with a coil. For either method you need to see a doctor.