Condoms can prevent AIDS, cervical cancer, chlamydia, gonorrhea, syphilis, other S.T.D.s & pregnancy especially when used with a spermicide / LHB.

Contributors

Take Care (Health Campaign)
Lothian Health Board. Health Promotion Department

Publication/Creation

[between 1990 and 1995?]

Persistent URL

https://wellcomecollection.org/works/jupjjd4b

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org




CONDOMS CAN PREVENT AIDS AIDS Cervical Cancer Chlamydia Gonorrhea Syphilis Other S.T.D.s & PREGNANCY

especially when used with a spermicide





Take the condom out of the packet carefully.



Put the condom on after the penis has become hard and before having intercourse.



For added protection the woman can put a spermicidal pessary with NONOXONAL 9 into her vagina.



With one hand pinch the teat of With the other hand roll the the condom with thumb and finger to expel the air.



condom all the way down to the base of the penis.



After coming withdraw the penis before it becomes soft, holding the condom firmly around the base. Slide the condom off and wrap it in a tissue.

ALWAYS USE A NEW CONDOM EACH TIME YOU HAVE SEX