When all aloud the wind doth blow... : winter and summer alike coughs, congestion and the common cold call for 'Actifed' products.

Contributors

Burroughs Wellcome and Company

Publication/Creation

[between 1962 and 1965?]

Persistent URL

https://wellcomecollection.org/works/cp9dw87t

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org



When all aloud the wind doth blow, And coughing drowns the parson's saw, And birds sit brooding in the snow, And Marion's nose looks red and raw William Shakespeare

Winter and Summer alike COUGHS, CONGESTION and the COMMON COLD call for 'ACTIFED' products

The Conditions

Cough, nasal and respiratory congestion, hay fever, rhinitis, asthma with bronchospasm, Eustachian tube catarrh, otitic barotrauma, sinusitis.

The Treatment

'ACTIFED' COMPOUND LINCTUS for cough, with or without congestion. 'ACTIFED' TABLETS & SYRUP for congestion.

The Result

Rapid relief of all symptoms.

The Reason 'ACTIFED' Tablets and Syrup contain:

1. Triprolidine hydrochloride ('Actidil'), most rapid and powerful antihistamine, relieves allergen irritation throughout the respiratory tract, and decongests the nose.

2. Pseudoephedrine hydrochloride, powerful vasoconstrictor and bronchodilator, decongests the entire mucosal respiratory tract and relieves bronchospasm, without marked central stimulation.

'ACTIFED' COMPOUND LINCTUS also contains codeine phosphate

The Formulation and Dosage

Each teaspoonful of 'ACTIFED' COMPOUND LINCTUS contains: Triprolidine hydrochloride 1 mgm. Pseudoephedrine hydrochloride 20 mgm. Codeine phosphate 7.5 mgm.	Each teaspoonful of 'ACTIFED' SYRUP contains: Triprolidine hydrochloride 0.88 mgm. Pseudoephedrine hydrochloride 21.3 mgm.	Each 'ACTIFED' TABLET contains: Triprolidine hydrochloride 2.5 mgm. Pseudoephedrine hydrochloride 60 mgm.
ADULTS, AND CHILDREN OVER 12 YEARS CHILDREN, 2-12 YEARS	CHILDREN, I-I2 YEARS	ADULTS, AND CHILDREN OVER 12 YEARS
1-2 teaspoonfuls every 4-6 hours. } teaspoonful every 4-6 hours.	¹ / ₂ to 1 teaspoonful, twice a day, increased to 3 times a day if necessary.	1 tablet, twice a day, increased to 3 times a day if necessary.

pressure, 'ACTIFED' products should be used with caution in patients with cardiovascular disorders. Caution Although pseudoephedrine hydrochloride causes virtually no pressor effect in patients with normal blood Winter and Summer alike COUGHS, CONGESTION and the COMMON COLD call for 'ACTIFED' products

The Conditions

Cough, nasal and respiratory congestion, hay fever, rhinitis, asthma with bronchospasm, Eustachian tube catarrh, otitic barotrauma, sinusitis.

The Treatment

'ACTIFED' COMPOUND LINCTUS for cough, with or without congestion. 'ACTIFED' TABLETS & SYRUP for congestion.

The Result

Rapid relief of all symptoms.

The Reason 'ACTIFED' Tablets and Syrup contain:

1. *Triprolidine hydrochloride* ('Actidil'), most rapid and powerful antihistamine, relieves allergen irritation throughout the respiratory tract, and decongests the nose.

2. *Pseudoephedrine hydrochloride*, powerful vasoconstrictor and bronchodilator, decongests the entire mucosal respiratory tract and relieves bronchospasm, without marked central stimulation.

'ACTIFED' COMPOUND LINCTUS also contains codeine phosphate