

If anyone suffering from sore throat ties his (or her) left stocking round his throat on going to bed, he will be better in the morning. Encyclopaedia of Superstitions, E. & M. A. Radford.

Contributors

Burroughs Wellcome and Company

Publication/Creation

1968.

Persistent URL

<https://wellcomecollection.org/works/dmmnmtau>


License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

If anyone suffering from sore throat ties his (or her) left stocking
round his throat on going to bed, he will be better in the morning.
Encyclopaedia of Superstitions, E. & M. A. Radford.



'Actifed'

Brand

Compound Linctus

Indications

'Actifed' Compound Linctus is indicated where cough control is needed, particular examples being unproductive coughing and coughs with an allergic basis. 'Actifed' Compound Linctus is effective in bronchitis where it relieves bronchospasm and reduces congestion. Coughs associated with the common cold respond well to 'Actifed' Compound Linctus.

Dosage: Every 4-6 hours

Adults and Children over 12 years	2 teaspoonfuls (10 ml.)
Children 6-12	1½ teaspoonfuls (7.5 ml.)
1-6	1 teaspoonful (5 ml.)
Infants 0-12 months	½ teaspoonful (2.5 ml.)

Caution

Although pseudoephedrine causes virtually no pressor effect in persons with normal blood pressure, 'Actifed' Compound Linctus should be used with caution in patients with cardiovascular disorders.

Presentation

'Actifed' brand Compound Linctus:
triprolidine hydrochloride 1.25 mg.; pseudoephedrine hydrochloride 30 mg.; codeine phosphate 10 mg. in each 5 ml.
Basic cost to N.H.S.: 3s. 8d. for 125 ml. (approx. 4 fl. oz).
Also available: 'Actifed' Tablets and Syrup each containing pseudoephedrine and triprolidine, a combination which reduces nasal and respiratory congestion.
Additional information is available on request.



Burroughs Wellcome & Co. (The Wellcome Foundation Ltd.) London