Cicatrin accelerates healing rates by 25-50%.

Contributors

Calmic Ltd.

Publication/Creation

[1965?]

Persistent URL

https://wellcomecollection.org/works/v2ttbxha

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org healing rates by 25—50%*

cicatrin

Prolonged and extensive treatment of chronic ulcers may be avoided by the use of Cicatrin, the leading amino-acid/antibiotic preparation for topical application.

Further evidence of the efficacy of Cicatrin is provided by a recent controlled clinical trial to evaluate the influence of various topical applications on the healing rates of stasis ulcers. This trial shows that Cicatrin with its combination of selected amino-acids and antibiotics accelerates the healing rates by 25-50%.

It is also significant that in one group where the main difference between the two preparations was that one contained amino-acids and antibiotics (Cicatrin) and the other antibiotics only, the healing time in the Cicatrin treated group was shortened considerably both in bed rest and ambulatory cases.

PRESENTATION: POWDER/CREAM

15 gramme Basic N.H.S. cost 6/-+P.T.5 gramme Basic N.H.S. cost 3/-+P.T.

FORMULA: Each gramme contains:-

Neomycin Sulphate 5 mg. Zinc Bacitracin 250 units. dl-Threonine 1 mg. I-Cysteine 2 mg. Glycine 10 mg.

* Scot Med. J., 1961,6:85

CALMIC LIMITED, CREWE, CHESHIRE



Tel: Crewe 3251 (7 lines)
LONDON: 2 Mansfield Street.

Tel: Langham 8038/9