Last week it was no game...today it's all action! : when close encounters of the painful kind...as in sport...demand a potent anti-inflammatory agent with analgesic and antipyretic properties...prescribe Fibutrox - it has two major benefits.

### **Contributors**

**CAPS** 

### **Publication/Creation**

[1978?]

### **Persistent URL**

https://wellcomecollection.org/works/sfjbas99

#### License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org



SPRAINS-STRAINS-ACCIDENTS-INJURIES-FRACTURES-TRAUMA-SOFT TISSUE INFLAMMATION-SPRAINS-STRAINS-ACCIDENTS-INJURIES-FRACTURES-TRAUMA-SOFT TISSUE INFLAMMATION-SPRAINS-STRAINS-ACCIDENTS-INJURIES-FRACTURES-TRAUMA-SPRA



## WHEN CLOSE ENCOUNTERS OF THE PAINFUL KIND...

### as in sport...

demand a potent anti-inflammatory agent with analgesic and antipyretic properties...

prescribe FIBUTROX-it has two major benefits

### 1. Proven efficacy

FIBUTROX is a potent anti-inflammatory agent with analgesic and antipyretic properties.

FIBUTROX is particularly useful when prescribed in the treatment of sprains, strains, accidents, injuries, fractures, trauma and soft tissue inflam-

mation; FIBUTROX is also indicated for acute rheumatoid/osteo-arthritic exacerba-

tions.
Bio-availability
and dissolution studies

\* confirm that FIBUTROX is therapeutically equivalent to two commonly used brands of Oxyphenbutazone.

\* Data on file at C.A.P.S. Research Department

2. Real economy

FIBUTROX is one of the most economical anti-inflammatory agents on the market for your patients — an important factor with today's spiralling costs.

plus

FIBUTROX Cream is available for concomitant therapy, but with the added aroma and rubefacient value of "wintergreen", camphor and menthol.

FIBUTROX tablets & cream,

the all action anti-inflationary, anti-inflammatory

# ...GET BACK IN THE GAME...

RUGBY:TENNIS:BOWLING:WRESTLING:SOCCER:RUNNING:SQ JASH·HOCKEY·GOLF·RUGBY·TENNIS·BOWLING·WREST

Registration Number:

H/3.1/230.

Pharmacological Classification:

3.1 antirheumatic and anti-inflammatory agent.

Distribution Category:

Approved Name: oxyphenbutazone

Trade Name:

FIBUTROX

COMPOSITION:

100 mg oxyphenbutazone per tablet.

IDENTIFICATION:

Blue sugar-coated tablet.

PHARMACOLOGICAL ACTION:

Analgesic, antipyretic and anti-inflammatory.

INDICATIONS:

Rheumatoid arthritis and allied disorders; acute gout; certain musculo skeletal disorders; and in post-operative inflammation.

CONTRA-INDICATIONS:

Hypertension; cardiac, renal or hepatic dysfunction; pepticulcer history; or drug hypersensitivity.

DOSAGE AND DIRECTIONS FOR USE:

One tablet two or four times per day with meals.

Note use should be limited to one week during any treatment

Periodic blood examination and dietary electrolyte restriction are mandatory.

SIDE EFFECTS AND SPECIAL PRECAUTIONS: Sodium retention and oedema, dry mouth, vomiting, peptic

ulceration and haemorrhage. Rare cases of renal tubular and liver necrosis.

Allergic skinrash.

Agranulocytosis and aplastic anaemia

Warning - patients should be asked to report the appearance of symptoms such as abdominal pain, feverishness, sore throat, or swelling of the ankles.

Oxyphenbutazone potentiates tolbutamide and warfarin; and increased toxicity makes therapy in the elderly inadvisable.

KNOWN SYMPTOMS OF OVERDOSAGE AND PARTICULARS OF ITS

Central stimulation, water retention, dizziness, cyanosis, coma and convulsions.

Immediate treatment should include gastric lavage and saline cathartics (sodium sulphate 30 g in 250 ml water); with diazepam 5 mg to 10 mg intravenously or by deep intramuscular injection for convulsions; penicillin for agranulocytosis; and blood transfusions if necessary.

CONDITIONS OF REGISTRATION OF THE MEDICINE:

None.

PRESENTATION:

Containers of 30, 100 and 200 tablets.

STORAGE DIRECTIONS:

Keep well closed in a cool dark, dry place beyond the reach of children.

Further information is available on request.

6/3.2/623

Pharmacological Classification:

3.2 rubefacient cream.

Distribution Category:

Trade Name:

**FIBUTROX** 

COMPOSITION:

5% m/m phenylbutazone and 4% m/m methyl salicylate in a base containing menthol and camphor (preserved with 0,08% m/m methylhydroxybenzoate and 0,025% m/m proplylhydroxybenzoate).

IDENTIFICATION:

White Cream

PHARMACOLOGICAL ACTION:

Analgesic rubefacient cream.

INDICATIONS:

Supplementary treatment for muscular rheumatism, lumbago,

sciatica and fibrositis

Relief of pain caused by strained or pulled muscles and

DIRECTIONS FOR USE:

Apply to the affected area two or three times daily. For maximum penetration massage vigorously into the skin. Note for external use only; do not apply to mucous membranes, the groin or genital regions.

SIDE EFFECTS AND SPECIAL PRECAUTIONS:

Rare cases of allergic reaction have been reported, and patients with a history of drug or skin sensitivity should apply a small test quantity before starting treatment.

CONDITIONS OF REGISTRATION OF THE MEDICINE:

None.

PRESENTATION:

Tubes of 20 a

STORAGE DIRECTIONS:

Keep well closed in a cool dark, dry place beyond the reach of

Further information is available on request

WITH **FIBUTROX** tablets & cream

