For winter chest infections Tetralysal : marked clinical superiority : superior absorption higher blood levels lower dosage improved tolerance.

## Contributors

Carlo Erba

# **Publication/Creation**

[approximately 1964]

# **Persistent URL**


https://wellcomecollection.org/works/xz7p4ddw


## License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org





43 × 189 cm; walnut. Inv. no. 169 Donated by Ghinzoni, 1893.

Donated by Ghinzoni, 1893. The choice of the persons here depicted: Galeazzo M. Sforza, his son G. Galeazzo, and the Duke of Bari on horseback preceded by armed soldiers, would appear to support the identification of this front with that of the wedding chest of Chiara Sforza, illegiti-mate daughter of Galeazzo Maria, who mar-ried Fregosino Fregosi in 1488. The dating depends on the inclusion of Ludovico il Moro, here indicated as Duke of Bari, a tile he received in 1479. The painter is unknown, and the colours red, white and grey predo-minate, with remains of silver on the armours. Schubring, in his monumental work, mentions a « Trivulzio chest » with three Sforzesco persons on horseback, which may be identi-fied with the present (p. 162, p. 382, no. 716). Perhaps it formed part of some furniture belonging to Princess Cristina Bel-gioioso Trivulzio, probably dispersed from the Como villa where she stayed, and then found by Ghinzoni (see: Bibl.).

Reproduced from « I mobili nelle civiche rac-colte artistiche di Milano» - edited by Gilda Rosa and published by Martello. Photographs taken in the « Castello Sforzesco» in Milan.





# TETRALYSAL®

INDICATIONS: All infections caused by germs sensitive to tetracyclines

#### PACKINGS

ORAL FOR ADULTS - Bottles of 16, 100 and 1000 capsules. Each capsule contains tetracycline-l-methylene-lysine 204 mg equivalent to 150 mg tetracycline base.

ORAL FOR CHILDREN - Boxes of 10 tablets. Each tablet contains tetracycline-l-methylene-lysine equivalent to 40 mg tetracycline base.

INJECTION FOR ADULTS - Boxes of 1 and 10 vials of 135 mg lyophilized tetracycline-l-methylene-lysine, equivalent to 100 mg tetracycline base with ampoules of solvent, each containing 40 mg procaine.

INJECTION FOR CHILDREN - Boxes of 1 and 10 vials of 67 mg lyophilized tetracycline-l-methylene-lysine, equivalent to 50 mg tetracycline base with ampoules of solvent each containing 20 mg procaine.

### DOSAGE

Orally: Adults - 4 capsules daily in divided doses Children - 10 mg/kg/daily in divided doses Intramuscularly: 2-3 vials daily in divided doses

Dosage may be increased in the more serious cases.


### NHS COST:

Tetralysal is the least expensive tetracycline available under the NHS.

## REFERENCES:

full list of reference may be obtained on request.

Brit. J. Geriat., (1963), 12 Medical Digest, (1964), 9, 41 J. Coll. Gen. Practit., (1964), 8, 140 Brit. Med. J., (1964), 11, 1491 Brit. Med. J., (1964), 11, 1495



SOLE DISTRIBUTORS FOR U.K.: FRASER CHEMICALS LTD. 88, Lewisham High Street London S.E. 13 Tel. LEEgreen 7486