

Nautisan : bei nervösem Erbrechen der Säuglinge, Pertussis, Chorea, azetonämischem Erbrechen usw.

Contributors

Chemosan-Union A.G.
Fritz-Pezoldt A.G.

Publication/Creation

[approximately 1930?]

Persistent URL

<https://wellcomecollection.org/works/c8q4u3tw>

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

*Der
Pädiater
verwendet*

Nautisan

Bei nervösem Erbrechen der Säuglinge, Pertussis, Chorea, azetonämischem Erbrechen usw.

Schachteln zu 5 Baby-Nautisan-Suppositorien à 0,05 g und Schachteln zu 5 Suppositorien à 0,4 g



Propeptan

Zur Diagnose und Therapie nutritiver Allergie wie Urticaria, Ekzem, strophulus infant. usw.

Röhrchen zu 12 Tabletten Kalbfleisch-, Rindfleisch-, Schweinefleisch-, Gans-, Huhn-, Flußfisch-, Seefisch-, Bohnen-, Erbsen-, Karotten-, Kartoffel-, Kochsalat-, Linsen-, Reis-, Sauerkraut-, Spargel-, Spinat-, Tomaten-, Äpfel-, Apfelsinen-, Bananen-, Erdbeeren-, Milch-, Käse-, Roggen-, Weizen-, Ei-, Kakao-, Krebs-Propeptan

Chemosan-Union und Fritz-Pezoldt A.G., Wien

Generalvertretung für Deutschland:

Simon's Apotheke, Berlin C2, Spandauer Straße 17