

4-4-2T, No. 41 built at Melton Constable 1904 : Orisulf : safe and effective in bronchitis and a wide range of infections.

Contributors

Ciba Laboratories

Publication/Creation

[approximately 1960]

Persistent URL

<https://wellcomecollection.org/works/b6cpjqbu>

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>



4 - 4 - 2 T

No. 41 built at Melton Constable 1904

Orisulf[®]

(sulphaphenazole)

**safe and effective in bronchitis and a
wide range of infections**

Low cost of treatment : only 10/- per month at basic
N.H.S. prices.

Available as 0.5 G. tablets in 25's, 100's and 500's,
and as a 50 ml. suspension.

® denotes registered trade mark. Reg. user

CIBA Laboratories Limited, Horsham, Sussex.

C I B A


Orisulf[®]

(sulphaphenazole)

To the Medical Profession

**effective prophylaxis in
chronic bronchitis with
two tablets daily
throughout the winter**

**simple
12-hourly
dosage
in acute
infections**



Orisulf[®]

(sulphaphenazole)

for long - term prophylaxis in chronic bronchitis

Daily prophylaxis with Orisulf has been shown to reduce the incidence of exacerbations by almost half*. Treatment is simple - one prescription gives several months of protection; and more expensive broad spectrum antibiotics can be reserved for acute exacerbations.

*Practitioner (1960), 185, 797.

cost of treatment : only 10/- per month at basic

The basic N.H.S. cost of 2 tablets daily is only 10/- per month.

As a reminder of the 4, 4, 2 ORISULF dosage
you may wish to frame this print.
Separate prints on board with larger
mounts are also available on request.

This is one of a series