

Fluscorbin : Vitamin C + quinine massive dose : attack treatment of colds and influenza.

Contributors

Continental Laboratories Ltd.

Publication/Creation

[between 1958 and 1969?]

Persistent URL

<https://wellcomecollection.org/works/a45bfd9n>

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).

**wellcome
collection**

Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

FLUSCORBIN

VITAMIN C + QUININE
MASSIVE DOSE

ATTACK TREATMENT OF
colds and influenza

CONTINENTAL LABORATORIES LTD

FLUSCORBIN

The modern treatment of Influenza, the Common Cold, Coryza and allied conditions, aims at the institution of therapy at the earliest possible moment. This treatment is directed towards overcoming the febrile state and its accompanying malaise as quickly as possible, thus preventing the onset of the more serious respiratory complications which so often follow upon these conditions.

FLUSCORBIN is a preparation in which Vitamin C in high doses is combined with the alkaloids of quinquina, especially with quinine. It stimulates the defence mechanisms of the body, and ensures a rapid recovery.

FORMULA

Ascorbic Acid B.P.	0.15 G.
Quinine Dihydrochloride B.P.	0.08 G.
Quinidine Sulphate B.P.	0.001 G.
Phenacetin B.P.	0.05 G.
Caffeine B.P.	0.005 G.

PHARMACOLOGY

VITAMIN C. Recent research has clearly demonstrated that Vitamin C (Ascorbic Acid) in high concentration stimulates the natural defence mechanisms of the body against invading micro-organisms, and increases its resistance to toxins, both exogenous and endogenous.

Vitamin C increases the resistance of the body by stimulating the leucopoietic functions of the reticulo-endothelial system, by increasing the opsonin and precipitin concentrations of the blood and by increasing the protective mechanisms of the suprarenal cortex.

Thus, apart from the usual therapeutic indications for Vitamin C, it follows that the inclusion of Vitamin C in the treatment of Influenza, the Common Cold, Coryza and allied conditions is a therapeutic necessity.

QUININE. This has a marked deleterious effect on invading micro-organisms, and a strong anti-pyretic effect.

These effects, which have been recognised for years, are achieved by the production of a leucocytosis at a time when, because of illness, a leucopenia would otherwise exist.

INDICATIONS

Influenza, the Common Cold, Coryza and allied conditions.

DOSAGE

Influenza: *First Day*, 2 tablets every 4 hours.

Second Day, 1 tablet every 4 hours.

Common Colds: 1 tablet every 4 hours for 3 days.

Children (6-12 years): Half the above dosage.

TO BE SWALLOWED WHOLE WITH A GLASS OF WATER.

In tubes of 18 tablets

and dispensing packs of 250 tablets.

CONTINENTAL LABORATORIES LTD.

101 GREAT RUSSELL STREET, LONDON, W.C.1

Telephone : MUSEum 2042-3-0626 Telegrams : Taxolabs, Phone, London