

Duphalac : suspends the monthly sentence of dysmenorrhoea.

Contributors

Duphar Laboratories

Publication/Creation

1971.

Persistent URL

<https://wellcomecollection.org/works/rabxbz43>

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>



Sun rising through Vapour: Fishermen cleaning and selling Fish (detail) Turner (1775-1851)


March

April 1971

May

M	T	W	T	F	S	S	M	T	W	T	F	S	S	M	T	W	T	F	S	S	
1	2	3	4	5	6	7				1	2	3	4						1	2	
8	9	10	11	12	13	14	5	6	7	8	9	10	11	3	4	5	6	7	8	9	
15	16	17	18	19	20	21	12	13	14	15	16	17	18	10	11	12	13	14	15	16	
22	23	24	25	26	27	28	19	20	21	22	23	24	25	17	18	19	20	21	22	23	
29	30	31	26	27	28	29	30	24	25	26	27	28	29	30							
														31							

duphaston
suspends the monthly sentence of dysmenorrhoea



National Gallery London

duphaston[®]

**puts back the days
that dysmenorrhoea
takes away**

For some women, dysmenorrhoea makes the monthly period a monthly sentence of misery, a few days lost from their normal lives.

Duphaston can suspend this monthly sentence. It is the only orally active non-contraceptive progestogen which protects the woman against the pain and distress of dysmenorrhoea. Duphaston is free from oestrogenic effect; it does not suppress ovulation or have any adverse hormonal effects, and it is extremely well tolerated. Clotting mechanism, hepatic function and basal temperature are unaffected.

Duphaston is supplied as tablets of 5 mg. dydrogesterone, in packs of 20, 100 and 1,000. The usual dosage to control dysmenorrhoea is 10 mg. twice daily from day 5 to day 25 of the cycle. This may be reduced in subsequent cycles according to response.

Side-effects

Duphaston has no serious side-effects, and no greater incidence of minor effects than with placebo.

Contraindications

There are no known contraindications to the use of Duphaston.

Other Indications

Duphaston is effective in the management of threatened and habitual abortion, endometriosis and infertility due to corpus luteum insufficiency.

Further information available on request.

duphaston[®]
dydrogesterone

duphar

DUPHAR LABORATORIES LIMITED BASINGSTOKE HANTS. TEL 0256 26351
PHILIPS-DUPHAR (IRELAND) LIMITED RAINSFORD STREET DUBLIN 8 TEL DUBLIN 754271



**it is
important
to take
medicines
exactly as
prescribed**

M.2 Dp4.71 E.7