

Sedation and hypnosis with Lilly barbiturates.

Contributors

Eli Lilly and Company

Publication/Creation

[between 1945 and 1955?]

Persistent URL

<https://wellcomecollection.org/works/sk2j2swt>

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

AVAILABILITY

'SECONAL SODIUM' brand Quinalbarbitone Sodium

'Pulvules' 'Seconal Sodium' 50 mg. ($\frac{1}{4}$ gr.) No. 243; 100 mg. ($\frac{1}{2}$ grs.) No. 240.

Tablets 'Seconal Sodium' 16 mg. ($\frac{1}{4}$ gr.) No. 4244.

Suppositories 'Seconal Sodium' 130 mg. (2 grs.) No. 11; packages of 12.

'Enseals' 'Seconal Sodium' (for delayed effect) 50 mg. ($\frac{1}{4}$ gr.) No. 50; 100 mg. ($\frac{1}{2}$ grs.) No. 51.

'Elixir' 'Seconal' 2 grs. per fl. oz. No. 247.

'TUINAL' brand Quinalbarbitone Sodium with Sodium Amylobarbitone

'Pulvules' 'Tuinal' 100 mg. ($\frac{1}{2}$ grs.) No. 303; 200 mg. (3 grs.) No. 304.

'SODIUM AMYTAL' brand Sodium Amylobarbitone

'Pulvules' 'Sodium Amytal' 65 mg. (1 gr.) No. 111; 200 mg. (3 grs.) No. 222.

'Enseals' 'Sodium Amytal' (for delayed effect) 200 mg. (3 grs.) No. 71.

Suppositories 'Sodium Amytal' 200 mg. (3 grs.) No. 12; in packages of 12.

Ampoules 'Sodium Amytal' 0.125 Gm. ($\frac{1}{8}$ grs.) No. 362, in packages of 6; 0.25 Gm. ($\frac{1}{4}$ grs.) No. 386, single ampoule; 0.5 Gm. ($\frac{1}{2}$ grs.) No. 387, single ampoule; 1.0 Gm. (15 grs.) No. 388, single ampoule.

'AMYTAL' brand Amylobarbitone

Elixir 'Amytal' 2 grs. per fl. oz. No. 225.

Tablets 'Amytal' 8 mg. ($\frac{1}{8}$ gr.) No. 1564; 16 mg. ($\frac{1}{4}$ gr.) No. 1575; 32 mg. ($\frac{1}{2}$ gr.) No. 1678; 50 mg. ($\frac{1}{4}$ gr.) No. 1550; 100 mg. ($\frac{1}{2}$ grs.) No. 1462.

ELI LILLY & COMPANY LIMITED
BASINGSTOKE · ENGLAND

CaF 79 BR 105712



'SECONAL SODIUM'



Rapid action, short duration, exceptionally free from after effects.
Onset of action 15-20 minutes.
Average duration 5 hours.

'TUINAL'



Equal parts of 'Seconal Sodium' and 'Sodium Amytal'.
Rapid onset and medium duration.
Onset of action 15-20 minutes.
Average duration 8 hours.

'SODIUM AMYTAL'



Moderately short onset and medium duration.
Onset of action 30-40 minutes.
Average duration 8 hours.

'AMYTAL'



Medium onset of action with a longer duration than 'Sodium Amytal'.
Onset of action ½-1 hour.
Average duration 10 hours.

INDICATIONS

Simple insomnia, nervousness and extreme fatigue ; pre-anaesthetic medication, hypnotic for children.

AVERAGE DOSE

Sedative : $\frac{1}{4}$ gr. (50 mg.)
Hypnotic : $1\frac{1}{2}$ grs. (100 mg.)
Hypnotic (children) : $\frac{1}{8}$ - $1\frac{1}{2}$ grs. according to age.

INDICATIONS

The chronic insomnia case and more refractory patient.

Sedative : $\frac{1}{4}$ - $1\frac{1}{2}$ grs. (50-100 mg.)
Hypnotic : $1\frac{1}{2}$ - 3 grs. (100-200 mg.)

INDICATIONS

Routine sedation and hypnosis, in general medicine and psychiatry.

Sedative : 1 gr. (65 mg.) two or three times daily.
Hypnotic : 3 grs. (200 mg.)

INDICATIONS

General sedation particularly in hypertensive, cardiac, skin and peptic ulcer cases ; as a sedative for children.

Sedative : $\frac{1}{4}$ - $\frac{1}{2}$ gr. (16-50 mg.) two or three times daily.
Hypnotic : $1\frac{1}{2}$ - 3 grs. (100-200 mg.)
Children : $\frac{1}{8}$ - $1\frac{1}{2}$ grs. (8-100 mg.) according to age.