

Paracodol : dissolves pain.

Contributors

Fisons Limited
Frederick Warne (Firm)

Publication/Creation

[between 1970 and 1979?]

Persistent URL

<https://wellcomecollection.org/works/v85hb6sj>

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).

**wellcome
collection**

Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

Paracodol



The effervescent combination of codeine and paracetamol that simply dissolves pain

dissolves pain

Modern passenger aircraft offer pleasant travel combined with speed and efficiency. Paracodol, the modern effervescent analgesic gives the same advantages in the relief of pain.



INDICATIONS

For the relief of headache, muscular and rheumatic pains, neuralgia, toothache, period pains and for colds and influenza. Paracodol may be of help in reducing excess gastric acidity if this is associated with any of the above indications.

DOSAGE Tablets to be dissolved in water before taking.

Adults:

1-2 tablets. Not more than 6 tablets to be taken in 24 hours, or as directed by the physician.

Children:

5-12 years. $\frac{1}{2}$ -1 tablet. Not more than 3 tablets to be taken in 24 hours.

Under 5 years:

To be taken only on the direction of a physician.

FISONS

Fisons Pharmaceuticals Limited, Loughborough, Leicestershire.



Each tablet of Paracodol contains Paracetamol BP 500 mg and Codeine Phosphate BP 8 mg in an effervescent base

Paracodol dissolves pain

effectively
quickly
pleasantly

Modern passenger aircraft offer pleasant travel combined with speed and efficiency. Paracodol, the modern effervescent analgesic gives the same advantages in the relief of pain.



INDICATIONS

For the relief of headache, muscular and rheumatic pains, neuralgia, toothache, period pains and for colds and influenza, Paracodol may be of help in reducing excess gastric acidity if this is associated with any of the above indications.

DOSAGE Tablets to be dissolved in water before taking.

Adults:

1-2 tablets. Not more than 6 tablets to be taken in 24 hours, or as directed by the physician.

Children:

5-12 years. $\frac{1}{2}$ -1 tablet. Not more than 3 tablets to be taken in 24 hours.

Under 5 years:

To be taken only on the direction of a physician.

FISONS

Fisons Pharmaceuticals Limited, Loughborough, Leicestershire.



No. 2 in a series Comet 1949



Photographs & Drawings by courtesy of Frederick Warne & Co., Ltd

FPIC2.