Paracodol : dissolves pain.

Contributors

Fisons Limited Frederick Warne (Firm)

Publication/Creation

[between 1970 and 1979?]

Persistent URL

https://wellcomecollection.org/works/sjdn8fqp

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

Paracodol



The effervescent combination of codeine and paracetamol that simply dissolves pain

dissolves pain

Modern passenger aircraft offer pleasant travel combined with speed and efficiency. Paracodol, the modern effervescent analgesic gives



INDICATIONS

For the relief of headache, muscular and rheumatic pains, neuralgia, toothache, period pains and for colds and influenza. Paracodol may be of help in reducing excess gastric acidity if this is associated with any of the above indications.

DOSAGE Tablets to be dissolved in water before taking. Adults:

1-2 tablets. Not more than 6 tablets to be taken in 24 hours, or as directed by the physician.



Children: 5-12 years. $\frac{1}{2}$ -1 tablet. Not more than 3 tablets to be taken in 24 hours.

Under 5 years: To be taken only on the direct-ion of a physician.

Fisons Pharmaceuticals Limited, Loughborough, Leicestershire.

Paracodol dissolves pain



tablet of Paracodol contains Parac

effectively

quickly pleasantly

nt travel combined with speed and efficiency, aracodol, the modern effervescent anal te same advantages in the relief of pair analgesic gives



INDICATIONS rener of headache, muscular and rheumatic pains, neuralgia, he, period pains and for colds and influenza. Paracodol may be of help in reducing excess gastric f this is associated with any of the above indications. **GE** Tablets to be discated in match between DOSAGE Tablets to be dissolved in water before taking.

Adults: 1-2 tablets. Not more than 6 tablets to be taken in 24 hours, or as directed by the physician.

Children: 5-12 years. 1-1 tablet. Not more than 3 tablets to be taken in 24 hours.

Under 5 years: To be taken only on the direct-ion of a physician.

FISONS Fisons Pharmaceuticals Limited, Loughborough, Leicestershire.



Photographs & Drawings by courtesy of Frederick Warne & Co., Ltd. FPJC3.