Ethical products of Fletcher, Fletcher & Co. Ltd., prescribable on form E.C.10.

Contributors

Fletcher, Fletcher & Co. Ltd.

Publication/Creation

[between 1950 and 1959?]

Persistent URL

https://wellcomecollection.org/works/m39u3pwj

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

ETHICAL PRODUCTS OF

FLETCHER, FLETCHER & CO. LTD.,

Prescribable on Form E.C.10.

EFFICO Tonic

A reliable restorative for the aged, the overworked and convalescent

RUBELIX Cough Syrup Sedative and antispasmodic

FLAVELIX Expectorant Linctus
Bronchodilator and expectorant

FLETCHERS' Disposable Enema
A major advance in enema technique

APERIGRAN Aperient Granules
Complete treatment for constipation

VIBRONA TONIC WINE

Although VIBRONA Tonic Wine is not prescribable on Form E.C.10, many doctors still recommend VIBRONA to their patients. VIBRONA, a combination of high quality rich red ruby wine and the total alkaloids of Cinchona as hydrobromides is the ideal elegant tonic.

FLETCHERS' DISPOSABLE ENEMA

DESCRIPTION Plastic bag with non-traumatic nozzle

containing 4½ fl. ozs of enema solution.

FORMULA Each 100 ml. contains :

Sod. Di-phos. B.P. 10 grms.

Sod. Phos. B.P. 8 grms. Distilled Water q.s.

DOSE Adults: One enema (4.fl. ozs. approx.)

Children in proportion according to age.

PACKS 4½, oz. Plastic bags.

FLAVELIX EXPECTORANT LINCTUS

DESCRIPTION Antihistaminic, bronchodilator, ex-

pectorant cough linctus.

FORMULA Mepyramine Maleate 12,5 mgm.

Eph. HCl. 10.0 mgm. Ammon. Chlor. 90.0 mgm. Sod. Cit. 40.0 mgm. Flavoured base to 4.0 ml.

DOSE Adults: Two teaspoonfuls three or four

times daily.

Childrens dose in proportion.

PACKS 4 oz. 20 oz. and 80 oz. bottles

RUBELIX COUGH SYRUP

DESCRIPTION Sedative, antispasmodic cough syrup.

FORMULA Pholoodine 0.1%; Ephedrine HCI. 0. 15%

demulcent syrup basis to 100%.

DOSE Adults: 2 teaspoonfuls when required.

Children: In proportion according to age.

PACKS 4 fl. oz. and 80 fl. oz. bottles.

EFFICO TONIC

DOSE

DESCRIPTION General purpose tonic.

FORMULA

Aneurin. HCl.
Nicotinamid.
Tinct. Aurant.
1 mgm.
Tinct. Limon.
12 mgm.
Inf. Gent. Co.
200 min.
Tinct. Nuc. Vom.
12 min.
Ac. HCl. Dil.
4 min.

Caffein. Cit. 4 grs. Syrup. ad

Adults: 2 teaspoonfuls three times a day

I fl. oz.

immediately before meals.

Children: Half to I teaspoonful

immediately before meals.

PACKS 8 fl. oz. and 80 fl. oz. bottles.