Betnovate: anti-infective preparations: classic answers to infected dermatoses.

Contributors

Glaxo Laboratories

Publication/Creation

1969.

Persistent URL

https://wellcomecollection.org/works/pukh42ca

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

Betnovate

anti-infective preparations classic answers to infected dermatoses



Betnovate

anti-infective preparations classic answers to infected dermatoses

A simple case for low-cost Betnovate-N Cream

Top: slightly infected atopic eczema

that the baby had since birth

Bottom: after seven days' treatment with

Betnovate-N Cream

When dermatoses are complicated by infection there are now three Betnovate preparations containing anti-infectives. The most successful topical corticosteroid is now available with neomycin, aureomycin or clioquinol.

For most infected dermatoses, the effective answer is Betnovate-N with 0.1% neomycin, or new Betnovate-A with 3% aureomycin. As an alternative, or when there is fungal infection present, there is Betnovate-C with 3% clioquinol.

Betnovate – the least expensive

Low cost is another good reason for prescribing Betnovate anti-infective preparations. Of the more effective, branded topical steroid preparations available, Betnovate is now, gram for gram, the least expensive. Low cost and rapid response mean *double* economy when you prescribe Betnovate anti-infective preparations.

For your detailed reading Betnovate-N, Betnovate-A and Betnovate-C

Presentation Basic NHS cost
Betnovate-N (betamethasone+0.5% neomycin
sulphate) Cream and Ointment:
15 gram tubes 5/6
30 gram tubes 10/3
100 gram tubes 28/6
Lotion: 20 ml bottle 6/9
Tulle: tin of 10 pieces (4in x 4in) 8/-

Betnovate-A (betamethasone+3% aureomycin)
Ointment:
15 gram tubes
30 gram tubes
10/3

 Cream and Ointment:
 5/6

 15 gram tubes
 10/3

 30 gram tubes
 10/3

 100 gram tubes
 28/6

Also available: Betnovate Cream, Ointment and Lotion; Betnovate Scalp Application; Betnovate Rectal Ointment and Betnovate Compound Suppositories.

Betnovate-C (betamethasone+3% clioquinol)

Indications
Infected steroid-responsive dermatoses.

Application Apply a small quantity once or twice daily.

Adverse reactions
Betnovate preparations are usually tolerated well but if signs of hypersensitivity appear, application should be stopped immediately. As with all topical corticosteroids, if Betnovate is used with occlusive dressings on extensive areas, or for prolonged periods, the possibility of systemic absorption should be considered. Absorption is more likely in infants and children, and may occur even in the absence of occlusion. Betnovate-C or Betnovate-A preparations may stain skin or fabric — cover lesions with a dressing to protect clothing.



Glaxo Laboratories Ltd, Greenford, Middlesex





HC6439/NHS—OP/Nov 1969 Betnovate is a Glaxo trade mark