

## **Heads of lectures on the institutions of medicine / by Andrew Duncan.**

### **Contributors**

Duncan, Andrew, 1744-1828.

### **Publication/Creation**

Edinburgh : Printed by A. Neill ..., sold by Archibald Constable ... and by Constable, Hunter, Park & Hunter ... London, 1809.

### **Persistent URL**

<https://wellcomecollection.org/works/cm5qgydx>

### **License and attribution**

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection  
183 Euston Road  
London NW1 2BE UK  
T +44 (0)20 7611 8722  
E [library@wellcomecollection.org](mailto:library@wellcomecollection.org)  
<https://wellcomecollection.org>




5/

ba

*B. a.*

$\frac{3}{5}$

TRO  
Straugroom  
RAMC  
Coll.  
/DUN



Index to the Edinburgh Review

Published by W. & A. Blackie

A COMPLETE GENERAL ANALYTICAL INDEX TO THE EDINBURGH REVIEW

From October 1811 to December 1812

Containing, in the Alphabetical Order, the Names of Authors, of all the Names of Authors reviewed, Titles of Books reviewed, Authorities cited or quoted, Points of Discussion discussed, and all incidental matter.

To which are prefixed, the Preface, and a General Index of the Names of the several Authors, a General Index of Subjects, and a General Index of Names of Persons.

The Index, which was published at the Edinburgh Review, is a complete and accurate Index of the Edinburgh Review, and is intended to be a complete and accurate Index of the Edinburgh Review, and is intended to be a complete and accurate Index of the Edinburgh Review.

Edinburgh, 1813

# Index to the Edinburgh Review.

---

*Speedily will be Published,*

## A COMPLETE GENERAL ANALYTICAL INDEX TO THE EDINBURGH REVIEW,

From October 1802 to November 1812 ;

Comprehending, in one Alphabetical Series, distinct References to all the Names of Authors reviewed, Titles of Books reviewed, Authorities cited or quoted, Public Questions discussed, and all incidental matter.

To which are prefixed, for greater facility and promptitude of reference to the several articles, a separate INDEX OF BOOKS REVIEWED, and another of AUTHORS REVIEWED.

\* \* \* This Work, which was undertaken at the concurrent suggestion of a very considerable class of Readers, has been executed in conformity to the best precedents in ancient and modern Literature, and on a plan in some respects improved.— The whole will be comprised in One Volume, printed uniformly and of equal size with any of the 20 Volumes of the Edinburgh Review, to the multifarious and important contents of which it is calculated to afford the readiest and most satisfactory access.

Edinburgh, July 31, 1813.

1813

Presented to the Library of the  
Medical Officers of the Army  
by Sir James McGrigor Bart.  
Director General

20<sup>th</sup> Dec<sup>r</sup> 1836.

---

---



HEADS



OF

# LECTURES

ON THE

## INSTITUTIONS OF MEDICINE.

---

---

BY

ANDREW DUNCAN SEN., M. D. & P.

---

---

THE SIXTH EDITION.

---

EDINBURGH :

PRINTED BY A. NEILL & CO.

SOLD BY ARCHIBALD CONSTABLE & CO.

AND BY CONSTABLE, HUNTER, PARK & HUNTER,


NO. 10. LUDGATE STREET, LONDON.

---

---

1809.





LECTURES

INSTITUTIONS OF MEDICINE

BY ANDREW DUNN, M.D. & F.R.S.

THE SIXTH EDITION

EDINBURGH

PRINTED BY A. KELL & CO. STATIONERS  
AND BY ARCHIBALD CONSTABLE & CO.  
NO. 10, LEADGATE STREET, LONDON.

1804

---

---

## PREFACE.

**T**HE following Heads of Lectures have already been repeatedly presented to the Public. When they were reprinted in the year 1796, they appeared with very considerable alterations from the former editions. To these alterations I was chiefly led, from having abandoned the chemical doctrine of Phlogiston, and from having adopted the theory of the late illustrious and unfortunate LAVOISIER, which is at present received by almost every Philosopher in Europe.

When the present edition is compared with that which immediately preceded it, published in 1801, the alterations which have been made will not appear to be very considerable. Still, however, the changes are such as will, I think, shew, that I am not inattentive to the progress of science, especially of those branches of science which have the most immediate tendency to elucidate the animal economy. Though the same general doctrines in Philosophy, particularly in Chemical Philosophy still prevail, yet many particular points have of late been happily illustrated by successful experiments.

Of the discoveries thus made, I have endeavoured to avail myself; and I would fain flatter myself with the hope, that these discoveries  
may

may enable me to elucidate several important particulars respecting the economy of the human system, a subject, well meriting the attention of every one, whose wish it is, to practise the healing art on rational principles. For there can be no doubt, that a knowledge of the structure and philosophy of the human body, is the great criterion distinguishing the rational practitioner, from the ignorant empyric.

EDINBURGH, }  
Nov. 1. 1809. }

may enable me to elucidate several important particulars respecting the economy of the human system, a subject, well meriting the attention of every one, whose wish it is, to practise the healing art on rational principles. For there can be no doubt, that a knowledge of the structure and philosophy of the human body, is the great criterion distinguishing the rational practitioner, from the ignorant empiric.

London,  
Nov. 1. 1809.

---



---

# CONTENTS.

---

## PART I.

### Page.

### PATHOLOGICAL PHYSIOLOGY, 1

I. *Concerning the Nature and Properties of the different Fluids and Solids of the Animal Body, and the chief Morbid Affections to which they are subjected,* 3

#### A. OF THE FLUIDS.

1.	Of the Chyle,	-	ib.
2.	———— Blood,	-	15
3.	———— Milk,	-	11
4.	———— Mucus,	-	14
5.	———— Saliva,	-	ib.
6.	———— Succus gastricus,	-	15
7.	———— Succus pancreaticus,	-	17
8.	———— Bile,	-	ib.
9.	———— Synovia,	-	19
10.	———— Perspirable matter,	-	ib.
			11. Of

	Page:
11. Of the Urine, - - -	21
12. ——— Tears, - - -	22
13. ——— Nervous fluid, - - -	23
14. ——— Semen, - - -	24
15. ——— Lymph, - - -	26
16. General conclusions respecting the <i>Hy-</i> <i>grologia corporis humani</i> , - - -	27
 B. OF THE SOLIDS. <span style="float: right;">28</span>	
1. Of animal solids in general, - - -	ib.
2. Of the muscular fibre, - - -	35
3. ——— cellular membrane, - - -	36
4. ——— vessels, - - -	ib.
5. ——— fat, - - -	38
6. ——— bone, - - -	39
 II. Concerning the principal functions of the most important organs of the <i>Human Body</i> . - - - <span style="float: right;">41</span>	
Of the Functions in General, - - -	ib.
Of Particular Functions, - - -	42
1. Of digestion, - - -	ib.
2. — circulation, - - -	45
3. — nutrition, - - -	49
	4. Of

	Page.
4. Of secretion, - - -	52
5. — absorption, - - -	53
6. — excretion, - - -	55
7. — respiration, - - -	56
8. — animal heat, - - -	64
9. — muscular motion, - - -	68
10. — external senses, - - -	70
11. — internal senses, - - -	71
12. — sleep, - - -	73
13. — death, - - -	74
14. — peculiarities of the Male, - - -	75
15. — peculiarities of the Female, - - -	76
16. — Generation, - - -	81



## PART II.

### GENERAL THERAPEUTICS, 83

Introduction, - - -	85
1. Of Emetics, - - -	87
2. — Cathartics, - - -	90
3. — Diaphoretics, - - -	94
4. — Epispastics, - - -	97
5. — Diuretics, - - -	100
6. — Expectorants, - - -	104
7. Of	



	Page:
7. Of Errhines.	107
8. — Sialagogues,	110
9. — Bloodletting,	113
10. — Emmenagogues,	116
11. — Anthelmintics,	119
12. — Lithontriptics,	121
13. — Antacids,	123
14. — Antalkalines,	124
15. — Attenuants,	125
16. — Inspissants,	127
17. — Antiseptics,	128
18. — Astringents,	130
19. — Emollients,	132
20. — Corrosives,	135
21. — Demulcents,	137
22. — Stimulants,	139
23. — Sedatives,	141
24. — Antispasmodics.	143

## GENERAL THERAPEUTICS

83	Introduction
85	1. Of Emetics
87	2. — Cathartics
90	3. — Diaphoretics
91	4. — Diuretics
97	5. — Diarrhetics
100	6. — Expectorants
104	
107	

---

HEADS OF LECTURES

ON

PATHOLOGICAL PHYSIOLOGY.

---



---

*Concerning the Nature and Properties of  
the different Fluids and Solids of the Ani-  
mal Body, and the chief Morbid Affec-  
tions to which they are subjected.*

---

A. Of the FLUIDS.

---

1. *Chyle.*

**V**ESSELS in which chyle is found—  
Materials from which it is formed—  
Matters employed in aliment—Matters  
furnished from the system itself—Means  
by which it is formed—the function of  
digestion—the action of the mesenteric  
glands.

Sensible qualities of chyle in the mam-  
malia—Colour—taste—specific gravity—  
Spontaneous separation—Coagulation—  
Principal constituent parts—watery matter  
—oily or hydrocarbonous matter—Saccha-  
rine matter—coagulable matter, or Gluten

—Fibrine, Albumen, and Gelatine—Observations respecting an earthy matter in the chyle—Accidental impregnations of chyle—Influence of extraneous matters in changing its colour—in changing its other qualities—Time at which proper chyle is most abundant in the lacteals—changes which it undergoes in its passage to the blood—Causes of its disappearing speedily in the blood.

### Pathology of the Chyle.

View of different morbid affections of the chyle, with observations on the means by which they may be prevented or removed; illustrated by remarks on particular diseases.

#### A. From quantity.

*a.* Superabundance.

*b.* Deficiency.

*a. a.* From want of proper aliment.

*Atrophia lactantium*—Walker.

*b. b.* From want of proper assimilation. *Dyspepsia*—*Vomitus*—*Emetrotrophia*—Fabricius.

*c. c.* From a diseased state of the lacteal vessels. *Tabes mesenterica*.

B.

- B. From quality.
- a. Depending on the natural constituents of chyle.
    - a. a. Watery part.
    - b. b. Saccharine part.
    - c. c. Coagulable part.
    - d. d. Oleaginous part.
  - b. Depending on the introduction of foreign matter.
    - a. a. Matter introduced with the aliment.
    - b. b. Matter furnished by the system.

## 2. *Blood.*

**C**ONSTITUENT parts of the blood discovered by spontaneous separation—Halitus—Crassamentum—Serum.

Sensible qualities of the halitus—varieties in different animals—varieties in disease—Conjectures respecting the active impregnation which it contains—its qualities when condensed.

Constituent parts of the remaining mass after the escape of the halitus—Fibrine and red particles forming the crassamentum;

tum—Albumen, gelatine, salts and water forming the serum.

RED PARTICLES: Discovery—Figure—Formation—Colour—Size—Inflammability—Effects of the action of different substances upon them—Acids—Alkalies—Neutrals—Manner in which they are broken down.

GLUTINOUS MATTER—of the crassamentum — of the serum — circumstances in which they differ—circumstances in which they agree—Properties of the glutinous matter in general—sensible qualities—Taste—Smell—Consistence—Colour—Relation to other substances—Effects of the action of heat—of the action of different saline substances — Nitrous acid — Sulphuric — Muriatic—Alkalies—Neutrals—Alcohol—Analogy of the glutinous matter of the blood to the albumen ovi—to the cheesy part of milk—to the gluten of vegetables — to the *gluten vegeto-animale* of Roux, Rouelle, and Parmentier.

SEROSITY—Circumstances in which it differs from water—Colour—Specific gravity—Taste—Effects produced by the action of heat—of alcohol—of putrefaction  
Conclusions

—Conclusions respecting its constituent parts —Water — Salts—Opinions of different chemists respecting the nature of the salts which the serum contains—Muriate of Soda—Carbonate of Soda—Uncombined Soda—Carbonate of Ammonia—Phosphate of lime.

Examination of the constituent parts of the blood by chemical analysis—Substances obtained by distillation — Water—Spirit, improperly so called, containing carbonate of ammonia, and ammoniacal soap—Volatile dry salt—Oil—Residuum after distillation—substances obtained from it by burning—by the loadstone.

Observations concerning some peculiar properties of the blood.

Of the coagulation of the blood—different opinions concerning the cause of this coagulation—Conjecture of its arising from the escape of the halitus, when the blood of animals is exposed to the action of air.

Of the heat of the blood—varieties in different animals—its connection with the colour of the blood—its stability in different temperatures of the atmosphere.



Of the life of the blood—antiquity of the opinion—arguments by which it has lately been attempted to be established, particularly by Mr John Hunter—objections which have been urged against these arguments—general conclusions respecting this doctrine.

Of the quantity of the blood—Varieties in different animals of the same species—Ground on which calculations have been attempted to be instituted as to the medium quantity—Proportion which it has been supposed to bear to the solids—Conjectures of different Physiologists with regard to the medium quantity in the human species—Proportion which the quantity in the arteries has been supposed to bear to that in the veins—Differences between arterial and venous blood.

#### Pathology of the Blood.

View of the principal morbid affections to which the blood is subjected; of the symptoms by which they may be distinguished, and of the means by which they may be prevented or removed, illustrated by remarks on particular diseases.

I. Morbid Affections from changes in quantity.

A. Plethora.

a. From an increase of the real quantity of the blood.

*Plethora vera.*

b. From an increase of the volume of the blood.

*Plethora apparens.*

c. From a diminution of the capacity arising from an increase of the capacity of its antagonist vessels.

*Plethora relativa.*

d. From an increase of the quantity of blood in the arteries.

*Plethora arteriosa.*

e. From an increase of the quantity of blood in the veins.

*Plethora venosa.*

f. From an increase of the quantity of blood in a particular part.

*Plethora partialis.*

B. Inanition.

a. From a deficiency of blood in the system in general.

*Inopia sanguinis vera.*

*Oligaima* of Dr Hunter.

b. From

b. From a deficiency of blood in the arterial system.

c. From a deficiency in the venous system.

d. From a deficiency at particular parts.

II. Morbid Affections from changes in quality.

A. From changes in the natural contents.

a. Red particles. *gives rise to the sanguine temp* *amens*  
*Excess of the unobstructed respiration*  
 Melanæma of Dr Godwyne.

b. Watery part.

*Godwyn's treatise*  
*suspended Animation*  
 Aquosa tenuitas.

d. Saline part.

*Scorbutus.*

e. Glutinous part.

*Hæmorrhæa petechialis* of Dr Adair.

B. From the introduction of foreign matters.

a. By the lacteal vessels.

b. By the lymphatics of the surface and other parts.

c. By the bloodvessels of the lungs, through their coats.

d. By bloodvessels at other parts, from wounds. *especially from a poisoned weapon*

*or the bite of the viper.* Foreign which instantaneously changes the colour of the whole circulating organs

e. Foreign matters generated or increased in the blood.

General conclusions respecting the importance of attending to morbid affections of the blood in the cure of diseases.

### 3. *Milk.*

**O**F the organs furnishing milk—circumstances under which this secretion takes place—general appearance of milk—fluids from different parts of the body resembling it—properties of milk in general—its constituent parts—butyraceous part, or cream—coagulable part, or cheese—watery part, or whey—saccharine or saline part.

Of the butyraceous part—its sensible qualities—its general properties—varieties with respect to quantity and quality—in different genera of animals—in different individuals of the same genus—in the same individual at different times—varieties connected with the period elapsed from the time of delivery—with the particular time of the discharge during

ring the drawing of milk—causes of these varieties.

Of the coagulable or glutinous part—its general analogy to the glutinous part of the blood—particulars in which they differ—substances producing the coagulation of it, or runnets—animal runnets—vegetable runnets—circumstances in which vegetable and animal runnets differ in their action as coagulants—different opinions respecting the principles on which runnets act—particulars in which the coagulable part of milk, agrees with the glutinous part of the blood—analogy of both to the *gluten vegeto-animal* obtained from wheat and some other vegetables.

Of the watery part—its analogy to the serosity of the blood—Constituent parts of the whey—Water—Crystallizable mucus—Gelatine—Saccharine matter—Muriate of potass—Sulphate of potass—Sulphate of lime.

Of the saline matter resembling sugar, which the serum contains—varieties in the sugar of milk—in kind—in quantity—

varieties.

*a purple flower of  
the artichoke when  
the milk has been  
exposed to the boiling  
point: the butter wort,  
linguicula vulgaris  
is used in Sweden as  
food -  
Wethering's  
Botanic. Arrangts*

*the stomach  
of any animal  
particular  
of the cat  
and even  
those animals  
who do not  
use milk*

*sugar has at various periods been extracted from milk  
and appears to possess the same properties as that from vegetable*

varieties in the same animal at different times—in different animals.

Analogy between blood and milk—  
The peculiarities of the human milk.

### Pathology of the Milk.

View of different morbid affections of the milk, illustrated by remarks on particular diseases.

A. From changes with respect to quantity.

a. Defective secretion.

*Atrophia lactantium.* Sauv.

b. Superabundant secretion.

*Tabes nutricum.* *Atrophia lactantium.*

Walker.

c. Obstruction to the discharge after secretion.

B. From changes with respect to quality.

a. By alterations in the natural constituent parts.

b. By the introduction of foreign matters.

a. a. Furnished from the system itself.

a. a. a. Salts of the blood.

b. b. b. Sebaceous matter from the glands about the nipple.

b. b. Introduced by the alimentary canal,

canal, or by the absorbents of other parts.

#### 4. *Mucus.*

**E**XTENT of this secretion over the animal system—its sensible qualities—its constituent parts—water—glutinous matter—saline matter—Muriate of Soda—Carbonate of Soda—Phosphate of Soda—Phosphate of Lime. Effects produced on mucus by the action of different substances—water—ardent spirit—oil—acids—alkalies—neutrals—metallic salts—Chemical analysis of mucus.

#### Pathology of Mucus.

A. Diminished secretion.

B. Augmented secretion.

*Catarrhus senilis. Gonorrhœa.*

C. Vitiated secretion.

*Coryza. Scarlatina anginosa.*

#### 5. *Saliva.*

**O**RGANS by which it is secreted—Universality of this secretion in animals—Quantity in the human species—Proportion to the hardness of the food—General properties of saliva—its sensible qualities

in 24  
hours

qualities—taste—smell—colour—specific gravity.—The chemical relations which it shews to other matters—Effects of the action of air—Water—Oil—Alkalies—Acids—Alcohol—Its action on metals—Chemical analysis of the saliva.

General conclusions respecting the constituent parts of this fluid—Water—Glutinous matter—Saline matters—muriates and phosphates of Soda, Ammonia and Lime.

Use of saliva in the animal system—The evolution of the taste of sapid bodies—the preparation of aliment—The prevention of thirst.

#### Pathology of Saliva.

##### A. Defective Secretion.

*Febris.*

##### B. Augmented secretion.

*Ptyalismus.*

##### C. Depraved secretion.

*Icterus. Rabies.*

#### 6. *Succus Gastricus.*

**C**AVITIES in which this fluid is to be met with—Fluids in other cavities possessing qualities similar to that found  
in



in the stomach—Conjectures and doubts respecting the secreting organs—The difficulties in obtaining the succus gastricus in a pure state—Means employed for obtaining it in the greatest purity—Its sensible qualities as obtained in its purest state—varieties in different animals with respect to the saline impregnation which it contains—Herbivorous—Carnivorous—Omnivorous—Principal constituent parts of the human succus gastricus—water—glutinous matter—Gastric acid—Phosphoric acid—Muriate of Soda—Muriate of Ammonia—Phosphate of Lime.

Of the use of the succus gastricus—solution of aliment in the stomach—correction of putridity in that part of the system—its effects in the cure of diseases—from internal use—from external application.

### Pathology of the Succus Gastricus.

#### A. Augmented secretion.

*Bulimia.*

#### B. Diminished secretion.

*Anorexia. Dyspepsia.*

C.

## C. Depraved secretion.

*Pica. Malacia.*7. *Succus Pancreaticus.*

**O**F the organ by which this fluid is secreted—its resemblance to the salivary glands—resemblance of this fluid to saliva—circumstances in which it differs from saliva—its principal constituent parts—its quantity—Disputes with regard to its use.

Pathology of the succus pancreaticus. Uncertainty on this subject—erroneous opinions formerly entertained with respect to it—conjectures concerning the effects of deficiency—of redundancy—of a depraved condition—The formation of calculous concretions in the pancreas and its ducts.

8. *Bile.*

**O**RGANS by which it is secreted—Differences between Hepatic and Cystic bile—Blood from whence the bile is commonly secreted—Proofs that it is some-

B times

times formed from arterial blood—Reasons for believing that in general it is chiefly from venous blood—Sensible qualities of the bile—colour—taste—smell—consistence—specific gravity—Chemical relations of bile to other matters—effects of the action of water—oil—alcohol—neutral salts—alkalies—acids—Effects produced on bile by heat—slow evaporation—distillation.

Constituent parts of bile—water—soda—glutinous matter—resinous matter giving colour and taste to the bile—and forming a saponaceous substance with the soda—phosphate of soda—phosphate of lime—iron.

Use of the bile—different ways in which it is subservient to the function of digestion—its influence as a stimulus to the system—arguments from which it has been inferred that it is principally an excrementitious fluid.

### Pathology of the Bile.

- A. Defective secretion.
- B. Obstructed excretion.

*Icterus.*

C.

- C. Biliary concretions.  
 D. Superabundant secretion.  
*Cholera.*  
 E. Secretion morbidly acrid.  
*Typhus icterodes.*

### 9. *Synovia.*

**D**IFFERENT opinions concerning the sources from whence it has been supposed to be derived—sensible qualities of the synovia—chemical affinities.

Constituent parts of the synovia—water—glutinous matter—oleaginous matter—saline matter—muriate of soda—carbonate of soda—phosphate of lime—quantity in which the synovia is secreted.

Pathology of the synovia—increased secretion—diminished secretion—depraved secretion.—*Hydarthrus.*

### 10. *Perspirable Matter.*

**P**ARTS of the system from which a discharge, under the form of insensible perspiration, takes place—Organs by which

this matter is separated and discharged—  
 Proofs of the reality of this discharge—  
 circumstances in which it becomes visible  
 —Nature of the discharge—its contents  
 in ordinary cases—water—volatile saline  
 matter—matters with which it has been  
 supposed to be occasionally impregnated  
 —Fetid odorous matters—peculiar quali-  
 ties from alimentary matters—the electric  
 fluid—carbonic acid gas—phosphoric acid.

Quantity of the discharge under the  
 form of insensible perspiration—varieties  
 in different climates and seasons—causes  
 of these varieties.

The analogy between perspirable matter  
 and the halitus of different cavities—ana-  
 logy between perspirable matter and sweat  
 —particulars in which they differ.

Pathology of the cuticular discharge.

A. Morbid increase of the discharge.

*Ephemera sudatoria.*—*Ephidrosis.*

B. Morbid obstruction of the discharge.

*Diarrhæa.*

II. *Urine.*

11. *Urine.*

**O**RGANS by which the urine is secreted—causes producing great varieties in this fluid, consistently with a state of health—the age of the person by whom it is discharged—the temperature of the body prior to the discharge—the passions of the mind—the ingesta—distinctions of urine, as varied from this source—*Urina potûs*—*Urina chyli*—*Urina sanguinis*.

Sensible qualities of this secretion, in what may be considered as its most natural state—colour—smell—taste—specific gravity—heat—consistence—spontaneous separation.

Constituent parts of recent healthy urine—water—urea—glutinous matter—muriate of soda and of ammonia—phosphate of soda—of ammonia—of lime—of magnesia—phosphoric acid—uric acid—benzoic acid—Articles obtained from the urine by chemical analysis, in the way of

distillation.—Purposes for which the urinary discharge is intended.

### Pathology of the urine.

#### A. Defective secretion.

*Ischuria.*

#### B. Excessive secretion.

*Diabetes.*

#### C. Depraved secretion.

*Lithiogenesis.*

### 12. Tears.

**O**RGANS by which they are secreted  
—sensible qualities of the secretion  
—effects of the action of heat—of air—  
of alkalies—of acids—Constituent parts of  
tears—water—saline matter—muriate of  
soda—soda—phosphate of soda—phos-  
phate of lime—glutinous matter—varieties  
with respect to the quantity of this secre-  
tion—different conjectures as to the causes  
of these varieties—use of the natural se-  
cretion—of an augmented flow from par-  
ticular causes.

Pathology

## Pathology of Tears.

A. Morbid increase of the secretion.

*Epiphora.*

B. Morbid diminution.

C. Depraved secretion.

13. *Nervous Fluid*

**I**MPORTANCE of the functions dependent on the brain and nerves. — General account of the structure of these parts — Extent of nerves in the human system — Arguments rendering it probable that they perform their functions, by being conductors of a fluid — Conclusions respecting the nature of this fluid, from phenomena dependent on the nerves — Different hypotheses as to its origin — Account of the supposition, that it is not a secreted fluid, but merely attached to the brain and nerves — objections to this supposition — Observations on the conjecture, that nervous influence depends on animal electricity — on oxygen — arguments rendering it



probable that it is secreted by the brain—different conjectures respecting the mode in which it is conveyed by the nerves.—Inquiry respecting the reproduction of nerves.—Inquiry whether any other fluid be conveyed by the nerves, than that which is subservient to sense and motion.

Pathology of the Nervous Fluid—Different morbid conditions to which there is reason to presume it may be subjected—state most fitted for the communication of impressions—mobility—state least fitted for the communication of impressions—torpor.

#### 14. *Semen.*

**D**IFFICULTIES in the investigation of this fluid—organs by which it is secreted—mixed condition in which it is commonly examined—appearance of the liquor separated from the testes in its pure state—changes which it undergoes from mixture and stagnation in the vesiculæ seminales—opinion that what have been called vesiculæ seminales are secreting

ing

ing organs—arguments employed in proof of this opinion—from the variety in the structure of the vesiculæ seminales in different genera of animals—from the sameness of structure in each particular genus—from the appearance of the fluid they contain in the dead body—from the state of their contents after castration—objections to these arguments—general conclusion on this subject.

Sensible qualities of the semen in the condition in which it is discharged—specific gravity—smell—effects of exposure to air—of mixture with water—of the action of heat—of mixture with acids—with alkalies—with essential oils—with ardent spirit—Products obtained from the semen by chemical analysis—water—glutinous matter—phosphate of lime—soda.

Examination of the semen by microscopical observations—discovery of vermicular animalcules—account of their appearance—principal controversies respecting them—Different conjectures respecting the part of the blood from which the secretion by the testes is produced—different

ferent opinions respecting the part of the semen on which generation depends—most remarkable differences in the semen of different animals.

Pathology of the semen—influence of morbid conditions as affecting the function of generation—as affecting the system by which the semen is secreted—Defective secretion—Superabundant secretion—excessive evacuation—Means of combating these morbid conditions.

### 15. *Lymph.*

**P**ECULIARITIES respecting the contents of the valvular lymphatic absorbents—sources from whence they are derived—sensible qualities of the lymph in its most pure state—water—glutinous matter—varieties from accidental impregnations—proofs of the great diversity of such impregnations—use of the fluid contained in the lymphatics—morbid changes to which it is subjected—means of counteracting these.

### 16. *General*

---

*16. General Conclusions.*

---

**C**ONCLUSIONS respecting the fluids in general, from the observations offered on particular fluids—The analogy which the different fluids of the animal body have to each other—General constituents of all the fluids—Watery matter—Glutinous matter—Fibrine containing most azot—Albumen most oxygen—Gelatine most carbon—Saline matter—Oily or hydrocarbonous matter—Peculiar properties derived from these different constituent parts—qualities from a saline impregnation—qualities from a hydrocarbonous impregnation.

**B.**

---

---

## B. OF THE SOLIDS.

---

---

### 1. *Animal Solids in General.*

**A**PPARENT diversity of the solids—  
Properties in common to all the  
solids—General constituent parts of the  
solids — Water — Earthy matter — Gluti-  
nous matter—Saline matters—Aërial mat-  
ters—Metalic matters found in some of  
the solids.

Circumstances in which the composition  
of animal matters differs from that of ve-  
getables—Presence of azot as a primitive  
principle — Greater abundance of hydro-  
gen—Phosphates—Property of affording,  
by heat, ammonia, the prussic acid, the  
zoonic acid—of undergoing the putrefac-  
tive fermentation—of being converted, by  
maceration in water, into a fatty matter  
and ammonia.

## Pathology of the Simple Solids.

## I.

*Morbi partium solidarum simplicissimi ex  
Institutionibus Pathologiæ, auctore H. D.  
Gaubio.*

## I. Debilitas.

## A. Salvâ cohæsione.

- a.* Laxum, flaccidum in partibus mol-  
libus.
- b.* Iners in partibus naturâ elasticis.
- c.* Flexile in ossibus.

## B. Dissolutâ cohæsione.

- a.* Tenerum, Gracile, in mollibus par-  
tibus.
- b.* Tabidum itidem in mollibus.
- c.* Fissile in partibus naturâ tenacio-  
ribus.
- d.* Fragile in ossibus.

## II. Rigiditas.

## A. Firmitas insuperabilis.

- a.* Tenax, in partibus mollibus.
- b.* Durum,

*b.* Durum, in mollibus quoque.

*c.* Fragile, Vitreum, in ossibus.

**B. Fragilitas flecti nescia.**

*a.* Tenax, in partibus mollibus.

*b.* Durum, in mollibus quoque.

*c.* Fragile, Vitreum, in ossibus.

**II.**

*A Table of the Diseases of the Simple Solids,*  
by DR CULLEN.

The Diseases of the Simple Solids are,

**I. Those of the naturally soft parts.**

**I. Mobility of the parts too great.**

*Debile. Gaub. 157. 159.*

**A. With respect to the force of cohesion.**

*a.* Debility with flexibility.

*Debile tenerum gracile. Gaub. 161. 1.*

*Debile tabidum. Gaub. 171. 2.*

- A. from an overplus of water,  
from original stamina,  
from weak aliment,  
from want of aliment,  
from weak concoction,  
from increased excretion,  
from imperfect application.
- B. from weak cohesion of the concreting matter,  
from heat,  
from vitiated nutritious fluid,  
from matter externally applied,  
water, mucilage, &c.
- C. from extension near to rupture.
- D. from extension of cellular texture,  
from erosion of cellular texture,  
from cutting through some layers of a compound membrane,  
from taking away external compression.
- E. Emptiness of vessels.  
b. Debility with fragility.

*Debile*



*Debile fissile.* Gaub. 161. 3.

from want of humidity,  
from cold,  
from changes in the concreting  
matter.

B. With respect to flexibility, cohesion  
remaining.

a. Laxity with elasticity.

*Debile laxum flaccidum.* Gaub. 160. 1.

from all the causes of I. 1. A. a.  
except c.

from want of tension.

b. Laxity without elasticity or flaccidity.

*Debile iners.* Gaub. 160. 2.

from an overplus of water,  
from long rest in an extended  
state,

from a certain overstretching.

2. Mobility of the parts too little, or  
rigidity.

*Rigidum.* Gaub. 164.

A. Rigidity diminishing flexibility.

*Rigidum tenax.* Gaub. 165. 1.

a.

- a.* from an overplus of concreting matter,  
from original stamina,  
from much or very nourishing aliment,  
from vigorous concoction,  
from vigorous application.
- b.* from increased cohesion of the concreting matter,  
from cold,  
from external application of coagulants, astringents, &c.
- c.* from considerable extension.
- d.* from long rest in a contracted state.
- e.* from the condensation of cellular texture.
- f.* from a new growth of cellular texture.
- g.* from the shortening of cellular texture.
- h.* from a new growth of cellular texture joining parts naturally separate.
- i.* from full vessels.
- k.* from vessels becoming solid.

## B. Rigidity destroying flexibility.

*Rigidum durum. Gaub. 165. 2.*

from ossification,

from putrefaction.

## II. Those of the naturally hard parts.

## 1. Flexibility.

*Debile flexile. Gaub. 160. 3.*

A. from deficiency of hardening matter.

B. from the softening and washing out of hardened matter.

## 2. Fragility.

A. Spongeous.

*Debile fragile spongiosum. Gaub. 160. 4.**a.* from erosion of gluten and oil.*b.* from putrefaction of the same.

B. Vitreous.

*Rigidum fragile vitreum. Gaub. 165. 3.**a.* from too great drying by age.*b.* from deficiency of oil.

## III.

GENERAL HEADS of the OBSERVATIONS  
to be offered on the DISEASED STATE  
of the SIMPLE SOLIDS.

A. Diseased state depending on the  
composition of the solids.

*a.* Firmness

- a. Firmness morbidly increased.
  - b. ——— ——— diminished.
  - c. Cohesion morbidly increased.
  - d. ——— ——— diminished.
  - e. Flexibility morbidly increased.
  - f. ——— ——— diminished.
  - g. Elasticity morbidly increased.
  - b. ——— ——— diminished.
- B. Diseased states depending on the figure of the solids.
- a. Alterations in the shape of natural parts.
  - b. The growth of preternatural parts.

## 2. *Muscular Fibre.*

**G**ENERAL characterizing properties of the muscular fibre—Sensible qualities—Colour—Weight—Smell—Taste—Cohesion—Structure—Figure—Elasticity—Flexibility.

Examination of the opinion which supposes, that muscular fibres are a continuation of nerves—Objections to this opinion—Principles detected in muscular fibres by chemical analysis—Fibrine—Gelatine—Albumen—Extractive matter—Muriate and phosphate of soda—Phosphate of lime.

Observations on the pathology of the muscular fibre in its simple state—Morbidity weakness—Morbidity strength.

### 3. *Cellular Membrane.*

**O**PINIONS at first entertained respecting cellular membrane—Its extent over the system—its general qualities—Colour—Texture—Cohesion—Communication of cells.

Disputes respecting its sensibility—Different opinions of its origin—Arguments for supposing it to be immediately produced from the glutinous part of the blood.

Use of the cellular membrane—Differences between the cellular or simple and complex membranes of the body—Pathology of the cellular membrane—Firmness morbidly increased—Elasticity morbidly diminished.

### 4. *Vessels.*

**A**RTERIES—Cohesion and strength of arteries—Changes which gradually take place in the proportional strength of the arteries to that of the veins—Elasticity of the arteries—Flexibility.

Division

Division of arteries into ramifications—  
 Different views of the division of arteries  
 —Trunks — Branches—Capillaries —Pro-  
 portion which the area of a trunk bears to  
 that of all its branches—Different calcu-  
 lations on this subject—Angles at which  
 branches come off from trunks—Anasto-  
 mosis of arteries.

Terminations of arteries—into veins—  
 into secretory extremities—into exhalent  
 extremities—different kinds of exhalents.

Disputes respecting the irritability of  
 arteries—View of an opinion which sup-  
 poses, that a peculiar set of nerves are ap-  
 propriated to the vascular system.

Pathology of the arteries—morbid dila-  
 tation—morbid contraction—ossification.

*VEINS.* Analogy between the veins and  
 the arteries—comparison of the strength  
 of the veins with that of the arteries—  
 Proportion between the strength of the  
 vena cava and aorta—Proportion between  
 the diameters of the veins and arteries—  
 Valves of the veins—Beginnings of the  
 veins—View of the controversy, whether  
 they ever arise from cavities—Pathology  
 of the veins.

*LYMPHATICS.* Observations on the discovery of the valvular lymphatic absorbent vessels—General appearance of these vessels—Strength—Valves—Course—Termination—Observations on the lymphatic glands—Examination of the opinion which supposes, that the lymphatics and bloodvessels anastomose in these glands—Examination of Mr Hewson's opinion respecting the use and structure of the lymphatic glands—Use of the lymphatic system in general—Extent of this system of vessels over the human body—Extent over animal bodies in general—Pathology of the lymphatics.

#### 5. *Fat.*

**C**ONDITION of the fat in the living body with the human species—Places in which it is principally found—The manner in which it is deposited in cells—General properties of fat—changes to which it is subjected in the progress of life—Chemical analysis—Oleaginous matter—Sebacic acid.

Conversion of some other animal substances, particularly muscular fibre into fat—Conjectures

—Conjectures respecting the causes of this conversion—Opinions respecting the composition of fat—Varieties in the quantity of fat—Causes of these varieties—Causes producing differences in the deposition of fat—Causes producing the removal of fat after it has been deposited—Different opinions as to the channels by which it is conveyed from the cells of the *membra naadiposa*.

Uses of the fat—Arguments brought to prove, that on reabsorption it serves for the nutrition of the system—Doubts respecting that opinion—Pathology of fat—Polysarcia.

## 6. *Bone.*

**G**ENERAL appearance and qualities of bone in the adult—Account of its progress to this state—Appearance of the first rudiments of bone in the embryo—Gradual changes which these undergo—Different opinions as to the process by which these changes are effected—Observations on the opinion, that bone is formed by the ossification of arteries—Account of different opinions respecting the growth of bones — Opinion which supposes the



circulation of an osseous juice—Opinion which supposes the ossification of successive layers of the periosteum.

Observations on the structure of bone—Observations on the component parts of bone—Glutinous matter—Earthy matter—Phosphoric acid—Phosphate of Lime—Carbonate of Lime—Chemical analysis of bone.

Observations respecting the glutinous matter of bone, and the universality of the same matter over the animal system—Pathology of bone—Remarks on some of the most remarkable diseases of bone—Osteomalacia—Caries—Necrosis—Exfoliation.

*Concerning*

---

---

*Concerning the Principal Functions of the  
Human Body in a State of Health, and  
the Diseases of these Functions.*

---

---

Of the FUNCTIONS IN GENERAL.

---

---

**O**BSERVATIONS on animal life—on the distinction between the sentient and vital principles—on the powers of living animals more immediately dependent on the sentient principle—on those dependent on the vital principle—on the powers depending on their combined influence—Sensation—Causes exciting sensation—Circumstances by which changes are effected in sensations independently of their causes— from difference in the condition of the sentient principle—a state of excitement—a state of collapse—from differences in the condition

dition of the nervous fluid—a state of mobility—a state of torpor—Muscular action—general causes of action—Volition—Stimulus—Diversity of actions in living animals—voluntary actions—actions with propensity—involuntary actions—actions without consciousness.

---

## Of PARTICULAR FUNCTIONS.

### 1. *Digestion.*

**O**BSERVATIONS on the nature of the function of digestion—Different opinions respecting the general principle on which this function is to be explained—Antecedent circumstances to the process of digestion—The appetite for aliment of a fluid nature—Causes inducing it—Appetite for solid aliment—Different opinions respecting the causes of hunger—Variety in the substances used as food—Conditions necessary in all alimentary matters—Steps in the process of digesting these alimentary matters—Solution—Chylification.

Circumstances

Circumstances to which the aliment is subjected before entering the stomach, tending to its solution—Circumstances to which it is subjected after it enters the stomach—Trituration—The action of different menstrua — Arguments corroborating the opinion, that a peculiar active menstruum is furnished by the stomach—Observations on the diversity of this menstruum in different animals—Observations on the particular part of the stomach by which it is furnished—The fermentation taking place in the stomach—its influence in dissolving solid food—in correcting putridity—general conclusion respecting the means of solution in the stomach.

Chylification or assimilation — Inquiry whether all matters nourishing the system assume the form of chyle—Examination of different opinions respecting the formation of chyle—Inquiry whether chyle is to be considered as a new product, or as a mixture of parts previously existing in alimentary matters — Arguments by which the latter supposition is rendered probable — Causes by which an intimate combination may be supposed to be effected.

Morbid

## Morbid affection of the Functions of Digestion.

### I. Defective solution of aliment.

- 1st Auricle & Ventricle*
- Valvula Tricuspid*
- Pulmon: Art.*
- Valv. Semilun*
- Lungs +*
- Pulm. Veins*
- Left Auricle*
- Ventricle*
- Valv. Mitralis*
- Valv. Semilunaris*
- Aorta*
1. From the state of action exerted by the stomach.
  2. From the state of the menstruum acting upon the aliment.
    - a. As not being supplied in sufficient proportion.
    - b. As being defective in solvent power.
    - c. As undergoing morbid changes, counteracting its solvent power.

### II. Improper assimilation.

1. From the state of the ingesta.
2. From the degree of heat in the stomach.
3. From the muscular action of the stomach itself.
4. From different matters acting as assimilating ferments in the stomach.

The veins of the extremities have *val. Circulation.*  
 to prevent the compression of the veins by the  
 muscles that are called into action.

*the lower animals have not this power of circulation  
The heart is a collection of strong muscular fibres*

2. Circulation. *proved by dissections  
Microscope*

**D**ISCOVERY of the circulation—Course of the blood in the human body.

X Powers by which the blood is moved in the course of circulation—The action of the heart—Calculations respecting the force of that action—Reasons why the action of the heart is neither attended with volition nor consciousness.

*The velocity with which it is impelled and the quantity cannot be well ascertained as they are so variously modified in different individuals*

*by - it is not an action induced by stimulus not the pulsation clearly proves -*

X The action of the arteries—Controversy, whether the arteries act from a muscular power, or from simple elasticity—Examination of the evidence brought respecting the existence of a muscular coat in the arteries—Examination of the evidence respecting the irritability of arteries—Comparison of the power of the heart, with the causes retarding the motion of the blood—Inquiry how far a proof of the natural action of arteries can be drawn from diseased states.

X The vibratory or oscillatory motion of the capillary vessels—Observations on the arguments brought in proof of such a motion—from the insufficiency of other causes for moving the blood through these vessels—

vessels—from phenomena, particularly in morbid cases—Inquiry, how far this action can be considered as peculiar to the capillaries.

× Observations on the *vis a tergo*, as it has been called, or the impulse given by one portion of blood to another—The extent of this action as a cause of the blood's motion—Error in supposing it to be a moving power.

Effects of the pressure on the bloodvessels from the voluntary action of muscles—The means by which this is rendered a cause of progressive motion of the blood—The extent to which it operates in the human system.

Varieties taking place with respect to the course of the circulation—in the fœtus—in the liver—in the brain.

Changes produced in the blood by circulation—Loss of caloric—Loss of oxygen—Deposition of fibrine and albumen—Change to a more hydrogenated and carbonated state—Change of colour.

Morbid affections of Circulation.

I. Affections with respect to the state of motion of the blood.

1. Preternatural increase of the celerity of motion.

*a.* From an augmentation of the stimulus exciting the action, of the heart and arteries.

*b.* From an augmentation of the irritability of the heart and arteries.

2. Preternatural diminution of the celerity of motion.

*a.* From the stimulus acting on the heart and arteries being diminished.

*b.* From the want of due irritability in these organs.

3. Preternatural increase of the momentum of the blood.

*a.* From a peculiar irritability in the organs producing the motion of the blood.

*b.* From a determined quantity of blood in motion.

*c.* From a certain degree of tonic power in the moving organs.

4. Preternatural diminution of the momentum of the blood.

*a.* From the want of a proper quantity of blood in motion.

*b.* From





flow of blood to the vessels leading into the part.

### 3. *Of Nutrition.*

**T**HE sense in which the term nutrition is here to be adopted—View of the controversy, whether the nutritious fluid be conveyed by the bloodvessels, or by the nerves.

Examination of the arguments brought to support the hypothesis, that the nutritious fluid is conveyed by the nerves—Arguments in support of this opinion, drawn from the alleged primary existence of the nervous system—from changes which the solids undergo, when communication by the nerves is intercepted—from the size of the head in infancy—from the quantity of blood carried to the brain—from the method of nutrition in the vegetable kingdom—Answers to these arguments—Objections to this hypothesis from the qualities of the only fluid that can be supposed to be conveyed by the nerves—from the diminution of nutrition while

D the

the nervous functions remain entire—  
from the growth and nourishment of  
parts of the system not furnished with  
nerves.

Examination of the opinion which sup-  
poses, that the nutritious fluid is conveyed  
by the bloodvessels—Arguments in sup-  
port of the probability of this opinion—  
from analogy—from the fitness of the fluid  
which they convey for the purposes of nu-  
trition—from the universality of the san-  
guiferous system—from the gradual evo-  
lution of the different solids—from the  
effects arising from the interruption of  
bloodvessels—from the nutrition of or-  
gans by the inosculation of bloodvessels,  
although they be unconnected by any other  
means.

The application of nutritious matter—  
Growth—from elongation of vessels—  
from extension of fibres—from accretion  
of cellular texture—from deposition of  
earth, fat, or other matter—Reparation of  
waste—Circumstances counteracting nutri-  
tion, or causes of the decrementum cor-  
poris.

Morbid

Morbid Affections of the Function of  
Nutrition.

- I. Preternatural diminution of nutrition.
  - a.* From the want of a due quantity of nutritious matter.
  - b.* From the want of necessary qualities in the nutritious matter.
  - c.* From an improper application of the nutritious matter.
- II. Preternatural increase of nutrition.
  - a.* From an unusual supply of nutritious matter.
  - b.* From a strong disposition to coagulation in the nutritious fluid.
  - c.* From accidents promoting the application of the nutritious fluid to the staminal solids.
- III. Imperfect nutrition.
  - a.* From peculiarities in the nature of the nutritious matter.
  - b.* From peculiarities in the mode of application.

#### 4. *Of Secretion.*

**A**CCOUNT of the different organs by which the function of secretion is performed—glands—vessels—pores—Controversy, whether follicles exist in glands or not—Examination of different hypotheses respecting secretion—the supposition, that secreted fluids pre-exist in the blood, and that glands act as filters—The supposition, that secretion depends upon a peculiar fermentation—The supposition, that it depends on a peculiar action of the vessels—The supposition, that it depends on absorption from follicles.

General view of the different causes which may be supposed to operate in secretion—Circumstances which may have effect previous to the action of the secreting organ—Circumstances operating in the secreting organ itself—Circumstances which may have effect posterior to the action of the secreting organ—fermentation—absorption—mixture—General use of secretion.

Morbid

## Morbid Affections of Secretion.

1. From increase.
2. From diminution.
3. From depravation.

## Observations on the principal causes of these Morbid Affections of Secretion.

1. The state of the pabulum furnished for secretion.
2. The state of action of the secreting vessels.

5. *Of Absorption.*

**O**BSERVATIONS on the vessels by which absorption is performed—Question, whether the veins of the sanguiferous system ever act as absorbents—View of the arguments brought in proof of absorption by veins—from what is observed to happen with respect to the mesenteric veins—from what happens with respect to the veins of the penis—from œdematous swellings being produced by ligatures on veins—from the supposition that lymphatic absorbents are wanting in many parts of the body, and in some animals—Objections to the hypothesis, that the sanguiferous

veins ever act as absorbents—General conclusion.

Arguments proving that the valvular lymphatics are entirely a set of absorbent vessels—from the analogy of the lacteals—from the progress of virus in the system, whether venereal, cancerous, or the like—from the similarity between the contents of the lymphatics and those of the cavities from which they arise.

Causes producing the motion of fluids in the absorbent system—The means by which fluids enter the absorbents—The necessity of the continuance of life for their admission—Different opinions respecting the manner in which the mouths of the lymphatics may be supposed to be affected by life—The supposition of ampullæ or bags—The supposition of the erection of villi similar to the papillæ of the tongue—General conclusion—The means by which fluids are moved in the lymphatics after having entered them.

### Morbid Affection of Absorption.

#### I. Preternatural increase of absorption.

a. From

*a.* From causes facilitating the admission of fluids into the mouths of the lymphatics.

*b.* From causes facilitating the motion of fluids through the lymphatics.

## II. Preternatural diminution of absorption.

*a.* From a diminution of the action of the lymphatic vessels.

*b.* From causes obstructing the passage of fluids through the lymphatics.

### 6. *Of Excretion.*

**R**EMARKS on the function of excretion in general—Causes most commonly producing excretion—Muscular action of the excretory—The action of the vessels of the secreting organ—Accidental causes of excretion—Remarks on the excretion of the feces and urine in particular.

#### Morbid Affections of Excretion.

##### I. Excretion morbidly increased.

*a.* From unusual stimuli applied to the excreting organ.



*b.* From an augmentation of the sensibility of the excreting organ.

*a. a.* Arising from increased mobility of the nervous power.

*b. b.* Arising from a diminution of the natural coverings of parts.

## II. Excretion morbidly diminished.

*a.* From the want of a due stimulus to the excreting organ.

*b.* From uncommon insensibility of that organ.

## III. Depraved excretion.

*a.* From a peculiar state of sensibility in the excretories.

*b.* From preternatural stimuli being applied to excretories.

### *7. Of Respiration.*

**O**BSERVATIONS on different conditions in the function of respiration—Respiration as a voluntary action—as an action with propensity—as an involuntary action—as an action without consciousness.

Actions by which the enlargement and  
diminution

diminution of the cavity of the thorax are produced—Circumstances commonly considered as giving rise to the enlargement of the thorax—the contraction of the diaphragm—the elevation of the ribs—the rarefaction of the air after its admission into the cavity of the thorax—Circumstances commonly considered as producing a diminution of the cavity of the thorax—relaxation of the muscles producing enlargement—the elasticity of the mediastinum—the contraction of the abdominal muscles—the elasticity of the cartilages and ligaments of the ribs—the contraction of muscles attached by one extremity to the ribs, and by the other to parts below—the weight of the ribs—the elasticity of the lungs—the contraction of the muscular fibres of the bronchiæ—Remarks on the opinion which supposes an expansive power of the lungs.

A view of different theories of respiration—Examination of the opinion which accounts for the alternate actions of respiration—from obstructions to circulation—from the compression of the phrenic nerves—

nerves—from an uneasy sensation at the end of expiration—Different accounts of the cause of the first inspiration, by those who have adopted this last hypothesis—Inquiry how far this hypothesis explains all the different states of respiration—Reasons for believing that in the ordinary state of respiration the volitions of mind have no influence—Arguments shewing that, in this state, respiration is analogous to other spontaneous actions, particularly to the muscular actions in digestion, and circulation.

Explanation of ordinary respiration from an alternate contraction and relaxation of the diaphragm, independently of the influence of the will—Arguments showing, that the diaphragm may be considered as being in a situation analogous to the heart—Cause of the first contraction of the diaphragm in the new-born infant—cause of the first relaxation—cause of subsequent contractions and relaxations—Principles upon which respiration may at pleasure be subjected to the influence of the will, although in its ordinary state it  
may

may be considered as arising from action, without sensation or consciousness—Account of some objections which have been urged against this hypothesis—Answers to these objections.

Observations on the use of respiration—View of different opinions respecting the use for which it is intended—to promote circulation through the lungs—to introduce air into the blood—to introduce nitre into the blood—to promote the intimate mixture of different parts of the blood—to generate heat—to draw something useful from the air—to allow the escape of a particular matter from the lungs—Arguments in proof of this last supposition—from the qualities of the air expired—from the change which the blood undergoes in point of colour by passing through the lungs—Answers to objections which have been brought against this opinion respecting the use of respiration—from the fœtus in utero existing without respiration—from the want of respiration in fishes—Farther proof of the hypothesis from this last circumstance—

and

*Quæstio de respiratione*

*sanguinem dare oxygenum  
et permutare carbonium quod arreolata  
evolutum est effugere*

and from the connection which universally subsists between the degree of respiration necessary for life and the colour of the blood in different animals—Mammalia—Amphibia—Fishes.

### Morbid Affections of Respiration.

- I. Those respecting the repetition of action.
  - a.* Respiration preternaturally quickened.
  - b.* Respiration preternaturally slow.
- II. Those respecting the sensation excited.
  - a.* Painful respiration.
  - b.* Difficult respiration.
- III. Those respecting the manner in which respiration is performed.
  - a.* Respiration with uncommon noise.
  - b.* Respiration with less noise than in the natural state.

CAUSES of difficult RESPIRATION: From the INSTITUTIONES PATHOLOGICÆ of Dr GAUBIUS, arranged by Dr CULLEN.

Respiratio sit difficilis,—

I. Ob conditionem aëris.

1. Nimis rari.

2. Nimis

2. Nimis calidi,

3. Nimis densi.

II. Ob angustiam viarum per quas aër transit in pulmones.

1. Faucium,

2. Glottidis,

3. Tracheæ.

III. Ob conditionem pulmonis minùs apti ad admittendum vel expellendum aërem ; propter,

1. Vitium in potentiis motricibus, affectis,

A. Spasmo vel constrictione, ab

*a.* Aëre nimis frigido,

*b.* Aëre inquinato,

*c.* Causis variis internis quæ agunt mediatè vel immediatè.

B. Rigiditate ab ossefactis bronchiis.

C. Paralyti.

D. Actione propter dolorem inhibitâ.

2. Capacitatem pulmonum imminutam.

A. Obstructionem vel obstipationem.

*a.* Humoribus, mucò, sero, sanguine, pure, in bronchiis effusis.

*b.* Humoribus

*b.* Humoribus, præsertim muco, vel calculo folliculis membranæ mucosæ infarctis.

*c.* Humoribus intra vasa congestis.

A. Plethorâ.

B. Inflammatione.

c. Scirrho.

B. Compressionem externam.

*a.* Tumore pulmonibus innato.

*b.* Tumore partium vicinarum intra thoracem.

*c.* Obesitate partium intra thoracem.

*d.* Humoribus in thoracem effusis.

*e.* Cavitate thoracis imminutâ.

*a. a.* Ab ipsius mala formatione.

*b. b.* Ab aucta mole abdominis.

A. Ob aquam vel aërem ibi accumulatum.

B. Ob viscus quoddam mole auctum.

HEADS

HEADS of the OBSERVATIONS to be offered on the Causes of MORBID RESPIRATION.

I. Causes depending on the condition of the air.

- a.* Density.
- b.* Rarefaction.
- c.* Heat.
- d.* Coldness.
- e.* Mephitic impregnations.

II. Causes depending on the state of the passages or cavities into which the air enters.

- a.* Contraction of passages.
- b.* Rigidity of cavities.
- c.* Compression of cavities.
- d.* Cavities being filled with other matters.

III. Causes depending on the state of the organs enlarging or diminishing those cavities.

- a.* Spasmodic affections.
- b.* Paralytic



b. Paralytic affections.

c. Inflammatory affections.

### 8. *Of Animal Heat.*

**A** SHORT state of the principal facts respecting animal heat—Universality of the power of generating heat over the animal creation—Extent of heat in different species of animals—Uniformity in the same species—Heat of the human species—its stability in different temperatures of the atmosphere—Connection between the degree of heat peculiar to different animals, and the colour of the blood—Varieties in heat occurring from disease—Connection which these varieties, when occurring over the system in general, have with the state of circulation and respiration—Exceptions to the general rule—Morbid varieties in the heat of particular parts—Connection of these with the state of circulation at the part.

View of different theories respecting the cause of animal heat—Examination of

of the opinions which suppose, that animal heat is to be accounted for—from mixture— from putrefaction— from friction— from respiration—from the nervous energy—An attempt to refute all these hypotheses.

Account of the theory of heat in general, and of animal heat in particular, proposed by Dr Crawford—Account of the opinion of Mr Rigby—of Mr John Hunter—of M. Lavoisier, Seguin, &c.

Account of the hypothesis, which supposes that the sensible heat, generated by living animals, is produced by the caloric in the blood passing from a latent to an active state; that this transition is the consequence of a chemical change in the blood, from carbonated hydrogen being evolved; and that this evolution is effected chiefly by the action of the vessels to which the blood is subjected—Explanation of some particulars which may occur as objections to this hypothesis—Attempt to render it probable, from endeavouring to prove the following propositions—1. That the blood contains both caloric and carbonated hydrogen. 2. That

the evolution of the carbonated hydrogene, in consequence of the action of the vessels, to which the blood is subjected in the course of circulation, produces the transition of caloric from a latent to an active and sensible state. 3. That as much sensible heat may be produced by this means as any animal is ever observed to generate. 4. That this hypothesis affords a satisfactory explanation of the principal phenomena of animal heat, particularly the most intricate and apparently contradictory phenomena.—Explanation on this hypothesis of the general connection of the heat of the body with the state of the blood's motion—of the exceptions which occur to this rule—of the equality of heat over the system—of the exceptions to this rule in morbid cases—of the uniformity of heat in the same animal while in health, although exposed to great diversity of temperature—of the connection of animal heat with respiration—of its connection with the colour of the blood in different animals.

Observations on the use of the power of generating heat, which is possessed by living

ving

ving animals—its influence as preserving the fluids of the system in a proper condition—its influence on the solids—its influence on the nervous power.

### Morbid Affections of Animal Heat.

I. Preternatural increase of the heat of the body.

- a.* From an increased action of the bloodvessels.
- b.* From an increase of hydrocarbure in the blood.
- c.* From an increase of caloric in the blood.
- d.* From a diminution of those excretions, which preserve the stability of the fluids.

II. Preternatural diminution of the heat of the body.

- a.* From a diminished action of the bloodvessels.
- b.* From a diminution of hydrocarbure in the blood.
- c.* From the want of a due supply of caloric to the blood.

d. From an increase of particular excretions.

### 9. *Of Muscular Motion.*

**O**BSERVATIONS on the phenomena of muscular motion—Manifest changes which muscles undergo upon contraction—in length—in thickness—in bulk—in hardness—in colour—Causes inducing the action of muscles—stimulus—volition—Circumstances in muscles with which their action is connected—peculiar configuration—contractile power—free communication with the sensorium by the intervention of nerves—Different theories of muscular action—Account of the hypothesis which supposes muscular action to proceed from the immediate influence of the mind—from the figure of muscular fibres—from fermentation in muscles—from blood rushing into muscles—from motions of the nervous fluid.

Use of muscular action—Primary use—Secondary consequences—in giving figure

to

to parts—in giving texture—in exciting the motion of fluids in the body—in preserving the general health of the system—in giving greater facility of motion to the moving fibres.

### Morbid Affections of Voluntary Motion.

I. Those in which the influence of the will is counteracted.

1. Spasmodic affections.

2. Convulsive affections.

*a.* From uncommon stimuli.

*b.* From peculiar sensibility.

II. Those in which the influence of the will is impaired or lost.

*a.* From causes impeding the course, or altering the condition, of the nervous power.

*b.* From accidents giving uncommon rigidity to the moving fibres.

10. *Of the External Senses.*

**R**EMARKS on the external senses in general—Observations respecting the variety in the external senses—Inquiry how far it may be accounted for from a difference in the nerves themselves—from a difference in the state of the extremities of the nerves—from the modification of impressions by the apparatus at their extremities—Observations on particular senses.

Sense of touching—organs employed in touching—the external objects from which these organs are fitted to receive impressions—the use of this sense to the system—Remarks on the principal morbid affections of the sense of touching.

Sense of tasting—organs employed—objects from which these organs are fitted to receive impressions—use of tasting—Remarks on the principal morbid affections of the sense of tasting.

Sense of smelling—organs employed—external objects from which these organs are fitted to receive impressions—use of smelling

smelling—Remarks on the principal morbid affections of the sense of smelling.

Sense of hearing—organs employed—external objects from which these organs are fitted to receive impressions—use of hearing—Remarks on the principal morbid affections of the sense of hearing.

Sense of seeing — organs employed—external objects from which these organs are fitted to receive impressions—use of vision—Remarks on the principal morbid affections of the sense of vision.—*Presbytia*—*Myopia*—*Nyclalopia*—*Dysop.a.*

### 11. *Of the Internal Senses.*

**R**EMARKS on the functions to be considered under the general title of internal senses—Observations on the general agency of the mind over the body—Inquiry respecting the seat of connection between the mental and corporeal parts of the system—Inquiry how far a particular configuration of the brain is necessary for this connection — Conjectures respecting



the causes on which the diversity in the mental faculties depends—Physical causes—Moral causes—Conjectures respecting the causes of the differences which occur in the mental faculties of the same individual at different times—Observations with regard to particular internal senses—imagination—judgment—memory—volition.

### Morbid Affection of the Internal Senses.

- I. Those depending on imperfect exertion of the mental faculties.
- II. Those depending on erroneous exertion.
  - a. From increased impetus of the circulation at the brain.
  - b. From diminished impetus there.
  - c. From compression of the brain.
  - d. From irritation of the brain.

Observations on different modifications of delirium — *Delirium ferox* — *Delirium mite*.

12. *Of Sleep.*

**A**CCOUNT of the phenomena of sleep—Inquiry respecting its nature—Examination of the opinion which supposes sleep to depend on the exhaustion of the nervous fluid—Examination of the opinion which supposes it to depend upon compression of the brain—Examination of the opinion which ascribes sleep to exhausted irritability—Objections to these hypotheses—Inquiry how far sleep may not be referred to a law of the mind, by which, during its connection with the body, it has a constitutional disposition to alternate states of activity and rest—Conjectures respecting the manner in which those circumstances act, which either produce sleep, or protract watchfulness.

Observations respecting the animals which remain in a torpid state during the winter season—Circumstances in which winter torpor differs from natural sleep—Conjectures as to the difference of the causes on which they depend—Inquiry how far torpor from cold may be ascribed

to a change induced on the state of the nervous fluid.

Observations on the principal morbid affections of sleep—*Pervigilium*—*Immodica dormitio*—*Somnia*—*Somnambulatio*—*Incubus*.

### 13. *Of Death.*

**G**ENERAL observations on the nature of death—Observations on different causes of death—injuries to the brain—lesion of vital functions—affections of nerves—age—Observations on marks indicating death—cessation of the vital functions—insensibility and coldness—stiffness—putrefaction—General observations on other marks, as collapse of the eye, and the like—General conclusion respecting the characteristics of death.

Observations on resuscitation in cases of apparent death—General principles on which a recovery is to be attempted—Remarks on different practices which have been recommended—Account of the plan of procedure which should in general be adopted.

14. *Of*

14. *Of the Peculiarities of the Male.*

**O**BSERVATIONS on the secretion of semen by the testes — The state of the semen as it is discharged — Observations on the use of the semen in generation — effects which it produces in the system by which it is secreted — Observations on the influence which it has on the passions of the mind — on the state of the muscular fibres in general — on the state of the voice — on the growth of the beard in men — on the size and fatness of the body in different animals — Observations on morbid affections resulting from alterations in the condition of the semen.

Remarks on the erection of the penis — Circumstances on which it immediately depends — View of different theories on which it has been accounted for — Inquiry whether it proceeds from obstruction to the return of the blood from the cells of the penis, or from an increased flow of the blood into these cells — Examination of the opinion which supposes  
that

that it proceeds from an action of nervous filaments surrounding the veins of the penis—from an action of the vena ipsius penis—from an increased action of the smaller vessels of the penis—Remarks on some circumstances which have been supposed to assist the erection of the penis—a full state of the bladder—action of the levatores ani muscles—the stimulus of the semen—the distension of the vesiculæ seminales.

Observations on different morbid affections in the condition of erection—Defective erection—Violent erection—Painful erection—Impotence in the discharge of the semen—Want of due retention of semen.

### 15. *Of the Peculiarities of the Female.*

**O**BSERVATIONS on the menstrual flux—An account of the phenomena commonly attending menstruation—A view of different theories on which the menstrual discharge has been attempted to be accounted for.

A view of the arguments brought in favour

vous of the supposition, that the menses depend on general plethora—Conclusions drawn from the position and structure of the uterus—from the necessity of a constant disposition to plethora in female habits—from a state analogous to the menses being induced in men by habitual blood-letting—from the increase and acceleration of the menstrual discharge by high and plentiful feeding, sedentary life, the amputation of a limb, or similar circumstances—from the diminution of the menses by activity, spare diet, and the like—Answers to the different arguments drawn from these facts—Objections to the hypothesis—from the appearance of the menses with females when they are not in a plethoric state, and when there is even manifest proof of a high degree of inanition—from the frequent existence of a plethoric state in females, without any menstruation, when there is no reason to suspect any cause producing obstruction—from plethora not being removed by menstruation, when that discharge occurs with such a state of the system.

Examination

Examination of the opinion which supposes menstruation to depend on partial plethora—proof that the vessels of the uterus, at different times, contain very different quantities of blood—Evidence of the existence of partial plethora in the vessels of the uterus previous to menstruation—from symptoms preceding the discharge—from dissections near the menstrual period—Inquiry how far the existence of partial plethora is sufficient to explain all the phenomena of menstruation—Reasons for believing that it is not a cause fully adequate to the effect—from the regularity of the discharge in point of time—from the relief afforded by vicarious evacuations happening at the menstrual period, when the menses are obstructed.

Examination of the opinion, which supposes, that on partial plethora there occurs an hæmorrhagic effort, regulated by the laws of the nervous system—Objections to this hypothesis—from circumstances attending those evacuations which supply the place of the menses—from different causes which obstruct menstruation—from  
the

the suspension of the menses during pregnancy and nursing.

Some account of a conjecture which supposes, that, with partial plethora, there occurs, at the time of menstruation, a peculiar action of the uterus itself, somewhat analogous to that which happens in the impregnated state, occasioning delivery at the end of a determined period—Arguments in favour of this supposition—from the analogy of the impregnated uterus—from the regularity of the menstrual discharge in health—from the relief in cases of obstructed menses when evacuations of blood occur spontaneously—from the explanation which this hypothesis affords of many of the most intricate phenomena of menstruation—of the first appearance of the menses—of the periodical return of that discharge—of the limitation of it to a certain age—of the obstruction of it during pregnancy and nursing.

Remarks on the use of menstruation in the female economy—The influence which it has in generation—Objections to the supposition, that it is intended for the  
nutrition



nutrition of the fœtus—Account of a conjecture that the menstrual discharge may serve to give a condition to the vessels of the uterus necessary for impregnation—Arguments in favour of this opinion—from the effects which hæmorrhage has on other parts—from the method in which women commonly reckon the period of their pregnancy—from the existence of a state analogous to the menses in many other animals previous to conception.

#### Morbid Affections of Menstruation.

##### I. Obstruction of the menstrual discharge—*Amenorrhœa*.

- a.* From the want of proper accumulation in the uterus.
- b.* From the want of due periodical contraction.
- c.* From obstruction to the passage of blood into the cavity of the uterus.

##### II. Preternatural increase of the menstrual discharge—*Menorrhagia*.

- a.* From uncommon determination of blood to the uterus.
- b.* From increased action of that viscus.
- c.* From

c. From the want of due resistance to the impetus of blood at the uterus.

### 16. *Of Generation.*

**V**IEW of the different stages to which this function may be referred.

Coition—Inquiry whether the semen of the male be thrown into the uterus of the female—Inquiry respecting the existence of ova in the ovaria of females.

Conception—View of different opinions on this subject—Account of the supposition of the mixture of male and female semen—of the mixture of the male semen with the menstrual blood—of a peculiar sensation excited by the stimulus of the male semen on the os tincæ—of the introduction of an animalcule from the male semen into an ovum from the female—of the conjunction of organic particles from the male and female semen—Observations on the experiments and hypothesis of the Count de Buffon on this subject.

Pregnancy—Observations on the growth

F

of

of the foetus—on the nutrition of the foetus—on parts lodged in the uterus connected with the foetus—on the changes which the uterus itself undergoes in pregnancy.

Delivery—Remarks on the signs of approaching delivery—account of the actions by which delivery is effected—conjectures respecting the causes inducing these actions—Observations on the principal morbid affections occurring in the various stages of Generation—Monsters—Extra-uterine conception—Super-foetation—Mola or false conception—Abortion,

HEADS

---

HEADS OF LECTURES  
ON  
GENERAL THERAPEUTICS,  
OR THE  
METHODUS MEDENDI.

---

HEADS OF LECTURES  
ON  
GENERAL THERAPEUTICS,

ON THE

METHODUS MEDENDI.

*Heads of Lectures on General Therapeutics,  
or the Methodus Medendi.*

INTRODUCTION.

**D**EFINITION of this branch of the institutions of medicine—its connexion with pathological physiology — with the practice of physic strictly so called—with the materia medica — Circumstances in which it differs from these.

View of indications in the cure of diseases to be afforded by therapeutics—Observations on the nature of indications—Explanation of the terms *indicans*, *indicatio*, and *indicatum*—Observations on the kinds of indications mentioned by medical writers — conservatory — preservato-

ry—curative—palliative—Rules in forming indications—regard to the method of nature—to age, sex, temperament, and idiosyncrasy—to times and circumstances of diseases—to what experience has shewn to be healthful or hurtful.

Observations on the different plans followed in considering the *methodus medendi*—Objections to a general systematic arrangement—illustrations of these objections from Dr Cullen's arrangement, according to curative indications—Advantage of arranging the articles of the *methodus medendi* under natural associations or independent classes—multiplicity of classes of this kind from the earliest periods of medicine—reasons for rejecting many of these—for selecting twenty-four classes, afterwards to be considered.

Plan to be followed in treating of each class—Observations on the nature of the class—a definition of the class—its primary or direct effects—the changes induced from these, or its secondary effects—the different orders into which it may be divided—Observations on the use of the class

class—indications of cure deduced from its nature—circumstances influencing the choice of orders—Cautions to be attended to in the employment of the class—contra-indications to its use.



## I. EMETICS.

**G**ENERAL properties characterizing emetics—Primary effects resulting from their employment—they excite nausea—they produce the action of vomiting—they occasion sudden and opposite changes in the circulation—they increase the secretion or discharge of secreted matter, from the various glands and other secretory organs which prepare fluids to be deposited in the upper part of the alimentary canal.

Changes in the system from the primary effects of emetics—the evacuation



of the contents of the stomach, and in some degree of the upper part of the intestinal canal—free circulation through the stomach, intestines and glands connected with these organs—general agitation of the body—commotion of the nervous system—a particular affection of the surface.

Different orders of emetics—*Emetica irritantia*—*E. calefacientia*—*E. nauseosa*—*E. narcotica*.

Indications in the cure of diseases which emetics are fitted to fulfil.

1. From the general agitation of the system which they produce.

To restore uniform circulation,

To promote lymphatic absorption when diminished,

To remove obstructions in the sanguiferous system.

2. From the evacuation which they occasion by vomiting,

To discharge noxious matter taken in by the mouth.

To

To discharge morbid accumulations of secreted matter lodged in the stomach,

To evacuate serous accumulations.

3. From the affection of the nervous system which they occasion,

To restore excitement to the nervous power,


To obviate inordinate affections of the nervous energy.

Circumstances to be attended to respecting the choice of particular orders for fulfilling particular indications.

Circumstances suggesting caution in the employment of emetics deduced from the nature of the class—agitation of the system—increased celerity of the pulse—Conditions of the system suggesting caution in their employment—infancy—old age—pregnancy—delicacy of habit—a plethoric state—Cautions with respect to regimen during the administration of emetics—

tics—The state of the stomach when the emetic is exhibited—The means of facilitating the operation of the emetic—The time of exhibition—The temperature in which the patient ought to be kept after the operation of the emetic is finished.

Circumstances contra-indicating the employment of emetics—rupture or relaxation of containing vessels—topical inflammation of certain viscera—a high degree of debility in internal parts—fixed obstructions to the circulation.



## II. CATHARTICS.

**G**ENERAL characteristics of cathartics —Primary effects resulting from the employment of them—they stimulate the intestinal canal—they increase the peristaltic motion of the intestines—they promote the secretion of those fluids which, for the purposes of the economy, are requisite in  
the

the intestinal canal—they produce more frequent and looser stools.

Changes in the system from the primary effects of cathartics—the evacuation of the contents of the intestines—a diminution of the quantity of circulating fluids, and in a particular manner of the serosity—a change in the balance of circulation—a diminution of perspiration—higher mobility in the system in general, but more especially in the intestinal canal.

Different orders of cathartics—*Cathartica stimulantia*—*C. refrigerantia*—*C. adstringentia*—*C. emollientia*—*C. narcotica*.

Indications in the cure of diseases which cathartics are capable of fulfilling.

1. From the evacuation which they produce,

To obviate morbid retention of the contents of the intestines,

To diminish the quantity of circulating fluids, when too great for the state of the system at the time,

To

To evacuate morbid accumulation of serum.

2. From altering the balance of circulation,

To promote free circulation through the intestines when morbidly impeded,

To diminish the impetus of blood against parts morbidly affected.

3. From the affection of the nervous system which they occasion,

To remove a state of torpor in the muscular fibres of the intestines,

To restrain inordinate motions of the muscular fibres there.

Circumstances to be attended to respecting the choice of orders for fulfilling particular indications.

Circumstances suggesting cautions in the employment of cathartics, derived from the nature of the class—The degree of evacuation which they produce—the topical irritation which they occasion to the intestines themselves — Conditions of the  
system

system suggesting caution in the employment of them—childhood—female habits—hysterical constitutions—high degrees of irritability and torpor—remarkable delicacy of the stomach—peculiar antipathies.

Cautions with respect to regimen during the administration of cathartics—the mode of exhibiting the cathartic—the temperature in which the patient is to be kept during its operation—the diet to be employed—the degree of exercise to be used.

Circumstances contra-indicating the employment of particular orders of cathartics—general inanition—a high degree of irritability in the intestines—circulation morbidly accelerated—circulation uncommonly languid—habitual costiveness—uncommon relaxation of the intestines.

### III. DIAPHORETICS.

**G**ENERAL properties characterizing diaphoretics—Primary effects resulting from the employment of them—they produce free circulation through the vessels on the surface—they excite a discharge of sweat.

Changes in the system from the primary effects of diaphoretics—an alteration in the balance of circulation—a diminution of the quantity of circulating fluids—a diminution more particularly of the serosity.

Different orders of diaphoretics—*Diaphoretica calefacientia*—*D. pungentia*—*D. stimulantia*—*D. antispasmodica*—*D. diluentia*.

Indications in the cure of diseases which diaphoretics are capable of fulfilling.

I. From changing the mode of circulation,

To

To obviate morbid determinations to different viscera,

To remove various causes obstructing or impeding circulation on the surface,

To restore the natural discharge which should take place by the surface.

2. From producing evacuation,

To diminish the quantity of circulating fluids, when too great for the state of the system at the time,

To restore lymphatic absorption when morbidly diminished,

To discharge morbid accumulations of serum.

Circumstances claiming attention in the choice of orders for fulfilling particular indications.

Circumstances suggesting caution in the employment of diaphoretics, derived from the nature of the class—The determination which they produce to the surface—the acceleration of the motion of the blood which they occasion—the debility which

is



is the consequence of a profuse discharge of sweat—the effects produced on the vessels of the surface by the free passage of blood through them.

Conditions of the system suggesting cautions in the employment of diaphoretics—infancy—lax and debilitated habits—Constitutions liable to costiveness—Constitutions not easily acted upon by diaphoretics.

Cautions with respect to regimen during the administration of diaphoretics—the use of liquids—the temperature in which the patient is to be kept—the means of promoting sweating adapted to particular constitutions.

Circumstances contra-indicating the employment of diaphoretics—a morbid increase of determination to the surface—uncommon relaxation of the system—a high degree of inanition—a morbid diminution of the impetus of the blood at the brain.

#### IV. EPIS-

---

 IV. EPISPASTICS.

**G**ENERAL properties characterizing epispastics—Primary effects resulting from the employment of epispastics—they excite pain—they increase the quantity of fluids circulating through the part to which they are applied—they produce a discharge under the form of serosity—they produce a discharge of pus.

Changes in the system from the primary effects of epispastics—Attention to the sensation of pain excited—an increase of excitement in the nervous energy through the system in general—an uncommon determination of blood to the part acted upon—a diminution of the quantity of blood passing through the bloodvessels in the neighbourhood of those in which the flow is increased—a permanent change in the mode of circulation—a diminution of the

G

quantity

quantity of circulating fluids—a diminution more particularly of the serous part of the blood.

Different orders of epispastics—*Epispastica rubefacientia*—*E. vesicantia*—*E. suppurantia*.

Indications in the cure of diseases which epispastics are fitted to fulfil.

1. From their action on the nervous system,

To diminish violent pain,

To take off the effects of uncommon sensibility.

To remove torpor.

2. From the alteration which they produce in the balance of circulation,

To diminish the impetus of the blood against parts morbidly affected.

To remove a morbid increase of action in vessels in the neighbourhood of those to which they are applied.

3. From

3. From the evacuation which they produce,

To diminish the quantity of circulating fluids, when too great for the state of the system at the time,

To evacuate morbid accumulations of serum.

Circumstances claiming attention in the choice of orders for fulfilling particular indications.

Circumstances suggesting caution in the employment of epispastics from the nature of the class—the pain which is occasioned by their action—the inflammation they excite in the part to which they have been applied—the stranguary, which is a frequent attendant of their operation.

Conditions of the system suggesting caution in the employment of epispastics—the female habit during the menstrual flux—lax and debilitated habits.

Cautions with respect to regimen during the administration of epispastics—the accommodation of diet and temperature to the disease of the patient—the use of de-

mulcents and diluents—the length of time for which the epispastica vesicantia should be applied—the treatment of the part after their removal—the continuance of the epispastica suppurantia.

Circumstances contra-indicating the employment of epispastics—a high degree of irritability in the system in general—morbid spissitude of the blood—a state of general inanition.

## V. DIURETICS.

**G**ENERAL properties characterizing diuretics—Primary effects resulting from the employment of them—they promote the secretion of urine—they promote the excretion of urine.

Changes in the system from the primary effects of diuretics—a change in the balance

balance of circulation—a diminution of the quantity of circulating fluids, but especially of serosity and saline matter—an increase of absorption by the lymphatics—a diminution of perspiration—an increased flow of liquid through the urinary passages.

Different orders of diuretics—*Diuretica stimulantia*—*D. refrigerantia*—*D. diluentia*—*D. narcotica*.

Indications in the cure of diseases which diuretics are fitted to fulfil.

1. From the evacuation which they produce,

To remove superabundant serosity from the blood,

To evacuate morbid accumulations of serum,

To remove morbid acrimony from the blood,

To diminish the quantity of circulating fluids, when too great for the state of the system at the time.

2. From the alteration which they occasion in the balance of circulation,

To restore the natural secretion of urine when morbidly diminished,

To diminish other secretions when morbidly augmented.

3. From augmentation of the flow of liquid through the urinary passages,

To remove obstructions in the urinary passages,

To wash out acrimony from the urinary passages.

Circumstances to be attended to respecting the choice of orders for fulfilling particular indications.

Circumstances from the nature of the class suggesting caution in the employment of diuretics — sudden evacuation — changes in the secretion by the kidney — flow of liquid through the urinary passages.

Conditions of the system suggesting caution in the employment of diuretics—the state of the discharge by urine previous

to

to the use of them—peculiarities in the habit affecting their operation.

Cautions respecting regimen during the operation of diuretics—use of liquids—temperature—diet.

Circumstances contra-indicating the employment of certain diuretics—a high degree of morbid sensibility in the kidney—a morbid increase of the secretion of urine—fixed obstructions in the urinary passages—deficiency of serosity in the blood—redundance of serosity in the blood.

G 4

VI. EX-



---



---

## VI. EXPECTORANTS.

**G**ENERAL properties characterizing expectorants—Primary effects resulting from the employment of expectorants—they stimulate the lungs—they augment the secretion taking place by the mucous glands of the lungs—they increase the excretion of mucus from the lungs.

Changes in the system from the primary effects of expectorants—an alteration in the state of the mucus excreted—an increase of the sensibility of the lungs—free circulation through the bloodvessels of the secreting organs—evacuation of those passages and cavities in the lungs in which mucus is deposited.

Different orders of expectorants—*Expectorantia nauseosa*—*E. stimulantia*—*E. antispasmodica*—*E. irritantia*.

Indications in the cure of diseases which expectorants are fitted to fulfil.

I. From

1. From affecting the secretion of mucus,

To promote the secretion by the lungs when morbidly diminished,

To render the mucus thinner when morbidly thick and viscid.

2. From affecting the excretion of mucus,

To evacuate morbid accumulations of mucus in the lungs,

To supply irritation to the lungs when morbidly deficient.

3. From affecting the state of the lungs themselves,

To remove morbid insensibility in the lungs,

To promote free circulation through the lungs when morbidly impeded there.

Circumstances claiming attention in the choice of different orders of expectorants for fulfilling particular indications.

Circumstances suggesting cautions in the employment of expectorants derived from  
the

the nature of the class—the nausea they excite—their effect in accelerating circulation—their influence as irritating the lungs.

Conditions of the system suggesting cautions in the employment of expectorants—the state of irritability in the lungs—the period of life.

Cautions with respect to regimen during the use of expectorants—the employment of diet favouring expectoration—exercise—dry and pure air.

Circumstances contra-indicating the employment of expectorants—a high degree of increased sensibility in the lungs—uncommonly quick expectoration of mucus from the lungs.

---

## VII. ERRHINES.

**G**ENERAL properties characterizing errhines — Primary effects resulting from the employment of them—they produce a sense of titillation in the nose—they excite the action of sneezing—they occasion the expulsion of secreted mucus from different cavities into which it is deposited—they augment the secretion of mucus from the glands separating it in the cavity of the nose.

Changes resulting from the primary effects of errhines—violent agitation of the body in general—commotion of the nervous system—sudden changes in the circulation—a diminution of the quantity of circulating fluids—more free circulation through the mucous glands on which the sternutatory acts—a change in the balance of circulation between the nose and neighbouring parts.

Different

Different orders of errhines — *Errhina sternutatoria*—*E. evacuantia*.

Indications in the cure of diseases which errhines are fitted to fulfil.

1. From the agitation of the system which they produce,

To discharge morbid accumulations of mucus from the cavities surrounding the nose,

To remove a state of torpor in the nervous system,

To obviate nervous affections of the convulsive and spasmodic kind.

2. From the determination which they produce to the nose,

To promote the secretion of mucus in the nose, when morbidly diminished.

To occasion derivation from parts morbidly affected in the neighbourhood of the nose.

Circumstances

Circumstances to be attended to in the choice of orders.

Circumstances suggesting caution in the employment of errhines, derived from the nature of the class—the agitation of the system which they produce—the change in determination which they occasion.

Conditions of the system suggesting caution in the employment of errhines—old age—irritability of habit—disposition to hæmorrhage—a torpid state—former habits.

Cautions with respect to regimen during the administration of errhines—means of obviating inflammation when excited—influence of sudden exposure to cold.

Circumstances contra-indicating the employment of errhines—a high degree of plethora—uncommon sensibility of the nose—preternatural determination to the nose—ulceration of the nose, or neighbouring parts.

### VIII. SIALAGOGUES.

**D**EFINITION — Primary effects — they stimulate the salivary glands or their excretories, and increase the action of the vessels secreting saliva — they accelerate circulation through the salivary glands, and through bloodvessels in the neighbourhood of these—they produce a preternatural discharge of saliva.

Changes resulting from the primary effects of sialagogues—an alteration of the distribution of fluids circulating through the vessels to which the action of the sialagogue extends, and through the vessels in the neighbourhood of these—a diminution of the quantity of circulating fluids—a change in the nature of the remaining mass, independently of the diminution of quantity.

Different

Different orders of sialagogues—*Siala-*  
*goga topica.*—*S. interna.*

Indications in the cure of diseases which  
sialagogues are fitted to fulfil.

1. From the alteration which they in-  
duce in the balance of circulation,

To diminish the impetus of the blood  
against parts morbidly affected in  
the neighbourhood of the salivary  
glands,

To diminish morbidly increased action  
in these neighbouring vessels,

To promote free circulation through  
the salivary glands when morbidly  
obstructed.

2. From the evacuation which they oc-  
casion,

To discharge morbid accumulations of  
serum,

To produce a change in the fluids when  
morbidly vitiated.

Circumstances



Circumstances influencing the choice of different orders of sialagogues for fulfilling particular indications.

Circumstances suggesting caution in the employment of sialagogues, deduced from the nature of the class—their influence in stimulating the salivary glands and neighbouring parts—the time required for their action—the influence of their action on other parts—the debility which they induce.

Conditions of the system suggesting caution in the employment of them—old age—constitutions habituated to topical sialagogues—peculiarities in constitution determining the operation of internal sialagogues to other parts—the menstrual discharge—pregnancy.

Cautions with respect to regimen during the use of sialagogues—the preservation of moderate temperature—mild diet—the free use of diluents—the use of different gargarisms—the use of moderate exercise.

Circumstances contra-indicating the employment of sialagogues—uncommon determination to the salivary glands—preternatural

ternatural sensibility of these glands—deficiency of serosity in the circulating fluids—a high degree of inanition—general debility of the system.



## IX. BLOOD-LETTING.

**M**ODES of cure to be comprehended under the title of blood-letting—Primary effects arising from these—they remove part of the circulating fluids—they produce a temporary increase of the celerity of the pulse—they diminish animal heat—they change the distribution of blood in the system.

Changes in the system from the primary effects of blood-letting—a diminution of the quantity of the blood, and of the tension of the bloodvessels—a diminution of the celerity and impetus of the blood through the system in general—a diminution more particularly of impetus in parts

H

in

in the neighbourhood of those from which the discharge is made—a diminution of the quantity of fluids separated by different secretory organs.

Division of the different modes of blood-letting—*General—Topical.*

Indications in the cure of diseases which blood-letting is fitted to fulfil.

1. From abstraction of blood,

To diminish the quantity of circulating fluids, when too great for the state of the system at the time,

To take off morbid tension in the sanguiferous system.

2. From altering the state of motion in the blood,

To lessen the impetus of circulation when morbidly affected,

To moderate morbid heat.

3. From altering the course of the blood,

To

To diminish action morbidly increased  
in particular vessels,

To lessen the impetus of the blood  
—against parts morbidly affected.

Circumstances to be attended to respecting the choice of different modes of blood-letting, as accommodated to particular indications.

Circumstances from the nature of blood-letting suggesting cautions in the employment of it—the state of the pulse during the discharge—the quantity of blood discharged—the appearance of the blood when discharged—the effect of the discharge as inducing deliquium.

Conditions of the system suggesting cautions in the employment of blood-letting—certain periods of life—particular urgent symptoms where blood-letting is adverse to the nature of the disease—the time of critical discharges—high degrees of irritability and torpor.

Cautions regarding regimen where blood-letting is employed—diet—time of  
H 2 performing

performing the operation—mode of discharge.

Circumstances contra-indicating blood-letting—general inanition of the system—the circulation remarkably weak and languid—a high degree of debility.



## X. EMMENAGOGUES.

**M**ODES of cure to be considered under the title of emmenagogues—Primary effects resulting from them—they stimulate the circulating system—they more particularly stimulate the vessels in the neighbourhood of the uterus, an effect in some degree communicated to the vessels of the uterus themselves—they occasion a particular affection of the nervous system.

Changes in the system from the primary effects of emmenagogues—an increase of  
the

the momentum of the blood through the uterus and neighbouring parts—an augmentation of the quantity of blood determined to the uterus—a change in the tonic power of the vessels of the uterus.

Different orders of emmenagogues—*Emmenagoga stimulantia*—*E. irritantia*—*E. tonica*—*E. antispasmodica*.

Indications deduced from the nature of the class, by operating in fulfilling which they remove amenorrhœa.

1. From changing the mode of circulation,

To promote free circulation in the neighbourhood of the uterus, when morbidly obstructed there,

To promote that accumulation of blood in the uterine vessels which is necessary for the menstrual discharge,

To remove morbid obstruction to the passage of blood into the cavity of the uterus.

2. From their influence as acting on the state of the animated solid,

To increase the tonic power of the system when morbidly diminished,

To increase tonic power in the vessels of the uterus in particular, when morbidly deficient,

To remove spasmodic stricture taking place on the vessels of the uterus.


Circumstances to be attended to respecting the choice of orders for fulfilling particular indications.

Circumstances suggesting caution in the employment of emmenagogues, deduced from the nature of the class—the consequences of restoration if pushed too far—the irritation occasioned to the intestines—the stimulus to the system in general.

Conditions of the system suggesting caution in the employment of emmenagogues—the age of the patient—former complaints to which she may have been liable—the duration of the present complaints.

Cautions with respect to regimen during the use of emmenagogues—temperature—exercise—diet.

Contra-indications to emmenagogues—Conditions contra-indicating the whole class—a high degree of inanition—particular topical affections of the uterus—a particular period of life—morbid conditions contra-indicating particular orders.



## XI. ANTHELMINTICS.

**G**ENERAL properties characterizing this association—Effects resulting from their use, particularly those exerted on the worms themselves—they kill worms to which they come to be applied in the body—they expel worms from the body—they prevent the generation of worms in the body—Changes resulting from these effects.



Different orders of anthelmintics—*Anthelmintica venenosa*—*A. lubricantia*—*A. tonica*—*A. cathartica*.

Indications in the cure of diseases which anthelmintics are fitted to fulfil.

1. From acting on the worms themselves,  
To kill worms lodged in different parts  
of the human body.

2. From their action on the system in  
which the worms are lodged,

To promote the expulsion of worms  
from the body, whether dead or a-  
live,

To prevent the generation of worms in  
the body.

Circumstances to be attended to respect-  
ing the choice of orders for fulfilling par-  
ticular indications.

Circumstances suggesting caution in the  
employment of anthelmintics—effects in-  
dependent of their action as anthelmintics  
—infancy—diet—exercise.

Circumstances

Circumstances contra-indicating the employment of particular orders of anthelmintics.

---

## XII. LITHONTRIPTICS.

**G**ENERAL properties characterizing the articles to be treated of under the title of lithontriptics—Primary effects of these articles—they destroy acid contained in the stomach—they brace the muscular fibres of the primæ viæ—they produce an analogous effect on other moving solids.

Changes resulting from these effects—an alteration in the state of the circulating fluids, as a pabulum for the secretion of urine—an alteration on the state of secretion at the kidney.

Different orders of lithontriptics—*Lithontriptica antacida*—*L. adstringentia*.

Indications which lithontriptics are fitted to fulfil.

I. From

1. From altering the state of the solids,

To obviate particular morbid laxity in the stomach,

To obviate particular morbid laxity in the kidney.

2. From altering the state of the fluids,

To correct a peculiar morbid state in the pabulum furnished for the secretion of urine.

Circumstances to be attended to respecting the choice of orders for fulfilling particular indications.

Circumstances suggesting caution in the employment of lithontriptics.

Circumstances contra-indicating the employment of particular lithontriptics—influence of alkali in its caustic state on the system—consequences when the operation of lithotomy is performed after the long-continued use of alkaline medicines.

---

### XIII. ANTACIDS.

**G**ENERAL properties characterizing antacids—Effects in destroying acid in the alimentary canal—consequences resulting from thence.

Different orders of antacids—*Antacida eccoprotica*—*A. restringentia*.

Indications which they are fitted to fulfil, as destroying acid in the primæ viæ,

To remove a sensation of sourness in the stomach,

To restore the natural appetite when morbidly vitiated by acid in the stomach.

To restore the natural action of the alimentary canal, when disordered from the presence of acid.

Circumstances suggesting cautions in the employment of antacids.

Circumstances

Circumstances contra-indicating the employment of antacids—alkalescency in the primæ viæ—a tendency to putrescency in the system.

---

#### XIV. ANTALKALINES.

**G**ENERAL properties characterizing antalkalines—Effects of neutralizing alkali in the system—changes resulting from thence.

Different orders of antalkalines—*Antalkalina vegetabilia*—*A. salina*.

Indications which they are fitted to fulfil, as destroying alkali.

To remove uneasiness from alkalescency in the primæ viæ,

To restore the natural disposition to acidity in the stomach,

To correct preternatural putrescency in the alimentary canal.

Circumstances

Circumstances suggesting caution in the employment of antalkalines.

Circumstances contra-indicating their employment — a constitutional disposition to cardialgia on the use of acids — circulation uncommonly slow and languid — uncommon diminution of animal heat.

---

## XV. ATTENUANTS.

**D**EFINITION of attenuants — Primary effects of articles referred to this class—they dilute the contents of the primæ viæ—they add an uncommon quantity of serous matter to the blood—they increase the solvent power of the serosity—they render the consistence of the general mass more fluid than it was previous to their use.

Changes arising from the primary effects of attenuants — free circulation through the smaller bloodvessels—an increase of  
various

various serous secretions—an increase of effusion into various cavities.

Different orders of attenuants—*Attenuantia diluentia*—*A. solventia*.

Indications in the cure of diseases which attenuants are fitted to fulfil.

1. From altering the state of the blood itself,

To counteract morbid viscosity in the circulating mass,

To restore free circulation when morbidly obstructed in the extreme vessels.

2. From affecting the secretions,

To increase the quantity of the serous secretions when morbidly deficient,

To render the serous secretions more fluid when morbidly viscid.

Circumstances to be attended to respecting the choice of orders of attenuants.

Circumstances suggesting caution in their use.

Circumstances

Circumstances contra-indicating their employment—preternatural tenuity of the general mass of circulating fluids—a tendency to morbid accumulations of serosity in the system—a remarkable increase of serous secretions.

---

## XVI. INSPISSANTS.

**D**EFINITION of inspissants—effects in the system — Different orders into which they may be divided—*Inspissantia farinosa*—*I. mucilaginoso*—Influence of the discharge of serosity as producing inspissation.

Indications in the cure of diseases which inspissants are fitted to fulfil.

1. From their influence on the state of the blood itself,

To remove morbid tenuity from the common mass of circulating fluids,

To prevent the transmission of red blood through



through vessels not naturally fitted to receive it.

2. From their influence on the state of the secretions,

To diminish the quantity of serous secretions when morbidly augmented,

To render those secretions more viscid when morbidly thin and acrimonious.

Circumstances contra-indicating the employment of inspissants—morbid viscosity of the blood—preternatural diminution of serous secretions—peculiar debility in the organs of digestion.

## XVII. ANTISEPTICS.

**G**ENERAL properties characterizing antiseptics—Effects resulting from the employment of them—they change the appearance of putrescent parts in the living animal body—they render the texture

ture of the part more firm and compact—they alter the matter discharged to a more thick consistence and whiter colour—they remove a strong fetid smell arising from the part before their use.

Different orders of antiseptics—*Antiseptica tonica*—*A. refrigerantia*—*A. stimulantia*—*A. antispasmodica*.

Indications in the cure of diseases which antiseptics are fitted to fulfil.

1. From their influence as preventing putrefaction,

To supply an antiseptic power when morbidly deficient in the system.

To obviate the assimilating quality of any putrescent ferment when introduced into the body.

2. From their influence as obviating putrefaction when already begun,

To correct a putrid diathesis in the fluids of the living animal body,


To prevent the farther progress of putrefaction when taking place in the solids.

To restore to a sound state parts already morbidly putrid.

Circumstances to be attended to respecting the choice of orders for fulfilling particular indications.

Cautions to be observed in the employment of antiseptics.

Circumstances contra-indicating the employment of them.



## XVIII ASTRINGENTS.

**G**ENERAL properties characterizing astringents—Primary effects resulting from the employment of them—they excite a peculiar sensation referred to the parts on which they more immediately act—they produce a remarkable corrugation

tion of these parts—they produce an affection through the rest of the system in some degree similar to that in the parts to which they are applied—they produce a condensation of the dead animal fibre.

Changes in the system from the primary effects of astringents—an increase of cohesion in various parts—an increase of tonic power—a diminution of the capacity of containing vessels—a diminution of the irritability, and in some degree also of the sensibility, of the parts on which they act.

Different orders of astringents—*Adstringentia styptica*—*A. corrugantia*—*A. tonica*.

Indications in the cure of diseases which astringents are fitted to fulfil.

1. From altering the condition of the moving solids,

To obviate original delicacy,

To restore natural compactness to parts morbidly relaxed,

To restore diminished tonic power,

To diminish irritability when morbidly increased.


2. From altering the state of containing vessels,

To diminish secretions when morbidly augmented,

To increase the power of the sphincters as retaining excrementitious matters,

To produce a constriction of the orifices of ruptured vessels.

Circumstances claiming attention in the choice of orders for fulfilling particular indications — Circumstances suggesting cautions in the employment of astringents — Circumstances contra-indicating the use of them—a high degree of rigidity—peculiar insensibility in the moving fibres—morbid diminution of excretions.



## XIX.—EMOLLIENTS.

**G**ENERAL properties characterizing emollients—Primary effects resulting from the employment of them—they render

der the part to which they are applied more soft and flexible than before—they excite a peculiar sensation indistinctly referred to the part to which they are applied—they produce in some degree the same effect through the rest of the system as takes place in the part on which they immediately act.

Changes in the system from the primary effects of emollients—a diminution of the power of cohesion in various parts of the animal body—a diminution of tonic power in the system—an increase of the capacity of vessels in the part more particularly acted upon, and in some degree in the system in general—an increase of irritability and sensibility through the system.

Different orders of emollients—*Emollientia humectantia*—*E. laxantia*—*E. lubricantia*—*E. atonica*.

Indications in the cure of diseases which emollients are fitted to fulfil.

1. From their influence in producing a

change on the solids, connected with voluntary motion,

To restore the natural flexibility to parts morbidly rigid,

To diminish a morbid increase of tonic power.

2. From their influence in producing a change in containing vessels,

To obviate the effects of morbid tension of parts,

To remove morbid obstruction, particularly in the small vessels of the sanguiferous system.

Circumstances claiming attention respecting the choice of orders for fulfilling particular indications.

Circumstances suggesting caution in the employment of emollients.

Circumstances contra-indicating the employment of emollients—a high degree of morbid laxity in the vessels—a peculiar sensibility in the moving fibres.

## XX. CORROSIVES.

**G**ENERAL properties characterizing corrosives—Primary effects resulting from the employment of corrosives—they excite a sensation of pain referred to the part acted upon—they destroy the texture of parts, and occasion a separation of the diseased from the sound part—they lay open vessels which formerly passed into the part destroyed.

Changes in the system from the primary effects of corrosives—a state of insensibility in the part acted upon—a diminution of particular solids on which they more especially act—a discharge, particularly of purulent matter from the vessels laid open.

Different orders of corrosives—*Corrosiva erodentia*—*C. caustica*.

Indications in the cure of diseases which corrosives are fitted to fulfil.



1. From inducing a state of insensibility in the parts to which they are applied,

To remove morbid sensibility in the nerves of particular parts,

To facilitate and render effectual openings into particular lodgments of matter.

2. From producing a diminution or destruction of parts,

To remove morbid excrescences or indurations.

3. From producing a discharge of purulent matter,

To facilitate the healing of ulcers,

To begin and facilitate the action of the *epispastica suppurantia*.

Circumstances contra-indicating the use of corrosives—a peculiar state of irritability in the system—a high degree of putrescent tendency—a cancerous disposition in the parts to be acted upon.

## XXI. DEMULCENTS.

**G**ENERAL properties characterizing demulcents—Primary effects resulting from the employment of demulcents—they lubricate and sheathe those parts to which they are topically applied in the animal body—they exert, after entering the circulation, the same effect at different excretories at which they are collected—they diminish the activity of different stimuli with which they happen to be conjoined in the body.

Changes in the system from the primary effects of demulcents—a diminution of the facility of action on sensible parts of the body—a diminution of the force of the acting power by which these parts may be affected.

Different orders of demulcents—*Demulcentia lenientia*—*D. diluentia*.

Indications in the cure of diseases which demulcents are fitted to fulfil.

1. From

1. From their action on sensible solids,

To diminish the action of ordinary stimuli upon parts affected with morbid sensibility,

To obviate morbid deficiency in the natural coverings of parts,

To prevent the action of morbid stimuli.

2. From their action on stimulating fluids,

To diminish morbid acrimony in the system in general,

To render more mild, secretions in a morbidly acrid state.

Circumstances contra-indicating the employment of demulcents—preternatural deficiency of acrimony in the secreted fluids—a high degree of morbid viscosity in the coverings of sensible parts—an uncommon want of sensibility in excretory organs.

XXII. STIMULANTS.

**G**ENERAL properties characterizing stimulants—Latitude in which the term has been taken by medical writers—necessity of limitation for forming a natural association.

Primary effects resulting from the employment of stimulants—they produce a particular sensation in the part acted upon—they increase the action of the muscular fibres in the part, especially in its vessels—they increase the energy of the sensorium—they increase nervous energy in the moving fibres through the system in general.

Changes in the system from the primary effects of stimulants—acceleration of the motion of the blood in the part to which they are immediately applied—an increase of the impetus of circulation through the system in general—a higher degree

degree of excitement in the powers of sensation—augmentation of mobility and vigour in the muscular fibres through the system in general.

Different orders of stimulants—*Stimulantia topica*—*S. diffusibilia*—*S. cardiaca*—*S. calefacientia*—*S. tonica*—*S. carminativa*.

Indications in the cure of diseases which stimulants are fitted to fulfil.

1. From affecting the circulation,

To facilitate the passage of blood through parts in which it is morbidly obstructed,  
To augment the force and celerity of circulation, when morbidly slow and weak.

2. From affecting the powers of sensation,

To quicken the external senses when morbidly torpid,  
To rouse the mental faculties when in a lethargic state,  
To exhilarate a despondent condition.

3. From affecting the moving fibres,

To

To restore the power of motion when morbidly deficient.

To increase the strength of motion when morbidly weak.

Circumstances to be attended to respecting the choice of orders for fulfilling these indications—Circumstances suggesting cautions in the employment of stimulants.

Circumstances contra-indicating the employment of certain stimulants—a high degree of morbid irritability—the circulation uncommonly accelerated—an uncommon disposition to hemorrhage.



### XXIII. SEDATIVES.

**G**ENERAL properties characterizing sedative medicines—Primary effects of sedatives—they diminish the sensibility of the part on which they immediately act—they diminish the force of action and tonic power in the muscular fibres of the part acted upon—they produce a peculiar sensation in the system in general—they diminish the energy of the sensorium.

Changes

Changes taking place in the system from the primary effects of sedatives—retardation of the motion of the blood in the part immediately acted upon—diminution of the momentum of the blood in the system in general—diminution of quickness in the powers of sensation, judgment, memory, and other intellectual faculties—a diminution of vigour and of correctness in the action of voluntary muscles through the system in general.

Different orders of sedatives—*Sedativa soporifica*—*S. refrigerantia*—*S. narcotica*.

Indications in the cure of diseases which sedatives are fitted to fulfil.

I. From affecting the condition of circulation,

To diminish the force and celerity of the blood's motion, when morbidly augmented,

To diminish the impetus of the blood against parts morbidly affected, whether the impetus be morbidly augmented or not.

2. From

2. From affecting the powers of sensation,  
To abate violent pain,  
To procure sleep in cases of preternatural watchfulness.

3. From affecting the action of muscular fibres.

To restrain inordinate motions,  
To moderate excessive evacuations.

Circumstances claiming attention with respect to the choice of orders for fulfilling particular indications—Circumstances suggesting caution in the employment of different sedatives—Circumstances contradicting the employment of certain sedatives—circulation uncommonly languid—a remarkably lethargic disposition—a high degree of torpor in the system.

---

#### XXIV. ANTISPASMODICS.

**G**ENERAL properties characterizing the class of antispasmodics—Principles on which they seem to operate as allaying inordinate action.

Different



Different orders of antispasmodics—*Antispasmodica stimulantia* — *A. sedativa* — *A. tonica*.

Indications in the cure of diseases which antispasmodics are fitted to fulfil.

To remove fixed spasmodic contraction in different muscles,

To allay convulsive agitations,

To prevent the return of such morbid states when the system is habitually liable to them.

Circumstances claiming attention in the choice of different orders of antispasmodics for fulfilling particular indications—Circumstances suggesting cautions in the employment of antispasmodics—Circumstances contra-indicating the employment of particular antispasmodics.

THE END.

Received of the Honble the Secretary of State  
the sum of one hundred and fifty pounds  
for the purchase of the manuscript  
of the Honble the Secretary of State  
of the Honble the Secretary of State

In witness whereof I have hereunto set my hand  
and the seal of the said Secretary of State  
at London the 15th day of June 1847


John Lubbock  
Secretary of State

The said manuscript is deposited in the  
British Museum and is open to the  
inspection of all persons who apply  
to the Secretary of State for the  
purpose of consulting the same  
and of making copies thereof  
under the direction of the Secretary  
of State

Printed by W. Clowes and Sons, 7, St. Dunstons Lane, London, E.C.

G. 1000

1847



B  
6

