

Pharmacopoeia in usum nosocomii Mancuniensis.

Contributors

Manchester Royal Infirmary.

Publication/Creation

Mancuniensis : Josephus Hayward, MDCCCXL.

Persistent URL

<https://wellcomecollection.org/works/u265prkd>


License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>



IMANS

57479/A

Presented
to
the Library of the
Pharmaceutical Society
of Great Britain

by
J. B. Lloyd Esq.,
Manchester


29176

Dr E. Boardin Leech,
Manchester.

Works of Manchester Medical Men.

1870. 10. 20. 10. 10. 10.

1870. 10. 20. 10. 10. 10.



PHARMACOPÆIA

IN USUM

NOSOCOMII

MANCUNIENSIS.

EDITIO QUINTA.

MANCUNIENSIS: JOSEPHUS HAYWARD.

—
MDCCCXL.

АКДЕМОИЧН

САНКТ-ПЕТЕРБУРГ

УНИВЕРСИТЕТ

ФИЗИЧЕСКОГО И МАТЕМАТИЧЕСКОГО
ДЕПАРТАМЕНТОВ

ИССЛЕДОВАНИЯ

ПО ФИЗИЧЕСКОМУ КИНЕМАТИКИ

29178

PHYSICIANS.

JOHN MITCHELL, M.D.
EDMUND LYON, M.D.
JAMES LOMAX BARDSLEY, M.D.
JAMES DAVENPORT HULME, M.D.
PETER WOOD, M.D.
JOHN PENDLEBURY, M.D.

SURGEONS.

JAMES AINSWORTH, ESQ.
ROBERT THORPE, ESQ.
WILLIAM JAMES WILSON, ESQ.
THOMAS TURNER, ESQ.
JOSEPH JORDAN, ESQ.
THOMAS FAWDINGTON, ESQ.

PONDERA.

Libra	lb	habet	Uncias duodecim, ȝ xij.
Uncia	ȝ		Drachmas octo, ȝ viij.
Drachma	ȝ		Scrupulos tres, ȝ iij.
Scrupulus	ȝ		Grana viginti, gr. xx.
Granum	gr.		

MENSURÆ.

Congius	C	habet	Octarios octo, O viij.
Octarius	O		Fluiduncias viginti, f ȝ xx.
Fluiduncia	f ȝ		Fluidrachmas octo, f ȝ viij.
Fluidrachma	f ȝ		Minima sexaginta, m̄ lx.
Minimum	m̄		

PRÆPARATA ET COMPOSITA.

ACETUM DESTILLATUM.

R_{et} Acidi acetici Oj,
Aquæ destillatæ Ovij.

ACETUM CANTHARIDIS.

R_{et} Cantharidis in pulverem tritæ ʒ ij,
Acidi Acetici Oj.

ACETUM COLCHICI.

R_{et} Colchici Cormi recentis concisi ʒ j,
Aceti destillati f ʒ xvij,
Spiritūs tenuioris f ʒ j;
Dosis min. xx. ad. f ʒ ij.

ACETUM SCILLÆ.

R_{et} Scillæ Radicis recens exsiccatæ ʒ xv,
Aceti destillati Ovj,
Spiritūs tenuioris f ʒ x.

ACIDUM HYDROCYANICUM DILUTUM.

(Vide *Pharmacopæiam Lond.*, 1836.)

Dosis min. v.

ACIDUM HYDROCHLORICUM (MURIATICUM) DILUTUM.

R_x Acidi Hydrochlorici (Muriatici) f $\frac{3}{3}$ iv,
 Aquæ destillatæ f $\frac{3}{3}$ xij;

Dosis min. x. ad. f $\frac{3}{3}$ ss.

ACIDUM NITRICUM DILUTUM.

R_x Acidi Nitrici f $\frac{3}{3}$ j,
 Aquæ destillatæ f $\frac{3}{3}$ ix;

Dosis min. x. ad. f $\frac{3}{3}$ ss.

ACIDUM SULPHURICUM DILUTUM.

R_x Acidi Sulphurici f $\frac{3}{3}$ jss,
 Aquæ destillatæ f $\frac{3}{3}$ xivss;

Dosis min. x. ad. f $\frac{3}{3}$ ss.

AQUA ANETHI.

R_x Olei Anethi f $\frac{3}{3}$ j,
 Sacchari purificati $\frac{3}{3}$ j,
 Aquæ Cj.

EODEM MODO PRÆPARANTUR.

R Aqua Anisi,
 —— Carui,
 —— Cinnamomi,
 —— Fœniculi,
 —— Menthæ Piperitæ,
 —— Menthæ Pulegii,
 —— Menthæ Viridis,
 —— Pimentæ ;

Dosis f $\frac{3}{4}$ j ad. f $\frac{3}{4}$ ij.

CERATUM CALAMINÆ.

R Calaminæ præparatæ,
 Ceræ flavæ aa h̄ss,
 Olivæ Olei f $\frac{3}{4}$ xvj.

CERATUM CANTHARIDIS.

R Cantharidis in pulverem subtilissimum
 tritæ $\frac{3}{4}$ j,
 Cerati Resinæ $\frac{3}{4}$ vj.

CERATUM CETACEI.

R Cetacei $\frac{3}{4}$ ij,
 Ceræ albæ $\frac{3}{4}$ viij,
 Olivæ Olei Oj (f $\frac{3}{4}$ xx.)

CERATUM CRETÆ COMPOSITUM.

R Emplastri Plumbi ʒ viij,
 Olivæ Olei f ʒ iv,
 Cretæ præparatæ ʒ iv,
 Aceti destillati f ʒ iv,
 Liquoris Plumbi Diacetatis (Subacetatis)
 f ʒ iv.

CERATUM PLUMBI COMPOSITUM.

R Liquoris Plumbi Diacetatis (Subacetatis)
 f ʒ iij,
 Ceræ flavæ ʒ iv,
 Olivæ Olei f ʒ x,
 Camphoræ ʒ ss.

CERATUM RESINÆ.

R Resinæ,
 Ceræ flavæ aa ℥vj,
 Olivæ Olei f ʒ xvj.

CERATUM SABINÆ.

R Sabinæ Contusæ ℥vj,
 Ceræ ℥ss,
 Adipis ℥ij.

CERATUM SAPONIS.

R Saponis ʒ x,
 Ceræ flavæ ʒ xijss,
 Plumbi oxydi (semivitrei) contriti ʒ xv.
 Olivæ Olei Oj,
 Aceti destillati Cj.

COLLYRIUM ALUMINIS.

R Aluminis gr. viij,
 Aquæ destillatæ f ʒ viij.

COLLYRIUM HYDRARGYRI BICHLORIDI
 (OXYMURIATIS.)

R Liquoris Hydrargyri Bichloridi (Oxy-
 muriatis) f ʒ ij,
 Aquæ destillatæ f ʒ viij.

COLLYRIUM PLUMBI DIACETATIS
 (SUBACETATIS) CUM OPIO.

R Liquoris Plumbi Diacetatis (Subacetatis)
 diluti f ʒ xij,
 Tincturæ Opii f ʒ ij.

COLLYRIUM ZINCI SULPHATIS.

R Zinci Sulphatis gr. viij,
 Aquæ destillatæ f ʒ viij.

CONFECTIO AROMATICA.

R Pulveris aromatici ʒ iv,
 Cretæ preparatæ ʒ viij,
 Sacchari purificati contriti ℥vj,
 Aquæ f ʒ viij ;

Dosis Əj.

CONFECTIO FERRI POTASSIO - TAR.
TRATIS (TARTARIZATI).

R Potassæ Bitartratis (Supertartratis) con-
 tritæ ʒ iij,
 Ferri Potassio-Tartratis (Tartarizati)
 contriti Ə viij,
 Zingiberis radicis contritæ Ə ij,
 Theriacæ quantum satis sit ;

Dosis ʒ j.

CONFECTIO OPII.

R Opii duri contriti ʒ vj,
 Piperis longi ʒ j,
 Zingiberis ʒ ij,
 Carui ʒ iij,
 Tragacanthæ ʒ ij,
 Theriacæ ʒ xvi :

Grana xxxvj, continent Opii gr. j.

CONFECTIO PIPERIS NIGRI.

R Piperis Nigri,
 Inulæ aa ℥vj,
 Fœniculi ℥vij,
 Theriacæ,
 Sacchari purificati aa ℥vij ;

Dosis 3 j.

CONFECTIO SENNÆ.

R Sennæ foliorum ʒ viij,
 Ficorum ℥vjss,
 Prunorum ℥vj,
 Coriandri ʒ iv,
 Potassæ Bitartratis (Supertartratis) ʒ j,
 Theriacæ ℥vijss ;

Dosis 3 ij.

CONFECTIO SULPHURIS.

R Sulphuris Sublimati,
 Confectionis Sennæ aa ʒ j,
 Theriacæ quod satis sit ;

Dosis 3 j.

DECOCTUM ALOËS COMPOSITUM.

R Extracti Glycyrrhizæ 3 vij,
 Potassæ Carbonatis (Subcarbonatis) 3 j,
 Aloës contritæ,
 Myrrhæ contritæ aa 3 iss,
 Tincturæ Aromaticæ f 3 vij,
 Aquæ Ojss ;
 Dosis f 3 j.

DECOCTUM CINCHONÆ.

R Cinchonæ contusæ 3 x,
 Aquæ Oj.

DECOCTUM DULCAMARÆ.

R Dulcamaræ 3 x,
 Aquæ Ojss ;

Decoque ad octarium et cola. Dosis f 3 ss,
 ad f 3 j.

DECOCTUM JUNIPERI COMPOSITUM.

R Juniperi Baccarum contusarum 3 ij,
 Potassæ Bitartratis (Supertartratis) con-
 tritæ 3 ss,
 Aquæ Oiv,
 Decoque ad octarios duos, et liquori colato
 adde,
 Spiritûs Juniperi f 3 ijss ;
 Dosis f 3 j.

DECOCTUM PAPAVERIS.

R Papaveris Concisi ʒ iv,
Aquæ Oiv.

DECOCTUM QUERCUS.

R Quercūs contusæ ʒ x,
Aquæ Oij;

Decoque ad octarium et cola.

DECOCTUM SARZÆ.

R Sarzæ concisæ ʒ v,
Aquæ ferventis Oiv;

Decoque ad octarios duos et cola. Dosis
f ʒ iv.

DECOCTUM SARZÆ COMPOSITUM.

Decocti Sarzæ ferventis Oiv,
Sassafras concisæ,
Guaiaci Ligni rasi,
Glycyrrhizæ contusæ aa ʒ x,
Mezerii ʒ iij.

DECOCTUM SCOPARII COMPOSITUM.

R Scoparii,
Juniperi fructūs,
Taraxaci aa ʒ ss,
Aquæ Ojss;

Decoque ad octarium et cola. Dosis f ʒ ij.

DECOCTUM SENECAE.

R Senegæ 3 x,
Aquæ Oij;

Decoque ad octarium et cola. Dosis f 3 j

DECOCTUM UVÆ URSI.

R Uvæ Ursi contusæ 3 j,
Aquæ Ojss;

Decoque ad octarium et cola. Dosis 3 j.

EMPLASTRUM AMMONIACI.

R Ammoniaci 3 v,
Aceti destillati f 3 viij.

EMPLASTRUM AMMONIACI CUM
HYDRARGYRO.

R Ammoniaci 1bj,
Hydrargyri 3 iij,
Olivæ olei f 3 j,
Sulphuris gr. viij.

EMPLASTRUM BELLADONNAE.

R Emplastri Resinæ 3 iij,
Extracti Belladonnæ 3 jss.

Imp. Bellad. 6.

D^r. Holley

L. Bellad. 3iiij ammoniac et empl-

EMPLASTRUM CANTHARIDIS.

R Cantharidis in pulverem subtilissimum
 tritæ ℥vj,
 Emplastri Ceræ ℥vjss,
 Adipis ℥ss.

EMPLASTRUM CANTHARIDIS CUM PICE.

R Picis abietinæ ℥vjx,
 Emplastri Cantharidis ℥vj.

EMPLASTRUM CERÆ.

R Ceræ flavæ,
 Sevi aa ℥vijj,
 Resinæ ℥vj.

EPMLASTRUM GALBANI.

R Galbani ʒ viij.
 Emplastri Plumbi ℥vijj,
 Terebinthinæ vulgaris ʒ x,
 Abietis Resinæ contritæ ʒ iij.

EMPLASTRUM HYDRARGYRI.

R Hydrargyri ʒ j,
 Emplastri Plumbi ℥vj,
 Olivæ Olei f ʒ j,
 Sulphuris gr. viij.

EMPLASTRUM OPII.

R Opii duri contriti ʒ ss,
 Abietis Resinæ contritæ ʒ iij,
 Emplastri Plumbi ℥vj,
 Aquæ f ʒ viij.

EMPLASTRUM PICIS.

R Picis abietinæ ℥vij,
 Abietis Resinæ ℥vj,
 Resinæ,
 Ceræ aa ʒ jv,
 Olivæ Olei,
 Aquæ aa f ʒ ij.

EMPLASTRUM PLUMBI.

R Plumbi Oxydi (semivitrei) in pulverem
 subtilissimum triti ℥vj,
 Olivæ Olei Cj,
 Aquæ Oij.

EMPLASTRUM RESINÆ.

R Resinæ flavæ ℥ss,
 Emplastri Plumbi ℥vij.

EMPLASTRUM RESINÆ COMPOSITUM.

R Emplastri Resinæ ℥vj,
 Plumbi Oxydi Rubri ʒ iv.

EMPLASTRUM SAPONIS.

R Saponis concisi ℥ss,
Emplastri Plumbi ℥iiiij.

ENEMA AMYLI.

R Amyli ʒ iiij,
Aquæ ferventis f ʒ iv.

ENEMA COLOCYNTHIDIS.

R Extracti Colocynthidis compositi ʒ ij,
Saponis Mollis ʒ j,
Aquæ Oj.

ENEMA OPII.

R Tincturæ Opii f ʒ ss,
Enematis Amyli f ʒ iv.

ENEMA TABACI.

R Tabaci ʒ ss,
Aquæ ferventis f ʒ x.

ENEMA TEREBINTHINÆ.

R Terebinthinæ Olei f ʒ j,
Saponis Mollis ʒ ij,
Aquæ f ʒ xvij.

EXTRACTUM COLOCYNTHIDIS COM-
POSITUM.

R Colocynthidis concisæ ʒ vj,
 Alöes Extracti purificati ʒ xij,
 Scammonii contriti ʒ jv,
 Pulveris Aromatici ʒ j,
 Saponis ʒ iij,
 Spiritūs tenuioris Cj.

Dosis gr. v.

GARGARISMA BORACIS.

R Boracis (Sodæ Subboratis) ʒ ij,
 Theriacæ f ʒ j,
 Aquæ ferventis f ʒ xv.

GARGARISMA HYDRARGYRI BICHLO-
RIDI (OXYMURIATIS).

R Liquoris Hydrargyri Bichloridi (Oxy-
 muriatis f ʒ v,
 Theriacæ ʒ j,
 Aquæ destillatæ f ʒ x.

GARGARISMA MYRRHÆ.

R Tincturæ Myrrhæ f ʒ ss,
 Theriacæ ʒ ss,
 Liquoris Calcis f ʒ vij.

HYDRARGYRUM CUM CRETA.

R Hydrargyri ʒ iiij,
Cretæ præparatæ ʒ v.

Dosis gr. v.

INFUSUM ARMORACIÆ COMPOSITUM.

R Armoraciæ consicæ,
Sinapis contusi āa ʒ j,
Spiritūs Armoraciæ Compositi f ʒ j,
Aquæ ferventis Oj.

Dosis f ʒ j.

INFUSUM CALUMBÆ.

R Calumbæ concisæ ʒ v,
Aquæ ferventis Oj.

Dosis f ʒ j.

INFUSUM CALUMBÆ ACIDUM.

R Infusi Calumbæ Oj,
Acidi Sulphurici diluti f ʒ ij.

Dosis f ʒ j.

INFUSUM CALUMBÆ CUM POTASSA.

R Infusi Calumbæ Oj,
Potassæ Bicarbonatis (Carbonatis) ʒ ij.

Dosis f ʒ j.

INFUSUM CARYOPHYLLI.

R Caryophylli contusi 3 iiij,
 Aquæ ferventis Oj.
 Dosis f 3 j.

INFUSUM CASCARILLÆ.

R Cascarillæ contusæ 3 jss,
 Aquæ ferventis Oj.
 Dosis f 3 j.

INFUSUM CATECHU COMPOSITUM.

R Catechu extracti contriti 3 vj,
 Pimentæ contusæ 3 j,
 Aquæ ferventis Oj.
 Dosis f 3 j.

INFUSUM CUSPARIÆ.

R Cuspariæ contusæ 3 v,
 Aquæ ferventis Oj.
 Dosis f 3 j.

INFUSUM DIGITALIS.

R Digitalis foliorum exsiccatorum 3 j,
 Spiritûs Cassiæ f 3 j,
 Aquæ ferventis Oj.
 Dosis f 3 ss.

INFUSUM GENTIANÆ COMPOSITUM.

R Gentianæ concisæ,
 Aurantii corticis exsiccati,
 Limonum corticis exsiccati $\bar{a}a$ 3 ij,
 Aquæ ferventis Oj.

Dosis f $\frac{3}{4}$ j.

INFUSUM NUCIS VOMICÆ.

R Nucis Vomicæ contusæ 3 j,
 Aquæ ferventis Oj.

Dosis f $\frac{3}{4}$ ss.

INFUSUM QUASSIÆ.

R Quassiæ concisæ 3 ij,
 Aquæ ferventis Oj.

Dosis f $\frac{3}{4}$ j.

INFUSUM VALERIANÆ.

R Valerianæ $\frac{3}{4}$ ss,
 Aquæ ferventis Oj.

Dosis f $\frac{3}{4}$ j.

LINCTUS PAPAVERIS.

R Opii contriti gr. j,
 Aquæ,
 Theriacæ $\bar{a}a$ f $\frac{3}{4}$ j,
 Misturæ Acaciæ f $\frac{3}{4}$ ij.
 f $\frac{3}{4}$ j continet Opii gr. $\frac{1}{4}$.

Dosis f $\frac{3}{4}$ j ad f $\frac{3}{4}$ ss.

LINCTUS PAPAVERIS CUM SCILLA.

R_x Linctūs Papaveris f $\frac{3}{4}$ iv,
 Oxymellis Scillæ f $\frac{3}{4}$ j,
 f $\frac{3}{4}$ j continet Opii gr. 1-5.
 Dosis f $\frac{3}{4}$ j ad f $\frac{3}{4}$ ss.

LINIMENTUM AMMONIÆ.

R_x Liquoris Ammoniæ f $\frac{3}{4}$ j,
 Olivæ Olei f $\frac{3}{4}$ ij.

LINIMENTUM CAMPHORÆ.

R_x Camphoræ $\frac{3}{4}$ j,
 Olivæ Olei f $\frac{3}{4}$ iv.

LINIMENTUM CAMPHORÆ CUM
HYDRARGYRO.

R_x Unguenti Hydrargyri fortioris $\frac{3}{4}$ ij,
 Linimenti Camphoræ Oj.

LINIMENTUM CAMPHORÆ COMPO-
SITUM.

R_x Camphoræ $\frac{3}{4}$ ijss,
 Liquoris Ammoniæ f $\frac{3}{4}$ vijss,
 Spiritūs rectificati Oj.

LINIMENTUM HYDRARGYRI COMPOSITUM.

R Unguenti Hydrargyri fortioris,
 Adipis præparatæ aa ȝ iv,
 Camphoræ ȝ j,
 Spiritūs rectificati f ȝ j,
 Liquoris Ammoniæ f ȝ iv.

LINIMENTUM HYDRARGYRI NITRATIS.

R Unguenti Hydrargyri Nitratis ȝ ijss,
 Cerati Cetacei ȝ vijss,
 Olivæ Olei f ȝ v.

LINIMENTUM OLEI CUM CALCE.

R Olei Lini f ȝ ij,
 Liquoris Calcis f ȝ iv.

LINIMENTUM SAPONIS.

R Saponis ȝ iij,
 Camphoræ ȝ j,
 Spiritūs rectificati f ȝ xvj.

LINIMENTUM SINAPIS.

R Sinapis contusi ȝ ij,
 Olei Terebinthinæ rectificati Oj.

LINIMENTUM TEREBINTHINÆ.

R_x Saponis Mollis ʒ ij,
Camphoræ ʒ j,
Terebinthinæ Olei f ʒ xvij.

LIQUOR AMMONIÆ ACETATIS.

R_x Ammoniæ Sesquicarbonatis (Subcarbo-
natis) ʒ ijss,
Aceti destillati Oiv.
Dosis f ʒ ss.

LIQUOR AMMONIÆ SESQUICARBONATIS
(SUBCARBONATIS).

R_x Ammoniæ Sesquicarbonatis (Subcarbo-
natis) ʒ iv,
Aquæ destillatæ Oj.
Dosis f ʒ ss.

LIQUOR CALCIS.

R_x Calcis fbs,
Aquæ destillatæ Oxij.

LIQUOR CALCII CHLORIDI (CALCIS
MURIATIS).

R_x Calcii Chloridi (Calcis Muriatis) ʒ iv,
Aquæ destillatæ ʒ xij.
Dosis f ʒ ss.

**LIQUOR HYDRARGYRI BICHLORIDI
(OXYMURIATIS).**

R Hydrargyri Bichloridi (Oxymuriatis)
Ammoniæ Hydrochloratis (Muriatis) $\bar{a}a$
gr. x,
Aquæ destillatæ Oj.

Dosis f 3 ss.

LIQUOR MORPHIÆ ACETATIS.

R Morphiæ Acetatis gr. iv,
Aceti destillati f 3 ij,
Aquæ destillatæ f 3 v,
Spiritûs rectificati f 3 j,
f 3 j Continet Morphiæ Ace_tatis gr. $\frac{1}{2}$.

Dosis minima xx.

**LIQUOR PLUMBI DIACETATIS
(SUBACETATIS.)**

R Plumbi Acetatis $\frac{1}{2}$ ij et $\frac{3}{4}$ iiij,
Plumbi Oxydi (Semivitrei) in pulverem
triti $\frac{1}{2}$ j et $\frac{3}{4}$ iv,
Aquæ Ovj.

**LIQUOR PLUMBÍ DIACETATIS (SUBACE-
TATIS) DILUTUS.**

R Liquoris Plumbi Diacetatis (Subaceta-
tis) f 3 jss,
Aquæ destillatæ Oj,
Spiritûs tenuioris f 3 ij.

LIQUOR POTASSII IODIDI (POTASSÆ
HYDRIODATIS) COMPOSITUS.

R Potassii Iodidi (Potassæ Hydriodatis)
gr. x,
Iodinii gr. v,
Aquæ destillatæ Oj.
Dosis f ȝ ss.

LOTIO AMMONIÆ HYDROCHLORATIS
(MURIATIS).

R Ammoniæ Hydrochloratis(Muriatis) ȝ iiij,
Aceti destillati f ȝ xvj.

LOTIO AMMONIÆ HYDROCHLORATIS
(MURIATIS) FORTIOR.

R Ammoniæ Hydrochloratis (Muriatis) ȝ j,
Aceti destillati f ȝ xij,
Spiritûs rectificati f ȝ jv.

LOTIO HYDRARGYRI CINEREA.

R Hydrargyri Chloridi (Submuriatis) ȝ ij,
Liquoris Calcis f ȝ xvj.

LOTIO HYDRARGYRI FLAVA.

R Hydrargyri Bichloridi (Oxymuriatis) ȝ j,
Liquoris Calcis f ȝ xvj.

LOTIO PLUMBI ACETATIS.

R Plumbi Acetatis 3 j,
 Aceti destillati f $\frac{3}{3}$ ij,
 Aquæ destillatæ f $\frac{3}{3}$ xiv.

LOTIO ZINCI SULPHATIS.

R Zinci Sulphatis 3 j,
 Aquæ Oj.

MEL BORACIS.

R Boracis (Sodæ Subboratis) contritæ 3 j,
 Theriacæ f $\frac{3}{3}$ j.

MISTURA ACACIÆ.

R Acaciæ contritæ 3 iv,
 Aquæ ferventis f $\frac{3}{3}$ j.

MISTURA ACACIÆ CUM SCILLA.

R Misturæ Acaciæ,
 Aquæ Menthæ Viridis aa f $\frac{3}{3}$ ss,
 Misturæ Ammoniaci f 3 j et m_l xx,
 Tincturæ Scillæ m_l x,
 Tincturæ Camphoræ Compositæ m_l xx.

MISTURA ÆTHERIS CUM OPIO.

R Aquæ Menthæ Viridis f 3 vijss,
 Ætheris rectificati,
 Tincturæ Lavandulæ compositæ aa m_vxv,
 Tincturæ Opii m_vij.

MISTURA ACIDI SULPHURICI.

R Aquæ Menthæ Viridis,
 Aquæ aa f 3 ss,
 Acidi Sulphurici Diluti m_vj.

MISTURA AMMONIACI.

R Ammoniaci gr. xv,
 Aquæ f 3 j.

MISTURA AMMONIAE ACETATIS.

R Aquæ Menthæ Viridis f 3 v,
 Liquoris Ammoniae Acetatis f 3 iij.

MISTURA ANTIMONIALIS.

R Aquæ Menthæ Viridis f 3 vij,
 Vini Antimonii Potassio-tartratis (Tar-
 tarizati) f 3 ss,
 Tincturæ Opii m_vij,
 Tincturæ Lavandulæ Compositæ m_{viij}.

MISTURA ASSAFÆTIDÆ.

R Assafætidæ gr. xv,
Aquæ f $\frac{3}{4}$ j.

MISTURA CAMPHORÆ.

R Camphoræ gr. $1\frac{1}{2}$,
Spiritûs rectificati m $\frac{1}{2}$,
Aquæ f $\frac{3}{4}$ j.

MISTURA CATECHU COMPOSITUM.

R Aquæ Menthæ Viridis f $\frac{3}{4}$ vij,
Tincturæ Catechu f $\frac{3}{4}$ j,
Tinturæ Lavandulæ compositæ m viij,
Tincturæ Opii m iv.

MISTURA CINCHONÆ AROMATICA.

R Decocti Cinchonæ f $\frac{3}{4}$ vijss,
Spiritûs Pimentæ m xv.

MISTURA COPAIBÆ.

R Copaibæ f $\frac{3}{4}$ ss,
Theriacæ
Misturæ Acaciæ aa f $\frac{3}{4}$ j.
Aquæ Menthæ Viridis f $\frac{3}{4}$ vss.

MISTURA CRETÆ.

R Cretæ præparatæ gr. xij.
 Sacchari gr. x,
 Misturæ Acaciæ m̄ xl,
 Aquæ f ȝ j.

MISTURA FERRI COMPOSITA.

R Myrrhæ contritæ gr. vj,
 Potassæ Carbonatis (Subcarbonatis) gr. iij,
 Ferri Sulphatis contritæ gr. ij,
 Spiritūs Pimentæ m̄ xxvj,
 Sacchari gr. vj,
 Aquæ f ȝ j.

MISTURA GUAIACI.

R Guaiaci Resinæ,
 Sacchari āā gr. xij,
 Misturæ Acaciæ m̄ xij,
 Aquæ Pimentæ f ȝ j.

MISTURA MAGNESIÆ SULPHATIS.

R Magnesiæ Sulphatis ȝ j,
 Misturæ Acidi Sulphurici f ȝ j.

MISTURA MOSCHI.

R Moschi,
 Acaciæ contritæ,
 Sacchari āā gr. x,
 Aquæ f ȝ j.

MISTURA QUINÆ SULPHATIS.

R Quinæ Sulphatis gr. j,
 Acidi Sulphurici diluti m ij,
 Aquæ f ȝ j,

MISTURA SENNÆ COMPOSITÆ.

R Sennæ ȝ ss,
 Zingiberis contusæ gr. iv,
 Aquæ ferventis f ȝ j,
 Magnesiæ Sulphatis ȝ ijss,
 Tincturæ Sennæ Compositæ f ȝ ss.

MISTURA SODÆ TARTRATIS.

R Sodæ Sesquicarbonatis (Carbonatis) ȝ j,
 Aquæ destillatæ f ȝ ij,
 Liqua dein adde,
 Acidi Tatarici gr. xvij.

Misce ut inter effervescendum sumatur.

OXYMEL SCILLÆ.

R Theriacæ (vice Mellis) ȝ biiij,
 Aceti Scillæ Ojss.
 Dosis f ȝ j.

OXYMEL SCILLÆ COMPOSITUM.

R Oxymellis Scillæ f $\frac{3}{4}$ j,
 Spiritûs Ætheris Nitrici,
 Tincturæ Tabaci $\bar{a}a$ f $\frac{3}{4}$ ss.

$\frac{3}{4}$ ss continet Tincturæ Tabaci m \underline{xv} .
 Dosis f $\frac{3}{4}$ ss.

PILULA ALOËS COMPOSITA

R Aloës contritæ gr. iij,
 Extracti Gentianæ gr. jss,
 Olei Carui m $\frac{1}{4}$,
 Theriacæ quantum satis sit.

PILULA ALOËS CUM FERRO.

R Aloës contritæ,
 Myrrhæ contritæ $\bar{a}a$ gr. jss,
 Extracti Gentianæ,
 Ferri Sulphatis $\bar{a}a$ gr. j.
 Theriacæ quantum satis sit.

PILULA ALOËS CUM MYRRHA.

R Aloës gr. iij,
 Glycyrrhizæ Radicis contritæ,
 Myrrhæ $\bar{a}a$ gr. j,
 Theriacæ quantum satis sit.

PILULA ALOËS CUM SAPONE.

R Aloës contritæ gr. ij,
 Saponis,
 Resinæ aa gr. j,
 Olei Menthæ piperitæ ℥ 1-6,
 Theriacæ quantum satis sit.

PILULA ANTIMONII COMPOSITA.

R Antimonii Potassio-tartratis (Tartarizati)
 gr. $\frac{1}{4}$,
 Opii gr. j,
 Hydrargyri Chloridi (Submuriatis) gr. ij.

PILULA ARGENTI NITRATIS.

R Argenti Nitratis gr. $\frac{1}{4}$,
 Panis quantum satis sit.

PILULA ASSAFŒTIDÆ CUM ALOË.

R Assafœtidæ gr. iij,
 Aloës extracti contriti,
 Saponis aa gr. j,
 Theriacæ quantum satis sit.

PILULA ASSAFŒTIDÆ COMPOSITA.

R Pilulæ Assafœtidæ c. aloë gr. iij,
 Ipecacuanhæ Radicis contritæ,
 Scillæ Radicis contritæ aa gr. $\frac{1}{2}$,
 Theriacæ quantum satis sit.

PILULA CAMPHORÆ CUM OPIO.

R Camphoræ gr. ij,
 Opii gr. $\frac{1}{2}$,
 Saponis gr. j,
 Spiritûs rectificati et,
 Misturæ Acaciæ quantum satis sit.

PILULA COLOCYNTHIDIS COMPOSITA.

R Extracti Colocynthidis compositi gr. v.
 Fiat pilula.

PILULA COLOCYNTHIDIS CUM HYDRARGYRO.

R Extracti Colocynthidis gr. iv,
 Hydrargyri Chloridi (Submuriatis) gr. j.

PILULA COLOCYNTHIDIS CUM ANTIMONIO.

R Pilulæ Colocynthidis cum Hydrargyro
 gr. v,
 Antimonii potassio-tartratis (tartarizati)
 gr. $\frac{1}{8}$.

PILULA CONII COMPOSITA.

R Extracti conii gr. iv,
Ipecacuanhæ contritæ gr. j.
Misturæ Acaciæ quantum satis sit.

PILULA DIGITALIS CUM OPIO.

R Digitalis foliorum gr. $\frac{1}{2}$,
Opii gr. $\frac{1}{4}$,
Saponis gr. j,
Theriacæ quantum satis sit.

PILULA DIGITALIS CUM ZINCO.

R Digitalis foliorum,
Opii $\bar{a}a$ gr. $\frac{1}{4}$,
Zinci Sulphatis gr. $\frac{1}{2}$,
Myrrhæ contritæ gr. ij,
Theriacæ quantum satis sit.

PILULA FERRI SULPHATIS.

R Ferri Sulphatis gr. j,
Extracti Gentianæ gr. iij.

PILULA GALBANI COMPOSITA.

R Galbani gr. j,
Myrrhæ,
Sagapeni $\bar{a}a$ gr. jss,
Assafetidæ gr. ss,
Theriacæ quantum satis sit.

PILULA GUAIACI COMPOSITA.

R Guaiaci Resinæ contritæ gr. ij,
 Antimonii potassio-tartratis (Tartarizati)
 gr. $\frac{1}{8}$,
 Sacchari gr. j,
 Aloës contritæ gr. ss,
 Opii gr. $\frac{1}{4}$.

PILULA HYDRGARYRI.

R Hydrargyri gr. j,
 Confectionis Rosæ Gallicæ gr. iij,
 Glycyrrhizæ contritæ gr. j.

PILULA HYDRARGYRI BICHLORIDI
 (OXYMURIATIS).

R Hydrargyri Bichloridi (Oxymuriatis)
 Ammoniæ Hydrochloratis (Muriatis)
 aa gr. $\frac{1}{8}$,
 Theriacæ et,
 Panis quantum satis sit.

PILULA HYDRARGYRI CHLORIDI
 (SUBMURIATIS) COMPOSITA.

R Hydrargyri Chloridi (Submuriatis),
 Antimonii Oxysulphureti (Sulphureti
 præcipitati) aa gr. j,
 Guaiaci Resinæ contritæ gr. ij,
 Theriacæ quantum sufficiat.

PILULA HYDRARGYRI CHLORIDI
(SUBMURIATIS) CUM SCILLA.

Rx Opii duri contriti gr. $\frac{1}{4}$,
Hydrargyri Chloridi (Submuriatis) gr. $\frac{1}{2}$,
Scillæ contritæ,
Zingiberis āā gr. jss,
Theriacæ quantum satis sit.

PILULA HYOSCIAMI CUM OPIO.

Rx Extracti Hyosciami gr. iv,
Opii gr. $\frac{1}{2}$.

PILULA IPECACUANHÆ CUM HYDRARGYRO.

Rx Hydrargyri Chloridi (Submuriatis)
Opii āā gr. ss,
Ipecacuanhæ contritæ gr. j,
Rhei contriti gr. ij,
Theriacæ quantum satis sit.

PILULA IPECACUANHÆ COMPOSITA.

Rx Ipecacuanhæ Radicis contritæ gr. iij,
Scillæ Radicis contritæ,
Ammoniaci āā gr. j,
Misturæ Acaciæ quantum satis sit.

PILULA IPECACUANHÆ CUM OPIO.

R Opii duri Contriti gr. $\frac{1}{4}$,
 Ipecacuanhæ Radicis contritæ,
 Saponis duri $\bar{a}a$ gr. j,
 Theriacæ quantum satis sit.

PILULA PLUMBI ACETATIS.

R Plumbi Acetatis gr. j,
 Opii gr. $\frac{1}{4}$,
 Theriacæ quantum satis sit.

PILULA QUINÆ DISULPHATIS.

R Quinæ Disulphatis gr. j,
 Extracti Gentianæ gr. ij.

PILULA RHEI COMPOSITA.

R Rhei contriti gr. ij,
 Aloës Extracti contriti gr. jss,
 Myrrhæ contritæ gr. j,
 Saponis gr. $\frac{1}{4}$,
 Carui Olei $m\frac{1}{8}$.

PILULA SAPONIS COMPOSITA.

R Opii gr. j,
 Saponis gr. iv.

PILULA SCILLÆ COMPOSITA.

R Scillæ recens Exsiccatæ contritæ gr. ss,
 Zingiberis contritæ
 Ammoniaci $\bar{a}a$ gr. j,
 Saponis gr. jss,
 Theriacæ quantum satis sit.

PILULA SCILLÆ COMPOSITÆ CUM
 HYDRARGYRO.

R Hydrargyri Chloridi gr. $\frac{1}{4}$,
 Pilulæ Scillæ Compositæ gr. iv.

PILULA SCILLÆ COMPOSITA CUM OPIO.

R Opii gr. $\frac{1}{4}$,
 Pilulæ Scillæ compositæ gr. iv.

PILULA ZINCI SULPHATIS.

R Zinci Sulphatis gr. j,
 Extracti Gentianæ gr. iv.

POTASSA CUM CALCE.

R Potassæ Hydratis (Fusæ),
 Calcis $\bar{a}a$ $\frac{3}{3}$ j.

PULVIS AROMATICUS.

R_x Cassiæ Corticis gr. jss,
 Carui Seminum,
 Zingiberis radicis
 Pimentæ Baccarum āā gr. j,
 Piperis longi Fructūs gr. ss.

Dosis gr. v.

PULVIS BISMUTHI TRISNITRATIS
 (SUBNITRATIS).

R_x Bismuthi Trisnitratis (Subnitratis) gr. iv,
 Pulveris Tragacanthæ compositi gr. viij.

Dosis gr. xij.

PULVIS CRETÆ COMPOSITUS.

Cretæ præparatæ gr. vj,
 Cassiæ gr. iv,
 Tormentillæ,
 Acaciæ āā gr. iij.
 Piperis longi gr. ss.

Dosis Əj.

PULVIS CRETÆ COMPOSitus CUM
 OPIO.

R_x Pulveris Cretæ Compositi Əj,
 Opii duri contriti gr. ss.

Dosis Əj.

PULVIS ELATERII COMPOSITUS.

R Elaterii Extracti contriti gr. $\frac{1}{8}$,
 Potassæ Bitartratis Supertartratis
 gr. xvij,
 Zingiberis Radicis contritæ gr. iij.
 Dosis Өj.

PULVIS HYDRARGYRI CHLORIDI (SUBMURIATIS) CUM JALAPA.

R Hydrargyri Chloridi (Submuriatis) gr. iv.
 Jalapæ gr. xvi.
 Dosis Өj.

PULVIS HYDRARGYRI CHLORIDI (SUBMURIATIS) CUM RHEO.

R Hydrargyri Chloridi (Submuriatis) gr. iv,
 Rhei gr. xvij.
 Dosis Өj.

PULVIS HYDRARGYRI CHLORIDI (SUBMURIATIS) CUM SACCHARO.

R Hydrargyri Chloridi (Submuriatis) gr. j,
 Sacchari purificati contriti gr. iv.
 Dosis gr. v.

PULVIS IPECACUANHÆ COMPOSITUS.

R_x Ipecacuanhæ contritæ,
Opii duri contriti āa gr. j,
Potassæ Sulphatis contritæ gr. viij.

Dosis gr. x.

PULVIS IPECACUANHÆ CUM
ANTIMONIO.

R_x Ipecacuanhæ Radicis contritæ gr. xix,
Antimonii potassio-tartratis (Tartarizati)
gr. j,
Dosis ʒj pro vomitu.

PULVIS JALAPÆ COMPOSITUS.

R_x Jalapæ Radicis contritæ gr. x,
Potassæ Bitartratis (Supertartratis) con-
tritæ ʒj,
Zingiberis Radicis contritæ gr. ij.
Dosis gr. xxxij.

PULVIS KINO COMPOSITUS.

R_x Kino gr. xv,
Cassiæ gr. iv,
Opii duri gr.j.
Dosis ʒj.

PULVIS RHEI CUM MAGNESIA.

R Magnesiæ Carbonatis gr. xv,
 Rhei Radicis contritæ gr. iv,
 Zingiberis Radicis contritæ gr. j.

Dosis 3j.

PULVIS SCAMMONII COMPOSITUS.

R Scammonii,
 Extracti Jalapæ duri aa gr. iv,
 Zingiberis gr. ij.

Dosis gr. x.

PULVIS TRAGACANTHÆ COMPOSitus.

R Tragacanthæ contritæ,
 Acaciæ contritæ,
 Amyli aa gr. iv,
 Sacchari purificati gr. viij.

Dosis 3j.

SPIRITUS ÆTHERIS SULPHURICI.

R Ætheris Sulphurici Oss,
 Spiritūs rectificati Oj.

Dosis f 3 ss.

SPIRITUS ANISI.

R Olei Anisi ℥ viij,
 Spiritūs rectificati,
 Aquæ aa f ȝ iv.

EODEM MODO PARANTUR.

R Spiritus Carui,
 ————— Cinnamomi,
 ————— Juniperi,
 ————— Menthae piperitæ
 ————— ————— Viridis,
 ————— Pimentæ.

Dosis f ȝ ss.

SPIRITUS TENUIOR.

R Spiritūs Rectificati,
 Aquæ destillatæ aa Oj.

TINCTURA ALOES.

R Aloës contritæ ȝ j,
 Extracti Glycyrrhizæ ȝ iiij,
 Aquæ Ojss,
 Spiritūs rectificati Oss.

Dosis ℥ xl.

TINCTURA AROMATICA.

R Cassiæ 3 vj,
 Carui contusi,
 Zingiberis concisæ,
 Pimentæ aa 3 iv,
 Piperis lougi contriti 3 ij,
 Pterocarpi Ligni 3 vj,
 Spiritus tenuioris Oijss.

Dosis m̄ xx.

TINCTURA ASSAFŒTIDÆ.

R Assafœtidæ 3 v,
 Spiritūs rectificati Oij.

Dosis m̄ xxx.

TINCTURA BENZÖINI COMPOSITA.

R Benzöini 3 iijss,
 Styracis colati 3 ijss,
 Balsami Tolutani 3 x,
 Aloës 3 v,
 Spiritūs rectificati Oij.

Dosis m̄ xxx.

TINCTURA CALUMBÆ.

R Calumbæ concisæ 3 iij,
 Spiritūs tenuioris Oij.

Dosis f 3 j.

TINCTURA CAMPHORÆ.

R Camphoræ ʒ v,
Spiritûs rectificati Oij.

TINCTURA CAMPHORÆ COMPOSITA.

R Camphoræ ʒ ijss,
Opii duri contriti,
Acidi Benzoici aa gr. lxxij,
Spiritûs tenuioris Oij.

Dosis m̄ xxx. f ʒ ss continet Opii gr. j.

TINCTURA CANTHARIDIS.

R Cantharidis contusæ ʒ iv,
Spiritûs tenuioris Oij.

Dosis m̄ x.

TINCTURA CAPSICI.

R Capsici contusi ʒ x,
Spiritûs tenuioris Oij.

Dosis m̄ x.

TINCTURA CASCARILLÆ.

R Cascarillæ ʒ v,
Spiritûs tenuioris Oij.

Dosis f ʒ j.

TINCTURA CASTOREI.

R_x Castorei Contriti ʒ ijss,
Spiritūs rectificati Oij.

Dosis m_l xx.

TINCTURA CATECHU.

R_x Catechu ʒ iijss,
Pimentæ ʒ ijss,
Spiritūs tenuioris Oij.

Dosis f ʒ j.

TINCTURA CINCHONÆ.

R_x Cinchonæ Corticis contritæ ʒ viij,
Spiritūs tenuioris Oij.

Dosis f ʒ j.

TINCTURA COLCHICI.

R_x Colchici Seminum contusorum ʒ v,
Spiritūs tenuioris Oij.

Dosis m_l xx.

TINCTURA DIGITALIS.

R_x Digitalis foliorum Exsiccatorum ʒ iv.
Spiritūs tenuioris Oij.

Dosis m_l x.

TINCTURA FERRI SESQUICHLORIDI
MURIATIS.

R_x Ferri Sesquioxidi (Subcarbonatis) ʒ vj,
Acidi Hydrochlorici (Muriatici) Oj,
Spiritūs rectificati Oij.

Dosis m̄ x.

TINCTURA GENTIANÆ COMPOSITUM.

R_x Gentianæ concisæ ʒ ijss,
Aurantii Corticis Exsiccati ʒ x,
Zingiberis concisæ ʒ v,
Spiritūs tenuioris Oij.

Dosis f 3 j.

TINCTURA GUAIACI COMPOSITA.

R_x Guaiaci Resinæ contritæ ʒ vij,
Spiritūs Ammoniæ Aromatici Oij.

Dosis m̄ xxx.

TINCTURA LUPULI.

R_x Lupuli ʒ vj,
Spiritūs tenuioris Oij.

Dosis m̄ xxx.

TINCTURA HYOSCIAMI.

R Hyosciami foliorum Exsiccatorum ʒ v,
Spiritūs tenuioris Oij.

Dosis m̄ xxx.

TINCTURA JALAPÆ.

R Jalapæ contritæ ʒ x,
Spiritūs tenuioris Oij.

Dosis f ʒ j.

TINCTURA IODINII COMPOSITA.

R Iodini ʒ j,
Potassii Iodidi (Potassæ Hydriodatis) ʒ ij,
Spiritūs rectificati Oij.

Dosis m̄ x.

TINCTURA KINO.

R Kino contriti ʒ iijs,
Spiritūs rectificati Oij.

Dosis f ʒ j.

TINCTURA LAVANDULÆ COMPOSITA.

R Olei Lavandulæ f 3 j,
 Olei Cinnamomi,
 Olei Pimentæ aa f 3 ss,
 Spiritūs rectificati Ovj,
 Pterocarpi concisi 3 j.

Dosis f 3 ss.

TINCTURA MYRRHÆ.

R Myrrhæ contritæ 3 iij,
 Spiritūs rectificati Oij.

Dosis m xxx.

TINCTURA OPII.

R Opii duri contriti 3 iij,
 Spiritūs tenuioris Oij.

Dosis m xx.

TINCTURA RHEI COMPOSITA.

R Rhei concisi 3 ijss,
 Zingiberis radicis contusæ 3 iij,
 Glycyrrhizæ contusæ 3 vj,
 Spiritūs tenuioris Oij.

Dosis f 3 j.

TINCTURA SCILLÆ.

R Scillæ recentis exsiccatæ $\frac{3}{4}$ v,
Spiritûs tenuioris Oij.

Dosis m̄ x.

TINCTURA SENNÆ COMPOSITA.

R Sennæ foliorum $\frac{3}{4}$ iijss,
Carui contusi $\frac{3}{4}$ iijss,
Zingiberis concisæ $\frac{3}{4}$ j,
Spiritûs tenuioris Oij.

Dosis f $\frac{3}{4}$ ij.

TINCTURA TABACI.

R Tabaci foliorum $\frac{3}{4}$ ij,
Spiritûs Juniperi f $\frac{3}{4}$ iv.

Dosis m̄ xv.

TINCTURA VALERIANÆ COMPOSITA.

R Valerianæ contusæ $\frac{3}{4}$ v,
Spiritûs Ammoniæ Aromatici Oij.

Dosis f $\frac{3}{4}$ ss.

TINCTURA ZINGIBERIS.

R_x Zingiberis concisæ 3 ijss,
Spiritūs rectificati Oij.

Dosis f 3 j.

TROCHISCI SCILLÆ.

R_x Scillæ Contritæ,
Ipecacuanhæ contritæ aa gr j,
Extracti Glycyrrhizæ contriti,
Acaciæ Gummi contriti,
Theriacæ aa gr. ij.

UNGUENTUM ANTIMONII POTASSIO-TARTRATIS (TARTARIZATI).

R_x Antimonii potassio-tartratis (Tartarizati)
3j,
Adipis 3iv.

UNGUENTUM GALLÆ COMPOSITUM.

R_x Gallæ subtilissimæ contritæ 3 ij,
Opii duri contriti 3 ss,
Adipis 3ij.

UNGUENTUM HYDRARGYRI CUM
BELLADONNA.

R Unguenti Hydrargyri fortioris ʒj,
Ammoniaci ʒvj,
Extracti Belladonnæ ʒiv,
Aquæ quantum satis sit.

UNGUENTUM HYDRARGYRI FORTIUS

R Hydrargyri purificati ℥bij,
Adipis ʒxxij,
Sevi ʒj.

UNGUENTUM HYDRARGYRI MITIUS.

R Unguenti Hydrargyri fortioris ℥bj,
Adipis ℥bij.

UNGUENTUM HYDRARGYRI NITRATIS.

R Hydrargyri ʒj,
Acidi Nitrici fʒxj,
Adipis ʒvj,
Olivæ Olei fʒiv.

UNGUENTUM HYDRARGYRI NITRICO-
OXYDI.

R Hydrargyri Nitrico-Oxydi ʒ j,
Ceræ Albæ ʒ ij,
Adipis ʒ vj.

UNGUENTUM HYDRARGYRI NITRICO-
OXYDI COMPOSITUM.

R Adipis ℔j,
Liquoris Plumbi Diacetatis (Subacetatis)
fʒ ss,
Hydrargyri Nitrico-Oxydi ʒ j,
Radicis Anchusæ ʒ ij.

UNGUENTUM IODINII COMPOSITUM.

R Iodinii ʒ ss,
Potassii Iodidi (Potassæ Hydriodatis) ʒ j,
Liquoris Potassæ f ʒ j,
Adipis ʒ ij.

UNGUENTUM PICIS LIQUIDÆ.

R Picis liquidæ,
Sevi āa ℥bj.

UNGUENTUM SULPHURIS.

R_x Sulphuris ʒ iij,
Adipis tbss.

UNGUENTUM TEREBINTHINÆ.

R_x Cerati Resinæ tbj,
Terebinthinæ Olei f ʒ viij.

UNGUENTUM ZINCI.

R_x Zinci Oxydi ʒ j,
Adipis ʒ vj.

VINUM ANTIMONII POTASSIO-TARTRA-TIS (TARTARIZATI).

R_x Antimonii Potassio-tartratis (Tartarizati)
gr. ij,
Aquæ destillatæ ferventis f ʒ viss,
Spiritūs rectificati ʒ jss.

Dosis ml xv ad f ʒ ss. f ʒ ss continet Anti-monii Potassio-tartratis (Tartarizati)
gr. $\frac{1}{8}$.

VINUM IPECACUANHÆ.

R Ipecacuanhæ contusæ ʒ ijss,
 Spiritūs tenuioris,
 Aquæ destillatæ āa f ʒ xx.

Dosis m̄xx.

VINUM OPII.

R Opii duri contriti ʒ ijss,
 Pimentæ contusæ,
 Cassiæ contusæ āa ʒ ijss,
 Spiritūs tenuioris,
 Aquæ destillatæ āa f ʒ xx.

Dosis m̄xx.

