Observations on live stock, containing hints for choosing and improving the best breeds of the most useful kinds of domestic animals / By George Culley.

#### **Contributors**

Culley, George, 1735-1813.

### **Publication/Creation**

London: Printed for G.G. & J. Robinson, Pater-noster-row, 1786.

### **Persistent URL**

https://wellcomecollection.org/works/dww9akrn

### License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.





Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org CULLEY
Observations on Live
Stock



19292/3

Digitized by the Internet Archive in 2016 with funding from Wellcome Library





### OBSERVATIONS

ON

# LIVESTOCK,

CONTAINING

THE BEST BREEDS OF THE MOST USEFUL KINDS

OF

### DOMESTIC ANIMALS,

RV

GEORGE CULLEY,

Farmer at Fenton, Northumberland.

LONDON:

PRINTED FOR G. G. J. & J. ROBINSON, PATER-NOSTER-ROW.

MDCCLXXXVL

## OBSERVATIONS

ON

# LIVESTOCK.

CHRILONS

V5.0

LIVESTOCK

# CONTENTS.

contract displaye in endeasoning to maite	Page
INTRODUCTION	I
Description of the Horse, with an account of	
the different breeds of that useful animal	- 5
Description of the Bull, with an account of	
the various breeds of Neat Cattle -	19
of the they fixed their teeth, and the	
OF SHEEP	71
Description of the Ram da all a continue would	73
and of the different breeds of Sheep -	75
Remarks on Beef and Mutton when exposed	
to fale in pieces on the shambles or stall	129
Of the Folding of Sheep	134
Floating, flooding, and watering grass-grounds	
recommended	140
OP CHILD	
OF SWINE	149
Remarks on the inattention of the Irish with	
respect to the breeds of Sheep, &c	154
General Remarks on the fize of the foregoing	
Domestic Animals	160
OF DARRITC and other Animals of left note	
OF RABBITS and other Animals of less note	
OF RABBITS	172
OF Mules and Asses	333
	174
OF DEER	176
OF POULTRY	177

## CONTENTS.

	Page
Omission under the article NEAT CATTLE,	
by way of Addendum, -pointing out a very	
common mistake in endeavouring to unite	
great-milkers with quick-feeders -	179
APPENDIX.	
An account of the Names of Domestic Ani-	
mals at different ages	183
Of the time they shed their teeth, and the	
rules for knowing their age	189
Observations on the above	193

Cil the Building of Charp on - a - 45%

CHARLES TO

On Pagants

various voluments

THE RIGHT HONOURABLE

## JAMES,

## EARL OF HOPETOUN,

W H O,

ALONG WITH OTHER RURAL IMPROVEMENTS,

HAS BEEN PARTICULARLY ATTENTIVE IN

SELECTING AND IMPROVING

THE BEST BREEDS OF THE DIFFERENT KINDS

OF

# LIVESTOCK,

THE FOLLOWING PAGES

A R E,

WITH THE UTMOST RESPECT,

MOST HUMBLY INSCRIBED,

BY

HIS LORDSHIP'S MOST OBEDIENT

AND

VERY HUMBLE SERVANT,

THE AUTHOR.

2, -

## OBSERVATIONS

ON

# LIVESTOCK.

T has been matter of furprise to me, that none of our countrymen have hitherto attempted to write a Treatife expressly upon what farmers call Stock; by which I mean those domestic animals with which our fields, our yards, and stables, are, or ought to be stored, fuch as horses, cattle, sheep, and swine; the knowledge of which, I apprehend, is at this period of improvement, as necesfary for the farmer, as the well cultivating of a field for wheat, barley, turnips, or any other crop. For, according A

cording to the prefent improved fyftem of farming, there is fuch a connection between the cultivation of the ground, and the breeding, rearing, and fattening of cattle, sheep, and other domestic animals, that a man will make but an indifferent figure in rural affairs, if he does not understand the latter as well as the former.-Our shelves are loaded with volumes that have been written on the subject of rearing crops, while but little has been faid upon those very useful animals referred to above. Conscious of my own inability to undertake fo important, tho' necessary a task, I repeatedly folicited fome of my acquaintance, who I believed to be well able to perform it; and in particular one whom it is not necessary here to name, for whose abilities I have the highest respect, whose whole life has been employed in breeding and improving ftock.

flock, and who has carried it to very great perfection, from the experience and close application of his whole life, spent in the pursuit of breeding useful stock: But being unable to prevail upon him to write on this subject, I shall venture to offer my own thoughts in the best manner I am able, from the hopes that this may induce some abler person to write upon this hitherto almost unbeaten track, for the good of mankind, and particularly for the benefit of my brother breeders.

It may be necessary to observe, that tho' a late writer \* has given us very learned descriptions of the bull, horse, and ram, &c. yet it does not appear he has treated of these matters near so fully as the nature and importance of the subject requires. His language is not altogether so plain, nor

A 2 adapted

<sup>\*</sup> Clark's Theory of Husbandry.

adapted to the education of many of our farmers, as it ought to be: He is far too concife in regard to the different breeds of sheep belonging to this island, and has faid nothing at all relative to the various breeds of cattle; and besides, tho' his descriptions have much merit, yet I shall venture to differ from him in some particulars concerning the shape of cattle and sheep, which will be pointed out in their proper places .- As I do not profess any great share of knowledge in regard to horses, I shall consequently fay less concerning them than the other kinds of stock, with which I have been more conversant, and to which I have paid more attention, particularly sheep. However, as horses are univerfally allowed to be amongst the most useful animals of the creation, we shall give them the first place in our narration.

In regard to the horse, then, I prefume his head should be as small as the proportion of the animal will admit; his nostrils expanded, and muzzle fine; his eyes chearful and prominent; his ears fmall, upright, and placed near together; his neck rifing out of his back and shoulders with an eafy tapering curve, must join gracefully to the head; his shoulders being well thrown back, must also go into his neck (at what is called the points) unperceived, which perhaps facilitates the going much more than the narrow shoulder, which most people are admirers of; for, whoever has observed a greyhound or a hare, will perceive how very wide they are made at the upper part of the shoulders, and there are few animals that move with fo much ease and swiftness as they do: The arm, or fore thigh, should be muscular, and tapering from the shoulder,

leg; the hoof circular, and wide at the heel; his cheft deep, and full at the girth; his loin or fillets broad and straight, and ribs round; his hips or hooks, by no means wide, but quarters long, and tail set high on; his thighs strong and muscular, his legs clean, and fine-boned; the leg-bones not round, but what is called lathy.

It is generally thought that we only have two original breeds of horses in this island, viz. the race or blood kind, and the black cart-breed: the rest have been supposed to be only variations from these two, introduced by repeated crossings; and yet we are struck with surprise, when we consider the difference between the gigantic drayhorse, 18 hands high, stalking upon the London pavements, and the small Highland, or Shetland poney, tripping over the mosses with a heavy load,

tho'

tho' not more than nine hands, or 36 inches high when at his full growth. I shall decline saying any-thing of the blood-horses; if, because I know very litttle concerning them; and, 2dly, because I think farmers ought to have little or nothing to do with them, except now and then putting a good mare to a strong well-proportioned blood-horse, by way of mixing a little blood amongst our chapmen or riding horses. Perhaps for some particular uses, even a plough-horse may not be the worfe for having a little blood in him, as it is termed; and every man, I apprehend, who has rode five hundred miles upon horseback, will admit, that a horse which has a little blood in him, will usually perform a pleafanter day's work, than one that has little or none of the racing breed in him: For, notwithstanding objections have been made by late writers to the croffing of breeds

breeds of animals, I cannot help being of a different opinion; because, from many years experience, I have much reason to believe, that great improvements have been, and may be made by crossing \*, not only amongst the different kinds of horses, but neat cattle (horned or black cattle as they have been differently called) and sheep; and I apprehend it is from these crosses, properly

\*What I mean by croffing, is to put the best male of the same species, or of different varieties of the same kind, to the best semales; so as by repeated crofs in this way, you have improved your breed as far as you can. This I think is clearly right, as long as better males can be met with among your neighbours—amongst the improved breeds in any part of this island; or why not from those in any part of the world, provided the expence does not exceed the proposed advantage? for I have no notion of setting bounds to improvements of any description. It quickens that laudible desire of excelling our rivals, which leads us to discoveries of the highest importance,—discoveries which in every period have so eminently marked the genius

properly made, that this island has been long famous for such a noted and excellent breed of faddle-horses, in so much that great numbers are almost every year bought up for France, and other parts of the Continent. If crossing was not of use, even amongst the blood-race, why should Gentlemen of the Turf be at the trouble, and very great expence, in procuring stallions from Arabia, and different parts of Turkey, &c. Nay, the well-attested pedigrees of most of our race-horses,

and enterprising spirit of this blessed island. Then, when you can no longer, at home or abroad, meet with better males than your own, breed from these, whether horses, neat cattle, sheep, &c. for the same rule that holds good in one kind, will in another. But upon no account attempt to breed or cross from worse than your own, for that would be acting in contradiction to common sense, experience, and that well-established rule, viz. 'that best only can beget best.' Allow me to add, that from the best males and females only, the best breeds can be obtained.

horses, I perceive, generally terminate with a Burton Barb, or Place's White Turk, &c. which is a proof that these crosses have been attended with success.

The breed of faddle-horfes is confined in a great measure to Yorkshire, Durham, and Northumberland: the East Riding of Yorkshire has been long eminent in that line. The annual fairs held at Northallerton, Howden, and York, exhibit the largest shows of these useful creatures: perhaps it may be owing to this that Yorkshiremen are all called Jockeys, or knowing hands in regard to horses; and indeed you will fcarce meet with a farmer in that county, especially in the low part of it, who is not well skilled in horses. Since bay and other lightgoing horses, have been preferred to the black breed for carriages, the Yorkshire breeders have gone so much upon these, that I am informed the old breed of riding or saddle-horses are much wore out. This is owing, perhaps, not only to the greater demand for the latter, but also to the coach-horses being a stronger and larger breed; as also, if they happen, from blemishes, not to answer for the harness, they suit for the plough or cart; while the saddle-horse, from the same missortunes, is rendered in a great measure useless.

The midland counties, particularly Leicestershire, Warwickshire, Staffordshire, and Derbyshire, breed almost altogether of the black kind. It is the universal custom in those counties, for the farmers to use mares only for labour: these are all put to the horse, the male produce of which supply the Army, London, and most of the south and western counties with horses for their farming-teams.

The largest go to the capital, for drayahorses; the next supply the farmers in the southern counties, for their wagagens, ploughs, &c. and the rest mount our cavalry, or are trained to the carriages, while a few of the choicest are very properly preserved for stallions.

The vanity of many of the farmers in the South, in regard to their teams, is most extraordinary. I have, in Berkshire, and that neighbourhood, feveral times met a narrow-wheel'd waggon, with fix stone-horses, one before another; the first horse, besides having on a huge bridle, covered with fringe and taffels enough to half-load a common Yorkshire carthorfe, has fix bells hung to it, the next five, and fo on to the last, which has only one; and it is really diverting to fee with what a conceited air the driver struts and brandishes his long whip. - A strange contrast this with

with the poor Highlander carting home his peats for winter-fuel, when frequently both horse and cart are not of the same value as the harness used to a Berkshire waggon-horse. The Reader will be the less furprised, when I affure him, that I have in Scotland many times feen a horse and cart conveying peats or turfs, when the whole apparatus neither contained iron, leather, or hemp; the collar or bracham was made of straw, the backband of platted rushes, and the wheels of wood only, without bush of metal, or binding of iron.

One of the Earls of Huntington returning from an embaffy to the States-General, brought home with him a fet of coach-horses of the black breed from the Continent. Most of these being stallions, he with some difficulty prevailed upon his tenants by the Trent-Side, to put their mares to them;

them; which cross answered so well, that the breed in that neighbourhood has been in the greatest repute ever fince. This many years afterwards induced Mr Bakewell, and another Leicestershire breeder, to cross the German Ocean in fearch of horses and mares, to improve the English breed; and after much labour and expence, they returned with half-a-dozen Dutch or Flanders mares. And I have often heard Mr Bakewell fay, that he never met with a man but he could have prevailed upon him to part with his stock for money, except in Holland, where he met with a Dutch boor, who would not fell one of his mares for any price which Mr Bakewell thought worth his while to give; and any-body who knows the above great breeder, will be fensible that he would not limit for price, who gave above feventy guineas, when beginning business, for a cart-mare to breed from. Notwithstanding these Dutch mares were of use in improving the Leicestershire black breed, yet it perhaps scarce answered the end proposed; because, by this time, the heavy unwieldy black horfes were growing into difrepute; the Nobility and Gentry were begun to run bay-horfes in their carriages; light horses were more used in the Army than heretofore; but, above all, the spirited industry and activity in farming, required horses of more mettle than those already mentioned; but they yet are, and probably will ever be, valuable for drays and waggons .- But, how would the Norfolk farmers fow two, three, or four hundred acres of turnips upon one farm, in proper time, in the same feafon,-and plow two, or near three acres per day with one pair of horses, if they had them not from a hardier and

and nimbler breed than those alluded to? It is long fince I was told by the Cleveland farmers, that the black horses could not stand to their work, and could not go at the rate of their own country horses; that whenever they were put past their pace, they greafed, and frequently went blind: Yet it is in this industrious part of Yorkshire, and in Norfolk, Suffolk, &c. that we must look for farminghorses able to go through fatigue and hardship, able to walk at a pace that the others cannot, and able to work fix days in every week in the year. It is a well-known fact, that these will, upon an average, wear as long again as the rough-legged gummy black breed.

But let us not forget to do justice to a Northern district in this island, that produces as good a farming-horse as any of these alluded to—I mean the West of Scotland: They are in general greys or browns; but from whence they had the breed, I know not: and tho' I must allow that they are plain-made in general, about the head, sides, and hind-legs, yet it is a fact founded upon experience, that we have not a hardier race in the island.

The best and hardiest horses for the draught I ever remember seeing, proceeded from a cross between the country mares by the Tee's side, and a stallion brought from Holstein: they are not tall horses, rising only from about sourteen hands three inches, to sisteen hands three inches, exceedingly strong made, with short clean-boned legs, very firm carcases, and equal to any satigue.

The Welch have a very hardy breed of horses, but rather small for the team; but where they are good goers, few or none can equal them for the

road; none stand our turnpikes like them: and I well remember one that I rode for many years, and to the last he would have gone upon a pavement by choice, in preference to softer road.

The Scotch horses, like the Welch, are exceedingly hardy, but too fmall for the draught, except the Clydefdale horses, &c. taken notice of before. Those properly called galloways, are now rare to be met with, from an inexcufable inattention to the breed, which is nearly loft. The breed originated, as we may suppose, from the name Galloway, and it is generally faid was owing to croffing with the Spanish horses, when a part of the invincible armada was shipwrecked upon those rocky coasts. There is much probability in the account; but whether true or not, is not fo material as the lofs of fo valuable a breed of little horses is to be lamented.

NEAT

# NEAT CATTLE.

# Description of the Bull.

THE head of the BULL should be rather long; his muzzle fine, and nostrils wide; his eyes lively and prominent; his ears long and thin; his horns white; his neck strong and rifing rather from the shoulders, but small and fine where it joins the head; his shoulders broad at the top, yet to fit full to his crops and cheft backwards, and to his neck vein-putt or mouse-piece forwards; his bosom open, breast deep, broad, and well feen before his legs; his arms or forethighs full, and tapering to his knee; his legs straight, clean, and very fine boned, with good large hoofs; his crops and cheft fo full as to leave no hollow behind the shoulders, and so strong in the plates as to keep his C 2 belly

belly from finking below the level of his breaft; his back or loin broad, straight, and flat; ribs well up (as the graziers term it), viz. one rifing above another, in fuch a manner as the last rib should be rather the highest, which should leave only a small space to the hips or hooks; thefe should be wide placed, round, and full in shape; the quarters long, tail high, rumps close; and the quarters, instead of being square, as recommended by some writers on husbandry, should taper gradually from the hips backward; the turls or pottbones quite funk, and in every respect different from the round, lyery, or Dutch form, fo undefervedly efteemed formerly. The form here described will, when fed, be covered with fat to the hock or hough; the bones of his hind-legs fame as those before, viz. clean, small, and straight; tail broad, and well-haired.

Тноисн

Though I faid that probably we only had two original breeds of horses in this island, yet I apprehend we have several different breeds of cattle, viz. the long-horned, or Lancashire kind; the short-horned, or Dutch kind; the polled, humbled, or Galloway breed; the Kiloes, or Scotch cattle; the Alderney, or French breed; and the wild breed which are still preserved by some of our Nobility in their parks, and perhaps some others I may not be acquainted with.

The Welch breed of cattle I take to be much the same as the Scotch; and as to the Herefordshire brown cattle, they are, I am pretty clear, neither more nor less than a mixture between the Welch and a bastard race of longhorns, that are every-where to be met with in Cheshire, Shropshire, &c. †

We

<sup>+</sup> I am told, that besides the species I have treated of, there are two more very useful breeds in

We shall treat of all the different breeds separately; then endeavour to point out the perfections and imperfections of each kind, compare them with each other, and then offer our opinion in regard to which are best, and most suitable to different situations.

First, then, in regard to the Long-horned, or Lancashire kind.—This kind is distinguished from the others by the length of their horns, thickness of their hides, long thick hair all over them, and having mostly a white streak along their back, and a white streak on the middle of the hock or hough.

this island, viz. One in Sussex, valuable both for the draught and feeding quality; the other in Devonshire, also very good feeders:—But as these are two of the sew counties which I have not yet had it in my power to visit, I think it would be wrong in me to say any-thing respecting their breeds of cattle.

hough. The oxen are called in many places, Lancashire Hornpipes, I suppose from the remarkable length of their horns. Many people will have it, that they are the native or original breed of the island. It is not easy to ascertain this matter; but if I may venture a conjecture, I think it is highly probable that these have been the

+ The Reverend Mr Norton, an ingenious and intelligible gentleman, whom I met with lately at Hinkley in Leicestershire, tells me, the neat cattle in the Azores are long-horned, and in every refpect the same as our Lancashire breed, only less in fize; and will have it, that ours may have come originally from these islands .- But, on considering this matter over, with fubmission to Mr Norton, I cannot help thinking that the neat cattle in the Azores, are as likely to be descended from our long-horns, as ours from these; and perhaps might be taken to these islands from Britain, by some enterprifing navigator, for the fame reason, and from the same laudible motive, that our most excellent circumnavigator Capt. Cook took many domestic animals to the islands in the South-sea, which he had the honour to discover.

the inhabitants of the open plain country; while the wild breed, or perhaps the Welch, (which I take to be nearly the fame as the Scotch), possessed the mountainous hilly wild parts of this island. However, Lancafhire at present, and for a long time past, has as much right to be called the mother-country for long-horned cattle, as Lincolnshire has to the large long-wool'd sheep; for, though all or most of our cheese-dairies in Cheshire, Gloucestershire, &c. employ a kind of long-horned cows, and indeed the greatest part of the midland counties, yet they are only a shabby mixed breed, much inferior in fize and figure to the Lancashire breed, from whence it is very probable they all originated. Leicestershire, Warwickfhire, &c. have got a better and more profitable fort of long-horns than Lancashire at present, by buying up their

best bulls and heifers for many years past, before the people of Lancashire were well aware of it. Indeed the former paid more attention to that kind, which were of a true mould or form, confequently quicker feeders; while the latter contented themselves with the old-fashioned, large, bigboned kind, which are not only flower feeders, but, when fed, are not fuch good eating beef. In short, the little farmers in Lancashire, tempted with the high prices given them for their best stock, had lost their valuable breed before they were quite fenfible of it.

As I may often have occasion, in this Treatife, to mention Mr Bake-well, from the superior manner in which he has distinguished himself in the breeding of cattle and sheep, I would beg leave, by a short digression, to point out some of the principal

advantages this Gentleman's breed of flock has over those that were in greatest eft repute before his day:—For he absolutely struck out new lights, and not only adopted a breed of cattle and sheep, different from, and superior in many essential respects to most others, but established them in such a manner as to gain ground in every corner of Great Britain and Ireland, in consequence of their superior merit.

The kind of cattle that were most esteemed before Mr Bakewell's day, were the large; long-bodied, big-boned, coarse, gummy, slat-sided kind, and often lyery or black-sleshed. On the contrary, this discerning breeder introduced a small, clean-boned, round, short-carcased, kindly-looking cattle, and inclined to be fat; and it is a fact, that these will both eat less food in proportion, and make themselves sooner fat, than the others: they will

in truth pay more for their meat in a given time, than any other fort we know of in the grazing way. His sheep are still more excellent than his cattle; but as we shall have occasion to speak of these afterwards, I will only add, that perhaps this Gentleman was the principal cause of the Lancashire people losing their best breed; but then he also was the means of establishing a much more advantageous one in Leicestershire.

There are feveral more eminent breeders in that spirited part of the island, where they have carried the breeding of useful stock to a pitch unknown in former days, and what other parts of the island have still only a very faint idea of. Mr Bakewell well deserves the thanks of his country, for promoting the breeds of useful domestic animals:—This Gentleman, by his laudible example, has

not only improved the breeding of good stock near home, but has spread it every-where within those islands. The Irish breeders have given him very large prices for his bulls: Mr Bakewell keeps great numbers, and has let several for one season, as high as from twenty to sixty guineas each, into different parts of Britain.

The short-horned breed of cattle, is the next to be described; and it is pretty evident that our forefathers have imported these from the Continent:—First, because they are still in many places called the Dutch breed:—2dly, because we find these cattle no-where in this island, except along the east coast, facing those parts of the Continent where the same kind of cattle are still bred; and reaching from Lincolnshire southwards, to the borders of Scotland northwards. The

long-horns and these have met upon the mountains which divide Yorkshire from Lancashire, &c.: and, by croffing, they have produced a mixed breed called half-longhorns; a very heavy, strong, and not very unuseful kind of cattle: but we do not find that the one kind have spread further west, nor the others east.—But, 3dly, I remember a Gentleman of the county of Durham, (a Mr Michael Dobison), who went in the early part of his life into Holland, in order to buy bulls; and those he brought over, I have been told, did much fervice in improving the breed: and this Mr Dobifon, and neighbours even in my day, were noted for having the best breeds of short-horned cattle, and fold their bulls and heifers for very great prices. But afterwards, some other people of less knowledge going over, brought home fome bulls that in all probabi-

lity introduced into that coast the difagreeable kind of cattle, well known to the breeders upon the river Tees, and called lyery, or doubled-lyered, that is, black-fleshed; for, one of these creatures, notwithstanding it will feed to a vast weight, and though you feed it ever fo long, yet will not have one pound of fat about it, neither within nor without †; and the flesh (for it does not deferve to be called beef) is as black and coarfe-grained, as we generally suppose horse-flesh to be. However, by the pains and attention of the breeders, this useless disagreeable breed is now pretty well out of the country.

† I once faw one of this fort killed, which, after feeding all summer, had not a pound of fat, inside nor out; but I confess it was one of the compleatest of the kind I ever saw: Its two ends, viz. shoulders and buttocks, were heavy, round, and coarse, without any hip-bones at all standing up, and the body quite small; in short, it was more like an ill-made black horse, than an ox or cow.

country. No man will buy one of this kind, if he knows any-thing of the matter; and if he should be once taken in, he will remember it well for the future; for people conversant with cattle very readily find them out, from their round form all over, particularly their buttocks, which are turned like a black coach-horse, and the smallness of the tail: But they are best known to the graziers and dealers in cattle, by the feel or touch of the fingers; and indeed it is this nice touch or feel of the hand, that in a great measure constitutes the judge of cattle-But more of this afterwards.

The Yorkshire sirkin-butter so famous in the London markets, and
thin skimmed-milk cheese, are all
made from the cows of this breed;
for they give the most milk of any
kind of cows we know of, tho' it is
generally said not to be so good in
quality

quality as the long-horned cows milk; and tho' the cheeses made from long-horned cows, fetch the highest price at market, yet the firkin-butter made from the short-horns has the best character.

Our heaviest and largest oxen, when properly fed, victual the East-India fhips: as they produce the thickest beef, confequently keeps in the juices, and fuits best for fuch long voyages. Our Royal Navy should also be victualled from these; but, by the jobs made by contractors, and the abuses lately crept in, our honest tars, I am afraid, are often fed with flesh rather than that valuable beef. However, the coal-ships from Newcastle, Shields, Sunderland, &c. are totally supplied from the beef of these valuable animals. These oxen in common feed to from 60 to 100 stone weight, 14 lb. to the stone; and they have several times

times been fed to 120, 130, and some particular ones to 140 stone the four quarters only.—Sir Thomas Haggerstone of Haggerstone in Northumberland, perhaps bred and fed the two largest and heaviest oxen of this or any other breed then shewn in this kingdom: The best judges allowed them to weigh 140 stone each; -however, their real weight was not known, as Sir Thomas, or his steward, I am told, fold them to two butchers, who attempted to drive them to Edinburgh to shew them alive for money by the head; but I understand, the one dropped down dead on the road, and the other in Edinburgh, or between that place and Glafgow, from their exceffive fat, and inability to travel,-or rather from the want of judgment or neglect in the drivers. Since Sir Thomas Haggerstone's oxen were killed, Mr Hill of Blackwell near Darlington in the county of Durham, in the year 1779, had an ox killed, of his own breeding and feeding, whose four quarters weighed 151 stone and 10 lb. 14 lb. to the stone; and which I believe exceeded any ox ever fed in this island, for either fat, weight, or beauty.

This breed of cattle, like most others, is better and worse in different districts; not so much owing, I apprehend, to the goodness or badness of the ground, as to the judgment and attention of the breeders.—In Lincolnshire †,

† In a journey through Lincolnshire last Autumn 1784, I was happy to find that many of those sensible breeders had improved their breed of short-horned cattle very much (since my visiting that sine county ten years before) from good bulls and heisers brought from the county of Durham and Yorkshire, on both sides of the river Tees, where the best are confessedly bred; especially Mr Fisher of Kirkby near Sleaford, who has remarkable sine cattle indeed, shewed me one ox entirely white, which I thought the handsomest and heaviest I ever had seen, Mr Hill's excepted.

colnshire, (which is the farthest fouth that we meet with any quantity of this kind of cattle), they are in general more subject to lyer or black flesh, than those bred farther north: And in that rich flat part of Yorkshire called Holderness, they are much the fame as fouth of the Humber of which we have been speaking. It is probable they had fluck more to the lyery, black-beefed Dutch breed, than their more northern neighbours, at that unfortunate period when thefe were imported from the Continent, or perhaps the latter had feen their error fooner. But, from whatever caufe this happened, it is a fact, that as foon as we crofs the Yorkshire Wolds northward, we find this breed alter for the better: - they become finer in the bone, in the carcafe, and in a great measure free from that disagreeable lyery fort, which has brought

E 2

fuch

fuch an odium upon this perhaps most valuable breed. When you reach that fine country on both sides of the river Tees, you are then in the center of this breed of cattle—a country that has been long eminent for good stock of all kinds—the country where the Dobbisons sirst raised a spirit of emulation amongst the breeders, which is still kept up by Mr Hill, Mr Charges, Mr Collings, Mr Maynard, &c. The Darlington and Yarm annual fairs still continue to send out large droves of sine oxen, steers, and queys.

I am forry to observe, that there are much sewer steers kept now, than used to be formerly. Two reasons may be assigned for this:—First, Lands are now rented at so high a pitch, that farmers cannot afford to keep steers to the age of oxen, without working them:—which brings me to my second reason, viz. That sewer oxen are used in the draught now than formerly.

And a remedy for this complaint perhaps may not be fo readily pointed out; because, tho' a few people are convinced of the utility of drawing oxen in many cases, yet the generality of farmers will be very unwilling to be perfuaded to this, because oxen are flower in their motion than horfes, without adverting to the advantages attending the oxen in the feeding, shoeing, harness, &c.; but above all, the conclusion (between an ox fatted for the shambles, after working three or four years, or indeed a lean ox fold to feed, and a horse fold to the dog-kennel) is fo exceedingly striking, that I prefume most people, when they reflect upon this very important matter, will agree to the drawing of oxen in every kind of work wherein they fuit. I use the expression suit, because I would not be understood to think, as fome people do, that oxen will

will answer as well as horses in every kind of farming work; by no means:

—But I apprehend, that oxen will do several kinds of home-work equally as well as horses. I advance this opinion from several years experience: and I do believe, that most farmers might use part oxen along with their horses; but permit me to say, that I would in general recommend the oxen to draw by themselves, and the horses by themselves, because the difference of the step does not suit at all.

Much more might be faid upon this important fubject, but I must not now enter upon it; and will only add, that I heartily wish our Legislature would take this matter into consideration, and give premiums to encourage the rearing and drawing of oxen, and also to promote the breeding of the best kinds of stock, as there is little doubt but it would have most benesicial ficial effects.—It is true, that many of our agricultural focieties do give premiums for the above purposes; but these, though highly meritorious, are only partial, and confined to certain districts, while the influence of the other would be general and extensive.

The north part of Durham, all Northumberland, and a few places in the fouth of Scotland, are almost the only places in this island where any number of oxen are now kept to age. Part of these are bought by the drovers, to go south, for grazing; the rest are fed at home, to supply the coaltrade. It is true they draw a few oxen in Herefordshire, and some of the western counties; but those of Lancashire, Yorkshire, &c. are now mostly fold at three, four, or at most five years old, steers and oxen.

THE

† In Sussex, I believe, and perhaps in Devonshire, they draw oxen; but, as I said before, I am unacquainted with these two counties.

THE Polled or Humbled Cattle come next under our confideration, -- a kind well deferving of notice. We find a few of these straggling through different parts of England and Scotland: amongst the rest, I remember Lord Darlington, not many years ago, had a very handsome breed of them, finely globed with red and white. But we must look for the original of these in Galloway, a large district in the fouth - west of Scotland: They are mostly bred upon the muirs or hilly country, and grazed upon the lands nearer the fea, until part of them are rifing four, and others five years old, when the graziers and drovers take them up in prodigious numbers to the fairs in Norfolk and Suffolk +, previous

† The principal fairs are Woolpit in Suffolk, Hempton-green, Harleston, and Saint-faiths in Norfolk. previous to the turnip feeding feafons: from whence they are again removed in the winter and fpring, in part to supply the amazing consumption of the capital, where they are readily fold, and at high prices; for, few or no cattle fell fo high in Smithfieldmarket, being fuch nice cutters up, and laying the fat on upon the most valuable parts; and this is a great ex-, cellence in all feeding cattle. It is no uncommon thing in this refined market, to fee one of these little bullocks outfell a coarse Lincolnshire ox, tho' the latter be heavier by feveral stones weight !.

The manner of rearing calves in Galloway, is fo fingular, and fo different from any-thing of the kind that

‡ I was told by a Lincolnshire grazier, that a Lincolnshire bullock, and a Scotch bullock, sent from the same village to Smithsield, at the same time, were sold for exactly the same money, tho' the Scot was only half the other's weight.

that I had before feen or heard of, that I hope the mentioning of it here will not be objected to .- They are allowed to run with their dams all the day; but are prevented from fucking, by means of a small piece of leather with sharp spikes of iron fixed upon the outfide, tied upon the upper part of the calf's nofe, which prickling the cow every time the calf attempts to fuck, prevents her from letting it fuck; until the milk-maid comes, when she takes off the muzzle from the little animal's nofe, and while she strips two of the teats, the calf takes care to empty the other two. As foon as the maid has done, fhe fixes on the instrument again; but it is done in fuch a manner as not to hinder the calf from feeding upon the grafs, though it is not allowed to taste the milk until the girl returns to her milking.

I do not recollect whether they do it in Galloway, but I have observed that it is the general practice through Scotland, to milk their cows in fummer three times in the day. In Galloway they fpay more queys than perhaps in all the island besides; and in this too their methods are different from any other part I am acquainted with, for they do not cut them until they are a year or near a year old; whereas in every other place I know, the quey calves are spayed from one to three months old: and indeed it is now generally admitted as the fafest practice, to castrate calves and lambs, male or female, while very young.

I find the breeders in Galloway, like most other breeding countries in these kingdoms, complain of their old breed being lost, or at least much wore out. That there may be some truth in these complaints, I will not

take upon me to deny:-But perhaps there may be other reasons which in some measure contribute to lead people into this way of thinking. In this age of improvement, I apprehend we examine more narrowly: we distinguish with more perspicuity, and confequently we judge more nicely. We are not content now, with judging by one of our fenses, as I believe used to be the case, viz. by looking on flightly; but we now join the fense of feeling to feeing. The farmer of this day is not ashamed to learn from the butcher to feel with the fingers, that touch-stone of knowledge, in regard to the judging of animals already prepared, or to be prepared for the shambles. We undoubtedly first judge by the fight; which being pleased, we bring the fense of feeling to its affistance +;

† A nice or good judge of cattle and sheep, with

ance;—and if this also approves, we then conclude that the animal suits our purpose, or is answerable to the idea we had formed of it.

From these, and such like reasons, I have been induced to believe that breeders and graziers are misled, or mistaken at least in a great measure, respecting the breeds of cattle, &c. being loft, and of cattle, sheep, &c. being worse now than formerly.-The fact I apprehend is, that from our more refined notions, we are become worse to please; and if matters go on in the right line, we shall every day become nicer and clearer in our judgments of stock, as well as other things. How is it probable that we should lose our best breeds of cattle?

or

with a flight touch of the fingers upon the points of the animal, viz. the hips, rumps, ribs, flank, breaft, twift, shoulder-score, &c. will know immediately whether it will make fat or not, and in which parts it will be the fattest, &c.

or that our domestic animals should decline in real value? when fuch a laudible spirit for the breeding of good stock every-where prevails, and fuch an encouragement to it; for, tho' our corn - markets keep fluctuating, and of late years have been in common below par in the north and east parts of Britain, in proportion to the great advance in the rents of farms, yet the value of black cattle and sheep have kept progressively advancing; fo that the importation of livecattle from our fifter-kingdom, had not fuch a material effect as might have been expected .- But, to return to the breeders in Galloway, and even fuppofing their breed of cattle in fome degree loft, yet there is little doubt not only of its being recovered, but still more improved, when such a leading nobleman as Lord Selkirk is among the breeders. Mr Murray of Broughton,

Broughton, and Mr Herring of Corrough-tree, have been long very eminent in the breeding of Galloway cattle. Mr Craik, Mr Dalyell, and feveral others, have tried a cross from Mr Bakewell's bulls; but how far this has fucceeded, I have not yet been able to learn: indeed I do not fee how they can judge themselves without a fuller trial. But I found that the generality of the breeders were against croffing with Mr Bakewell's or any other kind of cattle, believing that their real original polled breed had already been injured from croffing with different kinds.

Tho' the generality of their cattle are polled, yet they have several with horns, which they say are a bastard or mongrel breed, from crossing with long-horned bulls from Westmoreland and Cumberland. They prefer the polled ones, and of these the

black or dark-brindled ones, to any other; and all allow them to be the original breed of the county. The general weight of their steers or oxen, is from forty to sixty stone, some reach seventy and upwards.

KILOES, or Highland cattle, according to our arrangement, are the next to be treated of.—These hardy animals are in possession of all that extensive and mountainous country called the Highlands of Scotland, together with the islands bounded on all fides by the fea and the Grampian hills, which, as I understand them, begin on the north fide of the Frith of Clyde, and run into the east sea near Aberdeen. All the Lowlands of Scotland, except Galloway, which we have already treated of, have a mixed breed of cattle. Towards Cumberland, they are half long-horns, half polls. On the borders

ders of Northumberland, they are mixed with short-horns, until you reach near Teviotdale, when they become altogether a coarfe kind of short-horns, or what the Yorkshire jobbers call Runts; except a few pretty good shorthorned cattle bred in that pleafant and fine country the Tweed-fide. This fame kind of runtish coarse breed, continues all the way to the Frith of Forth. Croffing this narrow fea into Fifeshire, you would at first imagine the Fife cattle a distinct breed, from their upright white horns like a Welsh ox, being exceedingly light-lyered and thin-made; but I am pretty clear it is only from their being more nearly allied to the kiloes, and confequently less of the coarse kind of short-horns in them. The cattle all along this coast, continue to change more and more, growing still less until upon the edges of the mountains they become quite

quite kiloes, but still much inferior to that pure unmixed valuable breed of kiloes which we meet with in the more northern and West Highlands, and all the islands, but particularly the Isle of Skye, and that tract of country called Kintail. It is in thefe two noted places that you meet with the native breed of kiloes; a hardy, industrious, and excellent breed of cattle in every respect, calculated to thrive in a cold exposed mountainous country. When these are taken fouth, and grazed, they both feed very readily, and afford remarkable good beef: their colours are black, brindled, or dun, in general; but the breeders here, like the Galloway people, prefer the black ones.

Prodigious numbers of these cattle are every autumn drove to the south-ward. Many of them are bought up by that great dealer Mr Birkwhistle,

for that western district of Yorkshire called Craven: many more are fent into Norfolk, Suffolk, Effex, and other parts of the fouth of England, where they are fatted, and either flaughtered at their home-markets, or fent to Smithfield. The demand for kiloes into England, is of vast importance to the Nobility and Gentry who have estates in the North of Scotland, as the most of their rents are paid in live cattle. The weight of these cattle runs in general from twenty to thirty-five stone; some particular ones reach to more than forty.

The French or Alderney breed of cattle, are only to be met with about the
feats of our Nobility and Gentry, upon account of their giving exceeding
rich milk to support the luxury of
the tea-table. Indeed if it was not
for the sake of method, and my beG 2 lieving

lieving them a distinct breed, I might have faved the trouble of naming them at all; as I imagine this breed too delicate and tender ever to be much attended to by our British farmers, for they are not able to bear the cold of this island, particularly the northmost parts of it. They are very fine-boned in general, light-red or yellow in colour, and their beef generally yellow, or very high-coloured, tho' very fine in the grain, and well-flavoured. They make themselves very fat; and I never remember feeing one of them in the least subject to lyer, or blackfleshed; and I have seen some very useful cattle bred from a cross between an Alderney cow and a shorthorned bull.

WE come now to the fixth and last distinct breed of cattle, according to our opinion, to be met with in this island,

iflandt, viz. The Wild Breed .- Thefe, from being untameable, can only be kept within walls ;--confequently, but a very few of them are now to be met with, preserved out of curiofity by fome of our Nobility: they are fo absolutely wild, that those I have seen could not be come fo near to, as to form a proper judgment of them .-These were all over of a creamy or dimmish white, except the ears, which are red, their hair long and thick all over them, horns milk-white, and stand as upright as those upon a Welsh bullock .-- As foon as we came near them, they fled to a confiderable distance; then turned fuddenly round, and fet themselves as in battle-array, facing us, knocking their horns one against another.

We were told by the park-keeper, that they always conceal their calves

+ Except the Suffex and Devonshire breeds, which, as I said before, I am unacquainted with. from the first dropping of them, which would be very difficult to find if he was not to watch the dam early or late, when she goes privately to give it suck; after which it immediately claps down again, among brakes, rushes, &c. while she steals away with great caution.—We were also told that they feed well; that the beef is sine-grained, and well-flavoured; and indeed their form denotes kindly slesh, from what we could judge.

I had almost forgot to observe, that when the park-keeper wants to castrate a calf, having previously well marked the place where it is hid, he goes very softly till he seizes his prey; then, after making as short work as possible, he runs to his horse, (which is hooked as near as can be), and rides for his life; for, the first noise of the calf, brings not only the dam, but the whole herd instantly;

and he told us that he fometimes escaped very narrowly, as it makes them quite outrageous: the shooting of them is also attended with danger.

HAVING given a kind of history of the different breeds of cattle made use of in this island, we shall now, according to promise, endeavour to point out the perfections and imperfections of each.—First, then, the longhorns are most remarkable for, and different from the other kinds, in the length of their horns, the thickness and firm texture of their hides, the length and thickness of their hair, size of their hoofs, and coarse leathy thick necks: they likewise are deeper made in their forequarters, and lighter in the hind quar-

† Chillingham in Northumberland, a Seat belonging to the Earl of Tankerville, is the only place where I have feen this curious wild breed, tho' I am told some others of our Nobility have of them.

ters, than the other breeds in general: they are narrower in their shape, less in point of weight than the shorthorns, though better weighers in proportion to their fize, and give confiderably less milk, though it is faid to afford more cream in proportion: they are more varied in colour than any of the other breeds; but whatever the colour is, they have in general a white ftreak or lace along their back, which the breeders term finched. They are understood by graziers to be in general rather flow-feeders; except that particular kind diftinguished and recommended by Mr Bakewell: thefe are faid to eat less food than the others, make remarkably fat in a short fpace of time, and lay their fat upon the most valuable parts, but have little tallow in them when fed; and when used to the dairy, give very little milk. It is also observable, that this kind

differ from the rest of the long-horned cattle, in having very fine clean fmall bones in their legs, and very thin hides. The fhort-horns differ from the other breeds in the shortness of their horns, being wider and thicker in their form or mould, confequently feed to the most weight; but the most essential difference confifts in the quantity of milk they give beyond any other breed: their being tenderer than the other kinds, (the Alderney excepted), may probably be owing to giving fuch a large quantity of milk. Indeed they have in general very thin hides, and much lefs hair upon them than the other forts, (Alderneys always to be excepted); they also afford by much the most tallow when fattened. It is faid of this kind, and I suppose very justly, that they eat more food than any of the other breeds: nor shall we wonder at this, when we consider that they excel in those three valuable particulars, viz. in affording the greatest quantity of beef, tallow, and milk. Their colours are very much varied; but the generality are red and white mixed, what the breeders call flecked, and when properly mixed is a very rich fine colour.

Speaking of the colours of neat cattle, reminds me of a conjecture which I will take the liberty of mentioning. In all the accounts of cattle relative to this island, which I have seen either in deeds or law-statutes, they are called black cattle. Now, I would only ask, whether this does not strengthen that opinion of the short-horned breeds being introduced from the Continent, perhaps some time after our sea-coasts and low-country was improved and inclosed? and before that period, is it

not probable we had mostly the small black cattle, which still are to be met with in all the wild mountainous uncultivated parts of Wales and Scotland?

Now we will speak of the Galloway Breed, or Polled Cattle.-This valuable breed feems to be about as much less in weight and fize to the long-horns, as these are to the shorthorns; but they differ most essentially from every other breed of cattle, in having no horns at all. Some few indeed (in every other respect polls) have two little unmeaning horns, two, three, or four inches long, hanging down loofe from the fame parts that other cattle's horns grow from, and are joined to the head by a little loofe skin and flesh, and are somewhat curious. In almost every other respect (except wanting horns) these H 2 cattle

cattle resemble the long-horns both in colour and shape; only they are shorter in their form, which probably makes them weigh less. Indeed their hides seem to be between the two last-mentioned breeds, not so thick as the longhorns, nor so thin as the shorthorns; but, like the best feeding kind of the long-horns, they lay their fat upon the most valuable parts, and their beef is more mixed with fat, or marbled, than the short-horns in general,

The Kiloes come next in course. These are still less in proportion to the polled cattle than they are to the long-horns, or those to the short-horns. These also are covered with a long thick coat of hair, like the polls and long-horns; and, like these, their beef is fine-grained, well-slavoured, and mixed or marbled, but not so hand-

handsome on the outside of the beef when killed, and not of fo bright a colour, but are often spotted with black, even upon the best parts, except when made very fat. Nevertheless, these are a most valuable breed of cattle, and better adapted perhaps to the cold regions where they are bred, than any other kind we are acquainted with. However, Admiral Sir John Lockhart-Rofs, and fome other spirited Gentlemen, have tried fome croffes between long-horned bulls, and the Isle of Skye cows. Whether this will answer the end defired or not, time will shew; but whatever the refult may be, there is certainly great merit in the attempt.

As we have now gone through the perfections and imperfections of these four kinds of cattle, which I prefume are the most worthy the attention of our farmers, graziers, and breeders, (for I apprehend the Alderney and wild cattle are out of the question, for reasons before given), we will beg leave to make a few comparisons and observations before we conclude this subject; and in doing this, we shall begin with the Kiloes first, for reasons which will appear afterwards.

But, previous to that, I would obferve, that though a breed of cattle
may have much merit, and fuit fome
particular districts exceedingly well,
and better perhaps than any other
kind we know of; yet it would be
very abfurd to affert, that they would
answer as well in every part of the
country, or even in those parts wherein
they have not yet been tried: and admitting that in some of those parts they
might answer exceedingly well, yet
who will pretend to say that they will
suit in all?

From these considerations, I think my experienced Readers will readily agree with me, that though this very useful breed of little cattle suit so well upon the bleak hills in the North, as not to be in danger of being outdone by any other breed; yet that it would be very absurd to suppose they will answer to breed in those rich grounds by the river-sides, or in the fertile plains in our midland countries, better than the breeds already made use of in those parts.

Let us then leave this industrious and hardy breed in quiet possession of their own mountains, and consider how far this will hold good with the polled cattle.

Although I am very clear in what has been faid about the kiloes, yet I will not take upon me to fay that the right Galloway cattle would not do in the best breeding grounds we have,

because

because I confess that I have a very high opinion of this breed as quick true feeders, and as kindly slesshed, or excellent eating beef, by which they have established their character in the first market in the island. How they would answer as dairy cows, I cannot pretend to say, as I want sufficient information to judge from.

Since I wrote the above, I have been informed from good authority, that the polled cows are very good milkers in proportion to their fize, and the milk good in quality, which certainly adds to the value of this excellent breed: that the oxen and spayed heifers answer well for the draught. I have good authority to affert, however, as there is fuch a fimilarity betwixt the best of these, and that breed of long-horns referred to before, and recommended by Mr Bakewell, we will leave them, and go to these longhorns;

horns; but not without first wishing that proper trials were made with these, and between these, the long-horns and short-horns, by breeders of judgment, experience, and attention in the different breeding counties in this island.

We shall now return to these two breeds of cattle, the long-horns and fhort-horns, that are at prefent in possession of the best and greatest part of this island. These two rivalbreeds, between which it has long been a dispute with the breeders of both, which are the best and most advantageous, have been variously intermixed in different parts of Great Britain; but it is the two unmixed distinct breeds that we now mean to compare, and to the best of our knowledge, in the most unprejudiced manner, point out their different perfections and imperfections, and then leave the candid experienced reader to form his own judgment.

As we have already observed, the long-horns excel in the thickness and firm texture of the hide, in the length and thickness of the hair, and confequently must be hardier; in their beef being finer grained and more mixed or marbled than the short-horns, better weighers in proportion to their fize, and milk richer in quality: for as to their horns being longer, I do not think them either better or worse for that, and therefore do not bring it into the account. But they are inferior to the short-horns in giving a less quantity of milk, in weighing less upon the whole, in affording less tallow when killed, being in general flower feeders, and in being coarfer made, and more leathery or bullish in the under fide of the neck. In few words, the long-horns excel in the hide, hair, and quality of the beef,-the shorthorns in the quantity of beef, tallow, and

and milk. Each breed have long had, and probably long may have their particular advocates; but if I may hazard a conjecture, is it not probable that both kinds may have their particular advantages in different fituations? Why may not the thick firm hides, and long close-set hair of the one kind, be a protection and fecurity against those impetuous winds and heavy rains to which the west coast of this island is so subject, while the more regular feafons and mild climate upon the east coast is more fuitable to the constitutions of the shorthorns or Dutch breed. I would wish to be understood, that when I say the long-horns exceed the short-horns in the quality of the beef, I mean that preference is due to the particular breed of long-horns only taken notice of before, as felected, distinguished, and recommended by that most attentive

breeder Mr Bakewell; for as to the long-horned breed in common, I am inclined to think their beef rather inferior than fuperior to that of the generality of short-horns; and there is little doubt but a breed of short-horned cattle might be felected, equal, if not fuperior to even that very kindlyfleshed fort of Mr Bakewell's, provided any able breeder or body of breeders had or would be at the same pains and pay the fame attention to thefe that Mr Bakewell and his neighbours have done to the long-horns. But it has all along been the misfortune of the fhort-horned breeders to purfue the largest and biggest-boned ones as the best, without considering that those are the best that pay the most money for their keeping in a given time. However, the ideas of our short-horned breeders being now more enlarged, and their minds more

open to conviction, we may hope in a few years to see great improvements made in that breed of cattle.

I have hitherto taken no notice of the Irish cattle, though it behoves the breeders in that island above all others in the British dominions to pay attention to the breeding of cattle, as beef is the staple commodity of the island; and however Great Britain may have fuffered, it is highly probable that the Irish have been benefited by the high price their beef has born during the war with America.-I take the Irish cattle to be a mixed breed between the long-horns and the Welfh or Scotch, but most inclined to the long-horns, though of less weight than those in England. It is wonderful to confider the numbers of cattle that fertile island produces: I have feen at one fair at Ballinasloe in the county

county of Rosecommon, I believe thirty-five thousand head of cattle shewn, and half of these fat ones, all bought up for the flaughter at Corke. Of late years, feveral of the Irish breeders have bought long-horned bulls and heifers at very high prices from Lancashire, Leicestershire, Warwickshire, &c. particularly the Mr Frenches and other spirited breeders from Rosecommon and different parts of the west of Ireland, which has been of very great advantage in improving their breed. I faw fome of the cattle descended from these crosses, shewn at Ballinasloe-fair, which were greatly fuperior to any others shewn there.

SHEEP.

## SHEEP.

THE third class of domestic animals which we proposed treating of are Sheep, the breeding of which is of the utmost importance to this nation, most worthy the constant attention of the Legislature, and the particular confideration of almost every farmer in Great Britain: for we have very few farms in this island, wherein sheep may not be kept to advantage, either in the stock way, in grazing, or feeding fat lambs .-- Mr Pope fomewhere fays, 'The fur that warms the Monarch, warmed a bear.' But the furs of these valuable creatures warm every class of people from the King to the beggar; employ thousands in the manufacturing of their fleeces, and whole fleets in the exportation. Every subject that his Majesty has, is interested

interested in this great staple commodity, from the Lord who sits upon a woolfack, to the industrious poor who chearfully card and spin.

The numberless flocks that are every-where spread over the face of this island, from the Land's-end to John-o'-Groat's house, are exceedingly intermixed and varied. Nevertheless, the original distinct breeds that I have feen, may, I apprehend, be reduced to feven, viz. 1st, the Lincolnshire breed; 2d, the Tees-water breed; 3d, the Dorsetshire breed; 4th and 5th, the two breeds we find upon the borders of England and Scotland, very different, tho' near neighbours, the one called the long sheep, the other the short sheep; 6th, the dun-faced breed, which is fpread through the greatest part of the Highlands of Scotland; 7th, the Herefordshire breed.

In regard to these seven different breeds of Sheep, we shall pursue pretty nearly the same method we did with the Cattle, after first giving a description of the Ram or Tupe of what I esteem the best breed.

## Description of the Ram.

His head should be fine and fmall, his face white, nostrils wide and expanded, his eyes prominent and rather bold or daring, ears short and thin, his collar full from his breast and shoulders, but tapering gradually all the way to where the neck and head join, which must be very fine and graceful, being perfectly free from any coarfe leather hanging down; the shoulders broad and full, which must at same time join so easy to the collar forward and crops backward as to leave not the least hollow in either place; the mutton upon his arm or

fore-thigh must come quite to the knee; all his legs white and upright, with a clean fine bone, being equally clear from fuperfluous skin and coarse hairy wool from the knee and hough downwards; the breast broad and well forward, which will keep his fore-legs at a proper wideness; his girth or cheft full and deep, and instead of a hollow behind the shoulders, that part by some called the fore-flank should be quite full; the back and loins broad, flat, and straight, from which the ribs must rife with a fine circular arch; his belly straight, the tail well fet up, quarters long and full, with the mutton quite down to the hough, which should neither stand in nor out; his twift deep and full, which with the broad breast will keep his forelegs open and fquare; the whole body covered with a fine thin rofy pelt, and that with a fine long, bright, foft wool.

WE shall now proceed to the first or Lincolnshire breed. - This fertile county, as I have faid before, has the fame right I suppose to be called the mother-county or country for longwool'd sheep, that Lancashire has to long-horned cattle: But the comparifon may be carried further; for as this last-named county, from paying too much attention to big bones, hide and horns, fuffered the Leicestershire and Warwickshire breeders to steal from them their valuable breed above referred to, before they were well aware of it; fo also the Lincolnshire breeders, by too great a fondness for heavy wool and large-boned sheep, suffered the same discerning fet of breeders from the midland counties, to rob them of a much more valuable breed of sheep, which they undoubtedly were first in possesfion of, before they were well fenfible of the value of them.

It is true that the Lincolnshire breeders can justly boast of clipping the greatest weight of wool from a given number of sheep, of any other fet of people in this island: but then this very heavy wool feldom or never fails to cover a very coarfe-grained carcase of mutton; a kind of mutton well known for its large grain and big bones in the London markets, which not only fells for lefs money by the pound in the metropolis than any other kind of mutton, and in every market in the island wherever they happen to be exposed to fale, but has brought an odium upon the large mutton which the best kinds do not deferve.

It is very well known that the mutton of that breed of sheep first introduced by Mr Bakewell, and now spread over most parts of the island, is as remarkable for the fineness of its grain,

grain, as the Lincolnshire sheep are for coarse grain; the former is also as fine-flavoured and fweet as a mountain sheep, possessing most of the good qualities of these breeds without their bad ones: Yet this is not the worst of it; for this kind of sheep cannot be made fat in a reasonable time in any part of the island except Romney-Marsh, their own rich marshes in Lincolnshire, or some very rich grazing grounds. Perhaps this is the best reafon we can give for a fet of fensible men fo long adhering to this coarfegrained flow-feeding tribe. Indeed the prodigious weight of wool which is annually shorn from these sheep, is an inducement to the marsh-men to give great prices to the breeders for their hogs or hogerils (as they are there called), which though they must be kept two years more before they get them fit for market, yet in the

mean time they get three clips of wool from them, which alone pays them well in those rich marshes. However, I am very glad to find that the prejudices of the Lincolnshire breeders are now giving way to their better-informed reason, as many of the great tupe-breeders in Lincolnshire are now hiring and buying rains from the midland counties; which is certainly the best, readiest, and only method to recover that valuable breed of sheep of which they first were in possession, and which they of any other county of Great Britain can make the most advantage, from having the greatest quantity of rich sheep pasturage.

After what has been faid, will it not appear very extraordinary, that not only the midland counties, but Yorkshire, Durham, and even Northumberland, can send their long-wool'd breed of sheep to market at two years old, fatter in general than Lincolnshire can at three. It is a matter of fact, however; and I have no doubt of clearing it up to the satisfaction of my unprejudiced readers in a few words.

The rich fat marshes in Lincolnshire are beyond any other county I know of in the island, best adapted to the growing and the forcing of long heavy wool. This, with the high price that kind of wool had given previous to the late war, very probably induced the sheep-breeders of that county to purfue it fo ardently in preference to every other requifite, that they neglected the form of the carcase and inclination to make readily fat; essentials that the other sheepbreeding counties were under a neceffity of attending to, or otherwise they could not have got them made fat in proper time, from their land not being

being in general near fo rich as the Lincolnshire marshes. In short the Lincolnshire breeders, by running so much upon wool and large bones, loft the thick firm carcase, broad flat back, fine clean small bone, and inclination to make fat; those distinguishing characteristics of our best sheep, and for which the Leicestershire breed is so eminently conspicuous, the introduction of which reflects fo much merit upon Mr Bakewell, who first faw the advantages attending this most useful breed, and who has fo fteadily purfued it that he has now established them in almost every corner of these islands; for, notwithstanding this breed originated in Lincolnshire, the honour was referved to Mr Bakewell, of improving it to a pitch unknown in any former period.

The Lincolnshire sheep were become like their black horses, two great ends

ends with a long thin weak middle. But they have another breed of sheep in Lincolnshire, which I believe are now much wore out, still worse than the other, and from whence they had them will not be eafy to make out. It is more than probable the large breed has come from the Continent, as well as the fhort-horned cattle; but thefe feem all their own: however we have none like them in this island that I know of, except what have fprung from Lincolnshire. The fort I refer to are absolutely dwarfs: every feature is expressive of that disagreeable deficiency fo strongly marked in the dwarfs in our own species; nor should I have named them here but as a matter of curiofity: however they are well known in that county, and go by the name of Dunkies or Tunkies, perhaps a corruption of the word tonguin, from which the Chinese pigs are vulgarly called Tunkies.

It is necessary to observe, that tho we give the honour of the heavywool'd sheep's origin to Lincolnshire as I have faid before, yet I look upon those to be only variations of the fame breed, which are spread through most of our midland counties, particularly Marchland in Norfolk, the Isle of Ely, Northamptonshire, Rutlandshire, Leicestershire, Warwickshire, part of Oxfordshire, Glocestershire, Staffordfhire and Darbyshire, Nottinghamfhire and the fouth parts of Yorkfhire, with all the Yorkshire wolds: But when we come North towards the river Tees which divides Yorkshire from the county of Durham, we there find that largest breed of sheep, in this island always called the Teeswater breed .-- This kind differs from the Lincolnshire, in their wool not being fo long and heavy, in standing upon higher though finer-boned legs;

yet supporting a thicker, firmer, heavier carcafe, much wider upon their backs and fides, and in affording a fatter and finer-grained case of mutton. These sheep weigh from 20 to 25 lib. per quarter; some particular ones have been fed to 50 lb. and upwards. But Mr Thomas Hutchinson of Smeaton, an eminent breeder and grazier near the river Tees, fed a wedderfheep, which was killed about Christmas, and weighed no less than 62 lb. 10 oz. per quarter, Avoirdupois; fuch an extraordinary weight as was never before heard of in this island by several pounds per quarter. The ewes of this breed generally bring two lambs each feafon, and fometimes three, four, or even five. -But, speaking of the fecundity of these sheep, puts me in mind of an account I had from a correspondent in regard to the fruitfulness of a ewe belonging to an

acquaintance of his, which I will beg leave to transcribe in his own words, for the satisfaction of the curious part of my Readers.

Mr Edward Addison's ewe, when two years old, (viz.)

In 1772, brought him 4 lambs.

In 1773, - 5

In 1774, - - 2

In 1775, - - 5

In 1776, - - 2

In 1777, - - 2

N. B. The first nine lambs were lambed within eleven months.

It is only right to observe, that this large breed of sheep are not adapted to live in large flocks, or upon bare pastures: they require good ground, lying thin on, viz. few together or in small parcels, and great indulgence in winter. Accordingly we find, that in the fine tract of country by the Tees, where these sheep are principally kept,

kept, the land is in general good, well sheltered, and cut into small inclofures, where they keep a very small number in the same field, allow them to go to a hay-stack all the winter, or to hecks or sheep-racks well supplied in the field, and very frequently give the ewes corn in troughs previous to their lambing.

THE Dorfetshire breed of Sheep come next before us, and are faid to bear lambs twice yearly. But I am inclined to believe this is a mistake; for, admitting that they may bring lambs twice in one particular year, yet they cannot well do it the next year, or for a succession of years: or at least if they suckle their lambs, I think they cannot; because when it is considered that a ewe goes with lamb twenty-one weeks, she must consequently have only ten weeks to suckle or feed her

two different breeds before she takes the ram again, which will scarce suffice †. But the peculiar property of this curious breed of sheep, and what makes them fo exceedingly convenient and advantageous to breed from, is, that you can have them to lamb at whatever feafon of the year you choose, so as to have that particular kind of fat lamb called house-lamb, which is fo early found at the tables of the Nobility and Gentry, and even among our tradefmen in these luxurious times, and which are brought to London market by Christmas or sooner

if

† Since I wrote the above, I have been informed by a correspondent, that the Dorsetshire ewes are capable of bringing lambs twice a-year; because my friend tells me, from a peculiarity in their constitution, they will take the ram two days after lambing, but do not conceive: however, eight days after that, they have a second embrace, when they most generally prove with lamb, notwithstanding they give suck at the same time.

if wanted, and after that a constant and regular fupply is kept up all the winter. At their first appearance, they are frequently fold for half-aguinea, fifteen shillings, and sometimes more per quarter; from which time they lower gradually in price until the fpring affords plenty. The lambs are imprisoned in little dark cabbins or cupboards, where they never fee the light except when the fhepherd fuckles them upon the ewes. The ewes are fed with oil-cake, hay, corn, and turnips, cabbages, or any other green food which that feafon affords: these are given them in a field or close contiguous to the lamb apartments, whereunto at proper times the attendant brings the nurses, and while the lambs fuck, their lodgings are made perfectly clean, and littered with fresh straw. Vast attention is paid to this, for very much depends upon cleancleanliness. Thus are invention and industry exerted to the utmost, to supply the wants of luxury.

It used to be faid some years ago, that this most fingular breed of sheep would not bring lambs fo early except in the fouthern parts of England, and that it was much owing to a particular mode of treatment practifed by the shepherds and breeders in Dorfetshire and the neighbouring counties, fuch as heating the ewes by driving, &c. and then turning the rams to them. Others again afferted, that it was owing to the particular herbage produced upon the Dorfetshire downs. But thefe imaginary notions are now all exploded, because it is well known that York, Durham, Newcastle, and even Edinburgh, are of late years fupplied with Christmas house-lamb from the Dorsetshire sheep, without any particular arts being made use of. This

This breed of sheep are white-faced, and most of them have horns, stand upon high fmall legs, long and thin in the carcase, and vast numbers of them without any wool upon their bellies, especially in Wiltshire, which gives them a very uncouth appearance to strangers. They produce a small quantity of wool; but that is very fine in quality, though it varies in different districts .- The mutton of these sheep is also very sweet, and well-flavoured. The variations of this breed are fpread through most of the southern counties; but the true kind is only to to be found in Dorfetshire and Wiltshire. There is a breed not unlike these in Norfolk and Suffolk, which they fold on their fallows, but they are all grey or black-faced, and most of those I have seen in the west, viz. Gloucestershire, Worcestershire, Herefordshire, &c.; though some of them,

very different from the Dorsetshire, are I apprehend only variations of this breed, which variations continue northward until they are lost amongst those of the Lincolnshire breed.

They have a particular breed of sheep, mostly horned, in that western part of Yorkshire adjoining Lancashire called Craven, and the Sundales. I know not which breed to annex them to, but I think they have a good deal of the Dorsetshire in them, especially their horns and white faces.

After leaving these to the northwards, we first meet with that hardy, black-faced, wild-looking tribe, which in the borders are called the short sheep, in contra-distinction to that other border-breed which we shall next treat of, and generally known by the appellation of long sheep. The short kind, then, we have observed,

begin fomewhere in the northwest of Yorkshire, and are in possession of all that hilly or rather mountainous track of country adjoining the Irish fea, from Lancashire southward, to Fort-William northward. Indeed their migration into the Western Highlands of Scotland, has only been of late years; nor is there the least doubt of their answering equally as well in the mountains of Argyleshire, as in those of Westmoreland and Cumberland: for, it is well known, that the climate is pretty much the fame in all that rugged coast, having almost uninterrupted rains and strong winds. Indeed the Galloway and Ayrshire sheep are in some degree different; but I take it only to be a variation probably from croffes between thefe and the long sheep. But, within these few years, they have in these two counties been making fome trials of

that most useful kind of sheep, best known by the name of the Dishley's breed; and every friend to his country will be glad to hear, when I now inform him that they have hitherto succeeded beyond expectation. Nor will any person conversant with breeding sheep, be surprised at this; because they are in every respect as well or better calculated to thrive in the flat country and lower hills, as the black-faced ones are for the mountains.

This hardy race differ from our other breeds, not only in their dark complection and horns, but principally in the long coarse shagged wool which grows upon these mountaineers. The sleece is not unlike the hair growing upon a water-spaniel, and is seldom sold higher than from 1½d. to 3d. per lib. Their eyes have a very sierce wild cast: they run with assonishing agility, and seem quite adapted to these

these heathy mountains that run along all the west of Scotland, and the northwest of England: they are feldom fed until they be three, four, or five years old, when the mutton is faid to be excellent, and gravy highflavoured. The three great fairs for thefe sheep, and where amazing numbers of them are fold every year, is Stagshawbank in Northumberland, Appleby in Westmoreland, and Linton in Scotland. I have been told that they have been trying this breed in those remote parts to the north of the Murray - Frith, viz. Ross-shire, Sutherland, and Caithness; nor is there a doubt of their answering better than the kind they have, which are the last breed in our arrangement, and which we shall describe by and by.

But first let us give some account of the long sheep, which though next neighbours to the short ones, are almost

most as different from them as sheep from goats: for, as the latter are horned, black-faced and black-legged, coarfe shagged open wool, with very short firm carcafes; the others, on the contrary, have long thin carcafes, thick planted fine tender wool, white-faced, white-legged, and without horns. Indeed some few of these are speckled in the face and legs; but those are a mixed breed from the two kinds being probably croffed at different times where they have been fo very long neighbours: For, as you leave the heights of Annandale to the eastward, you infensibly loose the short sheep and mixed breed; after which, all those extensive fine green hills on both the Scotch and English borders from Redwater fouthward, and on all fides of the mountains of Cheviot until you join the barren heaths of Lammer-muir northwards, are covered with

with the long breed:—a kind of sheep in my own humble opinion, very ill calculated for a mountainous country, particularly those to the fouthward called Redwater sheep, which are formed more like a fox than a sheep. Indeed the fine herbage which these border hills every-where produce, fupports these sheep so well in summer as to enable them the better to stand the feverity of their winters. Great numbers of these sheep are fold in Yorkshire when three years old, and when fed there upon turnips, &c. have the character of what the butchers call dying to their handling, and affording good eating mutton: their wool is fo light as not to weigh more than 2 or 3 lb. per fleece; however it fetches a pretty good price.—Colonel Selby of Paston, in particular, who has paid much attention to his wool, generally fells as high as 9d. or 10d.

per pound. The wool of all this country, for want of home-manufactories, either goes to Scotland, even as far as Aberdeen and Peterhead, or into Yorkshire, to Leeds, Bradford, &c. to the latter mostly by land-carriage: But what is most extraordinary, a part of this wool, after being combed at Leeds, &c. returns into Scotland to be fpun; then is conveyed back to be made into stuffs, a part of which once more returns to Scotland for the people to wear. However, the industrious North-Britons are now establishing woollen manufactories in every corner, which I am well informed are patriotically supported by the first Nobility in Scotland; and it were to be wished that the Nobility and Gentry in Northumberland would imitate fo laudible an example. Such establishments would in all probability very foon prevent these very expensive and tardy conveyances.

All the low parts of Northumberland have a mixed breed of sheep between the long kind, the Tees-water, and the Lincolnshire; -in general a very tender, aukward, unprofitable breed, though much better than the kind they used to breed, which were properly enough called Mugs, and were no other I prefume than a larger kind of long sheep, perhaps from their better keeping in the low-countries; for they were mugged or wool'd into the very eyes. Some remnants of this breed that I have feen, have their wool fo grown about their eyes, that the poor animals could fcarce fee to eat or pick out the grafs. This mug or muff, by every breeder and grazier of experience in these days, is looked upon as a certain indication of a foft, tender, flow-thriving fort, while the chearful open countenance, without any wool upon the

face from the ears forward, (except what is called a topping), always denotes a kindly fort, and quick feeder. However, fince Mr Bakewell's breed has made its way into Northumberland, their sheep are very much improved; and they can now not only make them fat at an earlier date, but help to fupply Newcastle, Shields, and Sunderland, and all those populous environs, with as fat mutton as either the county of Durham or Yorkshire; and a vast quantity of fat sheep (as well as lambs in the feafon) are weekly fold in Morpeth from the North +, which

† From the north parts of this improving county, and both sides of the Tweed, because the natives of Scotland not having yet learned to eat fat mutton like the pitmen and keelmen about Newcastle, induces the Borderers to send their fattest mutton to Morpeth - market rather than Edinburgh, where the consumption of mutton is very small indeed compared with Newcastle, though pretty much increased of late years.

which perhaps ranks the third market in England for quantity of stock fold weekly or annually; Smithfield first, Wakefield second, Morpeth third.

On both fides the Tweed, the sheep are much the fame; but continue to grow worse northward, until we reach that extent of barren country called Lammermuir, where the sheep seem a mixture between the long and short kinds, but mostly inclined to the latter. From hence, all along that fine coaft called the Lothians, you meet with no fheep except a few to breed fat lambs from for Edinburgh-market : - For, our northern neighbours feem to have full employment for all their level fields to produce corn for homeconfumption. Even Fifeshire, Angus, and the Mearns, afford few of thefe innocent creatures: And when we ascend the Grampian Hills, we do not find them fo plentifully stocked with N 2 theep,

sheep, as the Southern Hills of this kingdom. Every-body who has vifited these mountains, must have perceived this to be owing to the pasturage being worse in quality and less in quantity than the Southern Hills. It is here, however, that we first meet with the fixth distinct breed of sheep that we have noticed in this island. -I know nothing of the Devonshire breed, called Dartmore Nats: - Nor was I ever in Cornwall, or very little in Wales; but most of the other parts I have been often in. And as it may add some weight to what has been faid of flock, particularly sheep, which have always been my favourite or hobby-horse, and to the breeding of which I have paid confiderable attention for many years, I can affure my Readers, that I have repeatedly vifited most of the sheep-breeding counties in England, especially Lincolnshire, and

and the adjoining midland counties, where I apprehend the best and most profitable kinds of our sheep are bred, and where the breeders have been at more pains than in any other part of this island. Whatever crosses I have feen from Lincolnshire tupes, in general did harm, while on the contrary the Leicestershire ones did great service. It is true, the former generally improved the wool in weight, but constantly injured the carcase in form: the sheep were longer in making fat, and the mutton worse in quality.-The Lincolnshire sheep are in general a very tender kind, and unfit for most other countries .- Amongst these attentive breeders I have fpent weeks and months in different years, and used every fair means to gain information of the art and mystery of breeding cattle and sheep .-- But, to return to the Mountains of Scotland -

The breed of sheep we are about to describe, differ from the others in the fmallness of their fize,-many of them, when fed, weighing no more than fix, feven, or eight pounds per quarter .-I have heard that there is a breed of fheep in Shetland, not more than three or four pounds per quarter; but the greatest difference is in the faces of these, being a fort of dunnish or tanned colour, and the wool being variously mixed, and streaked black, brown, red, and dun or tanned: they have no horns .- Dr Anderson, the ingenious Author of the Essays on Agriculture, inclines to think that this breed is descended from or crossed by the Spanish sheep, which he supposes might be introduced when the Spanish Armada suffered upon these coasts. Their mutton is very sweet, and some of the wool exceedingly fine, which, with the variegated colours,

lours, strengthens Dr Anderson's opinion. However, I am much inclined to think them too tender and delicate a breed for these mountains; and shall not wonder if they are a few years afterwards drove out by that hardy race of mountaineers before described, and known by the title of Short-sheep, -- a breed, I apprehend, the best adapted of all others in Great Britain, for lingey or heathy mountains, and cold-exposed fituations;and if fo, what a pity they cannot be cloathed with a finer and more valuable fleece. There is no doubt but this might be improved, because it is scarce possible to make it coarser .-Some trials from the Dishley-breed have been made about Moffat in Annandale, at the request of that sensible and worthy Nobleman the Earl of Hopetoun; but I am very forry to hear, that notwithstanding the influence and earnest folicitations of his Lordship, the breeders are exceedingly averfe to it,-do and fay every-thing they can to lessen the merit of these trials, -- and, like all ignorant people, are quite prejudiced against every kind of sheep except their own. But, perhaps, the laudible and spirited endeavours of that active Nobleman his Grace the Duke of Buccleugh may have a better effect, --- who, ever attentive to the good of his country, has also been making fimilar trials amongst his numerous tenants in the neighbourhood of Langholm. And if no other should, I hope the industrious Mr Malcolm + will not leave this very important matter short.

The

<sup>†</sup> A respectable Tenant belonging to his Grace the Duke of Buccleugh, living near Langholm.

The Seventh or Herefordshire Breed.

I HAD divided the sheep into fix diffinct breeds only; but was advised to make the Herefordshire sheep a feventh species, though in my own humble opinion they are only a variation of the Dorfetshire breed; and which variation has taken place from probably attending to the fineness of the wool, in preference to every-thing else: For, why might not this variation happen in the Dorfetshire breed or kind by attending to fine light wool, as well as the Lincolnshire have varied from their kind by attending to the growing of strong heavy wool? If true in the one case, I see no reason why it may not in the other .-- Indeed I have no doubt but the Tees-water or Durham sheep, were originally from the same stock or tribe as the Lincolnshire breed; but by attending to fize,

&c. rather than wool, they have, by purfuing that idea, become quite a different species or breed of the same kind.

But, to return to the Herefordshire sheep—As the late worthy Baronet Sir Charles Turner was so kind a few years ago as to inclose me an account of this breed of sheep and management from a gentleman in that county, I cannot do better than give it in his own words.

An Account of Herefordsbire Ryeland Sheep.

Queries.—What fort of ground are the sheep bred on?—How are the lambs wintered—on hay or green fodder?—At what age are the sheep killed,—what weight of slesh,—ditto of wool,—and common price?—How are the lambs summered—how the sheep, whether on commons or inclosures?

"Any fort of dry found land that is healthful for other sheep: but this fort will not require so good keep as large sheep, and will pick the fallows cleaner; suppose double the quantity may be kept, either on fallow, stubble, or poor pasture-land."

"The lambs, when weaned from the ewes, about mid-fummer, are put upon old clover and rye-grafs, or dry pasture-land, and wintered the same, except snow or very severe weather, when they have a little hay or peasehalm; observe, not to give the lambs very good keep after they have been from the ewes a month, till winter, when they will require a better keep, old clover, wheat stubble, or dry pasture; and the oftner their pasture is changed, the better."

"The wedders are generally put from the store-sheep at Michaelmas when they are past three years old, O 2 kept

kept well the winter, and flaughtered fat the next fummer at four years old. Some turn them to feed fooner, but that is when the stock is too large for the keep. The sheep certainly feed better at four years old than fooner, and the flesh better; indeed they are put to feed at any time of the year that fuits the owner, but should be near fat before winter, (or turned off to feed as above): then they are put to turnips or good dry pasture, and changed often; fometimes kept in the house, and fed with hay and oats, with fome water always in a trough by them; which last is expensive, but the mutton excellent, the weight of the flesh from 50 to 80 pounds. A Ryeland sheep that will weigh 50 lb. when good fair mutton, is often fed till he weighs 80 lb .- The store-sheep, that have the finest wool, are kept lean; and the stock together, upon an average,

average, produce about 1½ lb. each sheep, worth about 18d. or 20d. per pound; last year it brought 2s. per pound. The wedders produce from 2 to 3 lb. each, and worth from 15 to 18d. per lb. If the store-sheep are better kept, they grow larger, and produce more wool, but inferior in quality."

"The lambs I have mentioned above, till they are a year old, when they will pasture with the slock; only they should not be put in the sheep-cott by night, and, if convenient, should be kept a little better. The store-sheep, except yearlings and two-year-olds, upon the corn-farms; and where the wool is finest, are put in the sheep-cott by night, and all the year round, and their cratches silled with pease-halm, wheat-straw, barley-straw, or any other dry food, which they eat and make dung of: the dung enables the farm-

ers to raise good crops of barley, &c.; and the sheep pasture by day, on old clover and rye-grafs, dry pasture, fallow, stubble, &c. but are always kept very lean, and graze quite short: when there is not convenience of putting them in the sheep-cott by night all the year, they do it from the beginning of winter till April or May, when the lambs are able to lie out by night. The ewes must be kept in by night at the eaning time, and when the lambs are very young, or the cold nights will kill the lambs, their wool is fo very short; but if they are healthy, at a week or fortnight old they will bear to be out at night."

"The sheep are pastured upon commons, open sields, or inclosures, provided the land is dry and healthy for sheep, and when there is no conveniency of putting them in a sheepcott by night at eaning time. The sheep sheep must not be quite the finest fort of wool, but mixed with a stronger wool: it will then be more in quantity, though about 2d. a pound less in value: and if the ewes can be out of doors, the lambs bear the cold better; but if they cannot be put in the house at that time, should be seen often, and put where they are best sheltered from the cold."

MR PyE, a Herefordshire farmer, also told me that the store or keeping-sheep are put into cotts at night winter and summer, and in winter foddered in racks with pease-halm (straw) barley-straw, &c. in very bad weather with hay. These cotts are low buildings quite covered over, and made to contain from one to sive hundred sheep, according to the size of the farm, sheep-walk, or slock kept. The true Herefordshire breed are properly called

called Ryeland sheep, from the land formerly being thought capable of producing no better grain than rye, being a tract of very poor land, but now found capable of producing almost any kind of grain.—They give only 12½ lb. to the stone of wool, which was fold last year (1784) for 24s. and Mr Pye never remembered it being fold for above 25s. which is a higher price by much than any other wool I know of in these islands.

THERE is a polled breed of sheep in Devonshire, which may be an eighth fort; but as I am unacquainted with them, shall say nothing more about them. They are called Dartmore Natts. Natt is to be understood for polled, humbled, or without horns.

It is curious enough in travelling through the different counties in this island, island, how highly fatisfied in general, and convinced, each separate diffrict is of having the best stock; for, according to the vulgar phrase, every distinct county has ' the best in England.' Self-fatisfied with this narrow illiberal idea, they rest contented, without a wish for further improvement, until some one adventurer of a more enterprizing spirit than his neighbours, led on by an unknown impulse, makes his way into a diftant part of the kingdom, where he unexpectedly is struck with a breed of neat-cattle or sheep, &c. confessedly superior to any at home, or that he had ever feen before. After a proper confideration, he buys or hires fome of thefe, benefits the neighbourhood where he lives, by the introduction of a more valuable breed of animals than they had hitherto been acquainted with, which by degrees fpread themselves through the country.

The Author cannot illustrate the above in a better or stronger manner, than by the relation of an anecdote concerning himfelf, which tho' difgraceful at the period when it happened, proves the misfortune of a narrow education and illiberal ideas. " An elder brother of the Author's, and also bred to rural business more than twenty years ago, happened by chance to take a journey into the midland counties. On his return, he was relating with great candour how much better the sheep were in Leicestershire than any we had :- How, Sir, (replies the prefent Writer in rather a contemptuous tone) will you pretend to fay that there are any sheep to be found so good as what we have in this neighbourhood? You must not make me believe this neither !- Well, Well, George, rejoins my elder and truly wifer brother, I hope to be able to prevail on my father to allow you to

go up next year, and I am not afraid but you will come home a convert. The fact was that George went, and not only returned a convert, but, like most turn-coats, a more zealous advocate for the new cause than the old one."-I beg the Reader's pardon for this digression; but I was led to it by reflecting upon the abfurdity of narrow-minded people in all countries, and the hindrance it is to the progress of knowledge; for I am afraid there are many at this day as wedded and begotted to old mistaken opinions as the Author was twenty-five years ago. But if the best and wisest of men have been unable to remove the prejudices and obstinate opinions of mankind, it may be asked, what right has one farmer to expect to correct the errors of his brethren, be he ever fo defirous? I answer, as the intention is good, it is to be hoped that it may have some effect.

But, as a confirmation of what I have been faying, allow me to acquaint you with the abfurd opinions of many of our more fouthern breeders, from whom we should reasonably have expected better, as being nearer the metropolis, from whence we look for wisdom and knowledge.

A Norfolk sheep-breeder fays, sheep should be black-faced, and blacklegged, and that their horns should come out forward, and turn in fuch a manner as you can fee the ears through or behind the circle of the horns .- A Wiltshire sheep-breeder, on the contrary, fays, that sheep should have white faces, and white legs, and that their horns shall come out backwards, in fuch a manner that the ears may be feen before the horns .- But a Suffex breeder infifts upon it that they are both wrong; because sheep should be grey-faced and grey-legged, and

and have no horns.—Thus you fee how perfectly different these noted people are in their opinions; and they surely cannot all be right, though they most assuredly think so. But the counties are not more variable in appearance, than the breeders are in opinion; opinions founded in absurdity, and repugnant to every principle of common sense. Nay, I was told that the coming out of the horns an inch nearer, or an inch further from the ears of a ram, made at least sive guineas difference in his price.

On asking a butcher's wife at Bury in Suffolk, how she fold mutton?—Five-pence per lib. Sir, answered she smartly. And pray, replied I, rather surprised at the high price, have you no mutton below sivepence? O yes, Sir, rejoins the honest woman, plenty of Lincoln-shires at 4d. and 4½d.; but we do not account it mutton when compared with

with our Norfolk or Suffolk mutton. And if I dare speak out my poor opinion, they would neither of them be accounted mutton in many markets even further North in this island; the Lincolnshire, on account of its coarsenefs, the other on account of the thinnefs, and both for having too much bone in proportion to the meat. For I aver, that no large-boned animal will feed fo quick, or cover fo readily and thick with muscular flesh, as one with a fmall bone, if well formed. This is the criterion,—this is the main principle that we found our judgment upon respecting all animals which are to be fatted for the flaughter or the confumption of mankind; and we can justly say, that this judgment is confirmed by more than thirty years experience. But, notwithstanding this affertion is made with some degree of positiveness, yet we are not unconfcious.

scious of its being a new doctrine to the generality of the breeders in this island, and consequently will appear furprifing and strange to many old breeders and graziers or feeders. But I have not a remaining doubt, if they will only make fair candid trials, the fmall bones will win or gain the prize nine times out of ten, or rather every time. Nay I am inclined to think that the fine finall-boned true proportioned animal will pay 31 d. perhaps 4d, while the big - boned one will only pay 3d. for what it eats, and in that proportion. When I affert this, I would wish to be understood that I mean from the time of calving or lambing, to the time of killing for the market; because, permit me to fay, that I look upon the grazier who buys in and feeds, and he that breeds and feeds those he breeds, as two very different people. It is the latter of thefe

these that the world is obliged to for those nice but valuable distinctions of fmall-boned animals excelling largeboned ones in feeding. He fees, watches, and examines the various pushes and improvements from the beginning to the ending; while the grazier who buys in his stock, is easy in a great measure how they are bred, so long as they pay him for feeding. A plain coarfe ugly animal may pay him more than a fine well-made one, because he buys the coarse one at much less price in proportion, and it is of little consequence to him as an individual: But, to his country, to the community at large, it is a matter of prodigious importance, much more than has in general been thought of; because the more meat and less bone you can produce from a given quantity of pasturage of turnips, cabbage, &c. the better furely, and the more mouths

mouths you must feed .- Well, but give me leave to return for a few moments to the Norfolk or Suffolk mutton, or indeed any of these sheep that are to be met with in most of the fouthern counties; I mean all those that are formed more like deer than sheep. Do not be furprised when I tell you, that a person who has been bred amongst the sheep in the midland counties, I mean the long-wool'd polled sheep in general, and had never feen any of these deer-like sheep, until by accident a drove happens to pass the country where he lives, would never take them to be sheep, but would suppose them to be a species bred between the goat, the deer, and some foreign sheep; for their legs are fo very long, and their bodies fo exceedingly small, which, with their large horns and low necks, gives them an appearance altogether uncouth, and totally different from the polled polled sheep with long wool. Last winter, 1784, we measured the horns of some of the Norfolk and Suffolk rams, and found them from 35 to 37 inches long following the turn of the horn, and 9 or 9; round at the root or setting on at the head; and indeed a very formidable appearance ten or a dozen of these animals make together.

Well, but we were told that these long-legged long small-bodied sheep are possessed of many good qualities that the long-wool'd sheep are not.— In the sirst place, they are better travellers; which I will not deny, for many flocks travel a round of three, four, or sive miles every day from and to the fold again. This I am willing to believe, and it may also be very right; but as I never considered exercise conducive to feeding, tho' it may to health, I shall not adopt this idea. They may want them to live long; and

if so, they are right to give them proper exercise. Our's, on the contrary, we wish to be fat as soon as possible, or in fact never to be lean if we can help it, confequently do not care how little exercise they get. - 2dly, They say these sheep are less subject to the itch than our's. This may also be true; and from the small quantity of wool they grow, I should think them easier cured of that diforder .- 3dly and laftly, They excel our's in quantity and richness of gravy, what they call claretcoloured gravy. This I also give up: nor do I envy them in this mutton at all; for in proportion as your mutton is fat or lean, in fuch ratio I believe will be the gravy; the more lean, the blacker or claret-coloured; the fatter the mutton, the lighter coloured and more oil among the gravy: in short, the more deer-like the sheep are, as I faid before, or the more they incline

to venison, I believe the higher coloured the gravy is; and on the contrary, the more they incline to mutton, the lighter coloured and more oil. And further, the gravy-mutton is always open-grained and porous; the fat mutton, on the contrary, close-grained and firm.

And now, Mr Reader, you shall be proprietor or landlord; I your tenant and sheep-breeder, and that in fact is my fituation. I will not object to your keeping and eating that kind of mutton; and I am fure you will wish better to your tenant than find fault with him for breeding and feeding the fat kind with oily gravy: For these obvious reasons, because you have no rent to pay :- I have; therefore, tho' you may indulge your palate with claret-coloured gravy, I am fure you will indulge me with the fat gravy and folid meat for myfelf and family,

that the plowmen may be able to work for turnips to feed more of this fat mutton; but above all, that I may be able to pay my rent, and keep the wolf from the door. The fact is, Mr Reader, or Mr Landlord, that while the venison mutton pays threepence for breeding and feeding, the other will pay fourpence. And until you, Gentlemen, will make it our interest to produce the former, we certainly shall produce the latter; because it clearly is, and ever will be the interest of the farmer and breeder, to purfue that mode which turns to the best account, that culture which produces the most profitable crops, and to produce those animals which pay the most for what they eat. Ask the pitman, the keelman, the wool-comber, the weaver, the fabricators of metals, and all those various but valuable classes of manufacturers which abound in different parts

parts of this island, which of the two kinds of mutton they prefer? Would they not readily answer, Take you the lean meat, large-boned, and black gravy, but give us the small-boned fat with oil swiming in the dish? And are not these the men that make the greatest consumption in fat mutton, beef, &c.?

On going to market one day to fell our fat sheep, I was overtaken by a Gentleman from Scotland. Farmer, faid the Gentleman, you make your sheep so fat that I could not eat the mutton. It matters not, Sir, replied I, because we have plenty of customers for this kind of mutton; and allow me to fay, it is very happy that the great confumption does not depend upon fuch as you. Upon my word, Sir, faid he, I believe you are very right. In exact proportion as your breed of sheep approaches to the fat kind,

kind, the mutton is not only marbled or mixed with fat in the lean or lyer, but the mutton is covered with fat over every part. On the contrary, the other fort only covers with fat very partially on particular places, and little or none mixed with the lean: if it did, it would be a misfortune, because the gravy would be spoiled.

But I had almost forgot one reputed excellence of the gravy sheep: It is faid they die fuller of fat on the infide. I grant they do; but dispute its being an excellence upon the whole. I will endeavour to explain myfelf .--It is a well-known fact to all experienced feeders or graziers, that those animals which lay the fat on quickest on the outfide, have the least within in proportion; but then they are the very fort that pay the most for keeping; and confequently, that fort that pay the most for keeping, though they

they have the less fat on the infide, excel those that have more fat within, in exact proportion as they pay more in a given time for what they eat.—But some will fay the butcher has the most profit upon those that tallow best, or lay the fat within. I fay not; because if you will allow the butcher the same profit upon the quick feeders, or those that put the fat on the outfide, he will always buy thefe, because he can fell two joints for one: and furely you can better afford to do this to the butcher.—But the fact is, the butcher can always buy these lean lumbering coarse animals, that lay little fat without, and much within, for fo much less per stone that they afford him a profit. But furely this can be no inducement to either breeding or feeding them; confequently no excellence, but the contrary. Perhaps fome Readers may think

think I have dwelt longer upon these dry disquisitions than was necessary; but I flatter myself the experienced Reader will excuse me, when he reflects of what great importance it is to the community at large, and individuals in particular, to breed useful rather than unuseful animals. — I confess this confideration made me very folicitous to impress the idea strongly upon the minds of my brother breeders: For, if one species of wheat, of oats, barley, or of turnips, &c. are better worth propagating than another, furely it will hold good in animals; and there can be no doubt that the more it is confidered, the more it will be attended to.

I will beg leave to make a few remarks on beef and mutton when exposed to fale in pieces on the shambles or stall.—When we consider that the

difference between what is called the coarfe and fine, or the best and worse parts of beef when cut up, is not less than one hundred per cent. of what vast consequence then must it be to the breeder to propagate those cattle that have the greatest proportion of these valuable parts! And if I am right in what I faid before, it will follow, that the small-boned true-proportioned cattle are the very fort that produce more fine than coarfe, that lay their fat upon the valuable parts, and always feed in much less time than the big-boned coarse fort.

But it is not fo with mutton: the difference in value between one joint of mutton and another is scarce worth naming. In different parts of the kingdom, they give a preference to particular joints; but the variation is seldom more than a farthing or half-penny per pound at most. Neverthe-

less it is still right for the breeder to purfue that species which pay most for what they eat; and thefe, I apprehend, will always be found to be the finall-boned true-formed fheep, as defcribed before: For, they not only produce the finest-grained mutton, but more of it in a given time, in proportion to offal, than any other fort of fheep I know of .- But in speaking of offal here, I would be understood to mean further than what the butchers generally do. By offal they mean hide and tallow only in neat cattle, or fkin and tallow in sheep, and so on: But by offal in this place, I would take in not only hide or fkin, and tallow, but bones, horns, pelts in sheep +, blood, guts, and garbage, and even wool and hair. And, however new the idea,

R 2

† There is fometimes not less than 20 lib. weight difference between the pelts of one fort of sheep and another, between the fine thin pelt and the thick coarse gummy one. I believe it will in general be found, that the truer and finer the form of an animal, the better quality and greater the quantity of flesh when fatted; and in proportion, not only less hide or skin and tallow, but less bone, horn, pelt, blood, guts, and garbage, and even wool and hair: And on the contrary, the clumsier and coarser the form, the slesh will in general be of a worse quality and less in quantity when fatted; and in exact proportion, not only more hide or skin and tallow, but more bone, horn, &c.

Upon this principle, suppose two bullocks or two sheep are fatted together, no matter whether upon pasture, clover, turnips, or what you please, the one as remarkable for coarseness as the other for sineness, or in any proportion you will, it will always hold good in that proportion; and admitting the coarse one eats only

as much as the other, tho' I have no doubt of his eating more, still a confiderable part of his food must go to the fupport of more hide or pelt, bones, &c. while the other's food is principally converted into animal flesh; which flesh, on an average, call only worth 3d. per lib. I am afraid the horns, bone, pelt, &c. are not worth above a farthing per lib. confequently a very great loss to the community. Indeed the hide of a bullock is fometimes worth as much per lib. as his flesh; and particularly firm strong hides, what are generally called leather hides, are worth more, perhaps 6d. per lib; but then these very thick hides almost generally cover a very flow-feeding carcafe. And tho' the coarfe hairy wool is always worth fomething per lib. yet that coarfe hairy wool cannot grow but upon a thick gummy pelt, which necessarily

covers a coarse-grained slow-seeding carcase of mutton. The pelt itself, tho' perhaps from 15 to 25 lib. weight, (nay some have been known to weigh 30 lib. or more), not worth more than 2d. or 3d.; for the thinner the pelt, the more valuable.

THE folding of sheep in many parts of this island, is looked upon as a matter of confiderable confequence to the farmer. I confess I cannot see it in so advantageous a light; but as it is a matter I have not experienced in a very great degree, I would be cautious of condemning a practice fo universally used in many of the sheep-breeding counties in this kingdom. However, fo far as we can go with fafety, we may venture to make a few obfervations; and thefe observations I would wish to be understood as refpecting fingle farms only, exclusive

of any right of commonage, or adjacent open fields, &c.-If your farm is inclosed, or put only into shifts, or any other divisions, it matters not, we must suppose your flocks depastured upon some part of the farm, for instance say the field A, and are folded every night upon B: Now, I think in proportion as they enrich B, they must rob or impoverish A; or if they eat all day upon the field C, and lodge at night in D, it is the fame thing, and fo on wherever they eat and fleep. Only I will admit it a convenience, and a prefent advantage, that fuppofing B field fallow and intended for turnips, &c. while perhaps you have not a fufficiency of manure to spread upon it all; in that case, folding your store-sheep upon the fallow, is perhaps getting you a crop of turnips where they might not otherwise be had; for well I know, that it is not eafy to get turnips

turnips upon many grounds without manure; and this matter we frequently have practifed, tho' still it is 'robbing ' the church to thatch the choir.' But if you have a common or open field near, be doing with all my heart, and rob on, for fomebody will be doing it for you if you do it not. However, if the common, open field, &c. be at a confiderable distance, you perhaps lofe as much as you gain; for, marching sheep to and from their pasture feveral miles every day, must necesfarily hurt them much; and if this is to be the case, I suppose the deerlike thin sheep may be the best for this purpose, as being probably better able to bear the fatigue of travelling day by day. Nevertheless, the polled long-wool'd sheep are employed on this service in different parts of this island.

The sheep-breeders upon the York-shire Wolds, fold these kind of sheep

on their fallows, in many places, from Ladyday to Michaelmas. Likewife, a particular friend of mine, Mr Benjamin Sayle of Wentbridge near Doncaster, folds his ewe-flock upon both grafs and fallow, and travels them about three miles a-day: - and few people I believe have shewn fatter sheep than he has; his ewes when fatted after having been folded while a breeding flock, as well as the defcendents of these ewes. It is no uncommon thing for Mr Sayle to fell his fat ewes in the latter end of May and in June, in Wakefield market, from thirty-fix to forty shillings apiece, without the wool: and I hope he will excuse me, when I say that this same spirited breeder has given Mr Bakewell as high as fifty guineas for the use of a ram for one season only.

I should not have taken the liberty of saying so much of this respectable breeder, and his valuable sheep; but because I do think he has more merit than any other sheep-breeder I know of, on account of breeding the most valuable sheep in proportion to the land they are bred upon: For everybody that knows Wenthill will admit that there are very few worse sheepwalks in England, where polled sheep are kept; and those that know it not, will, I am perfuaded, find it fo on enquiring. In my own opinion, the merit of the Dishley or Mr Bakewell's breed, has not in many places been more fully proved than under the management of Mr Sayle. It is true that they have been most fuccessfully tried in much colder fituations, and fome hundreds of miles further north, but in no place I know of where the fummer pasture is of so bad a kind of herbage.

In speaking of the importance of improving the breed of these animals

we have been treating of, some of my friends, in the warmth of their hearts, have been led to fay, that if those animals were improved everywhere in this island to fuch a pitch as we find them (I am forry to fay) in a few hands only, and every corner of the cultivable parts of this island managed in the fame spirited gardenlike manner that we meet with in some imall districts here and there, Great Britain would be made capable of fupporting three times the number of inhabitants as at present. But, without being too fanguine, suppose we could fupport only twice as many more, if instead of ten we could maintain twenty millions of people, only think what an amazing affair it would be! and that this might be done in time there can be but little doubt, very little doubt indeed.

of the ground, and most approved

S 2 methods

methods of breeding the animals we have been recommending, equal attention was paid to floating, flooding, or watering of grass-grounds in every part of this island, wherever the fituation will admit, perhaps I shall not advance too much if I fay that there are very few parts of this island but may in some degree be benefited by this most useful, though I am afraid hitherto little understood improvement, especially in the north parts of this kingdom: And many parts might have water conveyed over them, on a very extensive scale, and to very great advantage; for, every little brook or rivulet is capable of being thrown over the adjoining grounds more or less in proportion to their descent; the more descent, the more land you can overflow.

This matter will perhaps appear of greater magnitude than people in general

neral are aware of, the more it is examined; for I apprehend it may be faid to lay the foundation of most improvements in agriculture, and to be the main spring to all the rest: because, if manure is accounted the primum mobile in husbandry, (and few people I believe will deny the truth of the observation), I apprehend it will be found that this fame watering of the ground is, and may be made the fource of more valuable manure than any-thing else I know of. But what renders it still more inestimable is, that it draws this manure from materials which without this process would be entirely lost, or next to it; because those riches that are preductive of fuch aftonishing effects as the turning water over land has, are conveyed unobserved down those streams to the sea, and consequently loft in that vast collection of waters. Now, the watering of land

in a proper manner, not only raifes an amazing crop of hay, but fpringeatage and lattermath, edifhes, fog, or foggages, as they are differently called in different parts of this island. This hay again properly confumed, makes a large annual return in dung or manure, which you can employ to great advantage on fuch parts of your farm as most need it; because your watered meadow requires no other help but repeating the same process as often as necessary, while it repays your expence and toil in the most grateful manner, by plentiful and certain crops of hay year after year, and, instead of exhausting, becomes richer, or more productive.

I am well informed, that upon the watered meadows in Somerfetshire, they calculate twenty shillings per acre upon the spring-eatage; then grow a ton and a half or two tons

of hay upon each acre, beside the lattermath or after-eatage. The way they reckon is this: An acre will keep eight ewes and lambs, which, at sixpence per week each couple, is four shillings: they eat it sive weeks before laying it in for meadow, which makes the twenty shillings a decent return; this exclusive of all the rest.

But in many of the fouthern and fouth-western counties, they employ water upon their lands to as much advantage as in Somersetshire. At Dishley, Mr Bakewell has improved a confiderable tract of poor cold land, beyond any-thing I ever faw, or could have conceived, by this fame mode of improvement; and, ever ready to communicate his knowledge to the Public, he has left proof-pieces in different parts of his meadows, in order to convince people of the great importance and utility of this.

this kind of improvement :- Particularly, in one part he has been at the pains to divide a rood of ground into twenty equal divisions, viz. two perches in each piece. It is fo contrived that they can water the first, and leave the fecond unwatered; or miss the first, and water the second; and fo on through all the 20 divisions: by which contrivance, you have the fairest and most unequivocal proofs of the good effect of improving ground by watering. And as Mr Bakewell is so kind as shew this experimental part to any Gentleman, I cannot help thinking it well worth the while of the curious, and those that have leifure, to visit this extraordinary place, where they will fee many things worthy their attention and infpection beside watering meadows. And those that wish to know the art of watering land without going to fee it, will do well to

read Mr George Boswell's Treatise on watering meadows, low lands, &c. where they will see that matter explained in a very satisfactory manner.

It is totally out of my way to meddle with political matters; but I hope I shall not advance too much when I fay that it would perhaps turn to much better account, if instead of planting colonies, and conquering provinces, our Great Folks would turn their attention not only to the improvement of our Fisheries, but in promoting the cultivation of every acre of cultivable land in these kingdoms, as well as the improvement of the most valuable breeds of animals. And in order to promote this matter to its greatest extent, it would be proper to have experimental farms in one or more parts of these islands, at the expence of Government, with proper fuperintendants, and fervants under them,

them, to make every confistent trial in the various walks of cultivation, fo as to afcertain which are the best modes; as well as a breeding farm or farms, under proper regulations, fo as to afcertain, by proper trials and comparisons, which are the most valuable animals, and best worth attending to by our farmers and breeders in their different fituations, in every part of these islands; because if we put the lands in this island into four divisions, viz. from nothing to five shillings per acre, from five to ten shillings, from ten to fifteen, and from fifteen to twenty, supposing whatever is above the last rent to be adapted rather to grazing than breeding and cultivation: This being the supposed case, we can only have occasion for four different species of neat cattle and sheep.—But fome may naturally enough fay, that there are variety of foils, fuch as clay

and fand, &c. We will fay, that they will require five or fix different species of stock: but if I was to hazard a conjecture, I should incline to think that it will be found upon trial even fewer still will do. But whoever is acquainted with, or has attended to the varieties of stock in this island, will find, (I will venture to fay) instead of five or fix species of neat cattle or sheep, five or fix and twenty variations or more of both kinds. Nevertheless I dare fay my intelligent Readers will admit, that the fame kinds of flock which will do upon the mountainous and high parts of Scotland, will also do upon the mountainous and high parts of Wales and England. Likewife, those forts which fuit the lower hills of Scotland and the north of England, will also fuit in Wales; and I should imagine on the Yorkshire and Lincolnshire Wolds, as well as the T 2

the Downs on the South of England; For, I apprehend, downs and wolds are only different names for the same kind of rifing grounds: And furely those forts of stock which will answer the end best in the low-lands, plains, or campaign parts in one quarter of the island, will also answer the end best in those parts in every other quarter.—If this train of reasoning be just, it would feem as though we shall only have occasion for a very few variations of flock: and what these variations should be, I apprehend attention and application, joined to a few years experience, will alone difcover †. SWINE.

† Since the above was printed, I find that I have been in a mistake with regard to the opinion attributed to Dr Anderson above (page 102) concerning Sheep, which I embrace the first opportunity of correcting.—I now understand, that that Gentleman believes that the native sheep of the Scottish Islands and Northern Districts of Scotland

## SWINE.

Swine are the fourth kind of domestic animals which we design here treating of.—These creatures, though in many respects disagreeable, are of considerable importance to the community at large, and to farmers in particular: And in no instance perhaps has Nature shewn her economy more than in this race of animals, whose stomachs seem a receptacle for every-thing that other creatures resuse,

or

are a distinct breed, in many respects different from the sheep of Spain; and in particular, that the wool of these sheep is much more remarkable for a peculiar silky softness, than that of Spain, or any other wool found in Europe that he has had occasion to observe. This wool is to be found, he thinks, considerably siner in the silament, of a much longer staple, and not so much crisped as Spanish wool. The sheep themselves are of a much smaller size than those of Spain, and are sound of various colours, as I have remarked above. or but for these would be frequently entirely wasted. They industriously gather up, and greedily devour, what would otherwise be troden under foot and wasted. The refuse of the sields, the gardens, the barns, and the scullery, to them is a feast.

The most numerous breed of hogs in this island, is that excellent kind generally known by the name of the Berkshire Pigs, now spread through almost every part of England, and fome places of Scotland. They are in general redish-brown, with black spots upon them, large ears hanging over their eyes, fhort-legged, fmall-boned, and exceedingly inclined to make readily fat. The furprifing weight that some of these hogs have been fed to, would be altogether incredible if we had it not fo well attested .- Mr Young, in one of his Tours, gives an account of one in Berkshire, which

was fed to eighty-one stone some odd pounds, which I had often before heard of when in the South of England. But as I was some time ago favoured by a correspondent, with an account of an extraordinary pig which was killed in Cheshire, I will beg leave to transcribe it in his own words. 'On Monday the 24th of January 1774, a pig fed by Mr Joseph Lawton of Chefhire was killed, which measured from the nose to the end of the tail, three yards eight inches, and in height four feet five inches and a-half: when alive, it weighed 12 cwt. 2 qrs. 10 lib.; when killed and dreffed, it weighed 10 cwt. 3 qrs. 11 lib. or 86 stones 11 lib. averdupoife. This pig was killed by James Washington butcher at Congleton in Cheshire.'

There was a breed of large white pigs, with very large ears hanging over their eyes, which a few years ago

were very common in many parts of Yorkshire and Lancashire. They were very plain thin aukward hogs, with very long legs; but what diftinguished them more, was two wattles or dugs not unlike the teats of a cow's udder, which hung down from their throats one on each fide. But this unprofitable kind have now almost every-where given place to the more valuable breed which we have just been speaking of, and which, like Aaron's rod, bids fair to fwallow up all the rest. Indeed the Chinese or black breed will always be valuable, especially for roasting pigs and porkets; and though they do not feed to any great weight, yet they fatten amazingly fast, and afford the fweetest bacon, which has gained the preference every-where amongst the nice-eating people. Indeed those that have not been accustomed to the very fat bacon in the fouthern and midland counties,

counties, the very fight of it is enough to a person with a very delicate stomach, who cannot behold the very fat part of it without almost sickening, while the people in those counties eat it all times of the day: I have frequently seen them breakfast upon it.

The black breed are defervedly in great esteem, and would be much more so if they were not such a mischievous race: for, the most attentive herding (or tenting as they call it in some parts of the South) can scarcely keep them from your fields of corn, pease, or potatoes; nothing will secure them, except walls or good paling.

I know of only one other breed of pigs in these islands that I have obferved, and these are the Highland or Irish breed, a kind no otherwise worth naming but for distinction's sake; for I am persuaded whoever is acquainted with the Berkshire or black breeds,

will never throw those aside for these:
They are a small thin-formed animal, with bristles standing up from nose to tail, and exceeding bad thrivers. We met with considerable herds of them upon the muirs in different parts of the Highlands of Scotland, picking up the wild berries, especially about Thurso in Caithness.

I have feen the fame kind of pigs in different parts of Ireland. It is a little extraordinary that the people of that very fine fertile island, should not have hitherto paid more attention to the breeding of stock .- I have just mentioned their pigs: their cattle I took fome notice of before; therefore shall beg leave to add a few words in this place in regard to their sheep, a pretty large fample of which I faw at the great fair of Ballinasloe, where the collector of the tolls told me that there were 95,000 shewn at that time, and that

that there had often been more. But I am forry to fay, that I never faw fuch ill-formed ugly sheep as these: the worst breeds we have in Great Britain are by much superior. One would almost imagine that the sheep-breeders in Ireland have taken as much pains to breed plain aukward sheep, as many of the people in England have to breed handsome ones. I know nothing to recommend them except their fize, which might please some old-fashioned breeders who can get no kind of stock large enough. But I will endeavour to describe them, and leave my Readers to judge for themselves. -Thefe sheep are supported by very long, thick, crooked grey legs; their heads long and ugly, with large flaging ears, grey faces, and eyes funk; necks long, and fet on below the shoulders; breasts narrow and short, hollow before and behind the shoul-

ders; flat-fided, with high narrow herring-backs; hind-quarters drooping, and tail fet low. In short, they are almost in every respect contrary to what I apprehend a well-formed sheep should be; and it is to be lamented that more attention has not been paid to the breeding of useful stock in an island so fruitful in pasturage as Ireland. Indeed the same Mr Frenches mentioned before, and fome other spirited breeders, have, at very great expence and hazard, imported both bulls, tupes, and stone-horses from England; and very great improvements have already been made from these crosses. I faw fome of the descendents of these sheep from the English rams at the above fair; and it is both extraordinary and pleafing to fee how much they exceeded the native breed. But a very great bar is put in the way of these islanders in the improvement of their

fheep:

fheep: The same law is in full force against exporting sheep into Ireland, as though they were to fend them to our natural enemies on the Continent. I think it is a real hardship that this division of his Majesty's subjects cannot have the benefit of improving their breed of sheep, without sinuggling them over. Application was made to Lord Harcourt when Lord-Lieutenant of Ireland, for leave to fend rams over to Ireland from England, offering very high fecurity, three or four times the value of the ram, for his being returned into England, or, in case of death, a proper certificate to be produced along with his fkin, ear-marks; &c. but without effect .-However, to show that the fault is not in the Irish breeders; but, on the contrary, to prove that they are exceedingly defirous to improve their breeds of stock by the help of those from

from this island, even at an expence that many of our breeders in Great Britain would grumble at, I will lay before my Readers an authentic account of a stone-colt and some sheep sold at Ballinasloe-fair in the county of Galway in Ireland, which was given by Mr French, a gentleman of fortune and character who lives in the neighbourhood of Ballinasloe, to a particular friend of mine, who was so kind as to present it to me. They were sold by auction in small lots, the 5th of October 1770.

66 e	wes	fold	to di	iffere	nt pe	ople,	a-
	mo	unted	to	L.	1094	5	5
9 ra	ims,		-		352	12	6
5 ra	ım-la	imbs,		-	29	0	$I\frac{t}{2}$
ı st	one-	colt 3	years	old,	170	12	6
		arile .			1646	10	$6\frac{1}{2}$
	211.30130			210-20	STATE OF THE PARTY OF	1 1 1	

One of these rams was fold to Coll.

Pearse, - at 52 guineas.

- 2 ewes to John Bodkin, at 46 ditto.
- 2 ditto to Bar. Rochfort, at 43 ditto.
- 2 ditto to Coll. Pearse, at 40 ditto.
- 2 ditto to Mr Blake, at 40 ditto.

Since Mr French gave the above account to the Gentleman from whom I had it, I have had the pleasure of feeing him in Ireland. I also met with Mr Johnson, brother to the person who sold the above goods, who gave me the same relation of this affair as Mr French did.

HAVING now, to the best of my knowledge, and according to what I proposed, given an account of those domestic animals, in the breeding of which our farmers are so deeply interested in particular, as well as the kingdom at large, I will beg leave to add a few general remarks before I proceed farther.

In the first place, then, it would feem that the largest domestic animals are not the best or most advantageous to the breeder and feeder: because we generally find, that the large bigboned cattle and sheep require more and better food in proportion to fupport and feed them, than those of a middling fize and fmall bones; and the larger, bigger boned, and clumfier they are formed, the more unprofitable they are; while on the contrary, the truer they are formed, and the finer the bone, the more profitable, as they not only take less food in proportion, but feed readier. The beef or mutton is finer-grained, and fells higher by the pound: it is worth more to the confumer than the other, because it affords more and better flesh, and less bone. Nay, and supposing the poor are under a necessity of buying the coarfe parts in a dear time, it is worth more to them in proportion than the coarse of the large-boned ones; because, tho' still coarse, it is finer than the others, and has less bone: in fact it is the cheapest and best eating to the rich, to the manufacturer, and to the poor.

Even in regard to horses intended for the draught or faddle, those I prefume are the best in general that are of the truest proportion in respect to bone, carcase, or form, and of a middling fize. It may be admitted, that the great aukward lumbering horses, from 16 hands to 18, may be the properest for drays or stage-waggons, &c. But we know that fize is unfit for the faddle, the cart, or the plough; and where one is wanted for the former purposes, I suppose five are wanted for the latter: perhaps from 14 to 16 hands are the most serviceable, or, to come nearer, I fancy we

shall find the best from 14 hands 2 inches to 15 hands 2 inches; but perhaps it is not very easy to ascertain this to any great degree of exactness, nor may it be absolutely necessary.

However, this I think we may venture to affert, that in those kinds of animals now under our confideration, and perhaps in most others, there is a certain symmetry or proportion of parts which are best adapted to a particular fize in each kind. All those of each kind that are above this pitch or fize, we find disproportioned according to the fize they attain to; and in the degree that they are advanced beyond this line of perfection, we find them less active, less strong in proportion, and always less able to endure hardship or fatigue. We find all great horses tire sooner than middlingfized ones: they are flower in motion;

they

they are more subject to disorders or complaints, and confequently wear fooner out.

In cattle or sheep we in general find the largest the tenderest, most liable to complaints, require more and nicer fare, are flower in feeding, and worfe butcher-meat when fed: they stand winters or inclement feafons much worse than the well-proportioned ones. It is these well-proportioned handsome animals that we would recommend to the attention of the breeders to choose both males and females from if possible, or as near to them as may be. It perhaps has been owing to the idea of largeness, or the wish to breed the biggest in the different kinds of our domestic animals, that has fo long prevented our breeders from felecting and distinguishing the most valuable kinds: For, fo univerfal was this idea, and fo much were we blinded by it, that

that we did not perceive which were the most valuable animals of each kind. We had no conception of any animal being valuable or good that was not great. We could not feparate those two ideas of good and great. We did not attend to that fymmetry and proportion which fo effentially characterife the valuable kinds of each species, and which feldom or never fail of being the hardiest, best able to bear fatigue, and the best thrivers. In short, it was left to this age to make those nicer distinctions which constitute the able breeder and difcerning judge; which, the more they are attended to and examined, the more they will be purfued; and in confequence of which improved notions, our breeders must now necessarily follow those kinds that are most valuable.

Much has been faid of late years about short-legged stock being the best,

best, particularly cattle and sheep: nothing would go down once but fhort legs. That little fhort-legged dwarfish breed of sheep so much (tho' undefervedly) run upon a few years ago, are very properly called by a considerable breeder, an acquaintance of mine, " the Gentlemen's sheep;" for, though to those who are not judges they have a pretty enough appearance, they will not bear examining by an attentive and able judge, I mean he who judges by his fingers as well as his eyes; - a method that is out of the Gentleman's line. These originated in Lincolnshire, but are now almost entirely disused for very good reasons.

I would wish to be cautious in contradicting a general notion or received prevailing opinion: But we sometimes find the most prevailing opinions wrong. For instance, what

we have just been observing of the largest and biggest-boned animals not being the best, tho' formerly thought fo, and respecting short legs: tho' I admit the propriety in a degree, I would wish to caution our breeders against the extreme. I would have them recollect the old proverb; that all extremes are wrong; and I would beg leave to observe, that the attentive breeders of this day have, I apprehend, made some notable and sensible distinctions in regard to these animals that must be fed and slaughtered for the use of mankind, viz. between what they call effentials and nonessentials. They give the former title to the back and fides in particular, as well as the whole proportion of the carcafe, always taking in the inclination to make fat. The non-effentials are the legs, ears, horns, tail, &c. and even wool and hides; for, tho' thefe are valuable in themselves, yet they are more to be difpenfed with than the back, fides, &c.: For, those breeders and graziers who keep their minds open to conviction, and reason coolly, fay that they have feen good carcafes with thick or thin hides, under long, fhort, coarfe and fine wool, with long, fhort, thick or thin horns or ears, &c.; but that they never faw a good carcafe without the back broad and fides round, or without that proportion or fymmetry in the carcase which we have endeavoured to point out in our descriptions of the bull and ram. Nevertheless I must observe, that tho' they have given those externals the denomination of non-effentials for distinction's fake, they are not to be quite difregarded; because, notwithstanding they are not fo essential, yet they are very often strong marks and indications of good or bad thrivers, &c. As for instance, a thick hide seldom

covers a quick-feeding carcafe, or a heavy fleece a ready-feeding or finegrained case of mutton.—Again, fine finall and straight bones in the legs are almost certain figns of a kindly breed, and fine-grained beef or mutton, &c. Thus we find the thick pelts and heavy wool in Lincolnshire, cover the coarfest-grained mutton that we know of; while a variation of the fame breed in Leicestershire, highly improved, have confiderably less wool, and very thin pelts, are quicker feeders, and mutton as fine-grained and fweet as a mountain sheep.

Tho' it may feem very extraordinary to the uncurious and unobserving, yet it is a fact well known to the attentive breeder, that in general all our best and most valuable kinds of stock in England, are found upon the middling and worst grounds, and not upon the best lands, as we should naturally imagine: And the reasons why

it is fo, are simple and obvious-Those of the middling and indifferent tracts of country, are under the necessity of producing an industrious and thriving breed of animals: because a large tender big-boned kind could not fubfift upon their keeping, or the produce raifed upon fuch lands; while the good land makes up for every deficiency, or at least so far blinds the imagination of the unthinking breeder, that he plumes himself upon having stock superior to his industrious neighbours, while the merit confifts in the goodness of his land, and the richness of his pasturage and produce. Satisfied with his stock being the largest, he also concludes that they are the best; while his more active and industrious [neighbour, from being fituated in a less fertile soil, is obliged to feek out for a hardy thriving breed.—And this again makes me recur to the Lincolnshire breeders,

who have so long stuck to such coarse unprofitable kinds of stock, both cattle and sheep, the pasturage in a great part of that county exceeding any other I am acquainted with in this island: For, what other county have we, poffesfed of ground that will thro' fummer fufficiently support fix, eight, and even ten large sheep from 18 to 24 lib. a quarter, upon an acre, or one ox and five large sheep ?-Nay I was told by fome Lincolnshire farmers, when dining with them at Lowth, that near to Boston (a place I never did visit) there are some grounds which maintain 15 or 16 sheep upon an acre all the fummer †.

RAB-

† Since the above was written, the Author has visited that rich part of Lincolnshire above referred to, and found that the common mode of stocking the pastures in that fertile district is seven sheep and half-a-beast per acre; that is, in other words, fourteen sheep and one beast on two acres thro' summer, and sive sheep on two acres during winter.

alto concludes that

### RABBITS,

and other Domestic Animals of less note.

AS it may be expected from a Treatife on Live Stock, or Domestic Animals, that besides horses, neat cattle, sheep, and fwine, fomething should be faid on rabbits, mules, affes, goats, deer, and even poultry-For the fake of method, then, I shall beg leave to fay, that tho' these do come under the idea of domestic animals, yet I confess myself so totally unacquainted with their respective merits, that it would be very wrong in me to attempt a history of them. Indeed, as far as I know, few of them are of much importance to farmers in general, tho' in particular fituations I believe they may be.

## Of Rabbits.

I know of large tracts of poor light foils in many different parts of this kingdom, that are employed in rabbitwarrens, and no doubt may be of great advantage to individuals, as well as to the community at large; for, both the flesh and fur of these little creatures are of confiderable value. I was told when in Lincolnshire last year 1784, that many parts which had formerly been employed or stocked with rabbits, and then plowed for fome years, were now again converted into rabbit - warrens, from their being convinced by experience that these little animals made a better return upon those poor light foils than the plough. Indeed I was told that the fur of the rabbit was now much more valuable than fome years ago; and the skins of the Lincolnshire rabbits

are particularly estimable, from their being mostly silver-greys, the down being black, and white hairs nicely mixed.

## Of Mules,

MULES are undoubtedly very hardy creatures, useful in many situations, and probably well worth breeding by those that understand them.—

I very well remember, some years ago, in an excursion through the low side of Yorkshire, seeing a sine Spanish As at Beverly, sourteen hands three inches high, kept as a stallion, and covered at no less than two guineas a mare.

## Of Asses.

Asses, tho' I know little of them, yet their ill-treatment has often excited my compassion. These poor creatures are abused and buffeted on all occasions, put to the greatest drudgery and hardships, and seem to be equally despised

by man and beast. It is amazing how patiently they bear with the cruelest treatment, and drag out a long life, though under unmerciful loads, and most barbarous usage.

## Of Goats.

As to goats, though I live in the neighbourhood of Wooler †, which is famous for goat-whey-drinking in the feafon, and in which vicinity I fuppose more are bred and kept than in any other part of England, yet I confess myself very ignorant of their history. I am told that some of the sheep-breeders who occupy mountain farms, make a handsome profit by keeping goats, and sending the whey

† Wooler is a small market-town pleasantly situated at the foot of that sine range of mountains called Cheviot Hills in the north part of Northumberland, 18 miles from Berwick, and is a thoroughfare from London to Edinburgh.

down to Wooler in the feafon, when feveral genteel people from both fides the Tweed (as far as Newcastle one way, and Edinburgh the other) resort thither in the months of May, June, and July, not only for the benefit of drinking the goat-whey, but the fine air, and angling in the pure limpid streams that come pouring down from the mountains into a very fertile plain below. Kid is reckoned a very delicate kind of meat †.

Of

† An acquaintance informs me that he has it from very good authority, that the Angora goat, which is a distinct species, that carries a thick coat of fine silky hair, greatly esteemed for certain purposes in some manufactures, thrives very well, and breeds readily in Sweden: they would of course prosper equally well in Britain. If they are equally hardy, and yield as much milk as the common goat, it is probable they would yield much greater prosits to the farmer, on account of the superior value of their sleece.

## Of Deer.

I also know very little concerning deer:-But I suppose that the different species of these animals might be greatly improved, by the fimple and plain rule of felecting the best males and best females, and breeding from these in preference to the promiscuous methods which at prefent I am told are too much purfued: And I can have little doubt but that the best venison (as well as the best mutton, &c.) will always be found in the truest form, and along with the fmallest and finest bone; and if so, how easy would it be for a Nobleman or Gentleman to order his game-keeper to choose out a few of the best males and females prior to the rutting feafon, put them into a fenced place by themselves, give the young ones a particular mark to know them from the promiscuous race! and

a few years will determine whether this matter be worthy of the attention recommended. I know great stress is laid upon the pasturage or herbage they feed upon, nor will I deny its effects in a degree; yet I apprehend a right choice of the most valuable males and females of any kind whatsoever, properly attended to, bred from, and the produce depastured along with the promiscuous breed, will shew a much more conspicuous effect.

## Poultry.

OF the feathered tribe I acknowledge myself more ignorant than even of the quadrupeds I have been last treating. However, if I am rightly informed by people of nice palates, the small-boned well-proportioned poultry, greatly excel the large-boned big kind, in taste, sineness of slesh, and slavour; and if this be the case, it

would feem as though the fame principle which we have all along endeavoured to establish, held good through all the different classes of domestic animals which fupply us with animal food, (viz.) That all animals of whatever kind, those which have the smallest, cleanest, finest bones, are in general the best proportioned, and covered with the best and finest-grained meat. I believe they are also the hardiest, healthieft, and most inclinable to feed, able to bear the most fatigue while living, and worth the most per lib. when dead.

#### ADDENDUM.

What follows should have been inserted under the article Cattle, but was then overlooked.

I APPREHEND one great mistake that breeders in general have run into, especially in breeding neat cattle, has been in endeavouring to unite great-milkers with quick-feeders. I am inclined to think this cannot be done; for, wherever we attempt both, we are fure to get neither in any perfection. In proportion as we gain the one, in the fame proportion we lose the other: the more milk, the less beef; and the more we pursue beef, the less milk we get. In truth they feem to me to be as it were two different species or forts of cattle of the same kind, for very different uses; and if so, they ought most certainly to be differ-Z 2

differently purfued by those that employ them. If the dairy-man wants milk, let him purfue the milkingtribe; let him have both bull and cows of the best and greatest milkingfamily he can find. On the contrary, he that wants feeding or grazing cattle, let him procure a bull and cows of that fort which feed the quickeft, wherever they are to be found. By purfuing too many objects at once, we are apt to lofe fight of the principal; and by aiming at too much, we often lofe all. Let us only keep to diffinct forts, and we will obtain the prize in due time. I apprehend it has been much owing to the mixing of breeds, and improper croffings, that has kept us fo long from diftinguishing the most valuable kinds:-And if it had not been for Mr Bakewell, perhaps we might still have been groping in the dark; at least,

least, that great breeder was the first I know of who pointed out the valuable forts, made those true distinctions unobserved I believe before this day, and has pursued them with a zeal, judgment, and perseverance peculiar to himself.

I do not suppose this doctrine to be fo new as it has been unattended to, and not properly confidered; for, I have heard many a man fay, ' How ' should that cow be a good milker? ' she runs too much to flesh;' and so it is, while all the great milkers are invariably thin. The former are generally high-fided, light bellied, covered in all their points; and in fhort, in proportion as they recede from the great milking-tribe, fat compared, though kept on middling fare: while the latter will be lean upon their backs, flat-fided, low-bellied, poor and ill-looking, though much better kept than the others.

I own there is a middling kind of cows which give a tolerable quantity of milk, and also keep in pretty good condition or order; but this I apprehend does not at all militate against the above reasoning, because still those that incline the most to flesh, invariably give the least milk, and vice verfa: And tho' many of the middling cows will make very fat when they are dried, or the milk taken from them, yet not near fo quickly fat, nor fo ripe, as those which give less milk, and are inclined more to fat while in a milking state.

## APPENDIX.

#### No. I.

AN Account of the Names of Domestic Animals at different ages.

THE general name by which the male sheep are known, is Ram or Tupe. When lambs, they are called ram or tupe-lambs as long as they suck. From weaning, or taking from the ewes, to the shearing or clipping for the first time, they are called hogs, hogerels, or lamb-hogs. Then they take the name of shearing, shearling, shearling, or dinmond tupes or rams. After that, according to the years they are clipped or shorn, they are called two-shear, three-shear, and so on, which always takes place from the time of

fhearing †. But when gelt or caftrated, they are called wedder-lambs
while fucking; then wedder-hogs,
until shorn or clipped, when they take
the name of shearings, &c.; until they
are shorn a second time, when they
are called young wedders, or two-shearwedders; then three or four-shearwedders, or more, according to the
times they are clipped or shorn.

The general name by which the female sheep are known, is Ewe: while sucking, they are called ewe-lambs, or gimmer-lambs; but when weaned, or taken from the dams, they are called ewe-hogs or gimmer-hogs, until clipped or shorn for the first time, when they take the name of gimmers, which name

† The age of sheep is also known, or pretended to be known, by the changes on their fore-teeth; I say pretended, because I take upon me to say that it is a very uncertain way of judging, as I will endeavour to show afterwards.

name continues only one year, until they lofe their fleeces a fecond time, when they obtain the name of ewes, which they retain as long as they live; only, every time they are shorn, they add a year to their age, and are called two-shear, three-shear, or four-shearewes, according to the times they have been clipped or shorn: And this holds good of all other sheep; for, the age of sheep is not reckoned from the time they are lambed, but from the time of shearing: for, altho' a sheep is generally 15 or 16 months old when first shorn, yet they are not called fhearings until once clipped, which is understood to be the same as one year old.

What we call gimmers in the North, in many of the midland parts of England are called thieves, and when twice shorn, double thieves. This seems very uncouth and inconsistent to our

ears, but so much for custom. There are other variations of names in different parts, which I do not recollect. In some places they call the male-lambs heeders, and the semales sheeders; and in others, two-year-old twees are called twinters, and three-year-olds thrunters.

THE general name of the male in Neat Cattle, is Bull. During the time he fucks, he is called a bull-calf, until turned of a year old, when he is called a stirk or yearling bull; then a two, three, or four-year-old bull, until fix, when he is aged :- but when castrated or gelt, he is called an ox or stor-calf, until a year old, when he is called a flirk, flot, or yearling; then a two-year-old steer, and in some places a twinter:—at three, he is called a three-year-old steer; and at four, he first takes the name of ox or bullock, though

though formerly I believe the caftrated male was not called an ox or
bullock until fix years old †, when he
is looked upon to be at the best, tho'
fome people think an ox improves
until seven, eight, or even nine years
old.

The general name of the female of this kind is Cow: while fucking the dam, she is called a cow-calf, quey-calf, or heifer-calf; then yearling quey or heifer; then a two-year-old quey or heifer, or twinter; the next year a three-year-old quey or heifer; and when four, she is first called a cow, which name is retained till the last. If castrated or spayed, she is called a spayed or cut heifer, or spayed or cut quey in the North parts of the island.

Aaz

+ I apprehend the taking the name of ox or bullock at four instead of six years old, has taken place since the drawing or working of oxen has been so much disused. A Stone-horse or Stallion is what we distinguish the male of the horse-kind by: while sucking, he is a foal or colt-foal, then a yearling colt to afterwards a two and three-year-old colt, until four, when they are most commonly called horses, which name holds through.

The female of this breed is called a Mare: when fucking, a mare or filley-foal, then a yearling-filley, afterwards a two and three-year-old filley, and at four she becomes a mare.

Of the Pig-tribe the male is called a Boar or Brawn, the female a Sow, the castrated male a hog-pig, the cut or castrated female a gilt or gaut.—Pigs or Swine are common names for the whole tribe.

AP-

<sup>+</sup> In some places a colt from one to two years old is called a stag.

## APPENDIX, No. II.

Of the time the different Domestic Animals shed their teeth, and the rules for knowing their age.

NEAT Cattle cast no teeth until turned two years old, when they get two new teeth; at three they get two more, and in every fucceeding year get two, until five years old, when they are called full-mouthed, though they are not properly fullmouthed until fix years old, because the two corner-teeth, which are the last in renewing, are not perfectly up until they are fix.—It may also be worthy of notice, that the first wrinkle upon the horn does not take place until three years old, after which they get another circle or wrinkle every year as long as the horn stands on, though not always equally difcernable

able in all horned cattle; and I am forry to fay, that it is too common for jobbers and cow-dealers to scrape, rasp, or file down these wrinkles in old cattle, to prevent the age being known, and by that means to deceive and impose upon the unwary, ignorant, and unsuspecting.

got two new teeth ) at

A horse does not cast or renew any of his teeth until between two and ahalf and three years old, when he casts two above and two below †. Between three and a-half and four years, he casts four more, (viz.) two above and two below; and between four and ahalf and five years old, he casts the remaining four, which are called the corner-teeth. It is remarkable that

† Neat cattle and sheep have no teeth in the upper jaw before, but only in the under jaw, while the horse tribe has both above and below: indeed the former chew the cud, but the latter does not.

the eight first teeth which the horse renews, make all their growth in about 15 days, while the four last or cornerteeth take about a year and a-half to make their full growth. The four first teeth he renews, are called nippers or gatherers, the next four are called separaters, and the four last are the corner-teeth, which also contain the black mark by which the dealers can fo well diftinguish the age of a horse. And fome may think that I ought to fay fomething of this matter here; but those that want to be acquainted with this doctrine, need only confult Bartlet, Brecken, or any of our books upon farriery, where they will find it fully explained .--- Horses have also four tusks or tushes (as the dealers call them) which stand between the foreteeth and grinders, and ufually make their appearance when a horse is about three and a-half years old, but are not at their full growth until the horse be fix years old †.

Sheep in general renew their first two teeth from 14 to 16 months old, and afterwards every year about the fame time, until they are turned three years old, or rather three shear, to speak technically, when they become full-mouthed; for, though they have eight teeth in the under-jaw before, I believe they only cast or renew the six inside ones. However, this matter is not perfectly clear, because I find the shepherds differ in opinion, some thinking they cast only six, others again all the eight fore-teeth.

Observ-

† The above is taken from the Compleat Horseman or Perfect Farrier.

# Observations on the above.

IT may be observed, that Sheep renew their first teeth soon after they are past one year old, Neat Cattle not until they are past two, and Horses not until they are near three years old. And this is perfectly confiftent with the wifdom of the Great Creator in all his works :-- because, the horse-tribe live the longest, and are evidently meant to bear the greatest hardships: The bull-tribe the next longest; and tho' very useful as a beast of draught, yet not at all equal to the horse in firmness and hardiness: And the innocent sheep live the shortest time, and increase the fastest, not being intended as a beast of burden or draught, but to feed and clothe the lords of the creation. - I have heard of particular sheep living to near 20 years old,-those which the mountain-shepherds call call guide-sheep, viz. old wedders kept on purpose to guide and direct the bleeting flocks upon those unfrequented wilds.—I have also heard of particular bulls living more than 20 years: and I knew a horse live until 47 years, This horse had a ball lodged in his neck at the battle of Proud Preston in the Rebellion of the year 1715, and the ball was extracted when the horse died in 1758. This horse was supposed to be four years old in the year 1715, consequently would be 47 in the year 1758.

Now, respecting the judging of the age of the above animals by the renewing of their teeth,—tho' perhaps the best rule we know of, yet I cannot think it is always to be depended on. However, in sheep, I am very certain we are liable to be missed by it; and I apprehend much depends upon being early or late lambed, well or ill fed, and

and fo on. Particularly tupes, I have frequently known to have what we call four broad or renewed teeth, when by the above rule they ought to have had only two .- A friend of mine, and an eminent breeder, Mr Charge of Cleasby, a few years ago, shewed a fhearing tupe at Richmond in Yorkshire, for the premium given by the Agriculture Society there, which had fix broad teeth; in consequence of which, the judges rejected Mr Charge's tupe (tho' confessedly the best sheep), because they believed him to be more than a shearing. However, Mr Charge afterwards proved, to the fatisfaction of the Gentlemen, that his tupe was no more than a shearing,

FINIS.

and to on. Parrigularly thoses, I have surfacedy known to have velige me Santa A - Jones of the Boll To continue the edge of the Charge- of thereing tupe at Rickmond in Vertefilly, for the prominum given by the Agriculture Society sherty, which had fix broad teeth; in confequence of which the judges rejuded.Mr Charge's rure (the confessed with the best theep), because they believed him to be more than a firearing, However, Mr. Charge , afterwards proved, to the distribution of the Centlemen, that his tone was no inque than a frequing.

## ERRATA.

- P. L.
- 2. 12. For on the subject of rearing crops, read upon Agriculture
- 13. 9. For turfs read turves
- 19. 10. For neck vein-putt read neck-vein, putt
- 27. 23. For laudible read laudable
- 30. 4. For doubled-lyered read double-lyered
- 31. 19. For thin read their
- 36. 16. Read much fewer fleers kept to be oxen now than &c.
- 40. 13. and every-where elfe, For muirs read moors
- 55. 16. For leathy read leathery
- 63. II. For countries read counties
- 73. 5. and wherever it occurs, For tupe read tup
- 76. 13. For and read but
- --- 15. For but read and
- 82. 8. For Marchland read marsh-land .
  - 83. 5. For from 20 to 25 lb. read from 25 to 45 lb.
  - --- 10. and wherever it occurs, For wedder read wether
  - 84. 5. For Addison's read Edison's
  - 91. 4. For track read tract
- 92. 2. For Difhley's breed read Dishley-breed
- 115. 14. For begotted read bigoted
- 126. 5. After the word fat read mutton
- 141. 3. For lay the foundation read lay at the foundation
- 158. 8. For French read Trench
- 159. 7. & 14. Same error repeated.

#### RRATA.

		115	
Laurence Control of	NAME OF TAXABLE PARTY O		40
	PRVTLINE AND		25-
	when also down their street of thomas .		
	ald should be the state of the	S.F.	.75
			ACET.
	Persidit read their	Qt.	31.
	And much fewer fleers kein to be oven now it	31	38.
	A STATE AND THE CITY OF THE PARTY AND THE PA	100	100
	Attributed by stand feathers		350
	Ein countries read countries	.1.1	18.00
	and whothere it occurs for supported ten	-3	135
	and the birth		100
	A compression of the second se		-
	bort day in him i bald and a bort		112.
	the story as to extlement them are or or more than	1.50	-\$8
	and whitecover transcum, was welder assut written	.c.	***
	Andreas systemics of	-2	4.3
	Sharther dinteres		1:30
	Ter Dudley's breed and from the control of the	.=	25.
	- I will have been propertied		150
	After the word for some first		
	The second secon		-13
	Po Francis and Tranga		.8%



