Apparatus medicaminum ad usum Nosocomii Civici Generalis Mediolanensis anno 1786.

Contributors

Moscati, P.

Nosocomii Civici Generalis Mediolanensis.

Publication/Creation

Milan: G.B. Bianchi & G. Motta, [1786]

Persistent URL

https://wellcomecollection.org/works/b8yfhx3q

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org




40951/B PHARMACAPOEIAS: Milan

APPARATUS

MEDICAMINUM

AD USUM

Nosocomii Civici Generalis Mediolanensis Anno 1786.




MEDIOLANI

EXCUDEBANT JOANNES BAPTISTA BIANCHI, ET CAJETANUS MOTTA.

APPARATUS MEDICAMINUM



Mario Livier



HISTORICAL MEDICAL

LECTORI.

IC MEDICAMINUM APPARATUS Superiorum jussu ad usum Nosocomii Generalis Civici collectus, typis unice commissus est in commodum eorum, qui ipso uti debent, neutiquam vero ob rerum in eo contentarum praestantiam, vel novitatem. Si cui fortasse simplicitatis studioso copiosus aliquanto videatur, is perpendat oportet amplum cui dicata Collectio est institutum, Medicorum instituto parem numerum, maximam pro aegrotantium multitudine casuum varietatem: hinc satius existimatum est abundare aliquantulum, quam possibili necessitati deesse, aut angustis nimium finibus maximo aegrorum detrimento Clinicen obstringere.

Asterisco signata quae reperiuntur cariora sunt. Doses Medicamentorum in Tabellis pretiorum contentae Germanico significantur pondere, sicuti Germanicus est nummus; quae autem in Tabula Posologica ad calcem Apparatus adjecta descriptae fuerunt, ponderis nostri sunt ad communem Medicorum nostrorum usum.

Uncia Viennensis ad nostram medicinalem proxime est ut 128.2. ad 100., Viennensis scilicet major est. Libra medica nostra, quemadmodum medica Viennensis, constat unciis duodecim; uncia drachmis octo; drachma tribus scrupulis; scrupulum vigintiquatuor granis, secus ac scrupulum Viennense, quod viginti tantummodo granis aliquantisper ponderosioribus constat. Granum nostrum porro aequiparatur pondo grani unius mediocris frumenti, yel hordei.

Tabula Posologica praecipua tantum Praeparata respicit. Omnium enim designasse doses, vel inutilis, vel ineptus labor fuisset. Animadvertendum tamen, quod dosium limites ita determinari non possunt, ut pro subjecti natura, morbi genio, rerumque diversitate variari plerumque non debeant. Quamobrem scite monuit Lieutaudius expedire ut quisque quamdam seriem dosium sibi concinnet, quam Enchiridii instar, diurna manu versandam, alta mente reponat.

noteronum municipion



MATERIA MEDICA.

	-	-	
	Unc	flo.	kr.
A Bies Thus, sive lacryma	I	-	-
Turiones	ī	_	I
Pinus Abies Linnaei.	3 49		
Absinthium ponticum . Herba -	12	-	12
Artemisia pontica L.	(trail)		
Absinthium vulgare. Herba. Sum-	12		TO
Artemisia Absinthium L.	12		14
Acacia nostras . Fructus , Succus			
inspissasus	I		6
Prunus Spinosa L.			
Acetosa. Herba recens	12	-	12
Radix = -	12		14
Rumca Acetosa L.	12		-
Aconitum. Herba recens	12		12
Aconitum Napellus L.			
Acorus vulgaris. Calamus aroma-	3	1	-
ticus. Radix	12	-	12
A		1	11

Agrimonia Eupatoria L. Alkekengi . Baccae I Physalis Alkekengi L. Aloe hepatica . Succus inspissatus succotrina . Succus inspissatus Aloe perfoliata L. Allium . Bulbi 12 Allium Sativum L.			-	-
Adeps Anatis Suilla, vel Axungia porci Aerugo, sive Æs viride Agaricus Chirurgorum. Fungus. Boletus igniarius L. Agrimonia officinar. Herba Agrimonia Eupatoria L. Alkekengi. Baccae Physalis Alkekengi L. Aloe hepatica. Succus inspissatus succotrina. Succus inspissatus Aloe perfoliata L. Allium. Bulbi Allium Sativum L. Althaea. Folia. Radix Alumen crudum, sive vulgare Alumen Romanum, sive rupeum Amygdalae dulces, & amarae.		Unc.	flo.	kr.
Adeps Anatis Suilla, vel Axungia porci Aerugo, sive Æs viride Agaricus Chirurgorum. Fungus. Boletus igniarius L. Agrimonia officinar. Herba Agrimonia Eupatoria L. Alkekengi. Baccae Physalis Alkekengi L. Aloe hepatica. Succus inspissatus succotrina. Succus inspissatus Aloe perfoliata L. Allium. Bulbi Allium Sativum L. Althaea. Folia. Radix Alumen crudum, sive vulgare Alumen Romanum, sive rupeum Amygdalae dulces, & amarae.			-	-
* Aerugo, sive Æs viride I - I - I - I - I - I - I - I -	Acorus Calamus Europeus L.			
* Aerugo, sive Æs viride		12	-	24
Agaricus Chirurgorum. Fungus. Boletus igniarius L. Agrimonia officinar. Herba 12 Agrimonia Eupatoria L. Alkekengi. Baccae I - 3 Physalis Alkekengi L. Aloe hepatica. Succus inspissatus succotrina. Succus inspissatus Aloe perfoliata L. Allium. Bulbi 12 Allium Sativum L. Althaea. Folia. Radix 12 Althaea officinalis L. Alumen crudum, sive vulgare - 12 Alumen Romanum, sive rupeum Amygdalae dulces, & amarae.	Suilla, vel Axungia porci]	12	-	6
Boletus igniarius L. Agrimonia officinar. Herba 12 Agrimonia Eupatoria L. Alkekengi . Baccae I - 3 Physalis Alkekengi L. Aloe hepatica . Succus inspissatus I - 3 succotrina . Succus inspissatus I - 3 Aloe perfoliata L. Allium . Bulbi 12 Allium Sativum L. Althaea . Folia . Radix 12 Althaea officinalis L. Alumen crudum , sive vulgare - 12 Alumen Romanum , sive rupeum Amygdalae dulces , & amarae .	* Aerugo, sive Æs viride	I	-	12
Agrimonia officinar. Herba 12 - 12 Agrimonia Eupatoria L. Alkekengi . Baccae I - 3 Physalis Alkekengi L. Aloe hepatica . Succus inspissatus I - 3 Succotrina . Succus inspissatus I - 3 Aloe perfoliata L. Allium . Bulbi 12 - 12 Allium Sativum L. Althaea . Folia . Radix 12 - 12 Althaea officinalis L. Alumen crudum , sive vulgare - 12 - 12 Alumen Romanum , sive rupeum 12 - 12 Amygdalae dulces , & amarae .	Agaricus Chirurgorum . Fungus .	12	-	36
Agrimonia Eupatoria L. Alkekengi . Baccae I - Physalis Alkekengi L. Aloe hepatica . Succus inspissatus succotrina . Succus inspissatus I - Succus I - Succu	Boletus igniarius L.			
Alkekengi . Baccae I - S Physalis Alkekengi L. Aloe hepatica . Succus inspissatus succotrina . Succus inspissatus I - S Aloe perfoliata L. Allium . Bulbi I - I - I - I - I - I - I - I	Agrimonia officinar. Herba	12	-	12
Aloe hepatica. Succus inspissatus succotrina. Succus inspissatus Aloe perfoliata L. Allium. Bulbi 12 Allium Sativum L. Althaea. Folia. Radix 12 Alumen crudum, sive vulgare - 12 Alumen Romanum, sive rupeum Amygdalae dulces, & amarae.	Agrimonia Eupatoria L.			
Aloe hepatica. Succus inspissatus succotrina. Succus inspissatus Aloe perfoliata L. Allium. Bulbi 12 Allium Sativum L. Althaea. Folia. Radix 12 Alumen crudum, sive vulgare - 12 Alumen Romanum, sive rupeum Amygdalae dulces, & amarae.		I	nematity	3
Aloe hepatica. Succus inspissatus succotrina. Succus inspissatus Aloe perfoliata L. Allium. Bulbi 12 Allium Sativum L. Althaea. Folia. Radix 12 Althaea officinalis L. Alumen crudum, sive vulgare - 12 Alumen Romanum, sive rupeum Amygdalae dulces, & amarae.			18	
Succotrina. Succus inspissatus Aloe perfoliata L. Allium. Bulbi 12 Allium Sativum L. Althaea. Folia. Radix 12 Althaea officinalis L. Alumen crudum, sive vulgare - 12 Alumen Romanum, sive rupeum Amygdalae dulces, & amarae.		r		8
Allium . Bulbi 12 — 12 Allium Sativum L. Althaea . Folia . Radix 12 Althaea officinalis L. Alumen crudum , sive vulgare - 12 Alumen Romanum , sive rupeum Amygdalae dulces , & amarae .		I	entranenta	6
Allium . Bulbi 12 — 12 Allium Sativum L. Althaea . Folia . Radix 12 Althaea officinalis L. Alumen crudum , sive vulgare - 12 Alumen Romanum , sive rupeum Amygdalae dulces , & amarae .		1		
Althaea . Folia . Radix 12 - 12 Althaea officinalis L. Alumen crudum , sive vulgare - 12 - 12 Alumen Romanum , sive rupeum 12 - 12 Amygdalae dulces , & amarae .		12	-	12
Althaea officinalis L. Alumen crudum, sive vulgare - Alumen Romanum, sive rupeum Amygdalae dulces, & amarae.	Allium Sativum L.		N.	
Alumen crudum, sive vulgare - 12 Alumen Romanum, sive rupeum Amygdalae dulces, & amarae.	Althaea . Folia . Radix	12	-	12
Alumen crudum, sive vulgare - 12 — 12 Alumen Romanum, sive rupeum 12 — 12 Amygdalae dulces, & amarae.		700		
Alumen Romanum, sive rupeum 12 - 12 Amygdalae dulces, & amarae.	- 55	12	_	12
Amygdalae dulces, & amarae.		12		12
		12	-	24
Amygdalis communis L.	Amygdalis communis L.		1	
Amylum 12 - 24		12	-	24
Anethum . Herba 12 - 12		12	_	12
Semina 12 - 24		12		24
Anethum graveolens L.		COLUMN TO A STATE OF THE PARTY	20	5
Angelica . Radix 12 - 18		IZ		18
Angelica Archangelica L.				8
Anisum Stellatum . Fructus I - 8		T		8
	The land the same of the same			

Illicium anisatum L. Anisum vulgare . Semina				-
Anisum vulgare . Semina		Unc.	flo.	kr
Anisum vulgare . Semina			-	-
Pimpinella Anisum L. Antimonium crudum	Illicium anisatum L.	21111	0	
Antimonium crudum 6 Apium Semen 6 Apium graveolens L. Argentum vivum, sive Mercurius Arietis Sebum, vel Ovillum 6 Aristolochia rotunda vera officinalis . Radix	Anisum vulgare . Semina	12	-	12
Apium Semen	Pimpinella Anisum L.			
Apium graveolens L. Argentum vivum, sive Mercurius Arietis Sebum, vel Ovillum	Antimonium crudum	12		6
Argentum vivum, sive Mercurius Arietis Sebum, vel Ovillum	Apium . Semen	12		24
Aristolochia rotunda vera officinalis. Radix 36 Aristolochia rotunda L. Arnica. Herba 12 - 24 Flores 12 - 36 Radix 36 Radix 36 Radix	Apium graveolens L.	Contr	0	
Aristolochia rotunda vera officinalis . Radix		I	-	6
nalis . Radix 36 Aristolochia votunda L. Arnica . Herba 12 - 24 Flores 12 - 36 Radix 12 - 36 Radix 12 - 36 Arnica Montana L. Arum . Radix 12 Arum maculatum L. Asa foetida . Gummi-Resina . Acet. solut 8 Ferula Asa foetida L. Asarum . Radix 12 Asparagus . Radix 6 Avena . Semen 6 Avena . Semen 3 Folia 3		I 2	-	24
Aristolochia rotunda L. Arnica. Herba	Aristolochia rotunda vera offici-	PROPERTY	310	E.
Arnica. Herba Flores Radix Arnica Montana L. Arum . Radix Arum maculatum L. Asa foetida . Gummi-Resina. Acet. solut. Ferula Asa foetida L. Asarum . Radix Asarum Europeum L. Asparagus . Radix Asparagus officinalis L. Avena . Semen Avena Sativa L. Aurantium . Flores Folia 3 Poma . Numer. I 3		12	-	36
Flores Radix Radix Arnica Montana L. Arum Radix Arum maculatum L. Asa foetida Gummi-Resina Acet. solut. Ferula Asa foetida L. Asarum Europeum L. Asparagus officinalis L. Avena Sativa L. Aurantium Flores Folia Poma Numer. I. 12 — 36 12 — 48 12 — 12 12 — 12	Aristolochia rotunda L.	TEATT	211	B
Radix Arnica Montana L. Arum . Radix Arum maculatum L. Asa foetida . Gummi-Resina . Acet. solut. Ferula Asa foetida L. Asarum . Radix Asarum Europeum L. Asparagus . Radix Asparagus officinalis L. Avena . Semen Avena Sativa L. Aurantium . Flores Folia 3 Poma . Numer. I. • - 3	Arnica. Herba	12	-	24
Arnica Montana L. Arum . Radix 12 Arum maculatum L. Asa foetida . Gummi-Resina . Acet. solut 8 Ferula Asa foetida L. Asarum . Radix 12 Asarum Europeum L. Asparagus . Radix 6 Avena . Semen 6 Avena Sativa L. Aurantium . Flores 3 Poma . Numer. I 3	Flores	12	-	3.6
Arum Maculatum L. Asa foetida Gummi-Resina I — 8 Ferula Asa foetida L. Asarum Radix	Radix	12	-	48
Arum maculatum L. Asa foetida Gummi-Resina . Acet. solut 8 Ferula Asa foetida L. Asarum Radix	Arnica Montana L.	PHE D	12	E
Asa foetida Gummi-Resina I — 8 Ferula Asa foetida L. Asarum Radix		12	-	12
Acet. solut. Ferula Asa foetida L. Asarum Radix Asarum Europeum L. Asparagus Radix Asparagus officinalis L. Avena Semen Avena Sativa L. Aurantium Flores Folia Poma Numer. I. 12 - 12 12 - 24 12 - 12				E
Ferula Asa foetida L. Asarum Radix	Asa foetida . Gummi-Resina .		P.	0
Asarum Radix	Acet. solut	I	-	8
Asparagus . Radix	Ferula Asa foetida L.		1. 6	
Asparagus . Radix 12 Asparagus officinalis L. Avena . Semen 6 Avena Sativa L. Aurantium . Flores 12 Folia 3 Poma . Numer. I 3	Asarum . Radix	12	-	12
Asparagus officinalis L. Avena . Semen 6 Avena Sativa L. Aurantium . Flores	Asarum Europeum L.	y 20	B.TC	B
Asparagus officinalis L. Avena . Semen 6 Avena Sativa L. Aurantium . Flores	Asparagus . Radix	12		12
Avena Semen Avena Sativa L. Aurantium Flores Folia	Asparagus officinalis L.	rain:	-	8
Aurantium . Flores 12 - 24 12 - 12 Poma . Numer. I 3		12	71	0
Folia 12 - 12 - 3	Avena Sativa L.	152		
Poma . Numer. I 3	Aurantium . Flores	12		24
11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Folia	12	-	12
Cortices 12 - 12	Poma . Numer. I.	100	-	3
	Cortices	12	-1	12

Citrus Aurantium L. Balaustium Fructus I Cortex II2 Punica Granatum L. Balsamum Copaivae II Copaifera officinalis L. Balsamum de Mecha, vel Judaicum II Amyris Balsamifera L. Balsamum Peruvianum II Peruifera L. Balsamum Tolutanum II Toluifera L. Bardana Radix II2 Arctium Lappa L. Basilicum III Basilicum L. Baellium III Atropa Belladonna L.	12
Balaustium Fructus II — Cortex II2 — Punica Granatum L. Balsamum Copaivae II — Copaifera officinalis L. Balsamum de Mecha, vel Judaicum II — Amyris Balsamifera L. Balsamum Peruvianum II — Peruifera L. Balsamum Tolutanum II — Toluifera L. Bardana Radix II2 — Arctium Lappa L. Basilicum Herba II2 — Ocymum Basilicum L. Bdellium L. Bdellium L. Belladonna Folia II2 — Radix II2 — II2 — Radix III — II2 — II2 — II2 — III — II	12
Balaustium Fructus II — Cortex II2 — Punica Granatum L. Balsamum Copaivae II — Copaifera officinalis L. Balsamum de Mecha, vel Judaicum II — Amyris Balsamifera L. Balsamum Peruvianum II — Peruifera L. Balsamum Tolutanum II — Toluifera L. Bardana Radix II2 — Arctium Lappa L. Basilicum Herba II2 — Ocymum Basilicum L. Bdellium L. Bdellium L. Belladonna Folia II2 — Radix II2 — II2 — Radix III — II2 — II2 — II2 — III — II	12
Punica Granatum L. Balsamum Copaivae - I Copaifera officinalis L. Balsamum de Mecha, vel Judaicum I I Amyris Balsamifera L. Balsamum Peruvianum - I Peruifera L. Balsamum Tolutanum - I Toluifera L. Bardana Radix - I I Coymum Basilicum L. Balsamum L. Balsamum L. Balsamum Tolutanum - I Coymum Basilicum L. Balsamum L. Balsamum Tolutanum - I Coymum Basilicum L. Balsamum L. Balsamum Tolutanum - I Coymum Basilicum L.	12
Punica Granatum L. Balsamum Copaivae - I Copaifera officinalis L. Balsamum de Mecha, vel Judaicum I I Amyris Balsamifera L. Balsamum Peruvianum - I Peruifera L. Balsamum Tolutanum - I Toluifera L. Bardana Radix - I I Coymum Basilicum L. Balsamum L. Balsamum L. Balsamum Tolutanum - I Coymum Basilicum L. Balsamum L. Balsamum Tolutanum - I Coymum Basilicum L. Balsamum L. Balsamum Tolutanum - I Coymum Basilicum L.	12
Balsamum Copaivae Copaifera officinalis L. Balsamum de Mecha, vel Judaicum Amyris Balsamifera L. Balsamum Peruvianum Peruifera L. Balsamum Tolutanum Toluifera L. Bardana Radix Arctium Lappa L. Basilicum Herba Ocymum Basilicum L. Bdellium L. Bdellium L. Belladonna Folia - 12 Radix Radix II —	
Copaifera officinalis L. Balsamum de Mecha, vel Judaicum Amyris Balsamifera L. Balsamum Peruvianum Peruifera L. Balsamum Tolutanum Toluifera L. Bardana . Radix Arctium Lappa L. Basilicum . Herba Ocymum Basilicum L. Bdellium L. Belladonna . Folia = 12 Radix Radix II	-
Copaifera officinalis L. Balsamum de Mecha, vel Judaicum Amyris Balsamifera L. Balsamum Peruvianum Peruifera L. Balsamum Tolutanum Toluifera L. Bardana . Radix Arctium Lappa L. Basilicum . Herba Ocymum Basilicum L. Bdellium L. Belladonna . Folia = 12 Radix Radix II	
Balsamum de Mecha, vel Judaicum Amyris Balsamifera L. Balsamum Peruvianum Peruifera L. Balsamum Tolutanum Toluifera L. Bardana . Radix Arctium Lappa L. Basilicum . Herba Ocymum Basilicum L. Bdellium L. Belladonna . Folia = 12 — 12 — 12 — 12 — 12 — 12 — 12 — 12	-
Amyris Balsamifera L. Balsamum Peruvianum I - Peruifera L. Balsamum Tolutanum I - Toluifera L. Bardana . Radix 12 - Arctium Lappa L. Basilicum . Herba 12 - Ocymum Basilicum L. Bdellium L. Bdellium L. Belladonna . Folia 12 - Radix 12 - 12 - 12 - 12 - 12 - 12 - 12 -	
Balsamum Peruvianum - I Peruifera L. Balsamum Tolutanum - I Toluifera L. Bardana . Radix I2 Arctium Lappa L. Basilicum . Herba - I2 Ocymum Basilicum L. Bdellium . Gummi-Resina - I2 Bdellium L. Belladonna . Folia I2 Radix - I2	
Peruifera L. Balsamum Tolutanum - I - Toluifera L. Bardana . Radix 12 - Arctium Lappa L. Basilicum . Herba 12 - Ocymum Basilicum L. Bdellium . Gummi-Resina - 12 - Bdellium L. Belladonna . Folia 12 - 12 - 12 - 12 - 12 - 12 - 12 -	45
Balsamum Tolutanum	1.3
Toluifera L. Bardana . Radix 12 - Arctium Lappa L. Basilicum . Herba 12 - Ocymum Basilicum L. Bdellium . Gummi-Resina - 12 - Bdellium L. Belladonna . Folia 12 - Radix 12 -	30
Bardana . Radix 12 — Arctium Lappa L. Basilicum . Herba 12 — Ocymum Basilicum L. Bdellium . Gummi-Resina - 12 — Bdellium L. Belladonna . Folia 12 — Radix 12 —	1
Arctium Lappa L. Basilicum . Herba 12 Ocymum Basilicum L. Bdellium . Gummi-Resina - 12 Bdellium L. Belladonna . Folia 12 Radix 12	12
Basilicum . Herba	1
Bdellium L. Belladonna · Folia 12 Radix 12	24
Bdellium L. Belladonna · Folia 12 Radix 12	18
Belladonna . Folia 12 - 12 -	136
Radix 12 -	1
	18
Atropa Belladonna L.	24
Benzoe. Resina I	8
Croton Benzoe L.	63
Berberis. Fructus recens pro succo 12 -	12
Berberis vulgaris L.	
Betonica. Herba 12 -	12
Betonica officinalis L.	2
Bolus Alba 12 _	18
Armena 12 -	20
Contract of the second	18

		-	-
	Unc.	flo.	kr.
Borax	I		6
Botrys . Herha	12	-	12
Chenopodium Ambrosiades L.			
Butyrum recens	I	-	3
Calaminaris lapis	I		2
Calamintha Montana. Herba -	12	-	24
Melissa Calamintha L.			
Calx viva	12		II
Cancri lapides	I	-	4
Camphora	I	-	14
Laurus Camphora L.	10000	-51	
Canella alba . Cortex	I	-	12
Winterania Canella L.			
Cannabis . Semen	I	-	2
Cannabis Sativa L.	1		
Cantharides	1	-	12
Meloë Vesicatorius L.			
Capillus Veneris . Herba	12	-	24
Cadiantum Capillus Veneris L.			
Cardamine . Flores	12	-	24
Cardamine pratensis L.		1	
Cardamomum minus. Semen .	I	-	8
Amomum Cardamomum L.	1	1	11
Cardiaca . Folia	12	-	30
Leonurus Cardiaca L.		10	
Carduus Benedictus . Folia. Semina	12	-	24
Centaurea benedicta L.		1	
Carica . Fructus	12	-	12
Ficus carica L.		1	
2		1	
2	11		

	Unc. flo.kr.
Carvi. Semen	12 - 12
Carum Carvi L.	
Geum urbanum L.	12 - 12
Caryophyllus Aromaticus . Fructus	1 - 12
Caryophyllus Aromaticus L.	
Cascarilla . Cortex	1 6
Cassia fistula. Pulpa	1 -12
Cassia fistula L. Castoreum	I 120
Gatechu . Terra Japonica . Succus	I I 20
concretus	1 - 10
Areca Catechu L. Centaurium minus . Herba . Sum-	
mitates	1 - 3
Gentiana Centaurium L. Cepa. Bulbus	TO TO
Allium Cepa L.	12 -24
Cera alba	1 - 3
Flava	I - 2 I2 - I2
Scandi Cerefolium L.	12
Cerussa alba	12 - 12
Ustum	12 14
Chalybs. Ferrum, vel Mars. Li-	
Chamaedrys. Herba	12 - 6
	12 12
	11

	1
	Unc. flokr.
Teucrium Chamaedrys L.	
Chamaepitis . Herba	12 - 12
Teucrium Chamaepitis L.	
Chamomilla vulgaris . Flores .	12 -24
Matricaria Chamomilla L.	
Chelidonium majus . Folia	12 - 12
Radix	12 -24
Chelidonium majus L.	
Chelidonium minus. Radix	12 -24
Ranunculus Ficaria L.	
China . Radix	1 - 3
Smilax China L.	
Chinchina . Peruvianus Cortex	1 - 8
grosso modo contusus	1 - 12
alcoholisatus	1 - 18
Cinchona officinalis L.	
Cicer . Semen	12 -24
Cicer Arietinum L.	
Cichorium . Herba recens	12 - 6
Radix	12 - 12
Cichorium Intybus L.	and all
Cicuta . Herba	12 - 12
Radix	12 -24
Conium maculatum L.	
Cina . Contra . Santonicum . Semen	1 - 8
Artemisia contra L.	
Cineres clavellati depurati	12 -12
Cinnamomum . Cortex interior -	I -20
Laurus Cinnamomum L.	
4	

LILDIGA	
	Unc. flo. kr.
Citrus . Limonia . Fructus recen s	
Num. I	3
Cortex	12 - 12
Citrus medica L.	
Citrullus . Semina	12 -24
Coccinella	1 - 26
Coccus Cacti L.	
Cochlearia. Herba recens	12 - 12
Cochlearia officinalis L.	
Colchicum autumnale L.	12 -12
Colocynthis . Fructus	1 4
Cucumis Colocynthis L.	
Consolida major . Radix	12 - 12
Symphytum officinalis L. Contrayerva - Radix	
pulverisata	I 7
Dorstenia Contrayerva L.	
Corallium Rubrum pulv	1 - 6
Coriandrum . Semen	12 -24
Cremor Tartari, Crystalli Tartari	
Tartarus depuratus	12 24
Crepitus Lupi . Fungus cum polline	12 -24
Lycoperdon Bovista L.	
Creta alba, pura	12 - 12
Crocus . Antherae Pulverisat	III
Crocus Sativus L.	I 120
	1 1

	Unc. flo. kr.
Cucumis asininus. Fructus recens	12 — 12
Momordica Elaterium L.	
Cucurbita . Semen	12 -24
Cucurbita lagenaria L.	1
Curcuma . Radix	I - 4 2
Amomum Curcuma Jaq. Hort.	
Vind.	
Cydonia . Fructus	12 - 12
Semina	1 - 8
Pirus Cydonia L. Cynoglossum . Radix	12 - 12
Cynoglossum officinale L.	12 12
Cynosbatos . Fructus a seminibus	900
liberatus	12 - 36
Rosa Canina L.	
Datura, sive Stramonium. Herba	12 - 12
Datura Stramonium L.	12 - 12
Daucus . Radix	12 -24
Semina	1 - 3
Daucus Carota L.	
Dictamnus albus . Radix	I - I
Dictamnus creticus. Folia	1 - 3
Origanum Dictamnus L. Digitalis . Folia	12 - 24
Digitalis purpurea L.	
Draconis Sanguis . Resina	I -24
an Pterorarpus Draco?	

	Unc. flo. kr.
An Dracaena Draco?	
an Calamus Rotang?	
Dulcamara. Stipites	I - 2
Solanum Dulcamara L.	
Ebulus . Baccae recentes	12 - 12
Sambucus Ebulus L.	100 154
Elemi. Gummi-Resina	I - ×4
Amyris Elemifera L.	
Enula Campana Radix	12 - 12
Inula Helenium L.	
Equisetum . Herba	12 - 12
Equisetum palustre L.	
Euphorbia officinarum L.	1 - 4
Eruca. Herba	12 - 12
Semina	I - 2
Brassica Eruca L.	
Faba . Semina	12 - 12
Vicia Faba L.	
Farfara. Tussilago. Herba	12 - 12
Tussilago Farfara I	
Farinae Cicerum	12 - 12
Fabarum	12 - 12
Foenugraeci	12 - 12
Hordei	12 - 12
Lini	12 - 9
Lupinorum	12 - 12
Filix mas. Radix	12 - 6
Polypodium Filix Mas. L.	12 - 12
Luypunian Livin Lilus. Ly	11 1 1 1

		-	
	Unc.	flo.	kr.
		-	
Flammula Jovis . Herba	12	-	12
Clematis recta L.			
Foeniculum . Herba	12	-	12
Radix	12	-	12
Semen	12		12
Anethum Foeniculum L.			1
Foenum Grecum Semen	12	-	6
Trigonella Foenum Grecum L.			
Fragaria. Radix	12	-	12
Fructus	12	-	24
Fragaria vesta L.			
Fuligo splendens (ligni)	I	-	2
Fumaria . Herba	12	-	12
Fumaria officinalis L.			
Galbanum . Gummi-Resina	I	-	12
Bubon Galbanum L.			
Gallae Turcicae	12	-	12
Gentiana. Radix	12	-	12
Pulver	12		36
Gentiana lutea L.			
Geranium . Herba	12	-	24
Geranium Robertianum L.			
Glycyrrhiza. Radix	12	-	12
Glycyrrhiza glabra L.	11 .	100	
Gramen . Radix	12		12
Triticum repens L.		1	
Gratiola . Radix . Folia	12		12
Gratiola officinalis L.			
Guayacum . Lignum . Cortex -	12	comprehensive	12
	1	1	11

			-
The same of the sa	Unc.	flo.	kr.
Gummi-Resina	I	William.	12
Guayacum officinale L.			
Gummi Ammoniacum	I	-	12
Ammoniacum L.			
Gummi Arabicum	I	-	311
Mimosa Nilotica L.	1114	19	
Gummi Gutta . Succus gummosus	18.67	700	
spissatus	I	-	8
Cambogia Gutta L.	1000	076	
Gummi Tragacanthae	I	-	IO
Astragalus Tragacantha L.	955		
Haematites . Lapis	I	_	4
Hedera Arborea . Folia	12	-	12
Resina	I	_	6
Hedera Helix L.	1	1	
Hedera Terrestris . Herba	12	_	12
Glechoma Hederacea L.			
Helleborus niger L. Radix	172	-	12
Hordeum . Semen . Maltum	12	_	6
Hordeum distichum L.	1		
Hyoscyamus . Herba	T2	_	T2
Semen	T	-	2
Hyoscyamus niger L.	1	18	
Hypericum . Herba . Flores	T		2
Hypericum perforatum L.	1		1
Hypocistis . Succus inspissatus -	-	-	6
Cyrinus Hypocistis L.	1		
			T.0
Hyssopus . Herba	12	-	12
Hyssopus officinalis L.			
Jacea. Folia	12	-	2411

A MARKETTA TO THE REAL PROPERTY OF THE PARTY	Unc	flo.	kr.
		-	-
Viola tricolor. L.			
Jalappa . Radix pulv	I	-	12
Convolvulus Jalappa L.	Line	35	
Imperatoria . Radix	12	-	12
Imperatoria Ostruthium L.	me	1	
Ipecacuanha. Radix pulv	I	-	32
Viola Ipecacuanha L.	. 60	ig	
Iris Florentina L. Radix	I	-	4
Juglans. Nux matura, O immatura	12	4	12
Juglans Regia L.	ITE S	0	
Juniperus . Baccae . Lignum	12	-	0
Juniperus communis L.			
Lac Vaccinum	12	24	1
Lactuca . Herba recens	12	. 10	12
Lactuca sativa L.			TO
Lactuca Sylvestris . Herba .	12		14
Lactuca virosa L.	7	77/10	2
Lamium . Flores	1	17.00	3
Lamium album L.	12	234	12
Rumex acutus L.	1.4		12
Larix. Resina liquida, vulgo			
Terebinthina	12	_	24
Pinus Larix L.		1000	4
Lavendula . Folia . Flores	I	*23040	2
Lavendula Spica L.		30	7
Laurus . Folia	12	-	12
Fructus	12	-	12
Laurus Nobilis L.		-6	
Lentiscus. Mastiche. Lignum.	I	*******	2

14		-	
	Unc.	Ao.	kr.
		-	-
Resina -	I	-	10
Pistacia Lentiscus L.	1. 3	1	1
Lichen Islandicus . Planta integra	I	-	2
Linum . Semen	12	-	9
Linum usitatissimum L.			
Lithargyrus . Pulveris	I	-	I
Lupinus Semen	12	-	9
Lupinus albus L:	TO	18	
Majorana. Herba	12	-	12
Origanum Majorana L.	0.00	1	
Malva arborea	12	-	12
Flores	12	-	24
Alcea Rosea L.	33.3		1
Malva vulgaris . Herba	12	-	12
Flores	12	-	24
Malva rotundi=folia L.			
Manna	12	-	48
Fraxinus Ornus L.			
Marrubium album . Herba	12	-	12
Marrubium vulgare L.			
Marum verum. Folia	I	-	6
Teucrium Marum L.			
Matricaria . Herba	12	-	24
Flores	12	-	30
Matricaria Parthenium.			
Melilotus. Herba cum flore	12	-	24
Trifolium Melilotus officinalis L.			
Melissa . Herba	12	1	24
Melissa Citrina L.			1
]]	1	

-		-		
	Control of the second	Unc.	fll.	kr.
		-mudam	-	-
	Mentha crispa. Herba	12	-	24
	Mezereum . Cortex	I		6
	Daphne Mezereum L.	100		
	Millefolium . Herba	12	_	12
	Flores	12	_	24
	Achillea Millefolium L.	THE		0
	Millepedes	I	_	8
	Oniscus asellus L.	1	37	
	Minium	12	_	12
*	Moschus	I	16	
	Moschus moschiferus L.	arto	10	
	Myrrha . Gummi-Resina	I		TO
	Myrtillus . Fructus	I		2
	Vaccinum Myrtillus L.	0	3	-
		12	1	12
	Nasturtium aquaticum. Herba.	12		12
	Sisymbrium Nasturtium L.	7.7		6
	Nicotiana . Herba	12	-	30
	Nicotiana Tabacum L.			
	Nihilum album . Pompholyx -	I	-	I
1	Nitrum depuratum	12	-	48
	Nux Moschata . Fructus	I	-	18
ì	Myristica L.	38		
	Nux vomica . Fructus	12	-	18
	Stychnos Nux Vomica L.	3 %	514	
	Olea amygdalarum	I	-	6
	Seminum lini	I	-	I
1	Olivarum	I	_	2
	Ricini	I		12
	Olibanum . Thus . Gummi-Resina	11201	100	
	pul	T	_	5
	him.	1 4		7

104 N 138 21 To 1	Unc.	flo.	kr.
		-	-
Juniperus Thurifera L.	2 (4	tro	
Opium. Succus spissatus	I	-	10
Papaver Somniferum L.	12.4	19	
Opopanax. Gummi-Resina	I	-	12
Pastinaca Opopanax L.			
Origanum vulgare . Herba	12	-	12
Ostrearum Testae	1	-	2
Ostrea edulis L.	2823	100	1
Ovum Gallinaceum recens N. I.		1	1 2
Paeonia Radix	1	-	2
Paeonia officinalis L.			
Papaver album. Capita	12	-	24
Semina = =	I	-	2
Papaver Somniferum L.	MILES.		
Papaver erraticum. Flores	I	177	2
Papaver Rhoeas L.	Bases 3	MA	-0
Petroleum	I		8
Pareira brava. Radix	I	-	12
Cissampelos Pareira L.	7.0		
Parietaria . Herba	12		12
Parietaria officinalis L.	1		1
Passulae majores, & minores.	-		
Fructus siccati	12	-	12
Vitis vinifera L.	play	134	
Persica . Folia . Flores Nuclei	1		3
	1	-	1 2
Amygdalus Persica L. Persicaria . Herba	130	1	
THE REPORT OF THE PARTY OF THE	12	-	12
Polyganum Hydropiper L.	1 7	199	
HE was a line of the year	1	,	1

	manufacturity.		-
	Unc.	flo.	kr.
	Mineralities		
Phellandrium L. Folia	12	-	12
Semen = = =	12	-	24
Petroselinum. Herba	12	-	6
Radix	12		12
Apium Petroselinum L.	1.13		
Pimpinella alba . Folia	12	-	12
Radix	12	-	18
Semen	12	-	24
Pimpinella Saxifraga L.			
Piper Jamaicense . Fructus	I	-	3
Myrtus Pimenta L.			
Piper . Fructus + +	I	-	3
Piper nigrum L.			
Pix Burgundica	I	_	I
Pix liquida . Resina empyreumatica	I	_	1
Pinus sylvestris L.			
Plantago . Folia	12		12
	, -		
Plantago media L.	-	_	r 1
Plumbum ustum	-		2
Polygala. Radix	1		3
Polygala amara L.		1	- 11
Polygala vulgaris L.			
Polypodium . Radix	12	-	12
Polypodium vulgare L.			
Populus . Cortex	12	-	0
Gemmas	12	-	IL
· Populus Nigra L.			
Primula veris . Radix	12	-	24
Flores	12		36
B			- []
#	11	!	

3.0			
Self-off saidy	Unc.	flo.	kr.
		-	-
Primula veris officinalis L.	-	10	
Prunus. Fructus	12	-	24
Prunus domestica L.			
Psyllium . Semina	12	-	24
Plantago Cynops L.			
Ptarmica . Folia . Flores	12	-	24
Achillea Ptarmica L.			
Pulegium . Herba . Flores	12	-	30
Mentha Pulegium L.	-		
Pulmonaria, Tota Planta	12		24
Lichen Pulmonarius L.	7.2		
Pulsatilla nigricans. Herba. Flores	12		24
Anemone pratensis L.	12	_	24
Anthemis Pyrethrum L.	14		44
Quassia. Lignum . Cortex	12	I	
Quassia amara L.	1	1	
Quercus . Cortex . Glandes	12		6
Quercus Robur L.			
Raphanus rusticanus . Radix .	12		T 2.
Cochlearia Armoracia L.		1	
* Rhabarbarum . Radix	I	I	
Rheum palmatum L.		1	
Ricinus. Semina	12		26
Ricinus communis L.		-	1
Rosa rubra. Flores	I	-	10
Rosa Gallica L.	1	1	
Rosmarinus. Folia. Flores	12		36
Rosmarinus officinalis L.			
		-	. "

matte togeth bearing		
	Unc.	flo.kr.
Rubia . Radin	12	24
Rubia Tinctorum L.		
Rubus Idaeus. Fructus	I	4
Rubus Idaeus L.		
Ruscus . Radix	12	12
Ruscus aculeatus L.		1
Ruta . Herba . Flores Ruta graveolens L.	12	I2
Sabina . Folia	12	12
Juniperus Sabina L.		
Saccharum . Album	12	26
Rubrum	12	24
Saccharum officinale L.	400	
Sagapenum	I	8
Sal Ammoniacus	I	8
Catharticus amarus	I	6
Communis	I	I
Gemmae • • • •	I	16
Sodae	1	T2
Salep . Satyrium officinale . Radix	-	
Salicaria. Lysimachia purpurea.		
Herba flovida	12	12
Lythrum salicaria L.		
Salvia . Herba	12	I 2
Salvia officinalis L.	000	
Sambucus . Folia	12	I 2
Flores	12	18
Baccae	12	18

LITT.	The second name of the local division in which the local division is not a second name of the local division in the local division i	-
	nc.flo.	kr.
-		-
	2	12
Sambucus nigra L.	11	
0	2	24
	I	2
·	2	12
	2	24
Saponaria officinalis L.		6
	I	9
Smilax Sarsaparilla L.		2
	2	4
Laurus Sassafras L.		2
Scabiosa . Radix . Herba = - I	2	40
	1	6
Convolvulus Scammonia L		
Soille Pulling many	T	0
C' . 1		8
Scilla maritima L.		
Carolina Trula	2 -1	12
Teucrium Scordium L.		
Secale. Semen I	2 -	6
Secale cereale L.		
Sedum majus . Folia I	2 -1	2
Sempervivum tectorum L.		
Sedum minus . Folia I	2 -	2
Sedum acre L.		-
Senna . Folia	1 -	4
Cassia Senna L.		-
Serpentaria Virginiana . Radix -	1 -3	0

the same of the sa	-	-	-
	Unc.	flo.	kr.
pulv	ī		40
Aristolochia Serpentaria L.	4		
Serpillum . Herba	I		12
Thymus Serpillum L. Simaruba. Cortex	I	Comp. Series	20
Bursera gummifera L.	- 11		
Sinapi . Semen	12		18
Spigelia anthelmia L	12		24
Spina Cervina. Baccae	I		2
Rhamnus catharticus L.			
Spongia usta	I		14
Staphisagria . Semen	I		18
Delphinium Staphisagria L.			
Styrax calamita. Resina Styrax officinalis L.	I		0
Succinum • • • • • •	I	-	12
Sulphur	I		1
Tamarindus . Fructus Tamarindus indica L.	I		4
Tanacetum . Folia . Semina. Flores	I		2
Tanacetum vulgare L.			
Taraxacum . Radix . Folla Leontodon Taraxacum .	12		12
Terebinthina Veneta vid. Larix			
Terra sigillata	I		6
Thymus mulacis T	I	w.West	2
Thymus vulgaris L.	,		
	I It		**


ZZ MATERIA WEDICA.		-	
	Unc	flo	kr.
Tilia . Flores	I		2
Tilia Europaea L.			
Tormentilla . Radix Tormentilla erecta L.	I		4
Trifolium fibrinum . Folia	12	-	12
Menyanthes trifoliata L.			
Tuthia	I	-	16
Valeriana Sylvestris. Radix	I		I
pulver. = =	I		4
Valeriana officinalis L.			
Verbascum . Flores	12		24
Verbascum Thapsus.	-		- 0
Veronica officinalis L.	12		12
Vincetoxicum. Radix. Folid =	12		12
Asclepias Vincetoxicum L.	1		
Vinum album, & rubrum -	12		6
Viola . Heroa . Flores	12		12
Viola odorata L.			
Vipera Num. I			30
Virga aurea. Folia	12	-	24
Vitriolum album			
Caeruleum	1		2
Viride	I		5
Ulmus. Cortex medius = = -	12		12
Ulmus campestris L.		1	
Urtica. Folia. Semina .	12		12
Urtica dioica L.			
			1


MATERIA MEDICA.

23

	Unc.	flo.	br.
Uva ursi . Folia	I		6
Arbutus uva ursi L. Zedoaria. Radix	1		3
Kaempheria rotunda L. Zincum. Flores	1	paster.	6
Zingiber . Radix	I	-	4







APPARATUS MEDICAMINUM.

NB. Ubi quantitas in columna non indicatur, intelligitur tota compositio.

Unc. floler Acetum Antisepticum : R. Herbar. Rutae, Menthae crispae, Salviae, Roris marini aa. unc. duas, Florum Lavendulae Radicum Angelicae, Imperatoriae aa. unc. semis a Macera in aceti vini libr. septem in cucurbita vitrea clausa per sex dies. Colatura cum expressione servetur. I Acetum destillatum, seu Spiritus aceti. R. Aceti vini fortioris q. v. Impleatur retorta vitrea ad duas tertias partes, & adaptato vase recipiente instituatur ex balneo

	Unc.	flo.	kr.
arenae destillatio, initio leni, aucto tandem sensim calore, donec tres quartae circiter partes Aceti prodierint, ubi, ne empyreuma contrahat, ab ulteriori destillatione omnino desistendum. Acetum hoc modo abstractum excolor servetur usui.	Í		2
Acetum Saturninum. R. Lithargyri lib. unam. Pone in vas vitreum colli angustioris; dein affunde aceti vini fortis lib. quatuor Digere tamdiu, subinde agitando, donec acetum fuerit perfecte saturatum. Hoc acetum ad consistentiam extracti liquidi inspissatum vocatur: Balsamum, seu Extractum Saturni. Acetum Scilliticum.	I		3
R. Radicis Scillae recentis in taleolas tenues sectae uncias duas, Aceti vini libram unam. Macerentur in lagena vitrea per quatuordecim dies saepius agitando; dein coletur levi expressione acetum, & servetur.			I

MEDICAMINUM.		2	7
	Onc.	flo	kr.
AEtiops Antimonialis.	- 03		-
R. Antimonii alcoholisati, Argenti vivi depuratissimi aa. drach.			
Florum sulp huris drach. duas.			and the state of
Misce. Fiat L. A. AEthiops.	İ		32
AEthiops Mineralis.			
R. Mercurii vivi depuratissimi, Florum sulphuris partes aequales,			
In mortario vitreo pistillo vitreo terantur, donec mercurius dis-			
pareat, & pulvis acquiratur in- tense niger.	Ī	1	72
AEtiops Vegetabilis.			3-
段. Opii crudi q. pl.			
In sartagine terrea vitreata super-			
petuo agitetur, vinum album			
identidem aspergendo, quoad cesset fumus. Removeatur pos-			
susque in sartagine repositum			
torrefiat, cum vini albi irrora- tione, donec perfecte siccatum		-	
	11	1	1 1

A STATE OF THE PARTY OF THE PAR			-
	Unc.	Po.	er.
opium dimidiam partem amise- rit pristini ponderis. Pulverise- tur denuo subtiliter, subigatur cum aceto fortissimo, ac lento igne siccetur. Ultimo fiat pulvis in usum servandus.	I		32
Alumen Draconisatum.	. 10		
R. Aluminis rupei uncias duas:			
Fluat in cochleari ferreo, & mox			
adde Sanguinis Draconis pulverisati unc.			
unam.			1
Agitando misce; probe mixta ab igne femove, rite pulverisanda.	·I	-	16
Antimonium Diaphoreticum			
non ablutum.			1
B. Antimonii crudi libram unam,			
Nitri puri optime siccati lib. tres.			-
Seorsim pulverisata, & bene mixta in crucibulum capax ignitum.			
successive injiciantur, ut detonent,			
spatha subinde massam movendo.			1
Massa tandem tota injecta cal- cinetur adhuc tantisper; remo-		1	
veatur ab igne.	I	-	16
		-	

			7
MARINE OR THE PARTY OF THE PART	Unc.	flo.	kr.
Aqua Calcis,		-	
R. Calcis vivae recenter ustae lib.			
Aquae purae libras decem. Simul ac calx subsederit, aqua limpida decantetur, & servetur in vase			
bene clauso. Residuae Calci novam aquam si			
affundas, pari quantitate, eo- dem processu, Aquam secundam Calcis obtinebis pro usu praeci-			-
pue interno. Aqua Camphorata.	12	-	3
R. Olei Camphorae drach, unam, Aquae fontis ferventis lib. unam semis. Misce, & agita cum spathula li- gnea ad perfectam solutionem. Dein per chartam filtretur li-			
quor, servandus in vase accu- rate clauso. Aqua Chamomillae.	12		20
R. Florum Chamomillae vulg. partem unam, Aquae fontis partes octo.			

	Unc.	flo.	kr.
Abstrahatur inde medietas. Hac ratione parantur			-
Aquae Matricariae, Melissae,			
Menthae crispae, Rosarum, Sambuci &c.	12	-	6
Aqua Cinnamomi Simplex.			
R.Cinnamomi leviter contusi lib, unam, Aquae fontis libr. duodecim. Macerentur nycthemeri spatio; dein			
instituatur destillatio ad medie-			
Aqua Cinnamomi Vinosa.	I	-	3
R. Cinnamomi electi, & grosso modo contusi partem unam,			
Vini generosioris nostratis partes octo.			
Post macerationem per biduum destilla l. a. ex cucurbita vitrea			
humili .	I	_	5
Aqua Citri totius.			
R. Pomorum Citri in frusta scissorum partem unam,	1		
Aquae fontis partes octo,			
Abstrahantur in balneo mariae par- tes sex	12	-	18

		-	1
	Unc.	flo.	kr.
Aqua Opthalmica Adstringens.			K
R. Aquae Rosarum uncias quatuor,			
Lapidis divini scrupulum unum. Solve.	I	_	I
Aqua Ophtalmica Mercurialis.			
+			
R. Mercurii sublimati corrosivi gr.			
Solve in aquae fontis destillatae	11		
unciis tribus.	I	-	1
Aqua Picea.			
R. Picis liquidae uncias sex,		1	
Aquae fontis libras quatuor.			
Misce bacillo ligneo saepius agi- tando; stent per triduum in vase		13	
ligneo, despuma, & liquor de-	1		
cantetur,	I	-	0
Aqua Thediana,			
R. Aquae acerosae,	1		
Spiritus viņi rectificati aā. lib. tres,			
Sacchari candidi optimi tenuissimi		-	1
Spiritus vitrioli uncias octo	1		1
Misce.	I	100	14

32			
	Unc. 1	90.16	28.
Aqua Theriacalis.			
The Thirty A. I			1
B. Theriacae Andromachi une. tres,			1
Corticum citri recentium, Foliorum Rutae,			
Scordii,			
Radicis Angelicae,			
Dictamni albi,			
Imperatoriae ag. unc. unam,			
Contrayervae,			
Zedoariae aa. unc. semis,			
Aquae destillatae Juniperi lib. octo,			
Spiritus vini libras duas.			
Macerentur simul per nycthemerum;			
dein abstrahantur in balneo are-			
nae librae sex, quae serventur.	I	-5-	4
Aqua Vegeto-Mineralis.			
B. Aquae fontis libras tres,			
Extracti Saturni unciam semis,			7
Spiritus vini camphorati drach.			
tres.			
Misce, agita, & serva.	12	-	0
· Aqua Vegeto-Mineralis			
Fartier .			
R. Aquae fontis libram unam,			
Extracti Saturni unciam semis,			
Spiritus vini camphorati unc. duas.			
Misce.	12	_	12
	ři	1	

	. 33
	Unc. flo. kr.
Aqua Vulneraria.	100
R. Herbarum Artemisiae,	
Consolidae Saracenicae	
aã unc. unam semis,	
Origani unc. unam,	
Hyssopi	0.00
Menthae Saracenicae,	
Calaminthae montanae,	
Foeniculi,	
Salviae,	
Rutae,	
Rorismarini,	
Florum Lavendulae aa. unciam.	
unam semis.	
Incisis affunde	
Vini albi optimi uncias decem,	
Aquae communis lib. duodecim.	
Abstrahantur in balneo arenae duae	4
tertiae partes, quae usui ser-	
ventur.	I - 2
Aqua Vulneraria Romana.	
R. Succi recentis Origani,	
Saniculae,	
Betonicae,	
Verbenae,	
Sempervivi,	
C	
	13 , (1

Unc. flo. kr Pimpinellae, Millefolii aa. libram semis, Mari uncias tres . Salis Alkalini. Gemmae aa. libram semis, Cremoris Tartari uncias quatuor, Aceti destillati libram unam . In aceto solve Aloes succotringe unciam unam_ semis. In succo Betonicae, Sal gemmae. In succo Verbenae, & Millefolii, Sal alkalinum. In succo Pimpinellae, cremorem tartari . Deinde ponantur omnia in retortal clausa, & digerantur per triduum; dein destillentur s. a. Caput mortuum teratur in mortario, inde liquori destillato iterum admixtum digeratur adhuc per triduum ; iterumque destilletur. Tertia demum eodem modo repetatur destillatio, adeo ut nonnihil empyreumaticus evadat liquor, in vase vitreo clauso asservandus. I

		3.	
	Unc.	flo.	kr.
Balsamum Arcei.	-	_	
R. Terebinthinae clarae,			
Gummi Elemi, Sebi Castrati aa. uncias octo,			
Olei Hyperici compositi unc. tres,			
Cerae flavae unciam unam.			
Omnia simul lento igne liquentur,			
colentur, & ad usus ferventur:	I	-	3
A late of the create from the control of	610		
Balsamum Locatelli.		1	
- 01 ' 0"			
及. Olei Olivarum,			
Terebinthinae aqua rosarum lotae			
Cerae flavae uncias quatuor.			
Liquatis ad ignem lentum, adde			
Vini Malvatici libram unam.			
Bulliant ad consumptionem humi-	1		
ditatis. Vase ab igne remoto			1
admisce	999		
Ol. Hyperici uncias duas,		1	
Balsami Peruviani unciam unam			
semis,			
Santali rubri subtiliter pulverisati			
Agita usque ad refrigerationem,ut	- 1		
fiat Balsamum.	I		6
Aut Salouman e			
2			
			"

. 30	2211444105			
(-11-14-		Unc.	flo.	kr.
Olei li	Balsamum Sulphuris Terebinthinatum. rum Sulphuris libr. unam, Terebinthinae empyreumat. bras duas.			and the second s
ca	lore, ut flores in oleo solvan- ir. Liquorem atrum per incli- ationem separa, ac usui serva.			8
	us Purgans Mercurialis.		10/10/10	
Mel Mer	lis depurati aa. drachmam. sem. curii dulcis grana tria. Misce.			5
B. Pul	v. radicis Jalap. drachmam fem. ani duplicati grana quindecim,			
Mel	lis depurati drachmam semis. Iisce. Butyrum Antimonii.		_	1
Sing	imonii crudi, ublimat. corrosivi aa. lib. unam. gula seorsim in pulverem redacta isceantur accurate in mortario			

	-		
	Unc.	flo.	kr.
vitreo, & indantur retortae, appositoque excipulo fiat destillatio in balneo arenae leni calore, paulatim aucto, donec butyracea materies prodire cesset. Haec ex			
admotae, liquescat, & in exci- pulum transfluat. Tunc ignis a- moveatur, frigescat apparatus, & tollatur butyrum ex recipiente, in vitro bene clauso asservandum.	I		40
R. Micae panis albi libras quatuor. Aquae vegeto-mineralis lib. octo. Decoque ad consistentiam cataplasmatis.	12		4
R. Cerae uncias sex, Extracti Saturni unciam semis, Mercurii dulcis drachmas duas. Fiant Candelulae modo, quo efformantur Cereoli inferiores.		-	6
R. Cerae flavae libram unam. Fundatur, & huic sensim sub continua agitatione instilletur			

3			
	Unc.	flo.	kr.
Extracti Saturni uncia semis. In miscellam debite factam immerge adaptata lintea, quae dein l. a. convoluta intra asseres			
duos, vel lapides politos effingan- tur in candelulas varii voluminis. Cerevisia Pectoralis.			4
R. Herbar. Endiviae unciam unam sem. Urticae, Portulacae,			
Radicis symphiti maj. aa. unciam semis: desuper funde Cerevisiae fervefactae lib. quatuor. Stent in vase clauso. Frigefact. fiat colatura.			1
Clysma Anodynum. R. Infusi seminum lini uncias sex,			23
Laudani liquidi Sydenhami gutt. quindecim. Misce.			5
Clysma Balsamicum. R. Lactis ferrati libram semis, Opii pari granum unum,			
Terebinthinae vitello ovi solutae drachmam unam semis. Misce.		_	5

	-	-	
	Un.	flo.	kr.
Clysma Campboratum.			
R. Camphorae rasae drachmam unam, Mucilaginis gummi arabici drachm. duas; rite in mortario subactis adde			
Decoct. emollient. unc. octo.		-	6
Clysma cum Cortice.			
Bt. Corticis Peruviani leviter tusi dra-			
Aquae fontis libram unam. Coque ad dimid. remanentiam. Col. & detur.			94
Si addatur Theriacae Andromachi drachm. una, est Clysma e Cor- tice cum Theriaca.			101
. Clysma Emolliens.			
R. Rad. Althaeae unciam semis. Coque in s. q. aquae per horae quadrantem. Colaturae unciis octo adde Olei seminum lini unc. duas. Exhibe.			5
Clysma Foetidum.			
R. Rutae unciam unam, Aquae fontis libram unam semis. Coque ad libram unam. Colatutae adde 4			

	Unc. flo. kr.
Asae foetidae drachmas duas, Olei olivarum unciam unam. Misce s. a. Detur pro duabus vicibus.	I5
Clysma Irritans.	
R. Foliorum Nicotianae siccatorum, drachmas duas. Bulliant parumper in Aquae fontis unciis sexdecim. Colaturae adde Salis cathartici amari unc. sem. Detur pro binis Clysteribus.	10
Clysma Opiatum.	
A. Lactis ferrati uncias fex, Opii puri granum unum, Gummi arabici drachmam unam. Misce.	4
Clysma Purgans.	
R. Salis Cathartici amari unc. semis. Mellis unciam unam, Aquae fontis uncias sex. Misce. Exhibe.	5

			-
	Unc.	flo.	kr.
Cinnabaris Factitia.			
7. 611			
R. Sulphuris q. pl. Funde in vase fictili; dein inji-	A ST		
ciantur			
Mercurii vivi partes septem.			
Agitetur continuo massa, donec bene			
sit unita. Frigefacta reducatur in pulverem,			
& sublimetur ex phiala vitrea			
igne sat forti, phialae orificium			
charta obturando. Massa subli- mata tollatur, & in subtilissi-			
mum pulverem teratur.	I	1	12
Confectio Alkermes.			
		-	
R. Cinnamomi drachmas sex, Santali citrini,			
Nucis moschatae,			
Matris perlarum praep. aā. drachm.		-	
duas .			
Syrup. Kermesini libram unam. Fiat ex arte Confectio mollis.	I	_	12
Collyrium Anodynum.			
the least of the section of the sect	1		
R. Mucilaginis Seminum Cydoniorum unciam unam,	1		
Camphorae grana duo,			1
Opii puri granum unum. Misce.	I	-	I
	1	1	1

Collyrium Discutiens.	100		
	11		
	1		
octo,	1		
Aloes succotrinae,			
Tutiae praep., Croci Metallorum aa. scrupulum			
unum.	939	-	-
Mixta pone in vas vitreum clausum;		1	
agita identidem, & leni calori	11		
expone per horam dimidiam.	12		10
Conserva Absinthii.			
R. Foliorum Absinthii recentium part		-	
unam.		1	1
Conscindantur minutim; dein con- tundantur in mortario marmo-			
reo pistillo ligneo in pulpam, ad-		1	
miscendo successive sub tusione	44		-
continua	1		1
Sacchari albi pulverati partes duas ut fiat exacta commixtione con-			
serva in vase murrhino, au	11		
vitreo, aut terreo vitreato af-	11		
fervanda.	I	1-	3
Conserva Rosarum.			
R. Florum Rosarum rubr. recent. lib		1	
semis.		1	

	Unc.	flo.	kr.	-
Contundantur in mortario marmo- reo in pultem; cui successive fub continua tusione admisce				
Sacchari albi in unciis quatuor aquae Rosarum soluti libram unam.		200 200 200 200		
Serva. Haec vitriolata si expetitur, ex tempore reddi potest, admi-	1	171	4	
Spiritus Vitrioli acidi gut. decem.	Í		5	
Gornu Cervi ustum.			3	
Vid. Spiritus Cornu Cervi. Crocus Metallorum.	1	× 100 m	3	
R. Antimonii crudi, Nitri aa libram unam.				
Seorsim in pulverem trita, mix- taque accurate in crucibulo can- denti detonent, injiciendo per vices				
Servetur autem massa, quae voca- tur: Hepar Antimonii.	1		8	
Haec cum aquae sufficienti quantitate debite abluta, & exsiccata dicitur:	O -			
Crocus Metallorum.	1	-	10	

44 APPARATUS			
SET A PARTY OF THE	Un.	flo.	kr.
Decoctum Album.		. , (5
A STATE OF THE STA			
R. Cornu Cervi usti,			
Sacchari albi,			
Medullae panis albissimi aa. uncias quatuor.		1	
Bulliant in aquae fontis lib. octo ad			
remanentiam lib. sex. Col. detur.		_	252
	1		
Decoctum Amarum.			
R. Herbar. Trifolii fibrini,	mi		
Centaurii minor. aa. unciam			
Cogue per horse quedrantem in fuf		1	
Coque per horae quadrantem in suf- ficienti aquae quantitate, dein			
adde			
Herbae Absinthii pontici unciam			
unam.	11		
Stent in infusione. Colat. libr.	11		
duarum adde oxymellis simplicis	11	-	
unciam unam. Detur.	24	-	8
Decoctum Antihecticum.			
R. Radicis Consolidae majoris unciam		1	
unam,	1		
Conservae Rosarum uncias duas,			
Aquae fontis libras tres.			
Coque ad libras duas. Colaturae adde		1	
Elixir. vitriol. arom. guttas quadra-	-	1	
ginta.	112	-	15

	Unc flo.kr.
Decoctum Antimonii cum Sarsaparilla.	
Radicis Sarsaeparillae uncias tres.	
Coque in lib. duodecim aquae ad di-	Page 1999 34
midii remanentiam. Ad finem coctionis adde	
Radicis Liquiritiae unciam semis.	
Colat. detur.	12 - 4.2
Decoctum Bardanae.	
R. Radicis Bardanae maj. unc. duas, Tartari vitriolati drachmam unam,	
Aquae fontis libras tres.	100 200
Goque ad libras duas, & cola.	24 2 1
Decoctum Campechense.	
及. Scobis ligni Campechensis unc. tres,	
Aquae fontis libras quatuor. Coque ad medias, addendo sub finem	
Cinnamomi drachmas duas . Cola .	12 - 4
Decoctum Catechu.	
R. Catechu drachmas tres, Aquae fontis libras duas.	
Coque ad colaturae libram unatn,	
& adde Roob Ribesiorum unc. duas . Misce	. 12 - 4

40	ZITTARATOS			
		Unc.	flo.	kr.
Decoctum (Corticis Mezerei.			
Coque in aqua ad sesqui-li nem coction	bram, addendo sub fi-			4
Decoctum Co	orticis Peruviani.			
Coque per ho	oram in s. q. aquae .			14
R. Foliorum Di centium und Coq. in aqu.	gitalis purpureae. gitalis purpureae re- c. quatuor. fontis libr. tribus ad emanentiam. Colat			
Spiritus vini	unc. duas. D.	12		4

- WEDICAMINUM .		41	
	Unc.	flo.	kr.
Decoctum Diureticum.			
. Taraxaci cum toto uncias duas,			
Radicis Althaeae unciam unam.			
Coque per horae quadrantem. Adde Florum Chamomillae,			
Radicis Scillae aã. drachm. duas.			
Stent per horas sex vase clauso in digestione lenissima.	141		-
Colaturae libr. uni semis adde	4	- 1-	
Oxymellis simplicis		8	1
Syrupi Liquiritiae aa. unc. unam semis. D.	3 20	_	14
D F!!'			
Decoctum Emolliens.			
k. Radicis Althaeae,			
Herbae Malvae aa. unciam sem. Coq. per horae quadrantem in suf-			
ficienti quantitate aquae. Cola-	र्ग क्रान्ट	_	I I
si praescribitur decoctum emolliens			
cum Oxymelle, adde			
Oxymellis simplicis unciam sem.	- 27	-	2 2
Decoctum contra Haemoptysin .		100	-
TTb			
Agrimoniae aa. un.unam			

	TT.	0.1	Lul
	Unc.	710.	Kr.
Radicis Consolidae unciam sem. Coque per horae quadrantem in suf- ficienti quantitate aquae. Cola- turae libra una detur. Si addatur Syrupi Diacodii uncia semis, edulcoratum audit.			3 4 4
Decoctum Lignorum.			
R. Rasurae ligni Guajaci unc. tres, Juniperi uncias duas, Radicis Chinae concisae unc. unam, Aquae fluvialis libras duodecim. Coque ad dimidium, sub finem coctionis addendo Radicis Glycyrrhizae unc. sem. Cola Decoctum Lichenis Islandici R. Lichenis Islandici drachm. sex. Coque per horae dimidium in sufficienti quantitate aquae. Colatur. libr. una detur.			13
Decoctum Malti.			
R. Malti in molendina fracti uncias quatuor. Coque in sufficienti quantitate aquae per horae quadrantem. Golatur. refriger. lib. quatuor dentur usui.	12		3

Decoctum Nigrum. R. Corticis Peruviani ruditer tusi unc. duas, Limaturae Martis non rubiginosae drachm. quatuor, Tartari albi unciam unam, Aquae florum Chamaemeli, Vini albi aa. libram unam sem. Decoque ad tertiae partis consumpt. Colatur. detur usui. Decoctum Ordinarium. R. Hordei crudi uncias tres, Radicis Graminis unciam unam. Coque in aquae lib.decem ad crepat. Colat. libr. quatuor exhibe. Decoctum Polygalae. R. Radicis Polygalae amarae unc. duas. Coque in sufficienti quantitate aquae per horae quadrantem. Adde Radicis Liquiritiae unciam semis: stent infusa. Colat. libra una detur.		77
duas, Limaturae Martis non rubiginosae drachm. quatuor, Tartari albi unciam unam, Aquae florum Chamaemeli, Vini albi aa. libram unam sem. Decoque ad tertiae partis consumpt. Colatur. detur usui. Decoctum Ordinarium. R. Hordei crudi uncias tres, Radicis Graminis unciam unam. Coque in aquae lib.decem ad crepat. Colat. libr. quatuor exhibe. Decoctum Polygalae. R. Radicis Polygalae amarae unc. duas. Coque in sufficienti quantitate aquae per horae quadrantem. Adde Radicis Liquiritiae unciam semis: stent infusa.		Unc. flo. kr.
Decoctum Ordinarium. R. Hordei crudi uncias tres, Radicis Graminis unciam unam. Coque in aquae lib.decem ad crepat. Colat. libr. quatuor exhibe. Decoctum Polygalae. R. Radicis Polygalae amarae unc. duas. Coque in sufficienti quantitate aquae per horae quadrantem. Adde Radicis Liquiritiae unciam semis: stent infusa.	duas, Limaturae Martis non rubiginosae drachm. quatuor, Tartari albi unciam unam, Aquae florum Chamaemeli, Vini albi aa. libram unam sem. Decoque ad tertiae partis consumpt.	
Radicis Polygalae amarae unc. duas. Coque in sufficienti quantitate aquae per horae quadrantem. Adde Radicis Liquiritiae unciam semis: stent infusa.	Decoctum Ordinarium. R. Hordei crudi uncias tres, Radicis Graminis unciam unam. Coque in aquae lib.decem ad crepat.	3
	Radicis Polygalae amarae unc. duas. Coque in sufficienti quantitate aquae per horae quadrantem. Adde Radicis Liquiritiae unciam semis: stent infusa.	7

Decoctum Stipitum Dulcamarae.

50

unam .

saporem.

R. Stipitum Dulcamarae contus drach. quatuor .

Infunde in aquae ebullientis libra una per horae dimidium.

Bulliant dein per octavam partem horae; sub finem adde

Radicis Liquiritiae unciam semis. Colat. exhibe.

THEDICAMINUM:	-	3.	1
	Unc	flo.	kr.
Decoctum Salep.	120	ijq	
B. Radicis Salep drachmam unam.	9119	200	
Coque per horae quadrantem in sufficienti quantitate aquae.	13		
Colat. unc. xiv. detur.		-	2
Si Sacchari uncia semis addatur, est	WIN	103	2
Decoctum Salep saccharatum.	-	-	32
Decoctum solvens.		1.0	
R. Radicis Taraxaci concisae unc. quat. Cremoris tartari unc. semis,		ei.	
Boracis Veneti drachmas duas .	E NO.	13	
Coque in aquae fontis lib. duabus. Colat. lib. uni adde	nini		
Mellis despumati unciam unam . D.		-	4
Diacridyum praeparatum.	100	-	
Est Scammonium in subtilissimum pulverem redactum.	2 3	7.2	
Hic pulvis, dum in usum vocatur,	1		
cum amygdala dulci, vel pini nucleo subigi solet.	I	-	36
Electuarium Antidysentericum.	100	1	
B. Conservae Rosar. rubr. drach. sex,	Ti	and the	
Pulv. rad. Tormentill. drach. unam, Ipecacuanh. drach. semis,		and the same of	
2		1	1 1

			-
	Un.	flo.	kr.
Opii puri grana quatuor, Syrupi Myrtillorum unc. unam semis. Misce. Fiat Electuarium. Electuarium Antiscorbuticum.	I		6
E. Conservae Absinthii unc. sem.			
Mellis puri aa. unciam unam. Misce. Fiat Electuarium.	I		3
Electuarium Antiepilecticum. B. Corticis Peruviani drachm. sex.			
Rad. Valerian. sylvest. drach. duas, Fol. Aurantiorum drachmam unam semis,		11	172
Mellis q. s. ad Electuarium. Electuarium Antifebrile.	1		6
Trifolii fibrini, Pulv. Cort. Peruv. partes aequales, Syrupi Fumariae q. s. ad Electuar.	I		6

		-	-1
	Unc.	tto.	Rr.
Electronic C. C. P. D. C. 1		-	
Electuarium Antifebrile Pectorale.			
R. Pulv. Corticis Peruviani unc. unam,			
Syrupi Diacodii uncias duas,	1		
Mellis q. s. ad Electuar.	-	_	26
Electuarium Caryophyllatae.			
R. Pulv. radicis Caryophyll. unciam			
Mellis puri unciam unam.			
Misce. F. Electuarium.	-	-	4
A STATE OF THE STA	1		
Electuarium Diascordium .			
R. Foliorum Scordii drachm. decem,			
Florum Rosarum rubrarum,			
Boli armenae aā uncias duas,			
Herbae Dictamni cretici, Cinnamomi aa. drachmas sex,	H		
Gummi arabici,			
Styracis calamitae,		7	
Radicis Tormentillae			
Acetosae,			
Gentianae aā unciam sem.,			
Mellis libras tres,			
Piperis longi,			
Zingiberis aā drachmas duas,			
Opii puri drachm, unam sem.			
3	U		

	-	-	
Test series	Unc.	flo.	kr.
Onium in vivo solution sum malla		-	-
Opium in vino solutum cum melle subigatur: reliquae dein species	1		
in pulver. redactae admisceantur,			
ut fiat Electuar.	I	-	6
The section of the section of		1.19	
Electuarium Hydragogum.			
then Compressions, it is			
R. Rob Ebuli,			
Juniperi aa. uncias tres,			
Pulveris radicis Jalappae, Arcani duplicati,			-
Oxymellis simplicis aā. drach. fex,			
Syrupi de Spina Gervina unc. semis.			
Misce. F. Electuarium.		-	32
		-	
Electuarium Lenitivum,		1	
sive Tamarindorum.			
R. Pulpae Tamarindorum		1	
Prunorum aa. libr. unam		1	
semis,		-	
Rob Sambuci libram unam,		1	11
Pulveris foliorum Sennae unc. sex,	-	1	
Cremoris tartari uncias quatuor,		1	
Mellis purissimi q. s. ad Elect.	I	-	6
the state of the s			
		1	
	11		

		-	
(a) (a) (a)	Unc.	flo.	kr.
	-	-	
Electuarium, seu Theriaca	140		
Andromachi.			
manu melanu rus	1		
R. Foliorum Scordii libram unam	SIG		
semis,			
Marrubii albi,			-
Calaminthae montanae,	112	THE S	
Chamaepitys aā. unc. octo,			
Rorismarini uncias sex,			
Chamaedrys,			
Centaurii minoris cum			
floribus aā, unc. quatuor,			
Majoranae,			
Mari veri aā. uncias duas,			
Florum Rosarum rubrarum libr.			
unam semis,			
Lavendulae uncias decem,	OST S	1	2
Hyperici uncias sex,	101 22		
Radicis Dictamni albi,	14		
Scillae aa. libras duas,		207	2
Ireos Florentinae,	260	TY	1
Caryophylatae aā.lib unam,	10	M.	2
Spicae celticae unc. octo,	1 100		2
Rhabarbari,	THE STATE	150	
Zingiberis, propositions	1 213	77	0
Calami aromatici,		100	
Phu pontici aa. unc. quinque,	137	135%	P
Angelicae,	11 21	rife	P
Gentianae as unc. quatuor,	on;	b	
4		1	1

Unc. flo. kr Aristolocchiae rotundae verae uncias duas, Asari unciam unam, Corticis Winterani libr. unam semis, Agarici albi, Seminum Napi aa. lib. unam, Amomi, Cardamomi minoris aa. uncias octo, Petroselini, Anisi, Foeniculi, Ammi, Thlaspi aā. libram semis, Dauci cretici unc. quatuor. Cinnamomi, Piperis longi aa. libras duas, Nigri libram unam, Croci, Myrrhae, Olibani, Gummi arabici, Boli armenae aa. uncias sex Styracis in granis uncias quatuor, Succini uncias tres, Castorei uncias duas, Omnes hae species in pulverem redactae serventur's

		3/	
	Unc	flo.	kr.
R. Opii libras duas,			
Succi Liquiritiae inspissati libram			
unam,			
Hypocistidis,			
Acaciae verae,			
Gummi Sagapeni aa. unc. quatuor,			
Opopanacis,			
Galbani až uncias duas.	1		
In sufficienti quantitate vini optimi			
solutis, & ad mellis consisten-			
tiam inspissatis admisce		20	
Opobalsami libram unam,	1		î
Terebinthinae uncias septem,			
Mellis libras centum fexdecim.			1
Tandem successive, & sub conti- nua mixtione pulverem superius			
descriptum, ne tamen grumosus			
incidat, per cribrum insperge, ac			
pro faciliori specierum commix-			
tione affunde per intervalla por-			
tionem sufficientem vini optimi;			
ut ita sub diuturna, & strenua agi-			
tatione omnia perfecte uniantur in			
Electuarium aequalis consisten-			
tiae, per annum integrum in			
vase capaci, ut debite fermentare			
possit, asservandum, saepiusque			
hoc temporis spatio lignea spatha	17.5		
agitandum.	1	1-	10
The same of the sa	II	1	1

3			-
	Unc.	flo.	kr.
Flores anima ou Thomas		-	-
Electuarium, seu Theriaca Diatessaron.			2
Described 6			
R. Pulv. rad. Gentianae,			
Aristolochiae rotundae			
verae,		ann.	0
Baccarum Lauri,	10.		
Juniperi,			
Myrrhae aā. uncias duas,	14.4	40	TI.
Mellis despumati libras duas.		1973	
Misceantur, ut fiat Electuarium.	I	-	3
Elixir Acidum Halleri.			
R. Spiritus Vini rectificatissimi unciam		The	1
unam.			
Sensim, & guttatim instilla in vase		4,7	
vitreo capaciori			
Olei Vitrioli unc. unam, & serva	1	-	3
Elixir Proprietatis Paracelsi.			
R. Aloes succotrinae,			
Myrrhae,		300	1
Croci aa. unciam unam.			
Pulverisatis, & cum s q Olei Tar-		A.	
tari per deliquium in pulticulam		110	
redactis, post hor. xxIV. affunde			
Spiritus Vini rectificati unc. viginti.			
Digere per dies quatuordecim in loco			*
rem, sive Elixir usui serva.			20
ichi, sive mixii usui serva.	d 1		20

MEDICAMINGM.	39
graduational Control	Unc. flo. kr.
Elixir Stomachicum Temperatum.	
R. Extracti Absinthii,	Beckel a
Centaurii minoris,	
Cardui benedicti,	
Gentianae, Salis Tartari aa. unciam unam,	
Flavedinis corticum Aurantiorum	
amarorum uncias quatuor.	
Incisis affundantur	0 3
Vini generosi librae quatuor. Stent per noctem in infusione ca-	
lida; facta dein forti expressione	
servetur Elixir rite filtratum.	I - 22
Halfa Employer ded and a store	
Elizir Vitrioli Aromaticum.	
R. Spiritus Vini rectificatissimi sesqui-	
libr.	
Paulatim instilla	
Acidi vitriolici uncias sex.	
Digere lenissimo calore in vase	
Cinnamomi unciam unam semis,	
Zingiberis unciam unam,	
Foliorum Menthae piperitidis sic-	
catorum semi-unciam.	
Digere rursus in vase clauso per	
sex dies; dein per chartam cola,	9
adhibito infundibulo vitreo.	1 - 0

APPARATUS			
	Unc.	flo.	kr.
Embroche Cephalica Frigida.	100		
R. Aquae fontis uncias centum viginti, Aceti optimi uncias duodecim, Nitri depurati unciam semis, Salis ammoniaci unc. duas. Misce.		_	13
Emplastrum de Cerussa.			
R. Olei Olivarum libras tres. Calefacto injice Cerussae albae pulverisatae lib. sex. Coque modico igne, sub agitatione continua instillando subinde por- tionem aquae, ne humidum de- ficiat, donec debitam Emplastri consistentiam acquirat, simulque albedo persistat.			2
Emplastrum de Cicuta.			
R. Resinae Pini uncias triginta, Cerae citrinae unc. viginti, Colophoniae unc. viginti quatuor, Olei Cicutae per infusionem uncias quatuor, Foliorum Cicutae contus. uncias sexaginta quatuor. Coquantur in Emplastrum, cui for- titer expresso adde			

	Uuc	A	144
	Out.	J.0.	~ "
Gummi Ammoniaci aceto scillitico			6
soluti,		ala	
Succi Cicutae inspissati aa. uncias	7		
sexdecim,	1	COLUMN TO A	2
detaile lance ellertalle de sursi	***		3
Emplastrum Dialthaeae .	434		
and the land man sound at a said		100	
R. Mucilaginis rad. Althaeae,	0	39	
Olei Chamomillae aa unc. octo,			
Olei rosati,	205	3	
Adipis Anatini aa. uncias tres,			
Olei Liliorum alborum,	ta ?		
Emplastri ex Mucilaginibus aā. unc.			
septem,			
Sebi Vaccini,	nin	120	1
Gerae albae aa. uncias octo. Misce.	I	-	3
	ien.		
Emplastrum Diachylon			
cum Gummi sine Camphora.	6		
D. Emplostni Disabulan simal lilus	-	-	
B. Emplastri Diachylon simpl. libras			
Gummi Galbani,			
Ammoniaci aa. unc. duas, Pulveris radicis Ireos Florentinae			
unciam unam,			
Resinae Pini,			
Cerae aa. unciam unam,	4		
Olei Chamomillae infusi unc. tres.	7		
The same seems to			1

	-	army constant	-
And to the last the l	Unc.	flo.	kr.
Gummi solvantur in s. q. aceti.	in		
Colata solutio coquatur ad mellis		02	
spissioris consistentiam; dein'si-		2713	
Oleum, atque in hisce colatis	2		3
solvatur Emplastrum. Tandem	900		
sub continua agitatione immiscea-			
tur Ireos pulvis, ut his omnibus			1
unitis fiat Emplastrum .	I	-	4
Ford asima dia inima	3, 81	gibs	
Emplastrum Diachylon .	1120	data	
	err et		
R. Emplastri Diach. cum Gummi lib.	097	ids	3
Camphorae rasae drachmas duas,			
Salis Ammoniaci unc. semis-Misce.	1	-	8
Eurolantum ad Managara	9	400	
Emplastrum ad Mammas.	-	100	
R. Emplastri Dialthaeae officin. libr.	-3	5	
Olei Posassi una seu Micre		21	1
Olei Rosacei unc. sex. Misce.	1		3
Emplastrum de Mucilaginibus.	ciair	10	
De Musilon radio Alebana	1 58	12	
R. Mucilag. radic. Althaeae. Seminum Lini aa lib.		1	3
quatuor semis ,			-

Unc. flo.kr. Lithargyri aurei in pollinem triti, Olei seminum Lini aa. libras sex semis, Gummi Ammoniaci, Bdellii, Olei Liliorum alborum, Medullae Bovis aa. libras tres, Terebinthinae Venetae, Picis Navalis aa. libr quatuor, Cerae albae libr. vigintiquatuor. Bdellium, & Ammoniacum aceto dissolvantur, percolentur, lenique calori exponantur, & una cum Terebinthinae dimidio in loco tepido seponantur. Mucilagines ad humiditatis consumptionem Oleis incoquantur; quibus per linteum trajectis, Lithargyro adjecto, fiat lento igne massa ad Cerati consistentiam, cui addantur reliqua simul liquata, sive Gummata jam praeparata. 1 Emplastrum de Labdano. R. Cerae flavae lib. unam semis, Olei Olivar. libram semis, Terebinthinae uncias tres.

	Unc.	flo.	kr.
Solutis, & colatis admisce			
Pulveris Labdani uncias tres, Tacamahacae,			
Mastiches aa. ung. unam sem.		193	
Nucis moschatae drachm.	- 1		
Balsami Peruviani drachm. tres,			
Olei destillati Menthae, Cumini aa. drachm.			
unam sem.			
Caryophyllorum drach. semis.		2	
Misce, ut fiat Emplastrum.	I	-	8
Emplastrum Oxyleon .		1	
Lithargyri pulverisati libras qua-			
draginta, Olei Olivarum,			
Aceti albi optimi aa. libras octo-			
Coque ad consistentiam Emplastri.	I	_	3
Emplastrum Oxycroceum.	37.53		
Belleville Burtonser	Jn"		
Colophoniae aa. libr. unam semis,	HO		
Terebinthinae libram unam,			

	Unc.	flo.	kr.
Croci,			
Gummi Galbani,	1		
Ammoniaci,			
Mirrhae,			
Olibani aa. uncias sex.	1199		
Cera, Resina, & Colophonia si- mul liquentur, & colentur, qui-			
bus semirefrigeratis, Galbanum,		112	a.
& Ammoniacum in aceto foluta,		7.	
ad consistentiam extracti cocta,			
& cum Terebinthina commixta,	11		
pulverem redacta, ultimo Crocus		11	
spiritu vini irroratus jungantur,	11	-	
ut fiat Emplastrum.	I	-	8
Emplastrum Vesicatorium.			
R. Cerae lib. semis,			2
Olei Olivarum,			
Terebinthinae aā uncias duas.		1	
Liquatis, ac paullulum refrigeratis	1		
admisce			
Pulveris Cantharidum unc. quatuor, Mastiches unc. unam sem.			
Tandem	100		
Camphorae cum aliquot guttis	1		
spiritus vini in pulverem tritae			
unciam semis.		1	
Fiat Emplastrum.	I	-	6
E	H	1 .	1

Alexander and the second	Unc.	flo.	kr.
Emulsio Amara Simplex.		-	-
B. Seminum Citri drachm. quatuor,			
Aquae fontis uncias sex.			
Fiat Emulsio.	1		
Emulsio Amara Fortior .		-	3
R. Seminum Citri drachm. quatuor,			
Aquae Matricariae unc. sex.	1		
Fiat Emulsio.	-	3	
Huic si addantur			5
Laudani liquidi Sydhenham. guttae decem, vel Diascordii drachm.	min	3	
una, audit Emulsio cum Lau-		8	
dano, vel cum Dioscordio.			6
Emulsio Oleosa .			
Syrupi Althaeae unciam unam sem			
Gummi Arabici semi-unciam,	A.		
Aquae fontis uncias sex.			
Misce. Fiat Emulsio S. A.		-	5
Emulsio Ordinaria.	914		
B. Seminum quatuor frigid. maj.			
aā. drachmas duas .			
Fiat cum Aqua Emulsio ad libr.			
Si Sacchari drachmas duas addas,		-	3
erit Emulsio Saccharata.		_	I
		13	
	,		11

AM objection and the second	Unc. flo.kr.
Emulsio Purgans .	
dabiles extracted fuoring	estist.
R. Mannae electae drachm. unam,	
Pulveris radicis Jalappae gr. viginti,	pi ju i
Amygdalarum dulcium excorticata-	
In pastam redactis affunde emulgend.	
Aquae fontis uncias tres.	
Colaturae adde	
Aquae Cinnamomi simplicis drach.	rode lettle
tres. Misce.	
Extractum Cicutae .	STITE OF STREET
The tenth of the second	Can ca 1
R. Herbae Cicutae recentis quantum satis.	rebuit 3
Contundatur in mortario lapideo,	19150 (3)
& exprimatur inde succus, qui	
leni calore absque depuratione,	
&, dum spissescere incipit, sub	
agitatione continua deducatur e-	
vaporando in justam consisten-	THE SERVICE
tiam Extracti.	1 - 12
E	
Extractum Corticis Peruviani.	
R. Corticis Peruviani ruditer tusi	
quantum placet.	
Excoquatur iteratis vicibus in suf-	
ficienti quantitate aquae com-	
2	

	-		
	Unc.	flo.	br.
munis, donec omnes e cortice partes solubiles extractae fuerint. Colaturae commixtae inspissen- tur leni calore in debitam Ex- tracti formam.	1	I	2
Extractum Hellebori Nigri Aquosum.		10 mm	
Coque in sufficienti quantitate aquae communis: decoctum bene saturatum, & colatum vaporet calore moderato ad debitam Extracti consistentiam. Hac quoque methodo parantur			
Extractum Taraxaci, Trifolii fibrini, Cichorii &c. Extractum Hellebori Nigri Vinosum.	I		12
R. Fibrarum Hellebori nigri q. pl. Vini generosi q. suff. Infusione pluries repetita, ac subsequenti evaporatione fiat Extractum.	1		18

MEDICAMINUM .		0	7
Latte Manager	Unc.	flo.	kr.
Extractum Myrrhae Aquosum. M. Myrrhae quantum placet. In pulverem redacta solvatur ebulliendo in sufficienti quantitate aquae communis: solutio coletur, & calore leni inspissetur in Extracti solidioris consistentiam. Flores Salis Ammoniaci Martiales.			16
R. Salis Ammoniaci, Lapidis Haematites partes aequales. Tusa in pulverem commisceantur; immittantur in cucurbitam vi- tream, & imposito capitello in- stituatur sublimatio in balneo	7.1		
arenae. In principio prodit par- va portio liquoris alkalini vola- tilis, qui, si lubet, lagenula ad rostrum capitelli appensa excipi potest. Sequuntur flores varie flaventes, qui frigefacto ap- paratu tollantur, & in vitro exacte clauso serventur.		110000000000000000000000000000000000000	40
Flores Zinci. R. Zinci quantum placet. Immitte crucibulo triangulari, cui superpone aliud simile crucibulum inversum, ita ut anguli utri-			

COLUMN TO THE PARTY OF THE PART	Unc.	flo.	kr.
usque alternentur. Stent inter medios carbones, ut Zincum in fluorem deducatur. Sic Zincum in flammam exardescet, & sublima buntur flores albi, qui successive utrumque crucibulum implebunt. Dum propter flores nimios superficiei suae inhaerentes Zincum inflammari cessat, rutabulo ferreo flores amoveantur, ut de novo exardeat, quod repetendum, donec omne Zincum in flores sit conversum. Interea flores de utroque crucibulo pro rei necessitate saepius tollantur. Hi flores si satis albi non sunt, per parvas portiones injiciantur successive in aliud crucibulum candens, & calcinentur, ut casu adhaerescens adhuc phlogiston abigatur, quo albescant debite. Fomentum Antisepticum Simplex.	ectus school ulve	#10.	kr
R. Corticis Peruviani cras. contus. uncias duas, Herbae Absinthii manip. duos. Coque in aquae fontis lib. quatuor ad tres. Colatura servetur ad usum.	Political	- 2	0

Market Market Committee Co	Unc. flo. kr.
Eministrato Delemento	-
Fomentum Roborans:	2012/12/2016
R. Corticis quercus unciam unam semis,	
Aquae fontis libras tres.	
Coque ad libram unam. Colaturae	909 611 1
adde	
Aluminis rupei drachmas duas,	
Caryophyllorum aromat. drachm. unam. Misce.	
Fomentum Siccum.	
R. Florum Sambuci,	
Chamomillae aa. unc. sem.,	mil No 5
Farinae Fabarum unciam unam. Pulverisata grosso modo dentur pro	
dosi.	7
Gargavisma Adstringens.	
R. Corticis quercus unciam unam,	
Aquae fontis libram unam semis	
Coque ad libram unam. Colaturae	
Aluminis rupei drachm. unam,	
Mellis Rosati unciam unam . M.	5
Gargarisma Emolliens.	
the least the first transfer in the	14 11
R. Radicis Althaeae,	100
Caricarum pinguium aa. unciam	
Milain,	

	, ,
at one and	Unc. flo.kr.
Lactis Vaccini libras duas. Coque ad remanentiam libr. unius cum dimidia, & colatura detur.	7
Gargarisma Refrigerans:	3 1 707
R. Aceti Antiseptici drachm. duas, Aquae fontis libram unam, Mellis Rosacei unciam unam, Nitri depurati scrupulum unum. Misce.	7
Haustus Antifebrilis.	
R. Spiritus Salis Ammoniaci sine calce parat. guttas triginta, Laudani liquidi Sydenham. guttas quindecim, Aquae Flor. Sambuci uncias tres. Misce pro dosi, una, vel altera hora ante paroxysmum sumenda. Haustus Purgans.	
R. Infusi Sennae uncias tres, Salis Cathartici amari unc. semis. Misce.	6

74 APPARATUS			
	Unc	flo.	br.
Haustus Salinus. R. Salis Absinthii alkalini, vel Tartari scrup. unum, Succi Limonum unciam semis, Sacchari albi drach. unam. Misce.	22 10 10 10 10 10 10 10 10 10 10 10 10 10		3
Hydromel.	3		
R. Mellis optimi uncias tres. Solve in Decocti Emollientis libris quatuor. D. usui.			O.
the land to the same of the sa			72
Infusum, sive Aqua Laxativa.			
R. Foliorum Sennae drachm. sex, Cremoris tartari drachm. unam,		1	
Seminis Anisi stellati leviter con-	1 39		
Mixta infundantur cum	210		
Aquae fervidae s. q. Stent per quadrantem horae; dein			
ebulliant aliquantulum, ut co-			
latura fortiter expressa sit un- ciarum sex, in qua solve	1		
Mannae electae uncias duas. Demum clarificatum, ac colatum			
exhibeatur.	I	-	3

WEDICAMINUM.	73
	Un flo. kr.
R' Florum Arnicae drachmam unam sem. Infunde per dimidium horae in Aquae fervid. q. s. Colat. librae uni adde Syrupi Menthae unciam semis. Infusum Hellebori. R: Herbae Absinthii pontici unciam unam semis, Radicis Hellebori nigri recent. unciam semis. Fiat cum libris duabus Vini albi Vinum Medicatum.	12 - 2
Infusum Salviae. R. Herbae Salviae unciam unam. Infunde in s. q. aquae fervidae. Stet in infus. per dimid. horae. Colat. lib. unius detur. Ita parantur reliqua Infusa ex herbis. Infusum Sennae Citratum. R. Foliorum Sennae s. stipitibus drach. sex,	I_1

144 74 14 14 14 14 14 14 14 14 14 14 14 14 14	Un.	flo.	kr.
Succi Citri unciam semis; Aquae fontis bullientis lib unam. Macera per horam in vase vitreo; deinde cola. Si Succi Citri loco sumitur Pulpa Tamarindorum, Infusum Sennae Tamarindatum vocatur.			6
Infusum Serpentariae.			
R. Radicis Serpentariae Virginianae unciam unam. Affunde desuper Aquae fervidae lib. unam semis. Stent per horas duodecim in loco moderate calido: colat. adde Sacchari unciam unam semis. D.			131
Kermes Minerale, sive Pulvis Carthusianorum.			
R. Antimonii crudi in frusta minora comminuti q. vis. Injice in sartaginem ferream. Adde quadruplum circiter Salis Tartari, & aquae communis s. q.; ebulliant simul per tres, aut quatuor horas. Dein fervidus liquor per chartam emporeticam filtretur,			

FW THE STATE OF TH	- 11	Unc.	401	B. (
		07.0.	,,,,,	~.
ubi ex eodem refrigerato ad	fun-	ar a	oni	
dum secedet levis ex rufo ba				
pulvis, qui aqua pura aliqu		110	35	
abluendus, leniter exsiccan		727	13	
& servandus est. Liquor a		1 10	18	
tratione restans residuo in s	arta-			
gine affundatur Antimonio		334		
rumque coquatur, ac de		152	3	
quo ut in priori labore				
cedatur. Hic labor cum ec				
Antimonio multoties ite				
potest, affusa, dum def nova aqua, & post sing				,
coctiones nova semper obtin				
tur dicti pulveris portio,		in the		
portiones omnes, ut supra	-			
nitum, tractandae, tandem		UJ0	19.	
miscendae, & servandae.		I	2	40
Lac Thebaicum.				
B. Lactis Vaccini recentissimi lib	ram	9,11	100	
unam,				
Laudani liquidi Sydenhami g	uttas			
quinquaginta. Misce.			7	22
Lapis Causticus.				
R. Calcis vivae partes tres.				
Extinguantur cum s. q. aq	1120	3111		
cui injice	140		1	
201 201				

	-		
Deling partil	Unc.	flo.	kr.
Cinerum Clavellatorum part. unam. Miscela moveatur bacillo ligneo, & filtretur per chartam bibulam. Lixivium inspissetur in sartagine ferrea in massam salinam, omni aqua orbatam, quae, dum super igne iterum fluit, illico effundatur, vel in modulos, vel super laminam frigidam. Indurata, & adhuc calida citis-		一	
sime indatur vitro exactissime claudendo. Lapis Divinus.	I	W 1/1/	4
R. Aluminis rupei, Nitri purissimi, Vitrioli Cyprii aa. uncias tres. Pulverisata simul, ac rite permixta liquefiant in vase fictili; dein adjice Camphorae pulv. unciam unam.		or or	
semis. Massa perbene commixta, & refrigerata ad usus servetur, in pollinem comminuenda. Lapis Infernalis. R. Argenti cupellati limati q. pl. Dissolvatur in Aquae fortis puris-	1		5

Marketty The Control of the Control	Unc.	flo.	kr.
simae sufficienti quantitate: evaporetur leni calore ad medietatem. Ex frigefacta solutione tollantur crystalli, & serventur. Sic pergitur in evaporatione repetita, donec omne argentum in crystallos coiverit. Has omnes crystallos injice in crucibulum, evapora denuo ad siccitatem lenissimo calore; simul ac iterum fluit massa, effundatur in modulum calefactum, seboque illitum. Refrigeratus Lapis eximatur, & servetur invase bene clauso. **Aduae Cinnamomi vinosae libr. unam, Croci unciam unam, Opii depurati uncias duas. Infundantur simul, ac digerantur in balneo arenae per duos, vel tres dies, donec Opium solutum, ac liquor saturate tinctus fuerit, qui tum filtretur, & servetur.	I	4	24

Rt.

A STATE OF THE PARTY OF THE PAR		-	-
	Un.	Po.	kr.
Limaturae Martis Selectio.			
E Martis Limaiura vulgari extra- hantur ope magnetis ramenta ferri, ita ut hac methodo a par- ticulis aut cupri, aut aurichalci, aliisve quisquiliis liberentur, quae dein in pulverem subtilem re- digantur.			3
Limonea Mineralis.			
Syrupi ex Althea uncias tres, Elix. acidi Halleri quantum sufficit ad gratam aciditatem. D.		1 6.00	10
Linctus Demulcens.			NE.
Bt. Gummi arabici unc. unam semis, Syrupi ex Althaea unc. duas, Oxymel. simplicis unciam unam. Misce S. A.			152
Linimentum Buccarum.			
R. Mellis Rosacei unciam semis, Spiritus Salis marini gut. viginti. Misce.			
Aucta vero Spiritus dosi ad aequa- litatem cum melle,			
Linimentum Buccarum acidius esto.		-	4

The state of the s			-
Trapport and I	Un.	flo.	kr.
Linimentum Exsiccans .	1-	-	
R. Adipis Suillae depuratae unc. unam,	1	1000	and a
Cerussae Venetae depuratae drachm.	1000		1 533
quatuor,		- 12	
Salis Saturni pulv. drachm. semis.			7
Misce optime in mortario vitreo,	100	16	. 1
& serva.			2 1
Linimentum Ophtalmicum	138	1211	-
B. Axungiae Porci depuratae,	· ·	and the same	2 .01
Tutiae praep. aa. drachm. quatuor,	3718	711	
Mercurii praecipitati albi drachm.	A	is	0
-unam - unam -	. 20	da	
Misce optime in mortario vitreo,			15
& serva . William Vide De Manurell ?		3550	2
Linimentum ad Salsedinem.	000		1.5
R. Butyri recentis insulsi,		313	
Vini albi aa. partes aequales.	211	ning.	8
Coque lento igne ad evaporationem	1	rip)	
vini.	3		12
Linimentum Saponaceum Simplex.		234	
B. Saponis Veneti uncias sex.			
Solve in s. q. aquae calidae : dein	W	iel	0.5
adde			2
Spiritus Vini Camphorati uncias		U.S.	
quatuor, a second autopation	10		27
Salis Ammoniaci unciam unam . M.		116	-/
A STATE OF THE STA	,	3	14.

	Unc.	flo.	kr
Linimentum Saponaceum Saturninum.			
B. Linimenti Saponacei Simplicis unc.	3401 3401		20
Extracti Saturni drachmas duas.	tagu taga	1	
Misce .		_	30
Linimentum e Spermate Ceti.	rini.	1	
B. Spermatis Ceti non rancidi unciam	inge	×A.	20
Olei Amygdalarum dulcium uncias		I LUIS	
duas . Solve .	Ţ	_	7
Linimentum Spermatis Ceti Volatile.	E 201		
B. Linimenti e Spermate Ceti uncias	nini.	-	
Spiritus Salis Ammoniaci scrupul.	inv	Bo	. 51
quatuor . Misce .	ī		01
Liquor Anodynus Mineralis			
Hoffmanni .	aino		4
B. Olei Vitrioli optimi libr. unam, Spiritus Vini rectificati lib. tres.	di o	Los	
Oleum Vitrioli instilletur Spiritui			
Vini: relinquatur miscela per aliquot horas in quiete, dein			
	1	-	-

)
destillando abstrahantur circiter librae duae; cessandum videlicet a destillatione, antequam spiritus sulphureus volatilis prodire incipiat. Liquor Cornu Cervi Succinatus.	Unc. flo	- 12
R. Salis Succini volatilis q. pl. Aquae communis q. s. pro Salis frigida solutione. Saturetur Spiritu Cornu Cervi re- ctificato, interdum bacillo agi- tando, donec non amplius effer- vescat, & liquorem serva.	iā	- 48
R. Auripigmenti drachmas duas, Viridis AEris drachmam unam, Myrrhae, Aloes aa. scrupulos duos. Subtiliter trita dissolve in Aquae Plantaginis Rosarum aa. unciis sex, Vini albi libra una. Sic paratum liquorem serva.	Sentiae Bectiae Brecias Sentiae Grecias Torres	- 14
2		

04	AFFARATUS			-
Out. Service		Unc.	flo.	kr.
	Mercurialis, sive Aqua	i a	1	
	Phagedaenica.		0	
Mercuri unam	i sublimati corrosivi drach.	1	17	
Terendo	in mortario vitreo affunde			
Aquae ca	alcis recenter paratae libr.	3.79		
unam . Mixtu	ram serva in lagena vitrea.	115		6
Charles and the	Asserted application			
	quor Visceralis.		53	
B. Extracti	Chamaedryos, Cichorii,		22	
	Trifolii fibrini, Martis pomati aa.drachm.			× 1
Mary Jack	tres,			
Essentiae	Nitri dulcis, Corticum Aurantiorum aã.			7
Aquae C	duas, orticum Citri unc. sex.	201	1	
Stent in	loco temperato ad Extrac- solutionem, & liquor fil-		1	
	ac servetur.	_	-	24
ally-date	ber trastina amusi pe s	lans.		1
		3	1	

THE DIGAMINOW .)
	Unc	flo.	kr.
Liquor Tartari per deliquium. R. Salis Tartari quantum libet. Indatur sacculo linteo conico, & in loco humido suspendatur, ut deliquescendo in vas suppositum depluere valeat.	1		3
Magnesia Alba.			
R. Salis amari Anglican., vel Sedlitzensis q. pl. Solve in sufficienti quantitate aquae, & cum lixivio colato Cinerum Clavellatorum praecipita inde, pulverem album, qui aqua calida aliquoties ablutus, & exsiccatus servetur.	I		12
Mel Rosatum.			
Mellis libras duodecim. Coquantur in Mellis consistentiam.	I		3
Mercurius Praecipitatus Ruber.	ing		
R. Mercurii vivi purissimi q. pl. Solve in Aquaé fortis debita quantitate.	it		

	Unc.	A	hv
	One.	-	(1.
Solutio destilletur ex balneo are-	New Co	Same	
nae ad siccitatem usque. Massa			
	-		
remanens tollatur, & in cru-			13
cibulo eo usque calcinetur, donec		180	14
colorem acquisiverit eleganter		THE STATE OF	1
rubrum, & servetur.	I	-	16
34		20	
Mercurius Sublimatus Corrosivus.			
D. Massa Manusialis in autocalante	-		
B. Massae Mercurialis in antecedente	-	1	1.
processu in retorta obtentae,		-	
Vitrioli ad albedinem calcinati,		15	
Salis communis decrepitati partes	100	1	1
aequales.	Line.	10	
Seorsum in pulverem redacta mi-			
sceantur accurate, & sublimen-		-	
tur in balneo arenae ex cucur-		10	
bita, donec nihil amplius ele-	arabid.	1.4	
vetur. Ex frigido, fractoque			
apparatu eximatur massa salina			
superiori parti ventris cucurbitae			
adhaerens, & servetur.	I	-	12
To the Date of the Party of the	1 2		
Mercurius Dulcis.		19	3 .
+ 35 " 11" - 1" 1 7 7			
R. Mercurii sublimati corrosivi in	1		4
pollinem redacti,			1
Argenti vivi purissimi partes	TU	15	
aequales.		271	
Tere in mortario vitreo, donec			0

The state of the s	Unc.	flo.	kr.
argentum vivum dispareat, to- tumque in pulverem cinereum mutetur, qui sublimetur in cu- curbita vitrea igne arenae, donec nihil amplius ascendat. Ex fri- gefacto apparatu tollatur sola. massa crystallina, rejectis reli- quis, quae denuo sine addita- mento in pulverem reducatur, & sublimetur ut prius. Hic labor etiam tertia vice repetatur, & massa sublimata tunc servetur. Mixtura Antiseptica.	id k stoli vest		4
R. Decocti Ordinar. uncias octo, Aceti Antiseptici unciam semis, Camphorae subactae grana decem, Oxymellis simplicis unciam unam. Misce. Si addatur Mixturae pulv. Cort. Peruv. uncia semis, est Mixtura antiseptica cum Cortice.		1000000000000000000000000000000000000	4
Mixtura Camphorata. R. Camphorae rasae grana viginti, Mucilag. Gum. Arab. drachmam unam. 4	A is	bud bud top	A. 1. 100

80 AFFARAIUS			
The second of the second	Unc.	flo.	kr.
Aquae Melissae uncias sex, Syrupi corticis Citri unciam unam Misce. * Si addas Extracti Cort. Peruviani	an on	116 119 119 119 119	16
drachmas tres, est Mixtura Camphorata cum Cortice.	11		23
Mixtura cum Bolo.			
Gummi Arabici drachm. sex, Gummi Arabici drachm. unam, Aquae fontis libr. unam. Misce. Si Syrup. Diacodii unc. semis addatur, est Mixtura cum Bolo edulcorata.	D		13.
Mixtura cum Extracto Corticis.			
R. Extracti Corticis Peruviani unc. semis. Oxymellis simplicis unc. unam, Aquae fontis libr. semis. Misce.			45
Mixtura cum Laudano			
R. Aquae Menthae uncias tres, Laudani liquidi Sydenhami gut. quindecim, Syrupi Menthae drachmas duas. Misce.			2 1 2

MEDICAMINUM .

MEDICAMINUM.	-	09
	Un. flo.	kr.
Mixtura Expectorans		
R. Gummi Ammoniaci drachm. unam		
Arabici drachmam unam	1734 J	
Syrupi de Hyssopo unciam unam semis.		-01
Mixtis, & inter se subactis affunde		. TOA
Aquae Hyssopi, vel Foeniculi unc. sex. Misce. Detur usui.		II
Mixtura Excitans Nervina.		
B. Aquae Melissae uncias sex,		
Liq. Cornu Cervi Succinati drachm.		
Anod. min. Hoff. guttas tri-		
Syrupi corticis Citri drachmas sex. Misce.		TAT
Mixtura Spigeliae.		144
B. Aquae Theriacalis drach. duas:		
Fontis uncias duas, Pulveris radicis Spigeliae anthel-		
miae, Terrae foliatae Tartari aā. scru-		N.
pulum unum,		
Sacchari q. s. ad gratiam. M. Detur pro dosi infantis quadriennis.		5
		1

			_
1/4	-		_
-	•	ш	
	_		_

90	2211ACATOS			
17. 2 Long		Unc.	flo.	kr.
I	Mixtura cum Rob.			
	fontis uncias sex,	1	103	1
	drachmam unam semis,			
Oxyme	ellis simplicis aa. unciam. n. Misce.	bj	in the	5.
Mixtura	cum Spiritu Mindereri.		ixi	
Spiritu Syrupi	florum Sambuci unc. sex, s Mindereri unciam unam, Althaeae drachm. quatuor.			
Mis	Mixtura Salina.			10
	College of the State of the Sta	100		
	i duplicati, ellis simplicis aã. drach. sex,			
Aquae Si loc	fontis libram semis. M o Oxymellis addas Syrupum	-	-	81
	ic. Citri, est va Salina cum Syrupo.		_	0
	Amygdalarum dulcium.	0	10	
及. Amyg	dalar: dulcium quantum vis.		21	
	lantur in pulverem rudem; in-	11	100	
prae	elo non calefacto omne ex-	11		1.
	lem ratione parantur		7	6
	Seminum Lini.	I	-	I

	Unc.	flo	kr.
		-	-
Oleum Ricini .			
NR Comina Diaini mine accurate des			
NB. Semina Ricini prius accurate de- corticanda sunt, & leni calore			
eousque exsiccanda, ut pellicula			14
albida facile expurgari possint.	1	-	12
Oleum Chamaemeli.		177	
			-
R. Florum Chamaemeli recent. libr.			
Infunde in Olei Olivarum libris			
quatuor'.	-		
Macerentur simul per octiduum in			
vase tecto.	hills		
Ebulliant dein parumper, & Oleum	257		
per linteum illico exprimatur,			
& servetur.	I	-	2
Oleum Cornu Cervi Foetidum.			
Elicitur hoc Oleum initio tenue,			
postea densum, & nigricans sub			
finem destillationis Cornu Cervi,			
post ascensionem Salis volatilis,	14		1
& ejusdem Spir. Vid. Spir. C. C.		-	12
A character and the same of the			
		1	
		1	
	1	1	

	Unc.	flo.	kr.
Oleum Laurinum .			
R. Baccarum Lauri recentium, & bene			
maturarum quantum satis .		.0	
Contusis affundatur aquae commu- nis sufficiens quantitas, cum qua		100	
bulliant media circiter hora in			
vase, ne tamen aquae evaporatio			
nimis violenta sit, leviter tecto. Liquor bulliens percoletur, forti-		-	
terque exprimatur, in cujus fri-			
gefacti superficie Oleum haerebit odoratum butyri consistentia,			
quod inde tollendum, & asser-		1	
vandum.			
Restantes post expressionem Baccae denuo excoqui, ut prius expri-			-
mi, ac operationes hae repeti			
eo usque possunt, donec nullum			
amplius hoc modo Oleum obti- neatur.	I	_	2
History and the state of the st			-
Oleum Liliorum.			-
R. Florum Liliorum alborum absque		-	
antheris,		133	-
Olei Olivarum partes aequales. Per aliquot dies macerata ad ca-			-
lorem Solis digerantur.	I	-	2
		1	1

Transfer II	Unc.	flo.	kr.
		-	-1
Oleum Hyperici Compositum.	30	· ip:	-0
By Louis General Co. Resulting	1900	e par	
R. Florum Hyperici recentium libras	Bill		
tres,			
Croci drachmas tres,			
Olei Olivarum libras sex.			
Macerentur simul per octo dies:	-133		
factis tandem aliquot ebullitio-			
nibus, forti expressione Oleum			
coletur, ac clarum dein a tur-			
bido per inclinationem separetur,			
in quo solvatur Terebinthinae libra una sem.	1	100	
Servetur usui.	r		8
W. Bulletin a sold march	6		
Oleum Succini Foetidum.			
R. Succini contusi, vel rasi q. vis.			
Mixtum cum arena destilletur igne		16.	
gradatim aucto. Oleum prius sub-	18	2	
rubrum tenuiusque, dein nigrum,		19	
& copiosum a caeteris productis	A COO		
separetur, & sic parata Olea		12	11
misceantur, absque ulla rectifica-	(A)	10	
tione ad usum servanda.	I	-	8
Olaum Tarahimthinga Etheroum	133		
Oleum Terebinthinae Æthereum, Empyreumaticum.	18		
THE PERSON NAMED IN COURT OF STREET OF STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET,	20	MES.	0
R. Terebinthinae clarae libr. duodecim.			
In vesica cuprea affundantur	1		
· 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1	11

	Unc.	flo.	kr.
	-	-	-
Aquae fontis libr. quadraginta octo.		40	
Instituatur destillatio, & Oleum			1
aethereum dictum ab aqua sepa-	m	10	13
retur. Destillatione dein pro-	10	113	
tracta, igneque fortiori adhibito	th.	200	1
prodit ultimo Oleum densius,	110	lei!	0
nigricans, separatum colligen-	157	og	
dum, atque Oleum empyreuma-		100	
ticum Terebinthinae vocandum.	I	_	2
the clauses their a care.	hans		
Oleum Rosatum Coctum.	ono	S.F.	
and the last transmitted to the last the last	200		
R. Rosarum communium repurgatarum			
libras sex,			-
Olei Olivarum libras duodecim.			
Digesta per triduum leni igne, sub	(Alle)	19	
continua agitatione cum spathula			6
lignea coquantur ad omnem hu-			
miditatis consumptionem . Tunc			1
cito ab igne removeantur, sacco			
imponantur, & sub praelo ca-		100	
lefacto omne Oleum eliciatur,		X	
		-	
quod post quietam refrigeratio-			
nem a faecibus decantandum est .	213	21.7	
Eodem modo paratur	İ	1007	2
	1		
Ol eum Lumbricorum Terrestrium.	I	-	4
Hart Tolly and the state of the	ALL S	- 19	
The same and the s	1	-	
	- 1		

AND CALLES	Unc. flo.	kr.
Oxymel Simplex.	1 -	2
the state about the court		
R. Aceti simplicis partem unam, Mellis partes duas.	ence one	
Coque ad justam consistentiam	ivithse	
Mellis	oct pres	
Oxymel Scilliticum.	nug lig	
Succini qu s. /	inctura	
Mellis partes duas.		
Coque in justam consistentiam	Nation 1	
Mellis, oracomunica in	1 -	2
Oxycratum .	ine tol	
A de Mini antimi uncias sou	non	
B. Aceti Vini optimi uncias sex. Misce cum aquae communis lib. sex.	12-	2
I PILL WHO I was a serious in the second in		
Pilulae Antisyphiliticae.		
R. Mercurii e Cinnabari redivivi unc.	3. 3 218	
unam , marchos mura maro ora	19.301	
Pulveris Gummi Arabici unciam semis.		
Terantur invicem optime cum aquae		
fontis q. s. F. mucilago, cui add. Micae panis albi unc. quatuor.		
Fiant pilulae gr. trium consper.		,
pulv. Liquiritiae,	-	2

			-
Bridge Calle	Unc.	flo.	kr.
Pilulae Anthystericae.	P		
Indiana organismo			
Be. Galbani, and the trade of the same of	5, 17	pa	-8
Opopanacis,	35. 20	BIN	
Myrrhae	G DI	304	
Asae foetidae,	ELUX.	-	
Castorei aa. scrupul. unum,			
Opii puri grana duo,			
Tincturae Succini q. s.	10 :	1	0
Misce. Fiant pilulae gr. duorum.	-	11/	0
Pilulae Antisyphilyticae	1	2.5	
1 cum Antimonio.	111		
dans binsimonia.			
R. Mercurii vivi depurati,			
Antimonii alcoholisati aa. drach.			
duas .	in in	A	g
Terantur in mortario vitrco, do-	00	H	
nec Mercurius dispareat.			
Adde dein	hille		
Micae panis albi drach. quatuor.			
Misce exacte.	San	115	.2
Fiant pilulae gran. trium consper.	mace		
pulv. Liquiritiae drachm. una .			5
The state of the s	kim	-	
Pilulae Balsamicae.	ion	197	
In the Habitainer constituent white	Ditto	12-	
Rt. Gummi Mastich.	e pa	SiB.	
Olibani aã. drachm. unam,	1		
E de la contraction de la cont	150	1	11

Harrison or		TInc	flo.kr.
Bushan Sun			
Terebint	hinae Venetae scrup, unum.		
	Fiant pilulae granor. trium	1 - "	J. K.
	er, pulv. Liquiritiae drach.	A	
sem.	purv. Liquiritiae dracii.	10	
Sciti-	quindectu,, quindectur,		4
D'Iulas	Balsamicae Mortoni .	mide	10.3
Limae	Batsamicae Iviortoili.	Fig	M.
De Millanes	lum praeparatorum drachm.	100	tier .
	um praeparatorum draemm.	-	
tres,	Ammoniaci depur. drach.	2536	R. Ma
	I am a man a white a remainder of	racta	Ext
	semis,	201	b
	enzoini drachmam unam,	phas	Dia
Extracti		18 .	113
	Peruviani aa. scrupul. sem.	Fine	M.
	Sulphuris Terebinth. q. s.	1	:0
	Fiant pilulae mediocres	27.162	1.2
deaura	indae deputati dracharia	I	45
n'	n / ' C. //''	mse	0
Pilulae	Balsamicae Stahlii.	ime	THE SUM
	invicem in mortario vi-	mins	Ter
R. Gummi	THE REPORT OF THE PERSON OF TH	60	
I A Laborat	Juniperi aa. uncias duas	mec	5
	semis, muonen	300	
Extr. aqu	aosi Aloes,	die	219
	Myrrhae aa. unc. duas,		100
Rh	AND REAL PROPERTY OF THE PARTY	e e	355
The second secon	llebori nigri,	legil.	1534
Fun	mariae aa. drachmas quin-	1	
	que, cairmin Taring	Lange Well	
G		1	
			63

	riv.	0	7
	Unc.	flo.	kr.
	-	-	-
Extr. Trifolii fibrini,			
Absinthii,			
Cardui benedicti aa. drachmas			
quindecim,	1	0	
Terebinthinae unciam unam.	1		
M. Fiat massa.	1	-	24
Pilulae Emmenagogae Solventes.			
Livitue Emmenagogue Solvenies.	padar	110	- 3
R. Massae Pilularum Rufi,	e 200		
Extracti Hellebori nigri aa. scrup.	date	Hib.	
duos,	DIRECT		
Diacrydii Cydoniati gr. quindecim,	30	OI.	
Elix. P. P. q. s.	10083	1Z	
M. Fiant Pilulae granor. trium .	-	-	7
Dil da Porti Description of Strangling	imp	ella)	
Pilulae Mercurii Purgantes.	. 53	YES	
R. Mercurii vivi depurati drachmam	STUE S	5	
unam,			
Gummi Arabici drachmas duas .	on bill	3	-
Terantur invicem in mortario vi-			
treo, addito cochleari aquae,	long	13	. 9
donec Mercurius penitus dispa-			
reat in mucum.			
Rite subactis adde	pa.	D.	
Pulv. rad. Jalappae drachm. duas,			
Resinae Guajaci drachmam unam,	Rin		
Mellis quantum satis.	oli		
Misee . Fiant Pilulae gr. trium ,	mi		
consper. pulv. Liquiritiae.	T.	_	0
complete barri andantina	01	1	
	,	-	Ш

THE DICK MINOR .	17	_
All of land Constitution	Un. flo k	r.
Pilulae Rufi	3 - 5	
R. Aloes Soccotrinae uncias tres,		
Myrrhae electae unc. unam semis,		
Croci drachmas sex.		
Misce, & cum sufficienti quantitate	immu	
Elixir. Propriet. formetur Massa	ZITE SIL	
Pilularis . mpin muromana osin	I T	4
Pilulas Saponaceae Solventes.		
R. Saponis Veneti drachmas duas,	11.67	
Gummi Ammoniaci pulv.,		
Extracti Fumariae aa drachmam	SIDERAN	- 26
unam ,	103	
Mass. Pil. Rufi drachmam semis,		
Mellis puri drachmam unam.	-	
Misce f. Pil. gr. trium, conspergen-	adinise!	
do pul. Liquir. drachmam unam.	I a	7 2
Pilulae Scilliticae.	elp iq	
R. Saponis Veneti drachmas quatuor,	10 2	
Gummi Ammoniaci purioris in		
pulverem redacti,	So start	. 12
Asellorum praeparat.,		
Scillae recentis contusae aa. drachm.		
duas,	of sole	9
Balsami Copaivae q. s.	- 011	
Permixtis rite omnibus, & subac-		0.1
tis fiant Pilulae gr. trium.		2
2	11 / 1	-

	1	-	
Tex lettinos	Unc.	flo.	kr.
Pilulae Solventes.			
		40	1
B. Extracti Trifolii fibrini drachmas duas,	hin	ZIV.	
Fumariae,	h i	di	
Gummi Ammoniaci aa. drachmam			13
Fiant Pilulae granorum trium.			8
Flant I made granorum trium.		16	0
Pilulae de Styrace.			
R. Styracis depuratae scrup. quinque,	ime	100	
Succi Liquiritiae spissati drachm.	Most	19.5	
tres,	Chair .		
Opii drachmam unam . Opium ex Vino Hispanico dilutum	i i	500	
admisceatur caeteris, ut massae	.100		
spissitudo fiat. Formentur inde	98.5		
Pilulae granorum duorum.	1	-	40
Pilulae Tonicae Bacheri.	Pin I		
A Late of the particular and the	Ama	1	
Myrrhae aquosi aa. unc.	and!		
unam,	00		
Pulv. herb. Cardui bened. drachm.	3		1
tres. M. Fiant pilulae gr. unius.	-		34
Pilules ege rriger.		1	
	5	1	

			-1
	Unc.	flo	kr.
	1	-	-1
Potio Tamarindorum .	alaut	15	
	1		
R. Tamarindorum pinguium incisorum	1	Ini	
unciam unam semis,	inc	foor	
Salis mirab. Glauber. drach. tres	U	BEN	
Seri Lactis Vaccini depur. lib. duas			
Coque ex arte per horae quadran		16	
tem. Col. detur usui.		-	Toll
	Pall		-3
Pulvis Antimonialis.			
R. Flor. Sulphur. grana octo,		1	
Antimonii crudi alcoholisati grana			
quinque,	1		
Lapidum Cancrorum praep.,		1	
Sacchari albi aa. scrup. semis.	1		
Misce. Fiat Pulvis.	-	-	2
Pulvis Antichloroticus.	1		
	1	The last	
R. Sacchari Myrrhati unciam semis	,		
Canellae albae,	4 3308		
Limaturae Martis select, aa. drach	-1 -3	e i ki	
mas duas . Misce .	-	-	7
Dulais fishish somedime			
Pulvis Antispasmodicus.	18		
R. Concharum non calcinatarum,	1	1	
Tartari vitriolati,	1	asi	
Nitri depurati aa. drachm. sex,	1 210	Cal	
Cinnabaris factitiae drachm. tres			
Pulverentur singula, & misceantur	11		12
2 divorcinities of minoconficial	-	1	
3	И	1	1

	-
Wine Rolled	Unc. flo. kr.
Pulvis contra Calculum.	
Bt. Gummi Arabici, Sacchari alb. aā unciam semis, Uvae Ursi drachmas duas.	eisises eisises eins min
Misce. Fiat Pulvis dividendus in doses decem.	1 - 4
Pulvis ad Strumas.	1-5
R. Spongiae ustae pulverisatae, Salis communis aa. drachm. tres. Misce, & divide in doses duodecim.	5
Pulvis ad Tussim Demulcens.	ita and
R. Florum Sulphuris, Gummi Arabici,	
Sacchari alb. aa. drachmam unam, Extracti Liquiritiae drachm. duas. Misce. Fiat Pulvis dividendus in	pail and a
doses decem.	1 _ 8
Pulvis ad Vermes.	radomic se
Radicis Valerianae sylv., Filicis maris aa. gr. sex,	
AEthiopis mineralis grana quatuor. Misce. Fiat Pulvis. D. pro dosi.	

P. 16 Talk Later Control of the State Con	Unc.	flo.kr.
Pulvis Emeticus.	510	
R. Pulv. radicis Ipecacuanhae grana	037	17-4
quindecim,		THE L
Tartari emetici gr. unum. Misce.	1	T 1
Detur pro dosi.		1 +
Pulvis Febrifugus,	-	
seu Specificum Mortoni.	1	
R. Pulv. florum Chamaemeli subtilis.	-	1
scrup. unum,		1
Antimonii diaphoret. non abluti,		
Salis Absinthii aā. scrupulum semis.	1	
Misce. Fiat Pulvis. Dentur tales		
pulveres n. sex, quavis sexta hora		000
unam sumendo.	-	- 2 1
		bort
Pulvis Galactopoeus Rosensteinii.	1	beilt.
R. Magnesiae albae unciam unam,	1	le l
Flavedinis corticum Aurantiorum		
Sem. Foeniculi aa. drach. unam.	1	
Misce. Fiat Pulvis.	1	14
Pulvis de Gutteta Bickeri.	lain	129 3
	m	2 2
R. Radicis Valerianae sylvestris,	100	11
Foliorum Aurantiorum siccatorum	n	THE !
aā. unc. unam.	1210	110
Misce. Fiat Pulvis.	1	- 7
	1	PP
4	11	11

		1	-
Aloca Males	Un.	flo.	kr.
Pulvis Kermes Mineralis.	Pu		
R. Kermes miner. gr. unum, Lapid. Cancr. praep., Sacchari albi aa. gr. duodecim. M.	in in	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	21
Pulvis Moschi.	3		
B. Moschi optimi grana quatuor, Sacchari albi scrupulos duos. Misce. Fiat Pulvis.	68 4		81
Pulvis Ophthalmicus.	NIN NIN		
R. Sacchari cand. unciam semis, Tutiae praep. drachmas duas, Croci Metallorum drachm. unam. Misce. Fiat Pulvis tenuissimus in phiala vitrea asservandus.	in Section 1	BOOK STATE	7
Pulvis Peruvianus Compositus.	10,7	47	
R. Pulveris Corticis Peruviani unc. unam, Pulveris Rhei,	100	The state of	8.8
Salis Ammoniaci aa. drachm. unam semis.	STATE OF THE STATE	price of the second	
Misce, & divide in doses n. duo- decim.	-	108.	242

WEDICAMINUM.	-	10	5
Page of Land	Unc.	flo.	kr.
Pulvis Sennae Compositus.	2.10	199	
R. Foliorum Sennae,	27	ele	
Cremoris Tartari, Scammonii,	sice is	(B)	
Zingiberis aa. drachmam unam. Misce. Fiat Pulvis.	SIQ.	171	12
fort- I have been been been been been been been be	7	35	
Pulvis Scilliticus Compositus.	l in		
R. Radicis Scillae praep. drachmam	zio		
Vincetoxici drachm. sex, Nitri depurati unciam unam.			
Misce. Fiat Pulvis.	I	-	8
Pulvis Sedativus.	ma		
R. Opii scrupulum semis,	10 5	ALEA S	
Nitri depurati scrup. quinque cum dimidio,	201	1	
Sacchari albi unciam unam . Misce .	ing		
Fiat Pulvis.	1	100	3
Pulvis, seu Species Diatragacanthae.			
B. Gummi Tragacanthae,	-357		
Radicis Althaeae, Sacchari albi aa. unciam unam. M			
Fiat Pulvis.	I	-	8

The second of th	Unc. flo. kr.
Pulvis Sudoriferus Doveri	sion, 9
R. Pulv. radicis Ipecacuanhae,	suridifo La
Opii colati siccati aa. drach. duas, Tartari vitriolati,	Greatering Statement
Nitri puri aa. unciam unam.	Zing Ber
M. Fiat Pulvis S. A. in phiala asservandus.	1 - 10
Pulvis Stomachicus Birckmanni.	Parkyla
Trible practs delicament	ain bas Ls
R. Radicis Ari uncias duas, Calami aromatici,	
Pimpinellae albae, Tartari vitriolati aa unciam unam,	bi bisa
Lapillorum Cancrorum unc. sem.,	
Misce omnia pulverata, & Pulv.	
Si quis hunc Pulverem edulcatum	1 - 6
desideret, addat Sacchari pondus	
omnium aequale.	1 - 6
Pulvis Tunchinensis Reformatus.	
R. Moschi optimi grana sexdecim,	10000
Pulver. radicis Valerianae sylvestr.	immig 3
Camphorae gr. quatuor ad sex.	
Misce. Fiat Pulvis.	1 1 - 15

572EDICAMINOM •	7 7 3	30	9
	Unc.	flo.	kr.
retur, & inspissetur ad siccita- tem. Massa salina parumper cal- cinetur, & servetur in vitro bene clauso, inque loco sicco.	20148	10.5	8
Sal Nitro-Mercuriale. Mercurii redivivi ex Cinnabari, Spiritus Nitri fumantis aa. partes	eccia fact Na	da lo	
Exponantur calori arenae in vase fictili, ad perfectam crystallisa-	3		
Serum Lactis Depuratum. R. Seri Lactis q. p.	iati ac fi	in K	20
Cum albumine ovi agitatum pau- lisper bulliat, deinde quiescat; mox panno percoletur, & detur.	020		6
Serum Lactis Aluminosum. R. Lactis Vaccini lib. duas,	olve ma	1	
Aluminis rupei in pulverem redacti drachmas duas • Tantisper bulliant, ut coeat lac, quod coagulatum imponitur linteo ex-	a stee	A A	101
tremis oris alligato, ut Serum in vas subjectum stillet, cui ite- rum per chartam bibulam trajecto	OB TOR	PA	di a
Sacchari alb. uncia una.	12		9

Unc. flo. kr
Serum Alteratum cum Herbis.
ten - Lessa salina parumper cel-
R. Taraxaci cum toto unc. semis. Coque leviter in s. q. Seri Lactis
Vaccini depur.
Sub finem coctionis adde
Fol. Nasturtii aqu. unc. unam.
Colaturae lib. unam exhibe. 12 - 6
Solutio Emetica.
indition and perfectant crystallises
R. Tartari emetici gr. tria,
Aquae fontis libram unam. D.
Solutio Mannata.
Cum albamine ovi agitatum pau-
R. Mannae electae uncias duas,
Salis cathartici amari unc. semis. Dissolve in Decocti Emollientis
libra una . D.
Lactes Vaccini lib. duas.
Specificum ad Haemorrhagias Helvetii. Vid. Alumen Draconisatum.
boup cal pason su rasilist lag lag
Specificum ad Taeniam Viduae Nouffer.
The state of the s
Radicis Filicis maris alcoholisatae
drachmas tres . Misce .
Section and a man and a land of

They bear well	Unc.	flo.	kr.
		-	-11
retur, & inspissetur ad siccita-			
tem . Massa salina parumper cal-			
cinetur, & servetur in vitro bene		6	
clauso, inque loco sicco.	I	-	8
Sal Nitro-Mercuriale.			
die in the second of the secon	200	411	
Br. Mercurii redivivi ex Cinnabari,	H. Bri		
Spiritus Nitri fumantis aa. partes	Pin		
aequales.			
Exponantur calori arenae in vase			
fictili, ad perfectam crystallisa-			1
tionem spiritu evaporato.	T	-	20
Serum Lactis Depuratum .	1 35	100	
R. Seri Lactis q. p.			
Cum albumine ovi agitatum pau-	1		
lisper bulliat, deinde quiescat;	98.00	13/4	
mox panno percoletur, & detur.	12	-	12
Serum Lactis Aluminosum.	Syle	33	- 11
D. T. ati. Washing dues	FIRE	3	
B. Lactis Vaccini unc. duas,			
Aluminis rupei in pulverem redacti	S. IRIN		1
drachmas duas.			
Tantisper bulliant, ut coeat lac, quod			
coagulatum imponitur linteo ex-			1
in vas subjectum stillet, cui ite-			
rum per chartam bibulam trajecto			1
addatur	10		
Sacchari alb. uncia una .	T		2
Saccitate and third thin .	- 1	1,	314

110 INFIARATOS			
1 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Un.	flo.	ķr.
Serum Alteratum cum Herbis.	711	271	1
R. Taraxaci cum toto unc. semis.		15	
Coque leviter in s q. Seri Lactis Vaccini depur.	1-7	12	
Sub finem coctionis adde Fol Nasturtii aqu. unc. unam.	1111	73.	4.9
Colaturae lib. un. exhibe.	12	G G	12
Solutio Emetica.	nac Nic	202	
Aquae fontis libram unam. D.	100	oir	4
Solutio Mannata.	1	70	2 0
R. Mannae electae uncias duas,		1111	
Salis cathartici amari unc semis. Dissolve in Decocti Emollientis		in	
libra una . D.	-	-	14
Specificum ad Haemorrhagias Helvetii. Vid. Alumen Draconisatum.	ani e		
Specificum ad Taeniam Viduae Nouffer		NI STE	
dets allieuro, ut Semmo		0	
Radicis Filicis maris alcoholisatae		ni m	
drachmas tres. Misce.		1	

Suc the kee		Unc.	flo	br.
P. Panassas	Mercurialis,			
	Scammonii aã. gr. duod.	Sec.	7120	
	Guttae grana quinque,	200	ne T	1
	Alkermes q. s. M. Fiat	D air	bes	
Bolus .			-	10
Spec	ies Adstringentes .	1030		
	THE STATE OF THE S			
	Draconis,	1 12.0	BOLL	
Aluminis	crudi aa. partes aequales .			
	ambuci deschinam unana n	-	_	3
Heal I	0	(Isco	1	
3 pec	ies ad Scabicm.			
	ardanae uncias tres,	2505		
	apathi acuti unc. duas,			
I I	iquiritiae unc. unam sem.	SIDI	Mad	. 20
	Misce.	100	7	9
5	pecies Amarae.	1979	774	
B. Herb. T	rifolii fibrini,			
	ntaurii minoris aa. partes	inso		
	es. Misce.		-	4
	Inodinae pro Fomento.	ais		
AL F	SPINE WE SESSION SELLE			
	Hyoscyami unc. unam,			
	Sambuci unc. semis,			
	Panagaria albi una duas			
	Papaveris albi unc. duas . misceantur .	I		2.5
Concisa	milocedital s	1		2
the last of		,		1

Car (in the	Unc.	flo.	kr.
		-	-
Species Aperientes, seu Solventes.	9890)	0.0	
Pt Taravaci cum tata tung quature	SER	233	
R. Taraxaci cum toto unc. quatuor, Radicis Cichorii unc. duas. Misce.	3.11	Inc	6
Radicis Cicitofff dife. data : 1411sec.	sule	B	
Species Anti-arthriticae			
The state of the same succession so	de		
R. Herbarum Chamaedryos,	A.	100	-3
Chamaepityos aa. drach.	min	me	7
criteti aa. portes . sauba .	min	ulk	
Florum Sambuci drachmam unam . Misce . D.	man	RIE	. 1
Misce. D. moldan ha en	32	-	4:
Species Antirhachiticae	rais	5.5	
apathi acuti unc. come, II			
R. Radicis Rubiae Tinctorum unciam			
unam,	2/4		
Herbae Equiseti unciam semis.	-	-	2 1
Misce. D.			
Species Antisyphiliticae.	-	13.5	
Species vantisypointing	Can	C	
R. Radicis Bardanae,	1		
Chinae nodosae aa. uncias	23	1000	
duas, de annima de avel	muno.	io	
Foeniculi,	mo	ici	
Liquiritiae aa unc. unam .	TP 1	101	2
M. D.			12
C. Marine San Marine San	THE CO	-04	
	-		

	Unc.	flo.	kr.
Species Cephalicae.		-	
R. Herbarum Majoranae, Menthae aa. unc. unam,			
Florum Lavendulae, Rosarum aa. unciam semis.			
Misce . D. Spesies Diureticae .			6
Radicis Foeniculi, Baccarum Juniperi aa. unc. unam. M. D.		77 11 11 11 11 11 11 11 11 11 11 11 11 1	2 1
Species Diaforeticae.			- 2
R. Herbae Melissae unc. semis, Florum Sambuci drachmas duas. M. D.			I
Species Emollientes.			
R. Radicis Althaeae uncias duas, Liquirițiae unciam unam, Herbae Malvae unc. sem. M. D.			2 1
Species Emollientes pro Cataplasmate.		1	
B. Pulv. foliorum Malvae, Althaeae,			
Parietariae, Mercurialis aā. lib.			
H duas,		-	

- Control of the Cont		-	
	Unc.	flo.	kr.
Farinae seminum Lini libr. unam, Aquae fontis q. s. Bulliant herbae ad consistentiam Cataplasmatis, adjungendo Farinam sub finem coctionis.	I	-	2
Species Exsiccantes pro Cataplasmate.			
B. Farinarum in Speciebus Resolventi- bus notatarum partes aequales. Cum vino albo, vel aqua, vel oxymelle, vel aqua calcis, vel posca, vel aceto redigantur in			
formam Cataplasmatis.	I	-me infor	2 2
Species Resolventes pro Cataplasmate.			
R. Farinarum Hordei,			
Lupinorum, Fabarum,			
Cicerum,			
Lentium aā lib quatuor, Pulveris florum Rosarum,			
Chamomillae,			
Herbae Betonicae, Absinthii,			
Baccarum Myrti aā libras			
duas.			
Ex his Speciebus componatur Ca- taplasma cum s q. Vini rubri			1
cui pro qualibet libra adjiciatur			
Olei Rosati uncia una.	I	-	2

WEDICAMINUM .		7 1	5
	Un.	flo.	kr.
Sinapismus.		2	
R. Fermenti panis acidi libr. unam, Farinae seminum Sinapi unc. duas, Salis communis drachmas duas, Aceti vini uncias octo. M. Exhibe. Spiritus Cornu Cervi. R. Cornu Cervi in frusta dissecti q. v. Inde retortae, & excipulo amplo adaptato destilla calore gradatim aucto; prodibunt successive			12 g
Spiriaus, Sal, & Oleum. Oleum a Spiritu separatum serve-	11	100	
Sal collectus nova sublimatione, ut	11		12
spiritus vero iterata destillatione	I	2	0
ex balneo arenae rectificetur, & servetur. Cornu peracta destillatione in re-	I	-	8
torta relictum calcinetur in cru- cibulo ad albedinem usque, &	-		3
servetur sub titulo: Cornu Cervi usti.	1	-	- 2
The second second	-		
2	1		

	-	-	
	Unc.	flo.	kr.
Spiritus Lumbricorum.			
R. Lumbricorum terrestrium vivorum			
Spiritus Vini libras quinque cum			
dimid.			
Post digestionem per triduum des- tillentur leni igne ad dimidias	ı		2
			3
Spiritus Mindereri,			
Be. Salis volatilis ammoniaci q. p. Aceti destillati q. s. ad perfectam			
saturationem.	I	-	10
Spiritus Nitri Acidus.			
D. Midui muni			
Vitrioli ad albedinem calcinati par-	10,00		
Mixta destillentur ex retorta vi-			
trea, donec nulli amplius ascen-			
Si vero loco Vitrioli ad unam.	I	-	5
partem Nitri adhibetur Olei Vi-		33	
trioli optimi dimidia pars, ob- tinetur sub eodem apparatu,		3	
eademque operatione acidum.			
Spiritus Nitri Fumans.	I	_	6

IVIEDICAIVITION .		/	-
	Unc.	flo.	kr.
Caput mortuum igne aperto bene calcinatum, elixatum, ac debite evaporatum dat salem crystallinum, vulgo dictum Arcanum Duplicatum.	1		4
Spiritus Nitri Dulcis.			
B. Spiritus Nitri fumantis unc. unam			
semis,	-		
Vini rectificatissimi libram unam.			
Spiritus Nitri successive instilletur			
Spiritui Vini, & post digestio-			
nem aliquot dierum in loco fri- gido, lento igne e cucurbita.			
destillentur.			
Spiritus Salis Acidus.	I	-	8
Paratur eodem modo, ac Spiritus		1	
Nitri fumans, sumendo loco Nitri salem communem dimidio sui pon-			
deris aquae dilutum		1	
Caput mortuum, ut illud a Spiritu Nitri acido tractatum, dat	I	-	6
Salem mirabilem Glauberi.	I	-	4
		-	
2			
3			

110	-		
	Unc.	flo.	kr.
Spiritus Salis Ammoniaci Aquosus.	m 4		5
In a distribution on a material and ma	100	55	
R. Salis Ammoniaci ruditer triti,	1000	123	
Cinerum Clavellatorum aa. libras	e m	703 9	
duas,	1030		
Calcis vivae libram unam semis,		1	
Aquae communis libras sexdecim.			
Mixta destillentur ex cucurbita, aut retorta vitrea ad abstractio-			
nem medietatis humidi. Liquor	110		
prolectus servetur in vase exacte	16		1
clauso .	I	- STreet	16
Calling Whit Complement			
Spiritus Vini Camphoratus.	lain	2	1
Be. Spiritus Vini libras quatuor,	100	1	
Camphorae uncias quatuor. Solve,	I I B		
& serva	I	-	4
0.11. 77. 17			
Spiritus Vitrioli.			
R. Vitrioli ad albedinem calcinati q. v.			
Immitte retortae vitreae loricatae			
quam furno reverberatorio im-			
pone; applica excipulum amplum,			
juncturas ope luti argillacei clau-		1	1
de, ac ignem subministra initio		-	
lentum, quamdiu videlicet albi		13	1
prodeunt vapores: hi ubi dis-			
paruerint, vas recipiens muta			
	1		

	Inc.	flo.	er.
cum alio prius probe calefacto. Ignem demum gradatim auge ad summum usque gradum, eoque continua, donec nulla amplius gutta liquidi appareat, qui labor triginta horarum spatio communiter expeditur. Primum in excipulum qui prodiit liquor, Spiritus Sulphuris, seu Vitrioli volatilis audit. Subsequens vero longe acrior, ponderosiorque latex sub titulo Olei Vitrioli asservatur. Hujus si partem unam cum octo, aut decem partibus aquae commiscueris, habebis Spiritum Vitrioli vulgarem, Qui etiam loco Spiritus Sulphuris exhiberi potest.	I		4 4
Spongia Cerata. R. Spongiam tenuem siccatam, & ab arenulis purgatam; immerge Cerae flavae liquefactae, dein fortiter expressam serva.	I		5
		-	2.1

120			-
	Unc.	flo.	kr.
Syrupus Althaeae.		113	
R. Herb. Althaeae unc. quatuor		100	
Radic. Althaeae unc. duas			
Flor. Malvae Glycyrrhizae aa. unc. unam		133	
Ebulliant parumper in aquae com-			
munis libris octo. Colatura.			
cum Sacchari albi libris sex			
coquatur in Syrupum debitae	I	_	1
			-
Syrupus Cichorii cum Rheo.			
R. Radicis Cichorii uncias tres,			
Herbae ejusdem unciam unam,			
Rhabarbari uncias quatuor,			
Salis Tartari drachmam semis. Coquantur in libris octo aquae com-			
munis ad remanentiam librarum			
sex : decoctum cola fortiter ex-			-
primendo, cui adde Sacchari libr. sex, & ebulliendo, clarificando-			
que debite fiat justae consisten-			
. tie Syrupus.	I	1-	6
Syrupus Chinae Corticis.		1	
Syrupus Chinae Corneis?			
B. Corticis pulverati Chinae uncias			
duas,		1	1

TATEDIGH MINOR	monde		1
	Unc.	flo.	kr.
Vini generosi albi lib. duas. Stent simul vase clauso in loco moderate calido per quadraginta octo horas. Colatum dein infusum cum Sacchari albi libris duabus Coquatur in Syrupi consistentiam.	I		5
Syrupus de Gummi Ammoniaco.			
R. Gummi Ammoniaci electi uncias			· ·
Solve in Vini albi unciis decem Solutioni admisce Sacehari albi ad consistentiam ta- bulati cocti uncias sexdecim. Agitentur usque dum refriges- cant.			
Syrupus asservetur.	I	-	4
Syrupus de Siliquis, sive Diacodium liquidum.			
R. Capitum Papaveris somniferi unc. quatuor,			
Radicis Liquiritiae rasae unc. duas . Incisa coquantur in aquae commu-			the Control of the Co
nis libris octo ad remanentiam librarum trium. Colaturae adde			Account to the control of the contro

	-	-	
Land State of the land of the	Unc.	flo.	kr.
Sacchari albi sesquialteram libram		-	-
& coquendo, clarificandoque fiat			-
Syrupus justae consistentiae.	I	_	4
Syrupus Hyssopi.	1118		
TO TY 1 TY	100	P	
B. Herbae Hyssopi leviter siccatae unc.			
Infunde cum Aquae fervidae libris			0
duabus.			
Stent vase clauso per aliquot horas.		1	
Cola demum, & colaturae adde		1	
Sacchari albi duplam quantitatem,	3.00		
factaque unica dumtaxat ebulli- tione serva Syrupum debito more	100		-
clarificatum.	I		4
Tali modo paratur:			
Syrupus Herbae Menthae.	I	_	4
Syrupus Mali Citrei Corticum.			
R. Flavedinis Corticum Citr. recent.			
uncias sex.			1
Macerentur in Vini albi libr.duabus			
per duo nychthemera. Infusum	2 10 1	2.5	
colatum cum dupla portione Sac-	- 2	37	1
chari albi, facta unica ebullitione,	13.6		-
coquatur in Syrupum.	I		4
		-	
	1 1		1

TATEDICAMINOM .		144	
	Unc.	flo.	kr.
Syrupus Mannatus.			
			1
R. Foliorum Sennae uncias octo,			
Seminum Anisi stellati unciam sem			
Salis Tartari drachmam unam.	1		
Infundantur in Aquae fervidae libris			
decem . Stent per horas quinque			
aut sex; facta dein una alte-	1 33		3
rave ebullitione-coletur decoctum			
ac cum albumine ovi ebulliende			
clarificetur, in quo tandem dis			
solvendo			
Sacchari albi libr. octo,		IA.	
Mannae libras duas fiat Syrup.	I	-	4
The state of the s	1	1	
Syrupus Quinque Radicum.			
Radicum quinque aperientium as		1	
uncias tres.		1	-
Funde desuper Aquae communis fer	1	1	
ventis libras septem.			
Macera per horas duodecim, ub			
infuso colato adde			
Sacchari albi libras sex, & fia			
coquendo, ac debite clarificand	11		1.
Syrupus.	1		14
	1		1
		1	
		1	1
	Ц	B	

124	Lincoln		
	Unc.	flo.	kr.
Syrupus de Spina Cervina, sive de Rhamno Cathartieo.			
R. Succi Baccarum Rhamni cathartici libras duas. Infunde fervide super			
Seminis Foeniculi leviter tusi unc. semis. Relinque per unam alterative ho-			
Sacchari albi portione fiat unica ebullitione Syrupus.	I	4Cds	4
Syrupus de Tota Terebinthina. B. Terebinthinae Venetae unc. duas,			
Sacchari albi libram unam. Dissolvatur Terebinthina ex arte cum Vitelli Ovorum drachmis sex.			
Saccharum clarificatum, & ad Sy- rupi densioris consistentiam re- dactum, sensim & per vices af- fundatur Terebinthinae sic disso-			
lutae: adhibita interim sufficienti agitatione, neque intermissa, dum habeatur perfecta mixtio.	Ī		3 1

	Unc.	flo.	kr.
Succus Taraxaci depuratus.		100	
R. Taraxaci virentis q. pl.	-		
Tunde in pila marmorea, & per torcular fortiter exprime: suc-		000	200
cus expressus quiescat aliquantis- per, dum faeces crassiores subsi-	TO WAR	100	
deant. Injecta albuminis ovi q. s.			
per manicam Hippocratis. Fil-			1
tratus in lagenis vitreis, oleo			
superposito, ad usum servetur. Tali modo parantur	I		3
Succus Nasturtii aquatici			2
Urticae ec.	ī	1.01	3
Suppositorium.	-		
R. Salis communis drachm. semis, Saponis Veneti drachm. unam,			
Mellis cocti & inspissati q. s. ut		1	
formetur Suppositorium. num.	I	-	I
Tartarus Emeticus.			
R. Croci Metallorum,			
Cremoris Tartari aa. unc. quatuor. Ebulliant in aquae purae libr. qua-			
tuor in vase vitreato; dein fil-			
	11	1	1 1

Unc. flo. kr.

I

I

12

2

tretur liquor, & debite evaporatus reponatur ad crystallisandum. Tartarus concrescens eximatur, ac exsiccetur. Atque ita pergatur in crystallisatione liquoris reliqui. Crystalli omnes ita collectae simul in mortario vitreo in pulverem terantur, & serventur.

Tartarus Vitriolatus .

Instilla successive Olei Vitrioli debilis, vel aqua diluti q s. ad perfectam saturationem. Liquor filtretur, evaporetur ad cuticulam, & quieti detur. Crystalli enatae, & exsiccatae tollantur, & serventur. Sic pergitur donec crystalli concrescere cessent.

Tinctura Antimonii Anisata.

R. Antimonii crudi libram semis,
Salis Tartari libram unam.
Pulverata, & mixta fluant in crucibulo valido igne per horam;

	Unc.	flo.	kr.
deinde materies adhuc calida, inque pulverem trita indatur phialae, cui affundantur Olei Anisi uncia una,			
Spiritus vini librae tres. Stent per aliquot dies in digestione, donec Spiritus sufficienter tinctus	0		
sit, qui dein filtretur, & usui servetur.	I	-	24
Tinctura Martis cum Succo Pomorum.			
Succi Pomorum acidulorum partes		1	
Stent per aliquot dies in digestion ne, miscelam saepius agitando Liquor tinctus per fubtile lin-			
teum coletur, & novus lima- turae restanti affundatur succus digestioni ut prius exponendus			
Hac operatione eousque pergatur donec nil amplius de Marte sol vatur. Tandem omnes commi	2		
sceantur liquores Marte imprae gnati, evaporent ad medietaten & ultra, ut Tinctura concentratio evadat. Tum	all		
Cyauat . A min	11	1	

	-		
	Unc.	Ro.	kr.
B. Hujus Tincturae partes sex,			
Spiritus Vini partem unam.			- /
Commixta digerantur parumper,			
Tinctura. & servetur	I		
# incidia .	1	-	4
Trochisci Albi Rhasis cum Opio.			
Sarcocollae drachmas tres,			
Tragacanthi drachmam unam,			
Opii drachmam semis.			
Cum Aquae Rosarum s.q. fiant L.A.			
Pastilli lenticulares.	i		4
Trochisci de Minio.			
D NO " 11"			
Rt. Mercurii sublimati corrosivi drach.			
Minii drachmam semis.			
Medullae Panis albissimi bene fer-			
mentati une sem.	-		
Tere omnia simul, ac permisce, & cum sufficienti quantitate Aquae	33		
Rosarum fiant secundum artem			
Trochisci longiusculi, in clibano			
tepente siccandi.	I -	-	8
The second secon		31	
H	1		11

WIEDICAMINOW .		-	=1
THE CALL SECTION AND ADDRESS OF THE CALL SECTION ADDRESS OF THE CALL SECTION AND ADDRESS OF THE CALL SECTION AND ADDRESS OF THE CALL SECTION AND ADDRESS OF THE CALL SECTION AND ADDRESS OF THE CALL SECTION AND ADDRESS OF THE CALL SECTION AND ADDRESS OF THE CALL SECTION AND ADDRESS OF THE CALL SECTION AND ADDRESS OF THE CALL SECTION AND ADDRESS OF TH	Unc.	flo.k	r.
Unguentum ad Achores.	Use		
B. Mercurii praecipitati rubri drach.	DEM		1
Ayungiae Porcinae uncias quatuor,	A les		
Fuliginis clivellatae drachm. unam. Misce.	I	-	3
Unguentum Althaeae.			
B. Mucilaginis rad. Althaeae lib. duas,	gart)		
Seminum Lini, Foenu graeci aā.libram	11	3	.9
unam,	13	3 25	
Axungiae Porci libr. duodecim. Coquantur ad consumptionem hu-	. Po	115	
midi ad finem addendo	1 and	1	
Pulveris radicis Curcumae unc. duas Tandem solve	ani	1	
Cerae citrinae libras duas,		1	6
Resinae Pini libram unam sem. Terebinthinae libram semis. Cola	, I	1	2
& serva.	1	al co	
Unguentum Cathaereticum.	i	do	
The state of the s	10		11
Butyri insulsi recentis unc. sex	,		1
Misce.	1	art.	12
Ī	11	1	1

proposition of the second	Unc.	flo.	kr.
Unguentum Cerussae,		-	
R. Cerussae libras viginti quinque, Cerae albae libras duodecim cum	640	586	9
dimidia,		1	
Olei Olivarum libras quinqua-		in.	
ginta.	- 3.		
Misceantur, & fiat lege artis Une	I	_	2
	1		
Unguentum Citrinum.	Quil.	abi	
R. Terebinthinae			
Rasae Pini,			
Cerae novae,	right	ne A	1
Olei Olivarum aa. partes aequales. Misceantur, & fiat l. a. Unguent.	I	-	2
dies Cyrontine and dans	2113	la?	
Unguentum Basilicum.	mot	157	
R. Cerae flavae,		12 50.5	
Sebi Arietini, mandilam	lo id	63	
Resinae Pini,	123	8	
Picis navalis, Terebinthinae aa. libr. semis,			
Olei Olivarum libram unam.			
Liquentur insimul, colentur, &	1300	es ite	150
agitentur, donec in Unguentum	1	THE .	2

	Unc.	flo.	kr.
Unguentum Digestivum.			-
R. Olei Olivarum,	· ·		100
Terebinthinae Venetae aa. libras			
viginti quinque, Cerae albae libras duodecim cum		144	
dimidia .	1.6	osti	
Liquentur, colentur, & agitetur massa, ut frigescat.	I	200	2
Unquentum Emolliens, & Discutiens.	Zal		
es Cienta de la la la la la la la la la la la la la	1700	.532	3
Br. Unguenti Fusci, sive Matris, Butyri de Cacao aa. unciam semis.	eign	OX.	
Simul solvantur lento igne, & serva	pq		
in vase terreo bene obturato.	1	-	3
Un guentum Fuscum, sive Matris.		71.5	33
R. Axungiae Porcinae,			
Butyri recentis,		KA.	9
Axungiae Ovillae,	323	193	
Lithargyrii praeparati aa. libram	0	sic	
Olei Olivarum libram unam.	aina	199	
Coque more Emplastri, donec ex	11	1	
fusco nigrescat.	I		4
2		1	

A	DD	A	D	A	T	TT	C
TA	FE	-	E.	n		U	0

132 APPARATUS			
	Unc.	flo.	kr.
Unguentum Malvinum.		-	
R. Foliorum Malvae viridium contus.	10	510	19
Solani hortensis aa. par- tem unam,	True	7	
Axungiae Porcinae partes duas.	18 3	The state of	
Macera, ac post levem ebullitionem cola.	I	-	3
Unguentum Mercuriale.	8324	47	
R. Mercurii e Cinnabari redivivi	40000		
Axungiae Porcinae aa. partes aequ.	tass	60	. 8
Tere secundum artem in mortario ad perfectam Mercurii extinctio-	ne i	716	
nem, ut fiat l. a. Unguentum.	1	-	24
Unguentum Mercurii Compositum.	TX855	113	10
Portions, man end	ign	7.0	16
R. Axungiae Porcinae libras triginta	H s	Hade Rock	
Terebinthinae clarae libr. quatuor,	ita.	N.A.	
Olei Ghamomillae, Hyperici aa. uncias novem,	e Inni		
Styracis liquid. libram unam, Lithargyrii libras quatuor cum	30	90	
dimidia,	000		
Olibani libr. duas cum dimidia,	2		

ZIZEDICAMINOM S		-5.	-
	Unc.	flo.	kr.
Mercurii vivi libras quatuor cum dimidia, Cerae citrinae lib. duas.			
Misceantur, & fiat lege artis Unguentum.	Í		6
Minii, & Turiae. B. Olei Olivarum libr. duodecini, Cerae albae libras quatuor,	0		
Minii optimi libras tres, Tutiae praeparatae libras duas, Thuris optime pulverisati libram unam.			
Misce fiat 1. art. Unguentum. Unguentum Nervinum.	I	_	3
B. Sebi Ovilli puri uncias octo. Liquefacto, & ab igne remoto adjice			
Olei Laurini libram unam, Terebinthinae aether. unc.			
Succini rectificati unciam- semis.			
Mixta subigantur, ut in unum coeant.	1	-	6
Unguentum Refrigerans Galeni. R. Olei Rosati uncias quatuor,			
Cerae albae unciam unam.			

134			
	Unc.	flo.	kr.
Liquentur simul, & fiat Unguentum, quod ab igne remotum aqua frigidissima pluries renovata diu ablues. Sub finem vero affundes Aceti albi optimi uncias sex. Unguentum eo iterum ablues, mox ab omni humiditate sponte, ac			
usus adhibebis.	I	_	2
W. Unguenti Althaeae uncias duas, Camphorae drachmam unam. M. Unguentum ad Scabiem.	I	100 100 100 100 100 100 100 100 100 100	6
R. Florum Sulphuris uncias duas, Salis Ammoniaci unciam semis, Axungiae Porcinae uncias quatuor. Misce. Unguentum Suppurans.	I		2
Resinae Pini aa. libram semis. Liquefactis adjice Cepae sub cineribus assatae, Mellis aa. libras duas semis,	Jan Ha	A STATE OF THE STA	

THE DICAMINOW.		-	53
	Un.	flo.	kr.
Saponis nigri libram semis. Simul incoquantur leniter, donec humor consumptus sit. Tum exprimendo cola, & subige bacillo, ut omnium unitas fiat.	198		2
Vinum Amarum.			
R. Herbae Absinthii pontici, Florum Centaurii minoris,		100	g V
Herbae Trifolii fibrini aa. unciam unam.	27.0	12.5	
Fiat Vinum medicatum ad colatur. librar. duarum.	_	_	10 1
Vinum Martiale.			
B. Limaturae Martis non rubiginosae, Radicis Calami aromaticiaa. drach.			
Concisa infunde in libris tribus Vini albi per sex horas.			
Colat. exhibe.	-	-	5
Vinum Scilliticum.			
R. Scillae maritim. drachmam unam, Corticis Aurant. unciam semis. F. cum libr. duabus Vini albi generos. Vinum medicatum.			14

150			
	Unc.	flo.	kr.
Vinum Stypticum	2 25		
R. Malicorii,			
Nucum Cupressi,			
Balaustiorum aa. unciam unam,			
Foliorum Salviae,			
Rorismarini aa. unciam			
semis,			
Rosarum rubrarum drachm. duas,	1 -6		
Vini rubri libras quatuor.			
F. l. art. infusio.			
Colatura ad usus servetur.	172	-	6

waitusa austra anaspa abirre

IF. cum libr, dushes Vist sibilgere

Total Vinter medicators :



TABULA POSOLOGICA

PRÆCIPUORUM PRÆPARATORUM.

A Cetum antisepticum.

Dosis . Ab unc. sem. ad unc. j.

Acetum destillatum.

A drach. j. ad unc. sem.

Acetum scilliticum.

A drach. ij. ad unc. j.

AEthiops antimonialis.

A gran. v. ad drachma sem.

AEthiops mineralis.

A gran. v. ad drachm. sem.

AEthiops vegetabilis.

A gran. jv. ad gr. xv.

Alumen draconisatum.

A scrup. sem. ad integrum.

Antimonium diaphoreticum non ablutum.

A scrup. sem. ad drach. sem.

Aqua Calcis.

Ab unc. ij ad unc. ju

Aqua Cinnamomi simplex.

Ab unc. sem. ad unc. j. sem.

Aqua Cinnamomi vinosa.

A drachm. ij. ad unc. j.

Aqua picea.

Vasculatim ter quaterque de die.

Aqua theriacalis .

Ab unc. sem. ad unc. j. sem.

Balsamum Locatelli .

A drach. j. ad drach. iij.

Cerevisia pectoralis.

Ad lib. semis bis in die.

Cinnabaris factitia.

A gran. jv. ad gran. xv.

Conserva Absinthii.

A drach. ij. ad unc. sem.

Confectio Alkermes.

A scrup. j. ad drach. j.

Decoctum album.

Vasculatim saepius de die.

Decoctum amarum.

Ad lib. ij. in die.

Decoctum antihecticum.

Vasculum theat. ter quaterque de die.

Decoctum Antimonii cum Sarsaparilla.

A lib. j. ad lib. ij. in die.

Decoctum Bardanae .

Ad lib. ij. in die.

Decoctum Digitalis purpureae.

A cochlear. ij. ad cochlearia iij. omni bihorio.

Decoctum diureticum.

Unc. iij. omni triborio.

Decoctum campechense.

Ad unc. jv. ter quaterque de die .

Decoctum Cathecu.

Cochlear. ij. omni bihorio .

Decoctum contra Haemoptysin.

Unc. jv. omni triborio .

Decoctum Lichenis Islandici.

Vasculatim pluries de die.

Decoctum Lignorum.

A lib. j. ad lib. ij. in die.

Decoctum Malti.

Vasculatim saepius de die.

Decoctum Mezerei.

Ab unc. vj. ad unc. viij. quater de die.

Decoctum nigrum.

Unc. iij., vel jv. mane quotidie.

Decoctum Polygalae.

Vasculatim saepius in die.

Decoctum Salep.

Vasculatim pluries in die.

Decoctum Simarubae.

Unc. jv. omni triborio .

Decoctum solvens.

Vasculation saepius in die.

Decoctum Spigeliae.

Adulto unc. jv. sexta, vel duodecima quavis bora per triduum.

Decoctum Stipitum Dulcamarae.

Unc. iij. omni triberie .

Diagrydium praeparatum.

A gran. jv. ad gran. ax.

Electuarium antidysentericum .

Ad drach, j. bis in die.

Electuarium antifebrile.

Ad scrup. jv. omni triborio .

Electuarium antifebrile pectorale

Ad scrup. jv. omni triborio .

Electuarium antepilepticum.

Ad drach. j. bis in die.

Electuarium antiscorbuticum.

Ad drach. ij. bis in die.

Electuarium Diascordion.

A drach. sem. ad drach. ij.

Electuarium hydragogum.

A drach. j. ad drach. ij.

Electuarium lenitivum, sive Tamarindorum.

Ab unc. sem. ad drach. x.

Electuarium radicis Caryophyllatae.

Ad drach. ij. bis in die.

Electuarium, sive Theriaca Andromachi.

A scrup. j. ad drash. ij.

Electuarium, sive Theriaca Diatessaron.

A scrup. j. ad drach. ij.

Elixir acidum Halleri.

A gutt.x. ad gutt. xxx., Gultra in idoneo vehiculo Elixir Proprietatis Paracelsi.

A gutt. viij. ad gutt. xxx.

Elixir Stomachicum temperatum.

A drach. ij. ad une. sem. in idoneo vehiculo.

Elixir Vitrioli aromaticum.

Ad gutt. XL.

Extractum Hellebori nigri aquosum.

A scrup. sem. ad drach. sem.

Extractum Hellebori nigri vinosum.

A scrup. sem. ad integrum.

Extractum Myrrhae aquosum.

A gran. xv. ad scrup. j.

Flores Salis ammoniaci martiales .

A gran. j. ad gr. viij.

Flores Zinci.

A gran j. ad gr. zij.

Infusum Arnicae.

Cochlear. iij. omni bihorio, vel trihorio.

Infusum Serpentariae.

Ad unc. ij. pluries in die.

Kermes minerale.

A gran. j. ad gran. vj.

Laudanum liquidum Sydenhami.

A gutt. vj. ad gutt. xx.

Liquor anodynus mineralis.

A gutt. xv. ad gutt. Lx.

Liquor Cornu Cervi succinatus.

A gutt. viij. ad drach. sem.

Liquor visceralis.

A drach. j. ad drach. itj.

Mercurius dulcis.

A gran. ij. ad gran. xij.

Mixtura camphorata.

Cochlear. ij. omni bihorio, aut triborio,

Mixtura expectorans.

Cochleatim pluries de die.

Pilulae antisyphiliticae cum Antimonio.

A gran. xviij. ad scrup. j. mane & vespere.

Pilulae anthystericae.

A gran. jv. ad vj. bis, vel ter de die.

Pilulae antisyphiliticae

Ad drach. j. bis in die.

Pilulae balsamicae Mortoni.

A scrup. sem. ad integrum bis, vel ter de die.

Pilulae balsamicae Stahlii.

A scrup. j. ad scrup. ij.

Pilulae emmenagogae solventes.

A scrup. j. ad drach sem.

Pilulae mercuriales purgantes.

A scrup. j. ad drach. sem.

Pilulae Rufi.

A scrup. j. ad scrup. ij.

Pilulae scilliticae.

A scrup. sem. ad j. bis, aut ter de die.

Pilulae de Styrace.

A gran. ij. ad gran. vj.

Pilulae tonicae Bacheri.

A gran. v. ad gran. viij. bis, aut ter de die Pulvis antichloroticus.

A scrup. j. ad drach. sem.

Pulvis antispasmodicus.

A scrup, sem. ad drach. sem.

Pulvis galactopoeus.

A drach. j. ad scrup. just bis in die.

Pulvis de Gutteta Bickeri.

A drach. j. ad scrup. jv.

Pulvis scilliticus compositus.

A gran, xv. ad drach. sem.

Pulvis sedativus.

A scrup. j. ad drach. j.

Pulvis Sennae compositus.

A scrup. ij. ad drach. j.

Pulvis stomachicus Birckmanni .

A drach. sem. ad drach. ij.

Pulvis sudoriferus Doveri.

A gran. x. ad gran xx.

Saccharum Myrrhae .

A drach. j. ad scrup. jv.

Serum lactis aluminosum.

Ab unc. ij. ad unc. jv. bis terque in die

Spiritus Cornu Cervi.

A gutt. x. ad gutt. xxx.

Spiritus Nitri dulcis.

A gutt. x. ad gutt. xxx.

Spiritus Salis ammoniaci aquosus.

A gutt. vj. ad gut. xx.

Spiritus Vitrioli.

A gut. viij. ad gut. xx., & ultra in vehiculo idoneo.

Syrupus Cichorii cum Rheo.

Ab unc. sem. ad unc. iij.

Syrupus Chinae Corticis.

Ab unc. j. ad unc. ij.

Syrupus de Gummi ammoniaco.

Ab unc. sem. ad unc. j. in vehiculo idoneo, aut cochleatim.

Syrupus mannatus.

A scrup. ij. ad unc. sem. pro pueris.

Syrupus Spinae Cervinae.

Ab unc. j. ad unc. iij.

Syrupus de tota Terebinthina

Ab unc. sem. ad unc. ij.

Tartarus emeticus.

A gran. j. ad gran. vj.

Tinctura antimonii anisata.

A gutt. xv. ad gutt. XL.

Tinctura Martis .

A gutt. x. dd gutt. XL.

Vinum amarum .

Ab unc. ij. ad unc. iij. bis in die.

Vinum martiale .

Ad unc. ij. ter de die :

Vinum scilliticum.

Ab unc. j. ad unc. ije ter quaterque de die.

ERRATA

CORRIGE

Pag. 1. lin. 14. Rumca

5. lin. 3. Ambrosiades

ib. lin. 19. Cadiantum

6. lin. 23. Scandi

8. lin. 16. Officinalis

12. lin. 28. Cprinus

14. lin. 16. rotundi=folia

15. lin. 14. Vaccinum

ib lin. 24. Stychnos

16. lin. ult. Polyganum

52. lin. 15. Antiepilecticum

55. lin. 9. Chamaedrys

69. lin 10. Haematites

73. lin. 22. Gummata

115. lin. 11. Spiriaus

Rumex

Ambrosioides

Adiantum

Scandix

Officinale

Cytinus

rotundifolia

Vaccinium

Strychnos

Polygonum

Antepilepticum

Chamaedrios

Haematitae

Gummi

Spiritus

ERRATA RESPECTU PONDERUM.

Pag. 76. lin. 15. kr. 13 2 corrige kr. 33 2 corrige kr. 43 2 corrige kr. 43 2 corrige kr. 43 25. lin. ult. kr. 2 3 corrige kr. 21 3

ADDENDA PROPRIIS LOCIS.

Mel purum - - - - - - Unc. 12 - kr. 15 Spiritus vini rectificatus - Unc. 12 - kr. 18

