

Caroli a Linné ... Materia medica / [Carl von Linné].

Contributors

Linné, Carl von, 1707-1778.

Schreber, Johann Christian Daniel, 1739-1810.

Wolfgangum Waltherum.

Publication/Creation

Lipsiae ; Erlangae : Apud Wolfgangum Waltherum, 1787.

Persistent URL

<https://wellcomecollection.org/works/fstcqcz6>

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

B. A. T.

Chelidonium

33754/B

BM(NH) 975

LINNAEUS, C.

C

CAROLI A LINNÉ

EQVITIS AVR. DE STELLA POLARI S. R. M.
SVEC. ARCHIATRI
MED. ET BOTAN. PROF. IN ACADEM.
UPSAL. REL.

MATERIA MEDICA

EDITIO QVINTA AVCTIOR

CVRANTE

D. IO. CHRIST. DAN. SCHREBERO

SEREN. MARGGR. BRAND. ONOLD. ET CVLMB.
A CONSIL. AVL. MED. BOTAN. HIST. NAT. ET
OECON. FROF. P. O. IN ACADEMIA FRID.
ALEX. ERLANGENSI.



LIPSIAE ET ERLANGAE
APVD WOLFGANGVM WALTHERVM
clo Io CCLXXXVII.



Digitized by the Internet Archive
in 2016 with funding from
Wellcome Library

308936

<https://archive.org/details/b28776276>

VIRO
ILLVSTRI ET EXPERIENTISSIMO
D. CAROLO PETRO
THVNBERG

ORD. REG. WASAEI EQVITI
MED. ET BOTAN. PROF. REG. ORDIN. IN INCLYTA
ACADEMIA VPSALIENSI
ACAD. IMPER. NAT. CVR. ET REG. SCIENT'
HOLMIENS. SOC. PATRIOT. HOLM. SCIENT. VPSAL.
BEROLIN. LVND. HARLEM. AMSTELODAM. NIDROS.
SODALI ACAD. MONSP. ET SOC. AGRIC.
PARIS. CORRESP.

MVLTIS IISQVE MAXIMIS VT IN REM MEDICAM
ET NATVRALEM PRAESERTIM HERBARIAM
ITA ET IN ACCVRATIOREM SIMPLICIVM
MEDICAMENTORVM COGNITIONEM
MERITIS IMMORTALI

HANC NOVAM
SVMMI PRAEDECESSORIS
MATERIAE MEDICAE
EDITIONEM

AD QVAM ORNANDAM ET PERFICIENDAM ET IPSE
MVLTA CONTVLIT
IN OBSERVANTIAE TESSERAM

D. D. D.
IO. CHRISTIANVS DANIEL SCHREBER

P R A E F A T I O

EDITIONI PRIORI

MATERIAE MEDICAE REGNI VEGETABILIS

P R A E M I S S A.

OPUSCULVM hoc de MATERIA MEDICA in gratiam Discipulorum, Studiosorum Vpfalien-sium, conscripsi. Curavi ut evaderet liber mole parvus, nec foret oneri discentibus, heic etiam sufficit pauca, sed certa nosse, ut firmo dein fundamen-to vaſtissimam eruditionis molem superstruant tandem maturi Practici, institutis observationibus propriis ſelec-tiſſimiſ. Sciant autem eruditi Medici, me minime heic ipſis ſcripſiſſe; tanta enim hodierna medicina ſuperbit virium medicinalium copia, ut non arcto libello capiatur, ſed potius proprio pondere ruat.

SIMPLICIA tantum heic promo, ex quibus com-poſita dein conficienda et dijudicanda ſunt. Quis enim de compositis judicium ferret, qui ignarus eſſet simplicium proprietatum? Sunt Simplicia defumta e triplici Naturae Regno: e Lapideo, Vegetabili et Ani-mali; heic VEGTABILIA tantum depromſi, quae ma-ximam conſtituunt Materiae Medicæ partem, alii tem-pori reſervans cetera, cum debeant ſingula Naturae Regna propria methodo proponi *).

SVECICA OFFICINALIA tantum in hoc opus intro-duxi, cum inſtruuerem Alumnoſ olim futuros per Sve-

*) Prodierunt deinde ſub diſſertationum academicarum forma:

Materia medica e regno animali. 1750 recuſa in *Amœnit. acad.*
Vol. II. p. 07.

Materia medica lapidea. 1752. recuſa in *Amœn. acad.* Vol. III. p. 132.

PRAEFATIO.

ciam Medicos, adeoque plantas vix alias, quam quas PHARMACOPOEA HOLMENSIS (*Medicinal-Ordningsar. Stockh. 1742. oct. p. 90.*) jubet, assumsi, et eas quidem omnes nulla exclusa, quamvis multæ et exclaudi possent et deberent.

INVSITATAS tamen nonnullas, viribus eximias et quibus commode carere nequeunt ingeniosi Medici, non potui non addere, quarum tamen catalogum heic fistam, ne Pharmacopolas sollicitent juvenes Medici de plantis, quas colligere et affervare, ex Constitutionibus regiis, nondum tenentur; sunt hæ:

INDIGENAE. HORTENSES. EXOTICAE.

Rad. <i>Britannic.</i>	Rad. <i>Lapath. sangu.</i>	Rad. <i>Alcann. ver.</i>
<i>Añææ.</i>	<i>Herb. Ammi veter.</i>	<i>Ginseng.</i>
<i>Barb. Hirci.</i>	<i>Camphoratæ.</i>	<i>Senegæ.</i>
<i>Balet. Cervin.</i>	<i>Coridis.</i>	<i>Lig. Caffines.</i>
<i>Eupatorii.</i>	<i>Laurocerasi.</i>	<i>Ebeni.</i>
<i>Salep.</i>	<i>Melissæ.</i>	<i>Pavanæ.</i>
<i>Telephii.</i>	<i>Scroph. aquat.</i>	<i>Profluv.</i>
Stip. <i>Dulcamar.</i>	Bacc. <i>Belladonæ.</i>	Cort. <i>Simarub.</i>
Herb. <i>Cotulaæ.</i>		Herb. <i>Auricular.</i>
<i>Lamii.</i>		<i>Acmellæ.</i>
<i>Lini cathart.</i>		<i>Fung. Melit.</i>
<i>Linnaææ.</i>		<i>Peraguæ.</i>
<i>Myrt. Brabant.</i>		Frukt. <i>Fagaræ.</i>
<i>Musc. Cumatil.</i>		<i>Nucul. Sapon.</i>
<i>Canini.</i>		<i>Pimentæ.</i>
<i>Erediti.</i>		<i>Oryzæ.</i>
<i>Islandici.</i>		Succ. <i>Hypocistid.</i>
<i>Pyxidati.</i>		<i>Sojæ.</i>
<i>Pedicularis.</i>		<i>Sagu.</i>
<i>Vulvariaæ.</i>		<i>Vernicis.</i>
<i>Vvæ ursi.</i>		
<i>Xanthii.</i>		
Bacc. <i>Norlandicæ.</i>		
<i>Vitis idææ.</i>		
Sem. <i>Daturæ.</i>		
<i>Fagopyri.</i>		

METHODO in singulis Plantis usus sum conformi, ea- que compendiosissima, plantam unamquamque Octo li- neis complectens, ordine eodem semper positis; scilicet

PRAEFATIO.

<i>Nomen.</i> 1.	<i>Qualitas.</i> 5.
<i>Synonymon.</i> 2.	<i>Vis.</i> 6.
<i>Locus.</i> 3.	<i>Vfus.</i> 7.
<i>Pharmaceuticum.</i> 4.	<i>Compositum.</i> 8.

SPECIES reduxi ad recepta a me Genera et Claf-
ses, ut certius innotescerent Botanicis Plantæ. DIF-
FERENTIAM, qua Species a Congeneribus distingui-
tur, sedulo adjeci, FLORAM SVECICAM de plantis
indigenis semper allegavi, ut Lectori Nomina verna-
cula, simulque Loca indicaret, ne ab Exteris regio-
nibus indigenas plantas arcessere cogantur Pharmacopœi
Nostrates. HORTVM VPSALIENSEM similiter in
subsidium vocare nunquam intermis̄ de plantis in
Hortis nostris nascentibus, ut ex eo innotesceret
Pharmacopœis, quas plantas nostrum Solum facilius
aut difficilius ferat, ne aut frustra repeatant multo-
ties a nobis instituta experimenta, aut ab exteris
oris arcessant, quæ in nostris æque facile ac exte-
rorum germinant Hortis.

DUBIAS, in Specierum determinatione occupa-
tus, miratus sum dari adhuc plurimas, in Officinis
pharmaceuticis tritissimas et quandoque a seculo nati
Salvatoris usitatissimas; hæ in tanta Botanices luce,
quæ hodie est, destituuntur Descriptionibus et Figu-
ris aptis, ut circa has ideo cæcutiamus sæpe sereno
die. Ne autem quis mihi objiciat, quod species du-
bias festinanter nimis determinaverim, en Catalogum
earum, quas hæsitans adposui, ut si cui Bota-
nico in posterum aliquas ex hisce inspicere contin-
gat in loco, ubi colliguntur pro officinis, de iis
follicite inquirat, qua fide nobis innotuerint.

Rad. *Bell. rub.* Cort. *Canell. alb.* Suce. *Ammoniacum.*
Contrajerv. *Simarubæ.* *Animi.*

PRAEFATIO.

<i>Cofi.</i>	<i>Thymiamat.</i>	<i>Bdellium.</i>
<i>Galangæ.</i>	<i>Herb. Spicæ ind.</i>	<i>Benzoy.</i>
<i>Hermodaït.</i>	<i>Sem. Anis. Stellat.</i>	<i>Bals. Mecha.</i>
<i>Jalapæ.</i>	<i>Amomi.</i>	<i>Peruv.</i>
<i>Ipecacuanh.</i>	<i>Cocculi.</i>	<i>Tolu.</i>
<i>Ninsi.</i>	<i>Cinæ.</i>	<i>Caranna.</i>
<i>Parejrebrav.</i>	<i>Cubebæ.</i>	<i>Elemi.</i>
<i>Schænanthi.</i>	<i>Dauci cret.</i>	<i>Galbanum.</i>
<i>Zedoariæ.</i>	<i>Myrob. indic.</i>	<i>Myrrha.</i>
<i>Lign.</i>	<i>Bellir.</i>	<i>Olibanum.</i>
	<i>Chebul.</i>	<i>Opopanax.</i>
	<i>Citrin.</i>	<i>Sagapenum.</i>
	<i>Paradisi.</i>	<i>Styrax liqu.</i>
		<i>Sang. Dracon.</i>
		<i>Tacamahaca.</i>
		<i>Rhus.</i>

SYNONYMON unicum in singulis plantis mihi pro compendio fatis erit, quod præcipue a C. Baubini pi-nace mutuatus sum, unde reliqua desumi et evolvi pos-funt in plantis Europæis; at in Exoticis et Indicis se-lec-tissimum quoddam adduxi ab *Horto Malabarico* aut *Pluckenetio* vel alio desumptum, ut eo certius innotesceret planta: ubi vero *Dubium* de planta fuit, plerum-que signum (?) dubitationis adjeci.

NATALIA loco cujuscumque plantæ indicavi, ut constet unde singulæ arceffantur, quæ notitia maxime Pharmacopolis necessaria est. Cum autem Plantæ Suecicæ indigenæ etiam in adjacentibus regionibus proveniant, ut evitarem plura verba, *Europam no-stram* septentrionalem adposui, quod plantam Sueci-cam indicat. Ad finem Lineæ Tertiæ uno alterove vocabulo *Culturam* pharmacopœis monstravi.

Vulgares dixi, quæ sponte apud nos crescunt.

Cicures vero Exoticas, quæ semel in Hortos no-stros introduc-tæ, facile per se subsistunt ex An-nuo femine vel Perenni radice.

Man.

PRAEFATIO.

Mansuetas autem, quæ more Animalium mansuetorum apud nos pulchre degunt, modo per hymen tecta subeant vel parum a gelo defendantur. *Feras* nominavi eas, quæ Ferarum instar toto anno intra claustra Caldarii coërcendæ et custodiendæ sunt, ne aufugiant pereantve, quales vix Fruetum nostro sub climate ferunt.

Peregrinas dixi plantas, quæ Europæis Hortis vix unquam innotuere, adeoque e Peregrinis terris arcessendæ.

Durationem, ut Cultura eo clarius innotesceret, unico verbo adjeci.

<i>Semebris.</i>	<i>Fruticulus.</i>
<i>Annua.</i>	<i>Frutex.</i>
<i>Biennis.</i>	<i>Arbuscula.</i>
<i>Perennis.</i>	<i>Arbor.</i>

PHARMACOPOEORVM Nomina, sæpius licet absurdæ, sancte servavi, utpote complurium seculorum auctoritate, ratione legibusque exempta.

Simplicia, quæ ex singulis plantis desumuntur, secundum modum nascendi indicavi.

<i>Radix.</i>	<i>Succus.</i>
<i>Lignum.</i>	<i>Flos.</i>
<i>Cortex.</i>	<i>Fruitus.</i>
<i>Folia.</i>	<i>Semina.</i>

Præparata partibus immiscui, ea tamen lege, ut præparatum semper sequatur partem ex qua præparatur, ut si e. gr. oleum adsit, intelligatur istud præparari ex parte proxime antegressa; sunt præparata hæc

<i>Aquæ destillatæ.</i>	<i>Conserua.</i>
<i>Oleum Stillatitium.</i>	<i>Syrupus.</i>
<i>Oleum Empyreumat.</i>	<i>Rob.</i>
<i>Oleum Colitum.</i>	<i>Conditum.</i>
<i>Oleum Expressam.</i>	<i>Confusio.</i>
<i>Spiritus.</i>	
<i>Fæcentia.</i>	
<i>Extrallum.</i>	
<i>Sal.</i>	

PRAEFATIO.

QUALITATES sunt Sensibus externis evidentia attributa. *Odor* a Naribus determinatur et Volatilia indicat. *Sapor* a Lingua percipitur et aquæ Solubilia manifestat. *Superficies* Oculis plerumque dignoscitur, et Colores, Consistentiam, aliaque determinat.

SAPORE:	<i>Fatua,</i>	<i>Infipa, Herbacea,</i>
	<i>Oleracea,</i>	<i>Mucilaginosa, Pinguia, Dulcia;</i>
	<i>Aromaticæ,</i>	<i>Pungentia;</i>
	<i>Calida,</i>	<i>Ignea, Urentia,</i>
	<i>Salsa,</i>	<i>Austera, Styptica;</i>
	<i>Amara,</i>	
ODORE:	<i>Inodora,</i>	<i>Suaveolentia.</i>
	<i>Ambrosiaca,</i>	<i>Graveolentia.</i>
	<i>Fætida,</i>	<i>Nauseosa.</i>
SVPERF.	<i>Colorata:</i>	<i>Tinctoria.</i>
	<i>Offea,</i>	<i>Porosa, Laciferentia.</i>
	<i>Tenacia,</i>	<i>Spumescientia.</i>
	<i>Gummosa,</i>	<i>Gummoso - Resinosa.</i>

Fidem, quam singulis simplicibus adhibent Medici ho- dierni, interdum uno altero vocabulo indicavi.

POTENTIAM agendi itidem in quinta Linea adposui.

<i>Dubia,</i>	<i>Infida,</i>	<i>Præstantia,</i>
<i>Eximia,</i>	<i>Heroica,</i>	<i>Cauta.</i>

MODVM præscribendi sæpius omisi, rarius addidi:

<i>Externa,</i>	<i>Pretiosa,</i>	<i>Culinaria.</i>
-----------------	------------------	-------------------

FREQVENTIAM præscribendi hodie præsertim apud nostrates:

<i>Rarior,</i>	<i>Frequentia,</i>	<i>Trita,</i>	<i>Usitata,</i>
<i>Insueta,</i>	<i>Infrequentia,</i>	<i>Exoleta.</i>	

VIRES in Sexta Linea habentur, quæ theoreticam actionem medicamentorum docent. Sunt hæc, si paucas excipias, sæpe mere speculativa; hinc parcus in his fui. Ne termini hi artes numero oneri essent tyronibus, in proximis paginis methodice eos disposui sub sequentibus classibus:

Evacu-

PRAFATIO.

<i>Evacuantia,</i>	<i>Alterantia,</i>
<i>Muscularia,</i>	<i>Nervina,</i>
<i>Visceralia,</i>	<i>Topica.</i>

vsvs in septima Linea allegavi, sed parcus in his fui; potuisssem facile hic corrasisse immanem copiam Medicamentorum, sed præstat hic pauca nosse quam multa; hujus enim oneri dudum succubuit Medicina, nec formulis restituenda, proinde in gratiam Tyronum non alios usus produxi, quam quos multis experimentis probarunt Auctores, vel quos ipse sufficienti experientia edocetus, fidos reperi; exanimavi enim, præsertim olim Nosocomiis classis navalis præfectus Medicus, Simplicia, quotquot licuit, omnia, et infida atro carbone, Tuta albo calculo notavi. Nihilominus interdum coactus et anceps signum *Dubitationis* (?) adposui; at ubi maxime de medicamento specifico convictus, signum *Exclamationis* (!) addidi.

COMPOSITA pauca allegavi, cum mihi de compositis plerisque sit peculiaris sententia; qui velit plura composita eaque receptissima singulis plantis inferere, poterit hoc facile supplere e Commelino vel alio. Collega meus, Clariss. D. D. N. ROSÉN, Archiater Regius, incepit laborantibus Compositis medicas manus addere, absolvere non dum ipsi licuit obruto majoris momenti negotiis; optaveram Ejus selectas Formulas allegasse, si prius prodiissent, sed addant auditores post hac, dum prodeunt, ut conjugant conjungenda.

HAEC absolvi, Discipuli dilectissimi, unice ut vobis inservirem.

*Dabam VPSALIAE 1749.
d. 28. Januarii.*

LECTORI BENEVOLO

S. P. D.

EDITOR.

Cum materia medica *Linnéi*, viri immortalis, libro aureo, officinæ librariæ jam per plures annos caruissent, neque ab excellentissimo auctore nova exspectanda videatur editio; Waltherus noster, ubi a multis eum desiderari animadverterat, consilium cepit illius typis repetendi, atque ut editionis curam fusciperem rogavit. Difficilem fore intellexi, siquidem in illo aliqua erant immutanda, quædam illi addenda quæ omnia ad mentem auctoris efficere maxime videbatur arduum. Cedendum autem erat et Waltheri precibus et auditorum desiderio; neque spes certa deerat editionem quæ novissimas celeberrimi auctoris de rebus unde medicamenta sumuntur contineret sententias, aliis quoque materiæ medicæ cultoribus et gratam fore et utilem, quamvis post perilluстр. a Linné non defuerint, qui simplicium medicamentorum notitiam quam accuratissime tradiderint.

Impetrata igitur ab excellentissimo auctore, præceptore summa observantia semper colendo, venia, prelo illum denuo subjiciendi; et de præcipuis ad quæ in eo recensendo attendendum esset momentis, admonitus, regno vegetabili, quod in prima editione solum prodierat, duo reliqua secundum

PRAEFATIO.

novissimam systematis naturæ editionem in aliud ordinem redacta, adjunxi; illud vegetabilibus, in pharmacopolia nondum ubique receptis, sed a perillustri auctore dignis, quæ inter medicamenta vulgo venalia referantur, habitis, auxi: nomina tam generum quam specierum ex Sp. plantarum, Systemate naturæ et Mantissis correxi, additis ubique harum nominibus trivialibus; loca natalia, ubi plura, vel certiora inveni, indicavi; qualitates, vires ususque plures addidi, ea tamen adhibita cautione, ne quid propria auctoritate, quod a celeberrimo libri auctore non profectum esse censeretur, admiscerem.

Fontes, e quibus ista hausi, sunt perillustr. a Linné opera, quæ post editam Materiam medicam prodierunt; in primis *Systema naturæ*, *Genera et Species plantarum* harumque *Mantissa utraque*; *Amoenitates academicæ*, et *Clavis medicinæ*; tum ejus in materiam medicam *prælectiones*, a variis amicis omnidiligentia calamo exceptæ. Scripsi Erlangæ d. XIII. April. clo 10 CCLXXII.

In quarta hujus libri editione*) vocabula technica passim accuratius ad amissim *Clavis medicinæ* b. auctoris accommodavi; vocabula quedam, et paragraphum, quæ amico prioris editionis curam mecum patienti, per festinationem exciderant,
resti-

*) Primum *Materia medica regni vegetabilis* Holmiæ 1749. *animalis* Vpfaliæ 1750. *lapidei* ibid. 1752; tum *tria regna coniunctim*, curante Cel. *Tessari*, Venetiis 1762. edita sunt. Tertia 1772. quarta 1781, utraque Erlangæ prodierunt,

PRAEFATIO:

restitui. Præcipue autem simplicia quædam, quibus b. auctor materiam medicam augeri voluit, in priorem editionem nondum recepta, ex ejus dissertatione: *Observationes in materiam medicam*, Vpsaliæ 1772. ventilata et in *Amœnitatum academicarum* tomo VIII. p. 182. me curante recusa, et quibusdam aliis, suis locis inferui, et ad ejus mentem pauca quædam mutavi. Addidi præterea in infimo quarumdam paginarum margine obseruationes auctoris in officinalia nonnulla, e supra laudata dissertatione, iisque aliquas immiscui adnotatiunculas, uncis [] sicut reliqua a memet ipso passim adspersa, inclusas. Ne autem cum mole pretium libelli nimis augeretur, indices aliquos, minus necessarios visos, abscidi. Tabulam æneam quoque, qua icon *Ophiorrhizæ Mungos* continebatur, cum non valde laudabilis esset, omisi, meliorem, cum charactere plantæ emendato, peculiari libello editurus.

Quintam, quam philiatris nunc offero, editionem, ad normam *Supplementi plantarum* a. b. LINNEO, *Filio*, Brunsvigæ 1781. editi, passim emendavi et auxi, et notas quasdam novas nonnullaque alia adspersi, præcipue autem diligenter curavi, ut ea prioribus quantum fieri posset emendatior prodiret. Scr. Erlangæ in Acad. Frid. Alexandr. d. 1. Febr. clo 10 CCLXXXVII.

AVCTO-

AVCTORES

PRIMARII ET VSITATISSIMI.

1. DIOSCORIDES Pedacius, *Anazarbeus Siculus.*
Libri IV. de Materia Medica.
Scripta Neronis ætate. Prodiit variis locis. Expertæ.
2. SCHROEDERVS Johannes. *Medicus Francof.*
Pharmacopœia medico chymica.
Vlm. 1641. qu.
3. PAVLI Simon. *Medicus Regis Daniæ.*
Quadripartitum Botanicum.
Argentorati 1667. quart. p. 660. Compilata.
4. KOENIG Emanuel. *Medicus Basileensis.*
Regnum Vegetabile.
Basileæ 1688. quart. pars 1. p. 166.
Basileæ 1696. quart. pars 2. p. 271. Compilata.
5. RAJVS Johannes. *Theologus Cantabrigiensis.*
Historia Plantarum.
Londini 1686. fol. p. 1940. Conquisita.
6. DALEVS Samuel. *Medicus Anglus.*
Pharmacologia.
Lugd. bat. 1739. quart. p. 459. Botanica.
7. POMET Petr. Histoire générale des Drogues.
Parif. 1694. fol.
8. VALENTINI Mich. Bernh. Prof. Med. Gieff.
Museum Museorum.
Francof. 1704 Tom. I. 1714. tom. II. III. fol.
9. TOURNEFORT Joseph. Pitt. Prof. Bot. Parif.
Histoire des Plantes des environs de Paris.
Parif. 1698. oīl. p. 545. Chemica.
10. HERMANNVS Paulus. Prof. Bot. Leydensf.
Cynosura Materiæ Medicæ.
Argentor. 1726. quart. p. 728. per J. BOECLER. Limata.
11. CHOMEL Joh. Bapt. Medic. Parisin. S. R. P.
Abrégé des Plantes usuelles.
Parif. 1715. duod. Vol. 2.
Supplement.
Parif. 1730. duod.
12. ZORN Barthol. Med. Doct.
Botanologia Medica.
Berolini 1714. quart. Germanicas. Compilatissima.

AVCTORES.

13. **B V C H W A L D** Johannes. *Prof. Med. Haffn.*
Specimen Medico - Præctico - Botanicum.
Hafniæ 1721. oītav.
14. **B O E C L E R V S** Johannes. *Prof. Bot. et Chem. Argent.*
Cynosuræ Materiæ Medicæ (7) Continuatio.
Argent. 1731. quart. Limata.
15. **B O E R H A A V I V S** Herm. *Prof. Bot. Leydensis.*
Historia Plantarum.
Londini 1731. oīt. Conquisita.
16. **G E S N E R V S** Joh. Albr. *Archiater Wirtemb.*
Pharmacopœa Wirtembergica.
Stutgard. 1741. fol. 1772. fol. Nitida.
17. **G E O F F R O Y** Steph. Franc. *Prof. Mat. Med. Paris.*
Tractatus de Materiæ Medicæ. Vol. 1. 2. 3.
Paris. 1741. oīt. Elaborata.
18. **ab H A L L E R** Albert *Soc. R. Gotting. Præses.*
Stirpes Helvetiæ.
Gotting. 1742 fol. Bernæ 1768. fol. Selecta.
19. **R V M P H I V S** Ge. Eberh. *Mercator et Consil. Amboin.*
Herbarium Amboinense.
Amstelod. 1741 - 1751. fol. vol. 7.
- [20. **C A R T H E V S E R** Jo Friedr. *Prof. Med. Francof.*
Fundamenta Materiæ Medicæ.
Fr. ad Viadr. 1749. 1767. tom. I. II. oīt.
21. **L E W I S** Willb.
Experimental hist. of the mat. med.
Londini 1761. qu. anglice. Tiguri 1771. german.
22. **G L E D I T S C H** Jo. Gottl. *Prof. Bot. Berolin.*
Verzeichniss der Arzneygewächse.
Berol. 1769. oīt.
Wissenschaft. der Arzneymittel.
Berol. oīt. tom. I. 2. 1779 - 1781.
23. **S P I E L M A N N** Jac. Reinh. *Prof. Med. Argent.*
Institutiones Materiæ Medicæ.
Argent. oīt. 1774.
24. **M V R R R A Y** Joh. Andr. *Eques. Prof. Bot. Gotting.*
Apparatus Medicaminum.
Gotting. oīt. vol. 1. 1776. vol. 2. 1779. vol. 3. 1783.
25. **B E R G I V S** Pet. Jon. *Prof. Holm.*
Mat. Med. e regno vegetabili.
Holm. oīt. tom. I. II. 1778.]

CANO-

CANONES.

1. Non post rationem MEDICINA inventa fuit, sed post inventam Medicinam RATIO quæsita est. *Cels.*
2. Duo in MEDICINA FVLCRA sunt: Ratio et Experientia; *Experientia* præcedit, *Ratio* sequitur; hinc Rationes in rebus medicis Experientia non conditæ, nihil valent. *Hoffm.*
3. Mallem famoso EMPIRICO, quam subtili Mechanico, salutem meam committere. *Gælik.*
4. BARBARI plus ad augmentum Medicaminum contulerunt, quam omnium ætatum scholæ. *Brunn.*
5. Serio suadeo Medicinæ Candidatis, EVPORISTA magnorum pere sibi commendata habeant. *S. Paul.*
6. Qui et multa et UTILIA scit, ille sapit. *Contra Aesculap.*
7. PAVCIS utatur Medicus Remediis, iisque Selectis. *Trit.*
8. SELECTA sunt, quæ Medicum nobilitant.
9. Qui potest mederi SIMPLICIBVS, dolose et frustra quærit composita. *Villanov.*
10. Qui longas remediorum FORMVLAS præscribit, aut dolo peccat aut ignorantia. *Trit.*
11. Qui miscet CONTRARIA, ægrum, pharmacopœum, et se ipsum pessundat.
12. Plurima medicamenta elaboravit CHEMIA, sed nulla detexit.
13. Medicus NOTITIA PLANTÆ destitutus, de viribus ejusdem nunquam juste judicavit.
14. Systemate, Qualitate et Experientia eruitur omnis usus plantarum.
15. Regnum VEGETABILE præstantissima, LAPIDEVM durissima, ANIMALE paucissima producit Medicamina.
16. ESCVLENTA conservant, VENENA restituunt sanitatem.

CANONES.

17. Alimenta a Toxicis, uti Medicamenta a Venenis, non Natura sed DOSIS distinguit.
18. Omne NIMIVM, quamvis optimum, Naturæ inimicum est.
19. ADSVETA conservant, MVTATA frangunt Naturam.
20. CONTRARIA contrariis et MORBI MORBIS curantur.
21. Tituli REMEDIA, Pyxides Venena habent. *Agripp.*
22. Medicamentis uti, nisi in vehementibus malis, SVPER-VACANEVM est *Cels.*
23. Medicamenta HEROICA, in manu imperiti, sunt uti gladius in dextra furiosi. *Trit.*
24. Vbi VNICA VIA salutis, ea licet cum periculo est tentanda.
25. Satius est ANCEPS experiri remedium, quam nullum.
26. Quos Ratio non curavit, sœpe curavit TEMERITAS. *Cels.*
27. Jus vitæ sui ipsius MEDICO sapienti tradat æger.
28. Natura arte adjuta, interdum facit MIRACVLA.
29. Felix est iste pulvis, qui venit TEMPORE Criseos.
30. NATVRA repugnante, Medicina nihil proficit. *Cels.*
31. PRVDENTIS est MEDICI, eum, qui servari nequit, non attingere, ne videatur occidisse, quem ipsius fors interemit. *Cels.*



PON.

P O N D E R A.

Gr. Granum	I.	-	-	GVTTA fæpe æqua-
				lis grano.
Θ. SCRVPVLVS	20.	-	-	Grana 20.
ʒ. DRACHMA	60.	3.	-	Scrupuli 3.
ʒ. VNCIA	480.	24.	8.	Drachmæ 8.
℔. LIBRA	5760.	280.	96.	Vnciæ 12.
				Gr. Θ. ʒ. ℔.
P. PVGILLVS	quod 3	digitis	capitur.	Drachma I.
M. MANIPVLVS	quod	manu comp.		Pugilli 4 f. Ʒß.
F. FASCICVLVS	-	-	-	Manipuli 12.
Ch. COCHLEARE	-	-	-	Vncia I.
Q. MENSVRAE	Quadrans.	-	-	Libra I.

S I G N A.

A NOBIS VSITATA.

- ▽. AQVA destillata.
- . SPIRITVS.
- . OLEVVM expressum.
- ◎. OLEVVM coctum.
- . OLEVVM stillatitium.
- . OLEVVM empyreumaticum.
- ꝝ. TINCTVRA.
- ꝝ. PVLVIS.

TERMINI.

Radices V. APERIENTES mayores.

Apii, Petroselini, Fæniculi, Rusci, Asparagi.

Radices V. APERIENTES menores.

Rubiæ, Graminis, Ononidis, Eryngii, Capparidis.

Herbæ V. EMOLLIENTES.

*Althææ, Mercurialis, Parietariæ, Brancæ urfi,
Betæ.*

Herbæ V. CAPILLARES.

*Capill. veneris, Scolopendrii, Ceterach, Trichomaniæ,
Rutæ murariæ.*

Flores IV. CORDIALES.

Borraginis, Buglossæ, Rosæ, Violæ.

Semina IV. CALIDA majora.

Carvi, Cymini, Anisi, Fæniculi.

Semina IV. CALIDA minora.

Ammios ver., Amomi ver., Apii, Dauci sylv.

Semina IV. FRIGIDA majora.

Cucurbitæ, Citrulli, Melonis, Cucumeris.

Semina IV. FRIGIDA minora.

Laetucæ, Cichorei, Endiviæ, Portulacæ.

DOSES.

D O S E S.

Agarici	-	-	3j.	Guttæ <i>Gum.</i>	-	Grxvj.
<i>Decoct.</i>	-	-	3jv.	<i>Sulphur.</i>	Grvj.	
<i>Extract.</i>	-	-	3ij.	Hellebor.	nigr.	<i>Rad.</i> 3j.
Aloës <i>Substantia</i>	-	-	3j.	<i>Decoct.</i>	3iij.	
<i>Extractum</i>	-	-	3ß.	<i>Extract.</i>	3ß.	
Asari <i>gross.</i> 3ij. <i>tenuiss.</i> 3ß.				Hermodactylus	-	3ij.
<i>Extractum</i>	-	-	3ß.	Jalapæ <i>Radix</i>	-	3ß.
<i>Fol. subst.</i> nvi. <i>inf.</i> nviij.				<i>infus.</i> ▽. 3ij. ℥. 3j.		
Bryoniæ <i>Rad.</i> 3ij. <i>Decoct.</i> 3j.				<i>Effentia</i>	-	3v.
Carthami <i>Semina</i>	-	-	3j.	<i>Resina</i>	-	3ß.
Casliæ <i>Pulpa</i>	-	-	3j.	<i>Extract.</i>	-	3j.
Colocynthis <i>Extract.</i> Grjv.				Ipecacuanh.	<i>Pulv.</i>	3ij.
Croci <i>Substant.</i>	-	-	3j.	<i>Decoctum.</i>	-	3jv.
<i>Tinctur.</i>	-	-	3ß.	Ireos <i>Rad.</i>	<i>Succ.</i>	3j.
<i>Extract.</i>	-	-	3ß.	Juglandis <i>ament.</i>	Gr.jv.	
Cucum. asinini. <i>Rad.</i>	3j.			Mannæ	-	3jß.
Elaterii <i>Extract.</i>	-	-	3j.	Mechoacan.	<i>Rad.</i>	3ß.
<i>Resina.</i>	-	-	Grij.	Myrobalan.	<i>subst.</i>	3j.
Ebuli <i>Cortex</i>	-	-	3j.	<i>Decoct.</i>	-	3ij.
<i>Semina</i>	-	-	3j.	Opopanax	-	3ß.
Efulæ <i>Cortex</i>	-	-	Grjv.	Opium <i>crudum</i>	-	Grj.
Euphorbium	-	-	Grjv.	<i>Extract.</i>	-	Gr. v.
Fumariæ <i>Succus</i>	-	-	3j.	<i>Tinctura</i>	-	3ß.
Gnidii <i>Grana</i>	-	-	Grjv.	<i>Laud.</i> <i>liqu.</i>	-	3ß.
Gratiolæ <i>Pulvis</i>	-	-	3ij.	Papaver.	<i>Diacodium</i>	3j.
<i>Succ. infp.</i>	3ß.			Rhœadis <i>Tinct.</i>	3ij.	

DOSES.

Polypodium	-	ʒjſ.	Spinæ cervin. <i>Bacc.</i>	ʒij.
Rhabarb. <i>Radix</i>	-	ʒj.	<i>Syrup.</i>	ʒj.
<i>Effentia</i>	-	ʒj.	Tabaci <i>Extract.</i>	Griij.
<i>Extract.</i>	-	Θj.	Tamarind. <i>pulp.</i>	ʒſ.
Ricini <i>Semina</i>	-	Grjv.	<i>Decoct.</i>	ʒijj.
Rosarum solut. <i>syrup.</i>	ʒjſ.		Turbith	ʒj.
Sagapenum	-	ʒſ	Confect. Hamech.	ʒjv.
Scammon. <i>crud.</i>	Gr. vij.		<i>Elect.</i> Lenitiv.	ʒj.
<i>Diacryd.</i>	Θſ.		Diaphœn.	ʒjv.
<i>Resina</i>	Θſ.		<i>Extr.</i> Panchym.	Θſ.
Senna <i>Substant.</i>	ʒj.		Pil. Cochiæ	ʒſ.
<i>Decoct.</i>	-	ʒſ.	Pulv. Cornach.	Θj.
<i>Extract.</i>	-	Θjſ.	Syr. Cichor. c. rheo	ʒj.
Soldanella <i>subst.</i>	-	ʒj.	<i>Troch.</i> Alhand.	Grjv.

SIM-

SIMPLICIA.

RADICES primo vere eradicandæ, antequam folia germinant, confundendæ in taleos, siccandæ in umbra.

LIGNA colligenda tempore hyemali, findenda mox.

STIPITES dicuntur rami arborum, qui colligendi tempore vernali, dum folia incipiunt erumpere.

TVRIONES sunt novelli caules, vel rami, qui nondum folia protulere, colligendi antequam indurescant.

CORTICES tempore vernali desumendi, dum facillime a ligno secedunt, aut hyeme.

HERBAE colligendæ quando incipiunt florere, mox exsiccandæ in umbra suspensæ.

FOLIA legenda postquam diffloruit, sed antequam semina maturavit Planta.

FLORES colligendi quamprimum dehiscere incipiunt, ante casum pollinis antherarum.

Depurgati flores desumuntur absque calyce & pistillo, sola Corolla servata.

ANTHERÆ colligendæ antequam pollinem dimittant.

FRVCTVS legendi dum pericarpia sponte fese aperire incipient.

SEMINA colligenda dum sponte a planta secedant.

Semina valent quamdiu aquæ immissa fundum petunt; natantia vero rejicienda, paucissimis exceptis.

SVCCI sua sponte vel arte adjuti exstlicant.

GVMMI solvitur ∇ , non \textcircled{O} ;
igne liquefecit aut flagrat.

RESINA solvitur \textcircled{O} , non ∇ ;
igne et liquefecit et flagrat.

GVMMI RESINA solvitur $+$, partim ∇ , partim \textcircled{O} .

EXPRESSI SVCCI, lento igne inspissentur, antequam asservantur.

PRAEPARATA.

AQVA. Plantæ (absque prævia fermentatione) cum Aqua fontana destillantur e vesica cuprea per alembicum stan-no obductum.

SPIRITVS. Plantæ uti Aqua destillantur.

FERMENTATVS. Plantis contusis affundatur parum aquæ calentis, addito fermento; stet in vase patulo loco ca-lido, ad justam fermentationem, destillentur.

VINOSI destillentur ut prius, vino loco aquæ, absque fermentatione.

SPIRITV VINI forti fiat destillatio, uti vinosi, qui ex plantis aromaticis fiunt.

OLEVM in Officinis quadruplex asservatur:

STILLATITIVM. Plantæ subsiccæ macerantur in aqua per triduum, addito parum salis, destillantur more aquæ e ve-sica ad $\frac{1}{3}$ repleta, oleum dein supernatans separetur.

Vel ex spiritu fermentato, aqua debilitato, sumatur.

EMPYREVMATICVM. Plantæ refinosæ destillantur per Retortam sive per descensum.

COCTVM. Herbæ macerantur in oleo expresso (oliva-rum), dein coquatur lente ad humidi consumtionem, exprimatur, coletur.

EXPRESSVM. Semina contusa, calefacta in fartagine, agitata ne ustulentur, excepta facculo lineo, submissa prelo calido exprimantur.

SAL. CINERES. Plantæ recentes in fartagine, lamina fer-reæ tecta, lente comburantur ad perfectos cineres.

FIXVM. Cineres extrahantur aqua fontana, aqua decante-tur, filtretur, evaporetur ad siccitatem, parum calcinetur, solvatur aqua, coquatur ad pelliculam, cry-stallifetur.

ESSENTIALE. Succus herbae recentis filtretur, in vitro lente evaporetur ad $\frac{1}{3}$, residuum reponatur in olla, te-ctum oleo expresso, stet per octo menses, sal crystal-lifatum separetur, cito aqua frigida abluatur et leniter exsiccatur.

TINCTVRA AQVOSA. Speciebus siccis cum sale affun-datur tepida, digerantur in loco tepido, extrahat aqua colorem, saporem; decantetur.

PRAEPARATA.

SPIRITVOSA. Speciebus siccis affundatur Spiritus vini stent in loco tepido, vase clauso, extrahat colorem, saporem, odorem; decantetur, filtretur.

ESSENTIA est Tinctura spirituosa magis saturata et minus pellucida.

ELIXIRIVM. Essentia maxime saturata ex variis diversis mixtis, hinc maxime opaca.

EXTRACTVM AQVOSVM. Tinctura aquosa plantæ evaporetur ad consistentiam.

SPIRITVOSVM. Tinctura spirituosa evaporetur ad consistentiam.

AQVOSO SPIRITVOSVM. Plantæ siccæ digerantur in Spiritu vini, exprimatur, filtretur, servetur *Tinctura Spirituosa*. Rusiduum aqua fontana digeratur, coquatur, filtretur, expressum aquosum albumine clarificetur, servetur *Tinctura aquosa*.

Mixta Tinctura aquosa & spirituosa, lento igne evaporetur ad consistentiam.

SYRVPVS. Plantarum succo aut infuso ℥x. adde Sacchari albi ℥vj. f. unica ebullitione Syrupus.

ROB. Baccarum succi depurati ℥vj. Sacchari ℥vj. coque in vase figurino ad mellis consistentiam.

CONSERVA. Plantis recentibus incisis, adde Sacchari albi duplum, contuso probe in mortario marmoreo, servetur in vitro.

CONDITVM. Radix f. Fructus carnosus, maceretur tribus diebus, aqua quotidie renovata, coque in aqua, cocta aqua frigida abluatur, affunde Saccharum ad consistentiam Syrupi coctum.

CONFECTIO. Semina integra immittantur aheno confectorio super ignem collocato, affunde Sacchari clarificati cochlearia, moveatur supra ignem continuo.

Præparatio hæcce committitur plerumque Sacchari confectoribus.

COMPOSITA.

- PVLVIS. Herbæ siccæ comminutæ in fari- Pulver.
nam cribratam.
- ALCOHOL est Pulvis subtilissimus. Augenpulver.
- SIEF. Pulvis pro oculis. Zahnpulver.
- DENTIFRICIVM. Pulvis pro dentibus.
- SVFFITVS. Pulvis grossus spargendus Räucherpulver.
supra prunas pro fumo.
- SPECIES. Plantæ siccæ minutim concisæ. Säcklein.
- SACCVLVS. Species et Pulveres fragran- Kräutermüze.
tes siccæ, mixtæ, in Sacculo applicatæ.
- Cucupha. Sacculus pro capite.
- EMPLASTRVM. Massa in magdaleones cy- Pfaster.
lindricos formata, consistentia in frigi-
do solida, in calido liquefcente, linteo
inducenda, cui tenaciter adhærens,
composita ex Cera, Sebo, Resinis,
Oleis, Pulveribus.
- VNGVENTVM. Emplastrum mellis con- Salbe.
sistentia, pingue, calore liquefscens,
non tenaciter adhærens.
- LINIMENTVM. Vnguentum olei consi-
stentia. Collyrium Linimentum pro
oculis.
- CATAPLASMA. Puls cocta ex speciebus et Umschlag.
pulveribus in liquore, externe adplicanda.
- BOLVS. Massa consistentia pultis densio- Bissen.
ris ex Pulveribus, Syrupo aut Rob.
- ELECTVARIVM. Massa consistentia conser- Lattwerge.
væ, ex speciebus s. Pulveribus, Syrupis.
- PILVLA. Massa emplastri consistentia, reda- Pillen.
cta in globulos, ut integri deglutiantur.
- SVPPOSITORIVM. Massa pilularis di- Stulzäpflein.
giti figura, Recto introducenda.
- PESSVS. Suppositorium pro vagina uteri. Mutterzäpflein.
- TROCHISCVS. Pasta orbicularis signata Sternküchlein.
ex pulvere et mucilagine, in umbra
siccata.

COMPOSITA.

MORSVLVS. Placenta rigida ex pulveribus **Morselle.**
et faccharo ad consistentiam tabulati
cocto, effusa supra laminam.

ROTVLA. Morfulus subrotundus, (Succo saepe imprægnatus), effusus supra
laminam in orbiculos.

EXPRESSIO. Succus expressus ex Plantis **Saft.**
tenellis succofis vernalibus, frigide
propinandus.

EMVLSIO. Lac paratum per contusionem **Milch.**
ex Cotyledonibus cum aqua, modica
expressione.

GVTTVLA. Liquores spirituosi, gutta- **Tropfen.**
tim propinandi.

HAVSTVS. Potus ex variis aquis mixtis. **Tränkchen.**

JVLEPVVS. Haustus ex aquis, Syrupo et Julep.
acido.

MIXTVRA. Haustus ex aquis, Pulveri- **Mixtur.**
bus & Saccharato.

INFVSVM. Species aquæ servidæ inditae, **Thee.**
ut calida aqua absque ebullitione pro-
prietatem extrahat,

DECOCTVM. Species aqua aut vino co- **Decoct.**
ctæ, ut liquor ebulliens extrahat pro-
prietates.

GARGARISMA. Decoctum aut haustus **Gurgelwasser.**
pro collutione faucium,

ENEMA. Decoctum tepide injiciendum
caviti mediante Syringa.

Clyisma est enema per anum injiciendum. **Clystir.**

EPITHEMA. Decoctum corpore bibulo **Umschlag.**
applicandum calide.

BALNEVM. Decoctum calidum cum Her- **Bad.**
bis, pro corporis humectatione externa.

SEMICVPIVM. Balneum pro partibus pe- **Halsbad.**
ctore inferioribus.

PEDILVVIVM. Semicupium pro pedibus. **Fußbad.**

VAPOR. Halitus balnei ex olla per sellam **Dampfbad.**
perforatam.

V I R E S.

Qualitates s. Principia Vegetabilium vim et actionem suam exferunt in corporis humani vel *Liquida* vel *Solidula*, vel ex Solidis Liquidisque composita *Viscera*. LIQVIDA vel evacuando vel alterando. SOLIDA vel in fibras Nerveas vel Musculares agendo. SOLIDO - LIQVIDA vel internis vel Externis mendendo.

	<i>Classeſ.</i>	<i>Ordines.</i>
Liquida	EVACVATORIA. e corpore exterminantia.	Purgantia. Borborygmica. Pellentia. Pituitofa.
MEDICA- MENTA agentur vel in	ALTERANTIA. maslām sanguinem emendantia.	Dyscrafiva. Diathetica.
Solida	NERVINA. in nervos agentia.	Orgastica. Convulsiva. Excitantia. Stupefacentia. Phantaſtica.
Solido Li- quida.	MVSCVLARIA. in musculosas fibras agentia.	Relaxantia. Corroborantia. Corrodentia.
	VISCERALIA. viscera petentia.	Spirituosa. Biliofa. Mucaginosa. Venerea.
	TOXICA. externe applicabilia.	Consolidantia. Discutientia. Arcentia.

Clas-

Classis I.

EVACVANTIA.

I. PVRGANTIA.

evacuantia liquida intra tubum intestinalem contenta.

EMETICA. *Vomitoria.*

evacuant ventriculum per Oesophagum.

DRASTICA.

evacuant intestina & ventriculum per anum violentissime.

CATHARTICA. *Purgantia.*

evacuant intestina per anum moderate.

ECCOPROTICA. *Laxativa, Laxantia.*

evacuant intestina per anum debilissime.

II. BORBOR YGMICA.

evacuantia flatus intra tubum intestinalem contentos.

FLATVLENTA.

Flatibus abdomen distendunt.

RVCTATORIA.

Flatus per Oesophagum expellunt.

CARMINATIVA.

Flatus per anum expellunt.

III. PELLENTIA.

evacuantia in Vasis contenta per truncum.

DIAPHORETICA. *Perspirantia.*

expellunt per Transpirationem.

SVDORIFERA.

expellunt per Sudorem.

DIVRETICA.

expellunt Vrinam.

EMMENAGOGA.

expellunt Menstrua.

ABORTIVA.

expellunt Foetum.

IV. PITVITOSA.

evacuantia secreta per caput.

ERRHINA. *Ptarmica.*

Mucum e naribus eliciunt.



SIALAGOGA. *Apopblegmatifantia; Masticatoria.*

Salivam ex Faucibus & ore eliciunt.

EXPECTORANTIA.

Screatum e Bronchiis eliciunt.

Clavis II.

ALTERANTIA.

I. DYSCRASIACA.

alterantia humorum qualitatem acidam aut alcalinam.

ANTIPHLOGISTICA.

Putrefientiam aquofo diluunt.

REFRIGERANTIA.

Putredinem acido emendant.

BALSAMICA. *Abstergentia.*

Putredini amaro resistunt.

ANTACIDA.

Acido amaritie resistunt.

ABSORBENTIA.

Acidum absorbendo infringunt.

II. DIATETICA.

alterantia humorum Confistentium & miscelam.

RESOLVENTIA.

Densa attenuant.

INCIDENTIA. *Attenuantia.*

Viscida attenuant.

MUNDIFICANTIA. *Diluentia, Aperientia.*

Impura lavant.

EDULCORANTIA.

Acria edulcorant.

DEMULCENTIA. *Temperantia.*

Acria frangunt.

OBTUNDENTIA.

Acria involvunt.

LUBRICANTIA. *Mucilaginosa.*

Acria inviscant.

INSPISSANTIA.

Tenuia combinant.

Clas-

Classis III.

N E R V I N A.

I. ORGASTICA.

augentia Functiones vitales.

ALEXITERIA.

Halitum fragrantem reddunt.

STIMVLANTIA.

Secretiones incitant.

CALEFACIENTIA.

Calorem adaugent.

NVTRIENTIA. *Alimentosa.*

Corpus restaurant.

ANALEPTICA.

Vires inflant.

2. CONVVL SIVA.

caussantia nervorum convulsiones.

TVSSICVLOSA.

Pulmones convellunt.

SINGVLTOSA.

Cardiam convellunt.

STERNVTATORIA.

Diaphragma convellunt.

3. EXCITANTIA.

mutantia Mentem.

EXHILARANTIA.

Animum addunt.

INEBRIANTIA. *Fatuantia, Temulentantia, Phantastica.*

Judicium confundunt.

4. STVPEFACIENTIA.

Suffocantia oscillationem.

PAREGORICA.

Orgasnum sedant.

ANODYNA. *Antispasmodica.*

Dolorem mitigant.

NARCOTICA.

Mentem stupefaciunt.

HYPNOTICA. *Soporifera.*

Soporem inducent.

Clas-

Classis IV.

M V S C V L A R I A.

I. RELAXANTIA.

Laxantia tonum Fibræ musculofæ.

HVMECTANTIA.

aquofo relaxant.

EMOLlientIA.

oleofo relaxant.

IMPINGVANTIA.

chyofo relaxant.

2. CORROBORANTIA.

Firmantia tonum Fibræ musculofæ.

EXSICCANTIA.

Siccando corroborant.

TONICA. *Corroborantia.*

amaro firmant.

ADSTRINGENTIA. *Coriaria.*

Styptico depfant.

SOPHISTICANTIA.

Genitalia adstringunt.

3. CORRODENTIA.

ABSTERGENTIA. *Saponacea.*

gluten fibrarum abstergunt.

COSMETICA.

Superficiem fibrarum abradunt.

SEPTICA. *Inflammatoria. Caustica.*

Fibras inflammant.

VESICATORIA. *Excoriantia. Exurentia. Exulcerantia. Corrosiva.*

Fibras corrodunt.

Classis

Classis V.

VISCERALIA,

1. SPIRITVOSA.

Nervos excitantia.

CEPHALICA. *Nervina.*

Caput confortant.

CARDIACA. *Cordialia.*

Cor corroborant.

2. BILIOSA.

Bilem augentia.

HEPATICA.

Hepar petunt, bilem generant.

SPLENICA.

Splenem petunt? corroborant.

STOMACHICA.

Orexin excitant.

3. MUCAGINOSA.

Pulmones corroborantia lubricantiaque.

BECCHICA. *Thoracica.*

Muco acrufculo pulmoni dicata.

4. VENEREA.

Genituræ faventia.

APHRODISIACA:

Venerem excitant.

VTERINA.

Fœtui favent.

LACTIFERA. *Galactophora.*

Lac adaugent.

Classis VI.

T O P I C A.

I. CONSOLIDANTIA.

Solutionem continui medicantia.

VVLNERARIA. *Consolidantia.*

Consolidant vulnera.

GLVTINANTIA.

Conglutinant citius vulnera.

MATVRANTIA.

Pus movent.

DIGERENTIA. *Digestiva.*

Pus maturant.

SARCOTICA.

Carnem, peregrina auferendo, generant?

CATHAERAETICA.

Hyperfacosin auferunt.

CICATRISANTIA. *Epulotica?*

Vleera confolidata siccant.

SISTENTIA. *Ischæma.*

Sanguinem fistunt.

2. DISCVTIENTIA.

Humores retundentia.

REPELLENTIA.

Materiem amendant.

LACTIFVGA.

Lac minuunt.

STERILITANTIA.

Imprægnationem præpediunt.

3. ARCENTIA.

Animalculis noxia.

ANTHELMINTHICA.

Vermes enecant.

EXANTHEMATICa. *Besoartica,*

Acaros expellunt.

PTHIRIACA.

Pediculos occidunt.

CON.

C O N S P E C T V S

MATERIAE MEDICAE.

REGNUM ANIMALE.

<i>Classis I.</i>		<i>BELLVAE.</i>		
MAMMALIA.		Equus 21 Caballus 14		
<i>PRIMATES.</i>		Hippopot. 22 amphibius 13		
Homo 1 sapiens		Sus 23 Scrofa 15		
<i>BRVTA.</i>		<i>CETE.</i>		
Elephas 2 maximus		Monodon 24 Monoceros 18		
Trichechus; 3 Manatus		Balæna 25 Mysticetus 37		
<i>FERAE.</i>		Physeter 26 macrocephalus 39		
Canis 4 familiaris	6	<i>Classis II.</i>		
5 Lupus	4	<i>A V E S.</i>		
6 Vulpes	5	<i>PICAE.</i>		
Felis 7 Catus	3	Corvus 27 Pica 23		
Viverra 8 Zibetha	8	<i>ANSERES.</i>		
Vrsus 9 Arctos	2	Anas 28 Anser 24		
10 Meles	7	29 Boschas 25		
<i>GLIRES.</i>		<i>GRALLAE.</i>		
Lepus 11 timidus	9	Struthio 30 Camelus 26		
Castor 12 Fiber	10	<i>GALLINAE.</i>		
Mus 13 Musculus	11	Pavo 31 cristatus 27		
<i>PECORA.</i>		Phasianus 32 Gallus 28		
Moschus 14 moschiferus	16	Tetrao 33 Perdix 29		
Cervus 15 Alces	17	<i>PASSERES.</i>		
16 Elaphus	18	Columba 34 Oenas 30		
17 Tarandus	19	Hirundo 35 urbica 31		
Capra 18 Hircus	20	<i>Classis</i>		
Ovis 19 Aries	21			
Bos 20 Taurus	22			

*) Series prior numerorum ad hanc editionem pertinet, posterior primæ numeros indicat.

CONSPECTVS

Classis III.

AMPHIBIA.

REPTILIA.

Rana 36 temporaria

37 Bufo

Lacerta 38 Scineus

HTMENOPTERA.

Cynips 50 Rosæ

51 Quercus folii

Apis 52 mellifica

Formica 53 rufa

APTERA.

SERPENTES.

Coluber 39 Vipera

40 Natrix

NANTES.

Acipenser 41 Sturio

Aranea 54 domestica

Scorpio 55 europæus

Cancer 56 Pagurus

57 Astacus

Oniscus 58 Asellus

57

Classis IV.

P I S C E S.

THORACICI.

Perca 42 fluviatilis

41 Lumbricus 59 terrestris

58

ABDOMINALES.

Esox 43 Lucius

Hirudo 60 medicinalis

59

Cyprinus 44 Carpio

MOLLUSCA.

Classis V.

I N S E C T A.

COLEOPTERA.

Lucanus 45 Cervus

44 LITHOPHYTA.

Meloë 46 vesicatorius

Madrepora 66 oculata

65

HEMIPTERA.

Coccus 47 Ilicis

ZOOPHYTA.

48 Cafti

Iris 67 nobilis

66

LEPIDOPTERA.

Phalæna 49 Mori

Corallina 68 officinalis

67

Spongia 69 officinalis

V. 527

REGNVM

MATERIAE MEDICAE.

REGNUM VEGETABILE.

Classis I.

MONANDRIA.

MONOGYNIA.

Amomum	70	Zingiber
	71	Cardomomum
	72	Gr. paradisi
Costus	73	arabicus
Maranta	74	Galanga
Curcumæ	75	longa
Kæmpferia	76	rotunda
Salicornia	77	herbacea

Classis II.

DIANDRIA.

MONOGYNIA.

Jasminum	78	officinale
Olea	79	europea
Veronica	80	officinalis
	81	Beccabunga
Gratiola	82	officinalis
Verbena	83	officinalis
Monarda	84	fistulosa
Rosmarinus	85	officinalis
Salvia	86	officinalis
	87	Horminum
	88	Sclarea
Collinsonia	89	canadensis

TRIGYNIA.

Piper	90	nigrum
	91	longum
	92	caudatum

Classis III.

TRIANDRIA.

MONOGYNIA.

Valeriana	93	officinalis	21
	94	Phu	22
	95	celtica	23
Tamarindus	96	indica	28
Crocus	97	sativus	27
Iris	98	florentina	24
	99	germanica	24
	100	Pseudo Acorus	25
	101	fœtidissima	
	102	tuberosa	26
Cyperus	103	longus	29
	104	rotundus	30

DIGYNIA.

Saccharum	105	officinale	33
Phalaris	106	canariensis	39
Panicum	107	miliaceum	34
Avena	108	sativa	38
Hordeum	109	vulgare	35
Triticum	110	hybernum	36
	111	repens	37

Classis IV.

TETRANDRIA.

MONOGYNIA.

Scabiosa	112	Succisa	41
	113	arvensis	40
Hedyotis	114	Auriculaia	47
Asperula	115	odorata	45

CONSPECTVS

<i>Galium</i>	116	<i>verum</i>	46	<i>Convolvulus</i>	147	<i>Turpethum-</i>	81
<i>Rubia</i>	117	<i>tinctorum</i>	44		148	<i>Jalapa</i>	84
<i>Penæa</i>	118	<i>mucronata</i>	48		149	<i>Mechoacanna</i>	76
<i>Plantago</i>	119	<i>major</i>	49		150	<i>Soldanella</i>	83
	120	<i>Psyllium</i>	50	<i>Cinchona</i>	151	<i>officinalis</i>	71
<i>Sanguisorba</i>	121	<i>officinalis</i>	51	<i>Psychotria</i>	152	<i>emetica</i>	69
<i>Fagara</i>	122	<i>Pterota</i>	53	<i>Coffea</i>	153	<i>arabica</i>	70
<i>Trapa</i>	123	<i>natans</i>	52	<i>Lonicera</i>	154	<i>Periclymenum</i>	63
<i>Dorstenia</i>	124	<i>Contrajerva</i>	53		155	<i>Syphoricarp.</i>	
<i>Santalum</i>	125	<i>album</i>	183		156	<i>Diervilla</i>	
<i>Camph.</i>	126	<i>monspeliaca</i>	43	<i>Coris</i>	157	<i>monspelienfis</i>	80
<i>Alchemilla</i>	127	<i>vulgaris</i>	54	<i>Verbascum</i>	158	<i>Thapsus</i>	90
					159	<i>nigrum</i>	91

DIGTINIA.

<i>Cuscuta</i>	128	<i>europaea</i>	55
	129	<i>Epithymum</i>	55

TETRAGYNTIA.

<i>Ilex</i>	130	<i>Caffeine</i>	56
-------------	-----	-----------------	----

Classis V.

PENTANDRIA.

MONOGYNTIA.

<i>Lithosperm.</i>	131	<i>officinale</i>	57		170	<i>colubrina</i>	78
<i>Anchusa</i>	132	<i>officinalis</i>	59	<i>Ignatia</i>	171	<i>amara</i>	
	133	<i>tinctoria</i>	58	<i>Cordia</i>	172	<i>Myxa</i>	171
<i>Cynogloss.</i>	134	<i>officinale</i>	60	<i>Rhamnus</i>	173	<i>catharticus</i>	73
<i>Pulmonaria</i>	135	<i>officinalis</i>	62		174	<i>Frangula</i>	73
<i>Symphytum</i>	136	<i>officinale</i>	61		175	<i>Zizyphus</i>	74
<i>Borago</i>	137	<i>officinalis</i>	63	<i>Ceanothus</i>	176	<i>americanus</i>	
<i>Primula</i>	138	<i>veris officinalis</i>	64	<i>Ribes</i>	177	<i>rubrum</i>	99
<i>Cyclamen</i>	139	<i>europæum</i>	65		178	<i>nigrum</i>	100
<i>Menyanthes</i>	140	<i>trifoliata</i>	66	<i>Hedera</i>	179	<i>Helix</i>	98
<i>Lysimachia</i>	141	<i>Numularia</i>	67	<i>Vitis</i>	180	<i>vinifera</i>	97
<i>Anagallis</i>	142	<i>arvensis</i>		<i>Lagœcia</i>	181	<i>Cuminoides</i>	92
<i>Spigelia</i>	143	<i>Anthelmia</i>		<i>Allamanda</i>	182	<i>cathartica</i>	
<i>Ophiorrhiza</i>	144	<i>Mungos</i>	79	<i>Vinca</i>	183	<i>minor</i>	101
<i>Plumbago</i>	145	<i>europæa</i>	75	<i>Nerium</i>	184	<i>antidysenter.</i>	102
<i>Convolvulus</i>	146	<i>Scammonia</i>	82	<i>Plumeria</i>	185	<i>alba</i>	

DIGT-

MATERIAE MEDICAE.

DIGYNIA.

<i>Asclepias</i>	186 <i>asthmatica</i>	103
	187 <i>Vincetoxicum</i>	
<i>Herniaria</i>	188 <i>glabra</i>	104
<i>Chenopod.</i>	189 <i>Bonus henr.</i>	106
	190 <i>rubrum</i>	107
	191 <i>Botrys</i>	109
	192 <i>anthelminth.</i>	
	193 <i>Vulvaria</i>	108
<i>Beta</i>	194 <i>vulgaris</i>	113
	195 <i>Cicla</i>	113
<i>Ulmus</i>	196 <i>campestris</i>	105
<i>Gentiana</i>	197 <i>lutea</i>	110
	198 <i>Centaurium</i>	112
	199 <i>Amarella</i>	111
<i>Eryngium</i>	200 <i>foetidum</i>	
	201 <i>campestre</i>	114
<i>Sanicula</i>	202 <i>europaea</i>	115
<i>Bupleurum</i>	203 <i>rotundifolium</i>	136
<i>Tordylium</i>	204 <i>officinale</i>	145
<i>Daucus</i>	205 <i>Carota</i>	142
<i>Conium</i>	206 <i>maculatum</i>	
<i>Athamanta</i>	207 <i>cretensis</i>	143
<i>Peucedanum</i>	208 <i>officinale</i>	126
<i>Ferula</i>	209 <i>Affa foetida</i>	118
<i>Laserpitium</i>	210 <i>latifolium</i>	123
	211 <i>Siler</i>	124
<i>Heracleum</i>	212 <i>Sphondylium</i>	
<i>Ligusticum</i>	213 <i>Levisticum</i>	119
<i>Angelica</i>	214 <i>Archangelica</i>	120
	215 <i>sylvestris</i>	121
<i>Sium</i>	216 <i>Ninf</i>	117
<i>Sison</i>	217 <i>Ammi</i>	140
<i>Bubon</i>	218 <i>macedonic.</i>	133
	219 <i>Galbanum</i>	132
<i>Cuminum</i>	220 <i>Cyminum</i>	139
<i>Cicuta</i>	221 <i>viresa</i>	129
<i>Aethusa</i>	222 <i>Menn</i>	144
<i>Coriandrum</i>	223 <i>sativum</i>	135

Scandix 224 *Cerefolium* 137

<i>Chæroph.</i>	225 <i>sylvestre</i>	143
<i>Imperatoria</i>	226 <i>Ostruthium</i>	122
<i>Pastinaca</i>	227 <i>sativa</i>	130
	228 <i>Opopanax</i>	131
<i>Anethum</i>	229 <i>graveolens</i>	147
	230 <i>Foeniculum</i>	146
<i>Carum</i>	231 <i>Carvi</i>	138
<i>Pimpinella</i>	232 <i>Saxifraga</i>	125
	233 <i>Anisum</i>	141
<i>Apium</i>	234 <i>Petroselinum</i>	127
	235 <i>graveolens</i>	128

TRIGYNIA.

<i>Semecarpus</i>	236 <i>Anacardium</i>	42
<i>Rhus</i>	237 <i>Coriaria</i>	150
	238 <i>Vernix</i>	151
<i>Cassine</i>	239 <i>Peragua</i>	153
<i>Sambucus</i>	240 <i>Ebulus</i>	149
	241 <i>nigra</i>	148
<i>Tamarix</i>	242 <i>gallica</i>	154

TETRAGYNIA.

<i>Parnassia</i>	243 <i>palustris</i>	155
------------------	----------------------	-----

PENTAGYNIA.

<i>Statice</i>	244 <i>Limonium</i>	159
<i>Linum</i>	245 <i>usitatissimum</i>	156
	246 <i>catharticum</i>	157

<i>Drosera</i>	247 <i>rotundifolia</i>	158
----------------	-------------------------	-----

Classis VI.

HEXANDRIA.

MONOGYNIA.

<i>Bromelia</i>	248 <i>Ananas</i>	
<i>Allium</i>	249 <i>Porrum</i>	165
	250 <i>Vittorialis</i>	163
	251 <i>sativum</i>	164
	252 <i>Cepa</i>	166

Lilium

CONSPECTVS

Lilium	253	candidum	173	TRIGYNIA.
Scilla	254	maritima	162	Polygonum 280 Bistorta 189
Asphodelus	255	ramosus	172	28. Hydropiper 187
Asparagus	256	officinalis	169	282 aviculare 186
Convallaria	257	majalis	167	283 Fagopyrum 188
			258 Polygonatum 168	Sapindus 284 Saponaria 532
Aloë	259	perfoliata	160	
Acorus	260	Calamus	261	TETRAGYNIA.
Achras	261	Sapota		Paris 285 quadrifolia
Berberis	262	vulgaris	170	
				Classis IX.
				ENNEANDRIA.
				MONOGYNIA.
Oryza	263	sativa	174	Laurus 286 Cinnamom. 190
				287 Caffia 191
				288 Camphora 192
				289 Culilaban
				290 nobilis 194
				291 Sassafras 193
				292 Pecurim
Colchicum	270	auctumnale		Anacardium 293 occidentale 206
				TRIGYNIA.
Petiveria	271	alliacea	531	Rheum 294 Rhaponticum 198
				295 palmatum 197
				Classis VIII.
				OCTANDRIA.
				MONOGYNIA.
Tropæolum	272	majus	181	
Amyris	273	Elemifera	518	Sophora 296 heptaphylla
	274	Opobalsam.	512	Anagyris 297 foetida
Lawsonia	275	inermis	182	Hymenæa 298 Courbaril 515
Vaccinium	276	Myrtillus	184	Cassia 299 Fistula 199
	277	Vitis idæa	185	300 Senna 200
Daphne	278	Mezereum	179	301 alata
	279	Laureola	180	Myroxylon 302 Peruifera 514
				Cæfal-
				DECANDRIA.
				MONOGYNIA.

MATERIAE MEDICAE.

Cæsalpina	303 brasiliensis	205	Portulaca	333 oleracea	260
	304 vesicaria	204	Lythrum	334 Salicaria	
	305 Sappan	203		DIGYNIA.	
Guilandina	306 Moringa	202	Agrimonia	335 Eupatoria	227
Guajacum	307 officinale	207		TRIGYNIA.	
Dictamnus	308 albus	208	Euphorbia	336 officinarum	254
Ruta	309 graveolens	209		337 Lathyris	256
Tolnifera	310 Balsamum	201		338 palustris	255
Hæmatox.	311 Campescian.			DODECAGYNIA.	
Switenia	312 Mahagoni		Semperf.	339 tectorum	222
Quassia	313 amara			Classis XII.	
	314 Simaruba	535		ICOSANDRIA.	
Ledum	315 palustre	210		MONOGYNIA.	
Rhododend.	316 Chrysanthum		Myrtus	340 communis	224
Arbutus	317 Vva ursi	211		341 caryophyllata	226
Pyrola	318 rotundifolia	212		342 Pimenta	225
	319 umbellata		Punica	343 Granatum	223
	320 uniflora		Amygdalus	344 Persica	230
Styrax	321 officinalis	227		345 communis	229
Copaisera	322 officinalis	513	Prunus	346 Laurocerasus	228
	DIGYNIA.			347 Cerasus	233
Saxifraga	323 granulata	215		348 avium	233
Gypsophila	324 Struthium			349 domestica	232
Saponaria	325 officinalis	214		350 spinosa	231
Dianthus	326 Caryophyllus	213		DIGYNIA.	
	PENTAGYNIA.		Cratægus	351 Aria	234
Sedum	327 Telephium	217		TRIGYNIA.	
	328 acre	218	Sorbus	352 aucuparia	235
Oxalis	329 Acetosella	216		PENTAGYNIA.	
	DECAGYNIA.		Mespilus	353 germanica	236
Phytolacca	330 decandra		Pyrus	354 Malus	237
	Clavis XI.			355 Cydonia	238
	DODECANDRIA.			Spiræa	
	MONOGYNIA.				
Afarum	331 europæum	219			
Canella	332 alba	196			

CONSPECTVS

Spiræa	356	Filipendula	239			<i>TRIGYNIA.</i>
	357	Vlmaria	240	Delphinium	384	Consolida 268
<i>POLYGYNIA.</i>						
Rosa	358	centifolia	241		385	Staphisagria 269
	359	damascena	241	Aconitum	386	Napellus
	360	cavina	241		387	Anthora 270
	361	alba	241	<i>TETRAGYNIA.</i>		
Rubus	362	ideus	242	Cimicifuga	388	fœtida
	363	arcticus	243	<i>PENTAGYNIA.</i>		
	364	Chamæmor.	244	Aquilægia	389	vulgaris 272
Fragaria	365	vesca	245	Nigella	390	fativa 271
Potentilla	366	Anferina	246	<i>POLYGYNIA.</i>		
	367	reptans	247	Wintera	391	aromatica
Tormentilla	368	erecta	248	Illicium	392	anisatum 510
Geum	369	urbanum	249	Anemone	393	Hepatica 277
	370	rivale			394	Pulsatilla 276
					395	nemorosa 275
<i>Classis XIII.</i>				Clematis	396	recta
POLYANDRIA.				Ranunculus	397	Ficaria 274
<i>MONOGYNIA.</i>				Helleborus	398	niger 273
Capparis	371	spinosa	259		399	fœtidus
Astæa	372	racemosa	253	<i>Classis XIV.</i>		
Chelidonium	373	majus	252	DIDYNAMIA.		
Papaver	374	Rhoeas	251	<i>GIMNOSPERMIA.</i>		
	375	somniferum	250	Ajuga	400	pyramidalis 306
Cambogia	376	Gutta	257	Teucrium	401	Chamæpitys 287
Nymphæa	377	alba	268		402	creticum 286
Bixa	378	Orleana	266		403	Marum 285
Tilia	379	europeæ	262		404	Scordium 289
Thea	380	bohea	264		405	Chamædrys 288
Caryophyllus	381	aromaticus	265	Satureja	406	hortensis 284
Cistus	382	creticus	263		407	capitata 283
<i>DIGYNIA.</i>				Hyffo-		
Pæonia	383	officinalis	267			

MATERIAE MEDICAE.

Hyssopus	408 officinalis	290	Scrophularia	439 nodosa	310
Nepeta	409 Cataria	291		440 aquatica	311
Lavandula	410 Spica	296	Linnæa	441 borealis	317
	411 Stœchas	297	Sesamum	442 orientale	316
Mentha	412 Auricularia		Vitex	443 Agnus castus;	319
	413 sylvestris	279	Acanthus	444 mollis	318
	414 crispa	278			
	415 piperita				
	416 Pulegium	280			
Glecoma	417 hederacea	303			
Lanium	418 album	307			
Betonica	419 officinalis	304			
Stachys	420 sylvatica				
Marrubium	421 vulgare	305	Lepidium	445 sativum	322
Leonurus	422 Cardiaca	308		446 Iberis	
Origanum	423 Dictamnus	301	Thlaspi	447 arvense	323
	424 creticum	300		448 Bursa pastor.	324
	425 vulgare	299	Cochlearia	449 officinalis	320
	426 Majorana	298		450 Armoracia	321
Thymus	427 Serpyllum	282			
	428 vulgaris	281			
Melissa	429 officinalis	294			
	430 Calamintha	295	Siliquevosa.		
Dracoceph.	431 canariensis	293	Cardamine	451 pratensis	
	432 Moldavica	292	Sisymbrium	452 Nasturtium	331
Ocimum	433 Basilicum	302		453 Sophia	332
Prunella	434 vulgaris	309	Erysimum	454 officinale	333
				455 Alliaria	334
			Cheiranthus	456 Cheiri	335
			Brassica	457 Napus	328
				458 Rapa	329
				459 oleracea	327
Euphrasia	435 officinalis	315		460 Eruca	330
Pedicularis	436 palustris	314	Sinapis	461 nigra	326
Antirrhinum	437 Linaria	313	Raphanus	462 sativus	325
	438 majus	312			

ANGIOSPERMIA.

Euphrasia	435 officinalis	315			
Pedicularis	436 palustris	314			
Antirrhinum	437 Linaria	313	Sinapis	461 nigra	326
	438 majus	312	Raphanus	462 sativus	325

Classis XV.

TETRADYNAMIA.

SILIQUEVOSA.

SILIQUOSA.

Cardamine	451 pratensis				
Sisymbrium	452 Nasturtium	331			
	453 Sophia	332			
Erysimum	454 officinale	333			
	455 Alliaria	334			
Cheiranthus	456 Cheiri	335			
Brassica	457 Napus	328			
	458 Rapa	329			
	459 oleracea	327			
	460 Eruca	330			
Sinapis	461 nigra	326			
Raphanus	462 sativus	325			

CONSPECTVS

Classis XVI.

MONADELPHIA.

DECANDRIA.

<i>Geranium</i>	463 <i>moschatum</i>	337
	464 <i>robertianum</i>	336

POLYANDRIA.

<i>Althaea</i>	465 <i>officinalis</i>	338
<i>Alcea</i>	466 <i>rosea</i>	340
<i>Malva</i>	467 <i>rotundifolia</i>	339
<i>Gossypium</i>	468 <i>herbaceum</i>	341
<i>Hibiscus</i>	469 <i>Abelmoschus</i>	342

Classis XVII.

DIADELPHIA.

HEXANDRIA.

<i>Fumaria</i>	470 <i>bulbosa</i>	344
	471 <i>officinalis</i>	345

OCTANDRIA.

<i>Polygona</i>	472 <i>Senega</i>	345
-----------------	-------------------	-----

DECANDRIA.

<i>Pterocarpus</i>	473 <i>Draco</i>	522
	474 <i>Santalinus</i>	
<i>Genista</i>	475 <i>canariensis</i>	347
	476 <i>tinctoria</i>	346
<i>Ononis</i>	477 <i>spinosa</i>	357
<i>Lupinus</i>	478 <i>albus</i>	350
<i>Phaseolus</i>	479 <i>vulgaris</i>	351
<i>Dolichos</i>	480 <i>Soja</i>	363
<i>Pisum</i>	481 <i>fativum</i>	352
<i>Vicia</i>	482 <i>Faba</i>	353
<i>Ervum</i>	483 <i>Lens</i>	360
	484 <i>Ervilia</i>	361
<i>Cicer</i>	485 <i>arietinum</i>	359

<i>Glycyrrhiza</i>	486 <i>glabra</i>	362
<i>Indigofera</i>	487 <i>tinctoria</i>	348
<i>Galega</i>	488 <i>officinalis</i>	349
<i>Astragalus</i>	489 <i>Tragacantha</i>	358
<i>Trifolium</i>	490 <i>Melilot. offic.</i>	355
	491 <i>repens</i>	354
<i>Trigonella</i>	492 <i>Foenumgræc.</i>	356

Classis XVIII.

POLYADELPHIA.

PENTANDRIA.

<i>Theobroma</i>	493 <i>Cacao</i>	364
------------------	------------------	-----

ICOSANDRIA.

<i>Citrus</i>	494 <i>Medica</i>	366
	495 <i>Aurantium</i>	367

POLYANDRIA.

<i>Melaleuca</i>	496 <i>Leucadendra</i>
<i>Hypericum</i>	497 <i>perforatum</i>
	498 <i>bacciferum</i>

Classis XIX.

SYNGENESIA.

POLYGAMIA AEQUALIS.

<i>Tragopogon</i>	499 <i>pratense</i>	372
<i>Scorzonera</i>	500 <i>humilis</i>	371
<i>Lactuca</i>	501 <i>sativa</i>	370
	502 <i>virosa</i>	
<i>Leontodon</i>	503 <i>Taraxacum</i>	368
<i>Hieracium</i>	504 <i>Pilosella</i>	369
<i>Cichorium</i>	505 <i>Intybus</i>	373
	506 <i>Endivia</i>	374
<i>Arctium</i>	507 <i>Lappa</i>	375
<i>Carduus</i>	508 <i>mariannus</i>	376

Carlina

MATERIAE MEDICAE.

Carlina	509	acaulis	378	Centaurea	543	benedicta	379
Carthamus	510	tinctorius	377		544	Calcitrapa.	
Spilanthes	511	Acniella	406				
Eupatorium	512	cannabinum	380				
Santolina	513	Chamæcyp.	383	Calendula	545	officinalis	407

POLYGAMIA SUPERFLVA.

Tanacetum	514	vulgare	381
	515	Balsamita	382
Artemisia	516	Contra	511
	517	Abrotanum	385
	518	campestris	
	519	pontica	387
	520	Absinthium	386
	521	vulgaris	384

Gnaphalium	522	arenarium	389
	523	dioicum	388
Tussilago	524	Farfara	391
	525	Petasites	390
Solidago	526	Virga aurea	393
Inula	527	Helenium	392
	528	dyserterica	
Arnica	529	montana	395
Doronicum	530	pardalianch.	394
Bellis	531	perennis	405
Chrysanth.	532	Leucanthem.	404
Matricaria	533	Parthenium	400
	534	Chamomilla	402

Anthemis	535	nobilis	401
	536	Cotula	403
	537	Pyrethrum	396
Achillea	538	Ageratum	399
	539	Ptarmica	398
	540	Millefolium	397

POLYGAMIA FRVSTRANEA.

Centaurea	541	Cyanus	408
	542	Behen	409

Centaurea	543	benedicta	379
	544	Calcitrapa.	

POLYGAMIA NECESSARIA.

Calendula	545	officinalis	407
-----------	-----	-------------	-----

MONOGAMIA.

Lobelia	546	syphilitica	
Viola	547	odorata	410
	548	Ipecacuanha	69

Classis XX.

GYNANDRIA.

DIANDRIA.

Orchis	549	bifolia	411
	550	Morio	412
Epidendrum	551	Vanilla	418

HEXANDRIA.

Aristolochia	552	trilobata	
	553	Serpentaria	416
	554	rotunda	414
	555	longa	414
	556	Clematitis	415

OCTANDRIA.

Cytinus	557	Hypocistis	220
---------	-----	------------	-----

POLYANDRIA.

Arum	558	maculatum	417
------	-----	-----------	-----

Classis XXI.

MONOECIA.

MONANDRIA.

Cynomorium	559	coccineum	534
Myristica	560	moschata	509

TRI-

CONSPECTVS

TRIANDRIA.

Phyllanthus 561 *Emblica* 418

TETRANDRIA.

<i>Betula</i>	562	<i>alba</i>	421
<i>Buxus</i>	563	<i>sempervirens</i>	423
<i>Vitis</i>	564	<i>pilulifera</i>	420
	565	<i>dioica</i>	419
<i>Morus</i>	566	<i>nigra</i>	422

PENTANDRIA.

Xanthium 567 *strumarium* 424

POLYANDRIA.

<i>Poterium</i>	568	<i>Sanguisorba</i>	425
<i>Quercus</i>	569	<i>Suber</i>	427
	570	<i>Robur</i>	426
<i>Juglans</i>	571	<i>regia</i>	430
<i>Fagus</i>	572	<i>Castanea</i>	429
	573	<i>sylvatica</i>	428
<i>Corylus</i>	574	<i>Avellana</i>	431
<i>Liquidambar</i>	575	<i>styraciflua</i>	432

ADELPHIA.

<i>Pinus</i>	576	<i>sylvestris</i>	434
	577	<i>Pinea</i>	435
	578	<i>Larix</i>	437
	579	<i>Abies</i>	436
<i>Cupressus</i>	580	<i>sempervirens</i>	433
<i>Croton</i>	581	<i>Cascarilla</i>	470
	582	<i>tinctorium</i>	441
	583	<i>Tiglum</i>	440
	584	<i>tacciferum</i>	

<i>Jatropha</i>	585	<i>Curcas</i>	439
	586	<i>elastica</i>	
<i>Ricinus</i>	587	<i>communis</i>	438

SYNGENESIA.

<i>Momordica</i>	588	<i>Elaterium</i>	447
<i>Cucurbita</i>	589	<i>lagenaria</i>	442
	590	<i>Citrullus</i>	443
<i>Cucumis</i>	591	<i>Colocynththis</i>	446
	592	<i>Melo</i>	444
	593	<i>sativus</i>	445
<i>Bryonia</i>	594	<i>alba</i>	448

Classis XXII.

D I O E C I A.

DIANDRIA.

<i>Salix</i>	595	<i>alba</i>	449
--------------	-----	-------------	-----

TETRANDRIA.

<i>Viscum</i>	596	<i>album</i>	450
<i>Myrica</i>	597	<i>Gale</i>	451

PENTANDRIA.

<i>Pistacia</i>	598	<i>vera</i>	454
	599	<i>Terebinthus</i>	452
	600	<i>Lentiscus</i>	453
<i>Spinacia</i>	601	<i>oleracea</i>	456
<i>Cannabis</i>	602	<i>sativa</i>	457
<i>Humulus</i>	603	<i>Lupulus</i>	458

HEXANDRIA.

<i>Smilax</i>	604	<i>Sarsaparilla</i>	460
	605	<i>China</i>	461

OCTANDRIA.

<i>Populus</i>	606	<i>nigra</i>	462
	607	<i>balsamifera</i>	463
<i>Rhodiola</i>	608	<i>rosea</i>	477

EN-

MATERIAE MEDICAE:

ENNEANDRIA.

Mercurialis 609 annua 464

DODECANDRIA.

Menisperm. 610 *Cocculus* 175

MONADELPHIA.

Juniperus 611 *Sabina* 467

612 *communis* 465

613 *lycia* 466

Cissampelos 614 *Pareira* 459

SYNGENESIA.

Ruscus 615 *aculeatus* 468

616 *Hypogloss.* 469

Classis XXIII.

P O L Y G A M I A.

MONOECIA.

Veratrum 617 *album* 471

618 *Sabadilla*

Andropogon 619 *Schoenanthus* 31

620 *Nardus* 32

Parietaria 621 *officinalis* 472

Atriplex 622 *hortensis* 473

Terminalia 623 *Benzoin* 195

Ophioxylon 624 *serpentinum* 474

Mimosa 625 *nilotica* 261

626 *Senegal*

627 *Catechu* 503

DIOECIA.

Fraxinus 628 *excelsior* 475

629 *Ornus* 476

Diospyros 630 *Ebenus* 504

Panax 631 *quinquefol.* 116

TRIOECIA.

Ceratonia 632 *Siliqua* 455

Ficus 633 *Carica* 478

Classis XXIV.

CRYPTOGAMIA.

FILICES.

Equisetum 634 *arvense* 479

Cycas 635 *circinalis* 503

Asplenium 636 *Seolopendr.* 481

637 *Ceterach* 482

638 *Trichomanes* 483

639 *Rutamuraria* 484

Polypodium 640 *vulgare* 485

641 *Filix mas* 486

Adiantum 642 *Capill. vener.* 480

MUSCI.

Lycopodium 643 *clavatum* 488

644 *Selago* 487

Polytrich. 645 *commune* 489

ALGAE.

Lichen 646 *saxatilis* 494

647 *islandicus* 493

648 *pulmonarius* 490

649 *aphthosus* 493

650 *caninus* 491

651 *cocciferus* 496

652 *Roccella*

653 *plicatus* 495

FUNGI.

Boletus 654 *Larininus* 497

Peziza 655 *Auricula* 498

Lyco-

CONSPECTVS

Lycoperd.	656	Tuber	500	Myrobal.	662	Chebula	507
	657	Bovista	499		663	Citrobalanus	508

APPENDIX.

PALMAE.

Cocos	658	butyracea	
Phoenix	659	dactylifera	501

* * *

FRVCTVS.


Myrobal.	660	inda	505
	661	Bellirica	506

RESINAE.

Ammon.	664		516
Caranna	665		517
Myrrha	666		519
Bdellium	667		520
Sagapen.	668		521
Copal	669		152

MISCELLANEA.

Agallochum	670		523
Afpalathus	671		524
Fernamb.	672		525



MATERIAE MEDICAE.

REGNUM LAPIDEVM.

Classis I.

P E T R A E.

HVMOSAE.

Schistus 673 Nigrica

Natrum 688 fontanum 11

689 glaciale 12

Borax 690 Tineal 71

691 Gemma nobilis 15

α Topazius α

β Smaragdus ζ

692 Granatus 48

CALCARIAE.

Marmor 674 rude

Muria 693 marina 16

694 fontana

Gypsum 675 usuale

695 montana 17

676 Alabastrum

Ammoniac. 696 Sal 70

Stirium 677 gypseum

Alumen 697 commune 18

698 romanum 19

699 Gemma pretiosa

α Rubinus 15. γ

Talcum 678 Rubrica

β Sapphirus 15. ε

679 Smeectis

Vitriolum 700 martis 20

680 Nephriticus

701 cyprium 21

Amiantus 681 plumosus

702 album 22

Mica 682 talcosa

703 plumbi 23

ARENATAE.

Silax 683 cretaceus

SVLPHVRA.

684 Carneolus 1. β

Classis II.

MINERA E.

SALIA.

Nitrum 685 nativum

Ambra 704 ambrosiaca 24. α

686 Crystall. mont. 14

705 vulgatior 24. β

687 Fluor

Succinum 706 electricum 25

α Hyacinthus

Bitumen 707 Petroleum 26

β Amethystus

708 Mumia

709 Asphaltum 27

Pyrites 710 nativus 29

711 Ferri 28

712 Auripigment. 30

Arsenicum 713 nudum 31

714 Sandaraca 32

ME-

CONSPECTVS MATERIAE MEDICAE.

METALLA.

Hydrargyr.	715	virginum	33	Calculus	736	Bezoar	55
	716	Cinnabaris	34		737	fellis	
Molybdæna	717	Plumbago	72	Tartarus	738	Margarita	56
Stibium	718	striatum	35. 36	Aëtites	739	vini	54
Zincum	719	mineralifatum	38	Pumex	740	aquilinus	53
	720	Calaminaris	39	Tophus	741	Vulcani	52
Vismutum	721	nativum	37		742	Osteocolla	51
Cobaltum	722	arsenicale	32				
Stannum	723	crystallinum	47				
Plumbum	724	nativum	46				
Ferrum	725	selectum	40	Ochra	743	Ferri	61
	726	Smiris	42		744	Aeris	62
	727	Hæmatites	41	Argilla	745	Lemnia	69
	728	Magnes	43		746	tripolitana	60
Cuprum	729	nativum	44		747	Bolus	69
	730	Lazuli	45			α alba	α
	731	Armenus				β flava	β
Argentum	732	nativum	49			γ rubra	γ
Aurum	733	nativum	50			δ viridis	δ

Classis III.

F O S S I L I A.

PETRIFICATA.

Helminth.	734	Judaicus	58	Calx	749	Creta	63
	735	Belemnites	57	Humus	750	Gur	64



REGNUM

R E G N V M
A N I M A L E.

1870. D. A.

1870. D. A.



CLASSIS I.

M A M M A L I A.

PRIMATES.

HOMO.

1. HOMO *sapiens*. *Syst. nat.* 12. p. 28.

LOCVS: per totum terrarum orbem, at
MVMIA in Aegypto.

PHARM. HOMINIS 1. Cranium, *raspatum*, *præparatum*, Θ. 2. Ossa. 3. Axungia, Sal San-
guinis, Vrinæ, Λ.

QVAL. 1. 2. insipida, inodora, terreo - gelatinosa,
3. pinguis. *Superstitiosa, exoleta.*

VIS: 1. 2. absorbens. 3. emolliens.

VSVS: 1. Epilepsia?

COMP. *Pulv.* de Gutteta, Arthetic.; *Specific.* ce-
phal.; Mumia.

A 2

BRV.

1. Circa AXVNGIAS observamus, quod liquidiores sint pe-
netrantiores; quod recentes emolliendo, parum vero ranci-
dae resolvendo agant. Omnes axungiae vim habent emol-
liendi, leniendi, praesertim vero Anatis, Anseris, Canis,
Caponis, Castoris, Gallinae, Hominis, Porci. Attenuandæ
et resolvendi vis adscribitur axungiae Cati sylvestris, Lupi,
Serpentum, Taxi, Viperarum, Vrh, Vulpis. Calefaciendi,
detergendi et septica vis adsignatur axungiae Lucii piscis.

BRVTA.

E L E P H A S.

2. ELEPHAS *maximus*. *Syst. nat.* 48.

Elephas. *Raj. quadr.* 123.

LOCVS: India, Zeylona.

Fera.

PHARM. EBVR (Dens) 1. crudum, *raspatum*, *præparatum*, 2. ustum. (Spodium).

QVAL. 1. insipida, inodora, terreo - gelatinosa.

Vfitata.

VIS: 1. absorbens. 2. adstringens.

VSVS:

COMP. *Pulv.* arthritic.; *Haly abb.*; *Epil. marchion.*;
pannon. rub.; specific. cephal.; *Confect.* hyacinth. Smaragd.; *Santal.*; *Spec.* Cord. temper.; de hyacinth.; diarrhod. alb.; diatr. Santal.

TRICHECHVS.

3. TRICHECHVS *Manatus* dentibus laniariis inclusis. *Syst. nat.* 49.

Manati f. vacca marina. *Raj. quadr.* 193.

LOCVS: Mare americanum, asiaticum. *Fera.*

PHARM. MANATI lapis (os petrosum).

QVAL. eboris. *Superflua.*

VIS: antispasmodica?

VSVS: Calculus.

COMP.

FERAE.

F E R A E.

C A N I S.

4. CANIS *familiaris* cauda (sinistrorum) recurvata.

Syst. nat. 56.

Canis. *Gesner. quadr.* 91.

LOCVS:

Cicur.

PHARM. CANIS 1. Axungia. 2. (Sternus) Album
graecum.

QVAL. 1. pinguis. *Frequens, præstans.*

VIS: 1. emolliens, expectorans, 2. septica, matu-
rans.

VSVS: 1. Tussis, Phthisis. 2. Febr. intermittens,
Colica? Dysenteria?

COMP. *Vnguent.* nervin.

5. CANIS *Lupus* cauda incurvata. *Syst. nat.* 58.

Lupus. *Aldr. quadr.* 144.

LOCVS: Europa, maxime borealis. *Mansuetus.*

PHARM. LVPI 1. Dens, 2. Hepar. 3. Axungia.

QVAL. 1. dura, 2 pinguis. *Superflua.*

VIS: 3 emolliens.

VSVS: 1. Dentitio. 2. Hydrops? 3. Atrophia?

COMP.

6. CANIS *Vulpes* cauda recta: apice albo. *Syst. nat.* 59.

Vulpes. *Gesner. quadr.* 55.

LOCVS: Europa. *Mansuetus.*

PHARM. VVLPIS 1. Pulmones *praep.* 2. Axungia.

QVAL. 2. pinguis. *Vsitata.*

VIS: 1. beccicha? 2. emolliens.

VSVS: 1. Phthisis? 2. Contractura.

COMP. *Loboc de pulmone vulpis.* *Vngu.* nervin.

Oleum coct. vulpin.

FELIS.

7. FELIS *Catus* cauda elongata fusco annulata, eorum
pore fasciis nigricantibus. *Syst. nat.* 62.
Felis vulgo Catus. *Gesner. quadr.* 98.
 LOCVS: Europa australior. *Cicur.*
 PHARM. CATI SYLVESTRIS Axungia.
 QVAL. pinguis. *Superflua.*
 VIS: emolliens,
 VSVS: Rheumatismus, Variolæ, Panaritium.
 COMP. *Vnguent.* nervin,

VIVERRA.

8. VIVERRA *Zibetha* cauda annulata, dorso ci-
nereo nigroque undatim striato. *Syst. nat.* 65.
Animal Zibethicum. *Hern. mex.* 538. t. 580. [Buff.
quadr. 9. p. 299. *tab.* 31.].
 LOCVS: India utraque. *Fera.*
 PHARM: ZIBETHVM.
 QVAL. Folliculus magnus inter anum et genitalia,
 pilosus; materia sebacea, oleosa, ambrofiaca.
Heroica, frequens.
 vis: diaphoretica, exanthematica, nervina, sopori-
 fera, aphrodisiaca, anodyna.
 VSVS: Atecnia, Variolæ, Morbilli, Scabies, Colica.
 COMP. *Pulv.* dentifric. *Balsam.* apoplect.

VRSS.

9. VRSSVS *Arctos* cauda abrupta. *Syst. nat.* 69.
Vrsus. *Gesner. quadr.* 14.
 LOCVS: Europa borealis. *Mansuetus.*
 PHARM. VRSI 1. Fel *inspissatum*, 2 Axungia.
 QVAL. 1. amara, 2. pinguis. *Præstans, usitata.*

VIS:

VIS: 1. stomachica, 2. cosmetica, sophisticans, emolliens.

VSVS: 1. Anorexia, Epilepsia.

COMP. Vnguent. Martiat.

10. VRSVS *Meles* cauda concolore, corpore supra cinereo subtus nigro: fascia longitudinali per oculos auresque nigra. *Syst. nat.* 70.

Taxus. *Aldr. digit.* 264.

LOCVS: Svecia et Europæ variæ regiones. *Mansuetæ.*

PHARM. TAXI Axungia.

QVAL. pinguis.

Superflua.

VIS: emolliens.

VSVS:

COMP.

GLIRE S.

LEPV S.

11. LEPVS *timidus* cauda abbreviata, auriculis apice nigris. *Syst. nat.* 77.

Lepus. *Gesner. quadr.* 69.

LOCVS: Europa.

Mansuetus.

PHARM. LEPORIS Tali.

QVAL. os primum metatarsi in suffragine posteriori.
Superflua.

VIS: absorbens, pellens?

VSVS: Colica? Pleuritis? Epilepsia? Dystocia?

COMP. *Pulv.* pleuriticus.

CASTOR.

12. CASTOR *Fiber* cauda ovata plana. *Syst. nat.* 78.

Fiber s. *Castor*. *Schonev. ichthb.* 33. [*Buff. quadr.* 8.
p. 282. t. 36.]

LOCVS: Lapponia, Sibiria, Canada. *Mansuetus.*

PHARM. CASTORVM 1. optimum, *siccatum*, *Pulvis*, *Extractum*, *Tinctura*, 2. Axungia (follicularis).

QVAL. 1. Materia fœtida, pinguis, in folliculo proprio juxta anum. 2. pinguis. *Heroica.*

VIS: 1. carminativa, antispasmodica, errhina, nervina, anodyna, emmenagogia. 2. emolliens.

VSVS: 1. Hysteria! Colica! Vertigo, Epilepsia, Apoplexia, Lethargus.

COMP. *Balsam.* vitæ; *Eleēt.* Bacc. laur.; Mithrid. Philon.; Androm.; *Elix.* uterin.; *Empl.* hyster.; *Laud.* opiat; *Ol.* coct. Castor.; *Pil.* de gum.; *Vnguent.* pot. rubr.

M V S.

13. MVS *Musculus* cauda elongata subnuda, palmis tetradactylis, plantis pentadactylis: pollice mutico. *Syst. nat.* 83.

Mus domesticus vulgaris f. minor. *Raj. quadr.* 218.

LOCVS: ubique per Europam. *Mansuetus.*

PHARM. MVS 1. *combustus* 2. (Stercus) nigrum.

QVAL. fœtida.

VIS: 2. purgans.

VSVS: 1. Stillicidium? 2. Vermes.

COMP.

PECORA.

M O S C H V S.

14. MOSCHVS *moschiferus* folliculo umbilicali. *Syst. nat.* 91. [Pall. spicil. 13. pag. 3. tab. 4. Schreb. mammal. t 242. Buff suppl. 6. tab. 29.]

Animal moschiferum. *Raj. quadr.* 127.

LOCVS: China, Tataria. *Fera.*

PHARM. MOSCHVS orientalis, *Effentia.*

QVAL: Folliculus subumbilicalis, excretorius, substantia pingui unctuosa, fusca, subacri, ambrosiaca. *Heroici.*

VIS:

VIS: nervina, cordialis, exanthematica, refocillans, aphrodisiaca.

VSVS: Palpitatio, Debilitas, Cephalalgia, Colica, Hysteria! Rabies!

COMP. *Pulv.* dentifric.; pro epithem. cord.; de guttet. *Elix.* vitae, *Balsam* apoplect.; *Conf.* alkerm. c. m.; hyacinth.; *Eff.* ambr. ver.; *Spec.* aromat. rosat.; cordial. temper.; de hyacinth.; imperator.; diamosch.; dulc. diarrh. abbat. *Troc.* catech. c. m. de Gallia Mosch. *Maff.* ad fornac.

C E R V V S.

15. CERVUS *Alces* cornibus acaulibus palmatis, caruncula gutturali. *Syst. nat.* 92. [Schreb. mammal. tab. 246.]

Alces. *Gesner. quadr.* 39.

LOCVS: Suecia borealis, Russia, Canada. *Mansuetus.*

PHARM. ALCIS 1. *Cornu crudum, raspatum, præparatum.* 2. *ungula, præparata.*

QVAL. 1. insipida, inodorata, terreo-gelatinosa.

VIS: 1. absorbens, demulcens. 2. absorbens?

VSVS: 2. Epilepsia?

COMP. *Spec.* cephal.; *Pulv.* epilept. marchion.; de Gutteta.

16. CERVUS *Elaphus* cornibus ramosis totis tere-tibus recurvatis. *Syst. nat.* 93.

Cervus, Cerva, Hinnulus. *Gesner. quadr.* 79.

LOCVS: Europa. *Mansuetus.*

PHARM. CERVI 1. *Cornu tenellum, crudum, raspatum, 2. præparatum, 3. Vstum Θ, Ι, Ο,* ^{οο}, *Gelatina, 4. Os de corde, 5. Priapus, 6. Sanguis, 7. Medulla, 8. Sevum.*

QVAL. 1. insipida, inodora, terreo-gelatinosa. 2. pinguis, oleosa. *Vsitata.*

VIS: 1. absorbens, demulcens. 2. 3. 4. absorbens. 3. subadstringens, antihelminthica? \square antispasmodica, sudorifera, *Gel.* nutrita. 4. cordialis? antiepileptica? alexipharmac? 5. obstipans, aphrodisiaca? 6. emollientis, lenitiva.

VSVS: 1. 2. 3. Diarrhoea, Dysenteria, 4. Vermes? 5. Diarrhoea. 6. Dysenteria? Dysuria, 7. Scorbatus. Excoriatura.

COMP. *Liqu.* C. C. succinat; *Specif.* cephal; *Pulp.* bezoard. Senn. Cacheet. dysenter. pueror. *Conf.* hyacinth. *Spec.* cord. temperat. de hyacinth. diarrh. abbat. diamercurii Mynf. pro ptisan. alexipharm. *Troch.* de carab. *Decoct.* alb. Syd. *Aqua* C. C. citr. Waldsch. ∇ de typhis.

17. CERVUS *Tarandus* cornibus ramosis recurvatis teretibus: summitatibus palmatis. *Syst. nat.* 93. [Schreber. mammal. tab. 248.]

Rangifer. *Gesner. quadr.* 130.

LOCVS: Lapponia. *Cicur.*

PHARM. RANGIFERI cornu raspatum.

QVAL. Cervi. *Superflua.*

VIS: Cervi, sed inferior.

VSVS: Cervi.

COMP.

C A P R A.

18. CAPRA *Hircus* cornibus carinatis arcuatis, gula barbata. *Syst. nat.* 94.

Caper. *Aldr. quadr. bisulc.* 619.

LOCVS: ardua Orientis. *Cicur.*

PHARM. HIRCI 1. Sanguis. 2. Sevum.

HAEDI 3. Sevum.

QVAL. *Vitata.*

VIS: 1. sudorifera, resolvens.

VSVS: 1. Pleuritis, Contusura. 2. 3. Tussis.

QVIS,

OVIS.

19. OVIS *Aries* cornibus compressis lunatis. *Syst. nat.* 97.

Ovis. *Gesner. quadr.* 138.

LOCVS: Africæ sicca aprica.

Cicur.

PHARM. OVIS 1. Stercus, 2. Oesypus,

QVAL. 1. fœtida.

VIS:

VSVS: Icterus, Combustura, 2. Luxatura, Contusura.

COMP.

BOS.

20. BOS *Taurus* cornibus teretibus extrorsum curvatis, palearibus laxis. *Syst. nat.* 98.

Bos. *Gesner. quadr.* 25.

LOCVS: Borussia, Polonia.

Cicur.

PHARM. BOVIS 1. Medulla, 2. (Stercoris) *Aqua Flor. omnium.*

TAVRI 3. Priapus, 4. Fel inspissatum.

VITVL 5. Medulla.

(*Lactis*) Butyrum, Caseus, Serum.

QVAL. 1. 5. pinguis, oleosa, 4. amara. *Frequens.*

VIS: 1. 5. emolliens, lenitiva. 2. refrigerans. 3. obftipans. 4. stomachica.

VSVS: 1. Scorbatus. 2. Rheumatismus, Febres. 3. Diarrhoea, Dysenteria. 4. Tinnitus, Anorexia, Vermes.

COMP. *Vngu.* de Arthanita, ad Vermes.

BELVAE.

EQVS.

21. EQVS *Caballus* cauda undique setosa. *Syst. nat.* 100.

Equus, Caballus, Equa. *Gesner. quadr.* 132.

LOCVS: Europa, parce sponte, ubique.

Cicur.

PHARM

PHARM. EQVI Testiculi.

QVAL. *Superflua, superstitionis.*

VIS: emmenagogue?

VSVS: Colica? Menstruation? Dystocia? Pleuritis.

HIPPOPOTAMVS.

22. HIPPOPOTAMVS *amphibius* pedibus quadrilobis. *Syst. nat.* 101. [Buff. *Suppl.* 6. t. 4. 5.]

Locus: Nilus.

PHARM. HIPPOPOTAMI Dens.

QVAL. insipida, inodora, terreo-gelatinosa. *Superflua.*

VIS: absorbens, adstringens, mechanica, antispasmodica?

VSVS: Profluvia Sanguinis, Epilepsia? Pleuritis?

COMP.

S V S.

23. SVS *Scrofa* dorso antice setoso, cauda pilosa. *Syst. nat.* 102.

α . Aper. *Gesner. quadr.* 146. *Aldr. bisulc.* 1013.

β . Sus. *Gesner. quadr.* 872. *Aldr. bisulc.* 937.

LOCVS: α in Oelandia et Europa australi; β ubiqui. *Cicur.*

PHARM. α APRI Dens integer, *præparatus*, 2. Axungia. β PORCI 3. Stercus, 4. Axungia.

QVAL. 1. insipida, inodora, terreo-gelatinosa. 2. 4. pinguis. 3. foetida. *Vitata.*

VIS: 1. absorbens, 2. emolliens.

VSVS: 1. Pleuritis? 3. Profluvia sanguinis!

COMP. *Pulv.* pleuritic.

CETE.

MONODON.

24. MONODON *Monoceros*. *Arted. gen.* 78. *Syn.*

118. *Syst. nat.* 105. [Fabric. *groenl.* 18.]

Balaen-

- Balæna Narhwal. Schonev. ichth. 28. [Klein. pisc. miss. 2. tab. 2 fig. C.]
 LOCVS: Mare Atlanticum. *Fera.*
 PHARM. VNICORNV 1. crudum, *raspatum*, *præparatum*.
 QVAL. 1. infipida, inodora, terreo-gelatinosa. *Rarior.*
 VIS: 1. absorbens, demulcens.
 VSVS: 1. mechanicus.
 COMP. Spec. cephal. *Pulv.* epil. marchion.

BALÆNA.

25. BALÆNA *Mysticetus* naribus flexuosis in medio capite, dorso impinni. Syst. nat. 105. [Fabric. grænl. 20.]
 Balæna vulgo dicta. Gesner. aquat. 114.
 LOCVS: Mare Atlanticum, Grœnlandia. *Fera.*
 PHARM. CETI Priapus.
 QVAL. *Superflua.*
 VIS: aphrodisiaca? adstringens.
 VSVS: Profluvia.
 COMP.

PHYSETER.

26. PHYSETER *macrocephalus* dorso impinni, fistula in cervice. Syst. nat. 170. [Fabric. grænl. 25.]
 Cete. Clus. exot. 131.
 LOCVS: Mare Grœnlandicum. *Fera.*
 PHARM. CETI Sperma.
 QVAL. pinguis, sicca, squamosa; alba, mollis, e ventriculis cerebri. *Præstans.*
 VIS: emolliens, lenitiva, thoracica, resolvens, cosmeticæ.
 VSVS: Tussis, Diarrhœa, Dysenteria.
 COMP. *Pulv.* contra casum, *Empl.* de spermat. ceti, *Vngu.* potab. rubr.

CLAS-



CLASSIS II.

A V E S.

PICA E.

C O R V V S.

27. CORVVS *Pica* albo nigroque varius, cauda cuneiformi. *Syst. nat.* 157.

Pica caudata varia. *Will. ornith.* 87. t. 19.

LOCVS: Suecia ubique ad pagos. *Mansuetus.*

PHARM. PICAE.

QVAL. *Superflua.*

VIS.

VSVS.

COMP. *Aqua picarum composita.*

ANSERES.

ANAS.

28. ANAS *Anser* rostro semicylindraceo, corpore supra cinereo subtus pallidiore, collo striato. *Syst. nat.* 197.

Anser domesticus. *Gesner. av.* 141.

LOCVS: Suecia borealis, nunc ubique *Cicur.*

PHARM. ANSERIS 1. Stercus. 2. Axungia.

QVAL. 2. pinguis. *Vfitata.*

VIS: 2. emolliens.

VSVS: 1. Icterus.

COMP. *Vngu.* resumtiv.

29. ANAS *Boscas* rectricibus intermediis (maris) recurvatis, rostro recto. *Syst. nat.* 205.

Boe

- Boschas major. *Alb. ornith.* 2. p. 89. t. 100.
 LOCVS: ubique in lacubus et stagnis, hodie *Cicur.*
 PHARM. ANATIS Axungia.
 QVAL. Anferis. *Superflua.*
 VIS: Anferis.
 VSVS:
 COMP. *Vngu.* pectorale, resumtiv.

*G R A L L A E.**STRVTHIO.*

30. STRVTHIO *Camelus* pedibus didactylis. *Syst. nat.* 265.
 Struthio camelus. *Will. ornith.* 100.
 LOCVS: Arabiæ deserta. *Fera.*
 PHARM. STRVTHIONIS ovorum testæ.
 QVAL. insipida, inodora, calcaria. *Superflua.*
 VIS: absorbens.
 VSVS: Calculus?
 COMP.

*GALLINAE.**PAVO.*

31. PAVO *cristatus* capite crista compressa, calcari-
 bus solitariis. *Syst. nat.* 267.
 Pavo. *Gesner. av.* 656.
 LOCVS: Zeylona et India orientalis. *Cicur.*
 PHARM. PAVONIS Stercus.
 QVAL. alba. *Præstans.*
 VIS: nervina.
 VSVS: Vertigo! Epilepsia?
 COMP.

PHASIANVS.

32. PHASIANVS *Gallus* caruncula compressa verticis geminaque gulæ, auribus nudis, cauda compressa adscendente. *Syst. nat.* 207.

Gallus gallinaceus et *Gallina domestica*. *Will. orn.* 109. t. 26.

LOCVS: Pulicandor Indiæ. Cicur.

PHARM: GALLINAE 1. Ovorum Testæ præparatæ; calcinatæ; 2. Vitelli. ○○. 3. Axungia.

CAPONIS. 4. Axungia.

QVAL. 1. insipida, inodora, calcaria. 3. 4. pinguis.
1. 2. præstans, 3. 4. superflua.

VIS: 1. absorbens, *calcinat.* absorbens: adstringens, diuretica. 2. demulcens, nutritius, 3. 4. emolliens.

VSVS: 1. *calcinat.* Calculus, 2. Dysenteria, Tussis, Raucedo.

COMP. *Vngu.* alb. ceruss. Martiat: pectoral. resumtiv. lithontripticum Dnæ Stephens.

TETRAO.

33. TETRAO *Perdix* pedibus nudis calcaratis, macula nuda coccinea sub oculis, cauda ferruginea, pectore brunneo. *Syst. nat.* 276.

Perdix cinerea. *Zonst. av.* 68. t. 27. f. 1.

LOCVS: Europæ nostræ culta. *Mansuetus.*

PHARM. PER DICIS Plumæ.

QVAL. *fumi* fœtida. Superflua.

VIS:

VSVS: *fumi* Epilepsia, Hysteria.

COMP.

P A S S E R E S.

COLVMB A.

34. COLVMB A *Oenas cærulescens*, cervice viridiniente, dorso postico albo, fascia alarum apiceque caudæ nigricante. *Syst. nat.* 279.

Columba domestica f. vulgaris. *Will. orn.* 130.

LOCVS: *Sylvæ Europæ, Asiæ, Americæ septentrionalis*, ubique *Cicur.*

PHARM. COLVMBAE Stercus.

QVAL.

Superflua.

VIS: dubia.

VSVS:

COMP.

H I R V N D O.

35. HIRVND O *urbica* rectricibus immaculatis, dorso nigro - cærulecente, tota subtus alba. *Syst. nat.* 344.

Hirundo sylvestris. *Gesner. av.* 564.

LOCVS: ubique ad pagos per Europam. *Mansueta.*

PHARM. HIRVND O.

QVAL.

Superflua.

VIS: dubia.

VSVS:

COMP. *Aqua hirundium.*



CLASSIS III.

AMPHIBIA.

REPTILIA.

RANA.

36. RANA temporaria dorso planiusculo subangulato.

Syst. nat. 257.

Rana aquatica s. innoxia. Gesner. ovip. 46. [Roesel.
ran. p. 1. t. 1.]

LOCVS: Europæ paludes ubique. Mansueta.

PHARM. RANARVM Sperma exsiccatum, ∇ , \odot .

QVAL. Vfitata.

VIS: rec. refrigerans, repellens, ∇ cosmetica, refrigerans.

VSVS: Sperma rec. Inflammatio, Erysipelas, Combustura.

COMP. Empl. de Sperm. ranar. de ranis cum mercurio, Cataplasma.

37. RANA Bufo corpore ventricoso verrucoso lurido fuscoque. Syst. nat. 354.

Bufo. Rond. aquat. 2. p. 121. [Roes. ran. p. 85. t. 20.]

LOCVS: Europæ umbrofa. Mansueta.

PHARM. BVFONES exsiccati.

QVAL. Rarior.

VIS:

VSVS: Panaritium, Hæmorrhagia? Congestiones ad caput?

COMP.

LACERTA.

38. LACERTA Scincus cauda tereti mediocri apice compressa, digitis muticis marginatis. Syst. nat. 365.

Stin-

- Stincus. *Rond. pise.* 2. *p. 231.* *Seb. mus.* 2. *p. 112.*
t. 105. f. 3.
- LOCVS: Aegyptus. *Fera.*
- PHARM. STINCI MARINI.
- QVAL.
- VIS: aphrodisiaca? diuretica?
- VSVS: Atecnia?
- COMP. *Elect.* diafatyr. Mithridat.
- Vsitata.*

SERPENTES.

COLVBER.

39. COLVBER *Vipera* scutis abdominalibus CXVIII,
 squamis subcaudalibus XXII. *Syst. nat.* 375. *Haf-*
selq. it. 314. *n.* 60.

Vipera. *Gesner. serp.* 124.

LOCVS: Aegyptus. *Mansuetus.*

PHARM. VIPERAE 1. *exsiccatæ*, *Pulvis*, *Trochisci*,
 Θ, 2. *offa.* 3. Axungia.

QVAL. *Vsitata.*

VIS: 1. alexipharmacæ, diureticæ, restaurans, 2. ab-
 sorbens.

VSVS: 1. Syphilis, Lepra, Scabies ferina, Vlcus
 malignum, Venena? 3. Ophthalmia.

COMP. *Ther.* Androm. *Vngu.* de tutia D. Sloane.

40. COLVBER *Natrix* scutis abdominalibus CLXX,
 squamis subcaudalibus LX. *Syst. nat.* 380.

Natrix torquata. *Raj. quadr.* 334.

LOCVS: Europæ sterquilinia. *Mansuetus.*

PHARM. SERPENTVM 1. Spina dorsi, 2. Exuviae,
 3. Axungia.

QVAL. 3. *Frequens.*

VIS: 1. absorbens, 2. diuretica?

VSVS: 1. 2. Dystocia? Hydrops? Vulnus?

COMP.

NANTES.

ACIPENSER.

41. ACIPENSER *Sturio* cirris IV, squamis dorsali-
bus XI. *Syst. nat.* 403. *Mus. Ad. Fr.* 1. p. 54.
tab. 18. f. 2.

Sturio. Will. ichth. 239.


LOCVS: Mare, fluvii maximi Europæ. *Mansuetus.*

PHARM. COLLA PISCIVM.

VIS: glutinans, incraffans.

VSVS: Dysenteria.

COMP. Coctum gluten ex pinnis, intestinis, corio
ad pelliculam, malaxatum, refrigeratum, in pel-
liculas diductum.



CLASSIS. IV.

P I S C E S.

THORACICI.

PERCA.

42. PERCA *fluviatilis* pinnis dorsalibus distinctis: se-
cunda radiis sedecim. *Syst. nat.* 481.

Perca

41. [*Ichthyocolla* optima • vesica aërea *Acip. Sturionis*, et
Acipens. stellati *Pall.*, paratur; viliorum dat *Acip. Huso*,
tenaciorem *Acip. ruthenus*, et *Silurus Glanis*. Similem
collam *Cyprini Barbi* aliorumque piscium vesicae aëreæ
praebent. *Pall. it.* 1, p. 139. 297. *Georgi it.* 1, p. 177.]

Perca fluviatilis. *Salv. pisc.* 226. *f.* 224.

LOCVS: Lacus et fluvii ubique. *Mansuetus.*

PHARM. PERCARVM Lapidē *præparati.*

QVAL. *Superflua.*

VIS: absorbens.

VSVS: Pleuritis? Colica?

COMP. *Specific.* cephal. *Pulv.* pleuritic.

ABDOMINALES.

ESOX.

43. ESOX *Lucius* rostro depresso subæquali. *Syst.*
nat. 516.

Lucius. *Salv. pisc.* 2. *p.* 188.

LOCVS: Lacus et fluvii ubique. *Mansuetus.*

PHARM. LVCII 1. Mandibulæ *præparatae*, 2. Axungia.

QVAL.

VIS: absorbens.

VSVS: 1. Pleuritis? 2. Vulnus.

COMP. *Pulv.* dysenter. pleurit.

CYPRINVS.

44. CYPRINVS *Carpio* pinna ani radiis IX, cirris IV, pinnæ dorsalis radio secundo postice ferrato.

Syst. nat. 525.

Cyprinus. *Rond. pisc.* 2. *p.* 150.

LOCVS: Scaniæ piscinae et Europa australior. *Cicur.*

PHARM. CARPIONIS Lapidē.

QVAL. *Superflua.*

VIS: absorbens.

VSVS: Epilepsia? Pleuritis? Colica? Calculus?

COMP.



CLASSIS V.

INSECTA.

COLEOPTERA.

LVCANVS.

45. LVCANVS *Cervus* scutellatus, maxillis exsertis
apice bifurcatis latere unidentatis. *Syst. nat.* 559.
Taurus volans. Olear. mus. 27. t. 16. f. 5.
LOCVS: Europæ querceta. *Mansuetus.*
PHARM. SCARABAEI cornu.
QVAL. *Superflua.*
VIS: absorbens.
VSVS: Dyflocia?
COMP.

MELOE.

46. MELOE *vesicatorius* alatus viridissimus nitens,
antennis nigris. *Syst. nat.* 679. *Amoen.* 6. p. 135.*
Sulz. inf. t. 7. f 55.
Cantharis vulgaris officinarum. *Raj. inf.* 276.
LOCVS: Europæ Ligustrum, Syringa, Fraxinus,
Lonicera. *Mansuetus.*
PHARM. CANTHARIDVM Pulvis, *Tinctura.*
QVAL. acerrima. *Heroica.*
VIS: *inter.* diuretica! aphrodisiaca, *exter.* corrosiva,
exulcerans, excitans, revellens.
VSVS:

46. [*Cantharides antiquorum* erant Meloides flavo-fasciatæ, seritan plures, præsertim Meloë calida *Pall. inf. tab. E. fig. 11.* quæ Chrysomela Cichorii *Hasselq. it. p. 410. n. 101. Conf. Diosc. l. II. c. 54.* — Officinalis quoque Meloë *Proscarabaeus*, mitior quidem, tamen etiam vesicans, adversus rabiem caninam laudatus.]

VSVS: *inter.* Ischuria, Hydrophobia, Hydrops, Gonorrhœa maligna. *Exter.* Febr. exanth. maligna, Pleuritis, Morbi soporosi, Delirium, Ophthalmia, Paralyſis, Asthma, Ulcera cacoëthica.
COMP. *Empl.* vesicatorium.

HEMIPTERA.

COCCVS.

47. COCCVS *Ilicis* Quercus cocciferæ. *Syst. nat.* 740.
Kermes. *Reaum. inf.* 4. t. 5. [*Ledermüll. micr.* p. 72.
t. 36.]

LOCVS: QVERGV S coccifera. *Sp. pl.* 1413. Euro-
pæ australis. *Fera.*

PHARM. CHERMES Grana, *Succus inspissatus,*
Tinctura.

QUAL. *Præstans.*

VIS: subadstringens, roborans, analeptica, aphro-
disiaca.

VSVS: molimina abortus.

COMP. *Conf.* Alkermes, de Hyacinth. Smaragd.
Tinctur. Bezoard. ex herbis, *Spec.* de hyacinth.

48. COCCVS *Caeti* Cacti coccinelliferi. *Syst. nat.* 742.
Coccinella alis destituta, corpore rugoso. *Brown.*
jam. 435.

Scarabæus hemisphæricus coccinellifer. *Pet. gaz.*
t. 1. f. 5.

LOCUS: Cactus coccinellifer in America. *Fera.*

PHARM. COCCIONELLAE (Pupæ).

QUAL. rubro-tinctoria. *Præstans.*

VIS: diuretica, leniter stimulans.

VSVS: Hydrops, Ischuria, Febres malignæ.

COMP. Tinctura sacra Edinb.

LEPIDOPTERA.

PHALAENA.

49. PHALAENA *Mori elinguis*, alis reversis pallidis: strigis tribus obsoletis fuscis maculaque lunari. *Syst. nat.* 817.

Bombyx. *Rœf. inf.* 3. *t.* 7. 8. *Admiral. inf.* *t.* 9.
LOCVS: China, nunc in Europa passim. *Cicur.*
PHARM. SERICVM crudum, *toftum.*

QVAL. *Superflua.*

VIS: antepileptica? adstringens?

VSVS: Epilepsia? Hæmorrhagia?

COMP. *Spec. cord. temperat.* de hyacinth. dia-
mosch, dulc.

HYMENOPTERA.

CYNIPS.

50. CYNIPS *Rosæ nigra*, abdomine ferrugineo po-
stice nigro, pedibus ferrugineis. *Syst. nat.* 917.

Reaum. inf. 3. *t.* 46. 47.

LOCVS: Sueciæ Rosa sylvestris. *Mansueta.*

PHARM. FVNGIROSARVM.

QVAL. *Superstitiosa.*

VIS: soporifera? styptica.

VSVS: Hæmorrhagia.

COMP.

51. CYNIPS *Quercus folii nigra*, thorace lineato, pedi-
bus griseis, femoribus subtus nigris. *Syst. nat.* 918.

Rœf inf. 3. *t.* 52. 53. *f.* 10. 11.

Frisch inf. 2. *t.* 3. *f.* 5.

LOCVS: Turciæ Quercus sempervirens. *Mansueta.*

PHARM. GALLÆ Turcicæ.

QVAL.

51. [Optimas Gallas Q. Cerris ferre dicitur.]

QVAL.

Frequens, præstans.

VIS: styptica, adstringens, inspissans, corroborans.

VSVS: Hæmorrhagia.

COMP.

APIS.

52. APIS *mellifica* pubescens, thorace subgriseo, ab-domine fusco, tibiis posticis ciliatis: intus trans-verse striatis. *Syst. nat.* 955. *Sulz. inf. t. 19. f. 123.*
Apis. Mer. europ. 2. p. 19. t. 1.

LOCVS: Polonia, nunc ubique *Cicur.*PHARM. MEL. 1. *commune, virgineum, despuma-tum.* Θ .CERA 2. *citrina, alba,* $\circ\circ$.

PROPOLIS 3.

QVAL. 1. dulcis. 1. 2. *Eximia.*VIS: 1. edulcorans, abstergens, diuretica, maturans,
expectorans, 2. 3. digerens, emolliens, maturans.

VSVS:

COMP. *Mel. Anthof.; Mercuriale, Rosar.; Violar.;*
Oxym. Simpl. Scillit. Alliat. Cera rubra; viridis,
nigra, sigillatoria, arborea, ad barbam.

FORMICA.

53. FORMICA *rufa* thorace compresso toto ferrugi-neo, capite abdomineque nigris. *Syst. nat.* 962.

Formica media rubra. *Raj. inf. 69.**Schæff. inf. t. 5. f. 3. elem. t. 64.*LOCVS: ubique in sylvis. *Mansuetæ.*PHARM. FORMICARVM Θ , \odot , \sqcup .QVAL. acida essentialis, volatilis. *Præstans.*

VIS: excitans.

VSVS: Paralyfis!

COMP.

APTERA.

ARANEA.

54. ARANEA *domestica* abdomine ovato fusco: masculis nigris quinque subcontiguis: anterioribus majoribus. *Syst. nat.* 1031. *Clerk. aran.* 76. t. 2. f. 9. Araneus subflavus hirsutus, prælongis pedibus, domesticus. *List. aran.* 59. n. 17.

LOCVS: in fenestris ubique. *Mansueta.*

PHARM. ARANEE Tela.

QVAL. *Rarior.*

VIS:

VSVS: Vulnus.

COMP.

SCORPIO.

55. SCORPIO *europæus* pectinibus 18-dentatis, manibus angulatis. *Syst. nat.* 1038. *Sulz. inf.* t. 23. f. 550.

Scorpio. *Raj. inf.* 9. *Ræf. inf.* 3. p. 66. f. 1. 2.

LOCVS: Muri Italiæ, Africæ. *Fera.*

PHARM. SCORPIONES AFRICANI *exsiccati*, ☽.

QVAL. *Rarior.*

VIS:

VSVS: Punctura.

COMP. *Oleum inf. magnurn.*

CANCER.

56. CANCER *Pagurus brachyurus*, thorace utrinque obtuse novem-plicato, manibus apice atris. *Syst. nat.* 1044.

Cancer marinus. *Jonston. exsang.* t. 5. f. 2.

LOCVS: Oceanus. *Mansuetus.*

PHARM. CANCRORVM chelæ, *præparatae.*

QVAL.

56. Absorbentia e regno animali desumpta haud inepte ad duas reduci possunt classes: ad priorem pertinent illa, quae quidem

QVAL. infipida, inodora, calcaria.

VIS: absorbens.

VSVS: Hypochondriasis.

COMP. *Pulv.* bezoard. anglican.

57. CANCER *Astacus* macrourus, thorace lœvi,
rostro lateribus dentato: basi utrinque dente uni-
co. *Syst. nat.* 1051.

Astacus fluviatilis. *Rond. pisc.* 2. p. 210. *Ræf. inf.* 3.
t. 54. 55.

LOCVS: Lacus et fluvii Europæ. *Mansuetus.*

PHARM. CANCRORVM oculi (Lapides), Solutio.

QVAL. infipida, inodora, calcaria. *Vositissima.*

VIS: absorbens.

VSVS: Soda, Hypochondriasis.

COMP. *Pulv.* pleuritic. stomachal.

ONISCVS.

58. ONISCVS *Asellus* ovalis, cauda obtusa: stylis
simplicibus. *Syst. nat.* 1061. *Sulz. inf.* t. 24. f. 154.

Asellus asininus f. vulgaris. *Raj. inf.* 41.

LOCVS: muri antiqui et parietes. *Mansuetus.*

PHARM. MILLEPEDES *præparati.*

QVAL. *Vositata.*

VIS. diuretica, incidens.

VSVS: Icterus, Asthma, Dysuria, Nephritis.

COMP. *Pil.* Scillit. Edinb.

CLAS-

absorbent, sed simul vi portionis gelatinosæ demulcent. Numerantur hic animalium Ossa, Cornua, Dentes, Ad posteriorem referuntur gelatina demulcente destituta, ut Testæ ovorum, Cancrorum chelae et oculi, Testæ cochleæ, Dentalium, Conchæ etc. quo etiam spectant animantium partes jam dictæ, dum varia arte et præparatione gelatinosa parte sunt orbatæ. Parum juvant absorbentia hæc, nisi vel acido quodam regni vegetabilis prius sint imprægnata, vel offendant acidum in primis viis; tum enim non solum illud absorbent destruuntque, sed etiam temperantem, blande resolventem, diapnoicam et diureticam exferere possunt virtutem.



CLASSIS VI.

VERMES.

INTESTINA.

LVMBRICVS.

59. LVMBRICVS *terrestris* trifariam retrorsum aculeatus. *Syst. nat.* 1076. [Murr. opusc. 2. t. 3. f. 1 - 5. *Mull. verm.* 1. vol. 2. p. 24. n. 157.]

Lumbricus terrestris major. *Raj. inf.* 1.

LOCVS: Terra abdita spongiosa ubique. *Mansuetus.*

PHARM. LVMBRICI *exsiccati*, *præparati*, *Pul-*
vis, \ominus , \sqcup , \odot .

QVAL. *Vfitata.*

vis: antispasmodica, temperans, diuretica.

vsvs: Morbi spasmodyci, Arthritis scorbutica.

COMP. *Empl.* de ran. c. mercur; *Vngu.* nervin.

HIRVDO.

60. HIRVDO *medicinalis* depressa nigricans, supra lineis flavis sex: intermediis nigro arcuatis, subtus cinerea nigro maculata. *Syst. nat.* 1079. *amæn.* 7. p. 42. *Bergm. act. Stockh.* 1757. p. 308. n. 4. t. 6. f. 1. 2. [*Müll. verm.* 1. 2. p. 37. n. 167.]

LOCVS: Aquæ stagnantes, pigræ. *Frequens, mansueta.*

PHARM: HIRVDO viva.

QVAL. *Vfitata.*

vis: topica.

vsvs: Hæmorrhoidis.

COMP.

MOLLV.

*MOLLUSCA.**SEPIA.*

61. *SEPIA officinalis* corpore ecaudato marginato,
tentaculis duobus. *Syst. nat.* 1095.

Sepia. Seb. mus. 3. t. 3. f. 1 - 4.

LOCVS: Oceanus.

Fera.

PHARM. *SEPIAE os.*

Frequens.

QVAL.

VIS: absorbens, adstringens.

VSVS: Gonorrhœa, Leucorrhœa, Febr. intermittentes.

COMP. *Pulv.* dentifric.

*TESTACEA.**OSTREA.*

62. *OSTREA edulis* testa inæquivalvi semiorbiculata,
membranis imbricatis undulatis: valvula altera
plana integerrima. *Syst. nat.* 1148.

Ostrea. Gesner. aqu. 2. p. 33.

LOCVS: Oceanus.

Mansueta.

PHARM. *CONCHÆ, citratae.*

QVAL. insipida, inodora, calcaria.

Frequens.

VIS: absorbens.

VSVS:

COMP.

MYTILVS.

63. *MYTILVS margaritiferus* testa compresso - pla-
na suborbiculata basi transversa, imbricata tuni-
cis dentatis. *Syst. nat.* 1155.

Matrix perlarum. Rumph. mus. 47. f. F.

LOCVS: Oceanus utriusque Indiæ.

Fera.

PHARM. *PERLARVM mater, cruda, preparata.*

QVAL. insipida, inodora, calcaria.

Vfitata.

VIS:

vis: abforbens.

VSVS:

COMP. *Empl.* stictic. *Vngu.* nihili oculorum.

HELIX.

64. HELIX *Pomatia* testa umbilicata subovata obtusa decolore, apertura subrotundo - lunata. *Syst. nat.* 1244.

Cochlea *Pomatia edulis* Gesneri. *Lift. exercit. anat.* 1. p. 162. t. 1.

LOCVS: in Europa australiori freqtiens, in hortis Sueciæ culta. *Cicur.*

PHARM. COCHLEÆ Testæ, opercula.

QVAL. insipida, inodora, calcaria. *Vfitata.*

VIS: abforbens.

VSVS:

COMP.

DENTALIVM.

65. DENTALIVM *Entalis* testa tereti subarcuata continuata lævi. *Syst. nat.* 1263.

Dentale læve album altera extermitate rufescens.

Lift. bift. 4. f. 2. n. 2.

LOCVS: Oceanus circa Sueciam. *Fera.*

PHARM. DENTALIORVM Testæ.

QVAL. insipida, inodora, calcaria. *Rarior.*

VIS: abforbens.

VSVS:

COMP.

LITHOPHYTA.

MADREPORA

66. MADREPORA *oculata* caulescens tubulosa glabra flexuosa oblique substriata, ramis alternis, stellis

stellis immersis bifariis. *Syst. nat.* 1281. [Pall.
zooph. 308. n. 179.]

Corallium album oculatum officinarum. *Bauhin.*
bist. 3. p. 573. *Seb. mus.* 3. t. 116. n. 12.

LOCVS: Mare Tyrrhenum. *Fera.*

PHARM. CORALLIA alba, *præparata.*

QVAL. insipida, inodora, calcaria. *Vsitata.*

VIS: absorbens, subadstringens.

VSVS:

COMP. *Pulv.* Cachecl. pannon. rub. *Empl.* stict.

Spec. cord. temperat. diamargarit. frigid.

ZOO PHYTA.

ISIS.

67. ISIS *nobilis* stirpe corallina æquali continua, stri-
is obfoletis obliquis, ramis vagis. *Syst. nat.* 1288.
[Pall. *zooph.* 223. n. 142.]

Corallium rubrum. *Bauhin.* pin. 366. *MarSigl.* *bist.*
mar. 108. t. 22 - 29. 168. t. 40.

LOCVS: Mare mediterraneum. *Fera.*

PHARM. CORALLIA rubra, *præparata*, *Tinctura.*

QVAL. insipida, inodora, calcaria. *Vsitata.*

VIS: absorbens, subadstringens.

VSVS: Profluvia, Leucorrhœa.

COMP. Specific. cephal. *Pulv.* bezoard. Sennert.
dentifric. epil. marchion. de gutteta, pannon.
rub. Conf. Hyacinth. Smaragd. *Empl.* stict. Spec.
cord. temperat. de Hyacinth. diamargarit. frigid.
diamosch. dulc. *Troch.* de carabe.

SPONGIA.

68. SPONGIA *officinalis* foraminulata subramoſa dif-
formis tenax tomentosa. *Syst. nat.* 1298. [Pall.
zooph. 387. n. 234.]

Spongia ad usum præstantissima, foraminibus exiguis pervia. *Tourn. inst.* 575.

LOCVS: Mare mediterraneum.

PHARM. SPONGIA, Cineres.

QVAL. bibula, sicca.

VIS: imbibens. Sief.

VSVS: Vlcus, Struma.

COMP.

CORALLINA.

69. CORALLINA *officinalis* subbipinnata, articulis subturbinatis. *Syst. nat.* 1304.

Corallina. *Ellis. cor.* 48. t. 24.

Muscus coralloides, squamis loricatus. *Baub. pin:* 364.

LOCVS: Mare Atlanticum, Norvegicum. *Mansueta.*

PHARM. CORALLINA.

QVAL. insipida, inodora, calcaria. *Frequens.*

VIS: absorbens, subadstringens, anthelminthica.

VSVS: Vermes.

COMP. *Pulv.* ad vermes: *Spec.* diamercur. Mynf.

R E G N V M
VEGETABILE.

CLASSIS I.

MONANDRIA.

MONOGYNIA.

AMOMVM.

70. AMOMVM *Zingiber* scapo nudo, spica ovata.
Hort. cliff. 3. *Fl. zeyl.* 3. *Hort. upf.* 1. *Sp. pl.* 1.
Jacq. hort. 1. *t. 75.*

Inschi. Rheed. mal. II. *p. 21. t. 12. Rumph. amb.* 5.
p. 156. t. 66. f. 1.

LOC. India orientalis; nunc Jamaica. *Perennis, fera.*

PHARM. ZINGIBERIS COMMVMIS Radix 3j.

ALBI Radix 3j, *optima,*
utraque condita cum vel sine Brodio.

QUAL. acris, aromatica, fervida, subfragrans.

Culinaris.

VIS: calefaciens, (*recens eccoprotica*), stomachica,
stimulans.

VSVS: Colica, Diarrhoea, Hysteria, Tussis stom-
chalis.

COMP. Andromach. Mithridat. Diascord. Benedict.
Hamech. Diafatyrium. Alhandal. Troch. Agaric,

71. AMOMVM *Cardamomum* scapo simplicissimo
brevissimo, bracteis alternis laxis. *Fl. zeyl.* 4. *Sp.*
pl. 2. [Koenig. monandr. n. 9.]

Elettari 2. *Rheed. mal.* II. *p. 9. t. 6. Rumph. amb.* 5.
p. 152. t. 65. f. 1.

LOC. Malabaria, Zeylona. *Perennis, peregrina.*

PHARM. CARDAMOMI MINORIS (*Fructus*)
non excorticatus, excorticatus. Semina, 80.

QUAL. acris, aromatica, fervida, fragrans. *Culinaris.*

VIS: stimulans, calefaciens, nervina, pellens, emmenagogica, aphrodisiaca.

VSVS: Anorexia, Morofis.

COMP. Andromach. Mithridat. Benedict. Diasatyr.

▽ Theriacal.

72. AMOMVM *Gran. paradisi* scapo ramoso brevissimo. *Sp. pl. 2.*

Grana paradisi officinarum. *Baub. pin. 413. Raj. hist. 1205.* *Barbara.*

LOC. Madagascar, Guinea, Zeylona, in umbrosis uliginosis ad radices montium. *Perennis, peregrina.*

PHARM. PARADISI GRANA (Semina).

QVAL. præcedentis 71, sed acerrima. *Rarior.*

VIS; stimulans, calefaciens.

VSVS: Paralyfis.

COMP.

COSTVS.

73. COSTVS arabicus. *Hort. cliff. 2. Fl. zeyl. 5. Hort. upsal. 2. Merian. sur. 36. t. 36. Sp. pl. 2. [Aublet. guian. 2.]*

Tsiana-kua. *Rheed. mal. II. p. 15. t. 8.*

LOC. Malabaria, Zeylona, Brasilia, Surinamum. *Perennis, fera.*

PHARM. COSTI DVLCIS Radix ʒβ.

ARABICI Radix ʒβ.

QVAL. amaricans, aromatica, calida, fragrans. *Rarior.*

VIS: stimulans, calefaciens, diaphoretica, emmenagogica, urinaria urina violacea odora.

VSVS:

COMP. Andromach. Mithridat. Philon. Orvietan.

74. MA-

72. GRAN. PARADISI Sem. alii AMOMI, alii MYRTI speciem statuunt.

73. COSTVM DVLCEM et ARABICVM ex eadem planta desumi plurimi statuunt, eamque plantam officinalem cum nostra eandem esse verosimile est.

MARANTA.

74. MARANTA *Galanga* culmo simplici. *Sp. pl. 2.*
Galanga major et minor. Rumph. amb. 5. p. 142. t. 63.
LOC. India Orientalis, Philippinæ. Perennis, fera.
PHARM. GALANGÆ MAJORIS Radix (ingra-
tior, intus pallida).

MINORIS Radix (fortior, intus rufa).
QVAL. acris, aromatica, amaricans, pungens ma-
gis Zingibere, fragrans. Præstans.
VIS: calefaciens, stimulans, stomachica, emmena-
goga, rec. sternutatoria.
VSVS: Singultus! Vertigo! Vomitus navigantium,
Colica lochialis! Herpes.
COMP. Orvietanum, Aqua vitæ Matth. Pulvis na-
salis.

CVRCVMA.

75. CVRCVMA *longa* foliis lanceolatis: nervis late-

ralibus numerosissimis. *Roy. lugdb. 12. Fl. zeyl. 7.*
Sp. pl. 3.

Amomum Curcuma. Facq. bort. 3. t. 4.
Manjella - kua. Rheed. mal. II. p. 21. t. II. Rumph.
amb. 5. t. 67.

LOC. Amboina, Malabaria, Zeylona. Perennis, peregr.
PHARM. CVRCVMAE Radix 3j.

QVAL. amara, subaromatica, cibaria Indis. Rarior.
VIS: resolvens, pellens, emmenagogia, urinaria luteo-
tinctoria.

VSVS: Icterus! Cachexia, Hydrops, Scabies!

COMP.

KAEMPFERIA.

76. KAEMPFERIA *rotunda* foliis lanceolatis petiolatis. *Fl. zeyl.* 9. *Sp. pl.* 3.

[*Amomum scapo nudo*, spica laxa truncata. *Berg. nat. med.* 4.]

Malan-kua. *Rheed. mal.* II. p. 17. t. 9.

LOC. Zeylona, Malabaria. *Perennis, peregrina.*

PHARM. ZEDOARIAE LONGAE Radix, *Effen-tia*, ∇ , Σ , $\circ\circ$, Semina.

QUAL. subacris, aromatica, debile frangrans.

Frequens, præstans.

VIS: stimulans, calefaciens, nervina, stomachica, sudorifera, emmenagogia, anthelmintica.

VSVS: Hysteria, Asthma, Nausea! Vermes!

COMP. Philonium. Acet. Theriacale. ∇ Prophylactica. Aqua vitae.

SALICORNIA.

77. SALICORNIA *herbacea* patula, articulis apice compressis emarginato-bifidis. *Fl. suec.* I. *Sp. pl.* 5. *Baster. subsec.* 2. p. 105. t. 50. *Fl. dan.* 303. *Pall. it.* I. p. 479. *tab. A. f.* I.

Kali geniculatum majus I. *Baub. pin.* 289.

LOC. Europa. *Annua, maritima, mansueta.*

PHARM. SODA, \ominus .

QUAL. falsa. *Culinaris, rarior.*

VIS: stimulans, diuretica, emmenagogia. (*Sal alcali fixum corrosivum*).

VSVS: Scabies, Abscessus, Scorbutus, Hypersarcosis.

COMP. Sapo venetus, Sal Seignette, Fel vitri.

CLAS-

76. Ex hac planta ZEDOARIAE ROTVNDÆ rad. itidem colligi vulgo statuitur. Sed hæc in nostris officinis non prostat.

77. SODAM e variis plantis maritimis saltisque conficiunt variis; uti ex *Mesembryanthemo* Aegyptii; *Chenopodio Hispani*, *Salsola Angli*; *Salicornia fruticosa* Itali etc. quæ eundem tere usum præstant. Nostratibus nulla aptior in hunc usum planta, quam dicta.

CLASSIS II.

D I A N D R I A.

MONOGYNIA.

JASMINVM.

78. JASMINVM *officinale* foliis oppositis pinnatis: foliolis distinctis. *Hort. cliff.* 5. *Hort. upf.* 5. *Sp. pl.* 9. *Jasminum vulgatius* flore albo. *Baub. pin.* 397.
 LOC. India orientalis. *Arbuscula, mansueta.*
 PHARM. JASMINI (*Florum*) ○.
 QVAL. fragrans. *Externa.*
 VIS: narcotica, anodynna, uterina.
 VSVS: Dyftocia.
 COMP. Pulvis Cyprius, Odoramenta.

OLEA.

79. OLEA *europaea* foliis lanceolatis. *Hort. cliff.* 4.
Sp. pl. II.
Olea sativa. Baub. pin. 472.
 LOC. Hispania, Gallia, Italia (cœlo temperato). *Arbor,*
mansueta, sterilis.
 PHARM. OLIVÆ (*Fructus*) conditæ, ○.
 QVAL. ○ pingue, blandum, insipidum, inodorum;
Condit. austerae. *Culinaris.*
 VIS: ○ obtundens, emolliens, leniens, relaxans.
Condit. tonica, stomachica.
 VSVS: Venena! [Pleuritis, Nephritis, Enteritis,]
 Dysenteria, Tenesmus, Colica, Rheumatismus,
 Tussis, Morsura canis rabidi,
 COMP.

C 4

VERO.

78. Hi flores succedanei sunt NYCTANTHIS, cumque nec JASMINI flores ex hortis nostris sufficient, ab australiori Europa petuntur: et ubi hi deficiunt, PHILADELPHI flores sumantur.

VERONICA.

80. VERONICA *officinalis* spicis lateralibus pedunculatis, foliis oppositis, caule procumbente. *Fl. suec.* 12. *Sp. pl.* 14. *Fl. dan.* t. 248.

Veronica mas supina et vulgatissima. *Baub. pin.* 252.
LOC. Europæ sylvæ aridæ. *Perennis, vulgaris.*

PHARM. VERONICÆ Herba; *Conserva, Syrupus,* ▽.
QVAL. substyptica. *Trita.*

VIS: subadstringens, vulneraria, tonica, pectoralis.
VSVS: Cachexia, Asthma, Tussis.

COMP.

81. VERONICA *Beccabunga* racemis lateralibus, foliis ovatis planis, caule repente. *Fl. suec.* 14. *Sp. pl.* 16. *Fl. dan.* t. 511.

Anagallis aquatica major (et minor), folio subrotundo. *Baub. pin.* 252.

LOC. Europæ scaturigines. *Perennis, frequens.*

PHARM. BECCABUNGAE Herba, *Conserva, Aqua.*

QVAL. subinsipida, inodora, oleracea. *Rarior, superflua.*
VIS: diuretica? discutiens?

VSVS: Scorbatus,

COMP.

GRATIOLA.

82. GRATIOLA *officinalis* floribus pedunculatis, foliis lanceolatis ferratis. *Sp. pl.* 24. *Fl. dan.* t. 363.

Gratiola centauroides. *Baub. pin.* 279.

LOC. Europa australior. *Perennis, palustris, mansueta.*

PHARM. GRATIOLÆ Herba 3j.

QVAL. amara, nauseosa. *Eximia, cauta.*

VIS: purgans, vomitoria, emmenagogue, anthelmintica.

VSVS: Dysenteria, Hydrops.

COMP. Enemata.

VER-

VERBENA.

83. VERBENA *officinalis* tetrandra, spicis filiformibus paniculatis, foliis multifido-laciniatis, caule solitario. *Hort. cliff.* II. *Fl. suec.* 30. *Sp. pl.* 29. *Fl. dan.* t. 628.

Verbena communis flore cæruleo, *Baub. pin.* 269.

LOC. Europa australior, Scania. *Annua, cicur.*

PHARM. VERBENAE Herba, ∇ .

QVAL. subinsipida, inodora. *Dubia, exoleta.*

VIS: adstringens, vulneraria,

VSVS: Ophthalmia? Magia?

COMP.

MONARDA.

84. MONARDA *fistulosa* capitulis terminalibus, caule obtusangulo, *Sp. pl.* 32.

Monarda mollis. *Amoen. acad.* 3. p. 399.

LOC. Canada. *Perennis, cicur.*

PHARM. MONARDAE Herba.

QVAL. spirans, amara. *Inositata, eximia.*

VIS: resolvens, nervina, tonica.

VSVS: Febres intermittentes!

COMP.

ROSMARINVS.

85. ROSMARINVS *officinalis*. *Hort. cliff.* 14. *Hort. upf.* II. *Sp. pl.* 33.

Rosmarinus hortensis angustiore, et spontaneus latiore folio. *Baub. pin.* 217.

LOC. Gallia narbonensis, Hispania, *Frutex, mansuetus.*

PHARM. RORIS MARINI HISPANICI f. HORTENSIS Herba, ∇ , $\circ\circ$, Semina.

ANTHOS Flores, *Conserva, \square (aqua Reg. Hung.)*

QVAL. spirans, calida. *Vfitata, heroica.*

VIS: excitans, nervina, tonica, cephalica, stomachica, resolvens, emmenagogia.

VSVS: Syncope, Asthma, Hysteria, Chlorosis, Apoplexia, Tertiana.

COMP. Mel anthosatum,

SALVIA.

§6. SALVIA *officinalis* foliis lanceolato-ovatis integris crenulatis, floribus spicatis, calycibus acutis.
Hort. cliff. 12. Hort. upf. 10. Sp. pl. 34.

Salvia major. *Baub. pin. 237.*

LOC. Italia, Narbona. *Perennis, olitoria, cicur.*

PHARM. SALVIAE Herba, ∇ , \sqcup , $\circ\circ$, Fl. Sem.

QVAL. spirans, amaricans. *Frequens, præstans.*

VIS: adstringens, tonica, nervina, stomachica, uterina.

VSVS: Timor, Languor, Leucorrhœa, Senectus.

COMP. $\ddot{\oplus}$ sternutatorius viridis.

§7. SALVIA *Horminum* foliis obtusis crenatis, bracteis summis sterilibus majoribus coloratis. *Virid. cliff. 4. Sp. pl. 34.*

Horminum sativum. *Baub. pin. 238.*

LOC. Apulia, Græcia. *Perennis, cicur.*

PHARM. HORMINI Semina.

QVAL. spirans, amaricans, mucilaginosa.

VIS: inviscans.

VSVS: Ophthalmia.

COMP.

§8. SALVIA *Sclarea* foliis rugosis cordatis oblongis villosis ferratis: bracteis coloratis calyce longioribus concavis acuminatis. *Hort. upf. 10.*

Horminum sclarea dictum. *Baub. pin. 208.*

LOC. Syria, Italia. *Biennis, olitoria, mansueta.*

PHARM.

PHARM. SCLAREAE (GALLITRICHI) Herba.
 QVAL. spirans. *Rarior.*
 VIS: fortior Salvia officinali, stimulans, exhilarans,
 sternutatoria, resolvens.
 VSVS: Leucorrhœa, Hysteria, Colica.
 COMP.

COLLINSONIA.

89. COLLINSONIA *canadensis*. *Hort. cliff.* 14. t. 5.
Sp. pl. 39. *Schœpf. mat. med.* 7.
 LOC. Virginia, Canada. *Perennis, mansueta.*
 PHARM. COLLINSONIAE Radix.
 QVAL. nidorosa,
 VIS:
 VSVS: Colica lochialis.
 COMP.

TRIGYNIA.

PIPER.

90. PIPER *nigrum* foliis ovatis subseptinerviis glabris,
 petiolis simplicissimis. *Fl. zeyl.* 26. *Sp. pl.* 40.
 Malago - Codi. *Rheed. mal.* 7. p. 23. t. 12.
 LOC. India orientalis. *Frutex, peregrinus.*
 PHARM: PIPERIS NIGRI Fructus, \textcircled{O} , \textcircled{O} .
 ALBI Fructus.
 QVAL. acris, aromatica, fervida. *Culinaris.*
 VIS: calefaciens, stimulans, stomachica, singultu-
 fa, sternutatoria, aphrodisiaca, exanthematica.
 VSVS: Tertiana, Odontalgia, Prolapsus uvulae, Pe-
 diculi.
 COMP. Andromach. Mithridat. Diaphœnic. *El.* bacc.
 lauri.

91. PIPER *longum* foliis cordatis petiolatis sessilibus-
que. *Fl. zeyl.* 30. *Sp. pl.* 41.

Cattu - Tirpali. *Rheed. mal.* 7. *p. 27. t. 14.*

LOC. India orientalis. *Frutex, peregrinus.*

PHARM. PIPERIS LONGI Fructus.

QVAL. acris, aromatica, fervida.

VIS: calefaciens, stimulans, stomachica, singultuosa.

VSVS: Tertiana, Flatulentia.

COMP.

92. PIPER *Cubeba* foliis oblique ovatis oblongisve
venosis acutis, spica solitaria pedunculata oppo-
sitifolia, fructibus pedicellatis. *Suppl. pl. 90.*
Syst. veg. 14. *p. 74.*

Cubebe vulgaris. *Baub. pin.* 412.

Barbara.

LOC. Java.

PHARM. CVBEBAE Fructus, ^{oo}.

QVAL. acris, aromatica, fervida.

VIS: stimulans, calefaciens, carminativa, sialagogia.

VSVS: Vertigo, Morofis.

COMP.



CLASSIS III.

TRIANDRIA.

MONOGYNIA.

VALERIANA.

93. VALERIANA *officinalis* floribus triandris, foliis omnibus pinnatis. *Fl. suec.* 34. *Sp. pl.* 45. *Fl. dan.* t. 570.

Valeriana sylvestris major. *Baub. pin.* 164.

LOC. Europæ prata paludosa. *Perennis, vulgaris.*

PHARM. VALERIANÆ SYLVESTRIS (MILNORIS) Radix 3ij.

QVAL. hircoso-felina, amaricans. *Præstans.*

VIS: narcotica, antispasmodica, sudorifera, diuretica, purgans, [emmenagogue, anthelmintica.]

VSVS: Epilepsia, Convulsiones, Hysteria, [Hemicrania, Visus hebetudo,] Hæmoptysis, Vlcus.

COMP.

94. VALERIANA *Phu* floribus triandris, foliis caulinis pinnatis, radicalibus indivisis. *Hort. upf.* 13. *Sp. pl.* 45.

Valeriana hortensis. *Baub. pin.* 164.

LOC. Alfatia, [Russia.] *Perennis, cicur.*

PHARM. PHV (VALERIANÆ MAJORIS) Radix, Herba.

QVAL. antecedentis. *Exoleta.*

VIS: antecedentis, vulneraria.

VSVS: antecedentis.

COMP. Andromach. Mithridatum.

95. VALERIANA *celtica* floribus triandris, foliis ovato-oblongis obtusis integerrimis. *Sp. pl.* 46.

Nardus celtica dioscoridis. *Baub. pin.* 165.

LOC.

- LOC. Helvetiæ, Carinthiæ, Styriæ, Liguriæ, Genuæ Alpes. *Perennis, peregrina.*
 PHARM. SPICAE CELTICAE Radix, Flores.
 QVAL. fragrans, acris, aromatica (plantæ fere emarginatae). *Rarior.*
 VIS: antispasmodica, diuretica, anthelmintica.
 VSVS:
 COMP. Andromach. Mithridat. *Empl.* Meliloti.

TAMARINDVS.

96. TAMARINDVS *indica*. Rumph. amb. 2. p. 90.
 t. 23. Hort. cliff. 18. Sp. pl. 48. Jacq. amer. 10.
 Balam-pulli. Rheed. mal. 1. p. 39. t. 23.
 LOC. India utraque, Aegyptus, Arabia. *Arbor, fera.*
 PHARM. TAMARINDI Fructus, Pulpa ȝij.
 QVAL. acida, subnauseosa. *Eximia.*
 VIS: eccoprotica, refrigerans.
 VSVS: Febres phlogisticæ, putridæ, [Diarrhoea, Dysenteria, Icterus.]
 COMP. Elekt. cathol. Elekt. lenitiv: Conf. hamech.

CROCVS.

97. CROCUS *sativus: officinalis* spatha univalvi radi-
 cali, corollæ tubo longissimo. Sp. pl. 50.
 Crocus sativus. Bauh. pin. 65. Crocus alpinus au-
 tumnalis. C. B.
 LOC. Helvetiæ, Pyrenæorum, Lusitaniæ, Thraciæ
 Alpes. *Perennis, cicur.*
 PHARM. CROCI ORIENTALIS (Stigma) ȝij.
 BRITANNICI (Stigma) pulvis ȝȝ,
 Tinct. ȝij, Extractum gr. XV.
 QVAL. fragrans, subaromatica, luteo-tinctoria.
Culinaris, beroica.
 VIS: anodyna, antispasmodica, hypnotica, exhilarans,
 resolvens, uterina, pellens, emmenagogia,
 exanthematica, urinaria, lactaria.
 VSVS:

VSVS: Colica lochialis, Vomitus, Tussis, Dysenteria, Dysuria, Dysmenorrhœa. Dyslochia, Asthma, Icterus, Contusura, Ophthalmia.

COMP. Andromach. Mithridat. Philon. Benedict. Orvietan. Hiera. Confect. hyacinth; ♂ Comitiss. Troch. Carabe; Laudan; Elix. propriet; Pil. ammon; Pil. rufi: Pil. cynogloss; ♂ Scorp. mag. Vng. aureum. Empl. Oxycroc. Empl. melilot. Empl. galban. Empl. diachyl. compos.

IRIS.

98. IRIS *florentina* corollis barbatis, caule foliis altiore subbitoro, floribus sessilibus. Sp. pl. 55. Mill. ic. 154. [Thunb. diff. 4. 9.]

Iris alba florentina. Baub. pin. 31.

LOC. Italia. Perennis, mansueta,

PHARM. IREOS FLORENTINAE Radix.

QVAL. fragrans, acriuscula, amaricans. Frequens.

VIS: incidens, expectorans, errhina, eccoprotica.

VSVS: Tussis, Hydrops. [Tormina infant.]

COMP. Andromach. Species Dialreos. Troch. becchici. ♂ sternutorius. Vngu. pomatum.

99. IRIS *germanica* corollis barbatis, caule foliis altiore multifloro, floribus inferioribus pedunculatis. Hort. cliff. 18. Hort. upf. 16. Sp. pl. 55. [Thunb. diff. 11.]

Iris vulgaris germanica f. sylvestris. Baub. pin. 30.

LOC. Germaniae, Galliae clivosa. Cicur.

PHARM. IREOS NOSTRATIS Radix, Fæculæ.

QVAL. acris. Heroica.

VIS: diuretica! hydragoga, subemetica, emenagoga, errhina.

VSVS: Hydrops! Oedema.

COMP.

100. IRIS *Pseudo-Acorus* corollis inberibus, petalis interioribus stigmate minoribus, foliis ensiformibus. *Fl. suec.* 37. *Sp. pl.* 57. *Fl. dan.* 494.

Acorus adulterinus. *Baub. pin.* 34.

LOC. Europæ paludes. *Perennis, vulgatissima.*

PHARM. ACORI PALVSTRIS Radix.

QVAL. insipida, substyptica. *Rarior.*

VIS: adstringens.

VSVS: Stomacace.

COMP. *Elect.* Diacori.

101. IRIS *foetidissima* corollis imberibus: petalis interioribus patentissimis, caule uniangulato, foliis ensiformibus. *Sp. pl.* 57. *Huds. angl.* 14.

Gladiolus foetidus. *Baub. pin.* 30.

LOC. Gallia, Anglia, Italia. *Perennis.*

PHARM. XYRIDIS f. SPATHVLAE FOETIDÆ Radix.

QVAL. tetra, foetida, acris. *Exoleta.*

VIS: narcotica, antispasmodica, purgans, pellens.

VSVS: Hysteria, Scrophula.

COMP.

102. IRIS *tuberosa* corollis imberibus, foliis tetragonis. *Vir. cliff.* 6? *Sp. pl.* 58.

Colchicum radice siccata alba. *Baub. pin.* 69.

LOC. Syria, Arabia. *Perennis, mansueta.*

PHARM. HERMODACTYLI Radix 3ij.

QVAL. inodora, dulcescens, acris. *Dubia.*

VIS: purgans, mundificans.

VSVS: Rheumatismus, Amaurosis.

COMP. Benedict. ♂ Artheticus, *Extr. panchymagog.* CYPE-

120. Rad. HERMODACTYLI. Magnus olim Botanicus Tournefort, qui plagas orientales ipsem peragravit, hujus matrem esse *Iridem tuberosam*; sed recentiores, ut Millerus et alii, volunt esse *Colchicum illyricum*, idem confirmante Forstskohlio, [Conf. Spielm. mat. med. p. 635.]

CYPERVS.

103. CYPERVS *longus* culmo triquetro folioso, umbella foliosa supradecomposita, pedunculis nudis, spicis alternis. *Roy. lugdb.* 50. *Sp. pl.* 67.

Cyperus odoratus, radice longa s. Cyperus officinarum. *Bauh. pin.* 14. *Scheuch. bist.* 378. *Moris. bist.* 3. p. 237. f. 8. t. 12. f. 13.

LOC. Galliae, Italiæ paludes. *Perennis, mansueta.*

PHARM. CYPERI LONGI Radix.

QUAL. fragrans, amaricans, calida. *Exoleta.*

VIS: diuretica, emmenagogia.

VSVS: Vlceræ uteri, vesicæ, oris.

COMP.

104. CYPERVS *rotundus* culmo triquetro subnudo, umbella decomposita, spicis alternis linearibus. *Fl. zeyl.* 36. *Sp. pl.* 67.

Cyperus orientalis major. *Bauh. pin.* 13. *theatr.* 208.

Moris. bist. 3. p. 236. t. II. f. 2.

LOC. Aegyptus, Syria. *Perennis, peregrina.*

PHARM. CYPERI ROTUNDI Radix.

QUAL. fragrans, amaricans, calida. *Exoleta, superflua.*

VIS: antecedentis, debilior.

VSVS:

COMP. *Troch. capparidis; Empl. meliloti.*

DIGYNIA.

SACCHARVM.

105. SACCHARVM officinarum floribus paniculatis, foliis planis. *Hort. cliff.* 26. *Hort. upf.* 19. *Sp. pl.* 79. Arundo saccharifera. *Bauh. pin.* 18. *Sloan. jam.* I. p. 108. t. 66. *Rumph. amb.* 5. p. 186. t. 74. f. 1.

LOC.

104. CYPERVS *rotundus* si idem cum Cypero orientali, radice olivari, spicis longis e spadiceo purpurascensibus. *Scheuch. gram.* 391. tum certe synomymos est Cyperus. *Fl. zeyl.* 36.

LOC. Indiæ utriusque inundata. *Perennis, fera.*

PHARM. SACCHARVM *Canariense, candidum,*
album, rubrum, Farinaceum, album, griseum,
Penidium, Perlatum, Rubrum. Syrupus.

QVAL. dulcissima, inodora, mitissima. *Culinaris,*
usitatissima.

VIS: edulcorans, relaxans, calefaciens, expectorans,
 vulneraria, antiseptica, nutriendis.

VSVS: [Raucedo, Tussis, Pannus.]

COMP. *Omnes Confectiones, Condita, Conservæ,*
Syrupi.

PHALARIS.

106. PHALARIS *canariensis* panicula subovata spiciformi, glumis carinatis. *Hort. upf. 19. Sp. pl. 79.*
Schreb. gram. 1. p. 83. t. 10. f. 2.

Phalaris major, semine albo. *Baub. pin. 28. Morif.*
bifl. 3. p. 186. f. 8. t. 3. f. 1.

LOC. Canariæ, Hetruria, Hispania. *Annua, cicur.*

PHARM. CANARIENSE Semen.

QVAL. farinacea. *Superflua.*

VIS: nutriendis.

VSVS: Aviculis.

COMP.

PANICVM.

107. PANICVM *miliaceum* panicula laxa flaccida,
 foliorum vaginis hirtis, glumis mucronatis nervosis. *Hort. cliff. 27. Hort. upf. 20. Sp. pl. 86.*

Milium semine luteo et albo. *Baub. pin. 26. theatr. 502.*

LOC. India. *Annuum, cicur.*

PHARM. MILII Semina.

QVAL. farinacea, insipida. *Culinaris, superflua.*

VIS: nutriendis, flatulenta.

VSVS:

COMP.

AVENA.

108. AVENA *sativa* paniculata, calycibus dispermis, feminibus lœvibus. *Hort. cliff.* 25. *Hort. upf.* 20. *Sp. pl.* 118.

Avena nigra et alba. *Baub. pin.* 23. *theatr.* 469.

LOC. Asia. *Annua, cerealis, frequentissima.*

PHARM. AVENA excorticata.

QVAL. farinacea, insipida. *Vositatissima.*

VIS: refrigerans magis quam Hordeum.

VSVS: Febres.

COMP.

HORDEVM.

109. HORDEVM *distichum* flosculis lateralibus masculis muticis, feminibus angularibus imbricatis.

Hort. upf. 23. *Sp. pl.* 125.

Hordeum distichum. *Baub. pin.* 23. *theatr.* 440.

LOC. *Annuum, cereale, vulgare.*

PHARM. HORDEVM mundatum, excorticatum, perlatum. *Acetum vulgare,* \square , (destillatum).

Cerevisia antiqua, gedanensis (Pryssing.)

QVAL. farinacea, insipida. *Culinaris.*

VIS: nutriens, refrigerans. *Aceti resolvens, refrigerantissima.*

VSVS: + Inflammatio, *Cerevis.* Contusura.

COMP. *Loboc hordeatum. Syrupus acetofus.*

TRITICVM.

110. TRITICVM *hybernium* calycibus quadrifloris ventricosis lœvibus imbricatis submuticis. *Hort. upf.* 21. *Sp. pl.* 126.

Triticum hybernium, aristis carens. *Baub. pin.* 21. *theatr.* 352.

LOC. *Annuum, cereale, frequentissimum.*

PHARM. AMYLVUM, *Pulvis Cyprius.*

QVAL. farinacea, insipida.

VIS: nutriens, acefscens, mucilaginosa.

VSVS: externus.

COMP.

III. TRITICVM *repens* radice repente, foliis planis. *Fl. suec.* 114. *Sp. pl.* 128. *Schreb. gram.* 2. *p.* 24. *t.* 26. *Fl. dan.* *t.* 748.

Gramen caninum repens vulgatius. *Morif.* *bist.* 13. *p.* 118. *f.* 8. *t.* 1. *f.* 8.

LOC. Europæ nostræ ruderata. *Perenne, vulgatissimum.*

PHARM. GRAMINIS Radix, ▽.

QVAL. dulcescens, inodora. *Vfitata.*

VIS: nutriens, aperiens, diuretica, mundificans, anthelminthica.

VSVS: Sterilitas, Obstructio viscerum.

COMP. Radices aperientes minores.

CLAS.

III. Radix GRAMINIS apud nos ubique desumitur a *Triticó repente*; at in Italia ex *Panico dall'yle*, teste Segniero.

CLASSIS IV.

TETRANDRIA.

MONOGYNIA.

SCABIOSA.

112. SCABIOSA *Succisa* corollulis quadrifidis æquilibus, caule simplici, ramis approximatis, foliis lanceolato-ovatis. *Fl. suec.* 119. *Sp. pl.* 142. *Fl. dan.* t. 279.

Succisa glabra. *Baub. pin.* 269.

LOC. Europæ prata humidiuscula. *Perennis, vulgariss.*

PHARM. MORSVS DIABOLI Radix, Herba.

QVAL. rad. dulcis, subamara. *Rarior, superflua.*

VIS: subadstringens.

VSVS: Angina.

COMP.

113. SCABIOSA *arvensis* corollulis quadrifidis radian-tibus, foliis pinnatifidis incisis, caule hispido. *Fl. suec.* 117. *Sp. pl.* 145. *Fl. dan.* t. 447.

Scabiosa pratensis hirsuta. *Baub. pin.* 269.

LOC. Europæ prata, agri. *Perennis, vulgaris.*

PHARM. SCABIOSAE Radix, Herba, ∇ , Syrup. *Fl.*

QVAL. debilis. *Vfitata.*

VIS: raa. diluens, alexiteria, beccchica, exanthematica.

VSVS: Scabies?

COMP.

HEDYOTIS.

114. HEDYOTIS *Auricularia* foliis lanceolato-ovatis, floribus verticillatis. *Fl. zeyl.* 64. * *Sp. pl.* 147.

D 3

Vale-

114. *Auricularia* hæc, quæ a Daleo pharm. 160. tamquam specifi-cum extollitur in furditate, nondum introducta est in offici-nas pharmaceuticas, cum ignorarint pharmacopœi plantam, quam Marlovius adhibere solitus erat.

- Valerianella palustris, foliis nervosis oblongis, *Burm.*
zeyl. 227. *t.* 108. *f. 1.*
- LOC. Zeylona. *Frutex, peregrinus.*
- PHARM. AVRICVLARIAE Herba,
- QVAL. fragrans. *Ignota.*
- VIS:
- VSVS: Cophofis.
- COMP.

ASPERVLA.

115. ASPERVLA *odorata* foliis octonis lanceolatis,
 florum fasciculis pedunculatis. *Fl. suec.* 121. *Sp.*
pl. 150. *Fl. dan.* *t.* 562.
- Asperula f. Rubeola montana odorata. *Baub. pin.* 334.
- LOC. Europæ sylvæ umbrosæ. *Perennis, frequens.*
- PHARM. MATRISYLVÆ Herba:
- QVAL. ambrofiaca. *Rarior.*
- VIS: diluens, diuretica, exanthematica.
- VSVS: Exanthemata, Scabies, Icterus.
- COMP.

GALIVM.

116. GALIVM *verum* foliis octonis linearibus fulcatis,
 ramis floriferis brevibus. *Flor. suec.* 123. *Sp. pl.* 155.
- Gallium luteum. *Baub. pin.* 335.
- LOC. Europæ prata. *Perennis, vulgatissima.*
- PHARM. GALLII LVTEI Herba (Coma potius).
- QVAL. fragrans. *Rarior.*
- VIS: coagulans lac.
- VSVS: Hysteria *Juf.* Epilepsia, Hæmaturia.
- COMP.

RVBIA.

117. RVBIA *tinctorum* foliis annuis, caule aculeato.
Hort. cliff. 35. *Hort. upf.* 23. *Sp. pl.* 158. *Mant.* 330.
- Rubia tinctorum sativa. *Baub. pin.* 33.
- LOC.

LOC. Monspelii, Danubii prata. *Perennis, mansueta.*

PHARM. RVBIAE TINCTORVM Radix, *Tinctura.*

QVAL. styptica, rubra. *Rarior.*

VIS: adstringens, pellens, diuretica, tinctoria, urinam et ossa tingens.

VSVS: Contufura, [Rachitis.]

COMP. *Radices V aperientes minores, Vngu. potabile.*

PENAEA.

118. PENAEA *mucronata* foliis cordatis acuminatis.
Sp. pl. 162.

Tithymali myrsinitis specie arbuscula æthiopica, folio parvo e lata basi in acutissimum mucronem subito desinente. Pluk. mant. 183.

LOC. Aethiopia. *Frutex, peregrinus.*

PHARM. SARCOCOLLAE Gummi.

QVAL. Gummi - resina, rufescens, friabilis, subdulcis, amaricans, acris, inodora. *Rarior.*

VIS: vulneraria, purgans, noxia.

VSVS: Vulnera, Ophthalmia.

COMP. *Empl. Opodeltoch.*

PLANTAGO.

119. PLANTAGO *major* foliis ovatis glabris, scapotereti, spica flosculis imbricatis. Hort. cliff. 36.

Fl. suec. 129. Sp. pl. 163. Fl. dan. t. 461.

Plantago latifolia major. Baub. pin. 189.

LOC. Europa. *Perennis, vulgatissima.*

PHARM. PLANTAGINIS LATIFOLIAE Radix, Herba, ∇ , Semina.

QVAL. insipida, herbacea, substyptica. *Rarior.*

VIS: adstringens, vulneraria.

VSVS: Vlceræ, Diarrhœa, [Tertiana.]

COMP. Gargarismata.

D 4

120. PLAN-

119. [PLANTAGO *major*, *media* et *lanceolata* sibi invicem absque discrimine substitui possunt. Ph. paris. 94.]

120. PLANTAGO *Psyllium* caule ramoso herbaceo,
foliis subdentatis recurvatis, capitulis aphyllis.
Hort. upf. 28. *Sp. pl.* 167.
Psyllium majus erectum. *Baub. pin.* 191.
LOC. Europæ australis agri arenosi. *Annua, cicur.*
PHARM. PSYLLII Semina, *Mucilago.*
QUAL. mucilaginosa. *Rarior.*
VIS: inviscans, lubricans, refrigerans, consolidans,
emolliens?
VSVS: Ophthalmia, Dysenteria, Raucitas,
COMP. Gargarismata, Clysmata,

SANGVISORBA.

121. SANGVISORBA *officinalis* spicis ovatis. *Hort.*
cliff. 39. *Fl. suec.* 37. *Sp. pl.* 169. *Fl. dan.* t. 97.
Pimpinella sanguisorba major. *Baub. pin.* 160.
LOC. Europæ australioris, prata. *Perennis, cicur.*
PHARM. PIMPINELLÆ ITALICÆ Radix, (*non*
Herba, non Semina).
QUAL. styptica. *Exoleta, superflua.*
VIS: adstringens, tonica,
VSVS: Hæmorrhagia, Dysenteria, Hydrophobia
Palmar.
COMP.

FAGARA.

122. FAGARA *Pterota* foliolis emarginatis. *Sp. pl.* 172.
Lauro adfinis, jasmini folio alato, ligni duritie fer-
ro vix cedens. *Sloan. hist.* 2. t. 162. f. 1.
LOC. Philippinarum, Iamaicæ campestria,
Arbor, peregrina.
PHARM. FAGARAE Baccæ.
QUAL. acriscula, aromatica, bifida, cava.
Exoleta, superflua.
VIS:

120. [PSYLLII sem. e Plantag. Cynope colligenda esse Berg.]

VIS: calefaciens, exsiccans, stomachica.

VSVS: Anorexia.

COMP. Compositiones Arabum.

TRAPA.

123. TRAPA *natans*. Fl. suec. 140. Sp. pl. 175.

Tribulus aquaticus. Baub. pin. 194. Cam. epit. 715.

LOC. Europæ australis aquæ limosæ. Infrequens.

PHARM. AQUATICAЕ NVCIS (Fructus).

QVAL. dulcis, farinosa. Exoleta, superflua.

VIS: nutritius, adstringens, obstopans.

VSVS: Pleuritis.

COMP. Vngu. agripp.

DORSTENIA.

124. DORSTENIA *Contrajervæ* scapis radicatis, foliis pinnatifido-palmatis ferratis, receptaculis quadrangulis. Sp. pl. 176.

Drakena radix. Clus. exot. 83.

LOC. Peru, Mexico, Vera crux, Inf. Vincentii.

Perennis, peregrina.

PHARM. CONTRAJERVAE Radix.

QVAL. aromaticæ, subfragrans, amaricants.

Vsitata, præstans.

VIS: adstringens, stomachica, alexiteria, sudorifera.

VSVS: Febres omnes, Exanthemata, Dysenteria.

COMP. ♂ Comitissæ.

SANTALVM.

125. SANTALVM *album*. Sp. pl. 497. Rumph. amb. 2.
p. 42. t. II.

D 5

San.

124. Contrajervæ radicem esse speciem PASSIFLORAЕ Heruan-dus, COMMELINAE Bantius, KAEMPFERIAЕ Camellus, ARISTOLOCHIAЕ Sloaneus statueront, ut DORSTENIAЕ Houstonus; sed nuper PSORALEAM pentaphyllum pro genuina Contrayervæ albæ Cl. Bernh. Gussæ, habui [Contrayer-væ nomine Dorstenæ tam supra dillæ, quam Drakenæ radicem venire, Houstoni, autoptæ, narratione constat.]

58 TETRANDRIA. MONOGYNIA.

Santalum verum. *Breyn. icon. 94. t. 5. f. 1.*

LOC. India, Siam, Timor, Solor. *Arbor, peregrina.*

PHARM. SANTALI CITRINI Lignum.

ALBI Lignum.

QVAL. fragrans, subambrosiaca, amaricans.

Exoleta, dubia, superflua.

VIS: subvenenata, synochizans, tonica, sudorifera.

VSVS: Destillationes.

COMP. *Confect.* Alkermes. *Pulv.* abort.

CAMPHOROSMA.

126. CAMPHOROSMA *monspeliaca* foliis hirsutis linearibus. *Sp. pl. 178.*

Camphorata hirsuta. *Baub. pin. 436. Buxb. cent. 1. p. 18. t. 28. f. 1.*

LOC. Europa australis, Tataria. *Annua.*

PHARM. CAMPHORATAE Herba.

QVAL. subaromatica. *Inusitata.*

VIS: nervina, diuretica, sudorifera, resolvens, vulneraria, cephalica.

VSVS: Hydrops, Hysteria, Coryza, Leucorrhœa, Asthma! Rheumatismus!

COMP.

ALCHEMILLA.

127. ALCHEMILLA *vulgaris* foliis lobatis. *Fl. suec.*

141. *Sp. pl. 178. Fl. dan. t. 693.*

Alchimilla vulgaris. *Baub. pin. 319.*

LOC. Europæ pascua sicciora. *Perennis, vulgatissima.*

PHARM. ALCHIMILLÆ Radix, Herba, *Aqua.*

QVAL. styptica, inodora. *Rarior.*

VIS: vulneraria, sophisticans.

VSVS: Dysenteria,

COMP.

DIGY-

DIGYNIA.

CVSCVTA.

128. CVSCVTA *europaea* floribus sessilibus. *Fl. suec.*

144. *Sp. pl.* 180. *Fl. dan.* t. 199.

Cuscuta major. *Baub. pin.* 219.

LOC. Europæ nostratis Linum, Humulus, Vrtica,
Cannabis, *Annua, vulgaris.*

PHARM. CVSCVTAE Herba.

QVAL. amaricants, acriuscula, inodora. *Dubia.*

VIS: laxans, [stimulans, incidens, aperiens.]

VSVS: Febres intermittentes. [Obstructiones visc.]

COMP.

129. CVSCVTA *Epithymum* floribus sessilibus quinquefidis, bracteis obvallatis. *Syst. veg.* 167. *Læfl. it.* 216. *Fl. dan.* t. 427.

Epithymum L. Cuscuta minor. *Baub. pin.* 219.

LOC. Europæ australis Thymus. *Annua, mansueta.*

PHARM. EPITHYMI Herba.

QVAL. odor et sapor fere Thymi, sed debilior.

VIS: præcedentis, *Dubia.*

VSVS:

COMP. *Conf.* hamech.

TETRAGYNIA.

ILEX.

130. ILEX *Caffeinae* foliis ovato-lanceolatis ferratis.
Hort. cliff. 40. *Sp. pl.* 181.

Aquifolium carolinense foliis dentatis, baccis rubris. *Catesb. car.* 1. p. 31. t. 31.

LOC. Carolina, Virginia. *Arbor, mansueta.*

PHARM. CASSINAE Folia.

QVAL. subaromatica, inodora. *Inusitata.*

VIS: oxpectorans.

VSVS: Variola!

COMP.

CLAS-



CLASSIS. V.

PENTANDRIA.

MONOGYNIA.

LITHOSPERMVM.

131. LITHOSPERMVM *officinale* semenibus lœvibus,
corollis vix calycem superantibus, foliis lanceo-
latis. *Roy. lugd. 405. Fl. suec. 159. Sp. pl. 189.*
Lithospermum majus erectum. *Baub. pin. 258.*
LOC. Europa australior. *Perennis, cicur.*
PHARM. LITHOSPERMI Semina.
QUAL. insipida, inodora, ossea. *Exoleta, superflua.*
VIS: absorbens, adstringens, diuretica?
VSVS:
COMP. Benedicta, laxativa.

ANCHVSA.

132. ANCHVSA *officinalis* foliis lanceolatis, spicis
imbricatis secundis. *Flor. suec. 161. Sp. pl. 191.*
Fl. dan. t. 572.
Buglossum angustifolium majus. *Baub. pin. 256.*
LOC. Europæ prata et ruderata. *Perennis, frequens.*
PHARM. BUGLOSSI Radix, Herba, Syrupus, Aqua,
Flores, Conserva.
QUAL. mucilaginosa, oleracea. *Superflua.*
VIS: cordialis? exhilarans?
VSVS: Melancholia? Hypochondriasis?
COMP. Flores IV cordiales. *Aquæ IV cordiales.*

133. ANCHVSA *tinctoria* tomentosa, foliis lanceolatis
obtusis, staminibus corolla brevioribus. *Sp. pl. 192.*
Anchusa puniceis floribus. *Baub. pin. 255.*
LOC. Languedocia. *Perennis, peregrina.*
PHARM.

PHARM: ALCANNAE (SPVRIAE) Radix.

QUAL. rubra. *Vositata.*

VIS: tinctoria.

VSVS:

COMP. Tincluræ rubræ. *Vngu.* rubr. potabile. *Spirit.* Sal. arm. rubr.

CYNOGLOSSVM.

134. CYNOGLOSSVM *officinale* flaminibus corolla brevioribus, foliis lato-lanceolatis tomentosis sessilibus. *Fl. suec.* 162. *Sp. pl.* 192.Cynoglossum majus vulgare. *Baub. pin.* 257.LOC. Europæ ruderata. *Biennis, vulgarissima.*

PHARM. CYNOGLOSSÆ Radix, Herba.

QUAL. mucilaginosa, graveolens. *Dubia.*

VIS: adstringens, subnarcotica, phthiriaca.

VSVS: Tussis, Coryza.

COMP. *Pilulæ Cynoglossæ gr. V.*

PVLMONARIA.

135. PVLMONARIA *officinalis* foliis radicalibus ovato-cordatis scabris. *Fl. suec.* 163. *Sp. pl.* 194. *Fl. dan. t. 483.*Symphytum maculosum f. Pulmonaria latifolia. *Baub. pin.* 259.LOC. Europæ radices montium. *Perennis, vulgaris.*

PHARM. PVLMONARIAE MACULOSÆ Herba.

QUAL. mucilaginosa, oleracea. *Dubia, superflua.*

VIS: glutinans, vulneraria, beccchica.

VSVS: Hæmoptysis?

COMP.

SYM.

133. [Alcannæ loco etiam adhiberi potest Anchusæ luteæ rad. quam Onosma echioïdes præbet.]

135. Pulmonaria non maculoso folio C. B. cum maculosa convenit specie et viribus, licet maculis destituatur. *Fl. suec.*

SYMPHYTVM.

136. SYMPHYTVM *officinale* foliis ovato-lanceolatis decurrentibus. *Hort. cliff.* 47. *Fl. suec.* 156. *Sp. pl.* 195. *Fl. dan.* t. 664.
Symphytum Consolida major. *Baub. pin.* 259.
LOC. Europa australior. *Perennis, frequens.*
PHARM. CONSOLIDAE MAJORIS Radix,
Conserua, Herba, Flores.
QVAL. mucilaginosa. *Vsitata*, Hb. Fl. *superflua*.
VIS: inviscans, glutinans, vulneraria, adstringens.
VSVS: Hæmoptysis! Diarrhœa, Dysenteria, Hæmaturia, Stranguria.
COMP. *Syrupus symphyti*, *Empl.* fractur. *Empl.* ruptur; *Empl.* opodelt.

BORAGO.

137. BORAGO *officinalis* foliis omnibus alternis, calyibus patentibus. *Hort. upf.* 34. *Sp. pl.* 197.
Buglossum latifolium, *Borrago*. *Baub. pin.* 236.
LOC. Normannia. *Annua, cicur.*
PHARM. BORRAGINIS Herba, *Syrupus*, ∇ , Flores, *Conserua*.
QVAL. oleracea. *Dubia, superflua*.
VIS: cordialis? exhilarans?
VSVS: Melancholia?
COMP. *Flores IV* cordiales. *Aqua IV* cordiales.

PRIMVLA.

138. PRIMVLA *veris: officinalis* foliis denticulatis rugosis, limbo corollarum concavo. *Fl. suec.* 171. *Sp. pl.* 204. *Fl. dan.* t. 433.
Verbasculum pratense odoratum. *Baub. pin.* 241.
LOC. Europæ prata. *Perennis, vulgatissima*.
PHARM. PRIMVLAE VERIS Radix, Herba, Flores (Corollæ), *Conserva*, ∇ .

QVAL.

QVAL. fragrans, oleracea. *Frequens*, Hb. *superflua*.
VIS: narcotica, exhilarans, anodyna, nervina. *Rd.*
sternutatoria.

VSVS: Vertigo *Flor.* Paralysis? Epilepsia? Cephal-
algia, Odontalgia *Rd.*

COMP.

CYCLAMEN.

139. CYCLAMEN *europaeum* corolla retroflexa.

Hort. upf. 47. *Sp. pl.* 207. *Jacq. austr.* t. 401.

Cyclamen hederæ folio. *Baub. pin.* 303. *Cam. epit.* 35.
LOC. Pannoniæ, Austriæ umbrosa nemorosa.

Perenne, mansuetum.

PHARM. CYCLAMINIS Radix ʒj.

QVAL. mucilaginosa, tum acris, fervida, (*affata*
esculenta,) amaricans. *Rarior.*

VIS: purgans, draistica, emmenagogia. *Externe re-*
solvens, anthelmintica.

VSVS: Scirrhous.

COMP. *Vngu.* Arthanitæ.

MENYANTHES.

140. MENYANTHES *trifoliata* foliis ternatis. *Fl.*
suec. 173. *Sp. pl.* 208. *Fl. dan.* t. 541.

Trifolium palustre. *Baub. pin.* 327.

LOC. Europæ paludes. *Perennis, vulgaris.*

PHARM. TRIFOLII AQUATICI Herba, Con-
serva, Effentia, L, V.

QVAL. amarissima. *Præstans.*

VIS: balsamica, tonica, saponacea, diuretica, an-
thelmintica.

VSVS: Cachexia, Scorbutus, Hypochondriasis, Ar-
thritis, Nephritis, Rheumatismus, Cacoëthes.

COMP.

LYSI-

LYSIMACHIA.

141. LYSIMACHIA *Numularia* foliis subcordatis,
floribus solitariis, caule repente. *Fl. suec.* 177. *Sp.*
pl. 211. *Fl. dan.* t. 493.

Numularia lutea major. *Baub. pin.* 309.

LOC. Europa australior. *Perennis, cicur.*

PHARM. NVMVLARIAE Herba.

QVAL. subacida, subacris.

VIS: saponacea, subadstringens, vulneraria.

VSVS: Menorrhagia, Leucorrhœa, Vulnera interna.

COMP.

ANAGALLIS.

142. ANAGALLIS *arvensis* foliis ovatis, caule pro-
cumbente. *Fl. suec.* 178. *Sp. pl.* 211. *Fl. dan.* t. 88.

Anagallis phœnicio flore. *Baub. pin.* 252.

LOC. Europæ arva. *Annua, vulgaris.*

PHARM. ANAGALLIDIS Herba, ∇ , \odot ; \sqcup ,
Syr. Effentia.

QVAL. acris, inodora. *Rarior.*

VIS:

VSVS: Melancholia, Hydrophobia.

COMP.

SPIGELIA.

143. SPIGELIA *Anthelmia* caule herbaceo, foliis sum-
mis quaternis. *Syst. nat.* 13. p. 166. *Amœn. acad.* 5.
p. 133. t. 2. * *Sp. pl.* 213.

Spigelia quadrifolia, spicis terminalibus. *Brown.*
jam. 156. t. 37. f. 3.

LOC. Brasilia, seritur in Jamaica. *Annua, fera.*

PHARM. SPIGELIAE Herba.

QVAL. tetra, foetida. *Rarior.*

VIS: narcotica, expellens, anthelminthica!

VSVS:

143. [SPIGELIAE Herbam e Spigelia marylandica Linn. mant.
338. desumi, Cel. Bergius mat. med. 64. mavult, utpote quæ
Anthelmiam viribus superare fertur.]

vsvs: Lumbrici!

COMP.

OPHIORRHIZA.

144. OPHIORRHIZA *Mungos* foliis lanceolato-ovatis.

Fl. zeyl. 402. Amoen. acad. 2. p. 119. Sp. pl. 213.

Mungos radix. Kämpf. amoen. 577.LOC. Java, Zeylon, Sumatra. *Perennis*, *peregrina*.

PHARM. SERPENTVM Radix.

QVAL. amarissima.

VIS: expellens.

vsvs: Morsura venenata, Hydrophobia, Rabies,
Synochus.

COMP. Lapis de Goa.

PLVMBAGO.

145. PLVMBAGO *europaea* foliis amplexicaulibus
lanceolatis, scabris. Hort. cliff. 53. Sp. pl. 215.

Lepidium dentillaria dictum. Baub. pin. 97.

LOC. Neapolis, Syracusa, Gallia australis.

Perennis, *mansueta*.

PHARM. DENTARIAE Radix.

QVAL. acris, septica. Exoleta, præstans.

VIS: caustica.

vsvs: Odontalgia.

COMP.

CONVOLVVLVS.

146. CONVOLVVLVS *Scammonia* foliis sagittatis
postice truncatis, pedunculis teretibus subtriangulari-
bus. Sp. pl. 218.

Convolvulus syriacus. Morf. hist. 2. p. 12. f. 1. t. 3. f. 5.

LOC. Syria, Mysia, Cappadocia per Smyrnam.

Perennis, *peregrina*.PHARM. SCAMMONIVM Crudum Gr. vj. Dia-
crydium Θβ. Resina Θβ.

E

QVAL.

QVAL. acri-amaricans, nauseosa, gummoso-resino-
fa. *Trita*, *eximia*.

VIS: purgans, erudum calcar, *Resina* laudabilis,
Diacryd. optimum.

VSVS: robustioribus.

COMP. ☯ Cornach. ȝȝ, Pil. Cochiæ, Pil. Aureæ,
Extract. Catholic. *Extr.* Panch. Benedicta.

147. CONVOLVULVS *Turpetum* foliis cordatis
angulatis, caule membranaceo-quadrangulari, pe-
dunculis multifloris. *Sp. pl.* 221.

Convolvulus zeylanicus alatus maximus. *Heim.*
zeyl. 177. *t.* 179.

LOC. Zeylona, Malabaria. *Perennis, peregrina.*

PHARM. TVRPE THI Radix ȝȝ. *Extractum.*

QVAL. gummosa, porosa, bilocularis, subinsipido-
acris, nauseosa. *Rarior, præflans.*

VIS: purgans tardiuscula.

VSVS: Arthritis, Hydrops, Chronicæ.

COMP. *Extr.* panchym. Pil. cochiæ, Pil. Agarici,
☯ Arthritic.

148. CONVOLVULVS *Jalapa* foliis disformibus:
cordatis angulatis oblongis lanceolatisque, caule
volubili, pedunculis unifloris. *Mantiss. pl.* 43.*

Convolvulus americanus Jalapium dictus. *Raj. hist.* 724.

LOC. America. *Perennis, peregrina.*

PHARM. JALAPPAE Radix ȝȝ. *Extractum* ȝȝ.
Resina ȝȝ.

QVAL.

148. JALAPPAE rad. acutissimus Botanicus *Plumier*, qui ter
Americam adiit, statuit esse *Mirabilem Jalapam*; recen-
tiores vero, ut D. *Sloane* et *Millerus*, *Convolvulum Jalapam*. Immo *Millerus*, qui radices Jalapæ per *Houstonum* ex
America reportavit, et Pharmacopolis Londinensis vendi-
dit, habuit radices Convolvuli hujus, quæ omnibus nume-
ris veræ officinali respondebant. *Obs. in mat. med.* 6. [Cel.
Bergio rad. *Mirabilis dichotomæ Jalapæ* veræ exoticæ simili-
lima videtur; *Mirabilis Jalapæ* et *Mirab. longifloræ* radices
non purgare *Idem expertus est. Mat. med.* 69.]

QVAL. nauseosa, acris, odore sapore dosi facillima.
 Trita, beroica.
 vis: purgans. Resina calcar purgantis.
 vsvs: frigidis, succulentis, infantibus. Vermes.
 COMP. Spec. diajalappæ.

149. CONVOLVULVS *Mechoacanna* [caule volubili, foliis cordatis, fructibus maximis tomentosis. Berg. mat. 68.]

Jeticucu. Marcg. bras. 41.

LOC. America meridionalis: Brafilia, Quito.

Perennis, peregrina.

PHARM. MECHOACANNAE Radix ʒʒ. Extractum.

QVAL. subinsipido-acris, inodora. Trita, eximia.

vis: eccoprotica, securissima, roborans.

vsvs: infantibus, Oedema.

COMP.

150. CONVOLVULVS *Soldanella* foliis reniformibus, pedunculis unifloris. Hort. cliff. 67. Sp. pl. 226.

Soldanella maritima minor. Baub. pin. 295.

LOC. Angliæ, Frisiæ maritima. *Perennis, mansueta.*

PHARM. SOLDANELLAE Herba ʒj.

QVAL. nauseosa, acris.

Exoleta, infida.

vis: draistica, hydragoga.

vsvs: Hydrops.

COMP.

CINCHONA.

151. CINCHONA officinalis panicula brachiata. Sp. pl. 244. Syst. nat. 13. p. 178. *

E 2

Quin-

149. [*Mechoacannam* quamdam *Convolvulus panduratus* quoque largitur; an specie ab ista quæ in Brafilia colligitur, diversam? Conf. Dill. elth. 120. Schoepf. med. 21. n. 46.

151. [Conf. Pharmacop. dan. 31. Chin. rubr. Cort. an a diversa specie? ut Cort. Caribæus a Cinchona catilæa Jacq. Cort.

Quinquina. *Condam. Act. paris. 1738. p. 226. t. 5. fig.*

*A-E. tab. 6. fig. F-S. Geoffr. mat. med. 2. p. 180.
Loc. Loxa Peruviae. Arbor, peregrina.*

PHARM. CHINAE Cortex 3j. *Essentia, Extractum.*
QVAL. tenacissime amara, carnes amaritie inficiens.

Trita, heroica.

VIS: tonica, adstringens, roborans, sublaxans, anti-septica.

VSVS: Febres, Anorexia, Calculus, Oedema, Cachexia, Gangrena, Hysteria. [Hæmorrhagiæ, Variolæ, Phthisis, Tussis convuls. Scrophulæ.]

COMP.

PSYCHOTRIA.

152. **PSYCHOTRIA** *emetica* herbacea procumbens, foliis lanceolatis glabris, stipulis extrafoliaceis subulatis, capitulis axillaribus pedunculatis paucifloris. *Suppl. pl. 144.*

Ipecacuanha. *Pis. brasil. 101? Marcgr. bras. 17?*

LOC. Regni Mexicanæ provincia Gironensis. *Perennis.*

PHARM. IPECACUANHAE VULGARIS Radix?

QVAL.

Cort. S. Luciaæ a Cinchona cymosa etc Kentish exp. and obs. on a new species of bark. Lond. 1784. Cf. Blumenb. med. bibl. 2. p. 485.

152. Ex testimonio Rhizotomi cuiusdam Mexicanæ, qui Ipecacuanham venalem sœpius collegerat, et certo se novisse aſleverabat, hæc vera stirps est, cui radicem Ipecacuanhæ venalem debemus. *Suppl. pl. l. c. Syst. veg. 14. p. 214.* [Conf. Ipecacuanha brasiliensis radice emetica. *Petiv. gaz. t. 59. f. 9. Berg. mat. med. 70.* et infra Viola Ipecacuanha. Secundum Pharmacop. danicam p. 21. Ipecacuanha in genere pro Euphorbiæ Ipecacuanhæ radice habenda est. Alia Ipecacuanha Guianensis est Bœrhaavia diandra Aubl. guian. 4. alia Insularum Caribæarum, Asclepias curassavica, Oldend. Carib. 92. alia Carolinensis, Podophyllum peltatum, alia Virginianorum, Spiraea trifoliata, et Pseudopicacuanha virginica, Trionfleum perfoliatum. *Schoepf. mat. med. amer. p. 86. 80. et 23.*]

QVAL. naufeosa, amaricans, et leniter pungens.

Trita, eximia.

VIS: emetica! sudorifera, corroborans, adstringens.

VSVS: Febres Criticæ, Intermittentes et Exacerban-
tes, Leucorrhœa, Hæmorrhagia uteri, Asthma,
Tussis, Pleuritis, Peripneumonia, Diarrhœa, Dy-
fenteria! Vermes. *Amœn. acad. 8. p. 245.*

COFFEA.

153. COFFEA *arabica* floribus quinquefidis disper-
mis. *Amœn. acad. 6. p. 160. t. 160. Sp. pl. 245.*
Jasminum arabicum, lauri folio. *Fuss. act. 1713.*
p. 388. t. 7.

LOC. Arabia felix. *Arbor, fera.*

PHARM. COFFE Semina, *ustulata.*

QVAL. *usta* empyreumatica. *Culinaris.*

VIS: exsiccans, excitans, calefaciens, pellens, car-
minativa, diuretica, antivenerea, anthelmintica.

VSVS: Polyfarcia, Sopor, Cardialgia, Cephalalgia,
Calculus. *Nocet Hypochondriacis, Hystericis,*
Melancholicis, oculis.

COMP.

LONICERA.

154. LONICERA *Periclymenum* capitulis ovatis im-
bricatis terminalibus, foliis omnibus distinctis.

Hort. cliff. 58. Fl. suec. 139. Sp. pl. 247.

Periclymenum non perfoliatum germanicum. *Bæub.*
pin. 302.

LOC. Europa australior. *Arbuscula, cicur.*

PHARM. CAPRIFOLII Stipites, Herba, Aqua.

QVAL. ingrata. *Dubia, exoleta.*

VIS: vulneraria, mundificans.

VSVS: Ophthalmia ∇ ? Gargarisma Herba?
COMP.

155. LONICERA *Symporicarpos* capitulis lateralibus
pedunculatis, foliis petiolatis. Sp. pl. 249.

Symporicarpos foliis alatis. Dill. elth. 317. t. 278.
f. 360.

LOC. Virginia, Carolina. Frutex, cicur.

PHARM. SYMPHORICARPI Stipites.

QVAL. styptica. Inusitata.

VIS: subadstringens.

VSVS: Febres intermittentes!

COMP.

156. LONICERA *Diervilla* racemis terminalibus,
foliis ferratis. Sp. pl. 249.

Diervilla. Hort. cliff. 63. t. 7.

LOC. Canada. Frutex, mansuetus.

PHARM. DIERVILLAE Stipites.

QVAL. nauseofa.

VIS: pellens.

VSVS: Dysuria, Gonorrhœa, Syphilis!

COMP.

C O R I S.

157. CORIS *monspeliensis*. Hort. cliff. 68. Hort. ups.
46. Sp. pl. 252.

Coris cærulea maritima. Baub. pin. 280.

LOC. Gallia Narbonensis, Creta. Biennis, mansueta.

PHARM. COREOS Herba, Decoctum.

QVAL. amarissima, nauseofa. Eximia, inusitata.

VIS: pellens.

VSVS: Syphilis.

COMP.

VERBASCUM.

158. VERBASCUM *Thapsus* foliis decurrentibus
utrinque tomentosis, caule simplici. *Fl. suec.* 195.
Sp. pl. 252. *Fl. dan.* t. 631.

Verbascum mas latifolium luteum. *Bauh. pin.* 239.

LOC. Europæ sylvæ fabulosa. *Annua, vulgaris.*

PHARM. VERBASCI Herba, ☽, △, Flores.

QUAL. subodorata, fatuo-amaricans. *Rarior, Fl.*
superflua.

VIS: emolliens, anodyna, antispasmodica, repellens.

VSVS: Hæmoptysis? Hæmorrhagia, Proctica, Va-
rix ani, Tussis, Phthisis?

COMP.

159. VERBASCUM *nigrum* foliis cordatis oblongis
petiolatis. *Fl. suec.* 196. *Sp. pl.* 253.

Verbascum nigrum, flore ex luteo purpurascente.
Bauh. pin. 240.

LOC. Europæ ruderata. *Perennis, frequens.*

PHARM. VERBASCI Radix.

QUAL. insipida, mucilaginosa. *Rarior, dubia.*

VIS: stupefaciens, emolliens.

VSVS: Paronychia.

COMP.

DATVRA.

160. DATVRA *Stramonium* pericarpiis spincisis ere-
ctis ovatis, foliis ovatis glabris. *Hort. cliff.* 55.
Fl. suec. 198. *Sp. pl.* 255. *Fl. dan.* t. 436.

E 4

Sola-

160. [DATVRAE Semina b. Author in edit. prior. a *Datura Metel*, mutato vero deinde consilio in *Flora suecica et Amoen. acad.* q. p. 7. a *Datura Stramonio* repetere præcepit, quam itaque, indigenam et experimentis *Stæckii*, *Oehlpii*, *Wahlbomii*, *Bergii*, *Gredingii*, claram, hic substitui.]

Solanum fœtidum pomo spinoſo oblongo, flore
albo. *Baub. pin.* 168.

LOC. Europæ australioris ruderata. *Annua, cicur.*
PHARM. STRAMONII Herba, *Extractum.*

DATVRAE Semina.

QUAL. amara, viroſa, toxica. *Sem. insipida. Cauter.*
VIS: narcotica, amnestica, phantastica, dementans,
exhilarans, anodyna, hypnotica, paregorica,
repellens.

VSVS: Convulsiones, Amentia, Mania, Epilepsia,
Carcinoma, Varix ani, Combustura.

COMP. Compos. phantastica *Barthol.*

HYOSCYAMVS.

161. HYOSCYAMVS niger foliis amplexicaulibus fi-
nuatis, floribus fessilibus. *Fl. suec.* 199. *Sp. pl.* 257.
Hyoscyamus vulgaris et niger. *Baub. pin.* 169.

LOC. Europæ ruderata. *Biennis s. annua vulgatissima.*
PHARM. HYOSCYAMI Radix, Herba, Semina, ♂.

QUAL. subinsipida, viroſa, toxica. *Rarior, cauter.*
VIS: narcotica, phantastica, dementans, anodyna,
hypnotica, antispasmodica, repellens, resolvens.
VSVS: [Paralyſis, Convulsiones, Mania,] Epilepsia,
Tuffis, Hæmoptysis, Odontalgia (fumus), Varix
ani.

COMP. Philonium, Pil. cynoglossæ, Troch. alke-
kengi, Vngu. populneum,

NICOTIANA.

162. NICOTIANA *Tabacum* foliis lanceolato - ovatis
fessilibus decurrentibus, floribus acutis. *Sp. pl.* 258.
Nicotiana major latifolia. *Baub. pin.* 169.

LOC.

161. [HYOSCYAMI Sem. eorumque ol. expr. in Gallia ab
Hyoscyamo albo defundi solent. *Ph. par. 61.*]

- LOC. America. *Annua, mansueta.*
 PHARM. TABACI Herba, Pulvis, ♂, Extractum
 gr. ij. Syrupus ʒij. Semina.
 QVAL. naufragia, virosa, toxica, acris. *Trita, præstans.*
 VIS: anodyna, antispasmodica, narcotica, phantastica,
 paregorica, repellens, errhina, exanthematica,
 phthiriaca, resolvens, vulneraria.
 VSVS: Vlcus, Scabies, Tinea, Oedema, Tussis,
 Tertiana, Pleuritis, Obstratio alvi, Syr. Asthma,
 Colica, Hysteria, Dysenteria, Icterus, Scirrhosus,
 Hydrops.
 COMP. *Vngu.* Nicotianæ.

ATROPA.

163. ATROPA *Mandragora acaulis*, scapis unifloris. •
Sp. pl. 259.
 Mandragora fructu rotundo. *Baub. pin. 169.*
 LOC. Creta, Cyclades, Hispania, Italia, Russia tem-
 perata. *Perennis, mansueta.*
 PHARM. MANDRAGORÆ Radix, Extractum, ♂.
 QVAL. virosa, toxica. *Cort. radicis* acris. *Exoleta, caute.*
 VIS: narcotica, phantastica, dementans, anodyna,
 antispasmodica. *Cort. radicis* purgans, pellens,
 abortiva.
 VSVS: Podagra, Tumores scirrhosi, Epilepsia, Hy-
 sterica, Colica.
 COMP.

164. ATROPA *Belladonna* caule herbaceo, foliis
 ovatis integris. *Sp. pl. 260. Fl. dan. t. 758. Jacq. •*
 austr. t. 309.
 Solanum maniacum multis. *Baub. hist. 3. p. 611.*
 LOC. Germania, Anglia. *Perennis, cicur.*
 PHARM. BELLADONNAE Baccæ, Folia, ▽.

QUAL. subinsipida, virofa, toxica. *Inusitata, praestans, caute.*

VIS: narcotica, phantastica, paralytica, anodyna, antispasmodica, repellens.

VSVS: Dysenteria, Rubedo, Cacoëthes, Bubo mammarium, Carcinoma! Fistula, Prolapsus ani.
[Convulsiones, Epilepsia.]

COMP.

PHYSALIS.

165. PHYSALIS *Alkekengi* foliis geminis integris acutis, caule herbaceo inferne subramoso. *Hort. upf.* 49. *Sp. pl.* 262.

Solanum vesicarium. *Baub. pin.* 166.

LOC. Europæ australioris scrobes. *Perennis, cicur.*

PHARM. ALKEKENGI Herba, Baccæ, ∇ , Semina.

QUAL. acidula, amaricans. HB. Sem. *superflua*.

VIS: subanodyna, diuretica, refrigerans, eccoprotica.

VSVS: Arthritis, Dysuria, Nephritis, Phlogofis, Hydrops.

COMP.

SOLANVM.

166. SOLANVM *Dulcamara* caule inermi frutescente flexuoso, foliis superioribus hastatis, racemis cymosis. *Fl. suec.* 201. *Sp. pl.* 264. *Amœn. acad.* 8. p. 63. *Fl. dan.* t. 607.

Solanum scandens seu Dulcamara. *Baub. pin.* 167.

LOC. Europæ sepes humidiusculæ. *Frutex, frequens.*

PHARM. DVLCAMARÆ Stipites 3ij - iv.

QUAL. subdulcis, amara, naufofa. *Rarior, heroica.*

VIS: anodyna, repellens, pellens, purificans, diuretica.

VSVS:

VSVS: Rheumatismus, Arthritis, Pleuritis, Icterus, Asthma, Scorbustus, Dysmenorrhœa, Dyslochia, Contufura, Scabies, Syphilis.

COMP. *Decocta mundificantia, Infus. traumaticum Full.*

167. SOLANVM *nigrum* caule inermi herbaceo, foliis ovatis dentato-angulatis, racemis distichis nutantibus. *Fl. suec.* 200. *Sp. pl.* 266. *Fl. dan.* t. 460. Solanum officinarum. *Baub. pin.* 166.

LOC. Europæ ruderata. *Annua, vulgatissima.*

PHARM. SOLANI Herba, ∇ , \odot .

QVAL. virosa. *Rarior.*

VIS: anodyna, hypnotica, paregorica, repellens, refrigerans.

VSVS: Phlegmone, Proctica, Scirrus, Paronychia, Viscus.

COMP. *Emplast.* de Solano.

CAPSICVM.

168. CAPSICVM *annuum* caule herbaceo, pedunculis solitariis. *Sp. pl.* 270.

Piper indicum vulgatissimum. *Baub. pin.* 102.

LOC. Brasilia, Mexico, Barbados. *Annua, subinaneta.*

PHARM. PIPERIS INDICI Fructus. [Semina.]

QVAL. acris, septica. *Culinaris Indis, eximia, rario.*

VIS: rubefaciens, stimulans, tussiva.

VSVS: Asthma, Coryza, Anorexia. [Febres intermitentes.]

COMP.

STRYCHNOS.

169. STRYCHNOS *Nux vomica* foliis ovatis, caule inermi. *Fl. zeyl.* 91. *Sp. pl.* 271.

[Strych-

[*Strychnos* foliis ovatis obtusis quinquenerviis: nervis evanescentibus. *Berg. mat.* 88.]

Caniram. *Rheed. mal.* 1. p. 67. t. 37.

LOC. Malabaria, Zeylona. *Arbor, peregrina.*

PHARM. VOMICAE Nux, ʒʒ.

QUAL. amara, virofa. *Rarior, cauta.*

VIS: emetica, pellens, anthelmintica.

VSVS: Colica, Cardialgia, Gonorrhœa, Febres intermittentes, Tænia, [Morsura serpent.]

COMP.

170. STRYCHNOS *colubrina* foliis ovatis acutis, cirrhis simplicibus. *Sp. pl.* 371.

[*Strychnos* foliis conjugatis ovatis trinerviis, cirrhis simplicibus. *Berg. mat.* 90.]

Modira - caniram. *Rheed. mal.* 8. p. 47. t. 24.

LOC. Malabaria, Timor, Solor. *Arbor, peregrina.*

PHARM. COLVBRINI VVLGARIS Lignum (radicis) ʒʒ.

QUAL. suspecta, acris, amarissima. *Exoleta, cauta.*

VIS: emetica, pellens, sudorifera, anthelmintica, fatuans.

VSVS: Morsura venenata, Quartana.

COMP.

IGNATIA.

171. IGNATIA *amara*. *Suppl. pl.* 149.

[*Strychnos Ignatii* foliis ovatis acutis quinquenerviis: nervis continuatis, fructibus maximis. *Berg. mat.* 89.]

Cucur-

170. Hanc a *Str. Nuse vomica* non diversam esse, Botanici in India degentes contendunt.

Ligna colubrina vulgo appellantur apud Indos omnia illa ligna, quæ aquam in pocula ex iis tornata infusam pura amaritie imprægnant et antidota putantur. Hinc in officinæ pharmaceuticis ligna diversa nomine *Ligni colubrini* inventiuntur, interduam majoris, interdum minoris efficaciam. *Suppl. pl.* 149.

Cucurbitifera malabathri folio, scandens, Catolongay et Contará Philippinis orientalibus dicta.
Pluk. mant. 60.

LOC. India orientalis. *Peregrina.*

PHARM. IGNATII Faba.

QVAL. amarissima. *Rarior, heroica.*

VIS: tonica, narcotica, pellens, diuretica, sudorifera, emmenagogia, anthelmintica.

VSVS: Morbi ventriculi, Febres Exacerbantes, Intermittentes, Morbi evacuatorii ab Atonia, Soporosi, Asthma, Ecclampisia.

COMP.

CORDIA.

172. CORDIA *Myxa* foliis ovatis supra glabris, corymbis lateralibus, calycibus decemstriatis. Sp. pl. 275.

Sebesten officinarum. Dill. elth. 340. t. 255. f. 331.

LOC. Aegyptus, Malabaria. *Arbor, fera.*

PHARM. SEBESTEN (*Drupa*).

QVAL. mucilaginosa, dulcis.

VIS: nutrita, inviscans, lubricans, humectans, ecoprotica, adstringens.

VSVS: Raucedo, Tuflis, Stranguria.

COMP.

RHAMNVS.

173. RHAMNVS *catharticus* spinis terminalibus, floribus quadrifidis dioicis, foliis ovatis, caule erecto. Fl. suec. 202. Sp. pl. 279.

Rhamnus catharticus. Baub. pin. 478.

LOC. Europæ saltus. *Arbor, vulgaris.*

PHARM. SPINÆ CERVINÆ Baccæ 5ij, Succus viridis.

QVAL. amara, lutea. *Rarior.*

VIS:

VIS: purgans.

VSVS: Cachexia, Arthritis, Hydrops, Syphilis.

COMP. *Syrupus domesticus* ʒj.

174. RHAMNVS *Frangula* inermis, floribus monogynis hermaphroditis, foliis integerrimis. *Fl. suec.* 203. *Sp. pl.* 280. *Fl. dan.* t. 278.

Alnus nigra baccifera. *Baub. pin.* 428.

LOC. Europæ humidiuscula. *Arbuscula, vulgaris.*

PHARM. FRANGVLAE Cortex, *infusum* ʒβ.

QVAL. amaricans, lutea. *Rarior, heroica.*

VIS: purgans.

VSVS: Hydrops, Scabies, Asthma humidum, Varix ani.

COMP.

175. RHAMNVS *Zizyphus* aculeis geminatis: altero recurvo, floribus digynis, foliis ovato-oblongis. *Hort. cliff.* 96. *Sp. pl.* 282.

Zizyphus. *Dod. pempt.* 807.

LOC. Italia, Verona. *Arbor, mansueta, sterilis.*

PHARM. JVJVBAE Baccæ, *Syrupus.*

QVAL. dulcis, mucilaginosa.

VIS: inviscans, lubricans, edulcorans, expectorans.

VSVS: Tussis, Stranguria.

COMP. *Loboc* sanum, *Syrupus de jujub.*

CEANOTHVS.

176. CEANOTHVS *americanus* foliis trinerviis. *Sp. pl.* 284. *Mill. ic.* t. 86. *Dubam. arb.* 1. p. 138. t. 51. *Evonymus novi belgii*, corni feminæ foliis. *Commel. bert.* 1. p. 167. t. 86. *Raj. dendr.* 69.

LOC. Virginia, Carolina. *Frutex, mansuetus.*

PHARM. CEANOTHI Stipites.

QVAL. rubra.

Rara.

VIS:

VIS: purificans.

VSVS: Syphilis!

COMP.

RIBES.

177. RIBES *rubrum* inerme, racemis glabris pendulis,
floribus planiusculis. *Fl. suec.* 205. *Sp. pl.* 290.

Grossularia multiplici acino s. non spinosa hortensis
rubra, sive Ribes officinarum. *Baub. pin.* 455.

LOC. Europa, præsertim Westrobotnia. *Frutex, cicur.*

PHARM. RIBIVM RVBRORVM Baccæ conditæ,
Rob.

QUAL. acida, rubra. *Culinaris, trita, præstans.*

VIS: refrigerans.

VSVS: Febres Phlogisticæ, Putridæ, Sitis, Aestus.

COMP.

178. RIBES *nigrum* inerme, racemis pilosis, floribus
oblongis. *Fl. suec.* 207. *Sp. pl.* 291. *Fl. dan.* t. 556.

Grossularia non spinosa, fructu nigro. *Baub. pin.* 455.

LOC. Europa, præsertim Westrobotnia. *Frutex, cicur.*

PHARM. RIBIVM NIGRORVM Herba, Bac-
cæ siccæ, Syrupus.

QUAL. acidiuscula. *Herb. tetra, Rarior, præstans.*

VIS: anodyna, repellens, pellens, diuretica, purifi-
cans. [Bacc. refrigerans.]

VSVS: Angina! Febres exanthematicæ, Rabies,
Hydrophobia, Dysenteria! Morsura serpentum.
[Rheumatismus.]

COMP.

HEDERA.

179. HEDERA *Helix* foliis ovatis lobatisque. *Fl.*
lapp. 91. *suec.* 209. *Sp. pl.* 292.

Hedera arborea. *Baub. pin.* 305.

LOC. Europa australior. *Frutex*, *cicur*.
 PHARM. HEDERAE ARBOREAE Lignum, Folia,
 Resina, Baccæ.
 QVAL. *Fol.* amara. *Bacc.* acida. *Rarior*, *præstans*.
 VIS: vulneraria, sophisticans.
 VSVS: Ulcera, Fonticuli, Atrophia, Rachitis, Ozæna, Epiphora.
 COMP. *Vngu.* althææ.

VITIS.

180. VITIS *vinifera* foliis lobatis sinuatis nudis. Sp.
 pl. 293. Schmidel. ic. 1. p. 32. t. 7.
 Vitis vinifera. Baub. pin. 299.
 LOC. Orbis totus temperatus. *Frutex*, *submansuetus*.
 PHARM. VITIS Folia.

AGRESTAE Syrupus.

CORINTHIACAE, pulpa, loboc.
 VINUM album; rhenanum, rubrum.
 Spiritus, Acetum, *Acetum destillatum*.
 QVAL. *Fol.* acidula, substyptica. Passul. acidulodulcis. Trita, eximia.
 VIS: *Fol.* subadstringens. Passul. nutritius, lubricans, sublaxans.
 VSVS: Tussis, Stranguria.
 COMP. Syrup. Althææ. Syr. Erysimi.] Syr. hyssopi. Conf. hamech. Passulæ laxativæ.

LAGOECIA.

181. LAGOECIA *Cuminoides*. Hort. cliff. 73. upf. 52.
 Sp. pl. 204.
 Cuminum sylvestre, capitulis globosis. Baub. pin. 176.
 LOC. Creta, Lemnius, Galatia. Annua, mansueta.
 PHARM. AMMIOS VETERVM Herba, Semina.
 QVAL.

QVAL. aromaticā.	<i>Præstans, exoleta.</i>
VIS: stomachica.	
VSVS: Anorexia.	
COMP.	

ALLAMANDA.

182. ALLAMANDA *cathartica*. *Mantiss. 214. Syst. nat. 13. p. 209.*
 [Orelia grandiflora. *Aublet. guian. 271. tab. 106.*
Chrysospermum grandiflorum. Rolander. Rottböll act.
bafn. 1778. p. 288.]
 LOC. Guianæ ripæ et litora. *Frutex, scandens, peregrinus.*
 PHARM. ALLAMANDÆ Folia, *Infusum.*
 QVAL. lactescens, amara. *Inusitata.*
 VIS: cathartica, tonica.
 VSVS: Colica pictonum!
 COMP.

VINCA.

183. VINCA *minor* caulis procumbentibus, foliis lanceolato-ovatis, floribus pedunculatis. *Hort. cliff. 77. Hort. upf. 53. Sp. pl. 304.*
 Clematis daphnoides minor. *Baub. pin. 301.*
 LOC. Germania, Europa australior. *Perennis, cicur.*
 PHARM. VINCAE PERVINCAE Herba.
 QVAL. amara, inodora. *Rarior, cauta.*
 VIS: *viridis* pellens, *sicc.* adstringens, sophisticans.
 VSVS: Laxitas.
 COMP. Gargarismata.

NERIVM.

184. NERIVM *antidysentericum*, foliis ovatis acuminate petiolatis. *Fl. zeyl. 107. Sp. pl. 306.*
 Nerium indicum, siliquas angustis erectis longissimis.
Burm. zeyl. 167. t 77.
 LOC. Malabaria, Zeylona. *Frutex, peregrinus.*
 PHARM.

PHARM. CONESSI f. PROFLVII Cortex.
 QVAL. lactescens, acris. Ignota.
 VIS: anthelminthica.
 VSVS: Diarrhoea, Dysenteria, Odontalgia.
 COMP.

PLVMERIA.

185. PLVMERIA *alba* foliis lanceolatis revolutis,
 pedunculis superne tuberosis. Sp. pl. 306. Facq. bist.
 36. t. 174. f. 12.
 Apocynum americanum frutescens, longissimo fo-
 lio, flore albo odoratissimo. Comm. hort. 2. p. 47.
 t. 24.
 LOC. Insulæ Caribææ. Arbor, peregrina.
 PHARM. PLVMERIAE ALBAE Radix, Decoctum.
 QVAL. lactescens. Inusitata.
 VIS: vulneraria.
 VSVS: Syphilis.
 COMP.

D I G V N I A.

ASCLEPIAS.

186. ASCLEPIAS *asthmatica* fruticosa volubilis hir-
 futa, foliis oppositis petiolatis cordato-ovatis su-
 pra glabris integerrimis, umbellis paucifloris.
Suppl. pl. 171.
 Asclepias zeylanica, vincetoxici radice præstantiore.
Burm. zeyl. 36. Flor. zeyl. 490.
 Apocynum zeylanicum scandens, foliis laurinis.
Herm. prod 413. Manughawæl Zeyl.
 LOC. Zeylonæ sylvæ. Frutex, peregrinus.
 PHARM. ASCLEP. ASTHM. Radix, Decoctum,
 Syrupus.
 QVAL. subdulcis, acriuscula, subnauseosa, odore
 Vincetoxici. *Herm.* Eximia.
 VIS:

VIS: incidens, expectorans, eccoprotica, subemetica. *Herm.*

VSVS: Tuſſis. *Herm.* Asthma ſeroſum. *Linn.*

187. ASCLEPIAS *Vincetoxicum* foliis ovatis baſi barbatis, caule erecto, umbellis proliferis. *Fl. suec.* 212. *Sp. pl.* 315. *Fl. dan.* t. 849.

Vincetoxicum. *Dod.* *pempt.* 407.

LOC. Europæ arida. *Perennis, frequens.*

PHARM. HIRVN DINARIAE Radix 3j. Herba, ∇ .

QVAL. lactescens, ſubvenenata. *Trita, dubia.* Hb. *ſuperflua.*

VIS: pellens, diuretica, fudorifera, eminenagogæ, expellens.

VSVS: Hydrops! Variolæ.

COMP. *Eſſent.* alexipharm. Stahl.

HERNIARIA.

188. HERNIARIA *glabra* glabra. *Fl. suec.* 213. *Sp. pl.* 317. *Fl. dan.* t. 529.

Polygonum minus f. Millegrana major. *Baub. pin.* 281.

LOC. Europæ arida. *Perennis, frequens.*

PHARM. HERNIARIAE Herba.

QVAL. inodora, infipida. *Exoleta, dubia.*

VIS: adstringens, diuretica?

VSVS: Scotomia, Ophthalmia? Hernia? Hydrops? Calculus, Carcinoma.

COMP.

CHENOPODIUM.

189. CHENOPODIUM *Bonus Henricus* foliis triangulari - sagittatis integerrimis, ſpicis compoſitis aphyllis axillaribus. *Fl. suec.* 214. *Sp. pl.* 318. *Fl. dan.* t. 579.

Lapathum unctuosum, folio triangulo. *Baub. pin.* 115.

LOC. Europæ ruderata. *Perennis, vulgaris.*

PHARM. BONI HENRICI Herba.

QVAL. oleracea, fatua. *Rarior.*

VIS: refrigerans, humectans, vulneraria, eccoprotica.

VSVS: Paronychia, Oedema, Varix ani, Podagra, Pleuritis, Phthisis.

COMP.

190. CHENOPODIVM *rubrum* foliis cordato-triangularibus obtusiusculis dentatis, racemis erectis compositis subfolioſis caule brevioribus. *Fl. suec.*
217. *Sp. pl. 318.*

Atriplex sylvestris latifolia. *Baub. pin. 119.*

LOC. Europæ ruderata. *Annua, passim.*

PHARM. ATRIPLICIS SYLVESTRIS Herba.

QVAL. aquosa. *Dubia, superflua.*

VIS: dubia.

VSVS: incertus, suibus?

COMP.

191. CHENOPODIVM *Botrys* foliis oblongis sinuatis, racemis nudis multifidis. *Hort. cliff. 84.*
upf. 55. Sp. pl. 320.

Botrys ambrosioides vulgaris. *Baub. pin. 138.*

LOC. Calabria, Hetruria, Narbona, [Russia.]

Annua, cicur.

PHARM. BOTRYOS Herba, Semina.

QVAL. fragrans, graviuscula. *Rarior, præstans.*

VIS: subinebrians, resolvens, pellens, carminativa, emmenagogia, antihelminthica, antispasmodica.

VSVS: Asthma, Orthopnœa, Phthisis, Tussis convulsiva.

COMP.

192. CHE-

191. [*Chenopodium ambrosioides* frequentius adhiberi solet.]

192. CHENOPODIVM *anthelminthicum* foliis ova-to - oblongis dentatis, racemis aphyllis. *Sp. pl.* 320.
[Schœpf. mat. med. 31.]

Chenopodium lycopi folio, perenne. *Dill. elth.* 77.
t. 66. f. 76.

LOC. Pennsylvania. *Perennis.*

PHARM. CHENOP. ANTHELM. Semina ʒj.

QVAL. graveolenti - fragrans. *Eximia, inusitata.*

VIS: anthelminthica!

VSVS: Lumbrici.

COMP.

193. CHENOPODIVM *Vulvaria* foliis integerri-mis rhomboideo - ovatis, floribus conglomeratis axillaribus. *Fl. suec.* 222. *Sp. pl.* 321.

Artiplex fœtida. *Baub. pin.* 119.

LOC. Europæ culta. *Annua, cicur.*

PHARM. VVLVARIAE Herba, *Conserva.*

QVAL. hircosa, urinaria. *Inusitata, præstans.*

VIS: antispasmodica.

VSVS: Hysteria.

COMP. Elect. hysteric. Fulleri.

BETA.

194. BETA *vulgaris* floribus congestis. *Syst. nat.* 12.
p. 195.

Beta rubra vulgaris. *Baub. pin.* 118.

LOC. Europæ australioris maritima. *Biennis, cicur.*

PHARM. BETAE RVBRAE Herba, Radix.

QVAL. aquosa, dulcis subaromatica. *Culinaris, exoleta.*

VIS: diluens, humectans, errhina. *Rd. succ.* (*Suc-*
cus emolliens?) Suppositoria.

VSVS: Ophthalmia, Coryza *Sicca*, Cephalalgia,
Odontalgia.

COMP.

195. BETA *Cicla* floribus ternis. *Syst. nat.* 12. p. 95.
Beta alba vel pallens, quæ *Cicla* officinarum.
Baub. pin. 118.
LOC. Europæ australioris maritima. *Annua, cicur.*
PHARM. BETAE ALBAE Herba, *Succus.*
QVAL. præcedentis.
VIS: præcedentis.
VSVS: præcedentis.
COMP.

VLMVS.

196. VLMVS *campestris* foliis duplicato - ferratis : basi
 inæqualibus. *Fl. suec.* 226. *Sp. pl.* 327. *Fl. dan.*
t. 632.
Vlmus campestris et theophrasti. *Baub. pin.* 426.
LOC. Europæ pagi. *Arbor, frequens.*
PHARM. VLMI Cortex medius.
QVAL. flavescentia.
VIS: adstringens, vulneraria. *Vfitata.*
VSVS: Ascites, [Vulnera, Combustura, Scabies!]
COMP.

GENTIANA.

197. GENTIANA *lutea* corollis subquinquefidis ro-
 tatis verticillatis, calycibus spathaceis. *Fl. suec.*
 227. *Sp. pl.* 329. *Mill. ic.* 139. *f. 2.*
Gentiana major lutea. *Baub. pin.* 187.
LOC. Alpes Helveticæ. *Perennis, mansueta.*
PHARM. GENTIANAE RVBRAE Radix, *Essentia.*
QVAL. amarissima, lutea. *Trita, præstans.*
VIS: balsamica, tonica, stomachica, anthelmintica.
VSVS: Cachexia, Arthritis, Podagra, Icterus! Fe-
 bres intermittentes! Calculus, [Vlcus.]
COMP. Andromach. Diatestar. Mithridat. Diaſcord.
 Orvietan. *Acet.* Theriacal.

198. GENTIANA *Centaurium* corollis quinquefidis infundibuliformibus, caule dichotomo, pistillo simplici. *Fl. suec.* 232. *Sp. pl.* 332. *Fl. dan.* t. 617. *Centaurium minus.* *Bauh. pin.* 278.

LOC. Europæ humidiuscula. *Annua, vulgaris.*

PHARM. CENTAVRII MINORIS Herba, (Summitates florentes,) *Extractum, ▽, ℥, ♂;* Flores, *Conserua.*

QVAL. amarissima. *Trita, præstans.*

VIS: balsamica, tonica, stomachica.

VSVS: Cachexia, Icterus, Tertiana, Podagra, Hypochondriasis, Scabies.

COMP. Andromach; *Acet.* theriacal.

199. GENTIANA *Amarella* corollis quinquefidis hypocrateriformibus fauce barbatis. *Fl. suec.* 229. *Sp. pl.* 334. *Fl. dan.* t. 328. [Schmidel. fasc. gesn. 2. p. 45. t. 21. f. 87.]

Gentiana pratensis, flore lanuginoso. *Bauh. pin.* 188.

LOC. Europæ prata sicca. *Annua, vulgaris,*

PHARM. GENTIANELLÆ Herba.

QVAL. amara.

VIS: balsamica, tonica.

VSVS: Pleuritis, Tertiana! Cachexia.

COMP.

ERYNGIVM.

200. ERYNGIVM *fætidum* foliis radicalibus lanceolatis ferratis; floralibus multifidis, caule dichotomo. *Syst. nat.* 13. p. 223*. *Sp. pl.* 336.

Eryngium americanum fætidum. *Herit. lugdb.* 236. t. 237.

LOC. Americæ calidiora. *Perennis, fera.*

PHARM. ERYNGII FOETIDI Herba, *Infusum.*

QVAL. tetra, fætidissima, tenax. *Eximia.*

F 4

VIS:

198. [CENTAVRIVM MINVS potius ad *Chironiæ*, quam Gentianæ genus referendum est.]

VIS: purgans, diaphoretica, diuretica, emmenagogue, antihysterica.

VSVS: Hysteria, Febres, Hydrops.

COMP.

201. ER YNGIV M *campestre* foliis radicalibus amplexicaulibus pinnato-lanceolatis. *Sp. pl.* 337. *Fl. dan.* t. 554. *Jacq. austr.* t. 155.

Eryngium vulgare. *Baub. pin.* 386.

LOC. Germaniæ, Italiæ, Hispaniæ campi siccii.

Perennis, mansueta.

PHARM. ERYNGII Radix, condita, Herba.

QVAL. subaromatico-aquosa. *Rarior*, *Hb. superflua.*

VIS: diuretica, emmenagoga, aphrodisiaca.

VSVS: Calculus, Atecnia.

COMP. *Radices V aperientes minores.*

SANICVLA.

202. SANICVLA *europæa* foliis radicalibus simplicibus, flosculis omnibus sessilibus. *Fl. suec.* 235.

Sp. pl. 339. *Fl. dan.* t. 283.

Sanicula officinarum. *Baub. pin.* 319.

LOC. Europæ silvæ umbrosæ. *Perennis, frequens.*

PHARM. SANICVLÆ Herba.

QVAL. subinsipida, inodora.

VIS: resolvens, adstringens, vulneraria.

VSVS: Vulnera.

COMP.

BVPLEVRM.

203. BVPLEVRM *rotundifolium* involucris universalibus nullis, foliis perfoliatis. *Hort. ups.* 64. *Sp. pl.* 240.

Perfoliata vulgatissima f. *arvensis.* *Baub. pin.* 277.

LOC. Europæ australioris agri.

Annua, cicur.

PHARM.

PHARM. PERFOLIATAE Herba, ♂, Semina, ♀.
 QVAL. subaromatica. *Exoleta, dubia, superflua.*
 VIS: subadstringens, vulneraria.
 VSVS: Hernia.
 COMP.

TORDYLIVM.

204. TORDYLIVM *officinale* involucris partialibus
 longitudine florum, foliolis ovatis laciniatis. *Hort.*
cliff. 90. *upf.* 58. *Sp. pl.* 345. *Jacq. hort.* I. t. 53.
 Sefeli creticum minus. *Baub. pin.* 161.
 LOC. Monspelii, Romæ, Messanæ. *Annua, cicur.*
 PHARM. SESELI CRETICI Semina.
 QVAL. aromatica, debilis. *Exoleta, superflua.*
 VIS: diuretica, carminativa.
 VSVS:
 COMP. Andromach.

DAVCVS.

205. DAVCVS *Carota* seminibus hispidis, petiolis
 subtus nervosis. *Hort. cliff.* 89. *Fl. suec.* 273.
Sp. pl. 248.
Pastinaca tenuifolia sylvestris dioscoridis, vel dau-
 cus officinarum. *Baub. pin.* 151.
 β. *Pastinaca tenuifolia sativa*, radice lutea vel alba.
Baub. pin. 151.
 LOC. Europæ campi. *Biennis, cicur.*
 PHARM. DAVCI SYLVESTRIS Semina.
 SATIVI [Radix,] Semina.
 QVAL. aquoso-aromatica, fragrans. *Rarior.*
 VIS: nutriens, diluens, humectans, aperiens, carmi-
 nativa, diuretica, emmenagogia, anthelmintica.
 VSVS: Stranguria, Calculus, Lumbrici, Carcinoma.
 COMP. *Sem.* IV calida minor.

CONIVM.

206. CONIVM *maculatum* seminibus striatis. *Fl. suec.*
 238. *Sp. pl.* 349. *Jacq. austr.* 2. *p. 36.* *t. 156.*
Cicuta. *Dod. pempt.* 461. *Riv. mon.* 75. [Stærk
 suppl. 2. t. 1.]
 LOC. Europæ agri. *Biennis, vulgaris.*
 PHARM. CONII [CICVTAE TERRESTRIS s. VVL-
 GARIS] Herba, Succus, *inspissatus*, Extractum.
 QVAL. tetra. *Vositata.*
 VIS: narcotica, diuretica, suppurationem promo-
 venit.
 VSVS: Scirrhous, Scrophula, Carcinoma? Ulcus,
 Scabies, Gonorrhœa, Leucorrhœa, Atecnia.
 COMP.

ATHAMANTA.

207. ATHAMANTA *cretensis* foliolis linearibus pla-
 nis hirsutis, petalis bipartitis, seminibus oblon-
 gis hirsutis. *Sp. pl.* 352. *Jacq. austr.* 1. *t. 62.*
Libanotis foliis tenuissime pinnatis: laciniis petio-
 latis. *Hall. helv.* 451.
 LOC. Alpes Helvetiæ, Austræ. *Perennis, cicur-*
 PHARM. DAVCI CRETICI Semina.
 QVAL. acris, aromatica. *Rarior.*
 VIS: carminativa, diuretica, emmenagogæ.
 VSVS: Flatulentia, Tussis, Calculus.
 COMP. Andromach. Mithridat. Philonium, *Elect.*
 lauri.

PEVCEDANVM.

208. PEVCEDANVM *officinale* foliis quinque tri-
 partitis filiformibus linearibus. *Sp. pl.* 353.
 Peuce-

206. [CONII loco non debent colligi *Cicuta virosa*, *Aethusæ*
Cynapium, *Chœrophyllum sylvestre*, *temulentum*, *bulbosum*,
Tordylium Anthriscus aliæque umbellatæ, quod sæpe non sine
 damno ægrotorum factum esse constat.]

Peucedanum germanicum. *Baub. pin.* 149.
 LOC. Galliæ, Angliæ, Germaniæ prata. *Perennis, cicur.*
 PHARM. PEVCEDANI Radix.
 QVAL. calida. *Superflua.*
 VIS: resolvens, nervina, thoracica, diuretica, emmenagogia.
 VSVS: Ulcera, Odontalgia, Soporosi, Hemicrania?
 COMP.

FERVLA.

209. FERVLA *Afæ fætida* foliis alternatim sinuatis obtusis. *Sd. pl.* 356.
Afæ fætida disgunensis umbellifera levistico affinis.
Kœnig. amæn. 535. t. 536.
 LOC. Persia. *Perennis, peregrina.*
 PHARM. ASSAE FOETIDÆ Gummi.
 QVAL. Gummi-resina, orgastica aliata. *Trita, eximia.*
 VIS: resolvens, carminativa, pellens, diaphoretica, emmenagogia, antispasmodica, repellens, anthelmintica.
 VSVS: Hysteria, Tympanites, Asthma, Sphacelus, Paronychia, Bubo, [Caries!]
 COMP. *Troch. myrrhæ. Empl. matricale.*

LASERPITIVM.

210. LASERPITIVM *latifolium* foliolis cordatis inciso-ferratis. *Fl. suec.* 242. *Sp. pl.* 356. *Jacq. austr.* 2. t. 146.
Libanotis latifolia altera s. vulgatior. *Baub. pin.* 157.
 LOC. Europæ prata arida. *Perennis, vulgaris.*
 PHARM. GENTIANÆ ALBAE Radix.
 QVAL. amara, acris, aromatico-calida. *Rarior, præstans.*
 VIS: tonica, resolvens, diuretica, emmenagogia, stomachica.
 VSVS:

VSVS: Tertiana.

COMP.

211. LASERPITIVM *Siler* foliolis ovali-lanceolatis integerrimis petiolatis. *Hort. cliff.* 96. *Sp. pl.* 357. *Jacq. aust.* 2. t. 145.

Ligusticum quod Seseli officinarum. *Baub. pin.* 162.

LOC. Helvetiae, Austriæ, Pisæ montes. Rarior.

PHARM. SILERIS MONTANI Semina.

QVAL. Cumini odore et sapore remissiore.

Exoleta, superflua.

VIS: carminativa, diuretica, emmenagogia, [stomachica.]

VSVS: Colica lochialis.

COMP. *Eleet.* lauri,

HERACLEVM.

212. HERACLEVM *Sphondylium* foliis pinnatifidis.

Fl. suec. 243. *Sp. pl.* 258.

Sphondylium vulgare hirsutum. *Baub. pin.* 157.

LOC. Europæ prata. *Perennis, vulgaris.*

PHARM. BRANCAE VRSI (SPHONDYLII) Herba.

QVAL. subaromatica, dulcescens.

VIS:

VSVS: Dysenteria.

COMP.

LIGVSTICVM.

213. LIGVSTICVM *Levisticum* foliis multiplicibus: foliolis superne incisis. *Hort. cliff.* 97. *upf.* 62. *Sp. pl.* 359.

Ligusticum vulgare. *Baub. pin.* 157.

LOC. Alpes Baldi, Apenninæ. *Perennis, cicur.*

PHARM. LEVISTICI Radix, Herba, Semina, *Extractum, Effentia, ∇, ⊙.*

QVAL.

QVAL. tetra, calida, acris. Sem. urinaria nigra.

VIS: alexiteria, pellens, carminativa, exanthematica, emmenagogica.

VSVS: Hysteria.

COMP. Syr. Artemisiæ.

ANGELICA.

214. ANGELICA *Archangelica* foliolorum impari lobato. Fl. lapp. 101. suec. 245. Sp. pl. 360. Fl. dan. t. 206.

Angelica sativa. Bauh. pin. 155.

LOC. Alpes, præsertim Lapponicæ, Pyrenææ.

Biennis, cicur.

PHARM. ANGELICÆ SATIVÆ Radix, ∇ ; Herba, Semina, \square , $\circ\circ$, Balsamus, Extractum.

QVAL. acris, amaricans, fragrans, aromatica, calida.

Trita, præstans.

VIS: alexiteria, resolvens, stomachica, sudorifera, carminativa, emmenagogica.

VSVS: Phlogofes exanthematicæ, Stomacace.

COMP. Orvietanum.

215. ANGELICA *sylvestris* foliolis æqualibus ovato-lanceolatis ferratis. Fl. suec. 246. Sp. pl. 361.

Angelica sylvestris major. Bauh. pin. 115.

LOC. Europæ nemora humida. Perennis, vulgaris.

PHARM. ANGELICÆ SYLVESTRIS Radix.

QVAL. præcedentis, sed debilior. *Exoleta.*

VIS: præcedenti similis in non omnibus.

VSVS: Hysteria.

COMP.

SIVM.

216. SIVM *Ninsi* foliis ferratis pinnatis: rameis ternatis. Sp. pl. 261. Burm. ind. 74. t. 29.

Sifa.

Sifarum montanum corænse, radice non tuberosa. *Kämpf. amœn.* 817. *t. 818.*

LOC. Japonia. **Perennis.**

PHARM. NINSI Radix.

QVAL. subdulcis, amaricans, suavis, aromatica, flavescentia. *Rarior, pretiosa.*

VIS: analeptica, inpinguans, cordialis.

VSVS: Atecnia, Debilitas, Marasmus, Senectus?

SISON.

217. SISON *Ammi* foliis tripinnatis: radicalibus linearibus; caulinis setaceis; stipularibus longioribus. *Sp. pl. 363.* *Jacq. hort. 2. t. 200.*

Ammi parvum, foliis fœniculi. *Baub. pin. 159.*

LOC. Apulia. **Annua, submansueta.**

PHARM. AMMIOS VERI Semina.

QVAL. amaricans, aromatica. *Rarior, præstans.*

VIS: sudorifera, carminativa.

VSVS: Sterilitas.

COMP. Sem. IV. calida minora, Andromach.

BVBON.

218. BVBON *macedonicum* foliis rhombeo-ovatis crenatis, umbellis numerosissimis. *Hort. cliff. 95.* *upf. 62.* *Sp. pl. 364.*

Apium macedonicum. *Baub. pin. 154.* non *Smyrnium.*

LOC. Macedonia? per Smyrnam. **Perennis, mansueta.**

PHARM. PETROSELINI MACEDONICI Semina.

QVAL. aromatica, dulcescens. *Rarior, superflua.*

VIS: carminativa, diuretica, emmenagogia.

VSVS:

COMP. Andromach.

219. B V.

217. [*Sison Amomum*, *Jacq. hort. 3. t. 17.* Officinis pharmaceuticis dat AMOMI VVLG. Semen.]

219. BYBON *Galbanum* foliolis rhombeis dentatis striatis glabris, umbellis paucis. *Hort. cliff.* 96. *Sp. pl.* 364. *Mant.* 335. * *Facq. hort.* 3. t. 36. *Anisum africanum* frutescens, folio anisi, galbani-ferum. *Pluk. alm.* 31. t. 12. f. 2.

LOC. Aethiopia. *Perennis, submansueta.*

PHARM. GALBANI Gummi commune, depuratum, *Effentia, ○○.*

QVAL. Resina graveolens, amaricans. *Trita, præstans.*
VIS: anodyna, antispasmodica, pellens, carminativa, emmenagogue, expectorans, repellens, maturans.

VSVS: Asthma, Hysteria, Tumores.

COMP. Andromach. Mithridat. Diacordium. *Vng.* apostol. *Vng.* althææ. *Empt.* galban. *Empl.* dia-chyl. gummos. *Empl.* mucilagin. *Empl.* diaphoret. *Empl.* oxycroceum. *Empl.* stypticum.

CVMINVM.

220. CVMINVM *Cuminum.* *Sp. pl.* 365. *Riv. pent.* Cuminum femine longiore. *Baub. pin.* 146.
LOC. Aegyptus; in Melita præfertim feritur.

Annua, mansueta.

PHARM. CVMINI Semina, ∇ , \square , $\circ\circ$.

QVAL. acris, aromaticæ. *Rarior, præstans.*
VIS: carminativa, diuretica, emmenagogue.

VSVS: Colica flatulenta, Hysteria, Tympanitis, [Tumores frigidi.]

COMP. Sem. IV calida majora. [Sacculi resolventes.]

CICVTA.

221. CICVTA *virosa* umbellis oppositifoliis, petiolis marginatis obtusis. *Fl. suec.* 253. *Sp. pl.* 367. *Fl. dan.* t. 208. *Gunn. norv.* 1. p. 26. t. 2. f. 1. 2. *Sium*

Sium erucæ folio. *Baub. pin.* 154.

LOC. Europæ paludes. *Perennis, vulgaris.*

PHARM. CICVTAE [AQVATICÆ] Herba.

QVAL. acris, septica, tetra. *Rarior, cauta.*

VIS: narcotica, hypnotica, repellens.

VSVS: Bubo, Carcinoma, Lienis infarctus, Herpes.

COMP. *Empl.* cicutæ.

AETHVSA.

222. AETHVSA *Meum* foliis omnibus multipartito-setaceis. *Syst. nat.* 13. 237. *Jacq. austr.* 4. t. 303.

Meum foliis anethi. *Baub. pin.* 148.

LOC. Montes Italiæ, Galliæ, Helvetiæ, Germaniæ. *Perennis, cicur.*

PHARM. MEV Radix.

QVAL. acris, aromaticæ, calida.

VIS: carminativa, diuretica, emmenagogæ.

VSVS: Tertiana. Asthma, Leucorrhœa.

COMP. Andromach; Mithridat.

CORIANDRVM.

223. CORIANDRVM *sativum* fructibus globosis. *Hort. cliff.* 100. *Hort. upf.* 63. *Sp. pl.* 367.

Coriandrum majus. *Baub. pin.* 158.

LOC. Europæ agri. *Annua, cicur.*

PHARM. CORIANDRI Semina, Confectio.

QVAL. tetra, suspecta. *Culinaris, rarior.*

VIS: hypnotica, carminativa, lactifuga.

VSVS: Hysteria, Tertiana.

COMP.

SCANDIX.

224. SCANDIX *Cerefolium* feminibus nitidis ovato-subulatis, umbellis sessilibus lateralibus. *Fl. suec.*

255. *Sp. pl.* 368. *Jacq. austr.* 4. t. 390.

Chæro.

Chærophyllum sativum. *Baub. pin.* 152.
 LOC. Europæ agri. *Semeſtris, cicur.*
 PHARM. CEREFOLII Herba, *Aqua.*
 QVAL. aromatica, dulcescens, oleracea, crepitans.
Culinaris, uſitata.
 VIS: antiplogistica, resolvens, aperiens, mundificans, diuretica, lactifera, vulneraria.
 VSVS: Hydrops, Tussis, Hæmoptysis, Phthisis,
 Vertigo, Hæmorrhoides.
 COMP.

CHAEROPHYLLVM.

225. CHAEROPHYLLVM *sylvestre* caule lævi ſtriato,
 geniculis tumidiuſculis. *Fl. ſaec. 257.* *Sp. pl. 369.*
Jacq. austr. 2. t. 149.
 Myrrhis sylvestris, feminibus lævibus. *Baub. pin.* 160.
 LOC. Europæ pagi et pomaria. *Perennis, vulgatissima.*
 PHARM. CICVTARIAE Herba.
 QVAL. amaricants, ſubfœtida. *Exoleta, ſuperflua.*
 VIS: ſubvenenata? dubia.
 VSVS: Gangræna.
 COMP.

IMPERATORIA.

226. IMPERATORIA *Ostruthium.* *Hort. cliff.* 103
upf. 65. Sp. pl. 371.
 Ostruthium. *Dod. pempt.* 514.
 LOC. Austriæ montes. *Perennis, cicur.*
 PHARM. IMPERATORIAE Radix.
 QVAL. amaro-acris, aromatica, calida. *Trita, præſtans.*
 VIS: apophlegmatizans, carminativa, ſudorifera,
 eminagoga.
 VSVS: Flatulentia, Hysteria, Colica, Serpigo, Ste-
 rilitas, Tertiana, Paralysis.
 COMP. Orvietanum; *Acet. theriacale.*

PASTINACA.

227. PASTINACA *sativa* foliis simpliciter pinnatis.
Hort. cliff. 105. *Hort. upf.* 66. *Fl suec.* 259. *Sp. pl.* 376.

Pastinaca sylvestris latifolia. *Bauh. pin.* 155.

LOC. Europa. *Biennis, cicur, oleracea.*

PHARM. PASTINACAE Radix, Semina.

QVAL. aquosa. *Culinaris, Rd. superflua.*

VIS: diluens, humectans, nutrita, flatulenta, aphrodisiaca, diuretica.

VSVS: Tertiana.

COMP.

228. PASTINACA *Opopanax* foliis pinnatis: foliolis basi antica excisis. *Syst. nat.* 13. p. 240. *Sp. pl.* 376. [*Gouan. illustr.* 19. t. 13. 14.]

Panax costinum. *Bauh. pin.* 156.

LOC. Galloprovincia, Italia, Sicilia. *Perennis, subcicur.*

PHARM. OPO PANACIS Gummi.

QVAL. Gummi-resina amaricans, acris, graveolens, intus flavescens, extus rufescens. *Rarior.*

VIS: nervina, eccoprotica, carminativa, emmenagogia.

VSVS: Tussis senilis, Asthma humorale, Paralysis.

COMP. Andromach. Mithridat. *Hiera* colocynth.

Troch. myrrhae, Vng. apostolorum, Empl. mucilaginosum, Empl. stypticum, Empl. manus dei, Pilulæ fætidæ.

ANETHVM.

229. ANETHVM *graveolens* fructibus compressis.
Hort. cliff. 106. *Hort. upf.* 66.

Anethum hortense. *Bauh. pin.* 147.

LOC. Hispania, Lusitania. *Annua, cicur.*

PHARM.

PHARM. ANETHI Herba, ∇ , \odot , Flores, Semina, $\circ\circ$.

QVAL. tetra, subaromatica. *Culinaris, trita, præstans.*

VIS: hypnotica, carminativa, lactifera.

VSVS: Agrypnia, Colica, Singultus! Vomitus.

COMP. Flores IV carminantes. *Empl. ranarum mercuriale, Empl. mucilagin.*

230. ANETHVM *Fæniculum* fructibus ovatis. *Hort. cliff. 106. Hort. cliff. 66.*

Fæniculum vulgare germanicum. Baub. pin. 147.

LOC. Gallia. *Biennis, mansueta.*

PHARM. FOENICULI Radix, Herba, *Aqua*, Semina, *Confectio, ∇ sem. \sqcup .*

QVAL. aromatico dulcescens. *Culinaris, trita, præstans.*

VIS: resolvens, pellens, carminativa, lactifera.

VSVS: Ophthalmia! Vomitus. [Tormina infantum.]

COMP. Sem. IV. calida major. Rad. V. aperientes majores. Syr. V radicum, Andromach. Mithridat. Philonium, Diaphœnic. Benedicta. Syr. artemisiæ; Syr. prasii; Syr. hyssopi. Pil. aureæ; Hamach.

CARVM.

231. CARVM *Carvi*. *Fl. suec. 260. Sp. pl. 378. Jacq. aust. 4. t. 393.*

Cuminum pratense, Carvi officinarum. *Baub. pin. 158.*

LOC. Europæ prata. *Biennis, vulgaris.*

PHARM. CARVI Semina, *Confectio, ∇ , \sqcup , $\circ\circ$.*

QVAL. acris, aromatico, calida. *Culinaris, præstans.*

VIS: resolvens, carminativa.

VSVS: Colica, Tertiana.

COMP. Sem. IV calida majora; *Elect. lauri,*

PIMPINELLA.

232. PIMPINELLA *Saxifraga* foliis pinnatis: foliolis radicalibus subrotundis; summis linearibus.
Fl. suec. 261. *Sp. pl.* 378. *Fl. dan.* t. 669. *Jacq. austr.* 4. t. 395.

Pimpinella saxifraga major altera. *Baub. pin.* 160.
 LOC. Europæ campi. *Perennis, vulgatissima.*
 PHARM. PIMPINELLÆ NOSTRATIS [ALBAE]
 Radix, Conserva, Effentia, ∇ ; Herba, Semina.
 QVAL. acerrima, hircina, calida.

Trita, præstans, Stabliana.

VIS: resolvens, diaphoretica, diuretica, emmenagogia.

VSVS: Coryza, Dyspnœa, Angina serosa, Hysteria.

COMP.

233. PIMPINELLA *Anisum* foliis radicalibus trifidis incisis. *Sp. pl.* 279.

Anisum herbarii. *Baub. pin.* 159.

LOC. Syria, Aegyptus. *Annua, mansueta.*

PHARM. ANISI Semina, ∇ , L , $\circ\circ$.

QVAL. aromatica dulcescens, calidiuscula.

Culinaris, usitata.

VIS: resolvens *sanguinem et lac,* beccchica, carminativa.

VSVS: Tormina, Tussis.

COMP. Sem. IV calida majora, Pil. aureæ, Conf. haimech, Bals. sulphuris anisatus.

APIVM.

234. APIVM *Petroselinum* foliis caulinis linearibus, involucellis minutis. *Hort. cliff.* 108. *Hort. ups.* 67. *Sp. pl.* 379.

Apium

Apium hortense f. Petroselinum vulgo. *Baub. pin.* 153.
 LOC. Sardinia. *Biennis, oleracea, cicur.*
 PHARM. PETROSELINI Radix, Herba, ∇ , Semina, $\circ\circ$.
 QVAL. aromaticā, culinaris. *Præstans.*
 VIS: resolvens, nutriens, diuretica, emmenagoga,
 lactifuga.
 VSVS: Icterus, Dysuria, Contusura, Ablactatio,
 Pediculi.
 COMP. Syr. V radicum; hyssopi.

235. APIUM graveolens foliis caulinis cuneiformibus,
 umbellis sessilibus. *Fl. suec.* 262. *Sp. pl.* 379. *Fl.*
 dan. t. 790.
 Apium palustre f. Apium officinarum. *Baub. pin.* 154.
 LOC. Europæ paludes. *Biennis, cicur.*
 PHARM. APII Radix, Herba, Semina.
 QVAL. subtetra, dulcescens, suspecta. *Culinaris, rarior.*
 VIS: carminativa, pellens, sudorifera, diuretica,
 emmenagoga, repellens.
 VSVS: Febres. *noxia* Apoplecticis, Epilepticis, Ver-
 tiginosis, Caliginosis, Pediculis.
 COMP. Sem. IV calida minora, Radices V aperien-
 tes majores, Syr. V radicum, Syr. hyssopi, Pil.
 aureæ.

TRIGYNIA.

SEMECARPVUS.

236. SEMECARPVS *Anacardium.* *Suppl. pl.* 182.
 Anacardium primum. *Baub. pin.* 511.
 LOC. Indiæ orientalis deserta & sylvatica arida.
 Arbor, peregrina.

PHARM. ANACARDII ORIENTALIS Fructus.
 QVAL. *nuclei* dulcis (amygdali), *putaminis* acer-
 rina. Exoleta.
 VIS: *nuclei* nutriens, *putaminis* caustica.
 VSVS: Morofis, Oblivio,
 COMP.

RHVS.

237. RHVS *Coriaria* foliis pinnatis obtusiuscule fer-
 ratis ovalibus subtus villosis. *Hort. cliff.* 106. *upf.*
 68. *Sp. pl.* 379.

Rhus folio ulmi. *Baub. pin.* 414.

LOC. Gallia, Italia. *Arbor, mansueta.*

PHARM. SVMACH Flores, Semina.

QVAL. styptica, subvenenata. *Rarior, cauta.*

VIS: adstringens, coriaria, refrigerans.

VSVS: Diarrhoea, Dysenteria, Stomacace, Rhagás.

COMP.

238. RHVS *Vernix* foliis pinnatis integerrimis annuis
 opacis, petiolo integro æquali. *Syst. nat.* 13. p.

242. *Sp. pl.* 380. [*Thunb. jap.* 121.]

Sits vel Sitz - diu. *Kœmpf. amœn.* 791. t. 792.

LOC. Japoniæ, Virginiae paludosa. *Arbor, mansueta.*

PHARM. VERNICIS Resina, ☽.

QVAL. toxica. *Externa.*

VIS:

VSVS: Hæmorrhois.

COMP. *Vngu.* martiatum.

CASSINE.

239. CASSINE *Peragua* foliis petiolatis ferratis elli-
 pticis acutiusculis, ramiulis ancipitibus. *Mant.*
Pl. 2. p. 220. Mill. ii. t. 83. f. 1.*

Caff.

239. PERAGVAM alii pro specie *Clerodendri* habent.

Cassinae veræ perquam similis arbuscula, phillyreae
foliis antagonistis. *Pluk. mant.* 46. t. 371. f. 3.
LOC. Carolina, Virginia. *Arbor, mansueta.*
PHARM. PERAGVAE Folia.
QUAL. amara. *Inusitata.*
VIS: vomitoria, purgans, sudorifera.
VSVS: Diabetes! Colica calculosa.
COMP.

SAMBVCVS.

240. SAMBVCVS *Ebulus* cymis tripartitis, stipulis
foliaceis, caule herbaceo. *Fl. suec.* 266. *Sp. pl.* 385.
Sambucus humilis f. *Ebulus*. *Baub. pin.* 456.

LOC. Europa. *Perennis, cicur.*

PHARM. EBVLI Radix, Cortex interior, Folia,
Flores, Baccæ, Rob, Semina.

QUAL. amaro-acris, tetra foetida, nauseosa.

Rarior, eximia, caute.

VIS: narcotica, anodyna, pellens, sudorifera, diuretica,
emetica, draistica.

VSVS: Hydrops, Leucorrhœa, Scabies.

COMP. Extr. panchymagog. *Empl.* ranar. mercuriale.

241. SAMBVCVS *nigra* cymis quinquepartitis, caule
arboreo. *Fl. suec.* 265. *Sp. pl.* 385. *Fl. dan.*
t. 545.

Sambucus fructu in umbella nigro. *Baub. pin.* 456.

LOC. Europa. *Arbor, cicur.*

PHARM. SAMBVCI Cortex interior, Folia, Flores,
Conserua, ∇ , \sqcup , $+$, Baccæ, Rob, \sqcup ,
Semina, \odot .

QUAL. acris, tetra foetida, nauseosa. *Trita, eximia.*

VIS: narcotica, anodyna, pellens alvum, sudorem,
rinam, menstrua, lac.

VSVS: Erysipelas, [Febres, Rheumatisimus, Arthritis, Exanthemata,] *Fl. Rob.* Dysenteria *Bacc.*
Hydrops, Varix ani! *Cort.*
COMP. *Spec* p. cataplasmate.

TAMARIX.

242. TAMARIX *gallica* floribus pentandris. *Hort. cliff.* III. *Sp. pl.* 386. *Mill. ic.* t. 262. f. 1.
Tamarix altera sive folio tenuiore, gallica. *Baub. pin.* 485.
LOC. Gallia, Hispania, Italia. *Arbor, mansueta.*
PHARM. TAMARISCI Cortex (*radicis*), Lignum, Folia.
QUAL. styptica, *Vsitata, Fol. superflua.*
VIS: adstringens, coriaria, obstipans.
VSVS: Hypochondriasis, Stomacace, Epiphora, Profluvia,
COMP.

TETRAGYNIA.

PARNASSIA.

243. PARNASSIA *palustris*. *Fl. suec.* 268. *Sp. pl.* 391. *Fl. dan.* t. 584.
Gramen parnassi, albo simplici flore. *Baub. pin.* 309.
LOC. Europæ prata subhumida. *Perennis, vulgatissima.*
PHARM. HEPATICÆ ALBAE Herba, Flores.
QUAL. amaricans. *Exoleta, dubia, superflua.*
VIS: subadstringens.
VSVS: Cardialgia?
COMP.

PEN-

242 [TAMARISCI Cort. e Tamaricis germanicæ rad. detrahendum esse, monent Pharm. austr. prov.]

PENTAGYNIA.

STATICE.

244. STATICE *Limonium* scapo paniculato tereti, foliis lœvibus enerviis subtus mucronatis. *Fl. suec.*

Sp. pl. 394. Fl. dan. t. 315.

Limonium maritimum majus. *Baub. pin. 192.*

LOC. Arabia. *Dubia planta.*

PHARM. BEHEN RUBRI Radix.

QVAL. styptica. *Exoleta, superflua.*

VIS: adstringens,

VSVS: Debilitas, Hæmorrhagia,

COMP, composita arabum.

LINVM.

245. LINVM *usitatissimum* calycibus capsulisque mucronatis, petalis crenatis, foliis lanceolatis alternis, caule subsolitario. *Sp. pl. 307.*

Linum sativum, Baub. pin. 214.

LOC. Pannonia, Hispania. *Annua, cicur, cerealis.*

PHARM. LINI SATIVI Semina, ⑩.

QVAL. pinguis,

VIS: relaxans, obtundens, emolliens.

VSVS: Arthritis, Calculus, Colica, Hæmoptysis, [Obstipatio, Iliaca, Pleuritis. Sem. Tumores, Hernia incarc. Angina, Ischuria.]

COMP.

246. LINVM *catharticum* foliis oppositis ovato-lanceolatis, caule dichotomo, corollis acutis. *Fl. suec. 271. Sp. pl. 401. Fl. dan. t. 851.*

Linum pratense, flosculis exiguis. Baub. pin. 214.

LOC. Europæ pascua humidiuseula. *Annua, vulgaris.*

PHARM. LINI CATHARTICI Herba 5ij.

106 PENTANDRIA. PENTAGYNIA.

QVAL. amara, nauseosa. *Rarior, præstans.*
VIS: purgans.
VSVS: Nephritis, Calculus, Hydrops.
COMP.

DROSERA.

247. DROSERA *rotundifolia* scapis radicatis, foliis
orbiculatis. *Fl. suec.* 237. *Sp. pl.* 402.
Ros solis folio rotundo s. oblongo. *Baub. pin.* 357.
LOC. Europæ paludes. *Biennis, vulgaris.*
PHARM. RORIS SOLIS Herba.
QVAL. subacris, lactaria. *Exoleta, dubia.*
VIS: corrodens, suspecta.
VSVS: Verruca? Clavus?
COMP.



CLASSIS VI.

HE X A N D R I A.
MONOGYNIA.

BROMELIA.

248. BROMELIA *Ananas* foliis ciliato - spinosis mucronatis, spica comosa. *Sp. pl.* 408.

Ananas. *Comm. hort.* 1. p. 109. t. 57.

LOC. America meridionalis. *Perennis, fera.*

PHARM. ANANAS Fructus, Cortex exterior [recens].

QUAL. acris, ambrofiaca. *Inusitata.*

VIS: emmenagogue!

VSVS:

COMP.

ALLIVM.

249. ALLIVM *Porrum* caule planifolio umbellifero, staminibus tricuspidatis, radice tunicata. *Hort. upf.* 77. *Sp. pl.* 423.

Porrum commune capitatum. *Baub. pin.* 72.

LOC. *Biennis, cicur, oleracea.*

PHARM. PORRI Semina.

QUAL. acris subdulcescens, orgastica. *Exoleta, culin.*

VIS: calefaciens, emmenagogue, diuretica, diaphoretica.

VSVS: Calculus.

COMP.

250. ALLIVM *Victorialis* caule planifolio umbellifero, umbella rotundata, staminibus lanceolatis corolla longioribus, foliis ellipticis. *Sp. pl.* 424. *Jacq. austr.* 3. t. 216.

Allium

Allium montanum latifolium maculatum. Baub. pin. 74.
 LOC. Alpes Helveticæ. *Perennis, submansueta.*
 PHARM. VICTORIALIS LONGAE Radix.
 QVAL. acris orgastica. *Exoleta, superflua.*
 VIS: Allii sequentis.
 VSVS: superstiosus, magicus.
 COMP. Amuleta.

251. ALLIUM *sativum* caule planifolio bulbifero,
 bulbo composito, staminibus tricuspidatis. Hort.
 upf. 76. Sp. pl. 425.

Allium sativum. Baub. pin. 73.
 LOC. Sicilia. *Perennis, cicur, oleracea.*
 PHARM. ALLII Radix, ∇ , \pm .
 QVAL. acris, subcaustica, orgastica, lactaria, urinaria. *Culinaris, præstans.*
 VIS: excitans, pellens, maturans, anthelminthica,
 diuretica, diaphoretica, alexiteria.
 VSVS: Hysteria, Colica, Hydrops, Calculus, Tufsis,
 Clavus, [Tænia].
 COMP. Oxymel alliatum.

252. ALLIUM *Cepa* scapo nudo inferne ventricoso
 longiore foliis teretibus. Hort. upf. 77. Sp. pl. 431.

Cepa vulgaris. Baub. pin. 71.
 LOC. *Biennis, cicur, oleracea.*
 PHARM. CEPAE Radix.
 QVAL. acris, orgastica. *Culinaris, præstans.*
 VIS: maturans, diuretica, diaphoretica, alexiteria,
 flatulenta, aphrodisiaca, anthelminthica.
 VSVS: Hæmorrhagia, Calculus, Otalgia, Bubo, usla,
 Cophosis, Varix ani.
 COMP.

LI-

250. VICTORIALIS LONGAE defectu substitui potest ALLIUM
urfinum.

LILIV M.

253. LILIUM *candidum* foliis sparsis, corollis campanulatis intus glabris. *Hort. cliff.* 120. *upf.* 80.
Sp. pl. 433.

Lilium album, flore erecto, vulgare. *Baub. pin.* 76.
LOC. Syria, Palæstina. *Perennis, cicur.*
PHARM. LIΛII ALBI Radix; Flores, Conserva,
▽, ◎; Antheræ.

QVAL. Fl. fragrans. Rd. mucilaginosa. *Trita, præstans.*
VIS: emolliens? maturans, anodyna, anth. emme-
nagogia.

VSVS: Epilepsia, Hydrops, [Tumores].

COMP. *Empl.* mucagin. *Empl.* ranar. mercuriale.
Clysteres, Cataplasmata.

SCILLA.

254. SCILLA *maritima* nudiflora, bracteis refractis.
Sp. pl. 442.

Scilla vulgaris, radice rubra. *Baub. pin.* 73.

LOC. Hispaniæ, Siciliæ, Syriæ littora arenosa.

Perennis, submansueta.

PHARM. SQVILLÆ Radix, *Acetum.*

QVAL. acris, amara, orgastica, cruda corrosiva.
Trita, heroica.

VIS: incidens, stimulans, pellens, diaphoretica, diuretica, emetica, hydragoga, expectorans.

VSVS: Asthma, Tussis, Cachexia, Hydrops, Icterus, Sopores.

COMP. Andromach. *Oxymel scilliticum.*

ASPHODELV S.

255. ASPHODELV S *ramosus* caule nudo, foliis ensiformibus carinatis levibus. *Sp. pl.* 144.

Asphodelus albus ramoiosus mas. *Baub. pin.* 28.

LOC.

LOC. Hispaniæ, Lusitaniæ, Narbonæ colles.

Perennis, mansueta.

PHARM. ASPHODELI Radix.

QUAL. ingrata, acris. *Dubia, exoleta, superflua.*

VIS: diuretica, emmenagoga, emolliens? maturans.

VSVS:

COMP.

ASPARAGVS.

255. ASPARAGVS *officinalis* caule herbaceo tereti erecto, folijs setaceis, stipulis paribus. *Fl. suec.*

291. *Sp. pl. 448. Fl. dan. t. 805.*

Asparagus sylvestris, tenuissimo folio. *Baub. pin. 490.*

LOC. Europæ australioris arenosa. *Perennis, cicur.*

PHARM. ASPARAGI Radix, Semina.

QUAL. aquosa, subdulcis, inodora, urinaria fœtida. *Culinaris, usitata.*

VIS: nutritius, diluens, humectans, debilitans, mundificans, diuretica, aphrodisiaca.

VSVS: Calculus?

COMP. Rad. V aperientes mayores, Syr. Althææ.

CONVALLARIA.

257. CONVALLARIA *majalis* scapo nudo. *Fl. suec.*

229. *Sp. pl. 451. Fl. dan. t. 854.*

Lilium convallium album. *Baub. pin. 304.*

LOC. Europæ prata dura. *Perennis, vulgaris.*

PHARM. LILII CONVALLIVM Flores, Conserva,
▽, Π, ▷.

QUAL. fragrans, amara, acris, nauseosa. *Uſitata.*

VIS: narcotica, antispasmodica, errhina, purgans.

VSVS: Epilepsia, Apoplexia, Coryza, Epiphora.

COMP. Spir. Embryon. Aqu. Hirund.

CON.

258. CONVALLARIA *Polygonatum* foliis alternis aīplexicaulibus, caule ancipiū, pedunculis axillaribus subunifloris. *Fl. suec.* 294. *Sp. pl.* 451. *Fl. dan.* t. 377.

Polygonatum latifolium vulgare. *Bauh. pin.* 303.

LOC. Europæ præcipitia montium. *Perennis, vulgaris.*

PHARM. SIGILLI SALOMONIS Radix.

QVAL. fatua, mucilaginosa. *Exoleta, dubia.*

VIS: cosmetica? vulneraria.

VSVS: Sugillatio.

COMP.

ALOE.

259. ALOE *perfoliata* floribus pedunculatis cernuis corymbosis subcylindricis. *Sp. pl.* 457.

α. A. *vera* foliis spinosis confertis dentatis vaginantibus planis maculatis. *Hort. cliff.* 131. *Hort. upf.* 86.

Aloë vulgaris. *Bauh. pin.* 386. Kadanaku. *Rheed. mal.* II. p. 7. t. 3.

LOC. Italia, Sicilia. *Perennis, submansueta.*

PHARM. ALOES HEPATICAЕ Өij, lotæ Өj, *Tinctura, Extractum* Өβ.

β. Aloë americana, ananæ floribus suaverubentibus. *Pluk. alm.* 19. t. 240. f. 4.

LOC. Barbados. *Perennis, submansueta.*

PHARM. ALOE SVCCOTRINA.

γ. Aloë guineensis caballina, vulgari similis, tota maculata. *Comm. præl.* 40.

LOC. Guinea. *Perennis, submansueta.*

PHARM. ALOE CABALLINA.

QVAL.

259. [Ex hac specie maxima copia Aloës paratur; modum præparandi, ad promontorium bonæ spei consuetum vid. in *aīt. lund.* I. p. 112. Triplex Aloës species, in pharmacopoliis venalis, puritate potius, quam origine, differt. *Thunb. de aloë* p. 10. Cf. *Murray op. 2.* p. 473. — *Aloë hepatica* pura et optima ad promontorium bonæ spei ex *Aloë spicata, Suppl.* 205. obtinetur. *Thunb. l. c.*]

QV. amarissima, nauseosa. γ. Rara; α. β. Trita, heroicæ.
VIS: purgans, pellens, balsamica, stomachica, antithelmintica, vulneraria.

VSVS: Obstructiones, Hypochondriasis, Icterus, Vermes, [Vulnus, Ulcus, Caries].

COMP. Aloë rosata. Aloë violata. Elix. proprietatis c. + vel c. A 3j. Pil. ammoniacæ, cochiæ, polychrestæ, capitales, francofurtens. ruffi, succin. Stahlianæ Gr. XV. sine quibus. Extract. panchymag. Hiera picra, Vngu. arthanit. Empl. sticticum.

ACORVS.

260. ACORVS Calamus. Fl. suec. 297. Sp. pl. 426.

α. Acorus verus f. Calamus aromaticus officinarum. Bauh. pin. 34.

LOC. Europæ paludes. Perennis, cicut.

PHARM. CALAMI VVLGARIS Radix, condita; Extractum, ▽, Π.

β. Acorus verus f. Calamus aromaticus radice tenuiore. Herin. lugdb. 9.

LOC. India orientalis, Brasilia. Perennis, peregrina.

PHARM. ACORI VERO Radix.

QUAL. aromatica, acris, amaricensis, fragrans.

Vositata, præstans.

VIS: incidens, alexiteria! calefaciens, pellens, diuretica, stomachica.

VSVS: Anorexia, Febres exanthematicæ malignæ! Vertigo.

COMP. Andromach. Mithridat. Orvietan. Elect. lauri, Troch. acori, Troch. capparidis.

ACHRAS.

261. ACHRAS Sapota floribus solitariis, foliis ovato-oblongis. Sp. pl. 470. [Schæpf. mat. med. 50]

Anona

Anona foliis laurinis glabris viridi-fuscis, fructu minore. *Sloan.* — *Catesb. car. 2. p. 87. t. 87.*
 LOC. America meridionalis. *Arbor, peregrina.*
 PHARM. SAPOTILLAE Semina 3j - 3ij. [Cortex.]
 QVAL. [acris.]
 VIS: [diuretica, *Cort. adstringens.*]
 VSVS: Colica nephritica, [Dysuria.]
 COMP.

BERBERIS.

262. BERBERIS *vulgaris* pedunculis racemosis. *Fl. suec. 311. Sp. pl. 471.*
 Berberis dumetorum. *Baub. pin. 454.*
 LOC. Europæ sylvæ. *Frutex, circur.*
 PHARM. BERBERIDIS Cortex, Baccæ, conditæ,
 Succus, Syrupus, Rotulæ, Semen.
 QVAL. Bacc. acidissima; Cort. flava, amara. *Præstans.*
 VIS: refrigerans, attenuans, antiputredinosa, *Cort.*
 tinctoria, purgans, tonica.
 VSVS: Febres putridæ, Cholera, *Cort.* Icterus,
 Leucorrhœa, Aphthæ.
 COMP.

DIGYNIA.

ORYZA.

263. ORYZA *sativa*. *Hort. cliff. 137. Sp. pl. 475.*
 Oryza. *Baub. pin. 24.*
 LOC. Indiæ inundata. *Annua, fera.*
 PHARM. ORYZÆ Semina, *l.*
 QVAL. farinosa, dulcis. *Culinaris, rarior.*
 VIS: nutriend.
 VSVS: cibarius. [Diarrhoea, Dysenteria].

TRIGYNIA.

RVMEX.

264. RVMEX *sanguineus* floribus hermaphroditis: valvulis integerrimis: unica granifera, foliis ova-to-lanceolatis. *Sp. pl.* 476. *Hort. cliff.* 138. *ups.* 89.

Lapathum folio acuto rubente. *Baub. pin.* 115.

LOC. Virginia. *Biennis, cicur.*

PHARM. LAPATHI SANGVINEI Radix, Suc-cus, Semina.

QVAL. purpurea, austera. *Inusitata.*

VSVS: adstringens, refrigerans.

VSVS: Dysenteria! Vlcus.

COMP.

265. RVMEX *acutus* floribus hermaphroditis: valvu-lis dentatis graniferis, foliis cordato-oblongis acuminatis. *Fl. suec.* 316. *Sp. pl.* 478.

Lapathum acutum f. Oxylapathum. *Baub. hist.* 2. p. 983.

LOC. Europæ humentia. *Perennis, frequens.*

PHARM. LAPATHI ACVTI Radix, Herba, Semina.

QVAL. styptica, nauseosa, *radicis* amarior, lutea, *foliorum* acidior. *Præstans, Hb. Superflua.*

VIS: adstringens, eccoprotica.

VSVS: Dysenteria! Scabies! Vlcus.

COMP.

266. RVMEX *aquaticus* floribus hermaphroditis: val-vulis integerrimis nudis, foliis cordatis glabris acutis. *Fl. suec.* 315. *Sp. pl.* 479.

Lapathum aquaticum, folio cubitali. *Baub. pin.* 116.

LOC. Europæ paludes. *Perennis, vulgaris.*

PHARM. HERBAE BRITANNICAE Radix.

QVAL. flava, amaricans, austera. *Rarior, eximia.*

VIS:

vis: adstringens, refrigerans.

vsvs: Cacoëthes! Vlcus malignum, Stomacace!
Hæmorrhagia!

COMP. Pulv. dentifr.

267. RVMEX *scutatus* floribus hermaphroditis, foliis cordato - hastatis, caule tereti. *Hort. cliff.* 138.
upf. 89. *Sp. pl.* 480.

Acetosa rotundifolia hortensis. *Baub. pin.* 114.

LOC. Galloprovincia, Heturia. *Biennis, cicur.*

PHARM. ACETOSAE ROTUNDIFOLIAE Herba.

QVAL. acida, reliquis debilior. [Acetosa nostrata gravior minusque austera]. *Exoleta.*

vis: refrigerans.

vsvs: Scorbutus.

COMP.

268. RVMEX *alpinus* floribus hermaphroditis sterilibus feminineisque, valvulis integerrimis nudis, foliis cordatis obtusis rugosis. *Sp. pl.* 480.

Lapathum hortense rotundifolium. *Baub. pin.* 115.

LOC. Europæ humentia. *Perennis, frequens.*

PHARM. RHABARBARI MONACHORVM Radix.

QVAL. amaro - austera, flava.

vis: adstringens, sublaxans.

vsvs: Vlcus.

COMP.

269. RVMEX *Acetosa* floribus dioicis, foliis oblongis sagittatis. *Fl. suec.* 318. *Sp. pl.* 481.

α . Acetosa pratensis. *Baub. pin.* 114.

LOC. Europæ graminosa. *Perennis, vulgatissima.*

PHARM. ACETOSAE NOSTRATIS Radix,
Herba, *Conserua, Syrupus, ▽, Semina.*

β . Acetosa montana maxima. *Baub. pin.* 114.

LOC. Alpes variæ, Lapponicæ. *Perennis, cicur.*

PHARM. ACETOSAE HISPANICAE Radix.

QVAL. acido-auftera, amara. *Rad. rubra.*

Rarior, præstans.

VIS: refrigerans, tonica, obſtipans.

VSVS: Scorbuto, Profluia, Febres exacerbante.

COMP. Decocta rubra; Diascordium; Conf. Hyacinth.

COLCHICVM.

270. COLCHICVM *auctumnale* foliis planis lanceolatis erectis. *Hort. cliff.* 140. *Hort. upf.* 90. *Sp. pl.* 485. Colchicum commune. *Bauh. pin.* 67.

LOC. Europæ australioris prata succulenta.

Perennis, cicur.

PHARM. COLCHICI Radix, *Extractum.*

QVAL. graveolens, acris. *Rarior.*

VIS: narcotica, phantastica, diuretica, draſtica, exanthematica, phthiriaca.

VSVS: Hydrops, Marifca, Amuletum Pestis.

COMP. Oxymel Colchici.

TETRAGYNIA.

PETIVERIA.

271. PETIVERIA *alliacea* floribus hexandris. *Hort. cliff.* 141. *upf.* 91. *Act. Stockb.* 1744. p. 287. t. 7. *Sp. pl.* 486. *Trew. ebret.* p. 33. t. 67.

Verbenæ aut scorodonix affinis anomala, flore albidio, allii odore. *Sloan. jam.* 64. *bifl.* 1. p. 172.

LOC. Jamaica, Gallia æquinoctialis. *Frutex, ferus.*

PHARM. SCORODONIAE Herba.

QVAL. orgastica, alliacea, lactaria, urinaria. *Præstans.*

VIS: sudorifera, diuretica.

VSVS: Febres intermitentes, exacerbantes.

COMP.



CLASSIS VIII.

O C T A N D R I A.

MONOGYNIA.

TROPAEOLVM.

272. TROPAEOLVM *majus* foliis peltatis subquinq-
uelobis, petalis obtusis. *Hort. upf.* 93. *Sp.*
pl. 490.

Viola inodora scandens, nasturtii sapore, maxima
odorata. *Herm. lugdb.* 628.

LOC. Peru. *Perennis, nobis annua, cicur.*

PHARM NASTVRTII INDICI Herba.

QVAL. aquosa, acris, oleracea. *Exoleta, superflua.*
VIS: diuretica.

VSVS: Scorbutus,

COMP.

AMYRIS.

273. AMYRIS *Elemifera* foliis ternatis quinato - pin-
natisque subtus tomentosis. *Syst. nat.* 12. p. 266.
Icicariba. *Marcg. bras.* 98.

LOC. Nova Hispania. *Arbor, peregrina.*

PHARM. ELEMI Resina.

QVAL. pellucida, flavescenti - subvirescens: *fumosa*
suavi. *Rarior.*

VIS: vulneraria, diuretica.

VSVS: Vulnus capitis, Punctura, Dolores, Tumor.

COMP. *Bals. arcæi.*

273. [*Elemi orientale*, ab Americano diversum, fundit *Amyris zeylanica* Retz. fasc. 4. p. 25. Koenig.]

274. AMYRIS *Opopbalsamum* foliis pinnatis, foliolis sessilibus. *Amoen. acad. 7. p. 68.* * *Mant. pl. 65. Forsk. flor. 79.*
Opopbalsamum. Alp. ægypt. 48. Geogr. mat. med. 473. Dal. pharm. 308.
 LOC. Arabia felix. *Arbor, peregrina.*
 PHARM. MECHAE *Balsamum Gt. xij.*
XYLOBALSAMI Lignum.
CARPOBALSAMI Fructus.
 QVAL. tenaci-liquida, resinosæ. *Rarior, præstans.*
 VIS: detergens, diuretica! balsamica, antiseptica,
 vulneraria, emmenagogæ, cosmetica.
 VSVS: Asthma, Phthisis, Gonorrhœa.
 COMP.

LAWSONIA.

275. LAWSONIA *inermis* ramis inermibus. *Fl. zeyl.*
 135. Sp. pl. 498.
 Pontaletsce. *Rheed. mal. 4. p. 117. t. 57.*
 LOC. India, Aegyptus, Syria. *Arbor, fera.*
 PHARM. ALCANNAE VERAE Radix, *Tinctura,*
Folia.
 QV. *Rad. rubra. Fol. lutea. Rarior, præstans, Turcica.*
 VIS: adstringens, tinctoria.
 VSVS: Sophisticatio, Formositas.
 COMP. *Vngu. rub. potabile, Tincturæ rubræ, Decocta*
rubra.

VACCI-

274. [Alia ab Amyride diversa stirps, quae *Balsamum Mecha-num verum* fundere dicitur, a Turca quodam ex agro Meccen-fi allata, opera viror. ell. Reineggs, Hacquet et Gleditsch nu-per innotuit, *BALSA MEA meccanensis* Gled. dicta, cui *Cal. 5-partitus. Cor. 5-pet. æqualis, rubra. Stam. 10. lon-ga calyci inserta. Pist. 1. superum, styl. 1. stigm. obtus. Fol. bipinnata: foliolis lanceolatis. Schriften der berliner Ges. natu:f. Freunde vol. 3. p. 127. sqq.*]

275. AL ANNA raro et vix nunquam in nostris officiinis oc-currerit, sed ejus loco et nomine *Anchusa tinctoria*.

VACCINIVM.

276. VACCINIVM *Myrtillus* pedunculis unifloris, foliis ferratis ovatis deciduis, caule angulato. *Fl. suec.* 333. *Sp. pl.* 498.

Vitis idæa foliis oblongis crenatis, fructu nigricante. *Baub. pin.* 470.

LOC. Europæ, præsertim Sueciæ sylvæ.

Frutex, vulgatissimus.

PHARM. MYRTILLI BACCAE, Syrupus.

QVAL. acidula.

Rarior.

VIS: subrefrigerans, subadstringens.

VSVS: Diarrhœa, Scorbustus.

COMP.

277. VACCINIVM *Vitis idæa* racemis terminalibus nutantibus, foliis obovatis revolutis integerrimis subtus punctatis. *Fl. suec.* 334. *Sp. pl.* 500. *Fl. dan.* t. 40.

Vitis idæa foliis subrotundis non crenatis, baccis rubris. *Baub. pin.* 470.

LOC. Europa, præsertim sylvæ Sueciæ.

Frutex, vulgatissimus.

PHARM. VITIS IDÆÆ Rob.

QVAL. acida.

Præstans.

VIS: refrigerans, attenuans.

VSVS: Februm æstus.

COMP.

DAPHNE.

278. DAPHNE *Mezereum* floribus sessilibus ternis caulinis, foliis lanceolatis deciduis. *Sp. pl.* 504. *Fl. dan.* t. 268. [Pall. roff. I. p. 54.]

H 4

Laureo-

277. VITIS IDÆA non recepta est in nostris officinis, quam et vis et copia commendat.

Laureola folio deciduo, flore purpureo. *Baub. pin.* 462.

LOC. Europæ sylvæ umbrosæ. *Frutex, cicur.*

PHARM. LAUREOLAE Cortex.

COCCIGNIDII Semina.

QV. infipida, tum acris, septica, toxica. *Rarior, cauta.*

VIS: corrodens, rubefaciens, excorians, stimulans,
pellens, vomitoria, draistica, cardialgica, febrilis.

VSVS: Hydrops, Vlcus cacoëthicum, Carcinoma,
[Tussis ferina,] Lupibus.

COMP.

279. DAPHNE *Laureola* racemis axillaribus quinquefloris, foliis lanceolatis glabris. *Sp. pl.* 510.

Gesn. fast. i, p. 7. t. 6. f. 9. Jacq. austr. 2. t. 183.

Laureola sempervirens, flore viridi. *Baub. pin.* 462.

LOC. Italia, Anglia, Germania. *Frutex, mansuetus.*

PHARM. MEZEREI Cortex.

QVAL. acris, septica, toxica. *Exoleta, cauta.*

VIS: corrodens, rubefaciens, excorians, draistica.

VSVS: Hydrops. Externus.

COMP.

TRIGYNIA.

POLYGONVM.

280. POLYGONVM *Bistorta* caule simplicissimo monostachyo, foliis ovatis in petiolum decurrentibus. *Sp. pl.* 516. *Fl. dan.* t. 421.

Bistorta major, radice magis intorta. *Baub. pin.* 192.

LOC. Germaniæ prata subhumida. *Perennis, cicur.*

PHARM. BISTORTÆ Radix.

QVAL. styptica, rubra. *Vositata, laudabilis.*

VIS:

279. MEZEREI cortex, si hæc (279) species Daphnes non occurat, commode a priore (278) specie desumi potest. [Cel. Bergio auctore e Daphne Thymelæa desumendus est. *Mat. med.*

197. Cl. Leroy usum corticis Daphnes Guindii commendat in lib. sur l'écorce de Garou. *Par. 1767.*]

VIS: adstringens.

VSVS: Dysenteria, Leucorrhœa, Stomacace, Profluvia.

COMP. Diascordium; *Acet.* Theriacale.

281. POLYGONVM *Hydropiper* floribus hexandris
femidigynis, foliis lanceolatis, stipulis submuticis.

Fl. suec. 343. *Sp. pl.* 517.

Perficaria urens seu *Hydropiper*. *Baub. pin.* 101.

LOC. Europæ nostræ subhumida. *Annua, vulgatissima.*

PHARM. PERSICARIAE Herba, ∇ .

QVAL. acris, urens, lutea. *Rarior.*

VIS: incidens, corrodens, rubefaciens, stimulans,
diuretica.

VSVS: Calculus! Odontalgia, Excoriatura oris.

COMP.

282. POLYGONVM *aviculare* floribus octandris tri-
gynis axillaribus, foliis lanceolatis, caule pro-
cumbente herbaceo. *Fl. suec.* 339. *Sp. pl.* 519. *Fl.*
dan. t. 803.

Polygonum latifolium. *Baub. pin.* 281.

LOC. Europæ culta, ruderata. *Annua, vulgatissima.*

PHARM. CENTVMNODIAE Herba.

QVAL. subinsipida, inodora. *Exoleta, superflua.*

VSVS: subadstringens, vulneraria.

VSVS: Prolapsus.

283. POLYGONVM *Fagopyrum* foliis cordato-sagit-
tatis, caule erectiusculo inerme, seminum angu-
lis æqualibus. *Fl. suec.* 355. *Sp. pl.* 522.

Fagopyrum. *Dod. pempt.* 512.

LOC. Asia. *Annua, cerealis, cicur.*

PHARM. FAGOPYRI Semina.

QVAL. farinacea. *Culinaris, rarior.*

vis: refrigerans, obftipans, nutriens.

vsvs: cibarius.

COMP.

SAPINDVS.

284. SAPINDVS *Saponaria* foliis impari - pinnatis,
caule inermi. *Sp. pl.* 526.

Nuciprunifera arbor americana, fructu saponario
orbiculato nigro. *Pluk. alm.* 255. *t.* 217. *f.* 7. *Comm.*
bort. 1. *p.* 183. *t.* 94?

LOC. Brasilia, Jamaica. *Arbor, fera.*

PHARM. SAPONARIAE NVCVLAE.

QVAL. spumescens. *Præstans.*

vis: saponacea.

vsvs: Chlorofis! Leucorrhœa.

COMP.

TETRAGYNIA.

PARIS.

285. PARIS *quadrifolia*. *Fl. suec.* 346. *Sp. pl.* 527.
Fl. dan. 139.

Solanum quadrifolium bacciferum. *Baub. pin.* 167.

LOC. Europæ umbrofa. *Perennis, vulgaris.*

PHARM. PARIDIS [Herba,] Baccæ.

QVAL. tetra, dulcescens. *Exoleta.*

vis: antispasmodica.

vsvs: [Convulsiones, Mania, Bubones,] Pleuritis,
Ophthalmia.

COMP.

CLASSIS IX.

ENNEANDRIA.

MONOGYNIA.

LAVRVS.

286. LAVRVS *Cinnamomum* foliis trinerviis ovato-oblongis: nervis versus apicem evanescentibus.
Sp. pl. 528. [Aublet. guian. 362.]

Caflia cinnamomea. Herm. lugdb. 129. t. 655. Burm. zeyl. 63. t. 28.

LOC. Zeylona, Martinica. *Arbor, peregrina.*

PHARM. CINNAMOMI Cortex, Syrupus, ∇ sine vino, ∇ cum vino, 匁 , ○ Gtj.

QVAL. dulcis, dein acris, aromatica, suavissima, fragrantissima. *Trita, heroica.*

VIS: cordialis, analeptica, corroborans, calefaciens, perspirans, antifebrilis, carminativa, stomachica.

VSVS: Debilitas, Vomitus, Tympanitis, Leucorrhœa, Menorrhagia.

COMP. *Balsam.* Cinnamomi, *Aqua Cinnamomi hordeata,* *Aqua Cinnam. cydoniata,* Andromach. Mithridat. Diascordium, Orvietan. Philonium, Diaphœnic. Conf. Alkermes, Hamech, Hierapicra. *Balsam.* Apoplect, *Aqua confortans perlata.*

β. Katou-karua. *Rheed. mal. 5. p. 105. t. 53.*

LOC. Malabaria. *Arbor, peregrina.*

PHARM. MALABATHRI Folium.

QVAL. acris aromatica, fragrans, debilis.

VIS: calefaciens, stimulans.

VSVS: Paralysis linguæ.

COMP. Andromach. Mithridat.

287. LAVRVS *Cassia* foliis triplinerviis lanceolatis.
Fl. zeyl. 146. *Sp. pl.* 328.
Cassia malabarica. Herm. lugdb. 130. *Burm. zeyl.* 63.
t. 28.
LOC. Malabarica, Java, Sumatra. *Arbor, peregrina.*
PHARM. CASSIAE LIGNEAE Cortex.
QVAL. Cinnamomi, debilior. *Rarior, præstans.*
VIS: Cinnamomi, debilior magisque adstringens.
VSVS: Diarrhoea.
COMP. Andromach. Mithridat. Philonium, Dia-
scordium, *Troch. Hedycroi, Spec. Diamoschi.*

288. LAVRVS *Camphora* foliis triplinerviis lanceo-
lato-ovatis. *Sp. pl.* 528. *Thunb. jap.* 172.
Laurus camphorifera. Kämpf. amoen. 770. *t. 771.*
Breyn. cent. 16. *t. 1. Comm. hort.* 1. *t. 95.*
LOC. Japonia. *Arbor, fera.*
PHARM. CAMPHORÆ Resina Grj. -- Өβ, ʌ, °°.
QVAL. aromaticæ, acris, americana, fragrantissima,
frigida, antiseptica, anti-spasmodica. *Trita, heroica.*
VIS:

286. 287. [Ex mente Cel. Bergii mat. med. 204. sqq. et secun-
dum Pharmacopœam suecicam Holm. 1779. dat;
A. LAVRVS *Cinnamomum n. 203.*
PHARM. CINNAMOMI VERI Cort.
B. LAVRVS *Cassia n. 204.* Var. L. Cinnamomi, foliis angustlo-
ribus obtusioribus, ex mente ill. Thunbergii, *Act. Holm.*
1780. p. 56.
Carua. *Rheed. mal. 1. p. 107. t. 57.*
PHARM. CINNAMOMI INDICI Cort.
MALABATHRI Folia.
C. LAVRVS *Malabathrum* foliis trinerviis ovatis acuminatis
nervis versus apicem confluentibus. *Burm. ind.* 92.
Katou karua. *Rheed. mal. 5. p. 105. t. 53.*
LOC. India orientalis. *Arbor, peregrina.*
PHARM. CASSIAE LIGNEAE. Cort.]
288. [Aliam arborem camphoriferam, a Lauro Camphora diver-
sam, adhuc tamen obscuram, commemorat Cl. Miller in *Phil.*
transact. 1778. vol. I. (*Forster beytr. zur völker- und län-*
derkunde 1. p. 19.) eamdem, quam *Sylvius* in *Valentini Ind.*
litt. p. 488. descripsit et cuius folia ibid. t. 7. delineavit]

VIS: resolvens, nervina, pellens, sudorifera, anthelmintica, refrigerans.

VSVS: Contagium, Inflammatio, Febres, Mania, Epilepsia, Hysteria, Odontalgia, Ophthalmia, Rheumatismus.

COMP. *Vngu.* Album, *Pulv.* pannonic. *Conf.* Hyacinth. *Vngu.* Aegypt. *Empl.* Stictic.

39. LAVRVS *Culilaban* foliis triplinerviis oppositis. *Mantiss. pl.* 237. †

Cortex caryophylloides. *Rumph. amb. 2. p.* 65. t. 14.
E. N. C. dec. 2. ann. 3. p. 53.

LOC. India orientalis. *Arbor, fera.*

PHARM. CVLILAWAN Cortex, $\circ\circ$.

QUAL. aromatica, mucilaginosa, subadstringens.

Eximia, rarior.

VIS: calefaciens, carminativa! stomachica, roborens, antiparalytica.

VSVS: Colica flatulenta.

COMP.

40. LAVRVS *nobilis* foliis venosis lanceolatis perennibus, floribus quadrididis. *Hort. cliff.* 155. upf. 98. *Sp. pl.* 529.

Laurus vulgaris. *Bauh. pin.* 460.

LOC. Græcia, Italia. *Arbor, mansueta.*

PHARM. LAVR I Baccæ, ∇ , \odot , $\circ\circ$, Folia.

QUAL. calida, subacris, aromatica. *Trita, præstans.*

VIS: stomachica, calefaciens, resolvens, pellens, carminativa, phthiriaca.

VSVS: Colica lochialis.

COMP. *El. baccar. lauri.* *Empl. baccar. lauri,* Orvietan. Diateffaron. *Empl. ranar.* *Empl. stictic.* *Empl. manus dei.*

41. LAVRVS *Sassafras* foliis trilobis integrisque. *Hort. cliff.* 154. *Sp. pl.* 530. *Trew. ehret.* 34. t. 69. 70.

Cor-

Cornus mas odorata, folio trifido: margine piano,
Sassafras dicta. *Catesb. carol. I.* p. 55. t. 55.

LOC. Pennsylvania, Virginia, Florida. *Arbor, mansueta.*
PHARM. SASSAFRAS Lignum, Cortex, Effentia,

▽, △, ○.

QVAL. subdulcis, subacris, aromatica, fragrans.

Trita, præstans.

VIS: diaphoretica, sudorifera, pellens, corroborans, purificans.

VSVS: Syphilis, Cachexia, Hydrops, Scabies, Flatulentia, Catarrhus, Rheumatismus, Arthritis.

COMP.

292. L A V R V S *Pecurim* [quæ Laura ster amboinensis, Leytun. *Rumph. amb. 2.* p. 70. t. 15. an? — Berg. med. 211.]

LOC. Paraguay.

Arbor, peregrina.

PHARM. PECVRIM (PICHVRIM) Faba.

QVAL. aromatica, substyptica. *Trita, præstans.*

VIS: subadstringens, stomachica.

VSVS: Diarrhoea, Dysenteria, Tormina.

COMP.

ANACARDIVM.

293. ANACARDIVM occidentale. *Hort. cliff. 161.*
Fl. zeyl. 165. Sp. pl. 548. Jacq. amer. 124.

Kapa-mava. *Rheed. mal. 3.* p. 65. t. 54. Acaju. *Pis. bras. 120.*

LOC. Brasilia, Surinama, Malabaria. *Arbor, fera.*

PHARM. ANACARDII OCCIDENTALIS
Nux (testæ melligo) [Cortex.]

QVAL. melliginis exurens, nigra. *Exoleta.*

VIS: excoriants, tinctoria.

VSVS:

292. [*Puxiri* Brasilienfibæs. Fructus dispermus. *Eckart.* (v. Murr. Reisen einiger Missionarieu der G. J. in America p. 531.) Ergo non generis Lauri.]

VSVS: Maculæ, Scabies, Impetigo. [Dysenteria Cort.]
COMP.

TRIGYNIA.

RHEVM.

294. RHEVM *Rhaponticum* foliis glabris, petiolis
subfulcatis. Sp. pl. 531.

Rhaponticum thracicum. Alp. rhabPont. I. t. I. exot. 137.

LOC. Thracia, Scythia. Perennis, cicur.

PHARM. RHAPONTICI Radix ʒj.

QUAL. sequentis, styptico-amara, nauseosa. *Exoleta*.

VIS: purgans debilior, adstringens præstantior, sto-
machica.

VSVS: Diarrhoea, Leucorrhœa,

COMP. Andromach.

295. RHEVM *palmatum* foliis palmatis acuminatis.
Sp. pl. 531. Linn. fil. fasc. I. p. 7. t. 4. Aet. angl.
1765. p. 292. t. 12.

LOC. Mongolia ad confinia Sinarum. Perennis, cicur.

PHARM. RHABARBARI VERI Radix ʒj. toſta
θij. Effentia ʒj. Extractum ʒj.

QUAL. styptico-amara, nauseosa, lutea.

Trita, heroica, usitatissima.

VIS: purgans, antacida, tonica, adstringens, sto-
machica, diuretica, exanthematica, anthelmintica.

VSVS: Colica, Rhachitis, Diarrhoea, Lienteria, Dy-
senteria, Leucorrhœa, Gonorrhœa, Hectica pue-
rilis, Icterus, Hypochondriasis.

COMP. Syr. Cichorei c. Rheo ʒij. Pulv. cont. ver-
mes, Conf. Hamech, diacath. Extr. Panchymag.
Pil. Cathol. sine quibus, Tinct. Anima Rhab. ʒj.

CLAS-

295. [*Rheum vel palmatum vel compaellum*. Ph. roſſ. Conf. de
Rhabarbaro Ill. Pallas it. 3. p. 155. sqq. Cl. Georgi it. 1.
p. 210. sqq.]



CLASSIS. X.

DECANDRIA.

MONOGYNIA.

SOPHORA.

296. SOPHORA *heptaphylla* foliis pinnatis: foliolis septenis glabris, Sp. pl. 533.
Anticholerica. Rumph. amb. 4. p. 60. t. 22.
LOC. India orientalis. Frutex, ferus.
PHARM. ANTICHOLESERICAЕ Radix, Semina.
QVAL. amarissima. Eximia, rarior.
VIS:
VSVS: Cholera! Pleuritica, Colica, Dysuria.
COMP.

ANAGYRIS.

297. ANAGYRIS *fætida*. Clus. hist. 1. p. 93. Raj.
hist. 1722. Sp. pl. 534.
LOC. Italia, Hispania. Frutex, mansuetus.
PHARM. ANAGYRIDIS Folia, Semina.
QVAL. tetra, fætida, amara. Exoleta.
VIS: purgans, pellens, repellens.
VSVS: Abortus, Tumores.
COMP.

HYMENAEA.

298. HYMENAEA *Courbaril*. Hort. cliff. 484. upf.
305. Sp. pl. 537.
Ceratia diphyllus antegoana, ricini majoris fructu.
Pluk. alm. 96. t. 82. f. 2.
LOC. Brasilia. Arbor, fera.
PHARM. ANIME Resina.
QVAL. subflavescens, pellucida.
VIS: nervina. Exoleta.
VSVS:

VSVS: Contractura, Paralysis.

COMP:

CASSIA.

299. CASSIA *Fistula* foliis quinquejugis ovatis acuminatis glabris, petiolis eglandulatis. *Fl. zeyl.* 149. *Sp. pl.* 540.

Conna. *Rheed. mal.* 2. *p. 37. t. 22.* Chaiarxambar.

Alp. ægypt. I. *t. 1.*

LOC. India orientalis, Ægyptus, Arabia, Mexico.
Arbor, fera.

PHARM. CASSIÆ *Fistula* (*Legumen*), Pulpa.

QVAL. dulcis subnauseosa. *Trita, præstans.*

VIS: demulcens, eccoprotica, febrium purgans.

VSVS: Obstipatio, Nephritis calculosa.

COMP. *Elect.* Diacath. *Conf.* Hainech.

300. CASSIA *Senna* foliis sejugis subovatis, petiolis eglandulatis. *Sp. pl.* 539.

α. Senna alexandrina, foliis acutis. *Baub. pin.* 397. *Raj. bift.* 1742.

PHARM. SENNAE ALEXANDRINAE Folia, Folia s. f. *Syrup.* Folliculi.

β. Senna italica s. foliis obtusis. *Baub. pin.* 397. *Burm. ind.* 96. *t. 33. f. 2.* [*Soliva monogr.* *Madrit* 1774. *c. tab.*]

LOC. in satis Italiæ (β), et Indiæ (α).

Frutex, submansuetus.

PHARM. SENNAE ITALICAE folia 3j. *Extractum* Θιβ.

QVAL. amara, nauseosa. *Trita, eximia.*

VIS: purgans, pellens, repellens.

VSVS:

300. [Conf. Cassia lanceolata *Forsk.* *Nor.* 85.]

130 DECANDRIA. MONOGYNIA.

VSVS: Obstipatio, Herpes.

COMP. Extr. Panchymag. El. cathol. Conf. hamech.
Decocta.

301. CASSIA *alata* foliis octojugis ovali-oblongis:
interioribus minoribus, petiolis eglandulatis,
stipulis patulis. Sp. pl. 541. Mant. 378.* Jacq.
obs. 2. p. 24. t. 45. f. 2.

Herpetica. Rumph. amb. 7. p. 35. t. 18.

LOC. India utraque. Frutex, ferus.

PHARM. HERPETICA Folia.

QVAL. præcedentis.

VIS: purgans.

VSVS: Herpes. Brown. [Scabies.]

COMP.

MYROXYLON.

302. MYROXYLON *Peruifera*. Suppl. pl. 233.

Hoitziloxitl. Hern. mex. 51. c. fig.

Cabureiba. Pis. bras. 57. 119.

LOC. Peru, Mexico, Brasilia. Arbor, peregrina.

PHARM. PERUVIANVM Balsamum gr. viij.

QVAL. tenax, flavescentia, amaro-acris, suaveolens.

Trita, præstans.

VIS: vulneraria, emmenagogia.

VSVS: Asthma, Phthisis, Vulnera, Ulcera.

COMP.

CAESALPINIA.

303. CAESALPINIA *brasiliensis* caule foliisque inermi-
bus. Sp. pl. 544.

Pseudo-santalum croceum. Catesb. car. 2. t. 51.

LOC. Jamaicæ, Carolinæ colles. Arbor, peregrina.

PHARM. BRASILIENSE LVTEVM Lignum.

QVAL.

QUAL. flava. *Exoleta.*
 VIS: tinctoria.
 VSVS: œconomicus.
 COMP.

304. CAESALPINIA *vesicaria* caule aculeato, foliolis obcordatis subrotundis. *Sp. pl.* 545?
Ibira pitanga. Marcgr. bras. 101. t. 102.

LOC. Brasilia. *Arbor, peregrina.*
 PHARM. BRASILIANVM RVBRVM Lignum
 (medullare).

QUAL. rubra. *Exoleta.*
 VIS: tinctoria.
 VSVS: œconomicus, Febres.
 COMP.

305. CAESALPINIA *Sappan* caule aculeato, foliolis oblongis inæquilateris emarginatis. *Fl. zeyl.* 158.*
 Lignum Sappan. *Rumph. amb.* 4. p. 56. t. 21.

Tiampangam. *Rheed. mal.* 6. p. 3. t. 2.
 LOC. Zeylona, Malabaria. *Arbor, peregrina.*
 PHARM. SAPPAN Lignum.

QUAL. pallide fusco - rufa. *Exoleta.*
 VIS. tinctoria.
 VSVS: œconomicus.
 COMP:

GVILANDINA.

306. GVILANDINA *Moringa* inermis, foliis subbipinnatis: foliolis inferioribus ternatis. *Fl. zeyl.* 155.
Sp. pl. 546.

I 2

Morin-

305. [SAPPAN Lignum, cum Campescano non confundendum, hoc magis rubens, e Bengala præcipue advehitur.]

306. *Behen Nux f. Balanus myristica* a quibusdam ex alia specie desumitur, utrum vero congener, adhuc dubium; hanc *Hermannus* declaravit.

Moringa zeylanica, foliorum pinnis pinnatis. *Burm.*
zeyl. 162. *t.* 75.

LOC. Zeylona, Malabaria. *Arbor, peregrina.*

PHARM: NEPHRITICVM Lignum, *Tinctura.*

BEHEN \textcircled{O} .

QVAL: flavo-palleſcens, cæruleo tingens, ſubacris,
 amaricans. \textcircled{O} pinguis, tardijſime ranceſcens.

Exoleta.

VIS: pellens, diuretica. \textcircled{O} obtundens.

VSVS: Scabies, Exanthemata.

COMP. \textcircled{O} basis balsamorum.

GVAJACVM.

307. GVAJACVM *officinale* foliolis bijugis obtusis.
Sp. pl. 546.

Pruno vel evonymo affinis arbor, folio alato.

Sloan. jam. 2. p. 133. t. 222.

LOC. Jamaica, Hispaniola. *Arbor, fera.*

PHARM: LIGNI SANCTI (GVAJACI) Cortex,
 $\text{L.}, \text{O.}, \text{Resina}, \text{Extractum. [Fructus.]}$

QVAL. ſicca, amaricans, acriuſcula. *Trita, præſtans.*

VIS: aperiens, purificans, pellens, viſceralis; Ext.
 Sternutatoria. [Fruct. emetica.]

VSVS: Syphilis, Leucorrhœa, Arthritis, Podagra,
 Scabies.

COMP.

DICTAMNVS.

308. DICTAMNVS *albus.* *Hort. cliff.* 161. *upf.* 102.
Sp. pl. 548. *Jacq. austr.* 5. *t.* 428.

Dictamnus albus vulgo f. Fraxinella. *Baub. pin.* 222.

LOC. Narbonæ, Germaniæ colles. *Perennis, cicur.*

PHARM: DICTAMNI ALBI Radix.

QVAL. amara. *Rarior, dubia.*
 vis:

vis: balsamica, pellens, anthelminthica, emmenagogia.
 vsvs: Epilepsia; Vermes!
 COMP. Orvietanum, ♀ guttetæ, ♀ pannonicus.

RVTA.

309. R V T A *graveolens* foliis decompositis, floribus lateralibus quadrifidis. *Hort. cliff.* 145. *ups.* 102. *Sp. pl.* 548.
Ruta hortensis latifolia. Bauh. pin. 336. *Dubam. arb.* 2. t. 61.
 LOC. Africa, Græcia, Hetruria, Narbona. *Frutex, cicur.*
 PHARM. RVTAE HORTENSIS Herba, *Conserva,* ∇ , \odot , $\circ\circ$, \ominus , $+$, Semina.
 QVAL. acerrima, amara, tetra. *Trita, heroica.*
 vis: resolvens, alexiteria, antivenerea, pellens, carminativa, emmenagoga, exanthematica, sudorifera, anthelminthica, phthiriaca, rubefaciens.
 vsvs: Pestis, Epilepsia, Hysteria, Cephalalgia, Ophthalmia, Singultus.
 COMP. *Balsamus Rutæ, Acet. prophyl.*

TOLVIFERA.

310. TOLVIFERA *Balsamum. Sp. pl.* 549.
Balsamum tolutanum foliis ceratiæ similibus. *Bauh. pin.* 401.
 LOC. Provincia Tolu prope Carthaginem Ameri-
 cae. *Arbor, peregrina.*
 QVAL. fusco-virescens, dulcis, fragrans, tenax,
 tandem fragilis. *Trita, præstans.*
 vis: diuretica! purificans, vulneraria.
 vsvs: Phthisis! Punctura, Gonorrhœa, Ulcera,
 Vulnera.
 COMP.

HAEMATOXYLON.

311. HAEMATOXYLON *Campechianum*. Sp. pl. 549.

Jacq. obs. 1. p. 20.

Lignum campechianum. Sloan. hist. 2. p. 183. t. X.

f. 1-4. Catesb. car. 2. p. 66. t. 60.

LOC. Campechia Americes.

PHARM. CAMPESCANVM Lignum.

QVAL. styptica.

Eximia.

VIS: adstringens, tinctoria.

VSVS. Dysenteria.

COMP.

SWITENIA.

312. SWITENIA *Mahagoni*. Sp. pl. 548. *Jacq. hist.*

127.

Arbor foliis pinnatis, fructu angulofo, sem. alato.

Catesb. car. 2. p. 81. t. 81.

LOC. Insulæ Caribææ.

Arbor, peregrina.

PHARM. MAHAGONI Lignum.

QVAL. brunneo - fusca.

VIS: mechanica.

VSVS: æconomicus. [Cephalalgia.]

COMP.

QVASSIA.

313. QVASSIA *amara* foliis impari - pinnatis: foliolis oppositis sessilibus, petiolo articulato alato, floribus racemosis. Amœn. acad. 6. t. 429. (flores, non folia.) Suppl. pl. 235.

LOC. Surinama.

Arbor, fera.

PHARM. QVASSIAE Lignum.

QVAL. amarissima, inodora.

Eximia.

VIS:

313. [Hujus Succedaneum in India occidentali *Rhus Metopium*, etiam Quassia nomine in Europam missum. D. Crudy in lit.]

vis: balsamica, antacida, antiputredinosa, tonica, stomachica.

vsvs: Febres Intermittentes! Exacerbantes! Hypochondriasis, Arthritis! Leucorrhœa, Sphacelus.

COMP.

314. QVASSIA *Simaruba* floribus monoicis, foliis abrupte pinnatis: foliolis alternis subpetiolatis, petiolo nudo, floribus paniculatis. *Suppl.* 234.

Simarouba amara. *Aubl. guian.* 860. t. 331. 332.

LOC. Guiana Américes. *Arbor, mansueta*.

PHARM. SIMARVBAE Lignum, Cortex ʒj.

QUAL. inodora, americana. *Præstans, usitata*.

vis: tonica, subadstringens, diuretica, stomachica.

vsvs: Dysenteria! Diarrhoea, Lienteria.

COMP.

LEDVM.

315. LEDVM *palustre* foliis linearibus subtus hirsutis, floribus corymbosif. *Fl. suec.* 352. *Sp. pl.* 561. *Amœn. acad.* 8. p. 268.

Cistus ledon foliis rosinarini ferrugineis. *Baub. pin.* 467.

LOC. Sueciæ Septentrionisque paludes asperæ.

Frutex, vulgaris.

PHARM. ROSMARINI SYLVESTRIS Herba ʒiv, *Infusum*.

QUAL. americana, nidorosa. *Heroica*.

vis: narcotica, phantastica, inebrians, cephalalgi- ca, sudorifera, exanthematica, emetica, corro- borans, anthelmintica?

vsvs: Scabies, Tinea, Lepra! Tussis ferina, An- gina strangulatoria, Cephalalgia, Febres exan- thematicæ?

COMP.

RHODODENDRVM.

316. RHODODENDRVM *Chrysanthum* foliis oblongis impunctatis supra scabris venosissimis, corolla rotata irregulari, gemma florifera tomentosa. *Suppl. pl. 237.*

Rhododendron Chrysanthum. *Pall. it. 3. p. 369. 729. tab. N. fig. 1. 2. Fl. reff. 1. p. 44. t. 30. Kœlpin monogr.*

LOC. Dauuria. *Frutex, peregrinus.*

PHARM. RHOD. CHRYSANTHI Folia 3ij, Infusum.

QVAL. amaricans, nidorosa, amaro-austera. *Heroica.*

VIS: narcotica, phantastica, inebrians, cephalalgica, emetica, purgans.

VSVS: Arthritis! Rheumatismus, Ischias, Carcinoma, Syphilis.

ARBVTVS.

317. ARBVTVS *Vva ursi* caulis procumbentibus, foliis integerrimis. *Fl. lapp. 162. suec. 358. Sp. pl. 566. Fl. dan. t. 33.*

Vva ursi. Clus. hist. 1. p. 63.

LOC. Sueciæ colles fabulosi. *Frutex, vulgaris.*

PHARM. VVAE VRSI Folia.

QVAL. styptica, inodora. *Rarior, præstans.*

VIS: adstringens, coriaria, obstipans, diuretica.

VSVS: Calculus.

COMP.

PYROLA.

318. PYROLA *rotundifolia* staminibus adscendentibus, pistillo declinato. *Fl. suec. 360. Sp. pl. 567. Fl. dan. t. 110.*

Pyrola

317. VVA VRSI non ubique in officinas Pharmacopoeorum introducta, at a coriariis loco Rhois receptissima; ob vires corroborantes et adstringentes commendanda.

Pyrola rotundifolia major. *Baub. pin.* 191.
 LOC. Europæ sylvæ. *Perennis, vulgaris.*
 PHARM. PYROLAE ROTUNDIFOLIAE Herba.
 QVAL. substyptica, inodora. *Rarior.*
 VIS: corroborans, adstringens.
 VSVS: Vulnus.
 COMP.

319. PYROLA *umbellata* pedunculis subumbellatis. *Fl. suec.* 363. *Sp. pl.* 567.
 Pyrola frutescens, arbuti flore. *Baub. pin.* 191.
 LOC. Europæ, Afriæ et Americæ septentrionalis sylvæ. *Fruticulus, vulgaris.*
 PHARM. PYROLAE VMBELLATAE Herba.
 QVAL. styptica.
 VIS: corroborans, adstringens.
 VSVS: Ischias.
 COMP.

320. PYROLA *uniflora* scapo unifloro. *Fl. suec.* 364.
Sp. pl. 568. *Fl. dan.* 8.
 Pyrola rotundifolia minor. *Baub. pin.* 191.
 LOC. Europæ, Americæ borealis sylvæ. *Perennis, vulgaris.*
 PHARM. PYROLAE VNIFLORAE Herba.
 QVAL. styptica.
 VIS: adstringens.
 VSVS: Ophthalmia.
 COMP.

STYRAX.

321. STYRAX *officinalis*. *Hort. cliff.* 187. *upf.* 123.
Syst. nat. 301. *Mill. ic.* t. 260.
 Styrax folio mali cotonei. *Baub. pin.* 452.
 LOC. Italia, Creta, Syria, Palæstina. *Arbor, mansueta.*

PHARM. STORACIS CALAMITAE Resina, ^{oo.}

QUAL. resinosa, subacris, fragrans. *Vfitata.*

VIS: nervina, subanodyna.

VSVS: Ulcera interna, Catarrhus, Tussis.

COMP. Pil. styracis, Empl. styracis, Empl. stomachale, Andromachi, Mithridat. Diascord. Bals. apoplect. Vngu. martiatum. Pulv. fumal.

COPAIFERA.

322. COPAIFERA officinalis. Sp. pl. 557. Jacq. amer.

133. t. 86.

Copaiba. Marçgr. bras. 130. Pis. bras. 56. Barr.

æquin. 40.

LOC. Brasilia, Insula Maranhon. Arbor, peregrina.

PHARM. COPAIVAE Balsamum Æj.

QUAL. liquido - tenax, flavescens, acris, amara, aromatico, fragrans, urinaria: urina amara.

Trita, præstans.

VIS: vulneraria, diuretica, laxans, mundificans.

VSVS: Synocha, Phthisis, Hectica, Tussis, Gonorrhœa, Leucorrhœa, Diarrhœa, Scorbutus, Circumcisio.

COMP.

D I G Y N I A.

SAXIFRAGA.

323. SAXIFRAGA granulata foliis caulinis reniformibus lobatis, caule ramoso, radice granulata.

Fl. suec. 372. Sp. pl. 576. Fl. dan. t. 514.

Saxifraga rotundifolia alba. Baub. pin. 309.

LOC. Europæ colles prataque. Perennis, vulgatissima.

PHARM. SAXIFRAGÆ ALBAE Radix, Herba, Flores, Semina.

QUAL. acris, pungens. *Exoleta, infida, superflua.*

VIS:

VIS: diuretica.

VSVS: Calculus?

COMP.

GYPSOPHILA.

324. GYPSOPHILA *Struthium* foliis linearibus carnosis: axillaribus confertis teretibus. Sp. pl. 582.

Saponaria lychnidis folio, flosculis albis. Baub. pin. 206.

LOC. Hispania. Perennis, mansueta.

PHARM. STRVTHII Radix.

QVAL. saponacea. Inusitata.

VIS: mundificans.

VSVS: Calculus: (Saponis loco Veteribus, et hodie Hispanis.)

COMP.

SAPONARIA.

325. SAPONARIA *officinalis* calycibus cylindricis, foliis ovato-lanceolatis. Hort. cliff. 165. upf. 160.

Sp. pl. 584. Fl. dan. t. 543.

Saponaria major laevis. Baub. pin. 206.

LOC. Germania, Anglia, Gallia. Perennis, cicur.

PHARM. SAPONARIAE Radix, Herba, Semina.

QVAL. amara, trita spumescens. Exoleta.

VIS: pellens, sudorifera, diuretica, emmenagogica, anthelmintica.

VSVS: Cachexia, Leucorrhœa, Icterus, Ascarides.

COMP.

DIANTHVS.

326. DIANTHVS *Caryophyllus* floribus solitariis, squamis calycinis subovatis brevissimis, corollis crenatis. Hort. cliff. 164. upf. 104. Sp. pl. 587.

Ca-

140 DECANDRIA. PENTAGYNIA.

Caryophyllus hortensis simplex, flore majore. Baub.
pin. 208.

LOC. Europæ australioris Alpes. Perennis, cicur.

PHARM. TVNICAE Flores (corolla), Conserva, Sy-
rupus, ∇ , +.

QVAL. fragrans. Trita, præstans.

VIS: cordialis, sudorifera, alexiteria.

VSVS: Contagium, Exanthemeata, Febres.

COMP. Spir. Embryon. Potiones cordiales.

PENTAGYNIA.

SEDVM.

327. SEDVM *Telephium* foliis planiusculis ferratis, co-
rymbo folioso, caule erecto. Fl. suec. 400. Sp.
pl. 616.

Anacampseros, vulgo Faba crassa. Baub. bist. 3. p. 681.

LOC. Europæ colles saxosi. Perennis, vulgaris.

PHARM. TELEPHII Radix.

QVAL. glutinosa, subacida, mitis. Exoleta, infida.

VIS: refrigerans.

VSVS: Varix ani, Paronychia, Hæmorrhoides? Scor-
butus.

COMP.

328. SEDVM *acre* foliis subovatis adnato - sessilibus
gibbis erectiusculis alternis, cyma trifida. Fl. suec.
403. Sp. pl. 619.

Sempervivum minus vermiculatum acre. Baub. pin.
283.

LOC. Europæ montes, tecta. Perennis, vulgaris.

PHARM. SEDI MINORIS Herba, ∇ .

QVAL. acris, subcorrosiva. Præstans.

VIS:

328. [In Pharm. Austr. SEDVM MINVS est *Sedum album*, SE-
DVM VERMICVLARE autem *Sedum acre*, et SEDVM
MAJVS *Sempervivum tectorum* n. 334.]

VIS: incidens, vomitoria, diuretica.

VSVS: Quartana! Scorbustus! Hydrops!

COMP.

OXALIS.

329. OXALIS *Acetosella* scapo unifloro, foliis ternatis, radice dentata. *Fl. suec.* 406. *Sp. pl.* 620.

Trifolium acetosum vulgare. *Baub. pin.* 330.

LOC. Europæ sylvæ acerofæ. *Perennis, vulgarissima.*

PHARM. ACETOSELLÆ Herba, *Conserva*, Syrupus, *Sal essentiale.*

QVAL. acida.

Vitata.

VIS: refrigerans, attenuans.

VSVS: Febres Putridæ, Phlogisticæ.

COMP. *Julep.* antifebril.

DECAGYNIA.

PHYTOLACCA.

330. PHYTOLACCA *decandra* floribus decandris decagynis. *Hort. cliff.* 177. *Hort. upf.* 117. *Sp. pl.* 631. *Solanum racemosum americanum.* *Pluk. alm.* 353. t. 225. f. 3.

LOC. Virginia.

Perennis, mansueta.

PHARM. PHYTOLACCAE Herba recens, Succus.

QV. *tenellæ aquosa, oleracea, adultæ acris.* *Exim. rarior.*

VIS: corrodens.

VSVS: Carcinoma!

COMP.



CLASSIS XI.

DODECANDRIA.

MONOGYNIA.

ASARVM.

331. ASARVM *europæum* foliis reniformibus obtusis binis. *Fl. suec.* 424. *Sp. pl.* 633. *Fl. dan.* t. 633.
Asarum. Baub. pin. 197.
 LOC. Europæ australior. *Perennis, cicur.*
 PHARM. ASARI Radix ʒj, *Extractum* ʒj; Folia no.VI.
 QVAL. amaro-acris, nauseosa. *Trita, heroica.*
 VIS: vomitoria! purgans! diuretica, diaphoretica,
 emmenagogue, errhina.
 VSVS: Melancholia, Coryza.
 COMP.

CANELLA.

332. CANELLA *alba*. *Murr. Syst. veg.* 14. p. 443.
 Canella foliis oblongis obtusis nitidis, racemis terminalibus. *Brown. jam.* 215. t. 27. f. 3.
 LOC. Jamaica, Carolina. *Arbor, submansueta.*
 PHARM. CANELLÆ ALBAE Cortex.
 QVAL. acris, pungens, subamara, aromatica, fragrans. *Rarior, præstans.*
 VIS: calefaciens, pellens, carminativa.
 VSVS: Catarrhus, Hæmorrhagia! Paralyfis linguæ.
 COMP.

PORTVLACA.

333. PORTVLACA *oleracea* foliis cuneiformibus, floribus sessilibus. *Roy. lugdb.* 473. *Hort. upf.* 146.
Sp. pl. 638.

Por.

Portulaca latifolia f. sativa. *Baub. pin.* 288.

LOC. Germania, Malabaria, Jamaica. *Annua, cicur.*

PHARM. PORTVLACAE Herba, *Conserva, Syrupus,* ▽.

QVAL. aquosa. *Culinaris, exoleta, superflua.*

VIS: diluens, humectans, refrigerans, corroborans, lac coagulans.

VSVS: Nausea, Scorbutus, Stranguria, Calculus.

COMP.

LYTHRVM.

334. LYTHRVM *Salicaria* foliis oppositis ternisque cordato-lanceolatis, floribus spicatis dodecandris.

Fl. suec. 422. *Sp. pl.* 640. *Fl. dan.* 671.

Lysimachia spicata purpurea. *Baub. pin.* 246.

LOC. Europa ad aquas. *Perennis, vulgaris.*

PHARM. SALICARIAE (LYSIMACHIAE PVRP.) Herba.

QVAL. mucilaginosa, substyptica. *Præstans.*

VIS: subadstringens.

VSVS: Diarrhoea, Dysenteria.

COMP.

D I G Y N I A.

AGRIMONIA.

335. AGRIMONIA *Eupatoria* foliis caulinis pinnatis: impari petiolato, fructibus hispidis. *Fl. suec.* 423.

Sp. pl. 642. *Fl. dan.* t. 588.

Eupatorium veteranum f. Agrimonia. *Baub. pin.* 341.

LOC. Europæ prata. *Perennis, vulgaris.*

PHARM. AGRIMONIAE Herba, ▽.

QVAL. styptica. *Trita.*

VIS: adstringens, roborans, pellens, diuretica, vulneraria.⁴

COMP.

T R I G Y N I A.
E V P H O R B I A.

336. EUPHORBIA *officinarum* aculeata nuda multangularis, aculeis geminatis. *Hort. cliff.* 106. *upf.* 138. *Sp. pl.* 647.

Euphorbium cerei effigie, caulis crassioribus, spinis validioribus armatum. *Comm. hort.* 1. p. 21. t. II.

LOC. Africa. *Frutex, ferus.*

PHARM. EUPHORBII Gummi, Ⓢ.

QVAL. lactescens, acris, septica. *Rarior, cauta.*

VIS: corrodens, rubefaciens, vesicans, exulcerans, stimulans, pellens, draistica, sternutatoria.

VSVS: Hydrops, Caries, Punctura.

COMP.

337. EUPHORBIA *Lathyris* umbella quadrifida: dichotoma, foliis oppositis integerrimis. *Sp. pl.* 655.

Lathyris major. *Baub. pin.* 293.

LOC. Gallia. *Biennis, cicur.*

PHARM. CATAPVTIAE MINORIS Semina.

QV. lactescens, acris, septica. *Exoleta, cauta, superflua.*

VIS: corrodens, draistica.

VSVS: Verruca.

COMP.

338. EUPHORBIA *palustris* umbella multifida: subtrifida: bifida, involucellis ovatis, foliis lanceolatis, ramis sterilibus. *Fl. suec.* 427. *Sp. pl.* 662. *Fl. dan.* t. 866.

Tithymalus palustris fruticosus. *Baub. pin.* 292.

LOC. Europa. *Perennis, cicur.*

PHARM.

338. [Parum resert, e quanam Euphorbiarum in Europa vulgarium Esulx Rad. Cort. Herba fumantur. Euphorbiæ palustris loco E. helioscopiam vel aliam quamcumque colligi posse, monet *Cel. Bergius mat. med.* 248.]

PHARM. ESLVLAE Radix; Cortex (*radicis*), Herba.
 QV. lactescens, acris, septica. *Rarior, cauta*, Hb. *superfl.*
 VIS: corr̄dens; rubefaciens, vesicans, draſticas;
 VSVS: Hydrops, Odontalgia, Serpigo, Clavus.
 COMP. Extr. phlegmagog. Quercet. Pil. fœt. maj.

DODECAGYNIA.

SEMPERVIVVM.

539. SEMPERVIVVM *tectorum* foliis ciliatis, propa-
 ginibus patentibus. *Fl. suec.* 428. *Sp. pl.* 664. *Fl.*
dan. t. 601.

Sedum majus vulgare. *Baub.* pin. 283.

LOC. Europæ nostræ tecta. *Perennis, infrequens.*

PHARM. SEMPERVIVI MAJORIS Herba.

QVAL. acido-austera, aquosa, acriuscula. *Rarior.*

VIS: refrigerans; adstringens.

VSVS: Febres, Dysenteria, Aphtha, Combustura;
 Clavus.

COMP.



CLASSIS XII.

ICOSANDRIA.

MONOGYNIA.

MYRTVS.

340. MYRTVS *communis* floribus solitariis, involucro diphyllo. *Hort. cliff.* 42. *ups.* 123. *Sp. pl.* 673.

Myrtus communis italicica. *Baub. pin.* 468.

LOC. Orbis 4 partes temperatæ. *Arbor, mansueta.*

PHARM. MYRTI Folia, Baccæ, ⓧ.

QVAL. substyptica, aromatica, fragrans. *Rarior.*

VIS: calefaciens, corroborans, adstringens.

VSVS: Profluvia.

COMP.

341. MYRTVS *caryophyllata* pedunculis trifido-multiplicis, foliis obovatis. *Sp. pl.* 675. *Jacq. obs.* 2. p. 1.

Caryophyllum aromaticum ind. occid. foliis et fructu rotundis, dipyrrene. *Pluk. phyt.* 155. f. 3.

LOC. Zeylona, Cuba, Guiana. *Arbor, peregrina.*

PHARM. CASSIAE CARYOPHYLLATAE Cortex.

QVAL. aromatica, fragrans, pungens.

VIS: cephalica, stomachica, tonica.

VSVS:

COMP.

342. MYRTVS *Pimenta* foliis alternis. *Fl. zeyl.* 186.

Sp. pl. 676.

Myrtus arborea aromatica, foliis laurinis latioribus et subrotundis. *Sloan. jam.* 2. t. 191. f. 1.

Pluk. phyt. 155. f. 4.

LOC. Jamaica.

Arbor, peregrina.

PHARM. PIMENTAE (AMOMI VERO falso) Fructus.

QVAL.

QUAL. aromatic, fragrans. *Rarior.*
 VIS: calefaciens, stomachica.
 VSVS: diæticus.
 COMP.

PVNICA.

343. PVNICA *Granatum* foliis lanceolatis, caule arboreo. *Hort. cliff.* 184. *ups.* 122. *Sp. pl.* 676.

α. *Malus punica* sativa. *Baub. pin.* 438.
 β. *Punica* flore pleno majore. *Tournef. instit.* 636.
 LOC. Africa, Hispania, Italia. *Arbor, mansueta, sterilis.*
 PHARM. BALAVSTIORVM (β) Flores.

MALICORII Cortex.

GRANATORVM Semina, *Syrupus.*

QUAL. styptica, rubra. *Trita, præstans.*
 VIS: adstringens, laxans, anodyna *Fl.*, pellens,
 diuretica, anthelmintica.
 VSVS: Cephalalgia, Prolapsus.
 COMP. *Troch.* carabe, ☰ dysentericus. Gargarismata.

AMYGDALVS.

344. AMYGDALVS *Perfica* foliorum ferraturis omnibus acutis, floribus sessilibus solitariis. *Hort. cliff.* 186. *ups.* 123. *Sp. pl.* 676.

Perfica molli carne et vulgaris. *Baub. pin.* 440.
 LOC. Persia. *Arbor, mansueta.*
 PHARM. PERSICAE Flores, *Syrupus*, Nuclei, ▽.
 QUAL. Amygdalæ amaræ 345. β. *Exoleta.*
 VIS: Amygdalæ amaræ.
 VSVS: Vermes.
 COMP.

345. AMYGDALVS *communis* foliis ferraturis infimis glandulosis, floribus sessilibus geminis. *Hort. cliff.* 186. *ups.* 123. *Sp. pl.* 677.

$\alpha.$ Amygdalus dulcis, putamine molliore. *Tournef.*
inst. 627.

LOC. Tripolis sepes. *Arbor, mansueta.*

PHARM. AMYGDALAE DVLCIS Nuclei, oblongi, \textcircled{O} .

QVAL. subpinguis, dulcis, sapida. *Trita, præstans.*

VIS: nutriens, obtundens, emolliens, relaxans.

VSVS: Dolores, Phlogosæ, Febres, Tussis, Colica.

COMP.

$\beta.$ Amygdalus amara. *Tournef. inst. 627.*

LOC. Tripolis. *Arbor, mansueta.*

PHARM. AMYGDALAE AMARÆ Nuclei, \textcircled{O} .

QVAL. amara. *Præstans, dubia.*

VIS: præcedentis (α) et anodyna, carminativa, pel-lens, diuretica, anthelminthica.

VSVS: Cophosis, Colica, Ebrietas, Eschara, Vermes, Calculus.

COMP.

PRVNVS.

346. PRVNVS *Laurocerasus* floribus racemosis, foliis semperfurentibus dorso biglandulosis. Sp. pl. 678.

Laurocerasus. Cam. hort. 23. Clus. bist. 1. p. 4.

LOC. Trapezus. *Arbor, mansueta.*

PHARM. LAVROCERASI Folia.

QVAL. amara. *Inusitata.*

VIS: diuretica, narcotica, fere amygdalæ, amara, antispasmodica, venenata.

VSVS: Phthisis, Syphilis.

COMP.

347. PRV.

346. LAVROCERASVS nondum intravit officinas nostras.

[*PRVNVS Padus Sp. pl. 678. Fl. suec. 430. Fl. dan. t. 205.*

Super in officinas pharmaceuticas Suecicas recepta est. Cort.

Decoct. utile in Syphilitide, Gadd. Biornlund.]

347. PRVNVS *Cerasus* umbellis subpedunculatis, foliis ovato-lanceolatis glabris conduplicatis. *Sp. pl.* 679.
Cerasus fructu acido ferotino, succi sanguinei.
Tournef. inst. 625.

LOC. hodie Europæ horti. *Arbor*, frequens.

PHARM. CERASORVM RVBORVM Fructus,
Rob, *Condita*, Nuclei, Gumini.

QUAL. aquosa acidiuscula, sapida. *Culinaris*, *ufitata*.

VIS: refrigerans.

VSVS: Febres.

COMP,

348. PRVNVS *avium* umbellis sessilibus, foliis ovato-lanceolatis subtus pubescentibus conduplicatis. *Fl. suec.* 429. *Sp. pl.* 680.

Cerasus major sylvestris, fructu subdulci nigro colore inficiente. *Baub. pin.* 450.

LOC. hodie Europæ horti. *Arbor*, frequens.

PHARM. CERASORVM NIGRORVM Fructus, Syrupus, ∇ , \square , $\widetilde{\nabla}$.

QUAL. acida, sapida. *Vfitata*.

VIS: nervina, antispasmodica, subanodyna.

VSVS: Paralyfis, Convulsiones.

COMP. *Aqua* confortans perlata.

349. PRVNVS *domestica* pedunculis subsolitariis, foliis lanceolato-ovatis convolutis, ramis muticis. *Fl. suec.* 430. *Sp. pl.* 680.

α . *Prunus* fructu parvo dulci atro-cæruleo. *Tournef. inst.* 622.

LOC. Europa australis. *Arbor*, *cicur*, frequens.

PHARM. PRVNA GALLICA, minora, majora, *Pulpa*.

β . *Prunus* fructu magno dulci atro-cæruleo. *Tournef. inst.* 622.

LOC. Syria. *Arbor*, *cicur*.

- PHARM. PRVNA DAMASCENA, Pulpa.
 γ. Prunus brignoniensis, fructu suavissimo. *Tournef.*
inst. 622.
 LOC. hodie Galloprovincia. *Arbor, cicur.*
 PHARM. PRVNEOLAE Fructus (*demto nucleo.*)
 QVAL. acidiuscula. *Culinaris, usitata.*
 VIS: refrigerans, humectans, lubricans, eccoprotica.
 VSVS: Febres, obstipatio alvi.
 COMP. *Pruna laxativa* ʒij.

350. PRVNVS *spinosa* pedunculis solitariis, foliis lanceo-latis glabris, ramis spinosis. *Fl. suec. 432. Sp. pl. 681.*
 Prunus sylvestris. *Baub. pin. 444.*
 LOC. Europæ colles. *Frutex, vulgaris.*
 PHARM. ACACIAE NOSTRATIS Cortex, Flores,
Syrupus, ▽, Fructus, Succus.
 QVAL. styptica. *Trita, præstans.*
 VIS: Rad. Cort. adstringens, coriaria, *Fl. laxans,*
Fr. refrigerans.
 VSVS: Profluvia, Diarrhoea, Calculus!
 COMP.

D I G Y N I A.

CRATAEGVS.

- 351, CRATAEGVS *Aria* foliis ovatis incisis ferratis
 subtus tomentosis. *Fl. suec. 433. Sp. pl. 681. Fl.*
dan. t. 302.
 Alni effigie lanato folio major. *Baub. pin. 452.*
 LOC. Europæ montosa. *Arbor, cicur.*
 PHARM. SORBI DOMESTICÆ Baccæ.
 QVAL. farinosa, succoso-subfatua. *Exoleta, infida.*

VIS:

351. [Has baccas ab ipsa *Sorbo domestica* *Sp. pl. 684.* petendas
 esse monet *Cel. Bergius mat. med. 264.*]

VIS: flatulenta.

VSVS:

COMP.

TRIGYNIA.

SORBVS.

352. SORBVS *aucuparia* foliis pinnatis utrinque glabris. *Fl. suec.* 400. *Sp. pl.* 683. [*Pall. roff.* I. p. 28.]
Sorbus sylvestris, foliis domesticæ similis. *Baub.*
pin. 415.

LOC. Europæ sylvæ. *Arbor, frequens.*

PHARM. SORBI AVCPARIAE Baccæ.

QVAL. acida, farinosa. *Exoleta.*

VIS: adstringens.

VSVS: Hæmorrhois.

COMP.

PENTAGYNIA.

MESPILVS.

353. MESPILVS *germanica* inermis, foliis lanceolatis subtus tomentosis, floribus solitariis sessilibus.
Hort. cliff. 189. *upf.* 129. *Sp. pl.* 684. [*Pall. roff.* I. p. 29. t. 13. f. 1.]

Mespilus germanica, folio laurino non ferrato.
Baub. pin. 453.LOC. Germania et Europa australior. *Arbor, mansueta.*

PHARM. MESPILI Fructus, Semina.

QVAL. styptico-farinosa, esculenta. *Rarior.*

VIS: adstringens, refrigerans.

VSVS: Diarrhœa.

COMP.

PYRVS.

354. PYRVS *Malus* foliis ferratis, umbellis sessilibus.
Hort. cliff. 189. *upf.* 130. *Sp. pl.* 686.
LOC. Germania. *Arbor, cicur.*
PHARM. POMORVM BORSDORPHIENSIVM *Succus liquidus.*
QUAL. acidula, esculenta, sapida. *Partior.*
VIS: refrigerans, tonica, subeccoprotica,
VSVS: Febres.
COMP. *Confect.* alkermes.

355. PYRVS *Cydonia* foliis integerrimis, floribus solitariis. *Hort. cliff.* 160. *Sp. pl.* 687. *Jacq. austr.* 4. t. 342. [*Pall. roff.* i. p. 21.]
Cotonea malus. *Baub. bist.* i. p. 35.
LOC. Danubius. *Arbor, subcicur.*
PHARM. CYDONIAE Fructus, Condita, Rob, Syrupus, Succus, Miva, Panis, Cortex, Semina, ☽.
QUAL. acido-styptica. *Sem.* mucilaginosa.
Trita, præstans.
VIS: adstringens, refrigerans. *Sem.* inviscens.
VSVS: Nausea, Vomitus, Colica, Cholera, Diarrhoea, Abortus.
COMP. ▽ cinnamomi cydoniata.

SPIRAEA.

356. SPIRAEA *Filipendula* foliis interrupte pinnatis: foliolis linear-lanceolatis ferratis glaberrimis, floribus cymosis. *Suppl.* 262. *Fl. suec.* 439. *Sp. pl.* 702. *Fl. dan.* t. 635. [*Pall. roff.* i. p. 39.]
Filipendula vulgaris. *Baub. pin.* 163.
LOC. Europæ prata. *Perennis, vulgatissima.*
PHARM. SAXIFRAGÆ RVBRAE Radix, Herba.
QUAL. styptica. *Exoleta, superflua.*
VIS.

VIS: adstringens, vulneraria, lithonthriptica?

VSVS: Leucorrhœa, Dysenteria, Hernia.

COMP.

357. SPIRAEA *Vlmaria* foliis interrupte pinnatis: foliolis ovatis biserratis subtus canis, floribus cymosis. *Suppl.* 262. *Fl. suec.* 440. *Sp. pl.* 702, *Fl. dan.* t. 547. [Pall. ross. I. p. 40.]

Barba capræ floribus compactis. *Baub. pin.* 164.

LOC. Europæ pascua humida. *Perennis, vulgatissima.*

PHARM. VLMARIAE Radix, Herba, ▽.

QVAL. styptica, fragrans. *Exoleta, præstans.*

VIS: adstringens, sudorifera.

VSVS: Exanthemata, Dysenteria, Hernia,

COMP: *Empl.* ruptur,

POLYGYNIA.

ROSA.

358. ROSA *centifolia* germinibus ovatis pedunculisque hispidis, caule hispido aculeato, petiolis inermibus. *Sp. pl.* 704.

Rosa rubra multiplex. *Baub. pin.* 481. *Hort. ups.* 132. β.

LOC. Europa. *Frutex, cicur.*

PHARM. ROSAE RVBRAE Flores, Condita, Conserva, ▽, ○○, +, *Suecus, Placenta, R, L, V, Antheræ, Semina.*

QVAL. fragrans, rubra, spirituosa. *Trita, præstans.*

VIS: corroborans, adstringens.

VSVS: Leucorrhœa, Profluvia.

COMP. Conserva rosarum vitriolata, *Sacch. rosatum, Syr. rosarum siccaram, Fl. IV cordiales, Aquæ IV cordiales.*

359. ROSA *damascena* germinibus ovatis pedunculis que hispidis, caule aculeato, calycibus pinnatifidis hirsutis. *Mill. dict.* [germ. 3. p. 854.]

Rosa purpurea. *Baub. pin.* 481.

LOC. Europa. *Frutex, cicur.*

PHARM. ROSAE DAMASCENAE Flores, ⊙,
Conserua, recens, antiqua.

QVAL. fragrans, purpurea, spirituosa. *Trita, præstans.*

VIS: analeptica, tonica.

VSVS:

COMP.

360. ROSA *canina* germinibus ovatis pedunculisque glabris, caule petiolisque aculeatis. *Sp. pl. 704.*
Fl. dan. t. 555.

Rosa sylvestris vulgaris, flore odorato incarnato.

Baub. pin. 483.

LOC. Europæ sylvæ. *Frutex, vulgaris.*

PHARM ROSAE SYLVESTRIS Flores, *Aqua, pallidarum Conserua.*

CYNOSBATI Fructus, Semina.

BEDEGVAR Fungus (*nidus insecti*).

QVAL. fragrans, pallida, spirituosa. *Trita, præstans.*

VIS: eccoprotica. *Bedegu. adstringens.*

VSVS: Soda *Cynosb.*

COMP. *Syrupus rosarum solutivus ʒj. Mel rosarum.*

361. ROSA *alba* germinibus ovatis glabris, pedunculis hispidis, caule petiolisque aculeatis. *Sp. pl. 705.*

Rosa alba vulgaris major. *Baub. pin. 482. Hort. upf.*

132. δ.

LOC. Europa. *Frutex, cicur.*

PHARM. ROSAE ALBAE Flores, *Condita, Conserua, ▽.*

QVAL.

359. [ROSAS DAMASCENAS Offic. a *Rosa centifolia*, RVBRAS
a *gallica* petere jubet Pharm. suec. 28.]

QUAL. fragrans, alba, spirituosa. *Trita, præstans.*
 VIS: analeptica.
 VSVS: Ophthalmia, Leucorrhœa.
 COMP: *Julep.* rosarum.

RVBVS.

362. RVBVS *idæus* foliis quinato-pinnatis ternatisque, caule aculeato, petiolis canaliculatis. *Fl. suec.* 446. *Sp. pl.* 706. *Fl. dan.* t. 788.

Rubus idæus spinosus. *Baub. pin.* 479.

LOC. Europæ colles saxosi. *Frutex, vulgaris.*

PHARM. RVBI IDAEI (Fructuum) Syrupus, ∇ , +, \square , $\overline{\nabla}$.

QUAL. acidula, grata. *Trita, præstans.*

VIS: refrigerans, analeptica.

VSVS: Sitis, Febrium æstus.

COMP.

363. RVBVS *arcticus* foliis ternatis, caule inermi unifloro. *Fl. suec.* 448. *Sp. pl.* 708. *Fl. dan.* t. 488.

Rubus caule unifloro, foliis ternatis. *Fl. lapp.* 207. t. 5. f. 2.

LOC. Norlandiæ pascua. *Perennis, cicur.*

PHARM. NORLANDICARVM BACCARVM *Condita.*

QUAL. acidula, fragrans. *Rarior, eximia.*

VIS: humectans! refrigerans! cordialis! analeptica!

VSVS: Febres putridæ, exanthematicæ, Scorbutus!

COMP.

364. RVBVS *Chamæmorus* foliis simplicibus lobatis, caule inermi unifloro. *Fl. suec.* 449. *Sp. pl.* 708. *Fl. dan.* tab. I.

Rubus caule bifolio unifloro, foliis simplicibus.

Fl. lapp. 208. t. 5. f. I.

LOC.

156 ICOSANDRIA. POLYGYNIA.

LOC. Sueciæ, Borussiæ paludes sylvaticæ sphagnosæ.
Perennis, frequens.

PHARM. CHAMAEMORI *Condita.*

QUAL. aquosa, inodora, esculenta. *Rarior, præstans.*

VIS: diluens, humectans, refrigerans.

VSVS: Hæmoptysis, Phthisis, Scorbutus.

COMP.

Fragaria.

365. FRAGARIA *vesca* flagellis reptantibus. *Fl. suec.*

450. Sp. pl. 708. Amœn. acad. 8. p. 169.

Fragaria vulgaris. *Baub. pin.* 326.

LOC. Europæ sylvæ. *Perennis, vulgatissima.*

PHARM. FRAGARIAE Herba, (Fructuum) Syrupus,
▽, +, ▲.

QUAL. aquosa, acida, fragrans. *Trita, præstans.*

VIS: diluens, humectans, subrefrigerans, diaphoretica, diuretica, eccoprotica.

VSVS: Febres, Calculus, Podagra! Phthisis,

COMP.

POTENTILLA.

366. POTENTILLA *Anserina* foliis pinnatis ferratis, caule repente, pedunculis unifloris. *Fl. suec.*

452. Sp. pl. 710. *Fl. dan.* t. 544.

Potentilla. *Baub. pin.* 321.

LOC. Europæ pascua. *Perennis, vulgatissima.*

PHARM. ANSERINAE Radix, Herba.

QUAL. insipida. *Debilis, exoleta.*

VIS: adstringens.

VSVS: Icterus? Prolapsus, Leucorrhœa, Calculus.

COMP.

367. POTENTILLA *reptans* foliis quinatis, caule repente, pedunculis unifloris. *Fl. suec.* 456. *Sp. pl.* 714.

Quinquefolium majus repens. *Baub. pin.* 325.

LOC. Europæ ruderata. *Perennis, vulgaris.*

PHARM. PENTAPHYLLI Radix, Herba.

QVAL. styptica. *Rarior, Hb. superflua.*

VIS: vulneraria, adstringens.

VSVS: Dysenteria.

COMP. Gargarismata, Andromach.

TORMENTILLA.

368. TORMENTILLA *erecta* caule erectiusculo, foliis sessilibus. *Fl. suec.* 420. *Sp. pl.* 716. *Fl. dan.* t. 589.

Tomentilla sylvestris. *Baub. pin.* 326.

LOC. Europæ pascua. *Perennis, vulgatissima.*

PHARM. TORMENTILLÆ Radix, *Essentia, Extractum*, Herba.

QVAL. styptica, rubra. *Trita, præstans.*

VIS: adstringens! coriaria, diuretica.

VSVS: Diarrhoea, Dysenteria, Stomachace, Hæmaturia?

COMP.

GEVM.

369. GEVM *urbanum* floribus erectis, fructibus globosis villosis: aristis uncinatis nudis, foliis lyrratis. *Fl. suec.* 460. *Sp. pl.* 716. *Fl. dan.* t. 672.
[Buchbave act. med. havn. 1. p. 119. t. 1.]

Caryophyllata vulgaris. *Baub. pin.* 321.

LOC. Europæ nemora. *Perennis, vulgaris.*

PHARM. CARYOPHYLLATAE Radix, Herba.

QVAL. styptica, fragrans, antacida. *Rarior.*

VIS:

VIS: adstringens, pellens, sudorifera.

VSVS: Variola! Dysenteria, Febres intermittentes.

COMP:

370. GEVM *rivale* floribus nutantibus, fructu oblongo: aristis plumosis tortis. *Hort. cliff.* 195. *Fl. suec.* 461. *Sp pl.* 717. *Fl. dan.* 722.

Caryophyllata aquatica, nutante flore. *Bauh. pin.* 321.

LOC. Europæ, præsertim septentrionalioris, prata humida, uliginosa: *Perennis, vulgaris.*

PHARM. GEI PALVSTRIS Radix.

QVAL. styptica, antacida. *Rarior, præstant.*

VIS: adstringens, coriaria.

VSVS: Febres intermittentes.

COMP.



CLASSIS XIII.

POLYANDRIA.

MONOGYNIA.

CAPPARIS.

371. CAPPARIS *spinosa* pedunculis unifloris solitariis, stipulis spinosis, foliis annuis, capsulis ovalibus.
Sp. pl. 720.

Capparis spinosa, fructu minore, folio rotundo.

Baub. pin. 480.

LOC. Italiæ, Narbonæ muri. *Arbor, fera.*

PHARM. CAPPARIDIS (*Radicis*) Cortex, Flores (*aceto*) conditi.

QUAL. sicca, subamara. *Vositata.*

VIS: adstringens, diuretica, emmenagoga.

VSVS: Hypochondriasis, Obstipatio, Paralysis.

COMP. *Troch. capparidis, Ol. capparidis, Radices V. aperientes minores, Infusa.*

ACTAEA.

372. ACTAEA *ramosa* racemis longissimis, fructibus siccis. *Sp. pl. 722.*

Christophoriana americana procerior et longius spicata. *Dill. eltb. 79. t. 67. f. 78.*

LOC. Virginia, Noveboracum, Sibiria. *Perennis, cicur,*

PHARM. ACTAEAE Radix, *Effentia.*

QUAL. tetra foetida, subvenenata.

Cauta, inusitata, heroica.

VIS: pellens, sudorifera, anodyna, repellens.

VSVS: Asthenia virginica.

COMP.

CHE.

372. ACTAEAE hujus defectu *spicata* nostras substitui potest.

CHELIDONIVM.

373 CHELIDONIVM *majus* pedunculis umbellatis,
Fl. suec. 465. *Sp. pl.* 723. *Fl. dan.* t. 542.

Chelidonium majus vulgare. *Baub. pin.* 144.

LOC. Europæ ruderata. *Perennis, vulgaris.*

PHARM. CHELIDONII MAJORIS Radix, Herba, ∇ .

QVAL. succus luteus, amarus, acris, deurens.

Rarior, præstans.

VIS: diuretica, diaphoretica.

VSVS: Icterus, Cachexia, Hydrops, Tabes, Oedema, Herpes, Pterygium.

COMP.

PAPAVER.

374 PAPAVER *Rhaeas* capsulis glabris globosis, caule piloso multifloro, foliis pinnatifidis incisis.
Fl. suec. 468. *Sp. pl.* 726.

Papaver erraticum majus. *Baub. pin.* 171.

LOC. Europæ arva. *Annua, vulgaris.*

PHARM. RHOEADIS Herba, Flores, Conserva,
Syrupus $\frac{2}{3}$ j, *R* $\frac{3}{4}$ j, ∇ .

QVAL. amariuscula. *Trita, præstans.*

VIS: subnarcotica, anodyna.

VSVS: Pleuritis, Catarrhus.

COMP.

375. PAPAVER *somniferum* capsulis calycibusque glabris, foliis amplexicaulis incisis. *Sp. pl.* 726.
Amœn. acad. 8. p. 291.

α . Papaver hortense, semine nigro. *Baub. pin.* 160.

β . Papaver hortense, semine albo. *Baub. pin.* 170.

LOC. Europæ australioris agri. *Annua, cicutæ.*

PHARM. PAPAVERIS NIGRI Semina, Capitula,
Syrupus (Diacodium) $\frac{2}{3}$ j.

ALBI Herba, *Syrupus* $\frac{3}{4}$ vj, \textcircled{Q} , Semina \textcircled{O} .

OPIVM

OPIVM crudum Gr, ij. correctum, Succus inspissatus, Extractum Gr. V, R cum +, R sine +.

QVAL. Opii lactescens gummofo-resinosa, amara, acris, tetra foetida, inflammabilis. Trita, beroica. vis: narcotica, phantastica, dementans, exhilarans, diaphoretica, anodyna, hypnotica, antispasmodica, antiemetica, obstruens, fistens, paregorica, paralytica.

VSVS: Agrypnia, Morbi dolorifici, spastici, evacuatorii, contagiosi, Vomitus, Phrenitis. [Syphilis.]

COMP. Andromach. Diafcord. Orvietan. Philon.

Pil. Cynogloss. Laud. liquid. Gtt. X,

CAMBOGIA.

376. CAMBOGIA Gutta. Fl. zeyl. 195. Sp. pl. 728.

Coddam - pulli. Rheed. mal. p. 41. t. 24.

LOC. Malabaria, Zeylona. Arbor, peregrina.

PHARM. GVTTAE Gummi (Succus) Gr. X. sulphuratum Gr. xvij.

QVAL. resinoso-gummifera, lutea, opaca, nitida, insipida, inodora. Rarior, beroica.

VIS: draistica, hydragoga, subemetica.

VSVS: Quartana, Hydrops, Cachexia, Icterus, Asthma, Tænia.

COMP. Extr. catholicum.

NYM.

376. [Gummi Guttæ verum zeylonense e Cambogia Gutta non provenit, sed ab alia Arbore polygama, fructu cerasiformi, eduli, Koenig. Retz. fasc. 4. p. 6. G. Guttæ americanum vid. n. 498. Tale Gummi, indico/viribus simile, e Clusiæ roseæ fructus succo spissæ resinoso flavo parari posse in Ins. Bahamensis (ubi ideo Gambogia a nonnullis appellatur,) narratum est cel. D. Schœpff Med. aul. Baruth.]

L

NYMPHAEA.

377. NYMPHAEA *alba* foliis cordatis integerimis,
calyce quadrifido. *Fl. suec.* 470. *Sp. pl.* 729. *Fl.*
dan. t. 602.

Nymphæa alba major. *Baub. pin.* 193.

LOC. Europæ stagna fluviique. *Perennis, vulgaris.*

PHARM. NYMPHAEAE ALBAE Radix, Flores,
Conserua, Syrupus, ▽, ◎.

QV. *Fl. fragrans. Rad. acris, saponacea. Exoleta, dubia.*

VIS: *Fl. refrigerans, anodyna, hypnotica, Rad.*
vesicatoria.

VSVS: Diarrhœa, Gonorrhœa, Febres.

COMP.

BIXA.

378. BIXA *Orleana. Hort. cliff.* 211. *Sp. pl.* 730. [Son-
nerat. voy. p. 29. tab. 13.]

Vrucu. *Marcg. bras.* 61. *Sloan. jam.* 2. p. 52. t. 181. f. 1.

LOC. Brasilia, Mexico. *Arbor, peregrina.*

PHARM. ORLEANA Terra (*Fæculæ*).

QVAL. subamara, subaromatica, rubra. *Exoleta.*

VIS: tinctoria, refrigerans, corroborans, stomachica.

VSVS: Hæmorrhagia, Profluvia.

COMP. Chocolata, Bezetta.

TILIA.

379. TILIA *europæa* floribus nectario destitutis. *Fl.*
suec. 471. *Sp. pl.* 733. *Fl. dan.* t. 553.

Tilia femina, folio majore. *Baub. pin.* 426.

LOC. Europæ nostræ prata. *Arbor, vulgaris.*

PHARM. TILIAE Carbo, Cortex *interior*, Flores,
Conserua, ▽, ▷.

QVAL. *Fl. fragrans.* *Rarior.*

VIS: *Fl. anodyna, antispasmodica.*

VSVS:

VSVS: *Fl.* Vertigo, Epilepsia.

COMP. *Aqua* confortans perlata, *Spir.* Embryon.
Aqu. hirundinum.

THEA.

380. THEA *borea* floribus hexapetalis. *Hort. cliff.*

204. *Amæn. acad.* 7. p. 237. t. 4. *Sp. pl.* 734. *Lett-*
som. monogr. Lond. 177. *Thumb. jap.* 225.

Thee. *Kæmpf. amæn.* 606. t. 606. *Breyn. cent.* 112.
Bont. jav. 83. *Barth. act.* 4. p. 1.

LOC. China, Japonia. *Arbuscula, peregrina.*

PHARM. THEAE Folia.

QVAL. subinodora, sicca, herbaceo-flyptica.

Culinaris, usitatissima.

VIS: exsiccans, corroborans, diuretica.

VSVS: Somnolentia, Polysarcia, Convulsio, Calcu-
lus; nocet ventriculo, debilibus.

COMP:

CARYOPHYLLVS.

381. CARYOPHYLLVS aromaticus. [foliis subfessilibus
acutis. *Berg. mat. med.* p. 475.] *Hort. cliff.* 207.
Sp. pl. 735. [*Sonnerat. voy.* p. 196. t. 119.]

Caryophyllum aromaticum, fructo clavato monopy-
reno. *Pluk. phyt.* 155. t. 1.

LOC. Moluccæ, præfertim Ternata. *Arbor, peregrina.*

PHARM. CARYOPHYLLI AROMATICI Fructus,
R, o, Balsamus.

ANTHOPHYLLI Fructus.

QVAL. aromatica, calidissima.

Culinaris, eximia. Anth. superflua.

VIS: calefaciens, tonica, stomachica, sialagoga,
emmenagogue.

VSVS: Odontalgia, Nausea, Paralyfis, Vertigo.

COMP. Benedicta, Orvietan. *El.* diafatyr. *Balf.*
apoplect. *Empl.* stomachal. *Spir.* mastichin.

CISTVS.

382. CISTVS *creticus* arborescens exstipulatus, foliis
spatulato-ovatis petiolatis enerviis scabris, caly-
cinis lanceolatis. *Sp. pl.* 738.
Cistus ladanifera cretica, flore purpureo. *Tournef.*
*cor. 19. it. 1. p. 89.**
LOC. Insulæ maris Aegæi, Creta. *Arbuscula*, *fera*.
PHARM. LADANI Gummi.
QVAL. Resina amara, grisea, fumo grato. *Rarior*.
VIS: paregorica, stomachica.
VSVS: Dysenteria, Catarrhus.
COMP. *Balf.* apoplecticus.

D I G Y N I A.

PAEONIA.

383. PAEONIA *officinalis* foliolis oblongis. *Hort.*
cliff. 212. upf. 149. Sp. pl. 747.
α. Pæonia folio nigricante splendido, quæ mas. *Baub.*
pin. 323.
β. Pæonia communis vel femina. *Baub. pin. 323.*
LOC. Alpes Helveticæ. *Perennis*, *cicur*.
PHARM. α. PAEONIAE Radix, *Fæculæ*, *Conserua*.
Syrupus, \overline{R} , ∇ , Semina.
β. PAEONIAE Flores, *Conserva*, *Syrupus*.
QVAL. tetra, fœtida. *Vsitata*, *heroica*.
VIS: subadstringens, narcotica, antispasmodica,
anodyna, hypnotica, pellens, emmenagogue.
VSVS: Convulsiones, Ecclampsia, Epilepsia.
COMP. \pm guttae; \pm epilept. Marchion. *Sp.* em-
bryon. et *Aqu.* hirund.

TRIGYNIA.

DELPHINIVM.

384. DELPHINIVM *Consolida* nectariis monophyllis caule subdiviso. *Fl. suec.* 476. *Sp. pl.* 748. *Fl. dan.* t. 683.

Consolida regalis arvensis. *Baub. pin.* 142.

LOC. Europæ agri. *Annua, vulgaris.*

PHARM. CONSOLIDÆ REGALIS Flores.

QVAL. cærulea. *Exoleta, superflua.*

VIS: dubia.

VSVS:

COMP. *Syrupus violarum succedaneus.*

385. DELPHINIVM *Staphisagria* nectariis tetraphyllis petalo brevioribus, foliis palmatis: lobis obtusis. *Hort. cliff.* 213. *upf.* 150. *Sp. pl.* 750.

Staphisagria. *Baub. pin.* 324.

LOC. Istria, Dalmatia, Calabria, Apulia.

Biennis, mansueta.

PHARM. STAPHISAGRIAЕ Semina.

QVAL. amara, nauseosa. *Trita, præstans, externa.*

VIS: draistica, exanthematica, anthelmintica, phthisiaca.

VSVS: Pisces, Pediculi, Acari subcutanei, Odontalgia.

COMP.

ACONITVM.

386. ACONITVM *Napellus* foliorum laciniis linearibus superne latioribus: linea exaratis. *Hort. cliff.* 214. *Fl. suec.* 477. *Sp. pl.* 751. *Act. Stockb.* 1739. p. 41. t. 2. *Jacq. austr.* 4. t. 381.

Aconitum cæruleum f. Napellus 1. *Baub. pin.* 183.

LOC. Europæ humidiuscula. *Perennis, cicur.*

PHARM. NAPELLI Herba, Extractum gr. β ad. j.

QVAL. substyptica, acris, nauseosa, toxica. *Heroica*.
 VIS: corrodens, vesicans, excoriants, vomitoria,
 draistica, convulsiva, vertiginosa, sternutatoria,
 pellens, sudorifera.

VSVS: Febres intermittentes, Ischias, Arthritis,
 Rheumatisinus, Scirrhos, Anchylosis.

COMP.

387. ACONITVM *Anthora* floribus pentagynis, foliorum laciniis linearibus. Sp. pl. 751. *Jacq. aust.*
 4. t. 382.

Aconitum salutiferum f. *Anthora*. Baub. pin. 184.
 LOC. Alpes Europææ. *Perennis, cicur.*

PHARM. ANTHORÆ Radix 3j.

QVAL. amara, acris, toxica. *Exoleta, dubia.*

VIS: purgans, exanthematica, anthelmintica, *Anti-Thora.*

VSVS: Febres exanthematicæ.

COMP. Orvietanum.

TETRAGYNIA.

CIMICIFUGA.

388. CIMICIFUGA fætida. Amœn. acad. 7. p. 435. t. 6.f.2.
 8. p. 193. t. 4. Gmel. sib. 4. p. 181. t. 70.

LOC. Sibiria.

PHARM. CIMICIFVGAE Herba.

QVAL. tetterima, acris. *Inusitata, præstans.*

VIS: anodyna, pellens, repellens, emetica.

VSVS: Morbi nervorum, Hydrops, Arthritis, Strumæ.

COMP.

PEN-

388. *Cleome gigantea* odore foetido Cimicifugam superat, sapore ita acri, ut vix sine vomitu masticari possit; unde ad vires ejus heroicas concludere licet.

PENTAGYNIA.

AQVILEGIA.

389. AQVILEGIA *vulgaris* nectariis incurvis. *Hort. upf.* 152. *Fl. suec.* 478. *Sp. pl.* 752. *Fl. dan.* t. 695.
Aquilegia sylvestris. *Baub. pin.* 144.
 LOC. Europa. *Perennis, cicur.*
 PHARM. AQVILEGIAE Herba, Flores, ∇ , Semi-na 3β .
 QVAL. herbacea, toxica. *Rarior, Hb. superflua.*
 VIS: pellens, exanthematica.
 VSVS: Exanthemata, Icterus! Dystocia, Scabies.
 COMP. Syrup. viol. succedaneus.

NIGELLA.

390. NIGELLA *sativa* pistillis quinis, capsulis muri-catis subrotundis, foliis subpilosis. *Hort. upf.* 154. *Sp. pl.* 753.
Nigella flore minore simplici candido. *Baub. pin.* 145.
 LOC. Creta, Aegyptus. *Annua, mansueta.*
 PHARM. NIGELLAE Semina, \textcircled{O} .
 QVAL. actis, fragrans, toxica. *Rarior.*
 VIS: pellens, errhina, fialagoga, sternutatoria, em-menagogga, lactifera, anthelmintica.
 VSVS: Coryza, Catarrhus.
 COMP.

POLYGYNIA.

WINTERA.

391. WINTERA *aromatica* pedunculis aggregatis terminalibus, pistillis quatuor. *Suppl.* 269. *Syst. veg.* 14. p. 507. *Soland. med. obs. and. inquir.* 5. p. 46. t. 1.

Drimys Winteri. *Forst. gen. 84. Nov. act. upsal.*

3. p. 181.

Cortex winteranus. *Clus. exot. 75.*

LOC. Terra Magellanica. *Arbor, fera.*

PHARM. WINTERANVS Cortex.

QUAL. acerriima, pungens, aromatica, fragrans.

Rarior, eximia.

VIS: calefaciens.

VSVS: Scorbutus!

COMP.

ILLICIVM.

392. ILLICIVM *anisatum* floribus flavescentibus. *Syst.*

nat. 2. p. 422. Tourn. jap. 235.

Skimmi. *Kämpf. amœn. 880. t. 881.*

LOC. Tataria, China, Philippinæ. *Fera.*

PHARM. ANISI STELLATI Fructus, *Essentia.*

QUAL. aromatica, dulcescens, sapore anisi.

Trita, præstans.

VIS: stomachica, carminativa, diuretica, pectoralis.

VSVS: Calculus, Tussis.

COMP.

ANEMONE.

393. ANEMONE *Hepatica* foliis trilobis integerrimis.

Fl. suec. 480. Sp. pl. 758. Fl. dan. t. 610.

Trifolium hepaticum, flore simplici cæruleo. *Bauh.*
pin. 339.

LOC. Europæ sylvæ opacæ. *Perennis, vulgaris.*

PHARM. HEPATICÆ NOBILIS Herba, Flores.

QV. inodora, insipida. *Exoleta, præstans, Fl. superflua.*

VIS:

391. [WINTERANVS Cortex crassus, externe lævis, cinereus, intus fibrosus, brunneus, acerrimus, pungens, servidior linguam magis diutiusque mordens, minus vero amarus et aromaticus Canellæ albæ Cortice, odore ad Cascarillæ Cort. fere accedit; benevole communicatus a celeberr. *Forsteris.*]

VIS: adstringens, tonica.

VSVS: Hypochondriasis, Hernia.

COMP.

394. ANEMONE *Pulsatilla* pedunculo involucrato, petalis rectis, foliis bipinnatis. *Fl. suec.* 481. *Sp. pl.* 759. *Fl. dan. t.* 153.

Pulsatilla folio crassiore, majore flore. *Baub. pin.* 177.

LOC. Europæ colles aprici. *Perennis, vulgaris.*

PHARM. PVLSATILLÆ Herba, ∇ .

QVAL. acerrima toxica. *Exoleta, superflua.*

VIS: corrodens, -rubefaciens.

VSVS: Febres.

COMP.

395. ANEMONE *nemorosa* feminibus acutis, foliolis incisis, caule unifloro. *Fl. suec.* 485. *Sp. pl.* 762. *Fl. dan. t.* 549.

Anemone nemorosa, flore majore. *Baub. pin.* 176.

LOC. Europæ nemora prataque verna. *Perennis, freq.*

PHARM. RANVNCVLI ALBI Flores, ∇ .

QVAL. acris, toxica. *Rarior.*

VIS: corrodens, cosmetica.

VSVS: Cephalalgia.

COMP.

CLEMATIS.

396. CLEMATIS *recta* foliis pinnatis: foliolis ovato-lanceolatis integerimis, caule erecto, floribus pentapetalis tetrapetalisque. *Hort. cliff.* 225. *Sp. pl.* 767. *Jacq. austr. 3. p. 49. t. 291.*

Flammula. *Cam. epit.* 608. *recta.* *Baub. pin.* 300.

LOC. Germaniæ, Galliæ colles. *Perennis, cicur.*

L 5

PHARM.

394. [Frequentius adhibetur *Anemone pratensis* f. *Pulsatilla nigricans*, in morbis oculorum, praeeunte Perill. a Störk.]

PHARM. FLAMMVLAE JOVIS Herba, Flores.

QUAL. acris.

VIS: diuretica, sudorifera, laxans, vesicants.

VSVS: Vlcera cancrofa e Syphilitide.

COMP.

RANVNCVLVS.

397. RANVNCVLVS *Ficaria* foliis cordatis angulatis petiolatis, caule unifloro. *Fl. suec.* 496. *Sp. pl.* 774. *Fl. dan.* t. 499.

Chelidonia rotundifolia minor. *Baub. pin.* 309.

LOC. Europæ umbrosa, culta. *Perennis, vulgaris.*

PHARM. CHELIDONII MINORIS Radix, Herba.

QUAL. subinsipida, oléracea. *Exoleta, dubia, superflua.*

VIS: cosmetica, [diuretica.]

VSVS: Varix ani? [Scorbutus.]

COMP.

HELLEBORVS.

398. HELLEBORVS *niger* scapo subbifloro subnudo, foliis pedatis. *Hort. upf.* 157. *Sp. pl.* 783. [Schmidel. ic. p. 26. t. 6.]

Helleborus niger, flore roseo. *Baub. pin.* 186.

LOC. Alpes Apenninæ, Austriæ, Hetruriæ.

Perennis, mansueta.

PHARM. HELLEBORI NIGRI Radix Θj. Fibræ, Extractum Θβ.

QUAL. acris, amaricans, subnauseosa, fœtida.

Trita, eximia.

VIS:

398. [*Helleboro nigro* sæpe substituuntur *Helleborus viridis*, cuius rad. amarior, acrior magisque nauseosa; *Adonis vernalis* (*Helleb. Hippocratis falso dicta*), *Ailæa spicata*, *Irollius europæus*, *Afrantia major*, quæ debiliores; *Aconitum Napellus*, quæ venenatissima. Conf. Nov. aîl. Acad. N. C. vol. 6. p. 144. sqq.]

VIS: purgans! pellens, emmenagogia.

VSVS: Melancholia, Hypochondriasis, Mania, Chlorosis, Achor.

COMP. Extr. cathol. Extr. panchymagog. Pil. Starkej.

394. HELLEBORVS *fætidus* caule multifloro foliofoliis pedatis. *Hort. cliff.* 227. *Sp. pl.* 227.

Helleborus niger fætidus. *Baub. pin.* 185.

LOC. Germania, Gallia. *Perennis, cicur.*

PHARM. HELLEBORI FOETIDI Herba.

QVAL. acris, tetra.

VIS: purgans, emetica, anthelmintica.

VSVS: Vermes.

COMP.



CLASSIS XIV.

D I D Y N A M I A.

GYMNOSPERMIA.

AJVGA.

400. AJVGA *pyramidalis* tetragono-pyramidalis villofa, foliis radicalibus maximis. *Fl. suec.* 512. *Sp. pl.* 785. *Fl. dan.* t. 185.

Confolida media genevensis. *Baub. hist.* 3. p. 432.

LOC. Europæ prata montana, viæ. *Biennis, vulgaris.*

PHARM. CONSOLIDÆ MEDIAE Herba.

QVAL. amara. *Exoleta, dubia.*

VIS: subadstringens, vulneraria.

VSVS: Contusura.

COMP.

TEVCRIVM.

401. TEVCRIVM *Chamæpitys* foliis trifidis linearibus integerrimis, floribus sessilibus lateralibus solitariis, caule diffuso. *Hort. upf.* 160. *Sp. pl.* 787. *Fl. dan.* t. 733.

Chamæpitys lutea vulgaris f. folio trifido. *Baub. pin.* 249.

LOC. Italiæ, Angliæ, Austriæ agri. *Annua, cicur.*

PHARM. CHAMAEPITYOS Herba.

QVAL. resinofo-aromatica, amara. *Trita, præstans.*

VIS: tonica, stomachica, resolvens, pellens, emmenagoga.

VSVS: Rheumatismus, Arthritis, Podagra, Hæmaturia?

COMP. Andromach.

402. TE-

400 [Consolidæ mediæ herbam pharmacopoliis extra Sueciam *Ajuga reptans* subministrat.]

401. [Ad AJVGAE genus potius referenda est, monente b. Hallero. *Schreb. unilab.* 24.]

402. TEVCRIVM *creticum* foliis lanceolato-linearibus integerrimis, floribus racemofisis ternis. Sp. pl. 788.

Rosmarinum floechados facie. Alp. exot. 103. f. 102.
LOC. Creta. Suffrutex, mansuetus.

PHARM. POLII RETICCI Herba.

QVAL. amara. Exoleta, debilis, superflua.

VIS: tonica.

VSVS: Calculus, Icterus.

COMP. Andromach. Mithridat.

403. TEVCRIVM *Marum* foliis integerrimis ovatis acutis petiolatis subtus tomentofisis, floribus racemofisis secundis. Sp. pl. 788. Amoen. acad. 8. p. 221.

Marum cortusi. Baub. hist. 3. p. 242.

LOC. Regnum Valentinum. Suffrutex, mansuetus.

PHARM. MARI VERRI Herba, Folia s. f. Essentia.

QVAL. spirans, acutissima, amara. Rarior, cara, heroica.

VIS: resolvens, nervina! pellens, diuretica, emmenagogica, errhina, cordialis, tonica.

VSVS: Cachexia, Hydrops, Asthma! Oblivio, Somnolentia! Anosmia, Hysteria.

COMP.

404. TEVCRIVM *Scordium* foliis oblongis sessilibus dentato-ferratis, floribus geminis axillaribus pendunculatis, caule diffuso. Fl. suec. 513. Sp. pl. 790. Fl. dan. t. 593.

Scordium. Baub. pin. 247.

LOC. Europa. Herba, perennis.

PHARM. SCORDII Herba, Syrupus, Essentia, ▽.

QV. amara, acris, orgastica alliata, lactaria. Trita, exim.

VIS: balsamica, tonica, antiputredinosa! alexiteria! antifebrilis, resolvens, pellens, diaphoretica, anthelminthica.

VSVS:

403. [*Polium creticum verum est T. Teuthrion Schreb. unit. 46.*]

VSVS: Gangrena! Febres, Pestis, Vlcus.

COMP. Ther. Alexipharm. Andromach. Orvietan.
Mithridat., Diaſcordium. Effent. alexipharm.
Stahlii.

405. TEVCRIVM *Chamædrys* foliis cuneiformi-ovatis incisis crenatis petiolatis, floribus ternis, caulis procumbentibus subpilosis. *Hort. cliff.* 302. *Sp. pl.* 790.

Chamædrys major (minorque) repens. *Baub. pin.* 248.

LOC. Italia, Gallia, Anglia, Germania, Helvetia.
Perennis, mansueta.

PHARM. CHAMAEDRYOS Herba.

QVAL. spirans, amara. *Trita, præstans.*

VIS: balsamica, tonica, stomachica, pellens, sudorifera, eminenagoga.

VSVS: Arthritis, Podagra, Tertiana! Scrophulæ, Catarrhus, Chlorofis.

COMP. Andromach.

SATVREJA.

406. SATVREJA *hortensis* pedunculis bifloris. *Virid. cliff.* 87. *Hort. upf.* 161. *Sp. pl.* 795.

Satureja hortensis. *Baub. pin.* 218.

LOC. Monspelium. *Annua, cicur.*

PHARM. SATVREJAE Herba, ∇ , $\circ\circ$, Semina.

QVAL. spirans, aromatica. *Rarior, præstans.*

VIS: resolvens, excitans, pellens, stomachica, emmenagogia, aphrodisiaca.

VSVS: Anorexia, Atecnia.

COMP.

407. SATVREJA *capitata* floribus spicatis, foliis carinatis punctatis ciliatis. *Sp. pl.* 795.

Thymus capitatus, qui dioscoridis. *Baub. pin.* 219.
LOC.

LOC. Græcia, Creta, Bætica, Hispalis, Gades.

Suffrutex, ferus.

PHARM. THYMI CRETICI Herba.

QV. spirans, Thymo 427. 428. fortior. *Exoleta, præst.*

VIS: Thymo vulgari 428. fortior.

VSVS:

COMP.

HYSSOPVS.

408. HYSSOPVS *officinalis* spicis secundis, foliis lan-

ceolatis. Sp. pl. 796. Facq. austr. 3. t. 254.

Hyssopus officinarum cærulea f. spicata. Baub. pin. 217.

LOC. Austriae subalpina, Russia australis *Suffrutex, cicur.*

PHARM. HYSSOPI Herba, *Conserua, Syrupus, Ef-*

fentia, ▽, ○○, Semina.

QVAL. amaricans, nidorosa halituosa. *Trita, præstans.*

VIS: balsamica, tonica, resolvens, expectorans,

stomachica.

VSVS: Tussis, Angina, Asthma humorale, Poda-

gra, Calculus, Ophthalmia, Sugillatio.

COMP: Syr. Hyssopi.

NEPETA.

409. NEPETA *Cataria* floribus spicatis, verticillis

subpedicellatis, foliis petiolatis cordatis dentato-

ferratis. Fl. suec. 514. Sp. pl. 796. Fl. dan. t. 580.

Mentha cataria vulgaris et major. Baub. pin. 228.

LOC. Europæ pagi, ruderata. *Perennis, vulgaris.*

PHARM. NEPETÆ Herba.

QVAL. hircosa felina, amara. *Exoleta, præstans.*

VIS: resolvens, pellens, cephalica, emmenagogia,

anthelmintica.

VSVS: Hysteria, Chlorofis!

COMP. *Inseffus.*

LAVANDVLA.

410. LAVANDVLA *Spica* foliis lanceolatis integris,
spicis nudis. *Hort. cliff.* 303. *upf.* 162. *Sp. pl.* 800.
Lavandula latifolia et angustifolia. *Baub. pin.* 216.
LOC. Italia, Hispania, Gallia narbonensis.

Suffrutex, subcicur.

PHARM. LAVANDVLAE Flores, *Conserua*, ∇ , $\overline{\nabla}$, $\circ\circ$.
SPICAE $\circ\circ$.

QVAL. amara, spirans. *Trita, eximia.*

VIS: nervina, resolvens, cephalica, uterina.

VSVS: Aphonias, Balbuties, Dystocia.

COMP. *Bals. lavandulæ*, *Bals. apoplect.* *Spir. embryon.*

411. LAVANDVLA *Stoechas* foliis lanceolato-linea-
ribus integerrimis, spicis comosifl. *Hort. cliff.* 303.
upf. 162. *Sp. pl.* 800.

Stoechas purpurea. *Baub. pin.* 216.

LOC. Hispania, Lusitania, G. Narbonensis.

Suffrutex, mansuetus.

PHARM. STOECHADIS ARABICAE Flores (*Spi-
ca rectius*).

QVAL. spirans, præcedenti graveolentior. *Exoleta.*

VIS: cephalica, nervina.

VSVS: Paralysis, Vertigo, Hypochondriasis.

COMP. Mithridatum.

MENTHA.

412. MENTHA *Auricularia* spicis oblongis, foliis ob-
longis serratis pilosis fessilibus, staminibus corol-
la longioribus. *Mantiss. pl.* 81. *Fl. zeyl.* 48.*
Majorana foetida. *Rumph. amb.* 6. *p. 41.* *t. 16.*

LOC. Indiæ orientalis aquosa. *Fera.*

PHARM. MENTHÆ AVRICVLARIAE Herba.

QVAL. amara, spirans. *Ignota.*

VIS: resolvens.

VSVS:

VSVS: Cophosis, Tumores.

COMP.

413. MENTHA *sylvestris* spicis oblongis, foliis oblongis tomentosis ferratis sessilibus, staminibus corolla longioribus. *Sp. pl.* 804. *Fl. dan.* t. 484.
Mentha sylvestris, folio longiore. *Bauh. pin.* 227.

LOC. Germania, Anglia, Gallia. *Perennis, cicur.*

PHARM. MENTHAE SYLVESTRIS Herba.

QVAL. amaricans, spirans. *Rarior, externa.*

VIS: frequente debilior, magisque adstringens.

VSVS: Calculus, Hysteria, Colica, Vomitus.

COMP. Epithemata.

414. MENTHA *crispa* floribus capitatis, foliis cordatis dentatis undulatis sessilibus, staminibus corollam æquantibus. *Hort. cliff.* 306. *upf.* 168. *Sp. pl.* 805.
Mentha crispa danica f. germanica speciosa. *Morris. hist. 3. p. 367. f. II. t. 6. f. 5.*

LOC. Europa. *Perennis, cicur.*

PHARM. MENTHAE CRISPÆ Herba, *Conserua, Syrupus, ▽, ℥, օօ, ⓧ.*

QVAL. amaricans, spirans. *Trita, eximia.*

VIS: resolvens, pellens, carminativa, ructatrix, antaphrodisiaca, emmenagogue, lac repellens, stomachica.

VSVS: Soporosi, Cephalalgia, Vomitus, Colica! Anorexia! Lienteria, Hysteria, Dysmenorrhœa, Leucorrhœa, Asthma, Tussis convulsiva! Bubo mammarum, Satyriasis.

COMP. *Spir. embryon.*

415. MENTHA *piperita* floribus capitatis, foliis ovatis ferratis petiolatis, staminibus corolla brevioribus. *Sp. pl.* 805. [Knigg. diff. t. 1.]

Mentha spicis brevioribus et habitioribus, foliis menthae fulcæ, sapore fervido piperis. *Raj. angl. 3. p. 234. t. 10. f. 2.*

LOC. Anglia.

Perennis, cicur.

PHARM. MENTHÆ PIPERITÆ Herba.

QVAL. præcedentis, sed acrior, cum sensu refrigeri.

Rarior, eximia.

VIS: præcedentis, sed fortior.

VSVS: præcedentis, præstantior.

COMP.

416. MENTHA *Pulegium* floribus verticillatis, foliis ovatis obtusis subcrenatis, caulis subteretibus repentinibus, staminibus corolla longioribus.

Hort. cliff. 306. Sp. pl. 807.

Pulegium latifolium. Baub. pin. 222.

LOC. Germaniæ, Angliæ, Galliæ subhumida.

Perennis, mansueta.

PHARM. PVLEGII Herba.

QVAL. *M. crispæ*, sed acrior. *Vsitata, præstans.*

VIS: *M. crispæ*, sed fortior, minusque adstringens, emmenagogæ.

VSVS: Asthma, Tussis convulsiva, Raucedo!

COMP.

GLECOMA.

417. GLECOMA *bederacea* foliis reniformibus crenatis. *Fl. suec. 518. Sp. pl. 807. Fl. dan. t. 789.*

Hedera terrestris vulgaris. Baub. pin. 306.

LOC. Europæ sepes, dumeta. *Perennis, vulgaris.*

PHARM. HEDERÆ TERRESTRIS Herba, Conserva, Syrupus, ▽.

QVAL. amaricans, subacris.

Trita, debilis.

VIS: Tonica, vulneraria.

VSVS:

VSVS: Vlcus internum, Colica hypochondriaca,
Tussis, Cephalalgia.

COMP.

LAMIVM.

418. LAMIVM *album* foliis cordatis acuminatis fer-
ratis petiolatis, verticillis vigintifloris. *Fl. suec.*
520. *Sp. pl.* 809. *Fl. dan.* t. 594.

Lamium album non fœtens, folio oblongo. *Baub.*
pin. 231.

LOC. Europæ, ruderata culta. *Annua, vulgaris.*

PHARM. LAMII ALBI Herba.

QVAL. subfatua, oleracea, tetra. *Exoleta, dubia.*

VIS:

VSVS: Leucorrhœa.

COMP.

BETONICA.

419. BETONICA *officinalis* spica interrupta, corollarum
labii lacinia intermedia emarginata. *Fl. suec.* 515.
Hort. upf. 164. *Sp. pl.* 810. *Fl. dan.* t. 726.

Betonica purpurea. *Baub.* *pin.* 235.

LOC. Europa australior. *Perennis, cicur.*

PHARM. BETONICAE Herba, Flores, Conserva,
Syrupus, ▽.

QVAL. sicca, nidorosa halituosa. *Rad.* nauseosa.

VIS: nervina, tonica, errhina. *Rad.* emetica.

Trita, debilis.

VSVS: Cephalalgia, Hysteria.

COMP.

STACHYS.

420. STACHYS *sylvatica* verticillis sexfloris, foliis
cordatis petiolatis. *Hort. cliff.* 309. *Fl. suec.* 526.
Sp. pl. 811.

M 2

La.

420. [*Stachys recta, Sideritis officin.* in Germania passim in numero
rum medicamentorum recipitur. Vsus: in Rhachitide externe.]

180 DIDYNAMIA. GYMNOSEPERMIA:

Lamium maximum sylvaticum fœtidum. *Baub. pin.* 251.
LOC. Europæ nemora. *Annua, vulgaris.*
PHARM. GALEOPSISIDIS Herba.
QVAL. tetra fœtida. *Exoleta.*
VIS: anodyna, vulneraria.
VSVS: Pleuritis, Nephritica.
COMP.

MARRVBIUM.

421. MARRVBIUM *vulgare* dentibus calycinis feta-
ceis uncinatis. *Fl. suec.* 531. *Sp. pl.* 816.
Marrubium album *vulgare*. *Baub. pin.* 230.
LOC. Europæ ruderata, argillofa. *Perennis, vulgaris.*
PHARM. MARRVBII ALBI Herba.
QV. graveolens, amariuscua, ingrata. *Exoleta, præstans.*
VIS: pellens, eminenagoga, thoracica, anthelmin-
thica.
VSVS: Asthma humorale, Ptyalismus mercurialis,
Obstipatio visceris, Dysmenorrhœa, Hysteria.
COMP. Syr. Praefii, Pil. Agarici, Andromach.

LEONVRVS.

422. LEONVRVS *Cardiaca* foliis caulinis lanceolatis
trilobis. *Fl. suec.* 532. *Sp. pl.* 817. *Fl. dan.* t. 627.
Marrubium Cardiaca dictum. *Baub. pin.* 230.
LOC. Europæ ruderata, pagi. *Biennis, frequens.*
PHARM. CARDIACAE Herba, ▽.
QVAL. sicca. *Exoleta, infida.*
VIS: roborans.
VSVS: Hysteria! Hypochondriasis?
COMP.

ORIGANVM.

423. ORIGANVM *Dictamnus* foliis inferioribus to-
mentosis, spicis nutantibus. *Hort. cliff.* 314. *Sp.*
pl. 823.

Di-

Dictamnus creticus. Baub. pin. 222.
 LOC. Mons Ida Cretæ. Suffrutex, ferus.
 PHARM. DICTAMNI RETICCI Folia.
 QVAL. spirans, calida. Trita, eximia.
 VIS: resolvens, pellens, nervina, uterina, emmenagogica.
 VSVS: Dystocia.
 COMP. Andromach. Mithridat. Orvietan. Diafiscord.

424. ORIGANVM *creticum* spicis aggregatis longis
 prismaticis rectis, bracteis membranaceis calyce
 duplo longioribus. Sp pl. 823.

Origanum creticum. Baub. pin. 223.
 LOC. Creta. Herba, peregrina.
 PHARM. ORIGANI RETICCI Herba (*rectius* Spi-
 ca), ^{oo}.
 QVAL. spirans, calida. Trita, eximia.
 VIS: stimulans.
 VSVS: Odontalgia.
 COMP. Andromach.

425. ORIGANVM *vulgare* spicis subrotundis panicu-
 latis conglomeratis, bracteis calyce longioribus
 ovatis. Fl. suec. 534. Sp. pl. 824. Fl. dan. t. 638.

Origanum sylvestre. Baub. pin. 223.
 LOC. Europæ montes. Perennis, frequens.
 PHARM. ORIGANI VULGARIS Herba.
 QVAL. amaricans, subacris, tinctoria, spirans. Rarior.
 VIS: corroborans, abstergens, resolvens, excitans.
 VSVS: Tussis, Asthma, Phthisis, Chlorosis, Oedema!
 COMP. Syr. artemisiae compositus; Balnea uterina.
Theæ succedanea.

426. ORIGANVM *Majorana* foliis ovatis obtusis, spi-
 cis subrotundis compactis pubescentibus. Hort.
 cliff. 304. upf. 161. Sp pl. 826.

Majorana vulgaris. *Baub. pin.* 224.

LOC.

Annua, submansueta.

PHARM. *MJORANAE* Herba, *Conserva*, ∇ , $\circ\circ$.

QUAL. *americans*, *spirans*. *Culinaris, præstans.*

VIS: *tonica, resolvens, nervina, cephalica, ptarmica, stomachica.*

VSVS: *Coryza, Anosmia.*

COMP. *Bals. majoranæ, Bals. apoplecticus, ♀ ster-nutatorius.*

THYMVS.

427. THYMVS *Serpyllum* floribus capitatis, i[caulibus] repentibus, foliis planis obtusis basi ciliatis.
Fl. suec. 535. *Sp. pl.* 825.

Serpyllum vulgare minus. *Baub. pin.* 220.

LOC. *Europæ nostræ colles nudi. Suffrutex, vulgaris.*

PHARM. *SERPYLLI* Herba, ∇ , $\circ\circ$ (*florum*), *Conserva*.

QUAL. *styptica, spirans.* *Exoleta.*

VIS: *resolvens, excitans, tonica.*

VSVS: *Cephalalgia crapulæ.*

COMP. *Balnea uterina.*

428. THYMVS *vulgaris* erectus, foliis revolutis ova-tis, floribus verticillato-spicatis. *Hort. cliff.* 302.
upf. 160. *Sp. pl.* 825.

Thymus vulgaris, folio tenuiore. *Baub. pin.* 219.

LOC. *Galliæ narbonensis exarida. Suffrutex, cicur.*

PHARM. *THYMI VVLGARIS* Herba, ∇ .

QUAL. *aromatica, spirans.* *Vsitata, præstans.*

VIS: *resolvens, excitans, pellens, nervina, corroborans, tonica, stomachica, emmenagoga.*

VSVS: *Senectus, Leucophlegmatia, Coryza, Epiphora.*

MELISSA.

429. MELISSA *officinalis* racemis axillaribus verticillatis, pedicellis simplicibus. *Sp. pl.* 827.
Melissa hortensis. Baub. pin. 229.
 LOC. Italiae Allobrogicæ montes. *Perennis, cicur.*
 PHARM. MELISSÆ CITRATAE Herba, Syrupus,
 Effentia, ∇ , $\widetilde{\nabla}$, $\circ\circ$.
 QVAL. spirans: odore cort. citri. *Trita, eximia.*
 VIS: resolvens, excitans, pellens, cordialis, tonica,
 emmenagogæ, diuretica.
 VSVS: Melancholia, Hypochondriasis, Hysteria,
 Palpitatio.
 COMP. Spir. embryon. Acet. prophylact.

430. MELISSA *Calamintha* pedunculis axillaribus dichotomis longitudine foliorum. *Sp. pl.* 827.
Calamintha vulgaris vel officinarum germanicæ.
Baub. pin. 228.
 LOC. Italiæ, Hispaniæ, Galliæ montes.
Perennis, mansueta.
 PHARM. CALAMINTHÆ MONTANÆ Herba.
 QVAL. odor præcedentis, debilior. *Exoleta, præstans.*
 VIS: resolvens, pellens, expectorans, stomachica,
 VSVS: Asthma.
 COMP.

DRACOCEPHALVM.

431. DRACOCEPHALVM *canariense* floribus spicatis,
 foliis compositis. *Hort. liff.* 308. *Sp. pl.* 829.
 M 4 Cœdro-

430. CALAMINTHÆ MONTANÆ loco in nostris officinis
 male *CLINOPODIUM vulgare* substituitur.

431. DRACOCEPHALVM sequens 432. vulgo in Pharmacopœiis servatur, sed vix umquam præscribitur, in cuius locum
 ego potius hanc 431. substituerem: quæ fragrantissima vi, si
 Marum cipias, vix parem habet.

Cedronella canariensis viscosa, floribus plerumque ex eodem pedunculo ternis. *Comm. hort. 2. p. 81. t. 41.*

LOC. Insulæ Canariæ. *Perennis, mansueta.*

PHARM. MELISSÆ CANARIAE Herba.

QVAL. spirans, aromatica. *Inusitata, heroica.*

VIS: nervina, resolvens.

VSVS: Cachexia, Cephalalgia.

COMP.

432. DRACOCEPHALVM *Moldavica* floribus verticillatis, bracteis lanceolatis: ferraturis capillaceis.

Hort. upf. 166. Sp. pl. 830.

Melissa peregrina, folio oblongo. *Baub. pin. 229.*

LOC. Moldavia, Ruthenia. *Annua, cicur.*

PHARM. MELISSÆ TVRCICAE Herba, Semina.

QVAL. spirans. *Exoleta, debilis, superflua.*

VIS: nervina, resolvens.

VSVS:

COMP.

OCIMVM.

433. OCIMVM *Basilicum* foliis ovatis glabris, calycibus ciliatis. *Hort. cliff. 315. upf. 168. Sp. pl. 833.*

Ocimum caryophyllum majus. *Baub. pin. 226.*

LOC. Zeylona, India. *Annua, cicur.*

PHARM. BASILICI Herba, ∇ , Semina.

QVAL. spirans. *Sem. mucilaginosa. Culinaris, præstans.*

VIS: nervina, cordialis, pellens.

VSVS: Vomitus, Distillationes.

COMP. *Vng. martiatum.*

PRVNELLA.

434. PRVNELLA *vulgaris* foliis omnibus ovato-oblongis ferratis petiolatis. *Fl. suec. 540. Sp. pl. 837.*

Prunel-

Prunella major, folio non dissecto. *Baub. pin.* 460.
 LOC. Europæ prata, pascua. *Perennis, vulgaris.*
 PHARM. PRVNELLÆ Herba, ∇ .
 QVAL. subodorata. *Exoleta, superflua.*
 VIS: subadstringens.
 VSVS: Angina.
 COMP. Gargarismata.

ANGIOSPERMIA.

EVPHRASIA.

435. EVPHRASIA *officinalis* foliis ovatis lineatis acute dentatis. *Fl. suec.* 443. *Sp. pl.* 841.
Euphrasia officinarum. Baub. pin. 233.
 LOC. Europæ pascua sterilia. *Annua, vulgatissima.*
 PHARM. EVPHRASIAE Herba, *Conserva*, ∇ , \sqcup .
 QVAL. pinguis, subamara. *Exoleta, infida.*
 VIS: [subadstringens.]
 VSVS: Ophthalmia?
 COMP.

PEDICVLARIS.

436. PEDICVLARIS *palustris* caule ramoso, calycibus cristatis calloso - punctatis, corollis labio obliquis. *Fl. suec.* 551. *Sp. pl.* 845. *Fl. dan.* t. 225.
Pedicularis pratensis rubra elatior. Raj. hist. 700.
 LOC. Europæ pascua paludosa. *Annua, vulgaris.*
 PHARM. PEDICVLARIS AQVATICÆ Herba recentis.
 QVAL. ingrata. *Inusitata.*
 VIS: vulneraria.
 VSVS: Fistula, Vlcus callosum.
 COMP.

ANTIRRHINVM.

437. ANTIRRHINVM *Linaria* foliis lanceolato-linearibus confertis, caule erecto, spicis terminalibus sessilibus, floribus imbricatis. *Fl. suec.* 557. *Sp. pl.* 858.

Linaria vulgaris lutea, flore majore. *Baub. pin.* 212.
LOC. Europæ muri, fabulosa. *Perennis, vulgaris.*

PHARM. LINARIAE Herba, *Vnguentum.*

QUAL. hircofo - urinosa, amariuscua. *Exoleta, eximia.*

VIS: anodyna, pellens, repellens, eccoprotica,
diuretica, purificans.

VSVS: Ophthalmia, Icterus, Varix ani, Hydrops.

COMP.

438. ANTIRRHINVM *majus* corollis ecaudatis, floribus spicatis, calycibus rotundatis. *Hort. upf.* 175.

Sp. pl. 859.

Antirrhinum arvense majus. *Baub. pin.* 212.

LOC. Galliæ, Italiæ agri. *Annua, cicur.*

PHARM. ANTIRRHINI Herba.

QUAL. fatua. *Exoleta, infida, superflua.*

VIS: dubia.

VSVS: Magia.

COMP.

SCROPHVLARIA.

439. SCROPHVLARIA *nodosæ* foliis cordatis trinervatis, caule obtusangulo. *Fl. suec.* 560. *Sp. pl.* 862.

Scrophularia nodosa foetida. *Baub. pin.* 235.

LOC. Europæ sepes. *Perennis, vulgaris.*

PHARM. SCROPHVLARIAE FOETIDÆ Radix.

QUAL. tetra, foetida, amara. *Rarior, præstans.*

VIS:

438. [Pro ANTIRRHINI Herba *Fl. suec.* 559. et *Pharm. dan.* 36. Autirrhinam *Orontium* colligere jubent.]

vis: anodyna, repellens, sudorifera, carminativa, anthelmintica!

vsvs: Scrophula, Varix ani, Vulnus, Scabies, Angina.

COMP. *Amuletum.*

440. SCROPHVLARIA *aquatica* foliis cordatis obtusis petiolatis decurrentibus, caule membranis angulato, racemis terminalibus. *Hort. upf.* 177. *Sp. pl.* 864. *Fl. dan.* t. 507.

Scrophularia aquatica major. *Baub. pin.* 235.

LOC. Europa australior. *Perennis, cicur.*

PHARM. SCROPHVLARIAE AQVATICAE Folia.

QVAL. minus foetida. *Exoleta.*

vis: sudorifera, carminativa.

vsvs: Tormina.

COMP. Sennam corrigens.

LINNAEA.

441. LINNAEA *borealis*. *Fl. lapp.* 250. t. 12. f. 4. *Fl. suec.* 562. t. 1. *Sp. pl.* 880. *Fl. dan.* t. 3.

Campanula serpyllifolia. *Baub. prodr.* 35. *pin.* 93.

LOC. Sueciæ, præsertim Norlandiæ, Rusliæ, sylvæ antiquæ. *Perennis, indomita.*

PHARM. LINNAEAE Herba.

QVAL. sicca, [amaricans.] *Rarior, præstans.*

VI.: diluens, diuretica, [subadstringens.]

vsvs: Rheumatismus! Scabies!

COMP.

SESIA-

440. SCROPHVLARIA *aquatica* nondum in nostras officinas recepta est, facile tamen obtinetur, vel ejus loco solia præcedentis fumantur.

441. LINNAEA nondum intravit nostras officinas, quamvis frequentissima in nostra terra, et usu eximia, ipsius vulgi experientia confirmata,

SESAMVM.

442. SESAMVM *orientale* foliis ovato-oblongis integris. *Hort. cliff.* 318. *Sp. pl.* 883.
Sesamum veterum. *Baub. pin.* 27.
 LOC. Malabaria, Aegyptus. *Annua, mansueta.*
 PHARM. SESAMI Semina.
 QVAL. oleosa. *Exoleta.*
 VIS: emolliens, obtundens.
 VSVS: Marasmus, Dolorofis, Phlogofis, Pruritus.
 COMP.

VITEX.

443. VITEX *Agnus castus* foliis digitatis ferratis, spicis verticillatis. *Sp. pl.* 890.
Vitex latiore folio. *Baub. pin.* 475.
 LOC. Neapolis, Siciliæ paludosa. *Arbor, mansueta.*
 PHARM. AGNI CASTI Semina.
 QVAL. acris, calida, nidorosa. *Exoleta, superflua.*
 VIS: subadstringens, antivenerea?
 VSVS: Hysteria, Gonorrhœa.
 COMP.

ACANTHVS.

444. ACANTHVS *mollis* foliis sinuatis inermibus.
Hort. cliff. 326. *upf.* 181. *Sp. pl.* 891.
Acantus sativus seu *mollis virgili.* *Baub. pin.* 383.
 LOC. Italia, Sicilia. *Perennis, mansueta.*
 PHARM. BRANCAE VRSI Herba.
 QVAL. fatua, glutinosa. *Rarior, dubia.*
 VIS: emolliens, demulcens? paregorica.
 VSVS: Combustura.
 COMP. Clysteres. *Herbæ V emollientes.*

CLAS.

444. BRANCA VRSI in nostris officinis male desumitur ab HERACLEO *Sphondylia*, quod vi diversissima gaudet.

CLASSIS XV.

TETRADYNAMIA.
SILICULOSA.

LEPIDIVM.

445. LEPIDIVM *sativum* floribus tetradynamis, foliis oblongis multifidis. *Hort. cliff.* 331. *upf.* 183. *Sp. pl.* 899.

Nasturtium hortense vulgatum. *Baub. pin.* 103.

LOC. *Annua, cicur.*

PHARM. NASTVRTII HORTENSIS Herba, Semina.

QUAL. acris, orgastica. *Rarior, præstans.*

VIS: diuretica, mundificans, antiscorbutica.

VSVS: Scorbatus, Hydrops! Asthma, Hernia? Achor, Calculus.

COMP.

446. LEPIDIVM *Iberis* floribus diandris tetrapetalis, foliis inferioribus lanceolatis ferratis, superioribus integerrimis. *Sp. pl.* 900.

Iberis latiore folio. *Baub. pin.* 97.

LOC. Europa australis. *Annua, cicur.*

PHARM. IBERIDIS Herba.

QUAL. acris, orgastica.

VIS: incidens, diuretica, mundificans.

VSVS: Febres intermittentes.

COMP.

THLASPI.

447. THLASPI *arvense* siliculis orbiculatis, foliis oblongis dentatis glabris. *Fl. suec.* 574. *Sp. pl.* 901. *Fl. dan.* t. 793.

Thla-

190 TETRADYNAMIA. SILICVLOSA:

Thlaspi arvense, filiquis latis. Baub. pin. 105.
 LOC. Europæ agri. *Annua, vulgatissima.*
 PHARM. THLASPEOS Semina.
 QVAL. dulcis, orgastica alliata. *Exoleta.*
 VIS: pellens, uterina.
 VSVS: Rheumatismus.
 COMP. Andromach.

448. THLASPI *Bursa pastoris* siliculis obcordatis,
 foliis radicalibus pinnatifidis. Fl. suec. 576. Sp.
 pl. 903. Fl. dan. t. 729.
Bursa pastoris major, folio sinuato. Baub. pin. 108.
 LOC. Europæ culta. *Annua, vulgaris.*
 PHARM. BVRSAE PASTORIS Herba, ∇ .
 QVAL. aquosa. *Exoleta, infida.*
 VIS: subadstringens?
 VSVS: Hæmorrhagia?
 COMP.

COCHLEARIA.

449. COCHLEARIA *officinalis* foliis radicalibus cor-
 dato - subrotundis, caulinis oblongis. Fl. suec.
 577. Sp. pl. 903. Fl. dan. t. 135.
Cochlearia folio subrotundo. Baub. pin. 110.
 LOC. Europæ littora maritima. *Annua, cicur.*
 PHARM. COCHLEARIAE Herba, *Conserva, Syru-*
pus, ∇ , \square , $\circ\circ$.
 QVAL. acris, amara, purgans. *Trita, eximia.*
 VIS: diuretica! mundificans, antiscorbutica.
 VSVS: Scorbatus! Stomacace, Cachexia, Hydrops,
 Hypochondriasis.
 COMP. *Spir. cochleariae* purgans.

450. COCHLEARIA *Armoracia* foliis radicalibus lan-
 ceolatis crenatis, caulinis incisis. Fl. suec. 580.
 Sp. pl. 904.

Rapha-

Raphanus rusticanaus *Baub. pin.* 96.

LOC. Europæ australioris paludes. *Perennis, cicur.*

PHARM. ARMORACIAE Radix, Syrupus, frigide.

QVAL. acris. *Culinaris, trita, eximia.*

VIS: incidens, stimulans, diuretica! cosmetica,
mundificans, antiscorbutica.

VSVS: Scorbustus, Anorexia, Cachexia, Hydrops!
Calculus, Quartana, Cephalalgia, Arthritis.

COMP.

CARDAMINE.

451. CARDAMINE *pratensis* foliis pinnatis: foliolis radicalibus subrotundis, caulinis lanceolatis. *Fl. suec.* 585. *Sp. pl.* 915.

Nasturtium pratense magno flore. *Baub. pin.* 104.

LOC. Europæ pascua aquosa. *Perennis, vulgaris,*

PHARM. CARDAMINES Herba, Flores.

QVAL. acriuscula.

VIS: antiscorbutica. *Fl. antispasmodica.*

VSVS: Ecclampsia.

COMP.

S I L I Q V O S A.

SISYMBRIVM.

452. SISYMBRIVM *Nasturtium* siliquis declinatis, foliis pinnatis: foliolis subcordatis. *Fl. suec.* 592. *Sp. pl.* 916. *Fl. dan t.* 690.

Nasturtium aquaticum supinum. *Baub. pin.* 194.

LOC. Europæ rivuli fontesque. *Perennis, infrequens.*

PHARM. NASTVRTII AQVATICI Herba, Succus
℥v, Conserva, Syrupus, ▽, ℥, ♩.

QVAL.

452. [Cardamine amara Sisymbrio Nasturtio præstantior, ei comode substitui potest, non vero inertior Cardamine pratensis.]

QVAL. minus quam Cochlearia acris, orgastica.
Trita, eximia.

VIS: diuretica, antiscorbutica.

VSVS: Scorbatus! Obstipatio, Polypus?

COMP.

453. SISYMBRIVM *Sophia* petalis calyce minoribus,
foliis decomposito - pinnatis. *Fl. suec.* 395. *Sp.*
pl. 920. *Fl. dan.* t. 528.

Nasturtium sylvestre tenuissime divisum. *Baub. pin.* 105.

LOC. Europæ maceriæ tectaque. *Annua, vulgaris.*

PHARM. SOPHIAE Semina.

QVAL. acris, fervida. *Exoleta.*

VIS: adstringens, anthelmintica.

VSVS: Diarrhœa, Hysteria, Calculus.

COMP.

ERYSIMVM.

454. ERYSIMVM *officinale* siliquis spicæ appressis,
foliis runcinatis. *Fl. suec.* 598. *Sp. pl.* 922. *Fl.*
dan. t. 560.

Erysimum vulgare. *Baub. pin.* 100.

LOC. Europæ ruderata, pagi. *Annua, vulgaris.*

PHARM. ERYSIMI Herba.

QVAL. acris. *Trita.*

VIS: abstergens, diuretica.

VSVS: Asthma, Raucedo, Tussis, Ischuria.

COMP. Syrupus erysimi.

455. ERYSIMVM *Alliaria* foliis cordatis. *Fl. suec.*
600. *Sp. pl.* 922.

Alliaria. *Baub. pin.* 110.

LOC. Europæ umbrosa. *Perennis, vulgaris.*

PHARM. ALLIARIAE Herba.

QVAL. amara, orgastica alliata. *Exoleta, præstans.*

VIS:

VIS: diuretica, sternutatoria.

VSVS: Asthma, Vlcus sphacelefcens.

COMP.

CHEIRANTHVS.

456. CHEIRANTHVS *Cheiri* foliis lanceolatis acuti, glabris, ramis angulatis, caule fruticoso. *Hort. cliff.* 334. *upf.* 187. *Sp. pl.* 924.

Leucojum luteum vulgare. *Baub. pin.* 202.

LOC. Helvetia, Gallia. *Perennis biennisque, mansueta.*

PHARM. CHEIRI Flores.

QVAL. fragrans, lutea. *Trita.*

VIS: nervina, anodyna, narcotica, pellens, uterina.

VSVS: Dolor, Apoplexia, Dystocia.

COMP.

BRASSICA.

457. BRASSICA *Napus* radice caulescente fusiformis. *Fl. suec.* 609. *Sp. pl.* 931.

Napus sativa. *Baub. pin.* 95.

LOC. Europa australior, Gothlandia. *Biennis, cicut.*

PHARM. NAPI Semina, ⑩.

QVAL. *Exoleta.*

VIS:

VSVS:

COMP.

458. BRASSICA *Rapa* radice caulescente orbiculari depressa carnosa. *Hort. cliff.* 339. *upf.* 190. *Sp. pl.* 931.

Rapa sativa rotunda. *Baub. pin.* 89.

LOC. *Biennis, cicut.*

PHARM. RAPAE Syrupus frigide.

QVAL. aquosa, esculenta. *Culinaris, eximia.*

VIS: diluens, flatulenta, diuretica, aphrodisiaca.

VSVS: Aphtha, Pernio, Asthma, Tussis, Otalgia,
Stranguria, Calculus! Colica.

COMP.

459. BRASSICA *oleracea* radice caulescente tereti car-
nosa. *Hort. cliff.* 338. *upf.* 189. *Sp. pl.* 932.

Brassica capitata rubra. *Baub. pin.* III.

LOC.

Biennis. cicur.

PHARM. BRASSICAE RVBRAE Semina.

QVAL. aquosa, inodora. *Exoleta, superflua.*

VIS: flatulenta, alcalefscens.

VSVS: Scorbatus, Raucedo! Cephalalgia *crapulae*,
Combusitura!

COMP.

460. BRASSICA *Eruca* foliis lyratis, caule hirsuto,
filiquis glabris. *Hort. upf.* 190. *Sp. pl.* 932.

Eruca latifolia alba. *Baub. pin.* 98.

LOC. Helvetia.

Annua, cicur.

PHARM. ERVCAE Semina.

QVAL. acris, fervida, penetrans, orgastica. *Exoleta.*

VIS: apophlegmatizans, aphrodisiaca.

VSVS: Apoplexia, Paralyfis linguæ, Atecnia.

COMP. Conf. diafatyr. *Tabulæ magnaminitatis.*

SINAPIS.

461. SINAPIS *nigra* filiquis glabris racemo appressis.
Fl. suec. 611. *Sp. pl.* 933.

Sinapi rapi folio. *Baub. pin.* 99.

LOC. Europa.

Annua, cicur.

PHARM. SINAPEOS Semina, ⑩.

QVAL. acris, orgastica. *Culinaris, trita, præstans.*

VIS:

461. [SINAPIOS semina e *Sin. alba* æque commode colligi
possunt.]

VIS: incidens, rubefaciens, stimulans, diuretica,
aphrodisiaca, antiscorbutica.

VSVS: Nausea, Cachexia, Lethargus, Tussis, Calculus, Tinea, Scorbutus.

COMP.

RAPHANVS.

462. RAPHANVS *sativus* siliquis teretibus torosis bilocularibus. *Hort. cliff.* 340. *upf.* 188. *Sp. pl.* 935. Raphanus major orbicularis vel rotundus. *Baub. pin.* 96.

LOC. *Annua, cicur.*

PHARM. RAPHANI Radix (*recens*), Semina,

QVAL. aquofo-acris, orgastica. *Culinaris, exoleta,*

VIS: diluens, attenuans, mundificans, diuretica, carminativa, ructatrix.

VSVS: Asthma convulsivum, Raucedo, Ischuria.

COMP.



CLASSIS XVI.

MONADELPHIA.

DECANDRIA.

GERANIVM.

463. GERANIVM *moschatum* pedunculis multifloris,
floribus pentandris, foliis pinnatis incisis, cotyle-
donibus pinnatifidis. Sp. pl. 951. Facq. hort. I. t. 55.
Geranium, cicutæ folio, moschatum. Baub. pin. 319.
LOC. Europa australior. *Annua, cicur.*
PHARM. GERANII MOSCHATI Herba.
QVAL. ambrofiaca. *Exoleta.*
VIS: anodyna, vulneraria, exanthematica.
VSVS: Dysenteria, Variola, Carcinoma, Tormina.
COMP.
464. GERANIVM *robertianum* pedunculis bifloris,
calycibus pilosis deceimangulatis. Fl. suec. 619.
Sp. pl. 955. Fl. dan. t. 694.
Geranium robertianum. Baub. pin. 319.
LOC. Europæ rupes. *Annua, vulgaris.*
PHARM. GERANII ROBERTIANI Herba.
QVAL. falsa, hircina. *Exoleta.*
VIS: anodyna, pellens, repellens, lactifuga, ad-
stringens, vulneraria.
VSVS: Colica, Nephritica, Hysteria, Profluvia,
Bubo, Carcinoma, Vulnera, Hæmaturia, Ulcus
vulvæ mammæque, Rhagæ.
COMP.

POLYANDRIA.

ALTHAEA.

465. ALTHAEA *officinalis* foliis simplicibus tomentosis. *Hort. cliff.* 348. *upf.* 204. *Sp. pl.* 966. *Fl. dan.* t. 530.

Althæa dioscoridis et plinii. Baub. pin. 315.

LOC. Germaniæ, Belgii, Galliæ, Angliæ humida.

Perennis, cicur.

PHARM. ALTHAEAE Radix, *præparata, Mucilago,*
Herba.

QUAL. insipida, mucilaginosa. *Trita, eximia.*

VIS: emolliens, inviscans, nutritiens, lubricans.

VSVS: Dolor, Pleuritis, Nephritis, Ischuria, Calculus, Tussis, Raucedo, Tenesmus.

COMP. *Vngu. althææ, Syr. althææ, Empl. diachylon simplex, Empl. diachylon compos. Empl. meliloti, Loboc Althææ, Pasta Althææ, Cataplasmata emollientia et maturantia.*

ALCEA.

466. ALCEA *rosea* foliis finuato-angulosis. *Hort. cliff.* 348. *upf.* 204. *Sp. pl.* 965.

Malva rosea folio subrotundo. Baub. pin. 315.

LOC. *Biennis, cicur.*

PHARM. MALVAE ARBOREAE Flores, Semina.

QUAL. fatua, mucilaginosa. *Trita, superflua.*

VIS: emolliens, inviscans.

VSVS: Angina, Inflammatio faucium.

COMP.

MALVA.

467. MALVA *rotundifolia* caule prostrato, foliis cordato-orbiculatis obsolete quinquelobatis, pedunculis

culis fructiferis declinatis. *Fl. suec.* 626. *Sp. pl.* 969. *Fl. dan.* t. 721.
Malva sylvestris, folio subrotundo. *Baub. pin.* 314.
 LOC. Europæ ruderata, plateæ. *Annua, vulgaris.*
 PHARM. MALVAE VVLGARIS Radix, Herba, ∇ .
 QVAL. fatua, mucilaginosa. *Trita, præstans.*
 VIS: emolliens, invigilans, lubricans, laxans.
 VSVS: Phlogistici, Dolores, Stranguria!
 COMP. *Syr. Hyssopi, Syr. Althææ, Clysteres.*

GOSSYPIVM.

468. GOSSYPIVM *herbaceum* foliis quinquefidis sub-
 tus eglandulofis, caule herbaceo. *Sp. pl.* 975.
Gossypium frutescens, femine albo. *Baub. pin.* 430.
 LOC. India. *Biennis, mansueta.*
 PHARM. GOSSYPII Semina.
 BOMBACIS Lana.
 QVAL. subdulcis.
 VIS: æconomica.
 VSVS: *Sem.* Nephritis.
 COMP. *Bomb.* medicamentis oticis applic.

HIBISCVS.

469. HIBISCVS *Abelmoschus* foliis subpeltato-corda-
 tis septemangularibus ferratis, caule hispido. *Fl.*
zeyl. 261. *Hort. upf.* 206. *Sp. pl.* 980.
Alcea ægyptiaca villosa. *Baub. pin.* 317.
 LOC. Asia et America calidior.
 PHARM. ABELMOSCHI Semina.
 QVAL. ambrofiaca. *Exoleta, eximia.*
 VIS: exanthematica.
 VSVS: Contagium, Tinea, Petechia.
 COMP.

CLASSIS XVII.

D I A D E L P H I A.

HE X A N D R I A.

F V M A R I A.

470. FVMARIA *bulbosa* caule simplici, bracteis longitudine florum. *Fl. suec.* 631. *Sp. pl.* 983. *Fl. dan.* t. 605.

Fumaria bulbosa, radice cava, major. *Baub. pin.* 143.

LOC. Europa australior. *Perennis, cicur.*

PHARM. ARISTOLOCHIAE FABACEAE Radix.

QUAL. amara, acris, sequente debilior. *Exoleta, dubia.*

VIS: pellens, emmenagogia.

VSVS: Sarcoma.

COMP.

471. FVMARIA *officinalis* pericarpiis monospermis racemosis, caule diffuso. *Fl. suec.* 630. *Sp. pl.* 984.

Fumaria officinarum et dioscoridis. *Baub. pin.* 143.

LOC. Europæ agri, culta. *Annua, vulgaris.*

PHARM. FVMARIAE Herba, *Conserva, Syrupus, Effentia, Extractum, ▽, Semina.*

QUAL. inodora, amarissima.

VIS: balsamica, tonica, antacida, corroborans, pellens, visceralis, eccoprotica.

VSVS: Scorbutus, Cachexia, Hypochondriasis! Melancholia, Arthritis, Podagra, Scabies!

COMP. Conf. hamech.

O C T A N D R I A.

P O L Y G A L A.

472. POLYGALA *Senega* floribus imberbibus spicatis, caule erecto herbaceo simplicissimo, foliis lat-

lanceolatis. *Amæn. acad. 2. p. 126. t. 2. Sp. pl. 990.*
Mill. dict. tab.

Polygala marilandica, caule non ramoso, spica in fastigio singulari gracili e flosculis albis composta. *Raj. app. 670.*

LOC. Virginia, Pensylvania. *Perennis, peregrina.*

PHARM. SENECAE Radix.

QVAL. acido-acris, subaromatica. *Inositata, beroica.*
VIS: resolvens, sialagogia, subemetica, purgans,
diaphoretica, diuretica, incidens, expectorans,
vulneraria.

VSVS: Morsura! Peripneumonia! Pleuritis! Hydrops! Arthritis, Marasmus.

COMP.

DECANDRIA.

PTEROCARPVS.

473. PTEROCARPVS *Draco* foliis pinnatis. *Syst. nat. 13. p. 533. Sp. pl. 1662. Jacq. bist. 283. t. 183. f. 92. Læfl. it. 266. 273. n. 147. 168.*

B. Lingoum. *Rumph. amb. 2. p. 205. t. 70.*

LOC. *α.* America meridionalis.

β. India orientalis, Java. *Arbor, peregrina.*

PHARM. DRACONIS SANGVIS.

QVAL.

472. SENECAE radix specificum in Phlogosi membranacea, hinc officinis nostris dignissima.

[SENECA NOSTRAS *Ph. aust. prov. 55.* est *Polygala amara*, cujus herba passim in pharmacopoliis prostat et in morbis pectoris cum fructu adhibetur.]

473. SANGVIS DRACONIS a variis arborum speciebus, succum rubrum stillantibus, obtinetur, quæ nondum omnes notæ sunt. *Suppl. pl.* [In peninsula Malacca copiose colligitur a specie *Calami*, et in Chinam transportatur, ubi cum lucro venditur. *Sangue Drac.* Socotrinensem ab eadem planta colligi, dubium est. Malaccensis saepe Gummi Dammar, quod Animes est species, adulteratur. *Koenig. Retz. fasc. 4. p. 5.* Sanguinem Draconis *Dracæna Draco* etiam profert. *Vandell. Dracæn. 8.*]

QVAL. resinosa, friabilis, styptica, inodora, rubra.
Trita, eximia.
 VIS: incrassans, adstringens!
 VSVS: Profluvia, Diarrhoea, Dysenteria, Stomacace.
 COMP. *Empl. stypticum, Pil. Helvetii.*

474. PTEROCARPVS *Santalinus* foliis ternatis subrotundis retusis glaberrimis, petalis crenatis undulatis. *Suppl. pl. 318.*

Santalum rubrum. *Baub. pin. 363.*

LOC. Indiae orientalis montes. *Arbor, peregrina.*

PHARM. SANTALI RUBRI Lignum.

QVAL. *Lign. saturate rubrum venis atris, ponderosum.*

VIS: tinctoria.

VSVS:

COMP. Spec. et Conf. de Hyacinth. *Empl. Santalin. Spec. diatrichon Santal.*

GENISTA.

475. GENISTA *canariensis* foliis ternatis utrinque pubescentibus, ramis angulatis. *Hort. cliff. 355. Sp. pl. 997.?*

Cytisus canariensis sempervirens et incanus. *Comm. bort. 2. p. 103. t. 52.?*

LOC. Antillæ, et Canariæ Insulæ. *Arbor.*

PHARM. RHODII Lignum, \textcircled{o} .

QVAL. dura, subflavescens, tortuosa, resinosa, fragrans, rosea. *Rarior, præstans.*

VIS: diuretica, sudorifera.

VSVS:

COMP. Odoramenta, \ddagger sternutatorius, *Bals. apopl.*

N 5

476.

474. Succus dat quoque speciem SANGVINIS DRACONIS.

475. RHODII Lignum unde desumatur non certo liquet. Plurimi ex prædictæ Genistæ radice desumi autumant, quod ex analogia non facile credere. [Convolvulo scopario *Suppl. pl. 135.* hoc lignum originem debere, non magis vero simile est.]

476. GENISTA *tinctoria* foliis lanceolatis glabris, ramis striatis teretibus erectis. *Fl. suec.* 634. *Sp. pl.* 998.
Genista tinctoria germanica. *Baub. pin.* 395.
LOC. Europa australior. *Frutex, mansuetus.*
PHARM. GENISTAE Herba, Θ ; Flores, Semina.
QVAL. luteo - *tinctoria*, insipida, inodora.
Rarior, præstans.

VIS: pellens, purgans.

VSVS: Hydrops.

COMP.

ONONIS.

477. ONONIS *spinosa* floribus racemosis geminatis, foliis ternatis: superioribus solitariis, ramis spinosis. *Fl. suec.* 637. *Sp. pl.* 1006. *n. 2. 3. Fl. dan. tab.* 783.
Ononis spinosa, flore purpureo. *Baub. pin.* 389.
LOC. Europæ australioris campi. *Perennis, cicur.*
PHARM. ONONIDIS Radix, Herba, ∇ .
QVAL. ingrata.
VIS: diuretica! emmenagoga.
VSVS: Hydrocele, Ischuria, Calculus, Icterus, Stomachace, Febris hungarica. [Gonorrhœa.]
COMP. *Radices V. aperientes minores.*

LVPINVS.

478. LVPINVS *albus* calycibus alternis inappendiculatis: labio superiore integro, inferiore tridentato. *Hort. upf.* 209. *Sp. pl.* 1015.
Lupinus sativus flore albo, *Baub. pin.* 347.

LOC.

476. [GENISTAE Herba, *Fl. Sem. Sal,* frequentius a *Spartio separatio* petuntur.]

LOC.	<i>Annua, cicur.</i>
PHARM. LVPINI Semina.	
QVAL. sicca, amaricans, ingrata.	<i>Exoleta, dubia.</i>
VIS: flatulenta, anthelminthica.	
VSVS: Parotis, Scabies.	
COMP. <i>Farinæ IV. resolventes. Troch. myrrhæ.</i>	

PHASEOLVS.

479. PHASEOLVS *vulgaris* caule volubili, floribus racemosis geminis, bracteis calyce minoribus, leguminibus pendulis. *Roy. lugdb.* 367. *Hort. upf.* 213. *Sp. pl.* 1016.
 Smilax hortensis f. Phaseolus major. *Baub. pin.* 339.
 LOC. India orientalis. *Annua, cicur.*
 PHARM. PHASEOLI Semina.
 QVAL. sicca, farinacea. *Culinaris, exoleta, superflua.*
 VIS: nutriens, flatulenta, cosmetica.
 VSVS: Nephritis.
 COMP.

DOLICHOS.

480. DOLICHOS *Soja* caule erecto flexuoso, racemis axillaribus erectis, leguminibus pendulis hispidis subdispermis. *Fl. zeyl.* 534. *Sp. pl.* 1023.
 Phaseolus erectus, siliquis lupini, fructu pisii majoris candido. *Kämpf. amœn.* 837. t. 838.
 LOC. India orientalis. *Peregrina.*
 PHARM. SOJA.
 QVAL. subdulcis, sicca, farinacea.
 VIS: culinaris.
 VSVS: Anorexia.
 COMP. Intinctus cibī.

PISVM.

481. PISVM *sativum* petiolis teretibus, stipulis inferne rotundatis crenatis, pedunculis multifloris.

Sp. pl. 1026.

Pisum arvense. *Baub. pin.* 342.

LOC. Europæ agri.

Annua, cicur.

PHARM. PISI Semina.

QVAL. dulcis, sicca, farinosa. *Culinaris, exoleta.*

VIS: nutriens, flatulenta.

VSVS:

COMP.

VICIA.

482. VICIA *Faba* caule erecto, petiolis absque circinis. *Hort. cliff.* 369. *ups.* 218. *Sp. pl.* 1039.

Faba. *Baub. pin.* 338.

LOC. non procul a Mari Caspio in confiniis Persicæ. *Annua, cicur.*

PHARM. FABAE Flores, ∇ ; Semina, Farina, Cineres, Θ .

QVAL. sicca, farinosa. *Fl. fragrans. Culinaris, usitatiss.*

VIS: nutriens, flatulenta, cosmetica.

VSVS: Tumor glandularum.

COMP. *Farinæ IV resolventes.*

ERVVM.

483. ERVVM *Lens* pedunculis subbifloris, feminibus compressis convexis. *Sp. pl.* 1039. *Fl. dan.* t. 95.

Lens vulgaris. *Baub. pin.* 306.

LOC. Narbona, Galloprovincia. *Annua, cicur.*

PHARM. LENTIVM Semina.

QVAL. sicca, farinacea, insipida. *Exoleta, dubia.*

VIS: nutriens, flatulenta.

VSVS: Variola?

COMP.

484. ERVVM *Ervilia* germinibus undato - plicatis, foliis impari - pinnatis. *Hort. upf.* 224. *Sp. pl.* 1040. Orobos filiquis articulatis, semine majore. *Bauh. pin.* 346.
 LOC. Geneva, Monspelium. *Annua, cicur.*
 PHARM. ERVI Semina.
 OROBI Farina.
 QVAL. sicca, farinacea, subinsipida. *Exoleta, infida.*
 VIS: maturans.
 VSVS:
 COMP. *Farinæ* IV resolventes.

C I C E R.

485. CICER *arietinum* foliolis ferratis. *Hort. cliff.* 370.
upf. 224. *Sp. pl.* 1040.
 Cicer sativum. *Bauh. pin.* 347.
 LOC. Italia, Hispania. *Annua, subcicur.*
 PHARM. CICERIS Semina alba, rubra.
 QVAL. sicca, farinacea, subnauseosa. *Rarior, dubia.*
 VIS: nutriens, flatulenta, pellens, lithonthriptica?
 VSVS: Tumor glandularum.
 COMP. Syr. althææ.

GLYCYRRHIZA.

486. GLYCYRRHIZA *glabra* leguminibus glabris,
 stipulis nullis, foliolo impari petiolato. *Hort. cliff.* 494. *Sp. pl.* 1046.
 Glycyrrhiza filiformis vel germanica. *Bauh. pin.* 352.
 LOC. Narbona, Italia, Hispania. *Perennis, cicur.*
 PHARM. LIQVIRITIAE Radix, Succus inspissatus,
 Extractum, Essentia, Syrupus, Baculi, Trochisci.

- QVAL.
 486. [Antiqui utebantur *Glycyrrhiza echinata*. *Diosc.* III. 7.
 quae nostro tempore in imperio Rossico ad succum parandum
 adhibetur.]

QUAL. mucilaginosa, dulcissima. *Trita, eximia.*
 VIS: edulcorans, incrassans, expectorans, anthelminthica.
 VSVS: Asthma, Nephritis, Stranguria, Rheumatismus, Tussis, Arthritis, Phlogistici.
 COMP. Syr. glycyrrhizæ, Syr. althææ, Andromach. El. diacathol. Spec. diatragacantha, Lob. althææ.

INDIGOFERA.

487. INDIGOFERA *tinctoria* foliis pinnatis obovatis, racemis brevibus, caule suffruticoso. *Sp. pl. 1061. Fl. zeyl. 273. Hort. upf. 208.*
 Coluteæ affinis fruticosa, floribus spicatis purpureis. *Sloan. jam. 2. p. 34. t. 179. f. 2. Trew. ehret. t. 54. 55.*
 LOC. India. *Frutex, ferus.*
 PHARM. INDIGO commune, optimum.
 QUAL. succi fœculæ exsiccatæ cæruleæ, tinctoriæ. *Externa.*
 VIS: obstruens! phthiriaca.
 VSVS: Diarrhœa, Lochia.
 COMP.

GALEGA.

488. GALEGA *officinalis* leguminibns strictis erectis, foliolis lanceolatis striatis nudis. *Sp. pl. 1062.*
Galega vulgaris. Bauh. pin. 352.
 LOC. Hispania, Italia. *Perennis, subcicur.*
 PHARM. GALEGAE Herba.
 QUAL. subaromatica. *Rarior, dubia.*
 VIS: sudorifera.
 VSVS: Pestis? Petechia? Morsura?
 COMP.

ASTRA-

487. [INDIGO *americanum* plerumque ex *Indigofera argentea* paratur, *orientale* & *tinctoria*.]

ASTRAGALVS.

489. ASTRAGALVS *Tragacantha* caudice arborescente, petiolis spinifcentibus. Sp. pl. 1073.

Astragalus aculeatus fruticosus *masiliensis*. Pluk. alm. 60.

LOC. Gallia australior, Sicilia, Olympus.

Frutex, mansuetus.

PHARM. TRAGACANTHAE Gummi album, nigrum.

QVAL. mucilaginosa. *Trita, præstans.*

VIS: lubricans, demulcens, obtundens.

VSVS: Tussis, Raucedo, Nephritis, Stranguria, Colica,

COMP. *Species diatragacanthæ, Rotulæ diatragacanthæ, Troch. alhandali, Troch. alkekengi.*

TRIFOLIVM.

490. TRIFOLIVM *Melilotus officinalis* leguminibus racemosis nudis dispermis rugosis acutis, caulo erecto. Fl. suec. 663. Sp. pl. 1078.

α . *Melilotus officinarum germaniæ*. Baub. pin. 331.

β . *Melilotus officinarum germaniæ*, flore albo. Baub. pin. 331.

LOC. Europa australior. *Biennis, cicur.*

PHARM. MELILOTI ALBI Flores, Herba.

CITRINI Flores, Semina.

QVAL. fragrans, gravis, mucilaginosa. *Trita, præstans.*

VIS: resolvens, emolliens, lubricans.

VSVS: Dysuria, Leucorrhœa.

COMP. *Empl. meliloti.*

491.

489 [TRAGACANTHAM, plurimam, si non omnem que venalis profstat, erroget *tragacantha cretica incana*, flore pavo lineis purpureis striato. Journef. cor. 29, voy. 1. p. 64. t. 64. Geogr. mat. med. 1. p. 578.]

491. TRIFOLIVM *repens* capitulis umbellaribus, leguminibus tetraspermis, caule repente. *Fl. suec.* 665.
Sp. pl. 1080.

Trifolium pratense album *Baub. pin.* 327.

LOC. Europæ pascua. *Perennis, vulgatissima.*

PHARM. TRIFOLII ALBI Flores.

QVAL. suaveolens.

Rarior.

VIS:

VSVS: Arthritis.

COMP.

TRIGONELLA.

492. TRIGONELLA *Fœnum græcum* leguminibus sestilibus strictis erectiusculis subfalcatis acuminatis, caule erecto. *Hort. upf.* 229. *Sp. pl.* 1095.

Fœnum græcum sativum. *Baub. pin.* 348.

LOC. Monspelium. *Annua, cisur.*

PHARM. FOENV GRAECI Semina, *○*.

QVAL. fragrans, mucilaginosa. *Trita, præstans.*

VIS: emolliens, inviscans, lubricans.

VSVS: Ophthalmia, Dysenteria, Diarrhœa.

COMP. *Empl.* meliloti, *Empl.* Diachyl. *simpl.* *Empl.*

Diach. comp. *Vngu.* althææ, *Lob.* sanum, *Syr.* prasii, Enemata Hippiatricis.



CLASSIS XVIII.

POLYADELPHIA.

PENTANDRIA.

THEOBROMA.

493. THEOBROMA *Cacao* foliis integerrimis. *Hort. cliff.* 379. *Amœn. acad.* 7. p. 256. *Sp. pl.* 1100. *Facq. obs.* 1. p. 2.
Cacao. *Catesb. car.* 3. t. 6. p. 6. *Merian. sur.* p. 26. t. 26. 63. [*Sonnerat. voy.* p. 101. t. 61.]
LOC. Americæ merid. uliginosa. *Arbor, peregrina.*
PHARM. CACAO Fructus, (O) (*Butyrum*).
QVAL pinguis, subamara. *Culinaris, præstans.*
VIS: nutriens, aphrodisiaca, calefaciens *tost.*
VSVS: Tabes, Hypochondriasis, Hæmorrhoides, (O). Rhagias.
COMP. Chocolata.

ICOSANDRIA.

CITRVS.

494. CITRVS *Medica* petiolis linearibus. *Hort. cliff.* 379. *upf.* 236. *Sp. pl.* 1100.
α. *Malus medica*. *Baub. pin.* 435.
LOC. Media, Persia. *Arbor, mansueta.*
PHARM. CITRI Flavedo, *Essentia de cedro*, Cor-
tex, *Conditus*, *Essentia*, ▽, △, ○○. Caro,
condita, *Suscus*, *Conserua*, *Syrupus*. Semina,
Flores.
QVAL. *Flav.* aromaticæ, odorata vesiculis oleofisis.
Cort. alba oblonga, tonica. *Pulp.* acida. Sem.
amara. *Fl.* fragrans. *Trita, optima.*
VIS:

VIS: *Flav.* cardiaca, pellens, stomachica. *Pulp.* refrigerans, diuretica. *Sem.* anthelmintica. *Fl.* analeptica.

VSVS: *Pulp.* Putridi, Phlogistici, Sitis, Scorbutus, Raucedo.

COMP. *Acet.* prophyl.

B. *Malus Limonia* acida. *Baub.* pin. 436.

LOC. India.

PHARM. LIMONIORVM Succus.

QVAL. citro acidior.

VIS: citro magis refrigerans.

VSVS: Calculus?

COMP.

495. CITRVS *Aurantium* petiolis alatis, foliis acuminatis. *Hort. cliff.* 379. *ups.* 236. *Sp. pl.* 1100.

Malus Arantia major. *Baub.* pin. 436.

LOC. India Orientalis. *Arbor, mansueta.*

PHARM. NAPHAE (Flores) *conditæ, Conserva,* ∇ , \square .

AVRANTII Folia, Poma immatura, Cor-

tex, *conditus, Syrupus, Effentia,* ∇ , $\text{F}\nabla$,

$\circ\circ$, [Bergamotte] *Flavedo, Effentia.*

QVAL. amara. *Naph.* fragrans. *Trita, eximia.*

VIS: tonica, stomachica, corroborans, anthelmintica, pellens. *Naph.* analeptica.

VSVS: Convulsiones, Hysteria, Hypochondriasis, Icterus, Ischuria, Scorbutus, Hæmorrh. uteri.

COMP.

POLYANDRIA.

MELALEVCA.

496. MELALEVCA *Leucadendra* polyadelphia, foliis alternis lanceolatis subfalcatis quinquenerviis, spica elongata. *Suppl.* 342. [Forst. flor. 218.]

Arbor

Arbor alba Cayputi. *Rumph. amb. 2. p. 72. t. 16.*

17. f. I.

LOC. India orientalis. *Arbor, fera.*

PHARM. CAJEPVT Oleum gutt. V.

QVAL. fragrantissima. *Eximia.*

VIS: pellens, carminativa, antispasmodica, emmenagogā.

VSVS: Colica flatulenta, Dysmenorrhœa, Morbi Paralytici, Varix ani, Odontalgia.

COMP.

HYPERICVM.

497. HYPERICVM perforatum floribus trigynis, caule ancipiti, foliis obtusis pellucido-punctatis. *Fl. suec. 680. Sp. pl. 1105. Amoen. acad. 8. p. 313.*

Hypericum vulgare. *Baub. pin. 279.*

LOC. Europæ colles, dumeta. *Perennis, vulgaris.*

PHARM. HYPERICI Herba, ∇ ; Flores, R , \odot ; Semina.

QVAL. balsamica, aromatico-spirans. *Trita, eximia.*

VIS: vulneraria! resolvens, anthelmintica!

VSVS: Hæmoptysis, Hæmaturia, Hypochondriasis, Hysteria, Arthritis, Rheumatismus, Phthisis.

COMP.

498. HYPERICVM bacciferum floribus pentagynis, corollis barbatis, calycibus levibus, foliis ovatis, caule fruticoso. *Suppl. 344. Mant. 2. p. 277.*

Hypericum guianense. *Aubl. guian. 784. t. 311.*

Caa-opia. *Marcgr. bras. 96. Pis. brasil. 61.*

LOC. Surinama. *Arbor, fera.*

PHARM. GVTTAE GVMMI AMERICANVM.

QVAL. lutea. *Gallis usitatum.*

VIS:

VSVS: Serpigo.

O 2

CLAS:

497 [Hypericum quadrangulum præsert Bergius mat. med. 399.]



CLASSIS XIX.

SYNGENESIA.

POLYGAMIA AEQVALIS.

TRAGOPOGON.

499. TRAGOPOGON *pratense* calycibus corollæ radium æquantibus, foliis integris strictis. *Fl. suec.* 684. *Sp. pl.* 1109.

Tragopogon pratense luteum majus. *Baub. pin.* 274.
LOC. Europæ prata. *Biennis, frequens.*

PHARM. BARBAE HIRCI Radix,

QVAL. lactescens, amaricans. *Culinaris, exoleta.*

VIS: nutriens.

VSVS: Tuflis, Stranguria.

COMP.

SCORZONERA.

500. SCORZONERA *humilis* caule subnudo unifloro, foliis lato-lanceolatis nervosis planis. *Fl. suec.* 685.

Sp. pl. 1112. *Jacq. austr.* 1. t. 35. *Fl. dan* t. 816.

Scorzonera latifolia humilis nervosa. *Baub. pin.* 275.

LOC. Europæ prata. *Perennis, vulgaris.*

PHARM. SCORZONERÆ Radix, condita, ∇ ; Semina.

QVAL. amaricans, lactescens. *Trita, infida.*

VIS: alexiteria?

VSVS: Morsura? Venenum?

COMP.

LACTV-

500. [SCORZONERÆ rad. et sem. e *Scorzonera hispanica* Officinæ pleræque colligunt, et in Pharm. suec. aliisque colligere jubentur. Linneus humilem, ut indigenam et viribus superioriorem, substitui maluit.]

LACTVCA.

501. LACTVCA *sativa* foliis rotundatis: caulinis cor-
datis, caule corymboso. *Sp. pl.* 1118.

Lactuca. *Baub. pin.* 112.

LOC. Europa. *Annua, cicur.*

PHARM. LACTVCAE Herba *condita hispanica*, ∇ ;
Semina.

QVAL. aquosa oleracea, lactescens. *Rarior, superflua.*
VIS: refrigerans, diluens, humectans, lactifera,
paregorica, antivenerea.

VSVS: Hypochondriasis, Satyriasis.

COMP. *Vngu. populeum.*

502. LACTVCA *virosa* foliis horizontalibus carina
aculeatis dentatis. *Sp. pl.* 1119.

Lactuca sylvestris, odore viroso. *Baub. pin.* 123.

Morif. bist. 3. p. 58. f. 7. t. 2. f. 16.

LOC. Europæ australis aggeres. *Biennis, cicur.*

PHARM. LACTVCAE VIROSAE Herba.

QVAL. amara, tetra.

VIS: anodyna, hypnotica, antispasmodica, repel-
lens, balsamica, tonica.

VSVS: Hydrops.

COMP.

LEONTODON.

503. LEONTODON *Taraxacum* calyce squamis in-
serne reflexis, foliis runcinatis denticulatis læ-
vibus. *Fl. suec.* 693. *Sp. pl.* 1122. *Fl. dan.* t. 574.

Dens leonis latiore folio. *Baub. pin.* 126.

LOC. Europæ pascua aprica. *Perennis, vulgaris.*

PHARM. TARAXACI Radix, Herba, ∇ .

QVAL. aquoso - americans, oleracea, lactescens.

Culinaris, usitata.

VIS: saponacea, diluens, humectans, diuretica!

VSVS: Hypochondriasis, Icterus!

COMP.

HIERACIVM.

504. HIERACIVM *Pilosella* foliis integerrimis ovatis subtus tomentosis, stolonibus repentibus, scapo unifloro. *Fl. suec.* 697. *Sp. pl.* 1125.

Pilosella major repens hirsuta. *Baub. pin.* 262.

LOC. Europæ pascua arida. *Perennis, frequens.*

PHARM. AVRICVLAE MVRIS Herba.

QVAL. amara, lactescens.

Exoleta.

VIS: adstringens, vulneraria.

VSVS: Hernia, Diarrhoea, Scabies, Herpes Succ.

COMP.

CICHORIVM.

505. CICHORIVM *Intybus* floribus geminis sessilibus, foliis runcinatis. *Fl. suec.* 711. *Sp. pl.* 1142.

Cichorium sylvestre f. *officinarum*. *Baub. pin.* 125:

LOC. Europa ad margines agrorum viarumque.

Biennis, cicur.

PHARM. CICHORII Radix, *condita*; Herba, Syrupus, ∇ ; Flores, *Conserva*; Semina.

QVAL. aquoso - amara, flavo - tinctoria.

Trita.

VIS: aperiens, tonica, diuretica.

VSVS: Melancholia, Hypochondriasis, Hectica, Hæmorrhagia, Podagra.

COMP. *Sen.* IV frigida minora; *Syr.* cichorii cum rheo.

506. CICHORIVM *Endivia* floribus solitariis pedunculatis, foliis integris crenatis. *Hort. cliff.* 389. *upf.* 247. *Sp. pl.* 1142.

Intybus sativa latifolia sive Endivia vulgaris. *Baub.*
pin. 125.

LOC. Europa. *Biennis, cicur.*

PHARM. ENDIVIAE Herba, Syrupus, ∇ ; Semina.

QVAL. oleracea.

VIS: aperiens, diuretica, mundificans, eccoprotica,

VSVS: Icterus.

COMP. Semina IV frigid. minora.

ARCTIVM.

507. ARCTIVM *Lappa* foliis cordatis inermibus petiolatis. *Fl. suec.* 712. *Sp. pl.* 1143. *Fl. dan.* t. 642.

Lappa major f. *Arctium* dioscoridis. *Baub. pin.* 198.

LOC. Europæ incarcerata. *Perennis, vulgaris.*

PHARM. BARDANAЕ Radix, Herba, Semina.

QVAL. dulci - subausta, urinaria alba, crepitans.

Sem. amarissima. *Trita.*

VIS: esculenta, diuretica, mundificans. *Sem. purgans.*

VSVS: Phlogosis, Nephritis, Arthritis, Syphilis,
Oedema.

COMP. *Eff. bardanæ composita.*

CARDVVS.

508. CARDVVS *marijanus* foliis amplexicalibus hastato-pinnatifidis spinofis, calycibus aphyllis, spinis canaliculatis duplicato - spinofis. *Sp. pl.* 1153.

Carduus albimaculatus vulgaris. *Baub. pin.* 381.

LOC. Italiæ, Galliæ, Angliæ aggeres. *Annua, cicur.*

PHARM. CARDVI MARIAE Herba, ∇ ; Semina.

QVAL. amara. *Trita.*

VIS: thoracica, sudorifera, diuretica *sem.*

VSVS: Pleuritis, Leucorrhœa? Hydrophobia? Carcinoma.

COMP.

CARLINA.

509. CARLINA *acaulis* caule unifloro flore breviore.

Hort. cliff. 395. *upf.* 252. *Sp. pl.* 1160.

Carlina acaulos, magno flore albo. *Baub. pin.* 380.

LOC. Italiae, Germaniae montosa. *Perennis, cicur.*

PHARM. CARLINAE (CARDOPATIAE) Radix.

QVAL. graveolens, acris, amara, aromatica. *Rarior.*

VIS: pellens, sudorifera, stomachica.

VSVS: Hypochondriasis, Hysteria! Scabies.

COMP. Orvietanum, + theriacale.

CARTHAMVS.

510. CARTHAMVS *tinctorius* foliis ovatis integris ferrato-aculeatis. *Hort. cliff.* 394. *upf.* 251. *Sp. pl.* 1162.

Cnicus sativus f. Carthamus officinar. *Baub. pin.* 378.

LOC. Aegyptus. *Exoleta, subcicur.*

PHARM. CARTHAMI Flores, Semina.

QVAL. nauseosa, lutea. *Rarior.*

VIS: purgans, diuretica.

VSVS: Tussis senilis, Asthma, Hydrops, Icterus.

COMP.

SPILANTHVS.

511. SPILANTHVS *Acmella* foliis ovatis ferratis, caule erecto, floribus radiatis. *Syst. nat.* 12. p. 610.

Verbesina Acmella. *Sp. pl.* 1271.

Chrysanthemum bidens f. Bidens zeylanica, flore luteo, lamii folio. *Breyn. icon.* 48. t. 48.

LOC. Zeylona. *Annua, peregrina.*

PHARM.

511. ACMELLAE succedaneum esse *Sigesbeckiam*, Botanicus intelliget, quae facile in hortis nostris luxuriat. [*Bidens tripartita* et *cernua*, an succedanea *Acmellae*?]

PHARM. ACMELLAE Herba, Semina.

QVAL. balsamica, amara, sapore odoreque Sigesbeckiae. *Inositata, eximia, pretiosa.*

VIS: anodyna, attenuans, diaphoretica, diuretica, emmenagogia.

VSVS: Hydrops, Ischuria, Calculus! Podagra, Leucorrhœa, Pleuritis.

COMP.

EVPATORIVM.

512. EVPATORIVM *cannabinum* foliis digitatis. *Fl. suec.* 728. *Sp. pl.* 1173. *Fl. dan.* t. 745.

Eupatorium cannabinum. Baub. pin. 320.

LOC. Europæ ripæ fluviorum. *Perennis, frequens.*

PHARM. EVPATORII Radix, Herba.

QVAL. peramara, acri - odorata. *Exoleta.*

VIS: corroborans, vulneraria. *Rd.* purgans! emetica! diuretica.

VSVS: Cachexia, Hydrops! Oedema, Hydrocele.

COMP.

SANTOLINA.

513. SANTOLINA *Chamæcyparissus* pedunculis unifloris, foliis quadrifariam dentatis. *Hort. cliff.* 397. *upf.* 252. *Sp. pl.* 1179.

Abrotanum femina, foliis teretibus. Baub. pin. 136.

LOC. Europa australis. *Fruticulus, mansuetus.*

PHARM. SANTOLINAE Herba.

QVAL. amara, nidorosa. *Rarior, præstans.*

VIS: balsamica, tonica, pellens, diaphoretica, carminativa, anthelmintica!

VSVS: Leucorrhœa, Pleuritis?

COMP. *Syr.* hystericus.

POLYGAMIA SUPERFLVA.

TANACETVM.

514. TANACETVM *vulgare* foliis bipinnatis incisis ferratis. *Fl. suec.* 730. *Sp. pl.* 1184. *Fl. dan.* t. 871.
 α. *Tanacetum vulgare luteum.* *Baub. pin.* 132.
 β. *Tanacetum foliis crispis.* *Baub. pin.* 132.
 LOC. α. Europæ margines pratorum. *Perennis, cicur.*
 PHARM. TANACETI α. Flores, Semina.
 β. Herba; ▽, ♀.
 QVAL. amara, nidorosa halituosa, luteo - tinctoria.
Præstans.
 VIS: carminativa, pellens, sudorifera! emmenago-
 ga! anthelmintica, antiputredinosa, balsamica,
 tonica, stomachica.
 VSVS: Tertiana, Hysteria, Cachexia, Hydrops,
 Lumbrici.
 COMP.

515. TANACETVM *Balsamita* foliis ovatis integris ferratis. *Hort. cliff.* 389. *upf.* 255. *Sp. pl.* 1184.
Mentha hortensis corymbifera. *Baub. pin.* 226.
 LOC. Hetruria, Narbona. *Perennis, cicur.*
 PHARM. BALSAMITÆ Herba.
 QVAL. amara, nidorosa halituosa. *Rarior, præstans.*
 VIS: stomachica, pellens, emmenagoga.
 VSVS: Hysteria, Melancholia, Opium.
 COMP.

ARTEMISIA.

516. ARTEMISIA *Contra* fruticosa, foliis palmatis linearibus minutis, panicula racemosa, floribus sessilibus. *Mant.* 282. *
- LOC.
516. [Sem. CINAF secundum *Pharm. roff.* tam *Artemisia Contra*, quam *judaica* dat. — Conf. *Artemisia alba Pallas* it.

LOC. Regnum Boutang Mogolis, Caramania Persiae,
Palæstina per Alexandriam, Arabia, Numidia.

PHARM. CINAE (SANTONICÆ) Semina 3j, Con-
fœtio.

QVAL. amara. *Trita, præstans.*

VIS: balsamica, tonica, stomachica, anthelminthica.

VSVS: Anorexia, Lumbrici.

COMP.

517. ARTEMISIA *Abrotanum* fruticosa, foliis setaceis ramosissimis. *Hort. cliff.* 403. *upf.* 257. *Sp. pl.* 1185.

Abrotanum mas angustifolium majus. *Baub. pin.* 136.

LOC. Sibiria, Cappadocia, Syria, Galatia.

Suffruticosa, cicur.

PHARM. ABROTANI Herba, ∇ .

QVAL. amara, nidorosa halituosa. *Rarior, præstans.*

VIS: balsamica, antacida, tonica, stomachica, pel-
lens, emmenagogue, anthelminthica.

VSVS: Achor, Tinea, Gangrena, Cachexia.

COMP. *Vngu. martiatum.*

518. ARTEMISIA *campestris* foliis multifidis linearibus, caulibus procumbentibus virgatis. *Hort. cliff.* 403. *Fl. suec.* 732. *Gmel. sib.* 2. *p.* 117.

Abrotanum campestre. *Baub. pin.* 136.

LOC. Europæ campi aprici, aridi. *Perennis, vulgaris.*

PHARM. ARTEMISIAE CAMPESTRIS Herba,
Semina.

QVAL.

VIS:

VSVS: Pleuritis, Vermes.

COMP.

519.

it. 1. p. 380. 3. p. 603. Gmel. sib. 2. p. 116. t. 52. f. 1. 2.
ab Artemisia austriaca Jacq. austri. 1. t. 100. parum vel
non diversa Pall. nord. beytr. 3. p. 398. an eadem quæ A.
Contra Linn. ? ita videtur.]

519. ARTEMISIA *pontica* foliis multipartitis subtus tomentosis, floribus subrotundis nutantibus: receptaculo nudo. *Hort. cliff.* 404. *upf.* 257. *Sp. pl.* 1187.

Absinthium ponticum tenuifolium incanum. *Baub. pin.* 138.

LOC. Thracia, Mysia, Pannonia. *Perennis, cicur.*

PHARM. ABSINTHII PONTICI Herba, *Conserua.*

QVAL. sequenti suaveolentior. *Rarior, præstans.*

VIS: sequenti debilior.

VSVS: sequenti debilior.

COMP.

520. ARTEMISIA *Absinthium* foliis compositis multifidis, floribus subglobosis pendulis: receptaculo villoso. *Fl. suec.* 735. *Sp. pl.* 1188.

Absinthium ponticum seu romanum officinarum seu dioscoridis. *Baub. pin.* 138.

LOC. Europæ ruderata. *Subperennis, vulgaris.*

PHARM. ABSINTHII VVLGARIS Herba, Syrupus, *Conserua, ▽, ▷, ○○, ○○, Θ, Θ, crystall.*; Θ non crystall.; *Effent. simpl.*; *Extract. inspissat.*

QVAL. amarissima, nidorosa halituosa, lactaria, urinaria. *Trita, eximia.*

VIS: balsamica, antacida, antiputredinosa, anthelminthica, stomachica, antivenerea, antiophthalmica, pellens.

VSVS: Iliaca, Nephritica, Hydrops, Icterus, Calculus, Hernia, Tinea, Achor, Gangræna, Vermes.

COMP. *Eff. absinthii composita, Vngu. martiatum, Conf. hamech, Empl. melilot.*

521. ARTEMISIA *vulgaris* foliis pinnatifidis planis incisis subtus tomentosis, racemis simplicibus recurvatis, florum radio quinquefioro. *Sp. pl.* 1188.

- α. *Artemisia vulgaris major.* *Baub. pin.* 137. caule et flore purpurascente. *T.*
 β. *Artemisia vulgaris major*, caule et flore albicans. *Tournef. inst.* 460.
 LOC. Europæ culta. *Perennis, vulgatissima.*
 PHARM. ARTEMISIAE RVBRAE Herba, Syrupus, Effentia, △, ⊖.
 ALBAE Herba, Moxa, Carbones (radices vetustæ).
 QVAL. amara. *Trita, præstans.*
 VIS: corroborans, analeptica, uterina, pellens, emmenagogia.
 VSVS: Tertiana, Dystocia, Carb. Epilepsia? *Mox.*
 Podagra.
 COMP. *Syr.* artemisiæ compositus. *Vngu.* martiat.

GNAPHALIVM.

522. GNAPHALIVM *arenarium* herbaceum, foliis lanceolatis: inferioribus obtusis, corymbo composto, caulis simplicissimis. *Fl. suec* 738. *Sp. pl.* 1195. *Fl. dan.* t. 641.
Elichrysum f. *Stoechas citrina latifolia.* *Baub. pin.* 264.
 LOC. Europa australior. *Perennis, cicur.*
 PHARM. STOECHADIS CITRINAE Flores.
 QVAL. flava, sicca. *Inusitata.*
 VIS: exsiccans.
 VSVS: Arthritis.
 COMP. Suffimigia.

523. GNAPHALIVM *dioicum* farmentis procumbentibus, caule simplicissimo, corymbo simplici, floribus dioicis. *Fl. suec.* 736. *Sp. pl.* 1199.
Gnaphalium montanum. *Baub. pin.* 263.
 LOC. Europæ campi exaridi. *Perennis, frequens.*

PHARM GNAPHALII Flores.

QVAL. sicca. Exoleta; infida.

VIS: exficcans, adstringens, roborans.

VSVS: Arthritis? Tuſſis convulsiva? Diarrhoea?

COMP:

TVSSILAGO.

524. TVSSILAGO *Farfara* scapo unifloro imbricato; foliis subcordatis angulatis denticulatis. *Fl. suec.*

743. *Sp. pl. 1214. Fl. dan. t. 595.*

Tuſſilago vulgaris. Baub. pin. 197.

LOC. Europæ fracta argilloſa. *Perennis, vulgaris.*

PHARM: FARFARAE Radix, Herba.

TVSSILAGINIS Flores, Conserva, Syrupus, Loboc.

QVAL. amara. Trita.

VIS: thoracica.

VSVS: Tuſſis, Asthma, Phthifis?

COMP:

525. TVSSLAGO *Petasites* thyrſo ovato, floſculis femineis nudis paucis. *Fl. suec. 746. Sp. pl. 1215.*

Fl. dan. t. 842.

Petasites major et vulgaris. Baub. pin. 197.

LOC. Germania, Anglia, Gallia. *Perennis, cicur.*

PHARM. PETASITIDIS Radix, Flores.

QVAL. amara. Rarior.

VIS: sudorifera, alexiteria.

VSVS: Pestis.

COMP. + prophylacticum.

SOLIDAGO.

526. SOLIDAGO *Virga aurea* caule subflexuſo angulari, racemis paniculatis erectis confertis. *Fl. suec. 754. Sp. pl. 1235. Fl. dan. t. 663.*

Virga

Virga aurea latifolia ferrata. *Baub. pin.* 268.

LOC. Europæ prata sylvatica. *Perennis, vulgaris.*

PHARM. VIRGAE AVREAE Herba.

QVAL. balsamica. *Vſitata.*

VIS: vulneraria, diuretica.

VSVS: Calculus, Vlcus.

COMP.

INVLA.

527. INVLA *Helenium* foliis amplexicaulibus ovatis rugofis subtus tomentosis, calycum squamis ovatis. *Fl. suec.* 755. *Sp. pl.* 1236. *Fl. dan.* t. 728.

Helenium vulgare. Baub. pin. 216.

LOC. Europa australior. *Perennis, cicur.*

PHARM. ENVLAE Radix, condita, Conserva, Ef-
fentia, Extractum, ▽.

QVAL. aromatica, mucilaginosa. *Trita, præstans.*

VIS: alexiteria, pellens, expectorans, stomachica,
anthelmintica.

VSVS: Tussis, Asthma humidum, Hypochondria-
sis, Colica, Tremor, Scabies!

COMP.

528. INVLA *dysenterica* foliis amplexicaulibus cordato-
oblongis, caule villoso paniculato, squamis ca-
lycinis fetaceis. *Fl. suec.* 757. *Sp. pl.* 1237. *Fl.*
dan. t. 410.

Conyza media asteris flore luteo, f. tertia dio-
scoridis. *Baub. pin.* 265.

LOC. Europa humida. *Perennis.*

PHARM. CONYZAE Herba.

QVAL. [acris, subaromatica.]

VIS: [tonica.]

VSVS: Dysenteria! Scabies.

COMP.

ARNICA.

529. ARNICA *montana* foliis ovatis integris, caulinis geminis oppositis. *Fl. suec.* 760. *Sp. pl.* 1245. *Fl. dan.* t. 63.

Doronicum plantaginis folio, alterum. *Baub. pin.* 185.
LOC. Europa australior, Alpes. *Perennis, cicur.*
PHARM. ARNICAE Herba, Flores.

QUAL. virosa, nauseosa. *Trita, heroica.*
VIS: resolvens, vulneraria, narcotica, vomitoria,
purgans, diuretica, emmenagogia, errhina, re-
pellens.

VSVS: Epilepsia, Sugillatio, Casus ab alto, [Para-
lysis, Amaurosis, Quartana.]

COMP.

DORONICVM.

530. DORONICVM *pardalianches* foliis cordatis ob-
tusis denticulatis radicalibus petiolatis, caulinis
amplexicaulibus. *Sp. pl.* 1247. *Jacq. austr.* 4. t. 350.

Doronicum radice scorpii. *Baub. pin.* 184.

LOC. Alpes Vallesix, Genevæ, Thuiri. *Perennis, cicur.*
PHARM. DORONICI Radix.

QUAL. aromatica, dulcis, sapida. *Exoleta, dubia.*

VIS: subvenenata? Arnicæ.

VSVS: Colica, Vertigo?

COMP.

BELLIS.

531. BELLIS *perennis* scapo nudo. *Fl. suec.* 761. *Sp.*
pl. 1248. *Fl. dan.* t. 503.

Bellis sylvestris minor. *Baub. pin.* 261.

LOC. Europæ pascua aprica. *Perennis, cicur.*
PHARM.

530. [Var. ♂. Doronicum latifolium Cluf. quam icon Jacqui-
niana exhibet, sumendam esse, monet *Pharmacopœa aust.*
prov. p. 34.]

PHARM. BELLIDIS MINORIS Flores.

QUAL. inodora, styptica. *Trita, infida, stabliana.*

VIS: resolvens? vulneraria, eccoprotica.

VSVS: Hectica? Peripneumonia? Hæmorrhagia? Hypochondriasis?

COMP.

CHRYSANTHEMVM.

532. CHRYSANTHEMVM: *Leucanthemum* foliis amplexicaulibus oblongis: superne serratis, inferne dentatis. *Fl. suec.* 763. *Sp. pl.* 1251.

Bellis sylvestris, caule folioso, major. *Baub. pin.* 261.

LOC. Europæ prata. *Perennis, frequens.*

PHARM. BELLIDIS PRATENSIS Herba.

QUAL. subacris, penetrans, piperata *in decocto. Exoleta.*

VIS: diuretica, vulneraria.

VSVS: Phthisis, Asthma, Tinea.

COMP.

MATRICARIA.

533. MATRICARIA *Parthenium* foliis compositis planis: foliolis ovatis incisis, pedunculis ramofis. *Hort. cliff.* 416. *upf.* 263. *Sp. pl.* 1255. *Fl. dan.* t. 674.

Matricaria vulgaris f. *sativa. Baub. pin.* 133.

LOC. Europæ australioris ruderata. *Subperennis, cicur.*

PHARM. MATRICARIAE Herba, ∇ , $\circ\circ$, Flores.

QUAL. amara, nidorosa halituosa. *Vsitata, præstans.* VIS: anodyna, tonica, stomachica emmenagogia, lactifuga.

VSVS: Anorexia, Iliaca infantum, Colica, Hemicrania, Clavus, Hysteria!

COMP. *Syr. Artemisiæ compositus, Empl. ranar. mercuriale.*

- 534 MATRICARIA *Chamomilla* receptaculis conicis,
radiis patentibus, squamis calycinis margine æqua-
libus. *Fl. suec.* 764. *Sp. pl.* 1256.
Chamæmelum vulgare, *Leucanthemum* dioscori-
dis. *Baub. pin.* 135.
 LOC. Europæ agri, ruderata. *Annua, vulgaris.*
 PHARM. CHAMOMILLÆ NOSTRATIS Herba,
Syrupus, ∇ , \odot , $\circ\circ$ cærul. Flores $\mathfrak{Z}\beta.$
 QVAL. amara, odorata. *Trita, præstans.*
 VIS: emolliens?
 VSVS: Tertiana, Cardialgia, Colica, Vomitus gra-
vidarum, Calculus, Dysuria.
 COMP. Balnea, Pediluvia, Clysteres, Cataplasmata.

ANTHEMIS.

535. ANTHEMIS *nobilis* foliis pinnato-compositis
linearibus acutis subvillofis. *Sp. pl.* 1260.
Chamæmelum nobile s. *Leucanthemum* odoratius.
Baub. pin. 135.
 LOC. Europæ pascua aprica. *Annua, cicur.*
 PHARM. CHAMOMILLÆ ROMANAЕ Herba, $\circ\circ$,
Flores.
 QVAL. amara, suaveolens. *Trita, eximia.*
 VIS: balsamica, paregorica, antispasmodica, em-
menagogica, carminativa, emolliens?
 VSVS: Nephritis, Tertiana, Colica, Colica puer-
perarum, Hysteria, Calculus.
 COMP. *Clysteres* emollientes.

536. ANTHEMIS *Cotula* receptaculis conicis, paleis
fetaceis, seminibus nudis. *Fl. suec.* 767. *Sp. pl.* 1261.
Chamæmelum fœtidum. *Baub. pin.* 135.
 LOC. Europæ viæ, agri. *Annua, vulgaris.*
 PHARM.

536. *Cotula fœtida* omissa est inter officinalia uofira.

PHARM. COTVLAE FOETIDAE Herba, Flores.

QVAL. fœtida, amara. *Inositata, eximia.*

VIS: anodyna, pellens, repellens.

VSVS: Hysteria! Epilepsia, Hydrops, Scrophula, Asthma.

COMP.

537. ANTHEMIS *Pyrethrum* caulis simplicibus unifloris decumbentibus, foliis pinnato - multifidis. *Hort. cliff. 414. upf. 263. Sp. pl. 1262. Mill. fig. t. 39.*
Buphthalmum creticum, cotulæ facie, flore luteo et albo. *Breyn. cent. 150. t. 75.*

LOC. Tunetanum regnum. *Perennis, mansuetæ.*

PHARM. PYRETHRI VERO Radix, condita.

QVAL. acris, penetrantissima. *Rarior, præflans.*

VIS: incidens, errhina, fialagoga, sophisticans.

VSVS: Odontalgia, Paralysis linguæ, Dolor pectoris.

COMP. Phionium.

ACHILLEA.

538. ACHILLEA *Ageratum* foliis lanceolatis obtusis acute ferratis. *Hort. cliff. 413. upf. 265. Sp. pl. 1264.*
Ageratum foliis ferratis. *Baub. pin. 221.*

LOC. Liburnum, Florentia, Monspelium.

Perennis, subcicur.

PHARM. AGERATI Herba.

QVAL. amara, suaveolens, aromaticæ. *Exoleta, superflua.*

VIS: visceralis?

VSVS: Vulnus.

COMP.

539. ACHILLEA *Ptarmica* foliis lanceolatis acuminatis argute ferratis. *Sp. pl. 1266. Fl. dan. t. 643.*

P 2

Dracun-

537. [Geninum *Pyrethrum* raro in pharmacopoliis deprehenditur; ejus loco plerumque *Achilleæ Ptarmicæ* rad. prostat.]

Dracunculus pratensis, ferrato folio. *Baub. pin.* 98.
 LOC. Europa australis. *Perennis, cicur.*
 PHARM. PTARMICAE Radix, Herba, Flores.
 OVAL. acris, inodora. *Exoleta, Hb. Fl. superflua.*
 VIS: fialagoga, errhina, sternutatoria, vulneraria.
 VSVS: Odontalgia.
 COMP.

540. ACHILLEA *Millefolium* foliis bipinnatis nudis:
 laciuiis linearibus dentatis, caulis superne sul-
 catis. *Fl. suec.* 770. *Sp. pl.* 1267. *Fl. dan.* t. 737.
Millefolium vulgare album. *Baub. pin.* 140.
 LOC. Europæ prata, pascua. *Perennis, frequens.*
 PHARM. MILLEFOLII Herba, *Essentia, Extractum,*
 $\nabla, \circ\circ$.
 QVAL. amaricans, nidorosa. *Stabiana, trita.*
 VIS: narcotica, inebrians, tonica, fistens evacua-
 tiones, vulneraria.
 VSVS: Hypochondriasis, Hæmorrhoides, Hæmoptysis,
 Vulnus.
 COMP.

POLYGAMIA FRVSTRANEA.

CENTAVREA.

541. CENTAVREA *Cyanus* calycibus ferratis, foliis
 linearibus integerrimis: infimis dentatis. *Fl. suec.*
 776. *Sp. pl.* 1289.
Cyanus segetum (flore cæruleo). *Baub. pin.* 273.
 LOC. Europæ agri. *Annua, vulgaris.*
 PHARM. CYANI Flores, ∇ .
 QVAL. cærulea. *Exoleta, infida, superflua.*
 VIS: ophthalmica?

VSVS:

VSVS: tinctorius.

COMP.

542. CENTAVREA *Beben* calycibus scariosis, foliis radicalibus lyratis: lobis oppositis; caulinis amplexicaulibus. *Sp. pl.* 1292.

Rhaponticoides lutea, foliis inferioribus dissectis, ceteris carthami. *Vaill. act. paris.* 1718. p. 229.

LOC. Libanus. *Perennis, peregrina.*

PHARM. BEHEN ALBI Radix.

QVAL. odorata, acris. *Exolata, dubia, superflua.*
VIS: corroborans, cordialis.

VSVS: Tremor.

COMP.

543. CENTAVREA *benedicta* calycibus duplicato-spinosis lanatis involucratis, foliis semidecurrentibus denticulato-spinosis. *Sp. pl.* 1296.

Carduus sylvestris hirsutus sive Carduus benedictus. *Baub. pin.* 378.

LOC. Agri in Lemno, Chio. *Annua, cicur.*

PHARM. CARDVI BENEDICTI Herba, Conserva,
 ∇ ; +, Flores, Semina.

QVAL. amarissima. *Vsitata, præstans.*

VIS: balsamica, antacida, tonica, pellens, sudorifera, diuretica, subemetica, eccoprotica.

VSVS: Anorexia, Cachexia, Arthritis, Vertigo, Hemicrania, Tertiana, Pleuritis, Peftis, Sugillatione.

COMP.

544. CENTAVREA *Calcitrapa* calycibus subduplicato - spinosis sessilibus, foliis pinnatifidis linearibus dentatis, caule piloso. *Hort. upf.* 273. * *Sp. pl.* 1297.

Carduus stellatus, foliis papaveris erratici. *Bauh.*
pin. 387.

LOC. Germania, Helvetia, Anglia ad vias. *Annua, cicur.*
 PHARM. *CALCITRAPAE* Radix.

QVAL. amara. *Infueta.*
 VIS: balsamica, tonica.

VSVS: Febres intermitentes!

COMP.

POLYGAMIA NECESSARIA.

CALENDVLA.

545. CALENDVLA *officinalis* feminibus cymbiformibus muricatis incurvatis omnibus. *Sp. pl. 1304.*
Caltha vulgaris. Bauh. pin. 275.

LOC. Europæ australis arva. *Annua, cicur.*

PHARM. CALENDVLAE Herba, Flores, *Conserva*,
▽, +, Semina.

QVAL. amara, subnarcotica, flava, crepitans.

Trita, præstans.

VIS: pellens, emmenagogia, sudorifera, exanthematica.

VSVS: Ophthalmia, Vertigo, Febres exanthematicæ.

COMP.

MONOGAMIA.

LOBELIA.

546. LOBELIA *syphilitica* caule erecto, foliis ova-to-lanceolatis subserratis, calycum sinubus reflexis.

546. Alia Americanorum contra Syphilitidem specifica sunt:

ECHITES *Syphilitica*. Infusum.

EVPHORBIA *canescens*. Decoctum.

STILLINGIA *sylvatica*. Flores, etc.

Laetescentes, Campanaceæ et Contortæ fere omnes diureticæ et mundificantes præstantiores censentur Indis; inde contra Syphilitidem laudantur. *Suppl. pl. 393.*

flexis. *Hort. cliff.* 426. * *Amœn. acad.* 4. p. 527. *
Sp. pl. 1320.

Rapunculus americanus, flore dilute cœruleo. *Dodart.* *mem.* 297.

LOC. *Virginiæ sylvæ aridæ, lutosæ.* *Perennis, mansueta.*
 PHARM. LOBELIAE Radix.

QVAL. lactescens, acris, nauseosa. *Eximia.*

VIS: pellens, purgans, emetica.

VSVS: Syphilis!

COMP.

VIOLA.

547. *VIOLA odorata* acaulis, foliis cordatis, stolonibus reptantibus. *Fl. suec.* 784. *Sp. pl.* 1324. *Fl. dan.* t. 309.

Viola martia purpurea, flore simplici odoro. *Bauh.* *pin.* 199.

LOC. Europa australior. *Perennis, cicur.*

PHARM. VIOLÆ Flores (corollæ rectius), Conserva, Syrupus, Julepus, Saccharum, Mel, ☽, Semina.

VIOLARIAE Herba.

QVAL. *Flor.* fragrans. *Trita, præstans.*

VIS: *Fl.* anodyna; *Hb.* emolliens; *Rad.* purgans? emetica? *Sem.* diuretica, emetica; *Syrup.* refrigerans.

VSVS: *Sem.* Calculus; *Syr.* Raucedo, Tussis, Exanthemata.

COMP. *Sem.* IV cordial. Enemat.

548. *VIOLA Ipecacuanha* foliis ovalibus margine sub-tusque pilosis. *Syst. nat.* 13. p. 669. *Amœn. acad.* 8. p. 238.

Viola grandiflora, veronicæ folio villoso. *Barr.*
æquin. 113.*

Pombalia Ipecacuanha. *Vandell. fasc. p. 7. t. 1.*
 LOC. Americæ meridionalis sylvæ humidæ.

Frutescens, peregrina.

PHARM. IPECACUVANHÆ ALBAE? Radix 3ij.

QVAL. inodora, levissime pungens.

VIS: emetica, tonica, purgans, sudorifera.

VSVS: Febres, Diarrhœa, Dysenteria, Leucorrhœa,
 Hæmorrhagia uteri.

COMP.

CLASSIS XX.

GYNANDRIA.

DIANDRIA.

ORCHIS.

549. ORCHIS *bifolia* bulbis indivisis, nectarii labio lanceolato integerrimo: cornu longissimo, petalis patentibus. *Fl. suec.* 793. *Sp. pl.* 1331.

Orchis alba bifolia minor, calcari oblongo. *Baub.*
pin. 83.

LOC. pascua dura Europæ. *Perennis, cicur.*

PHARM. SATYRII Radix, *condita.*

QVAL. hircina, mucilaginosa.

VIS: anodyna, exhilarans, inviscans, obtundens, aphrodisiaca, analeptica.

VSVS: Sterilitas, Atecnia, Tabes, Dysenteria.

COMP. *Conf.* diafatyr.

550. ORCHIS *Morio* bulbis indivisis, nectarii labio quadrifido crenulato: cornu obtuso adscendente, petalis obtusis conniventibus. *Fl. suec.* 794. *Sp. pl.* 1333. *Fl. dan.* t. 457.

Orchis morio mas, foliis non maculatis. *Vaill. parif.* 151. *que Buxb. cent.* 3. t. 5.

LOC. Europæ, Orientis sylvæ. *Perennis, cicur.*

PHARM. SALEP Radix.

QVAL. hircina, mucilaginosa.

VIS: inviscans, lubricans, nutritiens, aphrodisiaca.

VSVS: Atecnia! Dysenteria, Vlcus vesicæ, Excoriatura intestinorum.

COMP.

EPIDENDRVM.

551. EPIDENDRVM *Vanilla* scandens, foliis ovato-oblongis nervosis sessilibus caulinis, cirrhis spiralibus. *Roy. lugdb.* 13. *Sp. pl.* 1347. *Plum. ic.* 188. [Aublet. *guian.* 821. *suppl.* 77.]

Vanilla piperis arbori jamaicensis innascens. *Pluk. alm.* 381. *t. 320. f. 1.*

LOC. Indiae utriusque arbores. *Parasitica, frutex.*

PHARM. VANILLAE Siliqua ʒβ.

QVAL. pinguis, ambrofiaca. *Rarior, eximia.*

VIS: calefaciens, corroborans, cephalica, diuretica, aphrodisiaca.

VSVS: Melancholia, Atecnia.

COMP. Chocolata.

HEXANDRIA.

ARISTOLOCHIA.

552. ARISTOLOCHIA *trilobata* foliis trilobis, caule volubili, floribus maximis. *Sp. pl.* 1361. *Jacq. obs. i. p. 8. t. 3. Berg. mat.* 448.

Aristolochia folio hederaceo trifido, flore maximo, radice repente. *Barr. æqu.* 16.

LOC. America meridionalis. *Frutex, ferus.*

PHARM. ARISTOLOCHIAE TRILOBATAE Stipites.

QVAL. aromatica, amaricans, *diu durans.*

VIS: alexiteria, sudorifera.

VSVS: Morsura serpentum, Febres.

COMP.

553. ARISTOLOCHIA *Serpentaria* foliis cordato-oblongis planis, caulibus infirmis flexuofisis teretibus, floribus solitariis. *Sp. pl.* 1363.

Aristo-

Aristolochia Pistolochia f. Serpentaria virginiana,
caule nodofo. *Pluk. alin.* 50. t. 148. f. 5. *Catesb.*
carol. 1. t. 29.

LOC. Virginia, Carolina. *Perennis, mansueta.*

PHARM. SERPENTARIAE VIRGINIANAE Radix
 $\beta\gamma.$ *Effentia.*

QUAL. acris, hircosa odore valerianæ. *Trita, eximia.*

VIS: pellens, diaphoretica, exanthemathica, alexi-
teria, diuretica, anthelminthiça.

VSVS: Febres intermitentes, exanthematicæ, Mor-
fura.

COMP. \ddagger comit. Kent.

554. ARISTOLOCHIA *rotunda* foliis cordatis subfessi-
libus obtusis, caule infirmo, floribus solitariis.
Hort. cliff. 432. *Sp. pl.* 1364.

Aristolochia rotunda, flore ex purpura nigro. *Baub.*
pin. 307.

LOC. Italia, Hispania, G. Narbonensis.

Perennis, mansueta.

PHARM. ARISTOLOCHIAE ROTVNDÆ Radix.

QUAL. fœtida, aromatica, amara, acris, exurens.

Vsitata, præstans.

VIS: calefaciens, incidens, pellens, vomitoria, diu-
retica, emmenagogæ, abortiva, repellens, vulne-
raria.

VSVS: Cachexia, Chlorosis! Podagra, Scabies, Fi-
stula, Sarcoïma, Cacoëthes.

COMP. *Theriac.* alexipharm. *Troch.* capparidis.

555. ARISTOLOCHIA *longa* foliis cordatis petiolatis
integerrimis obtusiusculis, caule infirmo, flori-
bus solitariis. *Sp. pl.* 1364.

Aristolochia longa vera. *Baub.* *pin.* 307.

LOC. Europa australis.

Perennis, mansueta.

PHARM. ARISTOLOCHIAE LONGAE Radix.

QVAL. præcedentis.

VIS: præcedentis.

VSVS: præcedentis.

COMP. Andromach. *Vngu.* apostolor. *Empl.* manus
Dei.

556. ARISTOLOCHIA *Clematitis* foliis cordatis, caule
erecto, fioribus axillaribus confertis. *Hort. upf.*
279. *Sp. pl.* 1564.

Aristolochia clematitis recta. *Bauh. pin.* 307.

LOC. Gallia australis. *Perennis, cicur.*

PHARM. ARISTOLOCHIAE VVLGARIS Radix.

QVAL. graveolens, amara, acris.

VIS: pellens, subvomitoria.

VSVS: Cachexia, Podagra, Cacoëthes, Sarcoma.

COMP.

OCTANDRIA.

CYTINVS.

557. CYTINVS *Hypocistis.* *Syst. nat.* 12. p. 602.

Hypocistis omnino lutea s. ochræ colore. *Clus. bisp.*
143.

LOC. Hispania, Lusitania, Mauritania.

Parasitica Cisti, peregrina.

PHARM. HYPOCISTIDIS Succus.

QVAL. acido-styptica, nigra. *Rarior.*

VIS: adstringens.

VSVS: Profluvia.

COMP. Andromach. Mithridat. *Troch.* carabe, *Empl.*
heruiæ, *Paful.* *Laxativ.*

POLYANDRIA.

ARVM.

558. ARVM *maculatum* acaule, foliis hastatis integerimis, spadice clavato. *Hort. upf.* 279. *Sp. pl.* 1370. *Fl. dan.* t. 505.

Arum vulgare maculatum et non maculatum. *Baub.* pim. 195.

LOC. Germania, Italia. *Pereennis, cicur,*

PHARM. ARI Radix ʒβ. *Fæculæ, Herba.*

QVAL. acris; septica. *Trita, præstans.* Hb. *superflua.*

VIS: calefaciens, incidens, saponacea, expectorans, cosmetica, *recens* corrodens, rubefaciens, vesicans.

VSVS: Tertiana, Anorexia, Cephalæa sympathica, Asthma humorale, Obstructio, Cachexia, Chlerosis, Phthisis, Contusura.

COMP. \ddagger benedictus.



CLASSIS XXI.

MONOECIA.

MONANDRIA.

CYNOMORIVM.

559. CYNOMORIVM *coccineum*. *Amæn. acad.* 4. p. 351.
t. 2. *Sp. pl.* 1375.

Fungus typhoides *coccineus* melitensis. *Bocc. sic.*
80. *mus.* 2. p. 69.

LOC. Sicilia, Melita, Mauritania, Jamaica; para-
sitica radicum Lentisci, Myrti, Halimi, inter
Novembrem et Martium. *Herba, peregrina.*

PHARM. FVNGI MELITENSIS Өj.

QUAL. styptica, nigra. *Eximia.*

VIS: adstringens, obſtipans.

VSVS: Dysenteria, Vlcus cacoëthicum, Stomaca-
ce, Hæmorrhagia.

COMP.

MYRISTICA.

560. MYRISTICA *moschata* fructibus glabris. *Thunb.*
aet. holm. 1782. p. 46. *nov. gen.* 5. p. 84.

Nux myristica. *Rumph. amb.* 2. p. 14. t. 4. 5.

Nux moschata fructu rotundo. *Bauh. pin.* 407. *Pluk.*
alm. 265. t. 209. f. 1.

LOC. Moluccæ, præfertim Banda. *Arbor, peregrina.*

PHARM. MOSCHATA (MYRISTICA) Nux, con-
dita, ∇ , $\circ\circ$, $\bigcirc\bigcirc$, *Balsamius.*

MACIS, *Effentia*, ∇ , $\circ\circ$, $\bigcirc\bigcirc$.

QUAL. styptica, fragrans aromatica. *Trita, eximia.*

VIS:

VIS: hypnotica, stomachica, carminativa, obstipans, ophthalmica.

VSVS: Colica, Diarrhoea.

COMP. Elect. diafatyr. Diaphœnic. Orvietan. Bened. Empl. stomachale, Spir. Embryon. Bals. apoplect.

TRIANDRIA.

PHYLLANTHVS.

561. PHYLLANTHVS *Emblica* foliis pinnatis floriferis, caule arboreo, fructu baccato. Fl. zeyl. 333. Sp. pl. 1393.

Nellicamaram. Rheed. mal. I. p. 69. t. 38.

LOC. Malabaria, Zeylona. Arbor, peregrina.

PHARM. MYROBALANI EMBLICAE Fructus 3iv.

QVAL. acidiuscula, austera, subacris.

Exoleta, superflua.

VIS: adstringens Subst. purgans infus.

VSVS: Stomachace, Dysenteria.

COMP. Pil, sine quibus, Conf. hamech.

TETRANDRIA.

BETVLA.

562. BETVLA *alba* foliis acuminatis ferratis. Fl. suec.

859. Sp. pl. 1393. [Pall. ross. I. p. 61.]

Betula. Bauh. pin. 427.

LOC. Europæ sylvæ. Arbor, frequentissima.

PHARM. BETVLAE (epidermidis) ○○ nigrum, Fuligo.

QVAL. suaveolens ○○. Vxitata, præstans.

VIS: diaphoretica.

VSVS: Erysipelas! [Gonorrhœa.]

COMP.

BVXVS.

563. BVXVS *sempervirens*. *Hort. upf.* 283. *Sp. pl.* 1394.
Buxus arborescens. *Baub. pin.* 471.
 LOC Gallia, Helvetia. *Arbor, mansueta*.
 PHARM. BVXI Lignum, °° Gt. XX.
 QVAL. tetra foetida, amara. *Rarior*.
 VIS: sudorifera, mundificans. *Fol. purgans, pellens*.
 VSVS: Hirsuties °°, Epilepsia, Hysteria.
 COMP.

VRTICA.

564. VRTICA *pilulifera* foliis oppositis ovatis ferratis, amentis fructiferis globosis. *Hort. cliff.* 440.
upf. 282. *Sp. pl.* 1395.
Vrtica urens pilulas ferens. *Baub. pin.* 232.
 LOC. G. Narbonensis, Helvetia, Anglia. *Annua, cicur*.
 PHARM. VRTICAE ROMANAЕ Semina.
 QVAL. urens tactu, insipida. *Exoleta, superflua*.
 VIS: diuretica.
 VSVS: Rubeola, Nephritis, Hæmorrhagia.
 COMP.

565. VRTICA *dioica* foliis oppositis cordatis, racemis geminis. *Fl. suec.* 863. *Sp. pl.* 1396. *Fl. dan. t.* 746.
Vrtica urens maxima. *Baub. pin.* 232.
 LOC. Europæ ruderata. *Perennis, frequens*.
 PHARM. VRTICAE MAJORIS Radix, Herba, ▽, Semina.
 QVAL. urens tactu, subinsipida, oleracea. *Rarior*.
 VIS: diuretica, mundificans, stimulans extus.
 VSVS: Icterus, Nephritis, Phthisis! Hæmorrhagia, Hæmoptysis, Hæmorrhoidis, Paraly sis ext.
 COMP.

MORVS.

566. MORVS *nigra* foliis cordatis scabris. *Hort. cliff.*
 441. *upf.* 283. *Sp. pl.* 1398.
Morus fructu nigro. *Baub. pin.* 459.
 LOC. China, Italia. *Arbor, mansueta.*
 PHARM. MORI *Rob.*, *Syrupus*, *Cortex Rad.*
 QVAL. dulci - subacida. *Trita, eximia.*
 VIS: refrigerans, corroborans.
 VSVS: Febres putridæ, Sitis, Angina. *Cort.* Tænia.
 COMP. *Mixturae febriles.*

PENTANDRIA.

XANTHIVM.

567. XANTHIVM *strumarium* caule inermi, foliis
 cordatis trinervatis. *Fl. suec.* 869. *Sp. pl.* 1400.
Lappa minor f. *Xanthium dioscoridis.* *Baub. pin.* 198.
 LOC. Europa australior. *Annua, cicur.*
 PHARM. XANTHII [Folia,] Semina $\Sigma\beta$.
 QVAL. luteo - tinctoria, amara, subacris. *Inusitata.*
 VIS: adstringens, pellens, diaphoretica.
 VSVS: [Scrophula, Herpes,] Erysipelas.
 COMP.

POLYANDRIA.

POTERIVM.

568. POTERIVM *Sanguisorba* inerme, caulis sub-
 angulosus. *Hort. cliff.* 446. *upf.* 288. *Sp. pl.* 1411.
Pimpinella Sanguisorba minor hirsuta. *Baub. pin.* 160.
 LOC. Europa australior. *Perennis, cicur-*
 PHARM. PIMPINELLÆ ITALICÆ Herba, Se-
 mina.

Q

QVAL,

QVAL. styptica, subfragrans.

Culinaris, exoleta, superflua.

VIS: adstringens, vulneraria.

VSVS: Hæmoptysis? Dysenteria?

COMP. *Infus.* vinoſa vernal.

QVERCVS.

569. QVERCVS *Suber* foliis ovato - oblongis indi-
vis ferratis subtus tomentosis, cortice rimoso
fungoso. *Hort. cliff.* 448. *Sp. pl.* 1413.

Suber latifolium perpetuo virens. *Baub. pin.* 424.

LOC. Lusitania, Aquitania, Bætica. *Arbor, mansueta.*

PHARM. SVBERIS Cortex.

QVAL. sicca, styptica.

VIS: adstringens, coriaria.

VSVS: Dysenteria, Erysipelas.

COMP.

570. QVERCVS *Robur* foliis deciduis oblongis super-
ne latioribus: finibus acutioribus, angulis ob-
tusis. *Fl. suec.* 870. *Sp. pl.* 1414.

Quercus cum longo pediculo. *Baub. pin.* 420.

LOC. Európa infra Norlandiam. *Arbor, vulgaris.*

PHARM. QVERCVS Cortex, ∇ , Cupulæ, Glandes.

QVAL. sicca, styptica. *Trita præstans.*

VIS: adstringens, coriaria, obſtipans.

VSVS: Diarrhoea, Tertiana, Hæmorrhagia.

COMP.

JVGLANS.

570. JVGLANS *regia* foliolis ovalibus glabris subfer-
ratis subæqualibus. *Hort. cliff.* 449. *ups.* 286. *Sp.
pl.* 1415.

Nux juglans f. regia vulgaris. *Baub. pin.* 418.

LOC.

LOC. America septentrionalis? Persia. *Arbor, mansueta.*
PHARM. JVGLANDIS Nuces, Dissepimentum,
Rob, (O).

QVAL. graveolens, amarians, denigrans. *Nucl.*
subdulcis, sicca. *Rarior, præstans.*

VIS: narcotica, pellens, emmenagogue, anthelmin-
thica, anginans, paralytizans.

VSVS: *Diffep.* Dysenteria, *Vft.* Hæmorrhagia, den-
tis, (O) cicatrix variolæ, *Rob.* Angina. *Nucl.* Tænia!
COMP. *Acet.* prophylact.

FAGVS.

572. FAGVS *Castanea* foliis lanceolatis acuminato-
ferratis subtus nudis. *Hort. cliff.* 447. *upf.* 287.
Sp. pl. 1416.

Castanea. *Baub. bift.* 1. p. 121.

LOC. Italia, Gallia, Germania. *Arbor, mansueta.*

PHARM. CASTANÆAE Fructus, (O), Cortex.

QVAL. dulcis, esculenta. *Exoleta, infida, superflua.*

VIS: flatulenta, temulentans, febrilis.

VSVS: (O) Excoriatura.

COMP.

573. FAGVS *sylvatica* foliis ovatis obfolete ferratis.
Fl. suec. 871. *Sp. pl.* 1416.

Fagus. *Baub. pin.* 419.

LOC. Europa australior. *Arbor, cicur.*

PHARM. FAGI Fructus, (O), Cineres [clavellati].

QVAL. insipida. *Exoleta, infida, Fr. superflua.*

VIS: temulentans, cephalalgica.

VSVS:

COMP.

CORYLVS.

574. CORYLVS *Avellana* stipulis ovatis obtusis. *Fl.*
suec. 872. *Sp. pl.* 1417.

- Corylus sylvestris. *Baub. pin.* 418.
 LOC. Europæ sepes. *Arbor, vulgaris.*
 PHARM. CORYLI Lignum, $\circ\circ$.
 QVAL. inodora, insipida, $\circ\circ$ fætida. *Exoleta, superflua.*
 VIS: $\circ\circ$ anodyna.
 VSVS: $\circ\circ$ Odontalgia.
 COMP.

LIQVIDAMBAR.

575. LIQVIDAMBAR *Styraciflua* foliis palmato - angulatis: lobis indivisis acutis. *Sp. pl.* 1418.
 Liquidambar arbor f. *styraciflua* aceris folio, fructu tribuloide. *Pluk. alm.* 224. t. 42. f. 6. *Catesb. car.* 2. t. 63.
 LOC. Virginia, Mexico. *Arbor, mansueta.*
 PHARM. STORACIS LIQVIDÆ Resina.
 QVAL. *Balsarium* liquido-tenax, griseum, acre, aromaticum, fragrans. *Rarior.*
 VIS: cephalalgica, calefaciens.
 VSVS: Scabies.
 COMP. *Vngu.* odorata.

A D E L P H I A.

PINVS.

576. PINVS *sylvestris* foliis geminis: primordialibus solitariis glabris. *Fl. suec.* 874. *Sp. pl.* 1481. [Pall. roff. 1. p. 5. tab. 2.]
 Pinus sylvestris. *Baub. pin.* 491.
 LOC. Europæ sicca. *Arbor, frequentissima.*
 PHARM. PINI Turiones (male comi), *Ligni* \sqcup , $\circ\circ$.
 Resina, *Pix*, $\circ\circ$ picis.

TERE-

TEREBINTHINA COMMVNIS, cocta,
ꝝ, ὁ Templinum.QVAL. resinosa. Trita, præstans.

VIS: diuretica, mundificans.

VSVS: Scorbustus.

COMP.

577. PINVS *Pinea* foliis geminis: primordialibus solitariis ciliatis. *Hort. cliff.* 450. *upf.* 288. *Sp. pl.* 1419.

Pinus fativa. *Baub. pin.* 491.LOC. Italia, Galloprovincia, Narbona. *Arbor, mans.*PHARM. PINI Nuces, nuclei mundati, *Loboc.*QVAL. dulcis. Trita, præstans.

VIS: nutriens, aphrodisiaca.

VSVS: Stranguria, Tabes,

COMP. *El.* diafatyrii.

578. PINVS *Larix* foliis fasciculatis obtusis. *Hort. cliff.* 450. *Sp. pl.* 1420. [*Pall. roff.* I. p. I. t. I.]

Larix. Baub. pin. 493.LOC. Alpes Helveticæ aliæque, Russia. *Arbor, mansueta.*PHARM. TEREBINTHINA VENETA ὁ, ꝝ.
[LARICIS Gummi.]QVAL. resinosa, [interne gummosa.] *Trita, præstans.*VIS: diuretica *urina violacea*, vulneraria.

VSVS: Phthisis, Leucorrhœa, Ulcera, ὁ Hæmorrhagia! Ischuria.

COMP. *Vngu.* digestivum.

579. PINVS *Abies* foliis solitariis subulatis mucronatis lævibus bifariam versis. *Fl. suec.* 875. *Sp. pl.* 1421.

Picea major prima f. *Abies rubra. Baub. pin.* 493.LOC. Europæ humidiuscula. *Arbor, frequentissima.*PHARM. ABIETIS Resina, *Colophonium.*

QVAL.	resinosa, crepitans.	<i>Rarior, præstans.</i>
VIS:	diuretica.	
VSVS:	Scorbutus, Arthritis.	
COMP.		

CYPRESSVS.

580.	CYPRESSVS <i>semperfurens</i> foliis imbricatis, frondibus quadrangulis. <i>Hort. cliff.</i> 449. <i>upf.</i> 288. <i>Sp. pl.</i> 1422.	
	Cupressus. <i>Baupl.</i> pin. 488.	
LOC.	Creta.	<i>Arbor, mansueta.</i>
PHARM.	CYPRESSI Lignum, Nuces (strobili potius.)	
QVAL.	sicca.	<i>Exoleta, superflua.</i>
VIS:	adstringens.	
VSVS:	Hernia, Diarrhoea.	
COMP.		

CROTON.

581.	CROTON <i>Cascarilla</i> foliis lanceolatis acutis integrifinis petiolatis subtus tomentosis, caule arboreo. <i>Amœn. acad.</i> 5. p. 411.* <i>Sp. pl.</i> 1424.	
	Ricinoides elæagni folio. <i>Catesb. carol.</i> 2. p. 46. t. 46. <i>Plum. ic.</i> 240. f. 1.	
LOC.	Peru, Florida, Providentia, Paraguay.	<i>Arbor, peregrina.</i>
PHARM.	CASCARILLÆ Cortex, <i>Essentia.</i>	
QVAL.	acris, amara, fragrans, fumo moschato.	<i>Trita, eximia, stabliana.</i>
VIS:	tonica, sub, eccoprotica, thoracica.	
VSVS:	Febr. Exacerbantes, Tertiana, Diarrhoea febrilis.	
COMP.		

582. CRO.

581. *Cascarillam* eandem cum THYMIAMATIS seu THVRIS cortice faciunt varii, licet distinetus in officinis nostris vendatur. [Anne hic *Styracis* species? *Ph. dan.* 33.]

582. CROTON *tinctorium* foliis rhombeis repandis,
capsulis pendulis, caule herbaceo. *Hort. upf.* 290.
Sp. pl. 1425. *Burm. ind.* t. 62. f. 1.

Ricinoides ex qua paratur Tournesol gallorum.
Att. paris. 1712. p. 337. t. 17.

LOC. Narbonæ culta. *Annua, fera.*

PHARM. LACMVS Succus (*Tornesolis*).

QVAL. cæruleo-tinctoria. *Externe.*

VIS: acidum indicandi.

VSVS: Gangræna, Carcinoma?

COMP.

583. CROTON *Tiglum* foliis ovatis glabris acuminatis ferratis, caule arboreo. *Fl. zeyl.* 343. *Sp. pl.* 1426.
Ricinoides indica, folio lucido, fructu glabro.
Burm. zeyl. 200. t. 90.

LOC. Zeylona. *Arbuscula, peregrina.*

PHARM. TIGLII (TILLI) Grana Gr. iij.

PAVANAE Lignum.

QVAL. acerrima. *Exoleta, cauta, superflua.*

VIS: emetica, draſtico, exurens.

VSVS:

COMP.

584. CROTON *lacciferum* foliis ovatis tomentosis ferrulatis petiolatis, calycibus tomentosis. *Fl. zeyl.* 344.*
Sp. pl. 1426.

Ricinoides aromatica arbor, circæ foliis hirsutis,
floribus spicatis, major. *Burm. zeyl.* 201. t. 91.

LOC. India. *Arbor, fera.*

PHARM. LACCAE Gummi (in granis).

Q 4

QVAL.

583. PAVANAE lignum in nostris officinis peregrinum est.

584. GVMMI LACCAE colligitur circa ramulos siccos ab infestis, sed quibus? e Crotone laccifero lactescente decerpunt hæc insecta succum et Laccam suam inde conficiunt, telle

Herr-

QVAL. *Resin.* rubra.

VIS: subadstringens, diuretica.

VSVS: tinctorius Stomacace.

COMP. Vernices, Laccæ sigillatoriæ, R.

JATROPHA.

585. JATROPHA *Curcas* foliis cordatis angulatis. *Hort.*

cliff. 445. *Sp. pl.* 1429. *Jacq. bort.* 3. t. 63.

Ricinoides americana, *gossypii* folio. *Tournef. inst.* 1656.

LOC. Surinama, Brasilia, Jamaica. *Arbor, fera.*

PHARM. RICINI MAJORIS Semina.

QVAL. acris, exurens. *Exoleta, cauta, superflua.*

VIS: draſtica, inflammatoria.

VSVS:

COMP.

586. JATROPHA? *elastica* foliis ternatis ellipticis integrerimis subtus canis longe petiolatis. *Suppl.* 422.

Hevea guianensis. *Aublet. guian.* 871. t. 335.

Caoutchouc. *Acad. paris.* 1751. p. 329. t. 20. f. 10 - 14. 1768. p. 209. *Berg. mat. med.* 566. *Beschäft. naturf. fr.* 3. p. 356.

LOC. Guiana, Peru. *Arbor, peregrina.*

PHARM. ELASTICA Resina.

QVAL. *Resina* coriacea, flexilis, extensilis, elastica, fulco - rufescens.

VIS:

VSVS:

Hermannio. [Colligitur a *Cocco Laccæ*, in *Ficus religiosa* et *indica*, item in *Rhamno Jujuba* habitante. *Kerr* in *act. angl.* 71. p. 2.]

586. Genus nondum rite definitum. Succus arboris lacteus inspissatus sit *Resina* illa *elastica*, *Gomme élastique*, *Caoutchouc*; et si *Ficus indica*, *Cecropia peltata*, aliæquæ, similem succum, post exsiccationem elasticum, fundant. *Suppl. pl.*

VSVS: mechanicus; chirurgicus.

COMP.

RICINVS.

587. RICINVS *communis* foliis peltatis subpalmatis serratis. *Sp. pl.* 1430. *Mil. ic.* 219.

Ricinus vulgaris. Baub. pin 439.

LOC. temperatum cœlum IV orbis partium.

Annuæ, mansueta.

PHARM. RICINI VVLGARIS (CATAPVTIAE MAJORIS) Semina Gr. XXV.

[PALMAE CHRISTI (O).]

QUAL. acris, amara. Sem. oleosa. *Exoleta, cauta.*

VIS: draſtica, inflammatoria, gastriticans, anthelminthica! [O laxans.]

VSVS: [Iliaca, Colica pictonum, nephritica, Tænia.]

COMP.

SYNGENESIA.

MOMORDICA.

588. MOMORDICA *Elaterium* pomis hispidis, cirrhis nullis. *Sp. pl.* 1334.

Cucumis sylvestris asininus dictus. Baub. pin. 314.

LOC. Italia, Narbona, Sicilia. *Perennis, subcicur.*

PHARM. CVCVMERIS ASININI Radix Gr. XV-3β.

ELATERII *Extractum* (viride) Ωj. *Resina (alba)* Gr. ij.

QUAL. amarissima, naufeosa. *Heroica, cauta.*

VIS: emetica, draſtica, hydragoga, emmenagogia, abortiva.

VSVS: Hydrops, Asthma, Leucorrhœa, Coryza, Scrophula.

COMP. *Extr.* panchymag. *Vngu.* arthanit.

CVCVRBITA.

589. CVCVRBITA *lagenaria* foliis subangulatis tomentosis basi subtus biglandulosis, pomis lignosis. *Sp. pl.* 1434.

Cucurbita oblonga, flore albo, folio molli. *Baub. pin.* 333.

LOC. America. *Annua, subcicur.*

PHARM. CVCVRBITAE Semina.

QVAL. subdulcis. *Trita.*

VIS: edulcorans, refrigerans.

VSVS: Febres putridæ, Agrypnia, Stranguria, Nephritis.

COMP. Semina IV frigida majora, Spec. diatragacanth.

590. CVCVBITA *Citrullus* foliis multipartitis. *Hort. upf.* 292. *Sp. pl.* 1435.

Anguria *Citrullus* dicta. *Baub. pin.* 312.

LOC. Apulia, Calabria, Sicilia. *Annua, subcicur.*

PHARM. CITRVLLI Semina.

QVAL. Cucurbitæ. *Trita.*

VIS: Cucurbitæ.

VSVS: Cucurbitæ.

COMP. Semina IV. frigida majora, Spec. diatragacanth. *Pulv.* haly.

CVCVMIS.

591. CVCVMIS *Colocynthis* foliis multifidis, pomis globosis glabris. *Hort. upf.* 293. *Sp. pl.* 1435.

Colocynthis, fructo rotundo, major. *Baub. pin.* 313.

LOC. Syria, Aleppo. *Perennis, mansueta.*

PHARM. COLOCYNTHIDIS Pulpa, Semina, Resina, Extractum gr. iv.

QVAL. amarissima, nauseosa. *Rarior, heroica, cauta.*

vis: draſtica, emmenagogia, abortiva, anthelminthica.

vſvs: Obstipatio, Epilepsia.

COMP. Enemata, *Troch.* alhandal, *Conf.* hamech,
Vng. arthanit. *Pil.* cochiæ, capitales, aureæ,
catholicae, gummat. *Extr.* panchymagog. cathol.

592. CVCVMIS *Melo* foliorum angulis rotundatis,
pomis torulosis. *Hort. cliff.* 451. *ups.* 292. *Sp.
pl.* 1436.

Melo vulgaris. *Baub. pin.* 310.

LOC. Calmucchia. *Annua, subfera.*

PHARM. MELONIS Semina, *excorticata.*

QVAL. subdulcis. *Trita.*

vis: Cucurbitæ.

vſvs: Cucurbitæ.

COMP. *Sem.* IV. frigida majora, *Spec.* diatragacanth.

593. CVCVMIS *sativus* foliorum angulis rectis, po-
mis oblongis scabris. *Hort. cliff.* 451. *ups.* 292.
Sp. pl. 1437.

Cucumis sativus vulgaris. *Baub. pin.* 310.

LOC. Europæ culta. *Annua, cicur.*

PHARM. CVCV MERIS Semina, [Fructus *recens*,
Succus.]

QVAL. Cucurbitæ. *Trita.*

vis: Cucurbitæ.

vſvs: Cucurbitæ. [Phthisis *Succ.*]

COMP. *Sem.* IV. frigida majora, *Spec.* diatragacanth.

BRYONIA.

594. BRYONIA *alba* foliis palmatis utrinque calloſo-
scabris. *Fl. suec.* 877. *Sp. pl.* 1438. *Fl. dan.* t. 813.
Bryonia alba, baccis nigris. *Baub. pin.* 297.

LOC.

594. [*Bryonia dioica* Jacq. *albæ* ſubſtituitur in regionibus, ubi
non haec, ſed illa, crenat; an vires æquales?]

LOC. Europæ pagi. *Perennis, infrequens.*

PHARM. BRYONIAE Radix 3j. Extractum 3j. Fæculæ, Baccæ, Semina.

QUAL. acris, amara, nauseosa. *Vfitata, eximia.*

VIS: purgans, pellens, anthelminthica, emmenagogica.

VSVS: Hydrops, Mania, Epilepsia, Rheumatismus,
Ganglion, Sugillatio. *Vngu. Pleuritis.*

COMP. *Catapl. resolvens.*

CLASSIS XXII.

D I O E C I A.

DIANDRIA.

SALIX.

595 SALIX *alba* foliis lanceolatis acuminatis ferratis utrinque pubescentibus: ferraturis infimis glandulosis. *Fl. suec.* 903. *Sp. pl.* 1449.

Salix vulgaris alba arborescens. *Baub. pin.* 473.

LOC. Europæ urbes et pagi. *Arbor, vulgaris.*

PHARM. SALICIS Folia, ∇ (florum).

QVAL. amaricans.

Exoleta.

VIS: antivenerea.

VSVS: Agrypnia, Dysenteria.

COMP. Balnea, Clysmata.

TETRANDRIA.

VISCVM.

596. VISCVM *album* foliis lanceolatis obtusis, caule dichotomo, spicis axillaribus. *Fl. suec.* 905. *Sp. pl.* 1451.

Viscum baccis albis. *Baub. pin.* 423.

LOC. Europæ arbores gummosæ resinosæque.

Frutex, parasiticus, infrequens.

PHARM. VISCI [QVERNI] Lignum, $\circ\circ$ (*heraclinum*).

QVAL. mucilaginosa, graveolens. *Rarior, præstans.*

VIS:

595. [SALICIS Cortex (ramulorum) desumendus est e *Salice fragili* et *pentandra*: amarus, substypticus, tonicus, antifebrilis.]

596. [VISCI QVERCINI Lignum e *Lorantho europæo* desumere jubet Pharm. aust. p. 71.]

VIS: inviscans, lubricans.

VSVS: Epilepsia, Vertigo, Pleuritis, Dysenteria.

COMP.

MYRICA.

597. MYRICA *Gale* foliis lanceolatis subferratis, caule suffruticoso. *Fl. suec.* 917. *Sp. pl.* 1453. *Fl. dan.* t. 327.

Rhus myrtifolia belgica. *Baub. pin.* 414.

LOC. Europæ borealis paludes. *Frutex, vulgaris.*

PHARM. MYRTI BRABANTICAE Folia.

QVAL. amara, nidorosa, luteo-tinctoria, cerifera.

Exoleta, præstans.

VIS: narcotica, phantastica, cephalalgica, exanthematica.

VSVS: Scabies! Pediculi.

COMP.

PENTANDRIA.

PISTACIA.

598. PISTACIA *vera* foliis impari-pinnatis: foliolis subovatis recurvis. *Sp. pl.* 1454.

Pistacia peregrina, fructu racemofo f. *Terebinthus indica.* *Baub. pin.* 401.

LOC. Persia, Arabia, Syria; colitur in Italia, Sicilia. *Arbor, mansueta.*

PHARM. PISTACIAE Nuces, Nuclei mundati, ♂.

QVAL. dulcis, subpinguis. *Rarior.*

VIS: nutriens, obtundens.

VSVS: Hectica.

COMP. *Elect.* diafatyr. *Tabul.* magnanimitatis.

599. PISTACIA *Terebinthus* foliis impari-pinnatis; foliolis ovato-lanceolatis. *Hort. cliff.* 456. *upf.* 296. *Sp. pl.* 1455.

Terebinthus vulgaris. *Baub. pin.* 400.

LOC. India, Africa, Assyria, China, Cyprus, Italia, Hispania. *Arbor, cicur.*

PHARM. TEREBINTHINA CYPRIA.

QUAL. *Resina* liquida, flava, subdiaphana, amara, acris. *Rarior, præstans.*

VIS: resolvens, emolliens, vulneraria, diuretica *urina violacea*, ecoprotica.

VSVS: Phthisis, Tussis, Vlcus, Gonorrhœa.

COMP. Andromach. Mithridat. *Balsam.* sulphur. *terebinthinatus* Gt. X; Σ anhaltinus.

600. PISTACIA *Lentiscus* foliis abrupte pinnatis: foliolis lanceolatis. *Hort. cliff.* 456. *upf.* 296. *Sp. pl.* 1454.

a. *Lentiscus vulgaris.* *Baub. pin.* 399.

LOC. Sicilia, Italia, Lusitania. *Arbor, mansuetus.* PHARM. LENTISCI Lignum.

b. *Lentiscus ex Chio.* *Tournef. itin.* 2. p. 66.

LOC. Chios. *Arbor, peregrina.*

PHARM. MASTICHES *Resina alba*, granulata, *Syrupus*, \odot , $\circ\circ$.

QUAL. *Lign.* sicca, *Resina fragilis*, pallida, aromaticæ. *Vsitata, præstans.*

VIS: corroborans, stomachica, vulneraria.

VSVS: Tussis, Catarrhus, Odontalgia, Arthritis, Calculus, Stomacace.

COMP. *Pil.* sine quibus, *Pil.* ammoniacæ, *Pil.* catholicæ, *Hiera simplex*, *Troch.* carabe, *Troch.* hedycroi, *Vngu.* martiatum, *Empl.* stomachal. *Empl.* oxycroc. *Empl.* diaphoret. *Empl.* opodeltoch, *Empl.* nervinum, *Empl.* gummat. *Empl.* galaininar. *Empl.* fracturis, *Cerat.* Betonic.

SPINACIA.

601. SPINACIA *oleracea* fructibus sessilibus. *Hort. cliff.*
 457. *upf.* 296. *Sp. pl.* 1456.
Lapathum hortense f. *Spinacia semina spinoso.* *Baub.*
pin. 114.
 LOC. *hodie Horti nostri.* *Annua, cicut.*
 PHARM. SPINACIAE Herba, Semina.
 QVAL. aquosa, oleracea, insipi la. *Exoleta, superflua.*
 VIS: diluens, humectans, eccoprotica.
 VSVS: cibarius.
 COMP.

CANNABIS.

602. CANNABIS *sativa.* *Hort. cliff.* 457. *upf.* 297. *Sp. pl.* 1457.
Cannabis sativa. *Baub. pin.* 320.
 LOC. Japonia, India orientalis. *Annua, cicut.*
 PHARM. CANNABIS Semina, ⑩.
 QVAL. virofa *Sem.* oleosa. *Rarior, præstans.*
 VIS: narcotica, phantastica, dementans, anodyna,
 repellens.
 VSVS: Gonorrhœa, Leucorrhœa, Icterus.
 COMP.

HVMVLVS.

603. HVMVLVS *Lupulus.* *Fl. suec.* 908. *Sp. pl.* 1457.
Lupulus mas (*femina rectius*). *Baub. pin.* 298.
 LOC. Europæ sepes. *Perennis, cicut.*
 PHARM. LVPVLI coni.
 QVAL. amara, nidorosa. *Rarior.*
 VIS: tonica, subnarcotica, phantastica, anodyna.
 VSVS: Nephritis, Phrenitis, Luxatura, Alopecia,
Sem. Obstipatio.
 COMP.

HX-

HEXANDRIA.

SMILAX.

604. SMILAX *Sarsaparilla* caule aculeato angulato, foliis inermibus ovatis retuso - mucronatis trinerviis. *Sp. pl.* 1459.

Smilax, viticulis alperis, virginiana, folio hederaceo lævi, zarza nobilissima. *Pluk. alm.* 348. t. III. f. 2.

LOC. Virginia, Mexico. *Perennis, mansueta.*

PHARM. SARSAE PARILLAE Radix.

QVAL. sicca, amaricans, glutinosa. *Trita, præstans.*

VIS: diuretica, sudorifera, purificans.

VSVS: Syphilis, Arthritis, Cachexia.

COMP. *Decocta lignorum.*

605. SMILAX *China* caule aculeato teretiusculo, foliis inermibus ovato - cordatis quinquenerviis.

Sp. pl. 1459. [Gmel. it. 3. p. 32. t. 6.]

Smilax minus spinosa, fructu rubicundo, radice virtuosa. *Kämpf. amæn.* 781. t. 782.

LOC. Persia, China, Japonia. *Perennis, peregrina.*

PHARM. CHINÆ Radix.

QVAL. sicca, inodora.

Trita, præstans.

VIS: purificans.

VSVS: Syphilis, Podagra.

COMP. *Decocta lignorum.*

OCTANDRIA.

POPVLVS.

606. POPVLVS *nigra* foliis deltoidibus acuminatis ferratis. *Fl. suec.* 910. *Sp. pl.* 1464. [Pall. roff. I. p. 66.]

- Populus nigra. Baub. pin. 429.
 LOC. Europa australior. *Arbor, cicur.*
 PHARM. POPVLI oculi (gemmae rectius).
 QVAL. resinosa. *Exoleta.*
 VIS: obtundens, emolliens, soporifera.
 VSVS: Diarrhoea, Dysenteria! Combustura, Arthritis.
 COMP. *Vngu. populeum.*

607. POPVLVS *balsamifera* foliis ovatis ferratis sub-
 tus albidis, stipulis resinosis. Sp. pl. 1464. [Pall.
 roff. 1. p. 67. t. 41.]?

Tecomahaca. Hernand. mex. 55. Pluk. alm. 360.
 t. 281. f. 2.

LOC. Mexico, Madagascar. *Arbor, mansueta.*

PHARM. TACHAMAHACA Resina.

QVAL. arida, friabilis, variegata, subdiaphana,
 ambrofiaca. *Vsitata, præstans.*

VIS: leniens, maturans.

VSVS: Dolores, Odontalgia, Gastrica, Cephalalgia,
 Cophosis, Vomitus, Hysteria.

COMP. *Empl. opodeltoch, Empl. matricale, Empl.*
stomachale.

RHODIOLA.

608. RHODIOLA *rosea*. Fl. lapp. 378. suec. 912. Sp.
 pl. 1465. Fl. dan. t. 183.

Rhodia radix. Baub. pin 286.

LOC. Alpes Lapponicæ aliæque. *Perennis, cicur.*

PHARM. RHODIAE Radix.

QVAL. rubicunda, styptica, fragrans, roseo odo-
 re. *Exoleta, eximia.*

VIS:

606. [POPVLI *oculos e Populo balsamifera* colligendos esse monet Berg. mat. med. 502.]

607. Ref. TACAMAHACAM Trewius negat esse *Populum bal-*
samiferam; Jacquinus afferit esse *Fagaram ostendram*.

VIS: adstringens.

VSVS: Hernia, Leucorrhœa, Cephalalgia! Hystera, Dysenteria.

COMP.

ENNEANDRIA.

MERCVRIALIS.

609. MERCVRIALIS *annua* caule brachiato, foliis glabris, floribus spicatis. *Hort. cliff.* 461. *ups.* 298. *Sp. pl.* 1465.

Mercurialis testiculata seu mas. *Baub. pin.* 121.

LOC. Italia, Anglia, Gallia. *Annua, cicur.*

PHARM. MERCVRIALIS Herba, *Mel.*

QVAL. suspecta. *Trita, externa, dubia.*

VIS: hypnotica, purgans, repellens, cosmetica, non emolliens.

VSVS: Syphilis.

COMP. Eneinata, *Spec.* pro clysteribus, *Syrup.* prophylacticus.

DODECANDRIA.

MENISPERMVM.

610. MENISPERMVM *Cocculus* foliis cordatis retusis mucronatis, caule lacero. *Sp. pl.* 1468.

Natiatam. *Rheed. mal.* 7. t. 1. f. 1. *Pluk. phyt.* 345. f. 2. *Rumph. amb.* 5. t. 22.

LOC. Malabaria. *Peregrina, fera.*

PHARM. COCCVLI INDICI Fructus.

QVAL. reniformis. *Externa.*

VIS: venenata, phthiriaca.

VSVS: pediculis, Pilicibus.

COMP.

MONADELPHIA.

JVNIPERVS.

611. JVNI PERVS *Sabina* foliis oppositis erectis decurrentibus: oppositionibus pyxidatis. *Sp. pl.* 1472.
Sabina folio cupressi. *Baub. pin.* 487.
LOC. Sibiria, Tataria, Olympus. *Arbuscula*, *cicur.*
PHARM. SABINAE Herba, *Essentia*, ∇ , $\circ\circ$.
QVAL. amaricans, hircosa. *Trita*, *præstans*.
VIS: emmenagoga! abortiva, anthelminthica, exanthematica, diuretica, depilans.
VSVS: Odontalgia, Tinea, Gangræna, Scabies.
COMP. [Hippiatricorum pulveres.]
612. JVNI PERVS *communis* foliis ternis patentibus mucronatis bacca longioribus. *Fl. suec.* 915. *Sp. pl.* 1470.
Juniperus vulgaris fruticosa. *Baub. pin.* 488.
LOC. Europæ sylvæ. *Arbuscula*, *vulgatissima*.
PHARM. JVNI PERI Lignum, $\circ\circ$, Cineres, Baccæ, *Rob*, ∇ , \square , $\circ\circ$.
SANDARACA Resina.
QVAL. sicca, aromaticæ, resinosa. *Trita*, *præstans*.
VIS: pellens, carminativa, diuretica *urina violacea*. calefaciens, alexiteria, mundificans.
VSVS: Cophosis, Calculus, Asthma, Catarrhus,
COMP.
613. JVNI PERVS *lycia* foliis ternis undique imbricatis ovatis obtusis. *Roy. lugdb.* 90. *Sp. pl.* 1471.
Cedrus, folio cupressi, major, fructu flavescente. *Baub. pin.* 487.
LOC. Africa, Aethiopia, Arabia. *Arbor*, *peregrina*. Vermes $\circ\circ$.

PHARM.

613. [OLIBANVM ex hac arbore desumtum esse alii statuunt, alii negant; et *Sandaracam* non prioris sed hujus esse resinam

PHARM. OLIBANI (THVRIS) Resina, granulata, \textcircled{oo} .
 QVAL. resina flavescens, pellucida, amaricans. *Rarior.*
 VIS: vulneraria.

VSVS: Pleuritis epidemica, Ophthalmia, Catarrhus.
 COMP.

CISSAMPELOS.

614. CISSAMPELOS *Pareira* foliis peltatis cordatis emarginatis. *Sp. pl.* 1473.
Clematis baccifera glabra et villosa, rotundo et umbilicato folio. *Plum. amer.* 78 t. 93.
 LOC. America meridionalis. *Perennis, peregrina.*
 PHARM. PAREIRAE BRAVAE Radix.
 QVAL. dulcamara. *Rarior, eximia.*
 VIS: diuretica, demulcens, purificans.
 VSVS: Calculus! Dysuria! Arthritis, Podagra, Hydrodrops, Gonorrhœa, Icterus.
 COMP. *Decoct. lignorum.*

SPNGENESIA.

RVSCVS.

615. RVSCVS *aculeatus* foliis supra floriferis nudis.
Hort. cliff. 565. *ups.* 300. *Sp. pl.* 1474.
Ruscus Baub. *pin.* 470.
 LOC. Italia, Gallia. *Suffrutex, mansuetus.*
 PHARM. RVSCI Radix, Semina.
 QVAL. subdulcis, dein amara. *Rarior.*
 VIS: corroborans, emmenagogia, diuretica, coriaria.
 VSVS: Hydrops! Ascites, Icterus.
 COMP. *Rad. V. aperientes maiores; Benedicta laxativa.*

R 3

616.

finam volunt alii; lis pendet [E *Junip. thurifera* provenire, in *Pharm. suec.* afferitur.]

614. [ABVTA *rufescens* foliis ovatis subtus villosis. *Aubl. guian.* 618. *tab.* 250. *Pareiræ bravæ* nomine in Guiana venit et pro ea in Europam invehitur, tene *Aubletio.*]

616. RVSCVS *Hypoglossum* foliis subtus floriferis sub
foliolo. *Hort. cliff* 466. *ups* 300. *Sp. pl.* 1474.

Laurus alexandrina, fructu pediculo insidente. *Baub.*
pin. 304.

LOC. Hungaria, Liguria. *Suffrutex, mansuetus.*

PHARM. VVVLARIAE Herba.

QVAL. styptica, insipida, inodora. *Exoleta:*

VIS: adstringens.

VSVS: Prolapsus uvulae.

COMP.

CLASSIS XXIII.

P O L Y - G A M I A.

M O N O E C I A.

VERATRVM.

617. VERATRVM *album* racemo supradecomposito,
corollis erectis. *Sp. pl.* 1479. *Jacq. aust.* 4. t. 335.
Helleborus albus flore subviridi. *Bauh. pin.* 186.
LOC. Russia, Sibiria, Austria, Helvetia, Italia, Græ-
cia in montosis. *Perennis, cicur.*
PHARM. HELLEBORI ALBI Radix Gr. vij.
QUAL. acris, nauseosa. *Exoleta, cauta.*
VIS: draſtica, emetica, sternutatoria!
VSVS: Cophofis, Mania, Epilepsia, Quartana,
Scabies, Phthiriasis,
COMP.

618. [VERATRVM *Sabadilla* racemo simplici? co-
rollis patentibus. *Retz. obs.* 1. p. 29.

Veratrum, quod mexicanum Sabadilli semen. *Van-
derbeck act. n. cur.* 1. app. 120. *Berg. mat.* 513.]
LOC. Mexico.

PHARM. SABADILLI Semina.

QUAL. acris, amara, cauſtica.

VIS: draſtica, vomitoria, phthiriaca, toxica.

VSVS: Pediculi.

COMP.

A N D R O P O G O N.

619. ANDROPOGON *Schænanthus* paniculæ spiculis
conjugatis ovato-oblongis, rachi pubescente, flo-
sculis sessilibus: arista tortuosa. *Sp. pl.* 1481.

R 3

Jun.

617. HELLEBORI ALBI rad. a *Veratro nigro* quoque defumâ
potest. *Diff. de purg.* p. 18.

Juncus odoratus aromaticus. *Baub. pin. II. Rumph.*
amb. 5. p. 181. t. 72. f. 2.

LOC. Arabia. *Perennis, peregrina.*

PHARM. SCHOENANTHI Herba.

QVAL. fragrans, aromatica. *Exoleta.*

VIS: emmenagogia, carminativa.

VSVS: Vomitus, Ulcera vesicæ.

COMP. Andromach. Mithridat.

620 ANDROPOGON *Nardus* paniculæ racemis superadecompositis proliferis. *Fl. zeyl. 45. Sp. pl. 1482.*

Calamus odoratus matthioli. *Baub. pm. 17.*

LOC. Zeylona. *Perennis, peregrina, dubia.*

PHARM. SPICAE (INDICAE) NARDI Radix.

QVAL. fragrans. *Eximia, insitata.*

VIS: alexiteria, cordialis, stomachica, anthelmintica.

VSVS: Debilitas, Hæmorrhagia.

COMP. ♀ diarrhodon, Andromach. Mithridat. Philonium, Benedicta, *Hiera* picra, *Trochis*. hedy-croi, *Vngu.* martiatum, *Vngu.* nardinum.

PARIETARIA.

621. PARIETARIA *officinalis* foliis lanceolato-ovatis, pedunculis dichotomis, calycibus diphyllis. *Hort. cliff. 469. Sp. pl. 1492. Fl. dan. t. 521.*

Parietaria officinarum et dioscoridis. *Baub. pin. 121.*

LOC. Europæ australioris inuri, ruderata.

Perennis, cicur.

PHARM. PARIETARIAE Herba.

QVAL. aquofo-insipida.

VIS: emolliens, diuretica, obtundens.

VSVS: Hydrops, Calculus, Tabes, Tussis, Stranguaria.

COMP. Herbæ V emollientes, Syr. althææ, Enemata.

ATRI-

ATRIPLEX.

622. ATRIPLEX *hortensis* caule erecto herbaceo, foliis triangularibus. *Hort. cliff.* 469. *upf.* 303. *Sp. pl.* 1493.

Atriplex hortensis rubra. *Baub. pin.* 119.

LOC. Sibiria *Annua, circur.*

PHARM. ATRIPLICIS SATIVAE Herba, Semina.

QUAL. aquosa, oleracea, insipida.

Exoleta, infida, superflua.

VIS: diluens, humectans, refrigerans. SEM. purgans, emetica.

VSVS: Inflammatio. SEM. Rhachitis.

COMP. $\frac{1}{2}$ gutteta.

TERMINALIA.

623. TERMINALIA *Benzoin* foliis lanceolatis. *Suppl. pl.* 434. *Jacq. hort.* 3. p. 51. t. 100.?

Croton *Benzoë* foliis linearibus subrepandis nudis: venis rubris. *Mant. pl.* 2. p. 297.

LOC. Sumatra, Java, Siam. *Arbor, peregrina.*

PHARM. BENZOES Resina, *Tinctura, Flores.*

QUAL. resinosa, graveolens, fragilis. *Trita, præstans.* VIS: nervina, expectorans, balsamica.

VSVS: Rubedo faciei.

COMP. *Empl. de Storace.*

OPHIOXYLON.

624. OPHIOXYLON *serpentinum.* *Sp. pl.* 1478.

Ligustrum foliis ad singula internodia ternis. *Burm. zeyl.* 141. t. 64.

R 5

LOC.

623. Trunci lignum, ex Benzoë officinarum, quod secum appor-
tavit DD. Thunberg, cortice singulari valde retinet corti-
cem hujus arboris. *Suppl. pl.* [Odorem Benzoës tamen
non fargit. Vera arbor benzoinifera adhuc incognita est,
de qua vid. Valentini Ind. lit. p. 487.]

LOC. Zeylona.	<i>Arbor</i> , <i>peregrina</i> .
PHARM. SERPENTINVM Lignum ʒʒ.	
QVAL amara.	<i>Parca</i> .
VIS: pellens, sudorifera.	
VSVS: Quartana! Morsura.	
COMP.	

MIMOSA.

625. MIMOSA *nilotica* spinis stipularibus patentibus, foliis bipinnatis: partialibus extimis glandula interstinctis, spicis globosis pedunculatis. Sp. pl. 1506. *Haffelq. it.* 475.

Acacia vera. *Baub. hist.* 1. p. 429. *Vest. ægypt.* t. 8. *Pluk. alm.* 3. t. 123. f. 1.

LOC. Arabia petræa, Aegyptus. *Arbor*, *fera*.
PHARM. ACACIAE VERAE Succus.

ARABICVM Gummi.

QVAL. *Succ.* styptica. *Gum.* mucilaginosa, flaves-
scens, insipida. *Vsitata*, *præstantis*.

VIS: *Succ.* adstringens. *Gum.* inviscans, lubricans,
obtundens, nutriens, maturans.

VSVS: *Succ.* Hæmoptysis, Menorrhagia, Prolapsus;
Gum. Ophthalmia.

COMP. *Succ.* Andromach. *Gum.* Mithridat. *Troch.*
carabe, *Lob.* sanum.

626. MIMOSA *Senegal* spinis ternis: intermedia refle-
xa, foliis bipinnatis, floribus spicatis. Sp. pl. 1506.

Acacia. *Baub. pin.* 392. *Alp. ægypt.* 9. t. 15. *Pluk.*
phyt. 251. f. 1.

LOC. Arabia. *Arbor*, *fera*.

PHARM. SENEGAL Gummi.

QVAL. præcedentis, præstantior. *Vsitata*, *præstantis*.

VIS:

VIS: præcedentis.

VSVS: præcedentis.

COMP.

627. MIMOSA *Catechu* spinis stipularibus, foliis bipinnatis multijugis: glandulis partialium solitariis, spicis axillaribus geminis ternisve peduncularis.
Suppl. pl. 439.

Coira vel Kaira. *Kerr med. obs. and inquir. 5. p. 51.*
tab 4.

LOC. India orientalis. *Arbor, peregrina.*

PHARM CATECHV (Succi Japonici) ʒijj, Tinctura.

QVAL. gummoſo - resinosa, obscure rufa, inodora, subamara postea dulcior, styptica. *Trita, eximia.*

VIS: adstringens.

VSVS: Profluvia, Diarrhoea, Coryza, Stomacace.

COMP. *Troch. catechu* cum moscho, sine moscho.

D I O E C I A.

F R A X I N V S.

628. FRAXINVS *excelsior* foliis ferratis, floribus apetalis. *Fl. suec. 926. Sp. pl. 1509.*

Fraxinus excelsior. Baub. pin. 416.

LOC. Europæ prata. *Arbor, vulgaris.*

PHARM. FRAXINI Lignum, Θ, Cortex, Folia, Semina (Lingua aus).

QVAL. Cort. amara; Sem. aromaticæ, singularis. *Vfitata.*

VIS:

627. [Terram Japonicam D. Fothergill, qui D. Kerr sequitur, e Mimosa spicata Pluk. mant. 1. t. 329. f. 5. 6. provenire contendit. Ego de hoc dubito. Quæ e Malabariz littore huc (Trangombariam) venit, Tamulis *Malagalam* dicuntur. Vera Terra Japonica Tamulis *Kaskatti* audit, et a pauperioribus cum Betel manducatur; opulentiores vero succo utuntur, qui e Malacca venit, et *Cattu-Cambar* vocatur, quique e *Cinchonæ* specie copiose excoquuntur Secundum *Kœmpferum* in itin. Japon hæc vera erit Terra Japonica. *Kœnig ap. Retz. fasc. 4. p. 5.*]

VIS: adstringens; Sem. siccans; Sal. diuretica.
 VSVS: Hæmorrhagia, Tertiana. [Fol. Morsura serpent.] Sem. Obesitas.
 COMP. El. diafatyr.

629. FRAXINVS *Ornus* foliis ferratis, floribus collatis. *Hort. cliff.* 470. *upf.* 304. *Sp. pl.* 1510.
Fraxinus humilior f. altera theophrasti. *Bauh. pin.* 416.
 LOC. Calabria, Sicilia. *Arbor, mansueta.*
 PHARM. MANNA CALABRINA ʒʒ. granulata, tabulata, *Morsulæ.*
 QVAL. mellea, granulata, rubicunda, subdiaphana, dulcis. *Trita, eximia.*
 VIS: edulcorans, eccoprotica! obtundens, thoracica.
 VSVS: Asthma humorale, Colica nephritica.
 COMP. Laxans debilium.

DIOSPYROS.

630. DIOSPYROS *Ebenus* glaberrima, foliis oblongis utrinque glaberrimis coriaceis venofo-reticulatis, floribus axillaribus solitariis sessilibus. *Suppl. pl.* 440.
 LOC. Indiae orientalis sylvæ vastæ. *Arbor, peregrina.*
 PHARM. EBENI Lignum.
 QVAL. in aqua submergitur. *Exoleta.*

VIS:

629. [MANNAM CALABRINAM *Fraxinus rotundifolia* Mill. *Fraxinus rotundiori* folio *Bauh. pin.* 2. quam b. Author pro varietate Orni habuisse videtur, exfudat. MANNA PERSICA colligitur de *Hedysaro Alhagi* *Sp. pl.* 1051. MANNAM BRIGANTINAM fundit *Pinus Larix*. — MANNAE SEMINA præbet *Festuca fluitans*, et, si Matthiolo fides habenda, olim in Germania *Panicum sanguinale*.]

630. EBENVM præter prædictum alias tres species diversas promit *Dale pharm.* 30. [Variat colore ligni nigro, albo, variegato cet. *Aubl. guian. suppl.* 141.]

VIS:

VSVS: mechanicus.

COMP. Decoctum lignorum.

PANAX.

631. PANAX *quinquefolium* foliis ternis quinatis. Sp.
pl. 1512.

Aureliana canadensis, Sinensibus Ginseng. *Lafit.*
ginsf. 1. *Trew.* *ehret.* t. 6. f. 1.

LOC. Canada, Tataria, inter gr. 39 - 47.
Perennis, mansueta.

PHARM. GINSENG Radix Θj.

QUAL. aromaticā. *Rarior, pretiosa.*

VIS: cordialis, analeptica.

VSVS: Atecnia, Debilitas, Marasmus, Senectus.

COMP.

TRIOECIA.

CERATONIA.

632. CERATONIA *Siliqua*. Hort. upf. 296. Sp. pl. 1513.

Siliqua edulis. Baub. pin. 400.

LOC. Iudæa, Syria, Apulia, Sicilia. *Arbor, mansueta.*

PHARM. DVLCIS SILIQVA.

QUAL. dulcis, sicca. *Rarior, præstans.*

VIS: edulcorans, expectorans.

VSVS: Soda, Raucedo, Asthma, Tussis, Ophthalmia.

COMP. Syr. diacodii cum siliquis. *Decoct. infantum.*

FICVS.

633. FICVS *Carica* foliis palmatis. Hort. cliff. 471.
upf. 305. Sp. pl. 2513.

Ficus communis. Baub. pin. 457.

LOC.

LOC. Græcia, Hispania, Italia. *Arbor, mansuetæ.*
PHARM. CARICAÆ pingues.

QVAL. dulcis, mucilaginosa, lactescens. *Tritz, eximia.*

VIS: nutriens, impinguans, obtundens, lubricans,
emolliens, maturans, hepatica! diuretica, ecco-
protica, exanthematica.

VSVS: Tussis, Colica saturnina, Exanthemata, Bu-
bo, Anthrax, Dystocia, Obstipatio; *nocet Sca-*
bosis et gingivis ulcerosis.

COMP. Enemata.

CLASSIS XXIV.

CRYPTOGAMIA.

FILICES.

EQVISETVM.

634. EQVISETVM *arvense* scapo fructificante nudo,
sterili frondoso. *Fl. suec.* 928. *Sp. pl.* 1516.
Equisetum arvense longioribus setis. *Baub. pin.* 16.
LOC. Europæ prata agrique. *Perennis, frequens.*
PHARM. EQVISETI Herba.
QUAL. sicca. *Exoleta, eximia.*
VIS: adstringens! diuretica!
VSVS: Hæmaturia! Gonorrhœa benigna, Profluvia,
Phthisis.
COMP.

CYCAS.

635. CYCAS *circinalis* frondibus pinnatis: foliolis linearibus planis. *Sp. pl.* 1658. *Mant. pl.* 2. p. 305.
Todda-panna. *Rbeed. mal.* 3. p. 9. t. 13 - 21.
LOC. Malabarria, Amboina, Japonia. *Arbor, fera.*
PHARM. SAGV (Fæces granulatæ) Granula.
QUAL. medullaris substantia arboris. *Culinaris, rarior.*
VIS: farinaceo-glutinosa.
VSVS: nutriend.
COMP. Cibus.

ASPLE-

634. [*Equisetum hiemale* in Suecia officinale est *Equiseti majoris*, sicut *arvense minoris* nomine. Vires eadem. *Berg. mat.* 525.]
635. [Granula Sagu non dat Cycas circinalis, ut vulgo creditur, sed Sagus *Rumphii amboin.* 1. p. 72. t. 17. 18. *Seb. chef.* 1. p. 39. t. 25. f. 1. quod demonstrarunt autoptæ, *Rumphius, Braad, Iversen* cet. *Berg. mat. med.* 876. *Conf. Sonnerat. voy.* p. 188.]

ASPLENIVM.

636. ASPLENIVM *Scolopendrium* frondibus simplicibus cordato-lingulatis integerrimis, stipitibus hirsutis. *Fl. suec.* 941. *Sp. pl.* 1537.

Lingua cervina officinarum. *Baub. pin.* 353.

LOC. Germania, Gallia, Italia. *Perennis, cicur.*

PHARM. SCOLOPENDRII Herba.

QVAL. sicca. *Rarior.*

VIS: adstringens.

VSVS: Hæmoptysis, Hysteria, Palpitatio, Rachitis, Cachexia.

COMP.

637. ASPLENIVM *Ceterach* frondibus pinnatifidis: lobis alternis confluentibus obtusis. *Hort. cliff.* 474. *Sp. pl.* 1538.

Ceterach officinarum. *Baub. pin.* 354.

LOC. Italia, Wallia, Germania. *Perennis, mansueta.*

PHARM. CETERACH [ASPLENII] Herba.

QVAL. sicca. *Rarior.*

VIS: tonica, splenica.

VSVS: Hydrops, Asthma, Obstructiones viscerum.

COMP.

638. ASPLENIVM *Trichomanes* frondibus pinnatis: pinnis subrotundis crenatis. *Fl. suec.* 942. *Sp. pl.* 1540. *Fl. dan.* t 119

Trichomanes f. *Polytrichum* officinarum. *Baub. pin.* 356.

LOC. Europæ rupes. *Perennis, vulgaris.*

PHARM. TRICHOMANIS Herba.

QVAL. sicca. *Rarior.*

VIS: subadstringens, pectoralis.

VSVS:

COMP.

639. ASPLE-

639. ASPLENIVM *Ruta muraria* frondibus alternatim decompositis: foliolis cuneiformibus crenulatis. *Fl. suec.* 943. *Sp. pl.* 1541. *Fl. dan.* t. 190.

Ruta muraria. *Baub. pin.* 356.

LOC. Europa. *Perennis, infrequens.*

PHARM. RVTAE MVRARIAE Herba.

QVAL. sicca.

VIS: tonica.

VSVS: Cachexia, Scorbatus, Rhachitis.

COMP.

POLYPODIVM.

640. POLYPODIVM *vulgare* frondibus pinnatifidis: pinnis oblongis subferratis obtusis, radice squamata. *Fl. suec.* 944. *Sp. pl.* 1544.

Polypodium vulgare. *Baub. pin.* 359.

LOC. Europæ rupes. *Perennis, frequens.*

PHARM. POLYPODII Radix ʒij.

QVAL. dulcis, subnauseofa, tandem amara.

Trita, præstans.

VIS: edulcorans, incrassans, expectorans, eccoprotica.

VSVS: Colica, Tussis, Arthritis, Rachitis!

COMP. *Decocta* composita.

641. POLYPODIVM *Filix mas* frondibus bipinnatis: pinnis obtusis crenulatis, stipite paleaceo. *Fl. suec.* 946. *Sp. pl.* 1551.

Filix non ramosa dentata. *Baub. pin.* 358.

LOC. Europæ sylvæ. *Perennis, vulgaris.*

PHARM. FILICIS Radix.

QVAL. amarulenta.

Vitata.

VIS: anthelminthica! tonica.

VSVS: Scorbutus, Rachitis, Melancholia? Tænia?
Podagra.
COMP. *Decocta.*

ADIANTVM.

642. ADIANTVM *Capillus veneris* frondibus decompositis, foliolis alternis: pinnis cuneiformibus lobatis pedicellatis. *Sp. pl.* 1558. *Huds. angl.* 391.
Adiantum foliis coriandri. *Baub. pin.* 355.
LOC. Italia, Gallia. *Perennis, mansueta.*
PHARM. CAPILLI VENERIS Herba, Syrupus.
QVAL. sicca. *Rarior.*
VIS: corroborans, splenitica, diuretica.
VSVS: Obstructio viscerum.
COMP. *Syr. althææ, Lob. pulm. vulp.*

MVSCI.

LYCOPODIVM.

643. LYCOPODIVM *clavatum* foliis sparsis filamentos, spicis teretibus pedunculatis geminis. *Fl. suec.* 956. *Sp. pl.* 1564. *Fl. dan. t.* 126.
Muscus terrestris clavatus. *Baub. pin.* 360.
LOC. Europæ sylvæ acerofæ. *Perennis, vulgaris.*
PHARM. MVSCI CLAVATI Herba, Farina (pollen).
QVAL. *Exoleta.*
VIS: exficcans.
VSVS: Dystocia? Plica, Ecclampsia. *Poll. Exco-riatura.*
COMP.

644. LY-

642. [*Adiantum pedatum* commode huic substituitur in America septentrionali et Gallia; sicut in promontorio bonae spei *Adiantum aethiopicum* Thunb. med. afr. 4.]

644. LYCOPODIVM *Selago* foliis sparsis octofariis,
caule dichotomo erecto fastigiato, floribus spar-
sis. *Fl. suec.* 955. *Sp. pl.* 1565. *Fl. dan.* t. 104.
Muscus erectus ramosus saturate viridis. *Baub. pin.*
360. *Dill. musc.* 435. t. 56. f. 1.
LOC. Europæ junipereta. *Perennis, vulgaris.*
PHARM. MVSCI ERECTI Herba.
QVAL. virulenta. *Exoleta, heroica.*
VIS: draftica, abortiva, phthiriaca.
VSVS: Hydrops, Pediculi.
COMP.

POLYTRICHVM.

645. POLYTRICHVM *commune* caule simplici, an-
thera parallelepipedata. *Fl. suec.* 966. *Sp. pl.* 1573.
Polytrichum aureum medium. *Baub. pin.* 356. *Dill.*
musc. 424. t. 54. f. 2.
LOC. Europæ arida. *Perennis, vulgaris.*
PHARM. ADIANTI AVREI Herba.
QVAL. cruda. *Exoleta, inutilis.*
VIS:
VSVS: Pleuritis?
COMP.

ALGAE.

LICHEN.

646. LICHEN *saxatilis* imbricatus, foliolis sinuatis scabris
lacunosis, scutellis badiis. *Fl. suec.* 1015. *Sp. pl.* 1609.
Lichenoides vulgatissimum cinereo-glaucum lacu-
nosum et cirrhosum. *Dill. musc.* 188. t. 24. f. 83.
LOC. in arborum truncis; selectus? in Cranio humano.
PHARM. VSNEAE Herba. *Parasitica.*
QVAL. *Exoleta, inutilis.*
VIS: superstitiosa,

VSVS: Epilepsia? Hæmorrhagia?

COMP. *Vngu. armarium.*

647. LICHEN *islandicus* foliaceus adscendens lacinatus: marginibus elevatis ciliatis. *Fl. suec.* 1085.
Sp. pl. 1611. *Fl. dan.* t. 155.

Muscus islandicus purgans. *Barth. aët.* 1674. p. 126.

LOC. Europæ sylvæ sterilissimæ. *Terrestris.*

PHARM. MVSCI ISLANDICI Herba.

QVAL. farinacea, amaricans. *Rarior.*

VIS: eccoprotica, nutriens, pectoralis.

VSVS: Phthisis, Tussis, Hæmoptysis.

COMP.

648. LICHEN *pulmonarius* foliaceus laciniatus obtusus glaber: supra lacunosus, subtilis tomentosus. *Fl. suec.* 1087. *Sp. pl.* 1612.

Lichenoides pulmonarium reticulatum vulgare, marginibus peltiferis. *Dill. musc.* 212. t. 19. f. 113.

LOC. Quercus Fagique antiquæ. *Parasitica.*

PHARM. PVLMONARIAE ARBOREAE Herba.

QVAL. cruda. *Trita, præstans.*

VIS: thoracica.

VSVS: Icterus, Tussis.

COMP.

649. LICHEN *aphthosus* coriaceus repens lobatus obtusus planus, verrucis sparsis, pelta marginali adscendente. *Fl. suec.* 1098. *Sp. pl.* 1616. *Fl. dan.* t. 767. f. 1.

Lichenoides subglaucum cuinatile, foliis tenuibus eleganter laciniatis. *Dill. musc.* 197. t. 26. f. 99.

LOC. Europæ junipereta. *Vulgaris.*

PHARM.

649. Hic museus nobis non officinalis, sed rusticis nostratibus usitatissimus.

PHARM. MVSCI CVMATILIS Herba.

QVAL. tetra, mephitica. *Inusitata.*

VIS: draſtica.

VSVS: Aphtha, Vermes.

COMP.

650. LICHEN *caninus* coriaceus repens lobatus obtusus planus: subtus venosus villosus, pelta marginali adſcendente. *Fl. suec.* 1100. *Sp. pl.* 1616.
Fl. dan. t. 767. *f. 2.*

Lichenoides digitatum cinereum, lactucæ foliis finuofis. *Dill. musc.* 200. *t. 27. f. 102.*

LOC. sylvæ acerofæ lapidesque. *Vulgaris.*

PHARM. MVSCI CANINI Herba.

QVAL. tetra, mephitica. *Inusitata.*

VIS: mundificans, pellens.

VSVS: Hydrophobia! Rabies!

COMP. *Pulv.* antilyſſus ♂jv.

651. LICHEN *cocciferus* scyphifer simplex integerimus, stipite cylindrico, tuberculis coccineis. *Fl. suec.* 1109. *Sp. pl.* 1618.

Lichen pyxidatus, oris coccineis et tumentibus.

Vail. paris. 115. *t. 21. f. 4.*

LOC. Europæ sylvæ. *Vulgaris.*

PHARM. MVSCI PYXIDATI Herba.

QVAL. ficca. *Rarior.*

VIS:

VSVS: Tuffis convulsiva.

COMP.

652. LICHEN *Roccella* fruticulosus solidus aphyllus subramosus, tuberculis alternis. *Sp. pl.* 1622.

Coralloides corniculatum fasciculare tinctorium, fuci teretis facie. *Dill. musc.* 120. *t. 17. f. 39.*

LOC. Archipelagi, Canariarum scopuli marini.
Peregrina.
 PHARM. ROCCELLAE Herba.
 QVAL. subfalsa, subacris, tinctoria rubra. *Trita.*
 VIS:
 VSVS: tinctorius vini.
 COMP.

653. LICHEN *plicatus* filamentosus pendulus: ramis implexis, scutellis radiatis. *Fl. suec.* 1122. *Sp. pl.* 1622.

Vsnea vulgaris, loris longis implexis. *Dill. misc.* 56. t. II. f. I.

LOC. Europæ sylvæ antiquæ. *Parasiticus.*

PHARM. MVSCI ARBOREI (QVERCINI) Herba.

QVAL. ficca. *Exoleta.*

VIS: adstringens.

VSVS: Excoriatura, Hæmorrhagia, Hernia umbilicalis.

COMP.

F V N G I.

BOLETVS.

654. BOLETVS *Laricinus* [conicus pulvinatus lævis inæqualis, tubulis subtilissimis. *Ger. gallopr.* 12. *Jacq. mis.* I. p. 172. *tob* 20. 21. *descr. et ic.* *Wulfenii.* *Pall. roff.* I. p. 3.]

Agaricus f. *Fungus laricis.* *Baub. pin.* 375.

LOC. Alpium Tridentinarum, Tyrolis, Helvetiæ, Delphinatus, [Russia, Sibiriæ] Larices. *Peregrinus.*

PHARM. AGARICI OPTIMI ʒβ, Resina (Extractum) ʒij.

QVAL.

QVAL. subdulcis, mox amara, acris, nauseosa.

Trita, eximia.

VIS: subadstringens, eccoprotica! flatulenta, calefaciens, anthelminthica.

VSVS: Tussis.

COMP. *Pil. agarici*, *Troch. agarici* 3ij, *Hiera* picra,
Extr. cathol. *Extr. panchymagog.* Andromach.
Mithridat. *Conf. hamech.* (*non* pulveres).

PEZIZA.

655. PEZIZA *Auricula* concava rugosa auriformis.

Syft. nat. 12. p. 725. *Fl. suec.* 1137. *Sp. pl.* 1625.

Fungus membranaceus auriculam referens s. sambucus. *Baub. pin.* 372.

LOC. Ligna antiqua, præfertim sambuci. *Infrequens.*

PHARM. AVRICVLAE JVDAE.

QVAL. *Trita, eximia.*

VIS: refrigerans, exsiccans, adstringens.

VSVS: Ophthalmia, Inflammatio, Angina.

COMP.

LYCOPERDON.

656. LYCOPERDON *Tuber* globosum solidum muricatum radice destitutum. *Fl. suec.* 1281. *Sp. pl.* 1655.

Tubera cervina. *Baub. pin.* 376.

LOC. Europæ sylvæ denæ. *Subterrestris.*

PHARM. BOLETI CERVINI.

QVAL. hircina. *Exoleta, dubia.*

VIS: aphrodisiaca, flatulenta,

VSVS: Atecnia.

COMP. *Bals. apoplecticus.*

657. LYCOPERDON *Bovista* subrotundum lacerato-dehiscens. *Fl. lapp.* 525. *suec.* 1280. *Sp. pl.* 1053.
Fungus rotundus orbicularis. *Baub. pin.* 374.
LOC. Europæ campi sicciores. *Vulgatissimus.*
PHARM. CREPITVS LVPI,
QUAL. farinosa, styptica, nigricans. *Trita, eximia.*
VIS: adstringens, obstipans, absorbens, incrassans,
 gastritica, ophthalmica.
VSVS: Amputatio, Hæmorrhagia! Hæmorrhoidis!
 Ulcera, Intertrigo.
COMP.

APPEN-

657. *Lycoperdon carcinomale* *Suppl. pl.* 453. in promontorio
 bonæ spei ad curanda ulcera cancrosa adhibetur. *Thunb.*
med. afr. 5.

APPENDIX.

PALMAE.

COCOS.

658. COCOS *butyracea* inermis, frondibus pinnatis:
foliolis simplicibus. *Suppl.* 454.
Pindova. *Pis. bras.* 62. c. fig.
LOC. America meridionalis.
PHARM. PALMAE Oleum.
QVAL. febacea.
VIS: emolliens.
VSVS: Pernio. [Durities ventris.]

PHOENIX.

659. PHOENIX *dactylifera* frondibus pinnatis, folio-
lis complicatis ensiformibus. *Sp. pl.* 1658.
Palma hortensis. *Kempf. amæn.* 668. t. 1. 2.
LOC. India utraque. *Arbor, fera.*
PHARM. DACTYLI Fructus, Offa (Nuclei potius).
QVAL. dulcis, subpinguis. *Exoleta.*
VIS: nutriens, corroborans, edulcorans, expec-
to-
rans.
VSVS: Tussis, Raucedo, Stranguria.
COMP.

F R V C T V S.

MYROBALANI.

660. MYROBALANVS indica nigra. *Geoffr. mat.* 329.
Dal. pharm. 334.

S 5

Panel.

658. Non solum ex hac, sed etiam ex aliis Palmarum specie-
bus simile oleum butyraceum paratur; ut e *Coco nucifera*,
Elaide guineensis aliisque. *Conf. Aubl. guian.* app. p. 90. sqq

Panel. *Rheed. mal.* 2. t. 9.
 LOC. India orientalis. *Arbor, peregrina.*
 PHARM. MYROBALANI INDAE Fructus.
 QVAL. *Drupa* oblonga, octangularis, rugosa, du-
 ra, nigra, austera. *Exoleta.*
 VIS: adstringens.
 VSVS:
 COMP. Hamech.

661. BELLIRICA Myrobalanus. *Breyn. ic.* 18. t. 4.
 Tani. *Rheed. mal.* 4. p. 13. t. 10. *Decandra.*
 LOC. India orientalis. *Arbor, peregrina.*
 PHARM. MYROBALANI BELLIRICAE Fructus.
 QVAL. *Drupa* rotunda, carnofa, acris. *Exoleta.*
 VIS: adstringens, eccoprotica.
 VSVS:
 COMP.

662. CHEBvla. *Dal. pharm.* 334. *Geoffr. mat.* 328.
 Myrobalanus Chebula. *Vesl. ægypt.* 67. t. 62.
 Agialid. *Alp. ægypt.* t. 39.
 LOC. India orientalis. *Arbor, peregrina.*
 PHARM. MYROBALANI CHEBVLAE Fructus.
 QVAL. *Drupa* quinquangularis, rugosa, nucleo car-
 nofo, subacri. *Exoleta.*
 VIS: adstringens, eccoprotica.
 VSVS:
 COMP. Hamech.

663. CITROBALANVS. *Dal. pharm.* 334. *Geoffr. mat.*
 328.
 Myrobalanus citrina. *Pluk. mant.* 132.
 LOC. India orientalis.

PHARM.

661. Alii hanc statuunt esse ab *Idone nulli Rheed. mal.* l. c. t. 18.
 763. Myrobalanos has quatuor ex eadem arbore *Panel* Malabarorum,
 sed dispari anni tempore, desumptas esse dicit *Adanson.*

PHARM. MYROBALANI CITRINAЕ Fructus.

QUAL. *Drupa* pentagona, oblonga, citrina, offici-
lo rugoso. Exoleta.

VIS: adstringens, eccoprotica. 

VSVS:

COMP. Hamech.

R E S I N A E.

664. AMMONIACVM. (*An Pastinacæ sp.?*) *Barbara*.

LOC. Lybia, Barca Aegypti occidentalis.

PHARM. AMMONIACI Gummi-resina.

QUAL. amaricans, alliata. Trita, eximia.

VIS: resolvens, expectorans, diaphoretica, diureti-
ca, eccoprotica, emmenagogia, maturans.

VSVS: Hysteria, Asthma! Obftipatio! Dysuria, Tu-
mores.

COMP.

665 CARANNA. *Dal. pharm.* 354. *Geoffr. mat.* 530.

Flahveliloca quahvitl. *Hern. mex.* 56.

LOC. Mexico.

PHARM. CARANNAE Gummi-resina, .

QUAL. tenax, cinereo-nigricans, subamaricans,
fumo grato. Exoleta.

VIS: resolvens, stomachica.

VSVS: Dolores Odontalgia, Arthritis.

COMP. Emplastra.

666. MYRRHA. *Dal. pharm.* 355. *Geoffr. mat.* 635.

(an [Mimosæ species? Bruce.])

LOC. Regio Troglodytarum Africæ. *Barbara.*

PHARM. MYRRHÆ Gummi-resina ʒij, R ʒβ, , *Deliquium*.

QUAL. rufa, amara, subacris, aromatica, naufe-
sa, graveolens. Trita, eximia.

VIS:

VIS: balsamica, tonica, anthelminthica, antiputredinosa, stomachica; emmenagogia, vulneraria.
VSVS: Hysteria, Dysmenorrhœa, Cachexia, Scorbatus, Gangræna, Vlcus.

COMP. *Troch.* myrrha, Andromach. Mithridat. Philonium, Diatesiaron, *Conf.* hyacinth. *Pil.* rufi, *Pil.* agaric, *Pil.* catholicæ. *Elix.* proprietatis, *Vngu.* martiatum, *Vngu.* apostolorum, *Empl.* meliloti, *Empl.* oxycroceum.

667. BDELLIVM. *Dal. pharm.* 381. *Geoffr. mat.* 622.
Barbara.

LOC. Arabia, Media, India.

PHARM. BDELLII Gummi-resina, \textcircled{O} .

QVAL. rubens, subamara, fiamma crepitans, ore mollescens, dentibus adhærens.

VIS: resolvens, emolliens, thoracica, emmenago-
ga, maturans, vulneraria.

VSVS: Hysteria, Hamorrhoides.

COMP. Mithridat. *Vngu.* apostolorum.

668. SAGAPENVM. *Dal. pharm.* 130. *Geoffr. mat.* 643.
(Ferulæ species?) *Barbara.*

LOC. Alexandria, Persia.

PHARM. SAGAPENI Gummi-resina.

QVAL. virosa, acris, rufescens.

VIS: eccoprotica, resolvens, pellens, emmenago-
ga! repellens, maturans.

VSVS: Hysteria, Obstipatio, Asthma, Dysmenor-
rhœa, Tumores.

COMP. Andromach. Mithridat. *Troch.* myrrha.
Empl. sticticum. *Empl.* diachyl. gumm.

669. COPA-

667. BDELLIVM *Hermannus in Lap. Iyd.* 15. judicat puritate tantum a *Myrrha* differre, et addit Edelliū confici ex decocto fructuum quorundam inspissato. Alii vero a *Palma bdellifera*, in Arabia felici nascente, deducunt.

669. [COPALIFERA. *Berg. mat.* 896.Copalli quahuitl, copallifera prima. *Hernand. mex.*
45.]LOC. Mexico. *Arbor, mansueta.*

PHARM. COPAL Resina.

QVAL. toxica. *Exoleta.*

VIS:

VSVS: Cephalalgia.

COMP.

*MISCELLANAE.*670. AGALLOCHVM. *Geoffr. mat.* 213. *Rumph. amb.*
2. t. 9. (Ficus species?)Lignum aloës. *Dal. pharm.* 380. *Kissina. Kämpf.*
amæn. 903. *t. 902. f. 2.* *Barbara.*LOC. China. *Arbor, peregrina.*PHARM. ALOES (AGALLOCHI VÉRI) Lignum
Θj. Resina, $\circ\circ$.QVAL. lactescens, meditullium trunci amarissimum.
*Rarior.*VIS: venenatissima, excorians, inebrians, anthel-
minthica.

VSVS: Cholera, Paralysis, Podagra.

COMP. *Troch. hedycroë, Conf. Alkerm.*671. ASPALATHVM. *Dal. pharm.* 379.Agallochum præstantissimum. *Baub. pin.* 393. Ca-
lambac. *Dal. pharm.* 380. *Barbara.*

LOC. India orientalis.

PHARM. ASPALATHI Lignum.

QVAL. *Trita, eximia.*

VIS:

VSVS:

669. Resina COPAL a specie Rhois desumi credita, sed falso.
Obs. in mat. med. 152. [*Copal orientale fundit Elæocarpus*
copallifera Retz. fasc. 4, p. 27. Koenig.]

VSVS: Colica.

COMP.

672. FERNAMBVCAEA.

Brasiliano simile lignum, Vernimbock germanis
dictum. *Baub. hist.* 1. p. 492. *Barbara.*

LOC. Brasilia.

PHARM. FERNAMBVCI Lignum.

QUAL. rubra.

VIS: tinctoria.

VSVS: mechanicus.

COMP.

[CALVMBA. *Redi exp.* 142. *Semmed. simpl.* 37.
Cartheus. diff. 136. *Perciv. eff.* 2. p. 3. *Berg. mat.*
med. 570. *Barbara.*

LOC. Africa. *Koenig. Retz. fasc.* 4. p. 5.PHARM. CALVMBAE (COLOMBAE) Radix 3*β*. - 3*j.*QUAL. amara, acriuscula, subaromatica. *Eximia.*

VIS: tonica, stomachica, antiseptica, antiemetica.

VSVS: Cholera! Dysenteria, Colica biliosa, Febres
biliosæ, Morsura venenata.

COMP.

]

R E G N V M
L A P I D E V M.

CLASSIS I.

P E T R A E.

HVMOSAE.

SCHISTVS.

673. SCHISTVS *Nigrica* scripturā atra, ater inquinans.

Syst. nat. ed. 12. vol. 3. p. 38.

Fissilis mollior friabilis pictorius. *Wall. min. 67.*

LOC. Hunneberg Westrogothiæ.

PHARM. NIGRICA FABRILIS communis.

VIS: terrestris.

VSVS: mechanicus.

COMP.

CALCARIAE.

MARMOR.

674. MARMOR *rude* particulis granulatis micantibus. *Syst. nat. 41.*

Calcarius particulis scintillantibus. *Wall. min. 39.*

LOC. Rupes in variis provinciis Sueciæ.

PHARM. CALX VIVA, *iota*, *Aqua*.

VIS: effervescentia cum acido. *Vstulata* effervescentia cum aqua, antacida, corrosiva, venenata.

VSVS: *externus*, Ulcera.

COMP.

GYPSVM.

675. GYPSVM *usuale* particulis arenaceis micantibus.

Syst. nat. 45.

Gypsum particulis parallelepipedis et globosis concretum. *Wall. min. 57.*

LOC. Polonia, Gallia, Germania, Livonia.

PHARM. GYPSVM *præparatum*.

T,

VIS:

VIS: absorbens, antacida.

VSVS: interne venenatus.

COMP.

676. GYPSVM *Alabastrum* particulis impalpabilibus,
diaphanum. *Syst. nat.* 45.

Gypsum particulis minimis punctis nitens, politu-
ram admittens. *Wall. min.* 51.

LOC. extra Sueciam.

PHARM. ALABASTRVM *præparatum.*

VIS: absorbens.

VSVS: antecedentis.

COMP. *Vngu.* Alabastrinum.

STIRIVM.

677. STIRIVM *gypseum* pellucidum fixum fibrosum.
Syst. nat. 47.

Gypsum filamentis parallelis compositum. *Wall.*
min. 49.

LOC. in Schisto Oelandiæ, Westrogothiæ.

PHARM. ALVMEN SCISSILE.

VIS: Alabastri.

VSVS:

COMP.

ARGILLACEAE.

TALCVM.

678. TALCVM *Rubrica* subfissile rubrum inquinans.
Syst. nat. 51.

Ochra rubra cretacea. *Wall. min.* 266.

LOC. in Marmore et Cote inter rimas per Dale-
karliam.

PHARM. RVBRICA FABRILIS.

VIS: adstringens.

VSVS: mechanicus.

COMP.

679. TAL-

679. TALCVM *Smeētis* ungue rasile, albo inquinans. *Syst. nat.* 52.

Talcum solidum semipellucidum pictorum. *Wall. min.* 129.

LOC. Garpenberg.

PHARM. TALCVM VIRIDE.

VIS:

VSVS: pictorius,

COMP.

680. TALCVM *Nephriticus* præpoliendum viride subdiaphanum, particulis subfibrosis. *Syst. nat.* 53.

Gypsum viride semipellucidum fissile. *Wall. min.* 52.

LOC. Hispania, Bohemia.

PHARM. LAPIS NEPHRITICVS *præparatus.*

VIS: dubia, stomachica?

VSVS: Nephritis?

COMP.

AMIANTVS.

681. AMIANTVS *plumosus* fibrosus, fibris separabilibus flexilibus fragilibus papposis. *Syst. nat.* 55.

Asbestus fibris parallelis fragilissimis vix separabilis. *Wall. min.* 144.

LOC. Fahluna, Dannemora.

PHARM. ALVMEN PLVMOSVM

VIS: *interne* venenata. *Externe* irritans.

VSVS: *externe* Paralyfis.

COMP.

MICA.

682. MICA *talcosa* lamellis flexuosis friabilibus virescendi - albidi diaphanis. *Syst. nat.* 59.

Talcum albicans, lamellis subpellucidis. *Wall. min.* 127.

LOC. Venetiae.

PHARM. TALCVM ALBVM.

VIS: cosmeticæ.

VSVS:

COMP.

ARENATAE.

SILEX.

683. SILEX *cretaceus* vagus, cortice cretaceo, fragmentis opacis lævibus. *Syst. nat.* 67.

Silex corneus intrinsece æqualis, durissimus. *Wall. min.* 77.

LOC. Scania.

PHARM. SILEX *combustus*.

VIS: irresolubilis.

Frustanea.

VSVS: infidus.

COMP. Fel vitri.

684. SILEX *Carneolus* vagus diaphanus unicolor ruber. *Syst. nat.* 69.

Achates fere pellucida, colore rubescente. *Wall. min.* 79.

LOC. Sardinia.

PHARM. LAPIS CARNEOLVS, *præparatus*.

VIS: antecedentis.

VSVS: antecedentis.

COMP.



CLASSIS II.

MINERAE.

SALIA.

NITRVM.

685. NITRVM *nativum* humosum. *Syst. nat.* 84.

Nitrum terra mineralisatum. *Wall. min.* 165.

LOC. ubique in locis tectis.

PHARM. NITRVM COMMUNE. Depuratum f.

Crystalli minerales. *Spiritus acidus, dulcis. Magnesia alba. Lapis prunellæ. Fixi Liquor. Antimoniatum. Arcanum duplicatum.*

VIS: acida essentialis, refrigerans, resolvens, ecoprotica, antispasmodica, sphacelizans.

VSVS: Febres phlogisticæ, Inflammatio, Hydrops, Asthma, Sitis, Stranguria, Hæmorrhagia.

COMP. Spec. pro ptifana laxativa *Duriæti*, Lapis medicamentosus, Antihecticum *Poterii*.

686. NITRVM *Crystallus montana* lapidosum quartzosum octodecaëdrum hyalinum. *Syst. nat.* 84.

Crystallus hexagona non colorata. *Wall. min.* 104.

LOC. in Saxis concavis.

PHARM. LAPIS CRYSTALLVS *præparata*.

VIS: frustranea, noxia.

VSVS: noxius.

COMP. *Pulv. Lac* provocans?

687. NITRVM *Fluor* lapidosum quartzosum octodecaëdrum coloratum. *Syst. nat.* 85.

α. — *Hyacinthus* purpureo-fulvum.

Gemma plus minus pellucida, duritie nona, colore ex flavo rubescente, igne liquefcens. *Wall.*
min. p. 121. n. 1.

LOC. India.

PHARM. HYACINTHVS ORIENTALIS *præparata.*

VIS:

VSVS:

COMP *Pulv.* Bezoard. *Sennerti,* de Gutteta, Pannon. ruber, *Spec.* cordiales temperatæ, de Hyacintho, Smaragd.

C. — *Amethystus violaceum.*

Gemma pellucidissima, duritie secunda, colore rubro in igne permanente. *Wall. min. 115. n. 1.*

LOC. Hispania, Italia, Germania.

PHARM. AMETHYSTVS ORIENTALIS *præparata.*

VIS:

VSVS:

COMP.

N A T R V M.

688. NATRVM fontanum nudum fontanum saturatum. *Syst. nat. 89.*

LOC. Epsham, Sedlitz, totus Oceanus.

PHARM. SAL CATHARTICVM ANGLICVM.
 [EPSOMENSE, SEDLIZENSE, SEIDSCHV-
 ZENSE.]

VIS:

688. *Natri figuram perfecte imitantur SAL MIRABILE* Glaub. et POLYCHRESTVM PARISIENSE; cum autem prius a parte alkalina Salis comm. Ol. Vitrioli juncta, et posterius ab Alcali Nitri et Acido Sulphuris componantur, hæc ordini systematico inferere, ut artificialia, noluimus. [*Sal mirabile* reperitur omnino nativum, partim solutum in variis thermis, fontibus lacubusque salfis, unde excoctum in pharmacopoliis prostat, *Salis Thermorum Carolinarum*, *Salis Teplenis*, *Salis Fridericiani aperitivi nomine*; partim

concre-

VIS: purgans, antacida, mundificans.

VSVS: Cachexia, Quartana.

COMP.

689. NATRVM *glaciale* lapidofum gypseo-spatofum
fusiforme pellucidum. *Syst. nat.* 90.

Gypsum lamellis rhomboidalibus pellucidum. *Wall.*
min. 47.

LOC. Fodinæ gypseæ Galliæ.

PHARM. LAPIS SPECVLARIS seu GLACIES MA-
RIAЕ.

VIS: absorbens.

VSVS: mechanicus.

COMP.

BORAX.

690. BORAX *Tincal* nudus. *Syst. nat.* 94.

Borax crudus cærulescens sexangularis. *Wall.*
min. 191.

LOC. India orientalis.

PHARM. BORAX VENETA. *Sal sedativum.*

VIS: emmenagogia.

VSVS: Dysmenorrhœa, Dyslochia.

COMP.

T 4

691. BO-

concretum in formam pulveris vel crystallorum, in lacubus Tatariae australis exsiccatis, *Sal catharticum Astrachanense;* in fodinis fali gemmæ passim cet.) SAL ANGLICA-
NVM obtineri potest ab omni Aqua marina, et non est ar-
tificiale sed naturale Sal; videtur quam proxime accedere ad
naturam Salis mirabilis Glaub. Hinc Malouin contendit, Sal
Anglicanum esse compositum ex Sale mirabili et Sale com-
muni; ac id ipsum in Gallia obtineri æque ac in Anglia.
Ab aqua marina Bothnica obtineri compertum est J. G.
W. [Sale anglicanum a mirabili diversissimum, e magnesia al-
ba et acido vitriolico compositum, solutum in acidulis aliis-
que aquis, non vero in omni aqua marina, siccum crystalli-
num in Schisto passim reperitur, eujusmodi est Sale alpinum
helveticum cet.]

691. BORAX *Gemma nobilis* lapidosus prismaticus pelliculus; pyramidibus truncatis. *Syst. nat.* 94.

$\alpha.$ — *Topazius* flavus.

Gemma pellucidissima, duritie quarta, colore aureo, in igne permanente. *Wall. min.* 113.
LOC. in Fodinis Metallicis.

PHARM. TOPASIVS *præparata*.

VIS:

VSVS:

COMP. *Species et Confeccio de Hyacintho.*

$\beta.$ — *Smaragdus* viridis.

Gemma pellucidissima, duritie quinta, colore viridi in igne non permanente. *Wall. min.* 114.

LOC. Peruvia.

PHARM. SMARAGDVIS ORIENTALIS *præparatus*.

VIS: superflitiosa, infida.

VSVS:

COMP. *Confecc. Smaragdi, Specif. cephalicum, Pulv. Bezoard. Sennerti, Panon. ruber, Spec. de Hyacintho cordiales, temperatæ.*

692. BORAX *Granatus* tessellatus solidus politus scintillans. *Syst. nat.* 96.

Gemma plus minus pellucida, duritie octava, colore obscure rubro, in igne permanente. *Wall. min.* 120.

LOC. in Fodina nova Cuprimontana Sueciæ.

PHARM. GRANATVS *præparatus*.

VIS: dubia.

VSVS: infidus.

COMP.

MVRIA.

693. MVRIA *marina* nuda marina. *Syst. nat.* 98.

Muria marina. *Wall. min.* 169.

LOC.

LOC. Mare, præfertim regionum calidarum.

PHARM. SAL COMMUNE. *Spiritus, acidus, dulcis.*

VIS: stomachica, aphrodisiaca, calefaciens.

VSVS: Stomacace decrepitatum. Perniones \sqcup .

COMP.

694. MVRIA *fontana* nuda fontana. *Syst. nat.* 98.

Muria fontana. *Wall. min.* 180.

LOC. Fontes salsi passum per Europam.

PHARM. SAL COMMUNE.

VIS: præcedentis.

VSVS: præcedentis.

COMP.

695. MVRIA *montana* nuda fossilis. *Syst. nat.* 98.

Muria fossilis pura. *Wall. min.* 168.

LOC. Polonia, Hungaria.

PHARM. SAL GEMMAE.

VIS: antecedentis.

VSVS: ∞ conomicus.

COMP. Elect. Benedict. laxativum, Pulv. ad suppositoria, Vngu. de Arthanita.

AMMONIACVM.

696. AMMONIACVM *sal.* *Wall. min.* 187.

LOC. Italia, [Calmuckia.]

PHARM. SAL AMMONIACVM. \sqcup *volatilis, acidus.*

VIS: incidens.

VSVS: Febres.

COMP.

ALVMEN.

697. ALVMEN *commune* Schifli. *Syst. nat.* 101.

T 5

Alu-

693. *Spiritus Satis dulcis cum charta emportica caute applicatus, hirsntiem tollit et crines exstirpat, auctore Nobilissimo Viro, D. Archiatro ROSE'N.*

Alumen lapide fissili mineralisatum. *Wall. min. 173.*

LOC. Scania, Oelandia, Westrogothia.

PHARM. ALVMEN CRVDVM, *Vstum*, *Spiritus.*

Pblegma.

VIS: acida, coagulans, adstringens, sophisticans.

VSVS: extern. Stomacace, Prolapsus, Sarcoma, Viscus, Hæmorrhagia, Ophthalmia.

COMP. *Lapis medicamentosus*, *Empl. de Spermate Ranarum*, *Tinct. Gummi Laccæ*, *Vngu. Aegyptiacum*, *Pulv. dentifricii.*

698. ALVMEN *romanum* Marmoris. *Syst. nat. 102.*

Alumen lapide calcario mineralisatum. *Wall. min. 174.*

LOC. Italia.

PHARM. ALVMEN ROCHAE.

VIS: antecedentis.

VSVS: rarior.

COMP.

699. ALVMEN *Gemma pretiosa* lapidofum pellucidissimum solidissimum. *Syst. nat. 102.*

$\alpha.$ -- *Rubinus rubrum.*

Gemma pellucidissima, duritie secunda, colore rubro in igne permanente. *Wall. min. III.*

LOC. Insula Zeylona.

PHARM. RUBINVS ORIENTALIS *præparatus.*

VIS:

VSVS:

COMP. *Pulv. Pannonicus ruber*, Bezoard. *Sennerti.*

$\beta.$ -- *Sapphirus cæruleum.*

Gemma pellucidissima, duritie tertia, colore cæruleo in igne fugaci. *Wall. min. 112.*

LOC. Silesia, Bohemia.

PHARM. SAPPHIRVS ORIENTALIS *præparata.*

VIS:

VSVS:

COMP.

COMP. Spec. Cordial. temperatæ, de Hyacintho,
Pulv. Pannon. ruber, Confect. Smaragdi, de Hyacintho.

VITRIOLVM.

700. VITRIOLVM *martis* ferri viride hexaëdrum.

Syst. nat. 104.

Vitriolum ferri viride nativum. Wall. min. 166.

LOC. paßim in Pyritis et Fodinis ferri.

PHARM. VITRIOLVM MARTIS COMMVNE. Tar-
tarus vitriolatus, Tachenii. Holmensis. °°, ℥,
Colcothar.

VIS: acida, coagulans, anthelminthica, vomitoria,
adstringens.

VSVS: Hæmorrhagia, Vlcus, Febres putridæ.

COMP. Pilulæ de guinmatibus, Pulv. ad vermes.

701. VITRIOLVM *cyprium* cupri cæruleum dodeca-
ëdron. Syst. nat. 104.

Vitriolum cupri cæruleum nativum. Wall. min. 165.

LOC. e Cypro adportatur.

PHARM. VITRIOLVM CYPRIVM.

VIS: corrosiva, coagulans, cathæretica. Externa.

VSVS: extern. Hæmorrhagia, Vulnus, Sarcoma.

COMP. Lapis medicamentofus, Pulv. sympath. Dib.

702. VITRIOLVM *album* zinci album dodecaëdron
prismaticum. Syst. nat. 104.

Vitriolum zinci album nativum. Wall. min. 167.

LOC. Hercynia.

PHARM.

700. Vitriolum Martis artificiale e Limat. Ferri et Ol. Vi-
trioli paratur, Solutione et Crystallisatione.

701. Vitriolo huic simillimæ Crystalli, vel sic dicti Flores Viridis
æris, ab aceto et viridi æris conficiuntur, solutione et cry-
stallisatione, colore saturato viridi gaudentes.

PHARM. VITRIOLVM ALBVM.

VIS: adstringens.

VSVS: Ophthalmia.

COMP. Empl. Diapalmæ, de Spermate Ranarum, Sticticum, Theriaca Andromachi.

703. VITRIOLVM plumbi album.

LOC. Sponte in Fodinis plumbi; sed parcissime, binc
ars illud imitatur.

PHARM. SACCHARVM SATVRNI.

VIS: exsiccans, obtundens.

VSVS: Erysipelas, Ophthalmia, Ulcus, Gonorrhœa.

COMP. Empl. Opodeldoch, Vngu. Nihili.

SVLPHVRA.

AMBRA.

704. AMBRA ambrofiaca grisea. Syst. nat. 101. Rumph.

mus. 262. t. 53. 54.

Ambra variegata. Wall. min. 204.

LOC. Mare, præsertim Indiæ orientalis.

PHARM. AMBRA GRISEA, Essentia.

VIS: ambrofiaca, nervina, analeptica, aphrodisia-
ca, excitans, a contagiis præservans.

VSVS: Scabies, Debilitas, Hypochondriasis.

COMP. Elix. vitæ, Balsam. Apoplect. Confect. Al-
kermes compl., de Hyacintho, Pulv. Cachecti-
cus, Spec. Aromat. rosatæ, Cordiales tempera-
tæ, de Hyacintho, Troch. de Gall. Moschata,
Massa ad fornacem.

705. AMBRA vulgatior unicolor fusco-nigricans. Syst.
nat. 107.

Ambra

703. A Calce Plumbi et Aceto destillato obtinetur, coctione et
solita crystallisatione, Saccharum Saturni artificiale.

Ambra unicolor albescens, citrina fusca f. nigra.

Wall. min. 205.

LOC. præcedentis.

PHARM. AMBRA NIGRA.

VIS: præcedentis, sed odore inferior.

VSVS: præcedentis.

COMP. præcedentis.

SVCCINVM.

706. SVCCINVM *electricum*. *Syst. nat. 108.*

Succinum pellucidum aut opacum. *Wall. min. 200.*

201.

LOC. Mare Balticum.

PHARM. SVCCINVM ALBVM vel CARABE CISTRINVM, *præparat.* *Sal, Oleum, Balsam. Tinctura.*

VIS: calefaciens, siccans, roborans, antihysterica! sudorifera, emmenagogia.

VSVS: fumus in Catarrhis.

COMP. *Empl.* Diaphoret. Opodeldoch, Catagmaticum, Sticticum, *Spec.* Cephalicum, *Pulv.* Bezoard. *Sennerti Cachecticus*, pro Epithemate cordis, *Species* Diamoschi dulces, *Trochisci Alkekengi*, de Carabe.

BITVMEN.

707. BITVMEN *Petroleum liquidiusculum fusco-rufescens*. *Syst. nat. 109.*

Bitumen liquidum crassius obscure brunneum. *Wall. min. 194.*

LOC. Rættvik Dalekarliæ.

PHARM. PETROLEVM f. OLEVM PETRAE NATIVVM *rubrum, album.*

VIS: expectorans.

VSVS:

VSVS: Colica Pictonum! Dolores osteocopi, Tænia!
COMP. *Empl.* carminativum.

708. BITVMEN *Mumia* subfriabile piceum. *Syst. nat.* 110.

Mumia mineralis. *Hasselq. it.* 537. *Kæmpf. amæn.* 516.
LOC. Persia.

PHARM. MVMIA PERSICA nativa.

VIS: vulneraria!

VSVS: rarissimus.

COMP.

809. BITVMEN *Asphaltum* friabile atrum. *Syst. nat.* 105.

Bitumen solidum coagulatum. *Wall. min.* 195.

LOC. Oelandia.

PHARM. ASPHALTVVM seu BITVMEN JVDAL-CVM. [*Oleum destillatum.*]

VIS:

VSVS: *extern.* Vlcera fordida. [Phthisis $\circ\circ$.]

COMP. Theriaca Androm., *Troch.* Cypheos pro Mithridatio.

PYRITES.

710. PYRITES *nativus* nudus diaphanus. *Syst. nat.* 113.

Sulphur nativum purum flavum. *Wall. min.* 205.

LOC. Russia.

PHARM. SVLPHVR VIVVM.

VIS: sequentis.

VSVS: sequentis.

COMP.

711. PYRITES *Ferri* mineralisatus amorphus scintilans. *Syst. nat.* 115.

Sulphur ferro mineralisatum, minera difformi paleide flava nitente. *Wall. min.* 208.

LOC.

LOC. Dylta Nericiæ.

PHARM. SVLPHVR CITRINVM, Oleum Stillati-
tium, Spiritus per campan. Griseum v. Cabali He-
par, Tinctura, Flores, Balsamum, Terra rubra, Lac.
VIS: expectorans, diaphoretica, inquinans, ecco-
protica.

VSVS: Tussis, Scabies.

COMP. Sulphurata. Bals. Anisatum, Fœniculatum,
Juniperatum, Terebinthinatum, Succinatum.

712. PYRITES *Auripigmentum* nudus flavus micis
auratis. *Syst. nat.* II3.

Arsenicum sulphure, lapide spatofo et micaceo mi-
neralisatum, minera flavescente. *Wall. min.* 226.

LOC. Hungaria, India orientalis.

PHARM. AVRIPIGMENTVM.

VIS: mechanica.

VSVS: pictorius.

COMP.

ARSENICVM.

713. ARSENICVM nudum nudum crystallinum pu-
rum. *Syst. nat.* II7.

Arsenicum album. *Wall. min.* 223.

LOC. Germania.

PHARM. ARSENICVM album, *Citrinum*.

VIS: maxime corrosiva. (*Præstat non uti*).

VSVS: Febr. intermittens, noxius. [Carcinoma.]

COMP.

714. ARSENICVM Sandaraca nudum rubrum. *Syst.*
nat. II7.

Arsenicum sulphure mixtum rubrum. *Wall. min.* 224.

LOC.

713. [Arsenicum quatenus in aqua solvitur et crystallisatur, Sa-
libus; quatenus acido constat et phlogisto, Sulphuribus; qua-
tenus regulum dat, Metallis adnumerari potest.]

LOC. Hungaria, Turcia.

PHARM. ARSENICVM Rubrum.

VIS: corrosiva.

VSVS: noxius.

COMP.

METALLA.

HYDRARGYRVM.

715. HYDRARGYRVM *virgineum* nudum fluidum.

Syst. nat. 119.

Hydrargyrum nativum. *Wall. min.* 218.

LOC. Hungaria.

PHARM. MERCVRIVS f. ARGENTVM VIVVM.

1. *depuratum.*

PRAEPARATA.

2. *Aethiops min.* fit ex 1. et Sulphure, *trituratione.*

3. *Merc. Sublim.* *corrosiv.* ex 1. Aqua forti et Sale comm. decrep. *Sublimatione.*

4. - - *dulcis:* ex 3. et Mercur. vivo, tripla *Sublimatione.*

5. *Merc. præcijit. albus:* ex 1. in Aqua forti soluto, *præcipitatione* c. Sale muriatico.

6. - - *ruber:* priori Solutione *evaporata*, re-verberetur *residuum.*

7. - - *viridis:* ex 1. et Cupro in Aqua fortí solutis, *evaporatione* et *digestione* c. aceto.

8. - - *luteus f. Turpethum minerale:* ex 1. et Ol. vitrioli, *Solutione* et *præcipitatione* c. Oleo tartari per deliqu.

9. *Arcan. Corallinum:* ex 6. et Alkohol vini quadrupl.

10. *Panacea Lemmeriana:* ex 4. octies iterata *Sublimatione.*

VIS:

vis: fialagoga! anthelminthica!

vsvs: Syphilis, Insecta, Scirrhos.

COMP. *Vngu.* Pedicorum, *Emplastr.* de Ranis &c.
Mercur.

716. HYDRARGYRVM *Cinnabaris* mineralisatum pyriticosum fibrosum. *Syst. nat.* 119.

Hydrargyrum sulphure mineralisatum, ininera rubra. *Wall. min.* 219.

LOC. Hungaria.

PHARM. CINNABARIS NATIVA, *præparata.*

vis: Hydrargyri; sed minus solubilis.

vsvs: antecedentis.

COMP. *Specific.* cephalicum.

MOLYBDAENVM.

717. MOLYBDAENVM *Plumbago* tritura cærulefcente.

Syst. nat. 121.

Mica pictoria nigra manus inquinans. *Wall. min.* 126.

LOC. Finlandia.

PHARM. PLVMBAGO.

vis: mechanica.

vsvs: pictorius.

COMP.

STIBIVM.

718. STIBIVM striatum mineralisatum fibrosum plumbicolorum. *Syst. nat.* 123.

Antimonium sulphure mineralisatum. *Wall. min.* 238.

LOC.

716. *Cinnabaris Antimonii post distillationem Butyri, aucto ignis gradu obtinetur;* *Cinnabaris vero saftitia, a Merc. viv. et Sulphure sublimatur.*

717. [Plumbago ad Sulphura referenda non ad Metalla, proprii generis non Molybdæni est, ex observat. Bergmanni et Schultii.]

LOC. Gallia.

PHARM. MINERA ANTIMONII Hungarica.

I. ANTIMONIVM CRVDVM.

PRAEPARATA.

2. *Antim. Butyrum*: ex Mercur. sublimat. corrosivo et 1. *destillatione*.
3. - - *Regulus*: ex 1. Nitro et Tartaro liquatis, coni fusorii *vibratione* subsideat.
4. - - *Sulphur auratum*: ex Reguli præced. Scoriis, in Aqua coctis, *præcipitatione* cum Acido.
5. - - *Flores albiss.* ex 1. in Aqua Regis soluto et *præcipitato* Aqua pura.
6. - - *Flores rubri*: ex 1. et Sale Ammon. *præcipitatione* et *lotione* Aqua.
7. - - *Clyffus f. Spirit.* ex 1. Nitro et Sulphure, *destillatione*.
8. - - *Diaphoreticum*: ex 1. et Nitro, *detonatione*.
9. - - *Hepar*: ex 1. et Nitro.
10. - - *Regulus Martialis*: ex 1. et Ferro, *liquatione* et *detonatione* cum Nitro.
11. - - *Diaphoret. Mart. Ludov.* ex 1. et Ferro, *liquatione* *detonatione* cum Nitro et *edulcoratione*.
12. - - *Vitrum*: ex 1. *calcinatione*.
13. - - *Tinctura*: ex anteced. et Spiritu æruginis, *digestione*.
14. - - *Cerussa*: ex 3. et Nitro, *detonatione* et *edulcoratione*.

VIS: evacuans, pellens.

VSVS: [Arthritis,] Dolor osteocopus, Vlcus, Scabies, Lippitudo.

COMP. *Mercurius vitæ correctus*: ex 2. Aquæ puræ instillato et *subsidentia* *præcipitato*. *Bezoarticum minerale*: ex 2. vel 4. et Spiritu Nitri, *digestione*, *evapo-*

evaporatione et reverberatione. Crocus Metallo-
rum: ex 9. coctione in Aqua pura et præcipita-
tione aceto vini. Aqua Benedicta Rulandi: ex
12. et vino, infusione.

ZINCVM.

719. ZINCVM *mineralisatum* mineralisatum compa-
 ctum subsquamofum. *Syst. nat.* 125.

Zincum sulphure plumbo f. ferro mineralisatum ob-
 scurum, particulis micantibus. *Wall. min.* 247.

LOC. Rättvik Dalekarliæ.

PHARM. ZINCVM, *Flores, Nibilum album.*

VIS: (*Flor.*) [antispasmodica.] externe exsiccans.

VSVS: Vlcus, Lippitudo, Intertrigo!

COMP.

720. ZINCVM *Calaminaris* subterreum lapidescens.
Syst. nat. 126.

Zinci minera terrea, colore flavescente f. fusco.
Wall. min. 247.

LOC. Polonia, Hungaria.

PHARM. LAPIS CALAMINARIS f. CADMIA
 FOSSILIS, *Tutia.*

VIS: antecedentis.

VSVS: Erysipelas externe.

COMP. *Empl.* de Lap. calaminari, Opodeldoch, de-
 fensivum, sticticum.

VISMVTVM.

721. VISIMVTVM *nativum* nudum. *Syst. nat.* 128.

Vismutum nativum. *Wall. min.* 242.

LOC. Germania.

PHARM. BISMVTVM f. MARCASITA, *Magisterium.*

VIS: dubia; (*præcipitati*) cosmetica.

VSVS:

COMP.

COBALTV M.

722. COBALTV M *arsenicale* ferro et arsenico metalliformi mineralisatum. *Syst. nat.* 129.

Cobalti minera diversimode figurata. *Wall. min.* 226.

LOC. Los Helsingiæ, Saxonia.

PHARM. CADMIA METALLICA f. COBALTV M, *Ceruleum factitium. Smaltum.*

VIS: Arsenici, debilior.

VSVS:

COMP.

STANNVM.

723. STANNVM *crystallinum* tesseris crystallinis. *Syst. nat.* 130.

Stannum ferro et arsenico mineralisatum, minera crystallifata polyëdra. *Wall. min.* 202.

LOC. Persberg Sueciae.

PHARM. STANNVM Anglicanum, *Bezoarticum joviale.*

VIS: anthelminthica?

VSVS:

COMP. Antihecticum *Poterii*, Aurum et Argentum musivum.

PLVMBVM.

724. PLVMBVM *nativum* nudum. *Syst. nat.* 132.

Plumbum nativum. *Wall. min.* 272.

LOC.

722. [Cadmia metallica saepius est Arsenicum metallicum seu Regulus Arsenici.]

LOC. Germania.

PHARM. PLVMBVM, *ustum*, *Ochra facit*. *Lithargyrum*: *Auri*, *Argenti*, *acet*. *Cerussa*, *Minium*.

VIS: exsiccans, obtundens, adstringens, obstipans.

VSVS: Dolor osteocopus, Rheumatismus, Vlcus.

COMP. (*ustum*) *Vngu*. de *Tutia*.

FERRVM.

725. FERRVM *selectum* retractorium nigrans, particulis subimpalpabilibus solidescens. *Syst. nat.* 137.

Ferrum mineralisatum, minera cinereo-nigra, magneti amica. *Wall. min.* 256. n. 1.

LOC. Dannemora.

PHARM. CHALYBS. Limatura. *Crocus adstringens*, *aperitivus*. *Præparatus*, *tinctura aperitiva*. *Scoriæ præp. Sapa*.

VIS: tonica, adstringens, antacida.

VSVS: Cachexia, Hypochondriasis, Diarrhoea, Chlrosis, Dysmenorrhœa.

COMP.

726. FERRVM *Smiris* retractorium rubricosum vitrum arans. *Syst. nat.* 139.

Ferrum mineralisatum, minera durissima rapaci solidæ magneti retractoria. *Wall. min.* 267.

LOC. Europa australior.

PHARM. LAPIS SMIRIS.

VIS:

VSVS: mechanicus.

COMP.

727. FERRVM *Hæmatites* intractabile rubricans glandulosum, fragmentis concentratis. *Syst. nat.* 140.

Ferrum mineralisatum, minera figurata rubra s. tritura rubente. *Wall. min.* 249.

LOC. Anglia, Germania.

PHARM. LAPIS HAEMATITES, *præparatus*.

VIS:

VSVS: Febres intermittentes.

COMP. *Emplastr.* ad Rupturas, Sticticum.

728. FERRVM *Magnes* attractorium. *Syst. nat.* 142.

Ferrum mineralisatum, minera ferrum trahente ac repellente et polos mundi ostendente. *Wall. min.* 262. n. 1.

LOC. Lapponia, Gagne.

PHARM. LAPIS MAGNES, *præparatus*.

VIS: Ferri.

VSVS: Colica?

COMP. *Empl.* Sticticum, Opodeldoch.

CVPRVM.

729. CVPRVM *nativum* nudum mineræ inhærens. *Syst. nat.* 143.

Cuprum nativum granulatum. *Wall. min.* 276.

LOC. Klewa Smolandiæ, Riddarhyttan.

PHARM. AES, Squamæ, *Crocus*, *Vslum*, *Viride*, *Spiritus*.

VIS: corrosiva, interne caute.

VSVS: Ophthalmia.

COMP. *Aqua ophthalmica sapphirina Schræderi*.

730. CVPRVM? *Lazuli* cæruleum scintillans. *Syst. nat.* 145.

Jaspis colore cæruleo et albo mixto, cuprifer. *Wall. min.* 91.

LOC. Afia et Africa.

PHARM. LAPIS LAZVLI, *præparatus*, *Ultramarinum*.

VIS:

VSVS:

COMP. *Confœctio Alkermes*.

731. CVPRVM *Armenus* cæruleum calcarium. *Syst. nat.* 146.

LOC. Europa australis, Armenia, Hungaria.

PHARM. LAPIS ARMENVS *verus præparatus, Cæruleum montanum.*

VIS:

VSVS: mechanicus.

COMP.

ARGENTVM.

732. ARGENTVM *nativum nudum*. *Syst. nat.* 148.

Argentum nativum. *Wall. min.* 307.

LOC. Brattfors Wermelandiæ.

PHARM. ARGENTVM foliatum, *in conchis, Lapis infernalis, Bezoard. Lunare, Tinctura Lunae.*

VIS: politica.

VSVS: Oeconomicus.

COMP. *Species cordiales temperatæ, de Hyacintho, Confect. de Hyacintho.*

AVRVM.

733. AVRVM *nativum nudum*. *Syst. nat.* 151.

Aurum nativum. *Wall. min.* 321.

LOC. Smolandia.

PHARM. AVRVM foliatum, *in conchis, Fulminans, Bezoardicum solare.*

VIS: antecedentis.

VSVS: antecedentis.

COMP. *Confect. de Hyacintho, Pulv. Bezoard. Sennerti, Epilepticus, de Gutteta, Species de Hyacintho, cord. temper.*



CLASSIS III.

FOSSILIA.

PETRIFICATA.

HELMINTHOLITHVS.

734. HELMINTHOLITHVS *Judaicus* obovatus cre-nulato-striatus subpetiolatus. *Syst. nat.* 165.
Lapis judaicus. *Imperat. nat.* 745. f. 1-4.
LOC. Scania.
PHARM. LAVIS JVDAICVS, *præparatus*.
VIS: Spati.
VSVS:
COMP.

735. HELMINTHOLITHVS *Belemnites Alcyonii Lyn-curii*. *Syst. nat.* 170.
Lapis lyncis. *Gesn. lat.* 92. *Rumph. mus. t.* 50. f. 1-5.
LOC. Europa australis, Scania.
PHARM. LAVIS LYNCIS f. LYNCVRIVS, *præparatus*.
VIS: calcaria.
VSVS: exoletus.
COMP.

CONCRETA.

CALCVLVS.

736. CALCULUS *Bezoar* gastricus solidus tunicatus.
Syst. nat. 176.
Calculus animalium caprini generis, cruslaceus.
Wall. min. 417
LOC. Ventriculi plicæ in Capris.

PHARM.

PHARM. LAPIS BEZOAR α) ORIENT. *Tinctura.*
 β) OCCIDENTALIS.

VIS: diaphoretica, alexipharmacæ.

VSVS: Febres exanthematicæ.

COMP. *Pulv.* Bezoard. *Sennerti.*

737. CALCULVS *felleus*. *Syst. nat.* 177.

γ *Erinacei malaccensis.*

Lapis malaccensis. *Clus. exot.* 217.

LOC. India.

PHARM. LAPIS PORCINVS f. MALACCENSIS.

VIS:

VSVS: Icterus.

738. CALCULVS *Margarita conchylii*. *Syst. nat.* 177.

Calculus animalium concharum. *Wall. min.* 412.

LOC. Testæ Myxæ *margaritiferæ apud nostrates.*

PHARM. MARGARITAE α) ORIENTALES.

β) OCCIDENTALES.

VIS: calcaria, absorbens.

VSVS: Acidum spontaneum.

COMP. Saccharum Perlatum, *Confec̄t.* de Hyacin-

tho, *Specif.* Cephal. *Pulv.* Bezoard. *Sennerti,*

Cacheclius, Epilepticus, Pannonicus ruber, *Spe-*

cies cordiales temp. de Hyacintho, Diamargari-

tar. frigid. Diamoschi dulces, Diarrhodon. Abbatis.

TARTARVS.

739. TARTARVS *vini vini*. *Syst. nat.* 178.

Tartarus. *Wall. min.* 181.

LOC. Dolia vini.

PHARM. TARTARVS, Albus, Ruber, *Spiritus,*

Oleum dest. p. deliqu., *Cremor*, *Calcinat. ad albed.*

Tartarisat., *Terra foliata.*

V 5

VIS:

737. [Vel potius *Hystricis cristatae*].

VIS: acida, eccoprotica.

VSVS: Febris calida.

COMP. (Cremor). Passulæ laxativæ, *Pulv.* polychrest.
de tribus, *Species diajalappæ*, *Syrupus* Fol.
Sennæ.

AETITES.

740. AETITES *aquilinus* embryone libero lapillulofo.
Syst. nat. 179.

Lithotomi cavitate latente donati. *Wall. min.* 407. n. 1.
LOC. Helvetia.

PHARM. LAPIS AETITES f. AQVILAE.

VIS: superflitiofa.

VSVS: Partus difficilis?

COMP.

PVMEX.

741. PVMEX *Vulcani schisti niger*. *Syst. nat.* 181.

Porus igneus lapidis Asbesti. *Wall. min.* 328.

LOC. Montes ignivomi.

PHARM. LAPIS PVMEX.

VIS: mechanica.

VSVS: Tartarus dentium.

COMP. *Pulv.* ad dentifricia.

TOPHVS.

742. TOPHVS *Osteocolla calcarius subcylindricus* perforatus. *Syst. nat.* 189.

Petrificatum vegetabile radicis arborum vel plantarum. *Wall. min.* 335.

LOC. Marchia Electoralis Prussiae nova.

PHARM. OSTEOCOLLA cruda, *præparata*.

VIS:

VIS: adstringens.

VSVS: Fracturæ.

COMP.

TERRAE.

OCHRA.

743. OCHRA *Ferri* ferri pulvrea lutea. *Syst. nat.* 192.
Ferri terra præcipitata non mineralifata. *Wall.*
min. 205.

LOC. ubique ad acidulas et in paludibus.

PHARM. OCHRA NATIVA s. FOSSILIS.

VIS: adstringens, exficcans.

VSVS: *externus*.

COMP.

744. OCHRA *Aeris* Cupri pulvrea viridis. *Syst. nat.*
192.

Cuprum solutum et corrosum præcipitatum viride.
Wall. min. 278. n. 3.

LOC. ad Fodinas cupri frequens.

PHARM. VIRIDE MONTANVM.

VIS: cupri.

VSVS: pictorius.

COMP.

ARGILLA.

745. ARGILLA *Lemnia* incarnata fracturis glaberri-
mis. *Syst. nat.* 201.

Terra lemnia. *Dal. pharm.* 20. n. 2.

LOC. Lemnus.

PHARM. TERRA LEMNIA.

VIS: plastica, exficcans.

VSVS: exoletus,

COMP.

COMP. *Elect. Diascord. Theriaca Androm. Confec̄t.*
de Hyacinth.

746. ARGILLA *Tripolitana* scabra nitidula flavescens
 inquinans. *Syst. nat.* 202.

Glarea indurata cohærens aspera. *Wall. min.* 33.

LOC. in Fodinis Mauritaniæ.

PHARM. TERRA TRIPOLITANA.

VIS: abforbens.

VSVS: mechanicus, Intertrigo.

COMP.

747. ARGILLA *Bolus* ore liquefcens. *Syst. nat.* 203.

Argilla pinguis. *Wall. min.* 19.

α. — *alba*.

Bolus alba. *Dal. pharm.* 19. n. 8.

LOC. Goldberga, Turcia.

PHARM. BOLVS ALBA; *Terra sigill. alba* s. *Melitenj.*
Turcica.

β. — *flava*.

Bolus flava.

LOC. Silefia.

PHARM. TERRA SIGILLATA CITRINA, *Silefiaca*
s. Strigonienfis.

γ. -- *rubra*.

Bolus armena. *Dal. pharm.* 19. n. 1.

LOC. Persia, Arinenia, Gallia, Germania.

PHARM. BOLVS ARMENA.

RVBRA. *Terra sigillata rubra.*

δ. — *viridis*.

LOC. Smyrna.

PHARM. TERRA VIRIDIS.

VIS: plastica, exficcans.

VSVS: exoletus.

COMP. γ) Ele&t. Diascord. Cerat. Santalin. Spec. et
Confe&t. de Hyacinth. Pulv. Dysent. Pannon. rub.
Trochisc. Alkekengi. Empl. Cataginat. Lapis me-
dicamentosus.

748. ARGILLA *Vmbra* humosa fusca inquinans. *Syst.*
nat. 204.

Vmbra fusca. *Wall. min. 9.*

LOC. Europa.

PHARM. VMBRA f. VMBRICA.

β. *Vmbra* obscure fusca. *Wall. min. 8.*

LOC. Colonia.

PHARM. TERRA COLONIENSIS.

VIS:

VSVS:

COMP.

CALX.

749. CALX *Creta* solubilis impalpabilis cohærens.
Syst. nat. 206.

Creta cohærens solida. *Wall. min. 8.*

LOC. Montes Galliæ, Angliæ, Daniæ.

PHARM. CRETA, *Pulverisata, lota.*

VIS: calcaria, abforbens.

VSVS: Acidum spontaneum, Soda.

COMP.

750. CALX *Gur* fixa impalpabilis farinosa. *Syst. nat.*
207.

Creta friabilissima levissima non cohærens alba.
Wall. min. 11.

LOC. Germania, Helvetia.

PHARM. LAC LVNAE f. STENOMARGA.

VIS: absorbens, lactifera.

VSVS:

COMP.

HVMVS.

751. HVMVS *damaſcena* vegetabilis ochraceo - rufa.
Syſt. nat. 211.

Humus rubra obscure rubescens. *Wall. min. 8.*


LOC. Anglia.

PHARM. TERRA ANGLICANA.

VIS:

VSVS: pictoriuſ.

COMP.



IN.

INDEX

GENEV.M.

A.

Acanthus 444
Achillea 538. 540
Achras 261
Acipenser 41
Aconitum 386. 387
Acorus 260
Actaea 372
Adiantum 642
Aethusa 222
Aëtites 740
Agrimonia 335
Ajuga 400
Alcea 466
Alchemilla 127
Allamanda 182
Allium 249. 252
Aloë 259
Althæa 465
Alumen 697. 699
Ambra 704. 705
Amiantus 681
Ammoniacum 696
Amomum 70. 72
Amygdalus 344. 345
Amyris 273. 274
Anacardium 293
Anagallis 142
Anagyris 297
Anas 28. 29
Anchusa 132. 133
Andropogon 619

A.

Anemone 393
Anethum 229. 230
Angelica 214. 215
Anthemis 535. 536
Antirrhinum 437
Apis 52
Apium 234. 235
Aquilegia 389
Aranea 54
Arbutus 317
Arctium 507
Argentum 732
Argilla 745. 748
Aristolochia 552. 556
Arnica 529
Arsenicum 713. 714
Artemisia 516
Arum 558
Asarum 331.
Asclepias 186. 187
Asparagus 256
Asperula 315
Asphodelus 255
Asplenium 636
Astragalus 489
Athamanta 207
Atriplex 622
Atropa 163. 164.
Aurum 733
Avena 108

Balæna 25
Bellis 531
Berberis 262
Beta 194. 195
Betonica 419
Betula 562
Bitumen 707. 709
Bixa 378
Boletus 654
Borax 690. 692
Borrago 137
Bos 20
Brassica 457. 460
Bromelia 248
Bryonia 594
Bubon 218. 219
Buxus 563
Bupleurum 203

B.

Cæsalpinia 303. 305
Calculus 727. 729
Calendula 545
Calx 749. 750
Cambogia 376
Camphorofma 126
Cancer 56. 57
Canella 332
Canis 4. 6
Cannabis 602
Capparis 371

Capra

INDEX GENERVM.

- | | | |
|----------------------------|---------------------------|---------------------------|
| <i>Capra</i> 18 | <i>Coffea</i> 153 | <i>Cyprinus</i> 44 |
| <i>Capsicum</i> 168 | <i>Colchicum</i> 270 | <i>Cytinus</i> 557 |
| <i>Cardamine</i> 451 | <i>Collinsonia</i> 89 | D. |
| <i>Carduus</i> 508 | <i>Columba</i> 34 | <i>Daphne</i> 278, 279 |
| <i>Carlina</i> 509 | <i>Coluber</i> 39, 40 | <i>Datura</i> 160 |
| <i>Carthamus</i> 510 | <i>Conium</i> 206 | <i>Daucus</i> 205 |
| <i>Carum</i> 231 | <i>Convallaria</i> 257, | <i>Delphinium</i> 384. |
| <i>Caryophyllus</i> 381 | 258. | <i>Dentalium</i> 65 |
| <i>Cassia</i> 299, 301 | <i>Convolvulus</i> 146- | <i>Dianthus</i> 326 |
| <i>Cassine</i> 239 | 150 | <i>Dictamnus</i> 308 |
| <i>Castor</i> 12 | <i>Copaifera</i> 322 | <i>Diospyros</i> 630 |
| <i>Ceanothus</i> 176 | <i>Corallina</i> 69 | <i>Dolichos</i> 480 |
| <i>Centaurea</i> 541 | <i>Cordia</i> 172 | <i>Doronicum</i> 530 |
| <i>Ceratonia</i> 632 | <i>Coriandrum</i> 223 | <i>Dorstenia</i> 124 |
| <i>Cervus</i> 15-17. | <i>Coris</i> 157 | <i>Dracocephalum</i> 431 |
| <i>Chærophylum</i> 225 | <i>Corvus</i> 27 | <i>Drosera</i> 247 |
| <i>Cheiranthus</i> 456 | <i>Corylus</i> 574 | E. |
| <i>Chelidonium</i> 373 | <i>Costus</i> 73 | <i>Elephas</i> 2 |
| <i>Chenopodium</i> 189 | <i>Crataegus</i> 351 | <i>Epidendrum</i> 551. |
| <i>Chrysanthemum</i> | <i>Crocus</i> 97 | <i>Equisetum</i> 634 |
| 532 | <i>Croton</i> 581-584 | <i>Equus</i> 21 |
| <i>Cicer</i> 485 | <i>Cucumis</i> 591-593 | <i>Ervum</i> 483-484 |
| <i>Cichorium</i> 505 | <i>Cucurbita</i> 589, 590 | <i>Eryngium</i> 200, 201 |
| <i>Cicuta</i> 221 | <i>Cuminum</i> 220 | <i>Erysimum</i> 454 |
| <i>Cimicifuga</i> 388 | <i>Cupressus</i> 580 | <i>Esox</i> 43 |
| <i>Cinchona</i> 151 | <i>Cuprum</i> 720-722 | <i>Eupatorium</i> 512 |
| <i>Cistampelos</i> 614 | <i>Cureuma</i> 75 | <i>Euphorbia</i> 336, 338 |
| <i>Cistus</i> 382 | <i>Cuscuta</i> 128-129 | <i>Euphrasia</i> 435 |
| <i>Citrus</i> 494, 495 | <i>Cycas</i> 635 | F. |
| <i>Clematis</i> 396 | <i>Cyclamen</i> 139 | |
| <i>Cobaltum</i> 722 | <i>Cynips</i> 59, 51 | <i>Fagara</i> 122 |
| <i>Coccus</i> 47, 48 | <i>Cynomorium</i> 559- | <i>Fagus</i> 572 |
| <i>Cochlearia</i> 449, 450 | <i>Cynoglossum</i> 134 | <i>Felis</i> 7 |
| <i>Cocos</i> 658 | <i>Cyperus</i> 103, 104 | <i>Ferrum</i> 725-728 |
| | | <i>Ferula</i> |

INDEX GENERVM.

- | | | |
|--|--|--|
| <p><i>Ferula</i> 209
 <i>Ficus</i> 633
 <i>Formica</i> 53
 <i>Fragaria</i> 365
 <i>Fraxinus</i> 628, 629
 <i>Fumaria</i> 470, 471</p> <p style="text-align: center;">G.</p> <p><i>Galega</i> 488
 <i>Galium</i> 116
 <i>Genista</i> 475, 476
 <i>Gentiana</i> 197 - 199
 <i>Geranium</i> 463
 <i>Geum</i> 369, 370
 <i>Glecoma</i> 417
 <i>Glycyrrhiza</i> 486
 <i>Gnaphalium</i> 522
 <i>Gossypium</i> 468
 <i>Gratiola</i> 82
 <i>Guajacum</i> 307
 <i>Guilandina</i> 306
 <i>Gypsophila</i> 324
 <i>Gypsum</i> 675, 676</p> <p style="text-align: center;">H.</p> <p><i>Hæmatoxylon</i> 311
 <i>Hedera</i> 179
 <i>Hedyotis</i> 114
 <i>Helix</i> 64
 <i>Helleborus</i> 398, 399
 <i>Helmintholithus</i> 725, 726.</p> <p><i>Heracleum</i> 212
 <i>Herniaria</i> 188
 <i>Hibiscus</i> 469</p> | <p><i>Hieracium</i> 504
 <i>Hippopotamus</i> 22
 <i>Hirudo</i> 60
 <i>Hirundo</i> 35
 <i>Homo</i> 1
 <i>Hordeum</i> 109
 <i>Humus</i> 751
 <i>Humulus</i> 603
 <i>Hydrargyrum</i> 715
 <i>Hymenæa</i> 298
 <i>Hyoscyamus</i> 161
 <i>Hypericum</i> 497, 498
 <i>Hyssopus</i> 408</p> <p style="text-align: center;">I.</p> <p><i>Jasminum</i> 78
 <i>Jatropha</i> 585, 586
 <i>Ignatia</i> 171
 <i>Ilex</i> 130
 <i>Illicium</i> 392
 <i>Imperatoria</i> 226
 <i>Inula</i> 527, 528
 <i>Indigofera</i> 487
 <i>Iris</i> 98 - 102
 <i>Iris</i> 67
 <i>Juglans</i> 571
 <i>Juniperus</i> 611 - 613</p> <p style="text-align: center;">K.</p> <p><i>Kæmpferia</i> 76</p> <p style="text-align: center;">L.</p> <p><i>Lacerta</i> 38
 <i>Laetitia</i> 501, 502
 <i>Lamium</i> 418</p> | <p><i>Lagœcia</i> 181
 <i>Laserpitium</i> 210
 211.
 <i>Lavandula</i> 410, 411
 <i>Laurus</i> 286 - 292
 <i>Lawsonia</i> 275
 <i>Ledum</i> 315
 <i>Leontodon</i> 503
 <i>Leonurus</i> 422
 <i>Lepidium</i> 445, 446
 <i>Lepus</i> 11
 <i>Lichen</i> 646 - 653
 <i>Ligusticum</i> 213
 <i>Lilium</i> 253
 <i>Linnæa</i> 441
 <i>Linum</i> 245, 246
 <i>Liquidambar</i> 575
 <i>Lithospermum</i> 131
 <i>Lobelia</i> 546
 <i>Lonicera</i> 154, 156
 <i>Lucanus</i> 45
 <i>Lumbricus</i> 59
 <i>Lupinus</i> 478
 <i>Lycoperdon</i> 656
 657
 <i>Lycopodium</i> 643
 644
 <i>Lysimachia</i> 141
 <i>Lythrum</i> 334</p> <p style="text-align: center;">M.</p> <p><i>Madrepore</i> 66
 <i>Malva</i> 467</p> |
|--|--|--|

X

Maran;

INDEX GENERVM.

- | | | |
|----------------------------|---------------------------|----------------------------|
| <i>Mæranta</i> 74 | <i>Nymphæa</i> 377 | <i>Phasianus</i> 32 |
| <i>Marmor</i> 674 | O. | <i>Phœnix</i> 659 |
| <i>Marrubium</i> 421 | <i>Ochra</i> 734. 735 | <i>Phyllanthus</i> 561 |
| <i>Matricaria</i> 533. 534 | <i>Ocimum</i> 433 | <i>Physalis</i> 165 |
| <i>Melaleuca</i> 496 | <i>Olea</i> 79 | <i>Physeter</i> 26 |
| <i>Melissa</i> 429. 430 | <i>Oniseus</i> 58 | <i>Phytolacca</i> 330 |
| <i>Meloe</i> 46 | <i>Ononis</i> 477 | <i>Pimpinella</i> 232. 233 |
| <i>Menispernum</i> 610 | <i>Ophioxylon</i> 624 | <i>Pinus</i> 576 - 579 |
| <i>Mentha</i> 412 - 416 | <i>Ophiorrhiza</i> 144 | <i>Piper</i> 90 - 92 |
| <i>Menyanthes</i> 140 | <i>Orchis</i> 549. 550 | <i>Pistacia</i> 598 - 600 |
| <i>Mercurialis</i> 609 | <i>Origanum</i> 423 - 426 | <i>Pisum</i> 481 |
| <i>Mespilus</i> 353 | <i>Oryza</i> 263 | <i>Plantago</i> 119. 120 |
| <i>Mica</i> 682 | <i>Ostrea</i> 62 | <i>Plumbago</i> 145 |
| <i>Mimosa</i> 625 - 627 | <i>Ovis</i> 19 | <i>Plumbum</i> 715 |
| <i>Molybdænum</i> 708 | <i>Oxalis</i> 329 | <i>Plumeria</i> 185 |
| <i>Momordica</i> 588 | P. | <i>Polygala</i> 472 |
| <i>Monarda</i> 84 | <i>Pæonia</i> 383 | <i>Polygonum</i> 280 - |
| <i>Monodon</i> 24 | <i>Panax</i> 631 | 283 |
| <i>Morus</i> 566 | <i>Panicum</i> 107 | <i>Polyodium</i> 640 |
| <i>Moschus</i> 14 | <i>Papaver</i> 374. 375 | <i>Polytrichum</i> 645 |
| <i>Muria</i> 693 - 695 | <i>Parietaria</i> 621 | <i>Populus</i> 606. 607 |
| <i>Mus</i> 13 | <i>Paris</i> 285 | <i>Portulaca</i> 333 |
| <i>Myrica</i> 597 | <i>Parnassia</i> 243 | <i>Potentilla</i> 366. 367 |
| <i>Myristica</i> 560 | <i>Pavo</i> 31 | <i>Poterium</i> 568 |
| <i>Myroxylon</i> 302 | <i>Pastinaca</i> 227. 228 | <i>Primula</i> 138 |
| <i>Myrtus</i> 340 - 342 | <i>Pedicularis</i> 436 | <i>Prunella</i> 434 |
| <i>Mytilus</i> 63 | <i>Penæa</i> 118 | <i>Prunus</i> 346 - 350 |
| N. | <i>Perca</i> 42 | <i>Psychotria</i> 152 |
| <i>Natrum</i> 688. 689 | <i>Petiveria</i> 271 | <i>Pterocarpus</i> 473. |
| <i>Nepeta</i> 409 | <i>Peucedanum</i> 208 | 474 |
| <i>Nerium</i> 184 | <i>Peziza</i> 655 | <i>Pulmonaria</i> 135 |
| <i>Nicotiana</i> 162 | <i>Phalaris</i> 106 | <i>Pumex</i> 732 |
| <i>Nigella</i> 390 | <i>Phalæna</i> 49 | <i>Punica</i> 343 |
| <i>Nitrum</i> 685 - 687 | <i>Phaseolus</i> 479 | <i>Pyrites</i> 710 - 712 |
| | | <i>Pyrola</i> |

INDEX GENERVM.

- | | | |
|---------------------------------|--------------------------|---------------------------|
| <i>Pyrola</i> 318 - 320 | <i>Sapindus</i> 284 | <i>Stictium</i> 677 |
| <i>Pyrus</i> 354 - 355 | <i>Saxifraga</i> 323 | <i>Struthio</i> 30 |
| <i>Q.</i> | <i>Scabiosa</i> 112, 113 | <i>Strychnos</i> 169, 170 |
| <i>Quassia</i> 313, 314 | <i>Scandix</i> 224 | <i>Styrax</i> 321 |
| <i>Quercus</i> 569 | <i>Schistus</i> 673 | <i>Succinum</i> 706 |
| <i>R.</i> | <i>Scilia</i> 254 | <i>Sus</i> 23 |
| <i>Rana</i> 36, 37 ⁷ | <i>Scorpio</i> 55 | <i>Switenia</i> 312 |
| <i>Ranunculus</i> 397 | <i>Scorzonera</i> 500 | <i>Symphytum</i> 136 |
| <i>Raphanus</i> 462 | <i>Scrophularia</i> 439 | T. |
| <i>Rhamnus</i> 173 - 175 | <i>Sedum</i> 327, 328 | <i>Talcum</i> 678 - 680 |
| <i>Rheum</i> 294, 295 | <i>Semecarpus</i> 236 | <i>Tamarindus</i> 96 |
| <i>Rhodiola</i> 608 | <i>Sempervivum</i> 339 | <i>Tamarix</i> 242 |
| <i>Rhododendrum</i> 316 | <i>Sepia</i> 61 | <i>Tanacetum</i> 514 |
| <i>Rhus</i> 237, 238 | <i>Sesamum</i> 442 | <i>Tartarus</i> 730 |
| <i>Ribes</i> 177, 178 | <i>Sigesbeckia</i> 191 | <i>Terminalia</i> 623 |
| <i>Ricinus</i> 587 | <i>Silex</i> 683, 684 | <i>Tetrao</i> 33 |
| <i>Rosa</i> 358 - 361 | <i>Sinapis</i> 461 | <i>Teucrium</i> 401 - 405 |
| <i>Rosmarinus</i> 85 | <i>Sifon</i> 217 | <i>Thea</i> 380 |
| <i>Rubia</i> 117 | <i>Sisymbrium</i> 452 | <i>Theobroma</i> 493 |
| <i>Rubus</i> 362 - 364 | <i>Sium</i> 216 | <i>Thlaspi</i> 447, 448 |
| <i>Rumex</i> 264 - 269 | <i>Smilax</i> 604, 605 | <i>Thymus</i> 427, 428 |
| <i>Ruscus</i> 615, 616 | <i>Solanum</i> 166, 167 | <i>Tilia</i> 379 |
| <i>Ruta</i> 309 | <i>Solidago</i> 526 | <i>Toluifera</i> 310 |
| <i>S.</i> | <i>Sophora</i> 296 | <i>Tophus</i> 733 |
| <i>Saccharum</i> 105 | <i>Sorbus</i> 352 | <i>Tordylium</i> 204 |
| <i>Salicornia</i> 77 | <i>Spigelia</i> 143 | <i>Tormentilla</i> 368 |
| <i>Salix</i> 595 | <i>Spilanthes</i> 511 | <i>Tragopogon</i> 499 |
| <i>Salvia</i> 86 - 88 | <i>Spinacia</i> 601 | <i>Trapa</i> 123 |
| <i>Sambucus</i> 240, 241 | <i>Spiraea</i> 356, 357 | <i>Trichechus</i> 3 |
| <i>Sanguisorba</i> 121 | <i>Spongia</i> 68 | <i>Trifolium</i> 490, 491 |
| <i>Sanicula</i> 202 | <i>Stachys</i> 420 | <i>Trigonella</i> 492 |
| <i>Santalum</i> 125 | <i>Stannum</i> 714 | <i>Triticum</i> 110, 111 |
| <i>Santolina</i> 513 | <i>Statice</i> 244 | <i>Tropaeolum</i> 272 |
| <i>Saponaria</i> 325 | <i>Stibium</i> 709 | <i>Tussilago</i> 524 |
| <i>Satureja</i> 406, 407 | | <i>X</i> 2 |
| | | <i>U, UI.</i> |

INDEX GENERVM.

U.	Verbascum 158. 159	Vitriolum 700-703
Ulmus 196	Verbena 83	Viverra 8
Ursus 9. 10	Veronica 80. 81	W.
Urtica 564. 565	Vicia 482	Wintera 391
Uvaria 387	Vinca 183	
	Viola 547. 548	X.
V.	Viscum 596	Xanthium 567
Vaccinium 276. 277	Vismutum 721	Z.
Valeriana 93-95	Vitex 443	
Veratrum 617. 618	Vitis 180	Zincum 719. 720

INDEX NOMINVM OFFICINALIVM.

I. ANIMALIA.

A.	Catus sylvestris 7	Columba 34
Alce 15	Capo 32	Conchæ 62
Anas 29	Carpio 44	Corallia alb. 66
Anfer 28	Castor 12	Corallia rub. 67
Aper 23	Castoreum 12	Corallina 69
Aranea 54	Cera 52	
	Cervus 16	D.
B.	Cetus pr. 25	Dentalium 65
Bos 20	Cetus sp. 26	
Bufo 37	Chermes 47	E.
	Coccionella 48	
C.	Cochleæ 64	Ebur 2
Cancer 56. 57	Colla piscium 41	Equus 21
Canis 4		F. For-
Cantharides 46		

INDEX NOMINVM OFFICINALIVM.

F.	Millepedes 58	Scorpio 55
Formica 53	Moschus 14	Sepia 61
Fungus rofarum 50	Mus 13	Sericum 49
G.	O.	Serpentes 40
Gallæ 51	Ovis 19	Spongia 68
Gallina 32	P.	Stincus 38
H.	Pavo 31	Struthio 30
Hædus 18	Perdix 33	T
Hippopotamus 22	Perlæ 63	Taxus 10
Hircus 18	Perca 42	Taurus 20
Hirudo 60	Pica 27	U.
Hirundo 35	Piscium colla 41	Unicornu 24
Homo 1	Porcus 23	Ursus 9
L.	Propolis 52	V.
Lac 20	R.	Vipera 39
Lepus 11	Rangifer 17	Vitulus 20
Lucius 43	Ranæ 36	Vulpes 6
Lumbricus 59	Rofarum fungus 50	Z.
Lupus 5	S.	Zibethum 8
M.	Scarabæus 45	
Manati 3.		
Mel 52		

II. VEGETABILIA.

A	A	Acacia nostras 350	Acmella 511
Abelmosch 469		vera 625	Acorus palustris 100
Abies 579	Acetosa		verus 260
Abrotanum 517	hispanica 269		vulgaris 260
Absinthium	nostras 269	Actaea 372	
ponticum 519	rotundifolia 267	Adiantum aureum	
vulgare 520	Acetosella 329		645
	X 3		Aga-

INDEX NOMINVM OFFICINALIVM.

- | | | | | | |
|------------------------|--------------------|------------------------|-------------------|-------------------------|------------------|
| <i>Agaricus</i> | 654 | <i>Antirrhinum</i> | 438 | <i>Balsamum</i> | |
| <i>Ageratum</i> | 538 | <i>Anthophylli</i> | 381 | <i>Copaiva</i> | 322 |
| <i>Agnus castus</i> | 443 | <i>Anthora</i> | 387 | <i>peruvianum</i> | 302 |
| <i>Agresta</i> | 180 | <i>Anthos</i> | 85 | <i>Balsamita</i> | 515 |
| <i>Agrimonia</i> | 335 | <i>Apium</i> | 235 | <i>Barba hirci</i> | 499 |
| <i>Alcanna vera</i> | 275 | <i>Aquilegia</i> | 389 | <i>Bardana</i> | 507 |
| | <i>spuria</i> | <i>Arabicum gummi</i> | | <i>Basilicum</i> | 433 |
| <i>Alchimilla</i> | 127 | | 625 | <i>Bdellium</i> | 667 |
| <i>Alkekengi</i> | 165 | <i>Aristolochia</i> | | <i>Beccabunga</i> | 81 |
| <i>Allamanda</i> | 182 | <i>fabacea</i> | 470 | <i>Bedeguar</i> | 360 |
| <i>Alliaria</i> | 455 | <i>longa</i> | 555 | <i>Behen album</i> | 542 |
| <i>Allium</i> | 251 | <i>rotunda</i> | 554 | <i>oleum</i> | 306 |
| <i>Aloës lignum</i> | 670 | <i>trilobata</i> | 552 | <i>rubrum</i> | 244 |
| | <i>succus</i> | <i>vulgaris</i> | 556 | <i>Belladonna</i> | 164 |
| <i>Althaea</i> | 465 | <i>Armoracia</i> | 450 | <i>Bellis pratensis</i> | 532 |
| <i>Ammi verum</i> | 217 | <i>Arnica</i> | 529 | | minor 531 |
| | <i>veterum</i> | <i>Artemisia</i> | 518 | <i>Benzoë</i> | 623 |
| <i>Ammoniacum</i> | 664 | <i>Arum</i> | 558 | <i>Berberis</i> | 262 |
| <i>Amomum</i> | 342 | <i>Astarum</i> | 331 | <i>Beta rubra</i> | 194 |
| <i>Amygdala</i> | 345 | <i>Aspalathum</i> | 671 | <i>Beta alba</i> | 195 |
| <i>Amylum</i> | 110 | <i>Asparagus</i> | 256 | <i>Betonica</i> | 419 ¹ |
| <i>Anacardium</i> | | <i>Asphodelus</i> | 255 | <i>Betula</i> | 562 |
| | <i>orientale</i> | <i>Affa foetida</i> | 209 | <i>Bistorta</i> | 280 |
| | <i>occidentale</i> | <i>Atriplex sativa</i> | 622 | <i>Boletus</i> | 656 |
| <i>Anagallis</i> | 142 | | <i>sylvestris</i> | <i>Bombax</i> | 468 |
| <i>Ananas</i> | 248 | <i>Avena</i> | 108 | <i>Bonus Henricus</i> | 189 |
| <i>Anagyris</i> | 297 | <i>Aurantium</i> | 495 | <i>Borrago</i> | 137 |
| <i>Anethum</i> | 229 | <i>Auricularia</i> | 114 | <i>Botrys</i> | 191 |
| <i>Angelica sativa</i> | 214 | <i>Auricula Judæ</i> | 655 | <i>Branca ursi</i> | 212.444 |
| | <i>sylvestris</i> | | <i>muris</i> | <i>Brassica</i> | 459 |
| <i>Anime</i> | 298 | | 504 | <i>Brafilia</i> | 303. 304 |
| <i>Anisum vulgare</i> | 233 | <i>Balaustia</i> | 343 | <i>Britannica</i> | 266 |
| | <i>stellatum</i> | <i>Balsamum</i> | | <i>Bryonia</i> | 594 |
| <i>Anserina</i> | 366 | | <i>Mecha</i> | <i>Buglossa</i> | 132 |
| <i>Anticholerica</i> | 296 | | | <i>Bursa</i> | |

INDEX NOMINVM OFFICINALIVM.

- | | | | | | |
|---------------------|-----|-----------------|---------------|----------------|------------|
| Burfa pastoris | 448 | Cassia caryoph. | 341 | Cicuta | 206. 221. |
| Buxus | 563 | ligneæ | 287 | Cicutaria | 225 |
| C. | | Fistula | 299 | Cimicifuga | 388 |
| Cacao | 493 | Cassine | 130 | Cinnamomum | 286 |
| Cajeput | 496 | Castanea | 572 | Cina | 516 |
| Calamintha | 430 | Cataputia | minor | Citrus | 494 |
| Calamus vulgaris | | | 337 | Citrullus | 590 |
| | 260 | | major | Cocculi | 610 |
| Calcitrapa | 544 | Catechu | 627 | Coccognidium | 278 |
| Calendula | 545 | Ceanothus | 176 | Cochlearia | 449 |
| Campeschanum | 311 | Centaurium | minus | Coffea | 153 |
| Camphorata | 126 | | 198 | Colchicum | 270 |
| Camphora | 288 | Centumnodia | 282 | Collinsonia | 89 |
| Canariense /em. 106 | | Cepa | 252 | Coloeynthus | 591 |
| Canella alba | 332 | Cerasus rubr. | 347 | Colubrin. | |
| Cannabis | 602 | nigr. | 348 | lignum | 170 |
| Capparis | 371 | Cerefolium | 224 | rad. | 144 |
| Caprifolium | 154 | Ceterach | 637 | Conium | 206 |
| Capillus vener. | 642 | Chamædrys | 405 | Consolida maj. | 136 |
| Caranna | 665 | Chamæmorus | 364 | Consolida med. | 400 |
| Cardiaca | 422 | Chamæpitys | 401 | regalis | 384 |
| Cardamine | 451 | Chamomilla | | Contrajerva | 124 |
| Cardamomum | 7 | nostras | 534 | Conyza | 528 |
| Cardopatia | 509 | romana | 535 | Copaiva | 322 |
| Carduus Mariæ | 508 | Cheiri | 456 | Copal | 669 |
| benedictus | 543 | Chelidonium | | Coriandrum | 223 |
| Carica | 633 | majus | 373 | Coris | 157 |
| Carlina | 509 | minus | 397 | Corylus | 574 |
| Carpobalsamum | | Chenopodium | an- | Costus | 73 |
| | 274 | | thelminthicum | Cotula | fœtida 536 |
| Carthamus | 510 | | | Crepitus | lupi 657 |
| Caryophyllata | 369 | China | cortex 151 | Crocus | 97 |
| Caryophyllus | 381 | | radix 605 | Cubebe | 92 |
| Carvi | 231 | Cicer | 485 | Cucumis | 593 |
| Cascarilla | 581 | Cichorium | 505 | afininus | 588 |

INDEX NOMINVM OFFICINALIVM.

N.	Pareira brava 614	Pisum 481
Napha 495	Paradisi grana 72	Pistacia 598
Napellus 386	Parietaria 621	Plantago 119
Napus 457	Paris 285	Plumeria 185
Nardus 620	Passulæ 179	Polium 402
Nasturtium	Pastinaca 227	Polypodium 640
aquaticum 452	Pavana 583	Poma borstorphia-
hortense 445	Pecurim 292	na 354
indicum 272	Pedicularis 436	Populus 606
Nepeta 409	Pentaphyllum 367	Porrum 249
Nephriticum 306	Peragua 239	Portulaca 333
Nigella 390	Perfoliata 203	Primula veris 138
Ninsi 216	Persica 344	Profluviu[m] 184
Norlandicæ baccæ	Perficaria 281	Pruneola 349
363	Peruvianum Balf. 302	Prunella 434
Nummularia 141	Petasites 525	Prunus 349
Nux aquatica 123	Petroselinum	Psyllium 120
Nymphaea 377	nostras 234	Ptarmica 539
O.	macedonicum 218	Pulegium 416
Oliva 79	Peucedanum 208	Pulmonaria
Olibanum 613	Phaseolus 479	maculosa 135
Ononis 477	Phu 94	arborea 648
Opium 375	Phytolacca 330	Pulsatilla 394
Opopanax 228	Pichurim 292	Pyrethrum 537
Origanum	Pimenta 342	Pyrola 318 - 320
creticum 424	Pimpinella	Q.
vulgare 425	italica 121	Quassia 313
Orleana 378	italica 568	Quercus 570
Orobus 484	nostras 232	R.
Oryza 263	Pinus sativa 569.577	Ranunculus albus
P.	sylvestris 576	395
Paeonia 383	Piper rotundum 90	Rapa 458
Palmæ 658	longum 91	Raphanus 462
Papaver 375	indicum 168	Resina elastica 586
		Rha-

INDEX NOMINVM OFFICINALIVM.

- | | | |
|------------------------|--------------------|------------------------|
| Rhabarbarum 295 | Salix 595 | Sedum minus 328 |
| monachorum 268 | Salvia 86 | Sempervivum 339 |
| Rhaponticum 294 | Sambucus 241 | Senna 300 |
| Rhodia 608 | Sandaraca 612 | Senega 472 |
| Rhodium 475 | Sanguis draconis | Senegal gum 626 |
| Rhodod. Chrysanth. 316 | 469 | Serpentum rad. 144 |
| Rhoes 374 | Sanicula 202 | Serpentinum lig- |
| Ribes nigrum 178 | Santalum 474 | num 624 |
| rubrum 177 | Sanctum lignum | Serpentaria virgi- |
| Ricinus vulgaris | 307 | nica 553 |
| 587 | Santolina 513 | Serpyllum 427 |
| major 585 | Santonicum 516 | Sesamum 442 |
| Roccella 652 | Saponaria 325 | Sefeli cretic. 204 |
| Rosa rubra 358 | Saponaria 284 | Sigillum Salomonis 258 |
| damascena 359 | Sapotilla 261 | Silermontanum 211 |
| sylvestris 360 | Sapan 305 | Simaruba 314 |
| alba 361 | Sarcocolla 118 | Siliqua dulcis 623 |
| Rosmarinus | Sarsaparilla 604 | Sinapi 461 |
| hortensis 85 | Sassafras 291 | Soda 77 |
| sylvestris 315 | Satureja 406 | Soja 480 |
| Ros folis 247 | Satyrium 549 | Solanum 167 |
| Rubia 117 | Saxifraga alba 323 | Soldanella 150 |
| Rubus idaeus 362 | rubra 356 | Sophia 453 |
| Ruscus 615 | Scabiosa 113 | Sorbus |
| Ruta hortensis 309 | Scammonium 146 | domestica 351 |
| muraria 639 | Sclarea 88 | aucuparia 352 |
| S. | Schoenanthus 619 | Spatula foetida 101 |
| Sabadilla 618 | Scolopendrium 636 | Spica 410 |
| Sabina 611 | Scorodonia 271 | indica 620 |
| Saccharum 105 | Scrophularia | celtica 95 |
| Sagapenum 668 | aquatica 440 | Spigelia 143 |
| Sagu 635 | fætida 439 | Spinacia 601 |
| Salep 550 | Scordium 404 | Spina cervina 173 |
| Salicaria 334 | Scorzonera 500 | Squilla |
| | Sebestena 372 | |

INDEX NOMINVM OFFICINALIVM.

<i>Squilla</i>	254	<i>Thus</i>	613	<i>Vinum</i>	180
<i>Staphisagria</i>	385	<i>Thymiama</i>	573	<i>Viola</i>	547
<i>Stœchas arabica</i>	411	<i>Thymus</i>		<i>Violaria</i>	548
<i>citrina</i>	522	<i>creticus</i>	407	<i>Virga aurea</i>	526
<i>Storax calamita</i>	321	<i>vulgaris</i>	428	<i>Viscum</i>	596
<i>liquida</i>	575	<i>Tiglia</i>	583	<i>Vitis</i>	180
<i>Stramonium</i>	160	<i>Tilia</i>	379	<i>idæa</i>	277
<i>Struthium</i>	324	<i>Tolu</i>	306	<i>Ulmus</i>	196
<i>Suber</i>	569	<i>Tomentilla</i>	368	<i>Ulmaria</i>	357
<i>Sumach</i>	237	<i>Tornesol</i>	575	<i>Vomica</i>	169
<i>Symporicarpus</i>		<i>Tragacantha</i>	489	<i>Urtica major</i>	565
155		<i>Trichomanes</i>	638	<i>romana</i>	564
T.		<i>Trifolium</i>		<i>Usnea</i>	646
<i>Tabacum</i>	162	<i>album</i>	491	<i>Uva ursi</i>	317
<i>Tacatmahaaca</i>	607	<i>aquaticum</i>	140	<i>Uvularia</i>	616
<i>Tamarindus</i>	96	<i>Tunica</i>	326	<i>Vulvaria</i>	193
<i>Tamariscus</i>	242	<i>Turpethum</i>	147		
<i>Tanacetum</i>	514	<i>Tussilago</i>	524	W.	
<i>Taraxacum</i>	503	V.		<i>Winteranus</i>	391
<i>Telephium</i>	327	<i>Valeriana minor</i>	93		
<i>Terebinthina</i>		<i>major</i>	94	X.	
<i>communis</i>	576	<i>Vanilla</i>	551	<i>Xanthium</i>	567
<i>cypria</i>	599	<i>Verbascum</i>	158.159	<i>Xylobalsamum</i>	274
<i>veneta</i>	578	<i>Verbena</i>	83	<i>Xyris</i>	101
<i>Terra japonica</i>	627	<i>Vernix</i>	238		
<i>Thlaspi</i>	447	<i>Veronica</i>	80	Z.	
<i>Thea</i>	380	<i>Victoria</i>	250	<i>Zedoaria</i>	76
		<i>Vinca pervinca</i>	183	<i>Zingiber</i>	70

INDEX NOMINVM OFFICINALIVM.

III. LAPIDES.

A.

- A**es 729
Aëtites 740
Alabastrum 676
Alumen crudum
plumosum 681
rochæ 698
scissile 677
Ambra 704
Amethystus 687
Ammoniacum 696
Anglicana terra 751
Antimonium 718
Aquilæ lap. 740
Argentum 732

- Argentum vivum
715
Armenus lap. 731
Arsenicum 713.714
Asphaltum 809
Auripigmentum
712
Aurum 733

B.

- Bezoar 736
Bismutum 721
Bitumen jud. 809
Bolus 747
Borax 690

C.

- Cadmia fossilis 720
metallica 722
Calaminaris 720
Calx vivæ 674
Carabe 706
Carneolus 684
Chalybs 725
Cinnabaris 716
Cobaltum 723
Colonienfis terra
748
Creta 749
Crystallus 686

G.

- Glacies Maris 689
Granatus 692
Gypsum 675

H.

- Hæmatites 727
Hyacinthus 687

I.

- Judaicus 734

L.

- Lac lunæ 750
Lazuli lap. 730
Lemnia terra 745
Lunæ lac 750

- Lyncis lap. 735
Lyncurius 735

M.

- Magnes 728
Malaccensis 737
Marcasita 721
Margaritæ 738
Mercurius 715
Mumia 708

N.

- Nephritis 680
Nigrica 673
Nitrum 685

O.

- Ochra 743
Oleum petræ 707
Osteocolla 741

P.

- Petroleum 707
Plumbago 717
Plumbum 724
Porcinus 737
Pumex 741

R.

- Rubinus 699
Rubrica 678

S. Saccha.

INDEX NOMINVM OFFICINALIVM.

S.	Smiris 726	Tripolitana terra
Saccharum Saturni	Specularis 689	746
703	Stannum 723	
Sal ammoniacum	Stenomarga 750	V.
696	Succinum 706	Viride mont. 744
anglicum 688	Sulphur 710. 711	Vitriolum
commune 693		album 702
694	T.	cyprium 701
gemmæ 695	Talcum album 682	martis 700
Sapphirus 699	viride 679	Umbra 748
Sigillata terra 747	Tartarus 739	Z.
Silex 683	Terra sigill. 747	
Smaragdus 691	Topasius 691	Zincum 719

F I N I S.

Pag. 159. lin. 19. ACTAEA *racemosa*



