# Contributors

Ashton-upon-Mersey (Cheshire, England). Urban District Council.

# **Publication/Creation**

1901

## **Persistent URL**

https://wellcomecollection.org/works/g9pg33hr

## License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

### ASHTON-upon-MERSEY URBAN DISTRICT

1° for 1901

Medical Officer of Health - Dr. Charles J. Renshaw.
Population - 5,575.
Area in Acres - 1,622.
Birth rate per 1,000 - 18.8.
Death rate per 1,000 - 13.9.
Death rate from seven principal zymotic diseases - 1.2.
Deaths under one year to 1,000 births - 209.


#### SEVENTH ANNUAL REPORT:

1

Whooping Cough - 2. Diarrhcea - 3. Scarlet Fever - 2. Measles - 1. From Cancer 5 deaths are reported. Pneumonia and Bronchitis - 12. Phthisis - 5.

Of cases notified there were -

Measles	-	77.
Scarlet Fever	+	70.
Whooping Cough	-	43.
Diphtheria	1	5.
Erysipelas	-	2.
Roetheln	-	2.
Typhoid	-	1.



13 cases of Scarlet Fever were removed to Ladywell. All houses requiring it, have been disinfected; rooms in which patients have sat or died suffering from phthisis have been disinfected, the three public schools also, as soon as the children left for their Christmas holidays.

By the courtesy of the Authorities of Salford, we have been able to send our infectious cases, requiring removal, to Ladywell, we expect in due course the hospital at Baguley will be ready to receive such patients.

Small pox patients will, however, have to be dealt with as previously.

The water supply has during the year been good, in the summer it had to be curtailed, owing to there being such a dearth of rain, we suffered chiefly in consequence of the drains not being flushed sufficiently, and because of the amount of dust, especially in the high road.

#### Nuisance abatement.

×

15 privy closets including Ashpits, have been repaired.

23 converted into water closets.

5 water closets fixed in houses.

12 middens converted into dry ashpits.

1 new privy to existing property.

Drains altered, relaid and new drains provided to 17 houses.

2.

Digitized by the Internet Archive in 2017 with funding from Wellcome Library

https://archive.org/details/b28813182

14 drains have been taken up from under cellar floors, and new gullies placed in areas outside.

Two cases of dangerous building have been dealt with during the past year.

One case of over-crowding.

Provision made for proper water supply to 12 houses.

Plans have been passed for 87 houses.

1 Sunday School.

1

2 new Bath rooms.

Re 87 houses - 33 are in course of construction, 15 almost ready for occupation, the remainder may be commenced at any time.

The general health of the community is good.

The drainage beds near the river are acting very well, and at present are sufficient, but in view of the increase of population, it would be better to take in more land, so that when necessary they may be enlarged.

As upon previous occasions, the Wakes held in November, were the apparent cause of the spread of infectious disease; this year eight cases of Scarlet Fever were reported within affendfourteen days, all the children having visited the Wakes.

3.

