[Report 1946] / Medical Officer of Health, Dolgellau / Dolgelley R.D.C.

Contributors

Dolgellau (Wales). Rural District Council.

Publication/Creation

1946

Persistent URL

https://wellcomecollection.org/works/cq9vfcyp

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



DOLGELLEY RURAL DISTRICT COUNCIL

ANNUAL REPORT


OF THE

MEDICAL OFFICER OF HEALTH

FOR THE YEAR

1946

Printed by Gwasg "Y Dydd" Ltd., Dolgelley.



TO THE DOLGELLEY RURAL DISTRICT COUNCIL

Mr .Chairman, Mrs. Davies and Gentlemen,

It is my privilege to present my annual report upon the

sanitary condition of your district during 1946.

The Dolgelley Rural District consists of 13 Parishes, and has an area of 150,128 acres. The resident population for the year 1946 is estimated by the Registrar-General to be 7.471.

The number of inhabited houses at the end of the year

is estimated to be 2.207.

The rateable value at the same date was £27,003 and the sum represented by a penny product was £108:11:11.

VITAL STATIST	FICS.		
Live Births:			
	Total	Male	Female
Legitimate	101	53	48
Illegitimate	10	4	6
Still Births:			
Legitimate	3	1	2
Illegitimate	1	1	0
Deaths of Infants under On	e Ves	r of Ag	P
	Total	Male	Female
Legitimate	4	3	1
Illegitimate			
2110S111111110 111 111 111 111 111			
Rates per 1,000 of Estimat	ed Po	pulation	1.
General Death-rate			15.24
Total Tuberculosis death-rate			0.66
"Phthisis" death-rate			0.66
Cancer death-rate	Villa I		1.60
Birth rate			14.85
Still birth rate			0.53
Scarlet Fever death rate			Nil
Diphtheria death rate			0.26
Dipititicità death fate			0.20
Rates per 1,000 Total Births (liv	e an	d still b	irths).
Still Birth rate			34.78
Maternal mortality total			8.69
Sepsis			0.00
Other forms			0.00
Rates per 1,000 Live			
Infant mortality total			36.03
Legitimate infants			36.03
Illegitimate infants			0.00
Diarrhoea under two years			0.00

PROVISIONS OF HEALTH SERVICES OF THE AREA.

1 M.O.H. (part-time); 1 Sanitary Inspector (Certificated Sanitary Inspector and meat and other foods Inspector) full time in conjunction with the Dolgelley Urban District Council. Under the new Health Services Acts the control of the Ambulance may be in the hands of the County Council.

AMBULANCE SERVICE.

The Ambulance Service is controlled by a joint committee of the Dolgelley Urban and Rural District and the Barmouth Urban District Council. An Ambulance to serve the three districts is stationed at Dolgelley.

SANITARY CIRCUMSTANCES OF THE AREA

DRAINAGE AND SEWERAGE.

Abergynolwyn.--A scheme for the sewers and sewerage disposal works for the village of Abergynolwyn was the subject of an inquiry held during the year. The decision of the Board is not yet to hand.

Dyffryn.—A scheme for the sewers and sewerage disposal works for the village of Dyffryn was also the subject of an inquiry held during the year. The decision of the

Board is not yet to hand.

Fairbourne.—The existing sewer and pumping plant was satisfactorily maintained during the year. The Council have instructed their Engineer to prepare a plan for an extension of the sewer to Friog.

Llwyngwril.—The existing sewer and sewerage scheme was

satisfactorily maintained during the year.

RIVERS AND STREAMS.

There are no industries in the district to pollute the rivers and streams. There are some careless individuals who insist on throwing tins and refuse into the streams. Warning notices are posted up in some localities to prevent this undesirable custom, but it is difficult to abolish it altogether.

CLOSET ACCOMMODATION.

Water Closets	 	470
Pail Closets	 	1903
Midden Privies	 	94
Chemical Closets	 	48

SCAVENGING.

The Council undertake the scavenging of the villages of Abergynolwyn, Aberllefenni, Arthog, Barmouth Junction, Upper and Lower Corris, Dyffryn, Fairbourne, Llwyngwril, Llanelltyd, Mallwyd and Talybont. Contractors are requested to provide a lorry or cart with a suitable cover and remove the refuse between the hours of 9 p.m. and 8 a.m. Some difficulty is experienced in providing suitable sites for the disposal of refuse and attracting suitable persons to tender for the work, particularly where the collection includes the removal of pail contents.

The Council are searching the area for the selection of suitable sites for the disposal of refuse and inquiries are being made into the cost of the provision of a vehicle and staff to carry out the work by direct labour.

SMOKE ABATEMENT.

No action was necessary in this respect during the year.

SWIMMING BATHS AND POOLS.

There are no (a) public or (b) privately owned swimming baths open to the public.

ERADICATION OF BED BUGS.

No action was necessary during the year.

SCHOOLS.

The supervision of the schools is carried out in close cooperation with the School Medical Officer, who is also the County Medical Officer of Health.

WATER SUPPLIES.

Schemes have been submitted to the Board for the following villages:

Corris Uchaf, Corris Isa and Aberllefenni;

Dinas Mawddwy, Minllyn, Mallwyd and Aberangell (supplementary supply).

Schemes are also in preparation for the villages of Brithdir, Llanelltyd, Ganllwyd, Penmaenpool and Llanymawddwy.

WATER SUPPLIES

Llwyngwril . Talybont Taicynhaeat	Corris . Llanegryn Llanelltyd Llanfachreth	Abergynolwyn Boniddu Barmouth Junet.	Villages Aberangell
Sufficient insufficient Sufficient	insufficient Sufficient insufficient insufficient	Sufficient Sufficient Sufficient	Supply
- 1 9	_ 10 _ O()	ω -	No. of Bact. Samples Exam 1 Sat.
Sat.	Unsat. Sat. Sat. Sat.		Bact. Exam.
Filter Beds (Pressure None None	None None None	None None Filter Beds (Pressure)	Treat G ment None
1 + Set	e, Solvent	Sat II	Chemical Exam.
Chlorination & Lime Plant		Chlorination & Lime Plant	Treatment
175	198	20 1 25	Houses Stand-pipe
5 5 5	1 x 2 3	25 30 45 35	Houses connected to main
Satisfactorily maintained Supplementary supply necessary Satisfactorily maintained	Scheme submitted to the Board Satisfactorily maintained A new scheme in preparation Scheme submitted to the Board	Satisfactorily maintained Do. do. Do. do. Do. do.	Remarks Conneil's Engineer preparing supplementary scheme

SANITARY INSPECTION OF THE AREA.

Total number of formal notices issued 0
Total number of formal notices complied with 0
Total number of informal notices issued 2
Total number of informal notices complied with 2
Total number of new houses completed :-
(a) by Local Authority 0
(b) by private enterprise 0
(b) b) private criterprise
ardinoct of a data aren around in
—Buildings 14
Visits to Bakehouses 14
Number of notices re defects U
Visits to Cowheds 20
Number of visits re defects 14
Visits to Dairies 20
Number of notices re defects 0
Notice re removal of ashes 0
Removal of manure 0
Notices re defective drains 0
Number of visits to cases of Infectious Diseases 147
Number of defective water fittings 0
Of pail closets converted into W.C.—
Total number of Water Closets 0
Pails Closets 0
Privies or other Closets no record
Number of Closets serving more than one house 10
Milk samples taken for Ministry of Health 0
Milk samples taken for County Council 0

RURAL HOUSING SURVEY.

The Council have charged the Sanitary Inspector with the duty of directing and supervising the inspection, survey and keeping records, and have appointed two assistants to carry out the survey.

	Progress at the end of 1946.	
(1)	Houses fit for habitation or need minor repairs	552
	Houses requiring structural alteration and repairs	
	Houses requiring reconditioning	
(4)	Houses unfit for occupation	410
	Unclassified	300
	1	559

The Council have accepted tenders and works are in progress for the erection of 12 permanent houses at Abergynolwyn, 8 Swedish houses at Dyffryn and 4 Swedish houses

at Brithdir. Tenders have also been accepted for the erection of 3 permanent houses at Llanegryn.

HOUSING ACTS, 1936.

1.—Inspection of Dwelling Houses during the Year:—	
(a) Total number of dwelling houses inspected for housing defects (under the Public Health or	
Housing Acts)	969
Number of inspections made for the purpose Number of dwelling houses found to be in a state so dangerous or injurious to health as to be unfit	1049
for human habitation	226
Number of dwelling houses (exclusive of those referred to under the preceding sub-head) found not to be in all respects fit for human habitation	290
2.—Remedy of defects during the year without service formal notices:—	e of
Number of dwelling houses rendered fit in consequence of informal action by the Local Authority	
or their officers	nil
3.—Action under Statutory Powers during the Year:-	
(a) Proceedings under Section 9, 10, and 16 of the Housing Acts 1936:—	
(1) Number of dwelling houses in respect of which	
notices were served requiring repairs (2) Number of dwelling houses which were rendered fit after serving of formal notice:	nil
(a) By Owners	nıl
(b) By Local Authority in default of Owners (b) Proceedings under Sections 11 and 13 of the	nil
Housing Acts 1936 (1) Number of dwelling houses in respect of which	nil
Demolition Orders were made	nil
(2) Number of dwelling houses demolished in pursuance of Demolition Orders	nil
(c) Proceedings under Section 12 of the Housing Acts 1936:—	
(1) Number of separate tenement or underground rooms in respect of which Closing Orders were	
determined, the tenement or room having been rendered fit	nil
4 — Housing Acts 1936 Part IV Overcrowding:	

4.—Housing Acts, 1936. Part IV. Overcrowding:—

No action was possible during the year.

INSPECTION AND SUPERVISION OF FOOD.

The cowsheds and dairies in many cases need improvement in structure to provide better light, increased ventilation, impervious stalls better water supplies and drainage systems. The difficulties with the smaller farms are many, but much improvement has been steadily made to meet modern requirements. On the whole, the cowsheds are clean, periodically limewashed and the standard of milk produced is good.

Meat.

No animals are slaughtered for human consumption in the area. The slaughtering is carried out at the abattoir situated in the Dolgelley Urban Council's Area.

Bakehouses.

All these are small and subject to periodical inspection. They are kept clean and are limewashed at intervals. There are no underground bake-houses.

Chemical and Bacteriological Examination of Food.

This work is carried out for this Authority at the Public Health Laboratories, Aberystwyth both for water and milk.

Workshops.

These are a few in number and are very small. They are occupied for the most part by the Owner. Their sanitary conditions are on the whole satisfactory.

NOTIFIABLE DISEASES (other than Tuberculosis) DURING THE YEAR 1946.

In my report for 1945 I stated that the Authority was greatly concerned about the recurring outbreak at Abergynolwyn. Of the 37 cases notified this year the majority occurred at Abergynolwyn, Corris, Llanegryn and Llwyngwril, and co-incided with a similar outbreak at Towyn. Most of the inhabitants at Abergynolwyn have been immunised and the School Medical Service has been actively engaged in giving 're-inforcement doses' to children of school age.

At the time of writing, the outbreak seems to be dying out.

					Total	Cases	
		4			Cases	admitted	Davids
77					Notified	to Hospital	Deaths
Measles .					5	0	0
Small Pox					0	0	0
Scarlet Fever					6	0	0
Diphtheria					37	0	0
Enteric Fever	(in	neludi	ng P	ara-			THE STATE OF
			0		0	0	0
typhoid)					0	0	0
Puerperal Fev	er				0	0	0
Pneumonia				6	4	0	2
Whooping Cou	igh		200		18	0	0
Erysipelas					0	0	0

TUBERCULOSIS.

Particulars of new cases of Tuberculosis and of deaths from the disease in the area during 1946 are as follows:—

	New Case			ses	Deaths			
Age Periods	F	Resp.	Non-	Resp.	Re	sp.	Non-F	Resp.
	M.	F.	M.	F.	M.	F.	M.	F.
0	0	0	0	0	0	0.	0	0
1	0	0	0	0	0	0	0	0
5	0	1	1	0	0	0	0	0
15	4	1	0	0	0	0	0	0
25	2	2	0	0	0	1	0	0
35	1	0	0	0	0	1	0	0
45	0	0	0	0	0	1	0	0
55	0	1	0	0	0	0	0	0
65 and upwards	1	0	0	0	2	0	0	0
Total	8	5	1	0	2	3	0	0

In conclusion, I would like to express my appreciation of the assistance rendered to me during the year by the Sanitary Inspector, Mr. Idwal Roberts.

I beg to remain,

Your Obedient Servant,

Cae'r Ffynnon.
Dolgelley.

Page 1

R. W. EDWARDS, B.Sc., M.R.C.S., L.R.C.P.

