[Report 1953] / Medical Officer of Health, Llandrindod Wells U.D.C.

Contributors

Llandrindod Wells (Wales). Urban District Council.

Publication/Creation

1953

Persistent URL

https://wellcomecollection.org/works/sdzkvz2z

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



LLANDRINDOD WELLS URBAN DISTRICT COUNCIL.

Town Hall,

Llandrindod Wells.

25th October, 1954.

To the Chairman and Members.

I have pleasure in submitting for your consideration the report on the Sanitary Conditions and Vital Statistics of the Urban District for the year 1953.

This report is prepared in accordance with the instructions issued by the Ministry of Health Circular 1/54 (Wales) and presents briefly the scope of the activities of the Health Department.

Yours faithfully,

Medical Officer of Health.



LLANDRINDOD WELLS URBAN DISTRICT COUNCIL

ANNUAL REPORT OF THE MEDICAL OFFICER OF HEALTH FOR THE

YEAR 1953.

SECTION A.

STATISTICS AND SOCIAL CONDITIONS OF THE AREA

Area of District		1509 acres
Registrar General's Estimate of Resident Population Mid. 1953		3275 persons
No. of Inhabited Houses at the end of the year (including flats)		1052
Rateable Value - 31st December, 1953	•••	£25,560
Product of Penny Rate		£100. 17. 11

NATURAL AND SOCIAL CONDITIONS

The natural conditions of the town have been detailed in previous reports and its healthy situation and ideal climatological conditions and purity of air is still unmarred by the smoke laden, grimy and foggy atmospheres of the country's cities.

The Climatological conditions of 1953 were as follows together with a comparison of 1951 and 1952.

	1951.	1952.	1953.
Total Rainfall	 43.77"	38•13"	32•48"
Highest Maximum Temperature	 79 F.	80 F.	85 F.
Average Maximum Temperature	 54 F.	54 F.	56 F.
Lowest Mimimum Temperature	 17 F.	14 F.	15 F.
Average Minimum Temperature	 40 F.	38.75 F.	41 F.
Sunshine Hours	 1304.9 hrs.	1325 hrs.	1471 hrs.

The years weather was on the whole good, and unusually dry.

Rainfall was less than average. January was notably dry but cold. Snow fell during the winter, not extremely heavy, and did not persist. Snow was recorded on nine occasions. Sunshine was above average.

No serious illnesses could be traceable to the weather of the year.

OCCUPATIONS.

I have previously reported on the gradual change of the occupations of the town and the trend to occupations other than those of a Health and Holidays Resort continue to a slower degree, difficulties of staffing hotels, higher rates of wages, cost of maintenance and upkeep of hotels is proving to be a deterrent to the re-opening of those hotels and boarding houses closed due to death or movement of proprietors.

The holiday season of 1953 was an improvement on the previous years, the visitors staying in the town and those visiting for a day only being noticeably more in number, the trend of the holidaying public to taking holidays on coach tours has greatly benefitted many of the large hotels which had a resulting longer season.

Housing conditions did not in any way deteriorate and it was for d that the owner occupiers and owners of houses and flat dwellings maintained their properties reasonably habitable.

TABLE 1.

VITAL STATISTICS OF THE	DISTRICT	DURING 1953.	
	Total	Male	Female
		200	
Live Births (Legitimate (Illegitimate	31	10	21
Still Births	4	2	2
	has been east	to some 2 bette	0007 70 07
	36	13	23
	mber, 1953	las - Itst Doos	ev ofdeeped
Birth Rate per 1000 of the Est	imated Popu	lation:-	
Live Births		9.77	
Still Births		1.22	
Still Births	o of the to	1.22	
DEATHS			
	Total	Male	Female
No. of deaths	52	25	27
	and 1952.	reet to mention	quop a gara
The death rate per 1000 of is 15.9.	or the esti	mated resident	population
Death rate 1952 -	16.4		
1951 -	12.50		
	10·31 13·38		
1948 - 1947 -	11.5		
1301 - 2 101 - 1325 her			
Deaths from Puerperal causes		• • • • • • • • • • • • • • • • • • • •	Nil
Death rate from Puerperal cause			Nil
Death rate of infants under one Infant deaths under one year	A CONTRACTOR OF THE PARTY OF TH	TOTAL STREET,	2
All infants per 1000 live birth			
Legitimate infants per 1000, le			
Illegitimate infants per 1000,			
Death from child birth			
Death from malignant diseases.			
Deaths from measles			
Death from Whooping Cough (all	ages)		Nil
Deaths from Diarrhoea (under 2	years of a	ge)	Nil

STATISTICS OF CAUSES OF DEATH.

Causes of Death	М.	F.	
All causes	25	27	
1. Tuberculosis Respiratory	Nil	Nil	
2. Tuberculosis other	Nil	Nil	
3. Syphilitic disease	Nil	Nil	
4. Diphtheria	Nil	Nil	
5. Whooping Cough 6. Acute Poliomyelitis	Nil	Nil	
6. Acute Poliomyelitis	Nil	Nil	
7. Measles	Nil	Nil	
8. Other infective and parasitic diseases	Nil	Nil	
9. (i) Malignant Meoplasm - Stomach	Nil	Nil	
(ii) " - Lung bronchus	Nil	1	
(iii) " " - breast	Nil	2	
(iv) " - uterus	Nil	Nil	
(v) Other Malignant and lymphatic			
. neoplasms	3	1	
(vi) Leukaeman Aleukaemnia	Nil	Nil	
10. Vascular Lesions of nervous system	8	3	
11. Diabetes	Nil	Nil	
12. Coronary disease, angina	2	2	
13. Hypertensia with heart disease	Nil	Nil	
14. Other heart disease	5	12	
15. Other circulatory disease	Nil	1	
16. Influenza	Nil	Nil	
17. Pneumonia	Nil	1	
18. Bronchitis	1	1	
19. Other diseases of respiratory system	Nil	Nil	
20. Ulcer of Stomach and duodenum	Nil	Nil	
21. Gastritis, enteritis and diarrhoea	Nil	Nil	
22. Nephritis and nephrosis	1	1	
23. Hyperplasia of Prostate	1	Nil	
24. Pregnancy, childbirth, abortion	Nil	Nil	
25. Congenital malformations	Nil	Nil	
26. Other defined and illdefined diseases	2	2	
27. Motor Vehicle Accidents	1	Nil	
28. All other accidents	1	Nil	
29. Suicide	Nil	Nil	
30. Homicide and operations of War	Nil	Nil	
The state of the s	21.2.2	1111	

SECTION B.

0

GENERAL PROVISIONS OF HEALTH SERVICES IN THE AREA.

1. Public Officers:-

Medical Officer of Health (Part time) J.Emrys Jenkins, M.A., B.M., B.Ch.

Sanitary Inspector (Part time)
R.J.Morris, A.R.I.C.S., M.R.S.I., Cert. S.I.

2. LABORATORY FACILITIES.

- (a) The examination and analysis of water, sewage effluents and stream contamination are carried out by the Public Analyst of the County Laboratories, Carmarthen. Analyst - H.J. Evans.
- (b) The examination of milk and ice-cream samples are carried out at the Public Health Laboratories, Shrewsbury Infirmary.

- 3. HEALTH SERVICES. The following services are carried out by the Radnorshire County Council under the National Health Service dd Act, 1946.
 - (i) Maternity and Child Welfare

(ii) Clinics (iii) Dental care for expectant mothers and nursing mothers and

young children together with School Dental Services. (iv) Midwives Service, delegated to the Radnorshire County Nursing Association.

- (v) Health Visiting delegated to the Radnorshire County Nursing Association.
- (vi) Home Nursing delegated to the Radnorshire County Nursing Association.
- (vii) Vaccination and immunisation of children under five and of school age is carried out by Registered Medical Practitioners of the parents choice or by the County Medical Officer.

The vaccination of adults is carried out by Registered Medical Practitioners.

(viii) Ambulance Service

(ix) Prevention of Illness, Care and after care of persons suffering from tuberculosis, mental illness or defectiveness and other types of illness is organised under the aegis of the County Health Committee.

SANITARY CIRCUMSTANCES OF THE AREA.

Water Supply. No difficulties on water supplies occurred throughout the year.

The main source of the supply administered by the Council, the source of which is the River Ithon, was efficiently maintained and the purification by mechanical filtration and chlorination was satisfactory as shown by the tabulation of Analysts report tabulated in Table 3.

Chlorination is maintained to give a free chlorine content of between 0.08 and 0.15 p.p.m. after 30 minutes contact.

The ph value of the water is maintained at neutral by the injection of soda ash.

The two service reservoirs have been maintained in good condition.

Fourteen house service pipes were renewed, this being made necessary by blockage due to corrosion in every case. This renewal proved satisfactory.

Statistics in respect of the water supply are detailed below:-Estimated Population supplied from public water mains..... 3256 Estimated Population not supplied from public water mains... 23 persons Number of dwelling houses or flats supplied direct into premises......1023 dwellings Number of dwelling houses and farms supplied by means of 19 dwellings. stand pipes..... Estimated population supplied..... 57 persons Number of premises (farms) with own piped supplies..........
Number of premises (farms) with no piped supply............. 3 13 Premises supplied from mains and outside Urban District.... " 153 persons. Estimated population supplied

TABLE 3.

Bacteriological Analysis for the year 1953 carried out by H.J. Evans, Public Analyst, Bank Lane, Carmarthen.

Water taken from domestic taps:-

Date of Sample	No. of Organisms 48 hours at 22°C.	Coli present 100,50,25,20		
23.1.53	55	Nil	100	Highly
14.2.53	47 38	Nil		satisfactory ditto
1.4.53	9	Nil Nil	888	ditto ditto
7.8.53	198	6	220	No serious pollution.
20.8.53	18	Nil		Effective Sterilisation
10.10.53	12	Nil		Highly
20.11.53	58	Nil		Satisfactory Highly Satisfactory
Public Health L	aboratory Service.			Albert Frank
16.11.53		6		Unsatisfactory for chlorinated
The second second				supply.
Gorse Spring Su	pply. Taken at "Winfo	orton", Cefnl	lys L	ane
27. 7. 53	260	18+		Unsatisfactory
Sample No. 1 F. Sample No. 3 F. Sample No. 3 F.	rom Pumping Main befo	Parts per No. 1 0.013		2 No. 3
Albuminoid Ammor Chlorides, as C Calculated as C Total Solids Nitrates Nitrates Oxygen consumed	lommon Salt	0.008 1.30 2.14 11.8 Nil Trace	0.0 1.3 2.1 12.0 Nil Nil	03 Trace 0 1.30 4 2.14 0 12.00 Nil
In 4 hour In 15 min	s s.	0·142 0·076	0.0	
Lime at Cao Total Alkalinit; " Hardness ph Value Ph S Saturation Inde: Colour (Hazen Us	y as CaCo3 x nits)	2·19 7·0 8·0 7·3 7·3 + 0	2·1 7·0 8·0 7·3 7·3 + 0	7.0 8.0 7.3
No of Opposite	Bacteriologic	al Examination	ons.	
on Agar during	s per c.c.developed 48 hours @ 37 C. s per c.c. developed	50	35	2
on Agar during	48 hours @ 22°C sms per 100 c.cs.	520 18+ 18+	345 18+ 18+	18 Nil Nil

TABLE 4.
Water Consumption. (All consumers, and trades).

Year	Water Pumped to Service Reservoirs	Estimated Population served	Estimated Consumption per head per day	Trade Consumption metered supplies
1948	64,100,000	3500	50·1	12,500,000
1949	67,490,000	3438	51	9,250,000
1950	62,010,000	3586	44·6	10,250,000
1951	67,690,000	3250(Geneus	48·7	10,250,000
1952	66,710,000	3286	38·9	11,750,000
1953	68,000,000	32 7 5	56·8	12,500,000

DRAINAGE AND SEWERAGE.

Drainage. The drainage of the town is on the partial separate system, a large volume of the road waters and a certain volume of roof and yard waters being drained separately into suitably placed water courses.

No flooding of premises occurred. No defects of any extent took place and minor blockages in subsidiary branch sewers were the only troubles arising.

The sewer system proved adequate and no proposals were under consideration for the construction of relief or other sewers.

Sewerage Disposal. The three sewerage disposal works dealt with the purification of sewage to give effluents of moderate condition.

Extensions of earth banked humus settlement tank at main works was carried out. An analysis of effluent from this works is given below.

TABLE 5

Sewerage Effluent Sample taken at Rhydllyndu Disposal Works 11.8.53.

Appearance - Slightly turbid Odour - Strongly faecal

Parts per 100,000

Free Ammonia Albuminoid Ammonia	0.65
Oxygen consumed at 27°C	0.66
during 2 hours Nitrates	Nil
Nitrites	0.0012
Chlorides as Chlorine	7.10
Total solids in solution	42•1
Solids in suspension	Trace
Dissdved Oxygen absorbed during 5 days at 18°C (B.O.D.)	7.9

REMARKS. In the eighth report of the Royal Commission on Sewage Disposal "it is recommended that an effluent, in order to comply with the general standard, should not be permitted to contain more than three parts per 100,000 of suspended matter, nor with the suspended matters included should the effluent take more than 2 parts per 100,000 of dissolved oxygen in 5 days when it is maintained at a temperature of 18 C!

This effluent did not therefore comply with the above standard.

Rivers and Streams. No action taken in regard to pollution. Examinations were carried out of water courses passing through the town and of known outlets of septic tanks connected to houses outside the Trban District. No pollution of any extent was found.

PUBLIC CLEANSING. Collection of household and trade refuse proceeded as in other years by the Council's own staff and vehicles. The method of collection remained the same.

Disposal of refuse was continued throughout the year, no tipping being carried out.

The collection of waste paper was maintained, the tonnage of paper sold being 30 tons.

Scrap iron disposed of was 25 tons.	
FOOD.	
Inspection and Supervision of Food. Milk.	
Residential designated pasteurised Retailer - 1 Residential Designated Traders - 1 Residential Registered Ungraded Trader - 1 Residential Registered Dairymen designated Retailers - 3 Non Residential Dairymen Ungraded Retailers - 1 " " Designated Retailers - 4 Visits to Cowsheds during year - Nil	
Visits to Dairies during year - 3	
Action taken by the Council in respect of unclean milk - Nil	
Samples were forwarded to the Public Health Laboratory, Shrewsbury, the results being as follows:-	
Samples for Tuberculosis - Samples taken - Nil	
Results - Nil	
Samples for Methylene Blue Test. Samples taken - 46	
Results - Samples satisfying test - 38. Not satisfying - 8	
Registered Ice cream Manufacturers (Heat Treatment) - Nil Registered Ice cream Manufacturers (Cold Mix) - One	
Registered Retailers of ice cream - 13 Ice cream sampling. Number of samples - 6 Results of Samples. Grade 1 - 4; Grade 2 - 1; Grade 3 - 1.	
Inspections carried out of Ice cream Retailers Premises - 18	
TABLE 6.	
NUMBER OF FOOD PREMISES AND TYPES. Manufacturers other than Bakehouses 5 Confectioners 4 Fish and Chip Fryers 3 Retail Green Grocers 7 Grocers 10 Hotels. 10 Milk Shops Nill Meat Retailers 7 Licensed Premises 6 Pork Butchers Nill Restaurants 8	

Restaurants..... Sausage and cold meat Producers.....

Ice Cream	7.00	4
Number of Dairies Registered under Milk and Dairies Regulations		LETTO O
Number of Inspections of Registered Food Premises Number of Inspections of Food Preparation Premises " " Bakehouses	- 18 - 28 - 19	8

Number Registered under Section 14 of Food and Drugs Act

New Byelaws in respect of Food were made in 1951 and inspections have primarily been to see that the requirements of these bye-laws are carried out.

Condemned Foods are destroyed by incineration.

No special examination of stock or a consignment of food was carried out.

Foods Surrendered or Condemned and Destroyed.

Complaints received in respect of foods

(Mouse droppings in bread)

Canned	Foods	including	milk, meats etc		138		
Fish	-	-	-	-	3	stone	
Frozen	Meat	-2	Barrios Network	-	2	carcass	lamb
Bacon		-	TOTAL STATE OF THE	-	1	side	

Adulteration of Foods. The administration of the Acts dealing with the adulteration of food is carried out by the officers of the Radnorshire County Council and no particulars are available to my Council.

Food poisoning Outbreaks. No cases of food poisoning occurred during the year.

Meat Inspection. The centralised slaughtering of cattle, sheep and pigs was continued by the Ministry of Food.

TABLE 7.

ANIMALS KILLED, INSPECTED AND CONDEMNED.

ILW .	Cattle excluding cows	Cows	Calves	Sheep Lambs	Pigs
Number killed	143		9	2609	266
Number inspected	143		9	2609	266
All diseases except Tuberculosis. Whole Carcasses Condem	ed 2	Many second	2	19	3
Carcasses of which some part or organ condemned	37½	a nemini	1	525	12
Percentage of number inspected affected with disease other than T.B.			33.3%	20 • 8%	5.69
Tuberculosis Only Whole Carcasses condemn	ed 5				.olor
Carcasses of which some part or organ condemned				Promised	11
Percentage of the number inspected affected with Tuberculosis	6·3%			2500 Dag	4-1%

INFECTIOUS AND OTHER DISEASES.

infectious
Cases of notifiable/disease occurred during the twelve months.
No cases were transferred to Isolation Hospitals and the cases arising were isolated at home.

NOTIFIABLE DISEASES DURING 1953.

Diseases	Total cases notified	Cases admitted to hospital	Total Deaths
Small Pox	_	_	_
Scarlet Fever	-	_	_
Diphtheria	-	-	-
Enteric Fever	-	-	-
Puerperal Fever	-	-	-
Puerperal Pyreia	-	-	-
Whooping Cough	-	-	-
Pneumonia	-	-	-
Other Diseases notifiable	-	-	-
Acute Poliomyelitis	the old - claim to	o of the second second	-
Measles	22	-	-
Chicken Pox	72	-	-
	94	Wil	Nil

Inspections carried out in respect of infectious diseases - 4

Rooms fumigated for Infectious diseases or otherwise - 2

Cancer. No action taken.

Blindness. No action taken.

Tuberculosis. The requirements of the Public Health (Tuberculosis) Regulations, 1930, have been carried out.

No action has been taken under the special powers given to local authorities under these Regulations.

No applications were made under Section 172 of the Public Health Act, 1936, for the removal to hospital of persons suffering from tuberculosis of the respiratory tract.

TUBERCULOSIS. NEW CASES AND MORTALITY DURING 1953.

Age Groups	New Cases. Respiratory.Non-Respiratory.					Deaths. Respiratory.Non-respiratory			
	М.	F.	M.		F.	M.	F.	M.	F.
0	-	-	-		-	-	_	-	-
1	-	-	-		-	-	-	-	-
5	-	-	-		-	-	-	-	-
15	-	-	-		-	-	-	-	-
25	-	16 1 ·	-		-	-	-	-	-
35	-	1	-		-	-	-	-	-
45	-	-	-		-	-	-	-	-
55	-	-	-		-	-	-	-	
15 25 35 45 55 65 and up	-	-	-		-	-	-	-	-
Totals	-	1	-		-	-	-	-	-

Diphtheria and Whooping Cough Immunisation, Vaccination.

The number of children immunised against diphtheria and whooping cough and number vaccinated during the year was as follows:-

Age Group	Diphtheria No.	Whooping Cough No.	Vaccination No.
Under 1 year Age 1 year Age 2 years Age 3 years Age 4 years Age 5 to 9 years Age 10 to 14 years	27 4 3 - - 3	27 7 4 1 - -	4
	37	39	4

HOUSING.

1. Inspection of dwelling houses during the year:-

(a)	Total number of dwellings inspected for housing defects	
(b)	(Under Public Health and Housing Acts) Number of inspections made for the purpose	38 43
	Number of dwelling houses found to be in a state so	75
	dangerous or injurious to health as to be unfit for habitation	Nil
(b)	Number of dwelling houses rendered fit as a result of informal action	4
(c)	Number of dwelling houses found not to be in all	-
(d)	respects reasonably fit for human habitation Number of Statutory Notices issued requiring remedy	Nil
- (0)	of housing defects Number of dwelling houses rendered fit as a result of	Nil
	Statutory Notices	Nil
(f)	Number of dwelling houses in respect of which complaints made to Justices	Nil
(g)	Result of complaint to Justices	Nil
(i)	Statutory Notices outstanding at end of 1952 Statutory Notices outstanding at end of 1953	Nil Nil

No additional cases of overcrowding were found during the year.

Properties held under requisition for housing of inadequately housed at end of year - 1

Number of new houses erected during the year:-

(a) By Council with State Grant - Nil (b) By private persons - 3

Number of new houses under construction at end of year:-

(a) By Council with State Grant - 6
(b) By private persons - 1

Number of new dwellings provided during year by conversion of properties into flats:-

(a) By Council - Nil (b) By private persons - Nil

SANITARY INSPECTION OF THE AREA

Summary of the work of the Sanitary Inspector's Department.

Total number of Inspections and Visits made - 368

Nuisances.		Moveable Dwellings.			
No of visits re. nuisances	40 12	No. Registered Nil			
Vis ts re. works in progress Notices issued	12	Bakehouses.			
(a) Informal letters	19	No. in use No. of inspections			
(b) Informal notices	Mil	No. of inspections 15			
(c) Statutory Notices	Nil	Company of the property of the			
Notices and letters complied	40	Lodging Houses.			
with	19 Nil	No. Registered Nil			
Outstanding Legal proceedings	Nil	No. Rogistored			
negat proceedings		Water Supply.			
Housing.					
Inspections as per report	43	No. of samples taken 13			
Inspections de per reper	7.5				
Food Preparing Places.		Houses and flats connected to supply 1046			
No. of Inspections	61	New houses connected Nil			
No. of Inspections	٠.	New connections to houses 15			
Slaughterhouses.					
No. of visits (approx)	200	Infectious Diseases.			
No. of Condemnations	621	No. of enquiries Nil			
No. or condemne		No. taken to hospital Nil			
Foods.		No. of houses disinfected 2			
No. of seizures of unsound		No. of houses disinfected			
food	Nil	re. fleas, lice, etc.			
No. of condemnations	144	House Drainage.			
Dodawa		110000 11000000000000000000000000000000			
Dairymen.		No. laid or relaid			
No. of Registered	3	No. cleansed 38			
No. of Inspections	11	Water Cleants ate			
No. of Retailers No. of milk samples for T.B.	Mil	Water Closets, etc.			
No. of " " found to	1122	No. improved or repaired			
produce T.B.	Nil	No. of bucket closets in district			
No. of enquiries under P.H. /		No. of cesspools in district			
Regulations re. Contacts	Nil	No. of earth closets in			
No. of milk samples for blue	1.6	district			
No. of " " not	46				
conforming with blue test	38				
Dairies.					
No. of Registered Traders	3				
No. of Inspections	3				
Camping Sites.					
4 Number of elter to our for					
1. Number of sites in area for camping purposes under canvas during 1953 1					
2. Number of Caravan Camping sites					
3. Number of Camping sites requiring to be licensed in					
accordance with Public Health Act Nil					
4. Number of Caravan Camping Sites licensed under Public					
5. Estimated maximum number of Campers in the area at one					
time during 1953					

Smoke Abatement. No action required.

Swimming Baths and Pools. There is one privately owned Swimming Pool in the town not open for public use during the summer and used very little.

Visits of inspection made - 1 Tests for chlorination - Nil

It was found that the purification and filtration plant was efficiently worked and purification was satisfactory with possible over chlorination.

Rodent Control Work,

Premises.

Number of inspections made - 422

Premises found infested - 46

Treatments carried out by
Council - 32

Treatments carried out by
occupier - 17

Dead rats picked up - 64

Sewer Treatments. Maintenance treatment of sewers was carried out in 1953.

11 manholes were baited.

Nil manholes showed presence of rats.

Nil manholes showed poison bait takes.