

**[Report 1963] / Medical Officer of Health, Llandrindod Wells U.D.C.**

**Contributors**

Llandrindod Wells (Wales). Urban District Council.

**Publication/Creation**

1963

**Persistent URL**

<https://wellcomecollection.org/works/x4dpr9rm>

**License and attribution**

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection  
183 Euston Road  
London NW1 2BE UK  
T +44 (0)20 7611 8722  
E [library@wellcomecollection.org](mailto:library@wellcomecollection.org)  
<https://wellcomecollection.org>

LLANDRINDOD WELLS URBAN DISTRICT COUNCIL

Town Hall,  
LLANDRINDOD WELLS.  
November, 1964.

To the Chairman and Members,

I have pleasure in submitting for your consideration the Report of the Sanitary Conditions and Vital Statistics of the Urban District for the year 1963.

This Report is prepared in accordance with the instructions issued by the Welsh Board of Health, Circular 1/64 (Wales) and presents briefly the scope and activities of the Health Department.

Yours faithfully,

Medical Officer of Health.

	1962	1963	1964	1965
Total rainfall	32.10	36.2	40.7	30.30
Highest recorded temperature	77°F	80°F	83°F	77°F
Lowest recorded temperature	31.2°F	30°F	31.2°F	31.2°F
Average maximum temperature	58.2°F	59.5°F	60.7°F	60.5°F
Average minimum temperature	45.2°F	46.2	47.4	45.2

14  
LAMBETH BOROUGH DISTRICT COUNCIL

Dear Sir,  
LAMBETH BOROUGH DISTRICT COUNCIL  
November, 1964.



To the Chairman and Members,

I have pleasure in submitting for your consideration  
the Report of the Lambeth Sanitation and Waste Committee  
and the Sanitation Committee for the year 1963.

This Report is presented in accordance with the

instructions issued by the Health Board of Lambeth, District No. 1  
(Lambeth) and presents a full and complete account of the  
Sanitation Committee.

Digitized by the Internet Archive  
in 2016 with funding from  
Wellcome Library



## LLANDRINDOD WELLS URBAN DISTRICT COUNCIL

### REPORT OF THE MEDICAL OFFICER OF HEALTH FOR THE YEAR 1963

#### SECTION A.

#### STATISTICS AND SOCIAL CONDITIONS OF THE AREA

Area of District	.....	1509 acres
Registrar General's Estimate of Resident Population - Mid. 1963	.....	3280 persons
Ditto - Mid. 1962	.....	3300 persons
Number of Inhabited Houses at the end of year (including flats)	.....	1196
(Increase 13 during the year)		
Rateable Value - 31st December, 1963	.....	£112,550
Product of Penny Rate	.....	£440. 12. 1.

#### NATURAL AND SOCIAL CONDITIONS

The year 1963 brought little variation in the health and livelihood of the townspeople. The town as a health, holiday and tourist resort still retains its popularity.

The townspeople were fully employed throughout the year and unemployment of employable men and women was negligible. The efforts of your Council and that of the other authorities of Mid-Wales to stop the loss of people to the larger areas of population brought no adequate results. The Conference of local authorities at Aberystwyth in March resulted in an approach being made to the Welsh Parliamentary Party and to Her Majesty's Government asking for the appointment of a Development Commission for Mid-Wales. Nothing, however, materialised.

#### Industrial

The work of the Mid-Wales/Development Association brought about certain successes in the Mid-Wales area but at the end of the year no direct advantages to your own town.

The resident population of the town varies very little in numbers from the past years and there was no excessive mortality or epidemics and the health of the townspeople was generally good.

Climatological Conditions. The climatological conditions of 1963 were as detailed in the following tabulation which includes comparisons with the three previous years:-

	<u>1963</u>	<u>1962</u>	<u>1961</u>	<u>1960</u>
Total rainfall	35.15	36.3	42.67	50.80
Highest maximum temperature	79°F	76°F	85°F	79°F
Average maximum temperature	51.7°F	53°F	55.6°F	54.6°F
Lowest minimum temperature	1°F	2°F	14°F	21°F
Average minimum temperature	38.8°F	39.5°F	40.6°F	40.8°F
Sunshine Hours	1125.3	1263.2	1293.4	1253.3



The severe winter conditions of January, February and the first fourteen days of March had no appreciable adverse affect on the health of the townspeople this notwithstanding that the average population age is in the 45 - 60 age group with 24% or thereabouts of the population over 60 years of age.

During January the average maximum temperature was 30.4°F and average minimum temperature 20°F. February temperatures were a little better.

The severe cold affected water supplies and sanitation but to no deleterious affect on health.

Occupations. There was no appreciable change in the occupation of the townspeople. The occupations can still be divided into those required for the health and holiday resort, Local Government Administration, Government Administration, Public Utilities, Agricultural and trades to do with agriculture with a very small number engaged on industrial manufacturing. The holiday and tourist trade of the town had a successful summer season extending from April to the end of September; on occasions accommodation for holiday makers was short.

TABLE 1

VITAL STATISTICS OF THE DISTRICT DURING 1963

	<u>TOTAL</u>	<u>Male</u>	<u>Female</u>
Live Births (Legitimate)	39	14	25
(Illegitimate)	3	1	2
	42	15	27
Still Births (Legitimate)	1	1	Nil
(Illegitimate)	Nil	Nil	Nil
	1	1	Nil

LIVE BIRTHS.

Number ... ..	42
Rate per 1000 population ... ..	12.8
Rate per 1000 population - 1962 ..	13.6
Illegitimate live births per cent of total live births ... ..	7.1

STILL BIRTHS.

Number ... ..	1
Rate per 1000 total live and still births ... ..	23.3
Total live and still births ... ..	43
Infant deaths (deaths under 1 year) ... ..	Nil

Infant mortality rates:-

Total infant deaths per 1000 total live births ... ..	Nil
Illegitimate infant deaths per 1000 illegitimate live births ... ..	Nil
Legitimate infant deaths per 1000 legitimate live births ... ..	Nil
Neo-Natal mortality rate (deaths under 4 weeks per 1000 total live births) ... ..	Nil
Early Neo-Natal mortality rate (deaths under 1 week per 1000 total live births) ... ..	Nil
Peri-Natal mortality rate (still births and deaths under 1 week combined per 1000 total live and still births) ... ..	Nil
<u>Maternal mortality (including abortion):-</u>	
Number of deaths ... ..	Nil
Rate per 1000 total live and still births . ... ..	Nil



DEATHS.

	<u>Total</u>	<u>Males</u>	<u>Females</u>
Number of deaths	61	28	33

The death rate per 1000 of the estimated resident population was 18.6

## Deaths for previous years:-

1962	-	15.7	
1961	-	14.9	
1960	-	14.9	
1959	-	14.5	
1958	-	13.55	
1957	-	11.76	
1956	-	15.4	
1955	-	15.33	
		Annual Average	- 14.5

TABLE 2  
STATISTICS OF CAUSES OF DEATH

<u>CAUSES OF DEATH</u>	<u>M.</u>	<u>F.</u>
All Causes	28	33
1. Tuberculosis Respiratory	Nil	Nil
2. Tuberculosis Other	Nil	Nil
3. Syphilitic disease	Nil	Nil
4. Diphtheria	Nil	Nil
5. Whooping Cough	Nil	Nil
6. Acute Poliomyelitis	Nil	Nil
7. Measles	Nil	Nil
8. Other infective and parasitic diseases:		
(i) Malignant Neoplasm - Stomach	Nil	2
(ii) " " - Lung bronchus	2	Nil
(iii) " " - Breast	Nil	2
(iv) " " - Uterus	Nil	2
(v) Other malignant and lymphatic neoplasms	1	1
(vi) Leukaemia Alenkaernia	Nil	Nil
9. Vascular lesions of nervous system	4	11
10. Diabetes	Nil	Nil
11. Coronary disease angina	10	5
12. Hypertensia with heart disease	1	Nil
13. Other heart disease	2	2
14. Other circulatory disease	2	1
15. Influenza	Nil	Nil
16. Pneumonia	2	Nil
17. Bronchitis	1	2
18. Other diseases of respiratory system	Nil	Nil
19. Ulcer of stomach and duodenum	1	1
20. Gastritis, enteritis and diarrhoea	Nil	1
21. Nephritis and nephrosis	Nil	Nil
22. Hyperplasia of Prostate	1	Nil
23. Pregnancy, childbirth, abortion	Nil	Nil
24. Congenital Malformations	Nil	1
25. Other defined and ill defined disease	Nil	1
26. Motor vehicle accidents	Nil	Nil
27. All other accidents	1	1
28. Suicide	Nil	Nil
29. Homicide and operations of War	Nil	Nil

SECTION B.GENERAL PROVISIONS OF HEALTH SERVICES IN THE AREA1. Public Officers:-

Medical Officer of Health (Part-time)

Dr. J. Emrys Jenkins, M.A., B.M., B.Ch.,

Chalfont, South Crescent,

Llandrindod Wells.

Telephone No. 2000.



Public Health Inspector (Part-time)

R.J. Morris, Esq., A.R.I.C.S., M.R.San.I.,  
Town Hall, Temple Street,  
Llandrindod Wells.

Telephone No. 2222

2. Laboratory Facilities

The examination and analysis of water, sewage effluents and stream contamination are carried out by the Public Analyst of the County Laboratory, Carmarthen - Analyst: H.J. Evans & Partners.

3. HEALTH SERVICES. The following services are carried out by the Radnorshire County Council under the National Health Service Act, 1946. The County Council services are efficiently and well organised.

- (i) Maternity and Child Welfare.
- (ii) Clinics.
- (iii) Dental care for expectant mothers and nursing mothers and young children together with school Dental Services.
- (iv) Midwives Service, delegated to the Radnorshire County Nursing Association.
- (v) Health Visiting delegated to the Radnorshire County Nursing Association.
- (vi) Vaccination and immunisation of children under five and of school age is carried out by Registered Medical Practitioners of the parents' choice or by the County Medical Officer.

(The vaccination of adults is carried out by Registered Medical Practitioners).

- (vii) Ambulance Service.
- (viii) Prevention of illness, Care and After Care of persons suffering from tuberculosis, mental illness or defectiveness and other types of illness is organised under the aegis of the County Health Committee.
- (ix) Domiciliary Health Services.
- (x) Home Nursing delegated to the Radnorshire County Nursing Association.
- (xi) Health Education is carried out by the Radnorshire County Council.
- (xii) Mental Health.
- (xiii) Chiropody Service.

4. HOME SAFETY ACT, 1961. Circulars were issued to all householders on safety in the home.

SANITARY CIRCUMSTANCES OF THE AREA

WATER SUPPLY.

The purification and clarification of the water, as taken from the River Ithon, was satisfactory throughout the year. Quality was good and quantity sufficient.

The main source of supply remained the River Ithon and purification as previously reported.

Chlorination has been maintained to give a free chlorine content of between 0.2 and 0.5 p.p.m. after 30 minutes contact. Tabulated list of Analyst's Reports are given in Table 3.

Statistics in respect of the Water Supply are detailed below:-

Estimated population supplied from public water mains in Urban District ..	3348
Estimated population not supplied from public water mains .....	22
Number of dwelling houses or flats supplied direct into premises .....	1191
Number of dwelling houses and farms supplied by means of stand pipes .....	Nil
Estimated population supplied by stand pipes .....	Nil
Number of premises (farms) with own piped supplies .....	5
Number of premises (farms) with no piped supplies .....	Nil
Premises supplied from mains and outside Urban District .....	19
Estimated population so supplied .....	76



TABLE 3.

Bacteriological analysis for the year 1963 carried out by H.J. Evans & Partners, Public Analyst, Bank Lane, Carmarthen.

Tabulation of Analysts' Reports on samples of water taken from house services, direct off supply main; water supplied from River Ithon.

Date of samples	No. of organisms 48 hrs. @ 22°C	Coli present in c.c.s.					REMARKS
		100	50	25	20	10	
4.5.63	8	Nil					Bacteriologically satisfactory
17.6.63	4	Nil					Highly satisfactory
24.7.63	2	Nil					Highly satisfactory
19.8.63	3	Nil					Highly satisfactory
8.11.63	5	Nil					Excellent Bacteriological quality
5.12.63	5	Nil					Highly satisfactory
Water supplied to four properties from The Gorse Spring							
19.8.63	36	9					Not regarded as satisfactory

Chemical Analysis The Analysts' report on samples submitted for chemical, bacteriological and fluoride content taken from the following sources are detailed below:-

1. Stream River Ithon at extract point to pumping station.
2. At outlet of pressure filters before chlorination
3. At domestic tap direct off supply main.

	No. 1	No. 2	No. 3
pH Value	7.56	6.80	6.60
pH S	8.50	8.65	8.62
Saturation Index	-0.94	-1.85	-2.02
Colour (Hazen Units)	35	20	65
<u>Part per Million</u>			
Free and Saline Ammonia	0.036	0.010	0.010
Albuminoid Ammonia	0.088	0.020	0.056
Nitrites	Nil	Nil	Nil
Nitrates	0.90	1.0	1.1
Oxygen consumed at 27°C from N/80 permanganate during 4 hrs.	1.32	0.35	0.52
Chlorides as Cl	12.0	12.5	13.0
Calculated as Common Salt	19.8	20.6	21.4
Total Solids in Solution	100	100	110
<u>Additional Features.</u>			
Lime as CaO	18.6	19.1	21.0
Total Alkalinity as CaCO <sub>3</sub>	30.0	29.5	30.0
" Hardness " " "	32.0	30.0	30.0
Alumina (Al)	Nil	0.05	0.30
Residual Chlorine	Nil	Nil	0.04
Fluoride Content	0.06 p.p.m.	0.04 p.p.m.	0.06 p.p.m.
<u>Appearances</u>			
No. 1	-	Some sandy settlement	
No. 2	-	A little suspended matter	
No. 3	-	Opalescent due to very fine white floc.	



### Bacteriological Examination

	<u>No. 1</u>	<u>No. 2</u>	<u>No. 3</u>
No. of organisms per c.c. developed on agar during 48hrs @ 37°C	22	10	8
No. of organisms per c.c. developed on agar during 48 hrs @ 22°C	320	120	15
Coliform organisms per 100 c.cs.	18+	18+	Nil
Faecal Coli per 100 c.cs.	18+	18+	Nil

During the year you appointed a Consulting Engineer to submit a scheme of improvement of the River Intake Pumping Station to be based on Report of Dr. Beale in 1937, the improvements desired being the provision of modern flocculation and settlement tanks for pre-treatment of the raw river water. To be included in your proposals is the construction of protection to the river bank at the station site and improvement of buildings.

Arising out of your discussion and study of the advantages and disadvantages of adding fluoride to the water you decided to defer any action. The Analysts' Report indicated that the injection rate required was 0.94 parts per million.

Contamination by Lead No direct action has been taken in connection with contamination by lead.

Sodium carbonate (Soda Ash) is added to the water before filtration for pH control.

TABLE 4.

Water Consumption - (All consumers and trades)

Year	Water pumped to service reservoirs.	Estimated population served.	Estimated consumption per head per day.	Trade consumption metered supplied	Bulk Supplies
1963	74,460,000	3,425	59.6	10,255,000	84,000
1962	68,460,000	3,400	55.0	11,371,000	76,000
1961	70,830,000	3,407	56.9	8,828,000	79,000
		(Includes population outside U.D.)			
1960	74,260,000	3,345	60.82	12,154,000	59,000
1959	58,650,000	3,434	46.8	13,977,000	6,000
1958	60,270,000	3,351	49.2	13,258,000	111,000
1957	61,340,000	3,261	51.5	11,963,000	
1956	71,640,000	3,280	58.9	14,290,000	
1955	75,110,000	3,310	62.1	15,145,000	
1954	70,630,000	3,280	58.0	12,684,000	
1953	68,000,000	3,275	56.8	12,500,000	

The tabulation shows an increase on the 1962 figures of 6,000,000 gallons. The consumption is still high as compared with the national average. A large volume of the increase can be put against the wastage during the severe winter when the daily delivery was 50,000 gallons per day above average for some weeks.

No extensions to mains were carried out.

SWIMMING POOL. The swimming pool operated by the Council was maintained to a satisfactory standard.



The water supply to the pool of 133,000 gallons capacity is taken from the domestic water supply and the pool is replenished as necessary. The water is treated by straining and filtration, sterilization being by injection of chlorine. Alkali as sodium carbonate is added as necessary.

The circulation of the pool water is over a period of 10 to 12 hours and from the opening of the pool at 1st June to closing at end of September the filtration plant was kept in continual operation.

Twice daily tests were made with comparator for free chlorine and alkalinity. The reports on samples taken for bacteriological analysis are as under:-

Dates of samples	Organisms per c.c. 48 hrs. @ 22°C	Coliform organisms per 100 c.cs.	Faecal Coli per 100 c.cs.
17.6.63	35	3	3
24.7.63	18	Nil	Nil
19.8.63	55	Nil	Nil

OBSERVATIONS: The bacteriological condition of this water was generally satisfactory.

#### DRAINAGE AND SEWERS.

1. Drainage During the year two sewers became blocked, a new manhole was installed on one section of the sewer. The elimination of surface water entry to sewers was carried out at Grosvenor Square.

2. Sewage Disposal General Everything possible has been carried out to prevent pollution of the River Ithon, the two works were by no means efficient.

Improvement Scheme Tenders were received early in the year and that of the Brunswick Engineering Contractors, Pontyclun, Cardiff in the sum of £80,397 was accepted. Work on the improvement scheme started on the 18th March, 1963 and work progressed well up to the end of the year.

Rivers and Streams Inspections of rivers and streams in the Urban District were carried out.

Public Cleansing (i) The collection and disposal of household refuse has continued on the same principal as other years. No variation in collection of domestic properties once each week and twice each week from certain trade and hotel premises has been necessary.

The accumulation of ash and clinker arising from the incinerator and of tins arising from segregation from refuse before burning produced difficulties at the destructor site, space became very limited and the Surveyor, on your instructions, submitted estimates for the culverting of the stream at the foot of the tip. The tipping space to be gained from an estimated expenditure of £6,000 to £7,000 did not, in your opinion, warrant proceeding with the proposal.

(ii) The collection and sale of salvaged materials comprising waste paper, broken glass, bottles and scrap iron and tins has continued.

During the year you disposed of:-

5 tons of waste paper  
24 tons of cullett  
24 tons of scrap iron

As reported for 1962, the old waste paper baler was defective and unsafe to use. A new baler was installed in September of the year and collection restarted on a limited scale. Restrictions on deliveries to the Board Mills limited output.



## FOOD.

Food Hygiene The enforcement of the food hygiene regulations was carried out by inspection and circulation of posters supplied by the Ministry of Food.

Special inspections were made of the kitchens and food preparation establishments of the four large hotels.

No prosecutions were found necessary.

TABLE 5.

### INSPECTION AND SUPERVISION OF FOOD

#### Milk

Non-Residential designated pasteurised retailers and designated traders	-	2
Residential designated ditto ditto	-	1
Residential registered dairymen designated retailers	-	1
Non-Residential designated retailers	-	2
Wholesale producers in Urban District	-	4
Visits to cowsheds during the year	-	Nil
Visits to dairies during the year	-	3
Samples of milk tested during the year	-	Nil
Action taken by Council in respect of unclean milk during the year	-	Nil

### NUMBER REGISTERED UNDER SECTION 16 OF FOOD AND DRUGS ACT

Ice Cream	-	17
Cooked Meats	-	3
No ice cream is manufactured at a local premises.		
Number of inspections of Registered Food Premises	-	4
Number of inspections of Bakehouses	-	4
Complaints received in respect of foods	-	Nil
Number of inspections of food preparation establishments	-	10
Action taken in respect of food storage (informal)	-	Nil

TABLE 6.

#### Foods surrendered or condemned and destroyed.

Various canned foods	-	264 tins
Hams, bacon, sausages and cooked pork	-	29 lbs.
Meat Pastries etc.	-	6 doz.
Fish	-	Nil
Cooked meats	-	8 lbs.
Butter	-	19 lbs.

Condemned food, unless salvagable, is destroyed at the incinerator.

Examinations of consignments of food at Railway Station were carried out following possibility of contamination whilst in transit.

#### Adulteration of Foods

The administration of the Acts dealing with the adulteration of food is carried out by the Officers of the Radnorshire County Council and no particulars are available to my Council.



### Food Poisoning Outbreaks

No cases of food poisoning occurred during the year.

### Slaughter of Animals and Meat Inspection

One slaughterhouse was continued in use during the year, the various requirements of the Slaughterhouse Act, 1958 and of regulations having been provided and maintained.

The coming into force of the Meat Inspections Regulations 1963 commenced on the 1st October, 1963. Arrangements were made with neighbouring local authorities for their officers to carry out inspections when your officer could not carry out the duty.

From the 1st October, 100% post mortem inspection was carried out.

The charges made to the slaughterhouse proprietors for inspection and stamping were laid down as follows:-

Cattle	-	2/6d.
Pigs	-	9d.
Sheep & calves		6d.

### Licences to Slaughter Animals

(i) To slaughter cattle, sheep and pigs - 5

TABLE 7.

#### ANIMALS KILLED, INSPECTED AND CONDEMNED

	Cattle excluding cows	Cows	Calves	Sheep and lambs	Pigs	Horses
Number killed and inspected	459	Nil	Nil	2173	701	Nil
<u>All diseases except Tuberculosis and Cysticerci</u>						
Whole carcasses condemned	Nil	-	-	Nil	Nil	Nil
Carcasses of which some part or organ or part of organ condemned	53 (Mainly livers)	-	-	509 (Mainly livers)	24	Nil
Percentage of the number inspected affected with disease other than tuberculosis & cysticerci	11.5%	-	Nil	23.4%	3.4%	Nil
<u>Tuberculosis only</u>						
Whole carcasses condemned	Nil	-	Nil	-	Nil	Nil
Carcasses of which some part or organ condemned	Nil	-	Nil	-	5	-
Percentage of the number inspected with tuberculosis	-	-	-	-	0.7%	-



	Cattle excluding cows	Cows	Calves	Sheep and lambs	Pigs	Horses
<u>Cysticercosis</u>						
Carcases of which some part or organ condemned	Nil	-	Nil	-	Nil	-
Carcases submitted to treatment by refrigeration	Nil	-	Nil	-	Nil	-
Generalised and totally condemned	Nil	-	Nil	-	Nil	-

\*\*\*\*\*

#### INFECTIOUS AND OTHER DISEASES

Cases of notifiable infectious diseases occurred as tabulated below:-

#### NOTIFIABLE DISEASES DURING 1963

Disease	Total cases notified	Cases admitted to Hospital	Total deaths
Small Pox	Nil	Nil	Nil
Scarlet Fever	"	"	"
Diphtheria	"	"	"
Enteris	"	"	"
Puerperal Fever	"	"	"
Puerperal Pyreia	1	"	"
Whooping Cough	Nil	"	"
Pneumonia	"	"	"
<u>Other notifiable diseases</u>			
Acute Poliomyelitis	Nil	Nil	Nil
Measles	1	"	"
Chicken Pox	58	"	"
Acute Encephalitis	Nil	"	"
<b>TOTALS</b>	<b>60</b>	<b>Nil</b>	<b>Nil</b>

Inspections carried out in respect of infectious diseases	-	Nil
Rooms fumigated for infectious diseases or otherwise	-	2
Rooms fumigated for vermin	-	1

#### Cancer

No action taken

#### Blindness

No action taken

Tuberculosis The requirements of the Public Health (Tuberculosis) Regulations 1939 have been carried out.

No action has been taken under the special powers given to local authorities under these Regulations.

No applications were received by the Council under Section 172 of the Public Health Act, 1936 for the removal to hospital of persons suffering from tuberculosis of the respiratory tract.



TUBERCULOSIS - NEW CASES AND MORTALITY  
DURING 1963

Age Groups	NEW CASES				DEATHS			
	Respiratory M.	Respiratory F.	Non-Respiratory M.	Non-Respiratory F.	Respiratory M.	Respiratory F.	Non-Respiratory M.	Non-Respiratory F.
0	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-
5	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-
35	-	-	-	-	-	-	-	-
45	-	-	-	-	-	-	-	-
55	-	-	-	-	-	-	-	-
65 and up	-	-	-	-	-	-	-	-
TOTAL	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil

HOUSING

In accordance with the instructions of Circular 17/55 Wales, the inclusion of details of housing matter are omitted.

SANITARY INSPECTION OF THE AREA

Summary of the work of the Sanitary Inspector's Department

Total number of inspections and visits made - 401

Nuisances

No. of visits re nuisances	15
Visits re works in progress	2
Notices issued:-	
(a) Informal letters )	
(b) Informal notices )	2
(c) Statutory notices	Nil

Verbal requests, notices and letters complied with

13

Outstanding

Nil

Legal proceedings

Nil

Housing

Inspection

89

Food Preparing Places

No. of inspections

18

Notices re food preparation

1

Slaughterhouses

No. of visits (approx.)

215

No. of condemnations

591

Foods

No. of seizures of unsound food

Nil

No. of condemnations

22

Dairymen

No. of Registered

2

No. of inspections

3

No. of retailers

6

No. of milk samples for T.B.

Nil

Lodging Houses

No. registered

Nil

Water Supply

No. of samples taken

11

No. found polluted

2

Houses and flats connected to supply

1191

New houses and premises connected

7

Renewed connections to houses

29

Infectious Diseases

No. of enquiries

Nil

No. taken to hospital

Nil

No. of houses or rooms disinfected

2

No. of houses disinfected re fleas, lice, cockroaches etc.

1

Water Closets

No. of improved or repaired

6

No. of bucket closets in district

3

No. of cesspools or septic tanks in district

11

No. of earth closets in district

3

No. of chemical closets in district

4



No. of milk samples found to produce T.B.	Nil	<u>House Draining</u>	
No. of enquiries under P.H.A. Regulations re contacts	Nil	No. laid or relaid	11
No. of milk samples for test	Nil	No. cleansed	19
<u>Dairies</u>		No. repaired	10
No. of Registered traders	2	No. of inspections	40
No. of Dairies	1	No. of tests	11
No. of inspections	3	<u>Licensed Premises</u>	
<u>Moveable Dwellings</u>		Action taken in respect of sanitation	Nil
No. Registered	Nil	<u>Accumulation of litter</u>	
<u>Bakehouses</u>		Action taken in respect of	Nil
No. in use	2	Inspection ditto	Nil
No. of inspections	4	<u>Dangerous Structures</u>	
		Action taken in respect of	Nil
		Houses dilapidated condition and dangerous	3

#### CAMPING SITES

1. Number of sites in area for camping purposes under canvas during 1963 .....	1
2. Number of caravan camping sites .....	Nil
3. Number of camping sites required to be licensed in accordance with Public Health Act .....	Nil
4. Number of caravan camping sites licensed under Public Health Act .....	Nil
5. Estimated maximum number of campers in the area at one time during 1963 .....	30

<u>Smoke Abatement</u>	Inspections made in respect of smoke abatement .....	Nil
	Action taken in connection with .....	Nil

#### Rodent Control Works

##### Premises

Number of inspections made	-	289
Premises found infested	-	17
Treatments carried out by Council	-	17
Treatments carried out by occupier	-	Nil
Dead rats picked up	-	33

##### Sewer Treatments      Maintenance treatments of sewers was carried out in 1963.

12 manholes were baited

No manholes showed presence of rats.

No manholes showed poison bait takes.