

[Report 1966] / Medical Officer of Health, Llandrindod Wells U.D.C.

Contributors

Llandrindod Wells (Wales). Urban District Council.

Publication/Creation

1966

Persistent URL

<https://wellcomecollection.org/works/cc6s6kr9>

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>



LLANDRINDOD WELLS URBAN DISTRICT COUNCIL

Town Hall,

Llandrindod Wells.

November, 1967.


To the Chairman and Members,

I have pleasure in submitting for your consideration the Report of the Sanitary Conditions and Vital Statistics of the Urban District for the year 1966.

This Report is prepared in accordance with the instructions issued by the Welsh Board of Health, Circular 1/67 (Wales) and presents briefly the scope and activities of the Health Department.

This will be my last Report as Part-Time Medical Officer for the past 29 years to your Authority and I wish to thank the present and past members of the Council for the aid given in the work of ensuring the good health and well-being of the Townspeople.

Yours faithfully,



Medical Officer of Health.



MEMORANDUM FOR THE CHAIRMAN AND MEMBERS

Two Hall.

London, 1937.

November, 1937.

To the Chairman and Members,

I have pleasure in submitting for your consideration the Report of the Working Committee on the Revision of the Rules of the Society for the year 1937.

This Report is prepared in accordance with the instructions issued by the Board of Directors, London, 1936, and presents briefly the views and suggestions of the Working Committee.

This will be my last report as Secretary of the Society.

Digitized by the Internet Archive
in 2016 with funding from
Wellcome Library

LLANDRINDOD WELLS URBAN DISTRICT COUNCIL

REPORT OF THE MEDICAL OFFICER OF HEALTH FOR THE YEAR 1966

SECTION A.

STATISTICS AND SOCIAL CONDITIONS OF THE AREA

Area of District	1509 acres
Registrar General's Estimate of Resident Population - Mid. 1966	3150 persons
Ditto - Mid. 1965	3150 persons
Number of Inhabited Houses at the end of the year (including flats)	1226
(Increase during the year 13)		
Rateable Value - 31st December, 1966	£116068
Product of Penny Rate	£459. 2. 9.

NATURAL AND SOCIAL CONDITIONS

During the year 1966 the health of the inhabitants young and old varied little from previous years. No illness could be said to have been directly attributable to poor housing, lack of nutrition, lack of hygiene or major infection

There were no excessive mortality or epidemics and the health of the townspeople was generally good.

The townspeople were fully employed throughout the year and unemployment of employable men and women was negligible. With the summer period of the holiday and tourist industry requiring additional staffs, it is found that part-time employment of married women and old age pensioners continues.

The livelihood of the townspeople still arose from employment in the distribution trades, administrative professions, national undertakings and the health, holiday and tourist industry.

As indicated in my Report for the year 1965, the erection of houses under private enterprise made a major step forward in that three housing development sites were started with site availability for the erection of upwards of 336 houses. This programme of private house erection will supply the needs of people who retire to the town at the end of their working life.

Climatological Conditions. The climatological conditions of 1966 were as detailed in the following tabulation which includes comparisons with previous years:-

	<u>1966</u>	<u>1965</u>	<u>1964</u>	<u>1963</u>
Total rainfall (inches)	43.59	44.22	31.58	35.15
Highest maximum temperature	80°F	78°F	77°F	79°F
Average maximum temperature	54.2°F	52.9°F	53.9°F	51.7°F
Lowest minimum temperature	16°F	7°F	7°F	1°F
Average minimum temperature	40°F	39.3°F	40.2°F	38.8°F
Sunshine Hours	1003.8	1096.0	1071.7	1125.3

Rainfall for the year was above average by 3.59 inches.

Sunshine for the year was below the average of 1298 hours per annum with the summer months of June, July and August being dull and totalling 383.5 hours as compared with 553.5 hours in the corresponding months of 1962 and 425.9 for the previous year.

Weather conditions could not be said to have any adverse affect on the health of the townspeople.

TABLE 1

VITAL STATISTICS OF THE DISTRICT DURING 1966

	<u>TOTAL</u>	<u>Male</u>	<u>Female</u>
Live Births (Legitimate)	30	16	14
(Illegitimate)	6	3	3
	<hr/>	<hr/>	<hr/>
	36	19	17
Still Births (Legitimate)	Nil	Nil	Nil
(Illegitimate)	Nil	Nil	Nil

LIVE BIRTHS

Number	36
Rate per 1000 population	11.4
Rate per 1000 population - 1965	16.2
Illegitimate live births per cent of total live births	16.6

STILL BIRTHS

Number	Nil
Rate per 1000 total live and still births	Nil
Total live and still births	36
Infant deaths (deaths under 1 year)	Nil
Infant mortality rates:-	

Total infant deaths per 1000 total live births	Nil
Illegitimate infant deaths per 1000 illegitimate live births	Nil
Legitimate infant deaths per 1000 legitimate live births	Nil

Neo-Natal mortality rate (deaths under 4 week per 1000 total live births)	Nil
---------------------------------------------------------------------------	-----

Early Neo-Natal mortality rate (deaths under 1 week per 1000 total live births)	Nil
---------------------------------------------------------------------------------	-----

Peri-Natal mortality rate (still births and deaths under 1 week combined per 1000 total live and still births)	Nil
----------------------------------------------------------------------------------------------------------------	-----

Maternal mortality (including abortion):-

Number of deaths	Nil
Rate per 1000 total live and still births	Nil

DEATHS

	<u>Total</u>	<u>Male</u>	<u>Female</u>
Number of deaths	58	26	32

The death rate per 1000 of the estimated resident population was 18.4

Death Rate for previous years:-

1965	16.2	1961	14.9
1964	18.03	1960	14.9
1963	18.6	1959	14.5
1962	15.7	1958	13.55
		1957	11.76

Death rate per 1000 of estimated resident population in the over 75 age group - 9.8.

TABLE 2

STATISTICS OF CAUSES OF DEATH

CAUSES OF DEATH	M.	F.
All Causes	26	32
1. Tuberculosis Respiratory	Nil	Nil
2. Tuberculosis Other	Nil	Nil
3. Syphilitic disease	Nil	Nil
4. Diphtheria	Nil	Nil
5. Whooping Cough	Nil	Nil
6. Acute Poliomyelitis	Nil	Nil
7. Measles	Nil	Nil
8. Other infective and parasitic diseases:-		
(i) Malignant Neoplasm - Stomach	Nil	Nil
(ii) " " - Lung bronchus	5	Nil
(iii) " " - Breast	Nil	Nil
(iv) " " - Uterus	Nil	Nil
(v) Other malignant and lymphatic neoplasms	2	3
(vi) Leukaemia Aalenkaernia	Nil	Nil
9. Vascular lesions of nervous system	4	8
10. Diabetes	Nil	Nil
11. Coronary disease angina	7	9
12. Hypertensia with heart disease	Nil	1
13. Other heart disease	3	2
14. Other circulatory disease	Nil	2
15. Influenze	Nil	Nil
16. Pneumonia	Nil	Nil
17. Bronchitis	2	Nil
18. Other diseases of respiratory system	1	Nil
19. Ulcer of stomach and duodenum	Nil	1
20. Gastritis, enteritis and diarrhoea	Nil	Nil
21. Nephritis and nephrosis	Nil	Nil
22. Hyperplasia of Prostate	Nil	Nil
23. Pregnancy, childbirth, abortion	Nil	Nil
24. Congenital Malformations	Nil	Nil
25. Other defined and ill defined disease	1	5
26. Motor vehicle accidents	Nil	Nil
27. All other accidents	Nil	1
28. Suicide	1	Nil
29. Homicide and operations of War	Nil	Nil

SECTION B.GENERAL PROVISIONS OF HEALTH SERVICE IN THE AREA1. Public Officers:-

Medical Officer of Health (Part-time)

Dr. J. Emrys Jenkins, M.A., B.M., B.Ch.,
Chalfont, South Crescent,
LLANDRINDOD WELLS.

Telephone No. 2000

Public Health Inspector (Part-time)

R.J. Morris, Esq., A.R.I.C.S., M.R.San.I.,
Town Hall, Temple Street,
LLANDRINDOD WELLS.

Telephone No. 2222

2. Laboratory Facilities

The examination and analysis of water, sewage effluents and stream contamination are carried out by the Public Analyst of the County Laboratory, Carmarthen - Analyst:- H.J. Evans & Partners.

3. Health Services The following services are carried out by the Radnorshire County Council under the National Health Service Act, 1946 and Mental Health Act, 1959. The County Council services are efficiently and well organised.

- (i) Maternity and Child Welfare.
- (ii) Clinics.
- (iii) Dental care for expectant mothers and nursing mothers and young children together with School Dental Services.
- (iv) Midwives Service, delegated to the Radnorshire County Nursing Association.
- (v) Health Visiting delegated to the Radnorshire County Nursing Association.
- (vi) Vaccination and immunisation of children under five and of school age is carried out by Registered Medical Practitioners of the parents' choice or by the County Medical Officer.

(The vaccination of adults is carried out by Registered Medical Practitioners.)

- (vii) Ambulance Service.
- (viii) Prevention of illness, Care and After Care of persons suffering from tuberculosis, mental illness or defectiveness and other types of illness is organised under the aegis of the County Health Committee.
- (ix) Domiciliary Health Services.
 - (x) Home nursing delegated to the Radnorshire County Nursing Association.
 - (xi) Health Education is carried out by the Radnorshire County Council.
 - (xii) Mental Health.
 - (xiii) Chiropody Service.
 - (xiv) Arrangements for fluoridation of public water supplies.

SANITARY CIRCUMSTANCES OF THE AREA

WATER SUPPLY

The water supply to the district became the responsibility of the Radnorshire and North Breconshire Water Board from the 1st April, 1966.

The purification and clarification of the water, as taken from the River Ithon, was satisfactory throughout the year. Quality was good and quantity sufficient.

The main source of supply remained the River Ithon and purification as previously reported.

Tabulated list of Analyst's Reports are given in Table 3.

Statistics in respect of the Water Supply are detailed below:-

Estimated population supplied from public water mains in Urban District ...	3262
Estimated population not supplied from public water mains	20
Number of dwelling houses or flats supplied direct into premises	1220
Number of dwelling houses and farms supplied by means of stand pipes	Nil
Estimated population supplied by stand pipes	Nil
Number of premises (farms) with own piped supplies	5
Number of premises (farms) with no piped supplies	Nil
Premises supplied from mains and outside Urban District	20
Estimated population so supplied	95

TABLE 3.

Bacteriological analysis for the year 1966 carried out by H.J. Evans & Partners, Public Analysts, Bank Lane, Carmarthen.

Tabulation of Analysts' Reports on samples of water taken from house services, direct off supply main; water supplied from River Ithon.

Date of samples	No. of organisms 48 hrs. @ 22°C	Coli present in c.cs.					REMARKS
		100	50	25	20	10	
11.2.66	6	Nil					Satisfactory bacterial purity.
21.7.66	3	Nil					High bacteriological quality.

Chemical Analysis - Nil

SWIMMING POOL. The swimming pool operated by the Council was maintained to a satisfactory standard.

The water supply to the pool of 133,000 gallon capacity is taken from the domestic water supply and the pool replenished as necessary. The water is treated by straining and filtration, sterilization being by injection of chlorine. Alkali as sodium carbonate is added as necessary.

The circulation of the pool water is over a period of 10 to 12 hours and from the opening of the pool at 1st June to closing at end of September the filtration plant was kept in continual operation.

Twice daily tests were made with comparator for free chlorine and alkalinity.

The reports on samples taken for bacteriological analysis are as under:-

Dates of samples	Organisms per c.c. 48 hrs. @ 22°C	Coliform organisms per 100 c.cs.	Faecal Coli per 100 c.cs.
21.7.66	15	Nil	Nil

OBSERVATIONS - The absence of coliform organisms from the swimming pool water showed that the plant was being very efficiently maintained.

DRAINAGE AND SEWERS.

1. Drainage Generally no major difficulties were experienced on the sewer systems of the town. Flooding occurred in June and October at two premises. This followed very heavy storm and back flush from the main sewer into the basement of the properties. Defects at storm water overflow on the trunk sewer were remedied by adjustment of the overflow weir.

2. Sewage Disposal The disposal works were operated satisfactorily during the year.

The results of analysis are given below. Samples for general check of the functioning of the works were taken during the year.

TABLE 4.

Tabulation of Reports on samples of effluent analysed by Wye River Board.

Parts per million -

Date of Sample	Suspended Solids	Biochemical oxygen demand 5 days	Oxygen absorbed 4 hours settled	Oxygen absorbed 4 hours shaken	Remarks
<u>1966</u>					
February	29	3.5	4.0	5.6	Satisfactory
May	68	20.0	9.8	14.6	Excessive Solids
July	22	15.7	8.4	10.6	Satisfactory
November	48	13.6	6.4	9.4	Unsatisfactory suspended solids

In the May the flow to the works was over the 6 times dry weather flow and storm surge was experienced.

In November a rainfall of 0.83 inches during day light hours increased the flow to the works to cause disturbance throughout.

Tabulations of analysts Report on samples of final effluent dispatched by the Consulting Engineers to Messrs. Bostock Hill & Rigby.

Parts per million -

Date of Sample	Biochemical Oxygen demand	Suspended Solids	Analysts Remarks
<u>1966</u>			
23rd February	2	4	Organically of excellent quality. Just acceptable amount of suspended solids.
25th May	6	12	Final effluent excellent.
4th October	4	35	Suspended solids over Royal Commission standard.

The Report of the Consulting Engineers on the 14 months of operation was subsequently received in 1967.

Rivers and Streams Inspections of rivers and streams in the Urban District were carried out. No action on pollution was necessary.

Public Cleansing (i) The collection and disposal of household refuse has continued on the same principle as other years. No variation in collection of domestic properties once each week and twice each week from certain trade and hotel premises has been necessary.

Investigations into the possible lease of suitable land to open up a controlled tip site did not mature and incineration continued throughout the year, clearance of the accumulation of clinkers and unsaleable light destructor scrap was carried out.

(ii) The collection and sale of salvaged materials comprising waste paper, broken glass, bottles, scrap iron and tins has continued.

During the year you disposed of:-

- 66 tons 7 cwts. of waste paper
- 10 tons 5 cwts. of cullett
- 3 tons 2 cwts. of scrap metal.

Common Lodging Houses There are no common lodging houses in the Urban District.

FOOD

Food Hygiene The enforcement of the food hygiene regulations was carried out by inspection and circulation of posters supplied by the Ministry of Food.

Special inspections were made of the kitchens and food preparation establishments of the four large hotels and catering establishments.

No prosecutions were found necessary.

TABLE 5

Tabulation of Food Premises subject to Regulations

Categories of Trades	No. of Premises	No. fitted to comply with Regulation 16	No. to which Regulation 19 applies	No. fitted to comply with Regulation 19
Hotels	8	8	6	6
Private Hotels	15	15	15	15
Hostels	1	1	1	1
Schools	5	5	5	5
Hospital & Nursing Homes	3	3	3	3
Restaurants and Cafes	6	6	6	6
Bakehouses	2	2	2	2
Confectioners	3	3	Nil	Nil
Butchers	6	6	6	6
Crocers	11	11	Nil	Nil
Green Grocers	3	3	Nil	Nil
Fishmongers	2	2	2	2
Ice Cream Retailers	18	18	18	18
Fish Fryers	2	2	2	2

TABLE 6

INSPECTION AND SUPERVISION OF FOOD

Milk

Non-Residential designated pasteurised retailers and designated Traders	2
Residential designated ditto ditto	2
Residential registered dairymen designated retailers	1
Non-Residential designated retailers	Nil
Wholesale producers in Urban District	2
Visits to cowsheds during the year	Nil
Visits to dairies during the year	2
Samples of milk tested during the year	Nil
Action taken by Council in respect of unclean milk during the year	Nil
Brucella Abortus - Number of Samples of raw milk examined	Nil

NUMBER REGISTERED UNDER SECTION 16 OF
FOOD AND DRUGS ACT

Ice Cream	18
Cooked Meats	3
No ice cream is manufactured at a local premises	
Number of inspections of Registered Food Premises	3
Number of inspections of Bakehouses	4
Complaints received in respect of foods	Nil
Number of inspections of food preparation establishments	16
Action taken in respect of food storage (informal)	Nil

TABLE 7

Foods surrendered or condemned and destroyed

Various canned foods	64 tins
Hams, bacon, sausages and cooked pork	58 lbs.
Fish	5 lbs.
Beef and other meats	Nil

Condemned food, unless salvagable, is destroyed
at the incinerator.

Liquid Egg (Pasteurisation) Regulations 1963 There are no egg pasteurisation plants in the Urban District.

Food Poisoning Outbreaks

No cases of food poisoning occurred during the year.

Poultry Dressing and Packing

There are no establishments in the Urban District.

Slaughter of Animals and Meat Inspection

One slaughterhouse was continued in use during the year.

100% post mortem inspection has been carried out.

The charges made to the slaughterhouse proprietors for inspection and stamping are based on cost to the Council with administration charges added.

Licences to Slaughter Animals

(i) To slaughter cattle, sheep and pigs - 5

TABLE 8

ANIMALS KILLED, INSPECTED AND CONDEMNED

	Cattle excluding cows	Cows	Calves	Sheep and Lambs	Pigs	Horses
Number killed and inspected	382	Nil	Nil	5325	803	Nil

ANIMALS KILLED, INSPECTED AND CONDEMNED (cont.)

	Cattle excluding cows	Cows	Calves	Sheep and Lambs	Pigs	Horses
<u>All diseases except Tuberculosis and Cysticerci</u>						
Whole carcasses condemned	Nil	-	-	Nil	Nil	Nil
Carcasses of which some part or organ or part of organ condemned	53 (Mainly livers)	-	-	2164 (Mainly livers) (& 137 carcasses)	4	Nil
Percentage of the number inspected affected with disease other than tuberculosis and cysticerci	13.8%	-	Nil	40.6%	0.49%	Nil
<u>Tuberculosis only</u>						
Whole carcasses condemned	Nil	-	Nil	-	Nil	Nil
Carcasses of which some part or organ condemned	Nil	-	Nil	-	Nil	-
Percentage of the number inspected with tuberculosis	-	-	-	-	-	-
<u>Cysticercosis</u>						
Carcasses of which some part or organ condemned	Nil	-	Nil	-	Nil	-
Carcasses submitted to treatment by refrigeration	Nil	-	Nil	-	Nil	-
Generalised and totally condemned	Nil	-	Nil	-	Nil	-

INFECTIOUS AND OTHER DISEASES

Cases of notifiable infectious diseases occurred
as tabulated as follows:-

HOUSING

In accordance with the instructions of Circular 17/66 Wales, the inclusion of details of housing matters are omitted.

No. of Inspections on Housing Matters - 78

OFFICES AND SHOPS ACT

Inspections were carried out during the year of offices and shops in accordance with the requirements of the Act. 46 establishments were inspected.

The following summary arose from the inspections:-

	<u>1966</u>	<u>1965</u>
Shops and offices without W.C. Accommodation	3	9
Shops and offices without washing facilities	2	12
Shops and offices without 1st aid equipment	4	4
Shops and offices without Thermometers	12	37

SANITARY INSPECTION OF THE AREA

Summary of the work of the Sanitary Inspector's Department

Total number of inspections and visits made - 563

<u>Nuisances</u>		<u>Lodging Houses</u>	
No. of visits re nuisances	12	No. registered	Nil
Visits re works in progress	8	<u>Water Supply</u>	
Notices issued:-		No. of samples taken	2
(a) Informal letters)	6	No. found polluted	Nil
(b) Informal notices)		Houses and flats	
(c) Statutory notices	Nil	connected to supply	1220
Verbal requests, notices and letters complied with	6	New houses and premises connected	13
Outstanding	Nil	<u>Infectious Diseases</u>	
Legal proceedings	Nil	No. of enquiries	Nil
<u>Housing</u>		No. taken to hospital	Nil
Inspection	78	No. of houses or rooms disinfected	Nil
<u>Food Preparing Places</u>		No. of rooms disinfected or treated re fleas, lice cockroaches etc.	2
No. of inspections	16	<u>Water Closets</u>	
Notices re food preparation	Nil	No. of improved or repaired	2
<u>Slaughterhouses</u>		No. of bucket closets in district	Nil
No. of visits (approx.)	340	No. of cesspools or septic tanks in district	12
No. of condemnations	2221	No. of earth closets in district	2
<u>Foods</u>		No. of chemical closets in district	4
No. of seizures of unsound food	Nil	<u>House Draining</u>	
No. of condemnations	8	No. laid or relaid	14
<u>Dairymen</u>		No. cleansed	20
No. of Registered	2	No. repaired	3
No. of inspections	2	No. of inspections	37
No. of retailers	5	No. of tests	14
No. of milk samples for T.B.	Nil	<u>Licensed Premises</u>	
No. of milk samples found to produce T.B.	Nil	Action in respect of sanitation	Nil
No. of enquiries under P.H.A. Regulations re contacts	Nil	<u>Accumulation of litter</u>	
No. of milk samples for test	Nil	Action taken in respect of	Nil
<u>Dairies</u>		Inspection ditto	Nil
No. of Registered traders	3	<u>Dangerous Structures</u>	
No. of Dairies	2	Action taken in respect of Houses dilapidated conditions and dangerous	2
No. of inspections	2		
<u>Moveable Dwellings</u>			
No. Registered	Nil		
<u>Bakehouses</u>			
No. in use	2		
No. of inspections	4		
<u>Offices and Shops Act</u>			
No. inspected	46		

CAMPING SITES

1. Number of sites in area for camping purposes under canvas during 1966	1
2. Number of caravan camping sites	Nil
3. Number of camping sites required to be licensed in accordance with Public Health Act	Nil
4. Number of caravan camping sites licensed under Public Health Act	Nil
5. Estimated maximum number of campers in the area at one time during 1966	40
6. Action taken for removal of caravan on unlicensed site	1

Smoke Abatement

1. Inspection made in respect of smoke abatement	Nil
2. Action taken in connection with	Nil

Rodent Control Works

Premises

Number of inspections made	357
Number found infested	24
Treatments carried out by Council	24
Treatments carried out by occupier	Nil
Dead rats picked up	50

Sewer Treatments

Maintenance treatments of sewers was carried out in 1966.

8 manholes were baited

No manholes showed presence of rats..

No manholes showed poison bait takes.

~~CONFIDENTIAL~~

ANNEX 100 - WATER SUPPLY

WATER SUPPLY - SUMMARY OF DATA FOR THE YEAR 1964

Sl. No.	Description	Quantity	Remarks
1	Number of water supply systems in operation	10	
2	Number of water supply systems under construction	5	
3	Number of water supply systems in operation with public health facilities	15	
4	Number of water supply systems in operation with public health facilities and water supply	20	
5	Number of water supply systems in operation with public health facilities and water supply and sewerage	25	
6	Number of water supply systems in operation with public health facilities and water supply and sewerage and electricity	30	
7	Number of water supply systems in operation with public health facilities and water supply and sewerage and electricity and telephone	35	
8	Number of water supply systems in operation with public health facilities and water supply and sewerage and electricity and telephone and television	40	
9	Number of water supply systems in operation with public health facilities and water supply and sewerage and electricity and telephone and television and radio	45	
10	Number of water supply systems in operation with public health facilities and water supply and sewerage and electricity and telephone and television and radio and newspaper	50	
11	Number of water supply systems in operation with public health facilities and water supply and sewerage and electricity and telephone and television and radio and newspaper and cinema	55	
12	Number of water supply systems in operation with public health facilities and water supply and sewerage and electricity and telephone and television and radio and newspaper and cinema and hospital	60	
13	Number of water supply systems in operation with public health facilities and water supply and sewerage and electricity and telephone and television and radio and newspaper and cinema and hospital and school	65	
14	Number of water supply systems in operation with public health facilities and water supply and sewerage and electricity and telephone and television and radio and newspaper and cinema and hospital and school and college	70	
15	Number of water supply systems in operation with public health facilities and water supply and sewerage and electricity and telephone and television and radio and newspaper and cinema and hospital and school and college and university	75	
16	Number of water supply systems in operation with public health facilities and water supply and sewerage and electricity and telephone and television and radio and newspaper and cinema and hospital and school and college and university and research center	80	
17	Number of water supply systems in operation with public health facilities and water supply and sewerage and electricity and telephone and television and radio and newspaper and cinema and hospital and school and college and university and research center and library	85	
18	Number of water supply systems in operation with public health facilities and water supply and sewerage and electricity and telephone and television and radio and newspaper and cinema and hospital and school and college and university and research center and library and museum	90	
19	Number of water supply systems in operation with public health facilities and water supply and sewerage and electricity and telephone and television and radio and newspaper and cinema and hospital and school and college and university and research center and library and museum and zoo	95	
20	Number of water supply systems in operation with public health facilities and water supply and sewerage and electricity and telephone and television and radio and newspaper and cinema and hospital and school and college and university and research center and library and museum and zoo and park	100	

ANNUAL REPORT OF THE MEDICAL OFFICER OF HEALTH
IN RESPECT OF THE YEAR 1966 FOR THE
URBAN DISTRICT OF LLANDRINDOD WELLS IN THE COUNTY OF RADNOR

Prescribed Particulars on the Administration of the Factories Act, 1961

PART 1 OF THE ACT

1. INSPECTIONS for purposes of provisions as to health (including inspections made by Public Health Inspectors).

Premises (1)	Number on Register (2)	Number of		
		Inspections (3)	Written notices (4)	Occupiers prosecuted (5)
(i) Factories in which Sections 1,2,3,4 and 6 are to be enforced by Local Authorities	3	3		
(ii) Factories not included in (i) in which Section 7 is enforced by the Local Authority	26	25	1	
(iii) Other premises in which Section 7 is enforced by the Local Authority (excluding out-workers' premises)	3	1		
TOTAL	32	29	1	Nil

2. Cases in which DEFECTS were found
 (If defects are discovered at the premises on two, three or more separate occasions they should be reckoned as two, three or more "cases")

Particulars (1)	Number of cases in which defects were found				Number of cases in which prosecutions were instituted (6)
	Found (2)	Remedied (3)	Referred		
			To H.M. Inspector (4)	By H.M. Inspector (5)	
Want of cleanliness (S.1)					
Overcrowding (S.2)	Nil				
Unreasonable temperature (S.3)	Nil				
Inadequate ventilation (S.4)	Nil				
Ineffective drainage of floors (S.6)	Nil				

Number of cases in which defects were found

Particulars (1)	Number of cases in which defects were found				Number of cases in which prosecutions were instituted (6)
	Found (2)	Remedied (3)	Referred		
			To H.M. Inspector (4)	By H.M. Inspector (5)	
Sanitary Conveniences (S.7)					
(a) Insufficient	Nil				
(b) Unsuitable or defective	ONE	ONE		ONE	
(c) Not separate for sexes	Nil				
Other offences against the Act (not including offences relating to Out-work)	Nil				
TOTAL	ONE	ONE	NIL	ONE	NIL

When in which defects were found
 (1) Defects are classified as follows: (a) those which are remedied on the spot, (b) those which are remedied by the local authority, (c) those which are remedied by the local authority after a notice has been served, (d) those which are remedied by the local authority after a notice has been served and a prosecution has been instituted.

Particulars (1)	Found (2)	Remedied (3)	Referred		Number of prosecutions instituted (6)
			To H.M. Inspector (4)	By H.M. Inspector (5)	
Overcrowding (S.1)	NIL				
Temperature (S.2)	NIL				
Sanitation (S.3)	NIL				
Water supply (S.4)	NIL				
Drainage (S.5)	NIL				
Other (S.6)	NIL				
TOTAL	NIL				

PART VIII OF THE ACT

OUTWORK

Section 133 and 134

Nature of Work	SECTION 133			SECTION 134		
	No. of out-workers in August list required by Section 133 (1) (c)	No. of cases of default in sending lists to the Council	No. of prosecutions for failure to supply lists	No. of instances of work in unwhole -some premises	Notices served	Prosecutions
(1)	(2)	(3)	(4)	(5)	(6)	(7)
Wearing) Making apparel) etc.,	Nil					
) Cleaning) and) Washing	Nil					
Household linen	Nil					
Lace, lace cur- tains and nets	Nil					
Curtains and furniture hang- ings	Nil					
Furniture and upholstery	Nil					
Electro - plate	Nil					
File making	Nil					
Brass and brass articles	Nil					
Fur pulling	Nil					
Iron and steel cables and chains	Nil					
Iron and steel anchors and grapnels	Nil					
Cart gear	Nil					
Locks, latches and keys	Nil					
Umbrellas etc.	Nil					
Artificial flowers	Nil					
Nets, other than wire nets	Nil					
Tents	Nil					
Sacks	Nil					
Racquet and tennis balls	Nil					
Paper bags	Nil					


PART VIII OF THE ACT (Cont.)

OUTWORK

(Sections 133 and 134)

Nature of Work (1)	SECTION 133			SECTION 134		
	No. of out-workers in August list required by Section 133 (1) (c) (2)	No. of cases of default in sending lists to the Council (3)	No. of prosecutions for failure to supply lists (4)	No. of instances of work in unwholesome premises (5)	Notices served (6)	Prosecutions (7)
The making of boxes or other receptacles or parts thereof made wholly or partially of paper	Nil					
Brush making	Nil					
Pea picking	Nil					
Feather sorting	Nil					
Carding, etc. of buttons, etc.	Nil					
Stuffed toys	Nil					
Basket making	Nil					
Chocolates & sweetmeats	Nil					
Cosaques, Christmas stockings etc.	Nil					
Textile weaving	Nil					
Lampshades	Nil					
TOTAL	Nil					

Signature:



 Medical Officer of Health

Date: November, 1967