Contributors

Spedrog Peruana

Publication/Creation

[1956]

Persistent URL


https://wellcomecollection.org/works/g7qy7jsq

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org



DESTENDO

SEDANTE INTELECTUAL Y EMOTIVO

Composición :

Benacticina (Clorh. del ácido bencílico dietilaminoetilester)

Indicaciones :

Estados psiconeuróticos, depresivos, de ansiedad. Neurastenias. Reacciones obsesivas, hipocondríacas. Cuadros psicosomáticos. Trastornos cardíacos funcionales.

Posología :

La dosis media diaria es de 3 comp. (3 mgrs.). En determinados casos resulta conveniente comenzar con 1 comp. al día (1 mgr.) y luego ir aumentando diariamente y en dosis espaciadas hasta alcanzar 3 comp. diarios (3 mgrs.) ó más.

Presentación :

En tubos de 25 comprimidos de 1 mgr.

MUESTRAS Y LITERATURA

SPEDROG PERUANA S. A.

Av. Argentina 1082 - Teléfono 33950

LIMA - PERU