

**Para la terapia peroral de la diabetes mellitus, Rastinon Hoechst ... :
Novocaina >T< ... / Hoechst A.G. ; representantes: Farmaceutica Hoechst
Mexicana, S.A.**

Contributors

Hoechst AG

Publication/Creation

[1961]

Persistent URL

<https://wellcomecollection.org/works/emzredf2>


License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).

**wellcome
collection**

Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

Para la terapia peroral de la Diabetes mellitus



RASTINON[®]

> HOECHST <

N-(4-metil-benzolsulfonil)-N'-butil-urea

- Sin acción quimioterápica antibacteriana
- Buena tolerancia



FARBWERKE

HOECHST AG

Reg. No. 47927 S. S. A.

Prop. No. A-B-3008/59 S. S. A.

normals Meister Lucius & Brüning

Representantes:

FARMACEUTICA HOECHST MEXICANA, S. A.

FRANKFURT (M) - HOECHST/ALEMANIA

Arenal No. 24 México 20, D. F.

- Asma
- Dermatosis alérgicas
- Úlcera gástrica y duodenal
- Parkinsonismo
- Arterioesclerosis
- Psoriasis
- Analgesia obstétrica
- Trastornos neurotróficos
- Bloqueos terapéuticos
- Anestesia local



NOVOCAINA ›T‹

Vía de administración: intravenosa (lenta) o intramuscular

ENVASES ORIGINALES:

Caja con 5 ampolletas de 5 ml. al 1%

Caja con 5 ampolletas de 5 ml. al 2%



FARBWERKE

HOECHST AG

Este producto no es rejuvenecedor;
su uso prolongado puede ser útil
en algunos procesos distróficos y
degenerativos.

vormals Meister Lucius & Brüning FRANKFURT (M) - HOECHST / ALEMANIA

Representantes: **FARMACEUTICA HOECHST MEXICANA, S. A.** Arenal No. 24, México 20, D.F.

Reg. No. 50237 S.S.A. P. Med. 12250/60 S.S.A.

1761