Diarreas trastornos secundarios de la antibioterapia : Synerlac / Laboratoires Bouillet, S.A.

### **Contributors**

Laboratoires Bouillet

## **Publication/Creation**

[1962]

# **Persistent URL**


https://wellcomecollection.org/works/c8vhwdn8

#### License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).




Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org





SINERGIA DE FERMENTOS LACTICOS VIVOS, SELECCIONADOS, ASOCIADOS A UNA CURACION ALUMINICA.



El poder acidógeno muy superior de las cepas lácticas empleadas en el Synerlac y su asociación a un gel de alúmina, adsorbente y calmante, hace de esta preparación un

#### antidiarreico poderoso

y un agente de protección verdaderamente eficaz contra los

accidentes de la antibioterapia.

(Comisión de Pruebas - Informe No. 602.973/6).

Fabricado por: Laboratoires BOUILLET

7. Square Thiers, - Paris, 16e.

Representantes: Rudefsa

REPRESENTACIONES UNIVERSALES DE ESPECIALIDADES FARMACEUTICAS, S. A.

Literatura exclusiva para médicos.

Reg. No. 52145 S. S. A.

Prop. Med. No. 8287/60