

[Report 1968] / Medical Officer of Health, Bakewell R.D.C.

Contributors

Bakewell (England). Rural District Council.

Publication/Creation

1968

Persistent URL

<https://wellcomecollection.org/works/dcubeznj>

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

R U R A L D I S T R I C T O F

Report of the Medical Officer of Health, H.G. Watson, M.B., Ch.B.

B A K E W E L L

1968

For-

The Chairman and Members of the Bakewell Rural District Council

Mr. Chairman and Gentlemen,

I present, as under, my Annual Report as Medical Officer of Health on the sanitary circumstances and vital statistics affecting the Rural District of Bakewell for the year 1968.

STATISTICS AND SOCIAL CONDITIONS OF THE AREA

Area	85,645 acres
Population - Estimated by the Registrar General (Mid-Year 1968)	18,760
Population - Census 1961	18,608
Population - Census 1951	19,267
Population - Census 1921	19,557
Rateable Value - April 1968	2575,043
Product of Penny Rate (ascertained) year ending March 1967	42,355.19.114

EXTRACTS FROM VITAL STATISTICS FOR THE YEAR

BIRTHS

- A N N U A L R E P O R T -

<u>Live Births</u>		<u>Total</u>	<u>Male</u>	<u>Female</u>
	of the			
Legitimate		25	12	13
Illegitimate		12	10	2
		<u>37</u>	<u>22</u>	<u>15</u>

M E D I C A L O F F I C E R O F H E A L T H

HUGH G. WATSON, M.B., Ch.B.

Birth Rate per 1,000 of the Estimated Population - 19.4

Birth Rate (comparable) per 1,000 of the Estimated Population - 19.6

Illegitimate Birth Rate per 1,000 of Total Live Births - 7.1


<u>Still Births</u>		<u>Total</u>	<u>Male</u>	<u>Female</u>
Legitimate		1	1	0
Illegitimate		1	0	1
		<u>2</u>	<u>1</u>	<u>1</u>

Still Birth Rate per 1,000 Total Live and Still Births - 15.0

F O R T H E Y E A R

	<u>Total</u>	<u>Male</u>	<u>Female</u>
Total Live and Still Births - 1968 -	37	22	15





RURAL DISTRICT OF BAKEWELL

Report of the Medical Officer of Health, H.G. Watson, M.B., Ch.B.

- 1 9 6 8 -

To:-

The Chairman and Members of the Bakewell Rural District Council

Mr. Chairman and Gentlemen,

I present, as under, my Annual Report as Medical Officer of Health on the sanitary circumstances and vital statistics affecting the Rural District of Bakewell for the year 1968.

STATISTICS AND SOCIAL CONDITIONS OF THE AREA

Area	85,643 acres
Population - Estimated by the Registrar General (Mid-Year 1968)	18,760
Population - Census 1961	18,608
Population - Census 1951	19,282
Population - Census 1921	19,537
Rateable Value - April 1968	£575,249
Product of Penny Rate (ascertained) year ending March 1969	£2,355.19.11d

EXTRACTS FROM VITAL STATISTICS FOR THE YEAR

BIRTHS

<u>Live Births</u>	<u>Total</u>	<u>Male</u>	<u>Female</u>
Legitimate	234	121	113
Illegitimate	18	10	8
	<hr/>		
	252	131	121

Birth Rate per 1,000 of the Estimated Population - 13.4

Birth Rate (comparable) per 1,000 of the Estimated Population - 14.6

Illegitimate Birth Rate per cent of Total Live Births - 7.1

<u>Still Births</u>	<u>Total</u>	<u>Male</u>	<u>Female</u>
Legitimate	4	1	3
Illegitimate	1	-	1
	<hr/>		
	5	1	4

Still Birth Rate per 1,000 Total Live and Still Births - 19.0

	<u>Total</u>	<u>Male</u>	<u>Female</u>
Total Live and Still Births	257	132	125

The Chairman and Members of the Ottawa Local Health Board

Mr. Chairman and Gentlemen,

I present, as under, my Annual Report as Medical Officer of Health under
sanitary arrangements and vital statistics affecting the Local Health Board of
Ottawa for the year 1968.

STATISTICAL AND SOCIAL CONDITIONS IN 1968

Area 2,542 acres
Population - Estimated by the Registrar General (December 31, 1968) 12,000
Population - Census 1967 11,800
Population - Census 1966 11,600
Population - Census 1965 11,400
Population - Census 1964 11,200
Product of Birth Rate (estimated) 120.0

Digitized by the Internet Archive
in 2016 with funding from
Wellcome Library

Birth Rate (estimated) per 1,000 of the Total Population - 1968
Estimated Birth Rate per 1,000 of Total Population - 1968

Year	Birth Rate	Death Rate
1968	120.0	10.0
1967	118.0	9.5
1966	116.0	9.0
1965	114.0	8.5
1964	112.0	8.0

DEPARTMENT OF HEALTH AND SOCIAL SECURITY LIBRARY

Room A113,
Department of Health and Social Security,
Alexander Fleming House,
Elephant & Castle,
S.E.1.

To: Mr Salby
337 Friars

Please sign and detach the receipt at the
foot of the page and return it IMMEDIATELY to the
Library.

The publication should be returned by

15-4-70

DEPARTMENT OF HEALTH AND SOCIAL SECURITY LIBRARY

Room A113,
Department of Health and Social Security,
Alexander Fleming House,
Elephant & Castle,
S.E.1.

To: Mr. Colby
see

Please sign and detach the receipt at the
foot of the page and return it IMMEDIATELY to the
Library.

The publication should be returned by

12-4-70

TABLE SHOWING CERTAIN VITAL STATISTICS AS COMPARED WITH

INFANT MORTALITY

Deaths of Infants under 1 year	Total	Male	Female
Legitimate	4	1	3
Illegitimate	1	1	-
Live Birth Rate (per 1,000 Population)	5	2	3
Deaths of Infants under 4 weeks	Total	Male	Female
Legitimate	3	1	2
Illegitimate	1	1	-
(Deaths under 1 year per 1,000 Live Births)	4	2	2
Deaths of Infants under 1 week	Total	Male	Female
Legitimate	3	1	2
Illegitimate	1	1	-
	4	2	2

Infant Mortality Rates

All Infants per 1,000 Live Births	19.8
Legitimate Infant Deaths per 1,000 Legitimate Live Births	17.1
Illegitimate Infant Deaths per 1,000 Illegitimate Live Births	55.5
Neo-Natal Mortality Rate per 1,000 Live Births	15.8
Early Neo-Natal Mortality Rate per 1,000 Live Births	15.8
Perinatal Mortality Rate per 1,000 Live Births and Still Births	35.0
Maternal Deaths (including abortion)	0

DEATHS	Total	Male	Female
Puerperal Pyrexia	276	129	147

Death Rate per 1,000 of the Estimated Population - 14.7

Death Rate (comparable) per 1,000 of the Estimated Population - 13.4

Births, Deaths and Infant Mortality for Six Years

Year	1963	1964	1965	1966	1967	1968
Birth Rate	15.98	13.59	15.43	13.96	14.7	14.6
Death Rate (all causes)	12.64	12.89	13.35	12.09	12.9	13.4
Deaths under 1 year (all causes per 1,000 Live Births)	10.10	25.54	27.68	7.09	18.0	19.8

INFANT MORTALITY

Deaths of Infants under 1 year		Total	Male	Female
Legitimate	4	1	3
Illegitimate	1	1	0
<hr/>		5	2	3

Deaths of Infants under 1 year		Total	Male	Female
Legitimate	1	1	0
Illegitimate	1	1	0
<hr/>		2	2	0

Deaths of Infants under 1 year		Total	Male	Female
Legitimate	1	1	0
Illegitimate	1	1	0
<hr/>		2	2	0

Infant Mortality Rates

All infants per 1,000 live births 12.5
 Legitimate Infants per 1,000 legitimate live births .. 15.0
 Illegitimate Infants per 1,000 illegitimate live births .. 10.0
 Non-White Mortality Rate per 1,000 live births .. 15.0
 Birth Control Mortality Rate per 1,000 live births .. 10.0
 National Mortality Rate per 1,000 live births .. 12.5

Total	Male	Female
12.5	6.25	6.25

Birth Rate per 1,000 of the Female Population - 1912

Birth Rate (Legitimate) per 1,000 of the Female Population - 1912

Year	Birth Rate	Death Rate (all causes)	Death Rate per 1,000 live births
1912	12.5	12.5	12.5
1913	12.5	12.5	12.5
1914	12.5	12.5	12.5
1915	12.5	12.5	12.5
1916	12.5	12.5	12.5
1917	12.5	12.5	12.5
1918	12.5	12.5	12.5
1919	12.5	12.5	12.5
1920	12.5	12.5	12.5

TABLE SHOWING CERTAIN VITAL STATISTICS AS COMPARED WITH ENGLAND AND WALES

	England and Wales	Bakewell Rural District
Live Birth Rate (per 1,000 Population)	16.9	14.6 *
Death Rate (per 1,000 Population)	11.9	13.4 *
Infant Mortality (deaths under 1 year per 1,000 live births)	18.0	19.8

* Comparable figures

The main feature in the foregoing figures was the marked rise in the Infant Mortality rates. This was due to five deaths under four weeks of age and in all cases the cause was congenital abnormality - not preventable in the present state of our knowledge

INFECTIOUS DISEASES

CASES NOTIFIED DURING THE YEAR 1968

	<u>Notified</u>	<u>No. of cases removed to hospital</u>
Tuberculosis:-		
Pulmonary	2	2
Other Forms	-	-
Smallpox	-	-
Scarlet Fever	5	-
Diphtheria	-	-
Enteric Fever:-		
Typhoid	-	-
Para-Typhoid	-	-
Puerperal Pyrexia	-	-
Meningococcal Meningitis	-	-
Erysipelas	1	-
Ophthalmia Neonatorum	-	-
Acute Encephalitis:-		
Infective	-	-
Post-infective	-	-
Acute Poliomyelitis:-		
Paralytic	-	-
Non-Paralytic	-	-
Pneumonia	5	-
Measles	50	-

INFECTIOUS DISEASES (continued)

CASES NOTIFIED DURING THE YEAR 1968

	<u>Notified</u>	<u>No. of cases removed to hospital</u>
Whooping Cough	2	-
Hepatitis(Infective Jaundice)	1	-
Other Diseases:-		
Food Poisoning	2	1
Dysentery	-	-

TABLE SHOWING THE BEFORE MENTIONED CASES OF NOTIFIABLE DISEASES AT VARYING AGES DURING THE YEAR 1968

Disease	0-1	1-2	2-	3-	4-	5-	10-	20-	35-	45-	60-	Total
Tuberculosis	-	-	-	-	-	-	-	-	-	2	-	2
Scarlet Fever	-	-	1	-	1	2	1	-	-	-	-	5
Erysipelas	-	-	-	-	-	-	-	-	-	-	1	1
Pneumonia	-	-	1	-	-	-	-	-	1	2	1	5
Measles	2	5	10	11	4	17	1	-	-	-	-	50
Whooping Cough	-	-	1	-	-	1	-	-	-	-	-	2
Hepatitis (Infective Jaundice)	-	-	-	-	-	1	-	-	-	-	-	1
Food Poisoning	-	-	-	-	-	-	1	-	-	-	1	2

On the whole there was a reduction in the number of cases of notifiable Infectious Diseases especially of Measles - 50 cases as against 264 in 1967.

SEWAGE WORKS

SEWAGE AND SEWAGE DISPOSAL

	<u>No. of Houses</u>	<u>Estimated Population involved</u>
No. of houses connected to sewers	5,460	14,759
No. of houses not connected to sewers	1,448	4,001
No. of connections made during year:-		
(a) existing houses	4	
(b) new houses	45	
(c) other premises	1	
No. of conversions of other closets to W.C.'s	64	

INFECTIOUS DISEASES (continued)

CASES NOTIFIED DURING THE YEAR 1962

Disease	Notified		No. of cases removed to hospital
	Male	Female	
Whooping Cough
Hepatitis (Infective jaundice)
Other Diseases:			
Food Poisoning
Dysentery

TABLE SHOWING THE SEVERE MENTIONED CASES OF NOTIFIABLE DISEASES AT VARIOUS AGES DURING THE YEAR 1962

Disease	Age Group											Total
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-59	
Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	2
Scarlet Fever	-	-	1	2	1	-	-	-	-	-	-	2
Dysentery	-	-	-	-	-	-	-	-	-	-	-	1
Pneumonia	-	1	-	-	-	-	-	-	-	-	-	2
Measles	2	10	11	4	17	1	-	-	-	-	-	50
Whooping Cough	-	-	1	-	-	-	-	-	-	-	-	2
Hepatitis (Infective jaundice)	-	-	-	-	1	-	-	-	-	-	-	1
Food Poisoning	-	-	-	-	-	-	-	-	-	-	-	2

On the whole there was a reduction in the number of cases of notifiable Infectious Diseases especially of Measles - 50 cases as against 104 in 1961.

SEWAGE WORKS

SEWAGE AND SEWAGE DISPOSAL

No. of houses connected to sewers	2,480	Estimated Population involved	14,759
No. of houses not connected to sewers	1,448		4,001
No. of connections made during year			
(a) existing houses	4		
(b) new houses	40		
(c) other premises	1		
No. of conversions of other premises to W.C.'s			
	64		

SEWAGE WORKS (continued)

July 1968 saw the start of construction work on the Council's long awaited Southern Area Sewerage Scheme which will cater for twelve parishes in the District as well as the sewage from the Bakewell Urban District. The contract is due to be completed in 1971, at a cost of £753,000.

Your existing sewage works continued to function reasonably satisfactorily during the year although I would once again stress the need for urgent alteration and improvement to many of them, without which it is extremely difficult to maintain their operational efficiency. This particularly applies to your Baslow works where flows in excess of the design capacity add to the problems.

HOUSING

Four new houses were built by the Council during the year at Birchover(2) and Bradwell (2).

There was a small decrease in private building, 42 as against 47 in 1967. Their numbers and parishes being -

Baslow	7	Great Longstone	1
Bradwell	7	Litton	3
Calver	12	Outseats	1
Curbar	2	Stanton	1
Elton	1	Taddington	2
Over Haddon	2	Wardlow	1
		Winster	2

Use of the improvement grant schemes continued during the year and there was, in fact, a further rise in the number of applications receiving approval - 15 discretionary and 81 standard - and 92 payments, totalling £17,961, were made in respect of the completion of grant aided works. This is one of the highest total amounts ever paid out in any one year.

CARAVAN SITES

The number of sites licensed is 37, the number of caravans being 367.

There were no significant changes in the sites or number of caravans on them during the year. Site conditions also remained substantially the same.

WATER SUPPLIES

I am indebted to the Engineer and Manager of the North Derbyshire Water Board for the following report on the supervision of the water supply during the year:-

"The supplying authority to the area is the North Derbyshire Water Board.

A.(1)The supply to the area is a bulk supply from the Derwent Valley Water Board, augmented by five of the Board's smaller installations. The bacteriological quality of the Derwent Valley water has been satisfactory. The spring sources have been of lower reliability so far as bacteriological quality is concerned and efforts to their gradual elimination continued.

(2)The quantity proved adequate, no restrictions being imposed.

B. Chemical and bacteriological analyses are carried out in the Board's laboratories. All raw, treated and distributed waters are examined at least monthly, the number of examinations involved in 1968 being:-

Bacteriological	-	622
Chemical	-	58

SEWERAGE WORKS (continued)

July 1968 saw the start of construction work on the Council's long awaited Southern Area Sewerage Scheme which will cater for twelve parishes in the District as well as the sewage from the Braham Urban District. The contract is due to be completed in 1971, at a cost of £255,000.

Your existing sewerage works continued to function reasonably satisfactorily during the year although I would once again stress the need for urgent alteration and improvement to many of them, without which it is extremely difficult to maintain their operational efficiency. This particularly applies to your Braham works where flows in excess of the design especially add to the problems.

HOUSING

Your new houses were built by the Council during the year at Braham (2) and Braham (3).

There was a small decrease in private building, as against 44 in 1967. Their numbers and parishes being -

Baslow	7	Great Longstone	1
Braham (1)	7	Litton	3
Calver	12	Outcasts	1
Curbar	2	Stanton	1
Eton	1	Tadlington	2
Over Haddon	2	Wardlow	1
		Winstan	2

Use of the improvement grant schemes continued during the year and there was, in fact, a further rise in the number of applications receiving approval - 15 discretionary and 81 standard - and 92 payments, totaling £17,961, were made in respect of the completion of grant aided works. This is one of the highest total amounts ever paid out in any one year.

CARAVAN SITES

The number of sites licensed is 27, the number of caravans being 267. There were no significant changes in the sites or number of caravans on them during the year. Site conditions also remained substantially the same.

WATER SUPPLY

I am indebted to the Engineer and Manager of the North Derbyshire Water Board for the following report on the supervision of the water supply during the year:-

"The supplying authority for the area is the North Derbyshire Water Board.

A. (1) The supply to the area is a bulk supply from the Derwent Valley Water Board, augmented by five of the Board's smaller installations. The bacteriological quality of the Derwent Valley water has been satisfactory. The spring sources have been of lower reliability so far as bacteriological quality is concerned and efforts to their gradual elimination continued.

(2) The quantity proved adequate, no restrictions being imposed.

B. Chemical and bacteriological analyses are carried out in the Board's laboratories. All raw, treated and distributed waters are examined at least monthly, the number of examinations involved in 1968 being:-

Bacteriological	-	622
Chemical	-	58

WATER SUPPLIES (continued)

Bacteriological results on treated waters have been consistent with standards laid down by the Ministry of Health. Chemical results, in view of the number of water sources involved, vary considerably with location and approximate extremes of variation are:-

		6.6 - 9.6	<u>Inspections</u> <u>Written</u> <u>Notices</u>
pH			
Alkalinity	6 - 180		
Fluoride	0.1 - 0.6		

- C. The treated waters in the area have given rise to no concern on the grounds of plumbo solvency, and analyses on the supply water at source, in distribution and after overnight standing in lead service pipes have yielded figures within the recently revised acceptable lead concentration.
- D. Before being brought into service all newly laid mains were washed out, sterilized and samples examined to ensure satisfactory bacteriological and physical results were obtained. No action was necessary in respect of any other form of post treatment contamination. The waters were monitored to detect any excessive amounts of radioactive substances. Monthly reports of current bacteriological and physical results were forwarded to the Medical Officer of Health.

E.(a) The number of houses connected during the year was 83.

(b) 953 yards of main were laid for housing developments."

			<u>To R.M.</u> <u>Inspector</u>	<u>By R.M.</u> <u>Inspector</u>	
Want of Cleanliness	(S.1)	1	1	-	-
Overcrowding	(S.2)	-	-	-	-
Unreasonable temperature	(S.3)	-	-	-	-
Inadequate ventilation	(S.4)	-	-	-	-
Ineffective drainage of floors	(S.5)	-	-	-	-
<u>Sanitary Conveniences</u>	(S.7)				
a. Insufficient		-	-	-	-
b. Unsuitable or defective		2	1	-	-
c. Not separate for sexes		-	-	-	-
Other Offences against the Act (not including offences relating to outworkers)		-	-	-	-
<u>TOTAL</u>		3	2	-	-

WATER SUPPLY (continued)

Bacteriological results on treated waters have been consistent with standards laid down by the Ministry of Health. Chemical results, in view of the number of water sources involved, vary considerably with location and approximate extent of variation are:-

By	Range
Alkalinity	0.5 - 1.5
Fluoride	0.1 - 0.2

- C. The treated waters in the area have given rise to no concern on the grounds of pinnae solency, and analyses on the supply water at source, in distribution and after overnight standing in lead service pipes have yielded figures within the recently revised acceptable lead concentration.
- D. Before being brought into service all newly laid mains were washed out, sterilized and samples examined to ensure satisfactory bacteriological and physical results were obtained. No action was necessary in respect of any other form of post treatment contamination. The waters were monitored to detect any excessive amounts of radioactive substances. Monthly reports of current bacteriological and physical results were forwarded to the Medical Officer of Health.

2. The number of houses connected during the year was 81.

(3) Yards of rain water laid for housing developments.

The following table shows the number of yards of rain water laid for housing developments during the year.

Area	Number of Yards
...	...

The total number of yards of rain water laid for housing developments during the year was 1,234.

The following table shows the number of yards of rain water laid for housing developments during the year.

Area	Number of Yards
...	...

The total number of yards of rain water laid for housing developments during the year was 1,234.

The following table shows the number of yards of rain water laid for housing developments during the year.

Area	Number of Yards
...	...

FACTORIES ACTS, 1937 & 1948

INSPECTION OF FACTORIES - 1968

<u>Premises</u>	<u>Number of :-</u>		
	<u>No. on Register</u>	<u>Inspections</u>	<u>Written Notices</u>
1. Factories in which sections 1,2,3,4, and 6 are enforced by the Local Authority.	2	2	-
2. Factories not included in (1) in which section 7 is enforced by the Local Authority.	64	10	2
3. Other premises in which section 7 is enforced by the Local Authority.	-	-	-
TOTALS	66	12	2

There were no prosecutions

CASES IN WHICH DEFECTS WERE FOUND

		<u>Found</u>	<u>Remedied</u>	<u>Referred:-</u>	
				<u>To H.M. Inspector</u>	<u>By H.M. Inspector</u>
Want of Cleanliness	(S.1)	1	1	-	-
Overcrowding	(S.2)	-	-	-	-
Unreasonable temperature	(S.3)	-	-	-	-
Inadequate ventilation	(S.4)	-	-	-	-
Ineffective drainage of floors	(S.6)	-	-	-	-
<u>Sanitary Conveniences</u>	(S.7)				
a. Insufficient		-	-	-	-
b. Unsuitable or defective		2	1	-	-
c. Not separate for sexes		-	-	-	-
Other Offences against the Act (not including offences relating to outworkers)		-	-	-	-
TOTAL		3	2	-	-

FACTORIES ACT, 1947 & 1950
INSPECTION OF FACTORIES - 1950

Number of :-	No. of Inspections Written Notices	No. of Factories	Premises
-	2	2	1. Factories in which sections 1, 2, 3, 4, and 5 are enforced by the local Authority.
2	10	24	2. Factories not included in (1) in which section 7 is enforced by the local Authority.
-	-	-	3. Other premises in which section 7 is enforced by the local Authority.
TOTALS			
2	12	26	

There were no prosecutions

CASES IN WHICH DEFECTS WERE FOUND

To M.M. Inspector	By M.M. Inspector	Total	Defects Found	Defects Reported
-	-	-	(S.1) Want of Cleanliness	1
-	-	-	(S.2) Overcrowding	-
-	-	-	(S.3) Unsanitary arrangements	-
-	-	-	(S.4) Inadequate ventilation	-
-	-	-	(S.5) Ineffective drainage of floors	-
-	-	-	(S.7) Safety Consignments	-
-	-	-	a. Insufficient	-
-	-	-	b. Unavailable or defective	1
-	-	-	c. Not separate for sexes	-
-	-	-	Other Offences against the Act (not including offences relating to employers)	-
TOTAL				2

OFFICES, SHOPS & RAILWAY PREMISES ACT, 1963

Class of Premises	No. of registered Premises	No. of persons employed	No. of registered premises receiving a general inspection during the year
Offices	19	78	9
Retail Shops	65	186	113
Wholesale Shops and warehouses	-	-	-
Catering Establishments open to the public, canteens	32	196	58
Fuel Storage depots	-	-	-
TOTALS	116	460	180

* 172 Males

288 Females

FOOD

FOOD HYGIENE (GENERAL) REGULATIONS, 1960

	No. fitted to comply with Reg. 16 (Hand washing facilities)	No. to which Reg. 19 applies (Sink facilities)	No. of premises fitted to comply with Reg. 19
Total number of premises	303		
comprising			
a) Public Houses	80	80	80
b) Cafes (9 also shops included in (e))	46	43	46
c) Bakehouses (2 also shops, 1 also cafe and shop)	3	3	3
d) Ice Cream Factories	2	2	2
e) Food Shops	168	129	168
f) Boarding Houses (1 also shop)	11	10	11
g) Others	6	6	6
	273	316	316

FOOD SERVICE (GENERAL) REGULATIONS, 1961

Class of Premises	No. of registered premises	No. of persons employed	No. of registered persons receiving a general inspection during the year
Offices	12	78	2
Retail Shops	65	186	11
Wholesale Shops and warehouses	-	-	-
Catering Establishments open to the public, canteens	32	196	28
Food Storage depots	-	-	-
TOTALS	114	460	41

* 175 Males
288 Females

FOOD

FOOD SERVICE (GENERAL) REGULATIONS, 1961

Total number of premises	No. fitted to comply with Reg. 16 (Hand washing facilities)	No. to which Reg. 19 applies (Sink facilities)	No. of premises fitted to comply with Reg. 19
2) Public Houses	30	30	30
3) Cafes (also shops included in (a))	46	46	46
4) Bakerhouses (also shops, also cafes and shops)	3	3	3
5) Ice Cream Factories	2	2	2
6) Food Shops	168	168	168
7) Housing Houses (also shops)	11	11	11
8) Others	6	6	6
TOTALS	316	316	316

Inspections of Meat Slaughtered in the licensed slaughterhouses during the year 1968

	Cattle	Sheep	Pigs	Calves
Number Inspected	150	550	-	-
<u>Disease other than T.B.</u>				
Whole Carcases condemned	-	-	-	-
Part or organ condemned	20	15	-	-
% of No. inspected condemned	13.3	2.7	-	-

No cases of tuberculosis or cysticercus bovis were found during the year.

POULTRY INSPECTION

Number of poultry processing premises within the district 1
 Number of visits during the year 202
 Total number of birds processed during the year 4,463,785
 Types - hens, capons, chickens.
 Percentage of birds rejected as unfit for human consumption 0.5%
 Weight condemned as unfit for human consumption - approx. 34 tons, 6 cwts, 48 lbs.

Processing is carried out Monday to Friday each week and whenever possible daily inspection visits are made. The type of plant and its operation ensures that all suspect birds are examined, together with spot checks in the packing department. The throughput at the plant has increased by approximately 2% during the year which means that the time spent on this work has increased proportionately.

The Annual Report of the Public Health Inspector is appended.

I remain,

Mr. Chairman and Gentlemen,

Your obedient servant,

HUGH G. WATSON.

22nd September, 1969

Medical Officer of Health.

Inspection of Meat Slaughtered in the Licensed Slaughterhouses during the year 1929

	Cattle	Sheep	Pigs	Calves
Number Inspected	150	250	-	-
Part or organ condemned	20	15	-	-
Whole Carcasses condemned	-	-	-	-
% of No. inspected condemned	13.3	6.0	-	-

No cases of tuberculosis or cysticercosis were found during the year.

POULTRY INSPECTION

Number of poultry processing premises within the district	1
Number of visits during the year	208
Total number of birds processed during the year	4,463,785
Type -
Percentage of birds rejected as unfit for human consumption	.. 0.2%
Weight condemned as unfit for human consumption - approx. 24 tons, 6 cwt, 14 lbs.	

Processing is carried out Monday to Friday each week and whenever possible daily inspection visits are made. The type of plant and its operation ensures that all suspect birds are examined, together with spot checks in the packing department. The throughput at the plant has increased by approximately 25% during the year which means that the time spent on this work has increased proportionately.

The Annual Report of the Public Health Inspector is appended.

I remain,

Mr. G. G. G. G.

Local Health Officer

W. G. G.

Public Health Officer of Health

22nd December, 1929

ANNUAL REPORT OF THE PUBLIC HEALTH INSPECTOR FOR THE YEAR 1968

BAKEWELL RURAL DISTRICT

No. of houses in District connected to sewers - 1,440 14,750
 Estimated Population - 18,760 Estimated number of Houses - 6,908
 No. of houses in District not connected to sewers - 1,440 4,000

GENERAL SANITARY ADMINISTRATION

No. of connections made during year

	No. on Register at end of 1968	Inspections Made
(a) existing houses		
(b) new houses		

Bakehouses/other premises 3 .. 9

Dairies/converters of other classes to W.S. 's' 2 .. 3

Factories and Workplaces 65 .. 12

Ice Cream Premises: a) Manufacturers 2 .. 7

(a) Local Auth. b) Dealers 114 .. 263

(b) Private Enterprises

Moveable Dwellings: a) Sites 37) .. 53

No. of dwellings inspected b) No. of dwellings on sites 367)

Outworkers 2 .. 2

Preserved Food Manufacturers 25 .. 53

Offices, Shops & Railway Premises 116 .. 180

Private Slaughterhouses 2 .. 120

Knackers Yards 2 .. 23

Food Shops 168 .. 385

Public Houses 80 .. 195

No. of dwelling houses demolished in pursuance of Demolition Orders or

SAMPLING Orders Results

No. of dwelling houses in respect of which undertakings were given

Milk premises in respect of which Licensing Orders were made

Ice Cream Licensing houses in respect of which applications for Discretionary

Improvement Grant have been made during the year

Water: a) Mains 1 1 -

No. of dwelling houses in respect of which application for Standard

Improvement b) Other Sources 11 3 8

No. of houses c) Swimming Baths 2

Grants were approved during the year

No. of houses in respect of which Improvement Grant applications

were refused

No. of dwelling houses 'improved' with grant aid during the year:-

(a) Discretionary - 20 dwellings - (Total grant payments amounting to £6,176)

(b) Standard - 32 dwellings - (Total grant payments amounting to £11,760)

Signed: F. W. WALSH

22nd September, 1968

Chief Public Health Inspector

ANNUAL REPORT OF THE PUBLIC HEALTH INSPECTOR FOR THE YEAR 1922

BAKSWELL TOWNSHIP DISTRICT

Estimated Population - 18,700 Estimated number of Houses - 4,700

GENERAL SANITARY ADMINISTRATION

	No. on Register at end of 1922	Inspections Made
Barber Shops	2	2
Bathhouses	1	1
Factories and Workshops	62	12
Ice Cream Parlors a) Manufacturers	2	2
b) Dealers	14	14
Mobile Buildings a) Sites	27	27
b) No. of buildings on sites	20	20
Outdoors	2	2
Restaurant Food Manufacturers	22	22
Stores, Shops & Railway Premises	140	180
Private Dwellinghouses	2	150
Sanitary Yards	2	2
Toilet Sheds	13	30
Public Houses	30	175

	No. Taken	Unit
Milk		
Ice Cream		
Vegetables a) Sales		
b) Other Sources		
c) Swimming Baths		

REPORT C THE PUBLIC HEALTH INSPECTOR continued.....

SEWAGE AND SEWAGE DISPOSAL

Estimated
Population Involved

No. of houses in District connected to sewers	- 5,460	14,759
No. of houses in District not connected to sewers	- 1,448	4,001
No. of connections made during year -		
(a) existing houses	4	
(b) new houses	45	
(c) other premises	1	
No. of conversions of other closets to W.C.'s	64	

HOUSING

New houses erected during the year by:-

(a) Local Authority	4
(b) Private Enterprise	42
No. of dwellings inspected for housing defects under the Public Health or Housing Acts	38
No. of dwelling houses found not to be in all respects fit for human habitation	24
No. of dwelling houses found to be in a state so dangerous or injurious to health as to be unfit for human habitation	7
No. of dwelling houses rendered fit in consequence of action (formal or informal) by the Local Authority	11
No. of dwelling houses in respect of which Demolition Orders were made ..	4
No. of dwelling houses in respect of which Clearance Orders were made ..	-
No. of dwelling houses demolished in pursuance of Demolition Orders or Clearance Orders	4
No. of dwelling houses in respect of which undertakings were accepted ..	3
No. of premises in respect of which Closing Orders were made	4
No. of dwelling houses in respect of which applications for Discretionary Improvement Grant have been made during the year	16
No. of dwelling houses in respect of which application for Standard Improvement Grant have been made during the year	81
No. of houses in respect of which Discretionary and Standard Improvement Grants were approved during the year	96
No. of houses in respect of which Improvement Grant applications were refused	1
No. of dwelling houses 'Improved' with grant aid during the year:-	
(a) Discretionary - 20 dwellings - (Total grant payments amounting to £6,176)	
(b) Standard - 72 dwellings - (Total grant payments amounting to £11,785)	

Signed: F. W. WELSBY

22nd September, 1969

Chief Public Health Inspector.

SEWERAGE AND SEWER DISPOSAL

<u>Estimated Population involved</u>		
14,753	2,460	No. of houses in District connected to sewers
4,001	1,448	No. of houses in District not connected to sewers
		No. of connections made during year -
		(a) existing houses
		(b) new houses
		(c) other premises
		No. of connections of other classes to W.C.'s

HOUSING

		No. houses erected during the year by -
		(a) Local Authority
		(b) Private Enterprises
		No. of dwellings inspected for housing defects under the Public Health or Housing Acts
		No. of dwelling houses found not to be in all respects fit for human habitation
		No. of dwelling houses found to be in a state so dangerous or injurious to health as to be unfit for human habitation
		No. of dwelling houses rendered fit in consequence of action (formal or informal) by the Local Authority
		No. of dwelling houses in respect of which Dwellings Orders were made
		No. of dwelling houses in respect of which Clearance Orders were made
		No. of dwelling houses demolished in pursuance of Dwellings Orders or Clearance Orders
		No. of dwelling houses in respect of which undertakings were accepted
		No. of premises in respect of which Clearance Orders were made
		No. of dwelling houses in respect of which applications for Discretionary Improvement Grants have been made during the year
		No. of dwelling houses in respect of which applications for Standard Improvement Grants have been made during the year
		No. of houses in respect of which Discretionary and Standard Improvement Grants were approved during the year
		No. of houses in respect of which Improvement Grant applications were refused
		No. of dwelling houses 'improved' with grant aid during the year -
		(a) Discretionary - 20 dwellings - (Total grant payments amounting to £5,170)
		(b) Standard - 72 dwellings - (Total grant payments amounting to £21,700)

Signed: R. S. KERRY

Faint, illegible handwriting, possibly a name or title.

Faint, illegible handwriting, possibly a name or title.

Faint header text, possibly a title or page number.

First paragraph of faint text.

Second paragraph of faint text.

Third paragraph of faint text.

Fourth paragraph of faint text.

Fifth paragraph of faint text.

Sixth paragraph of faint text.

Seventh paragraph of faint text.

Eighth paragraph of faint text.

Ninth paragraph of faint text.