## [Report 1924] / Medical Officer of Health, Birkenhead County Borough.

#### **Contributors**

Birkenhead (England). County Borough Council.

### **Publication/Creation**

1924

#### **Persistent URL**

https://wellcomecollection.org/works/cxb3kg5g

### License and attribution


You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.









COUNTY BOROUGH OF BIRKENHEAD.



ANNUAL REPORT

OF THE


MEDICAL OFFICER

FOR

1924.

D. MORLEY MATHIESON, M.A., M.D., (Edin.), Ch.B., D.P.H.

Medical Officer of Health, and
Chief Medical Officer for the Municipal Tuberculosis, Mental Deficiency,
Maternity and Child Welfare, &c., Schemes, and for the School Medical Service.





# COUNTY BOROUGH OF BIRKENHEAD.



# ANNUAL REPORT

OF THE

# MEDICAL OFFICER

FOR

1924.

# D. MORLEY MATHIESON, M.A., M.D., (Edin.), Ch.B., D.P.H.

Medical Officer of Health, and
Chief Medical Officer for the Municipal Tuberculosis, Mental Deficiency,
Maternity and Child Welfare, &c., Schemes, and for the School Medical Service.



# INDEX.

	PAGE
Abattoirs	28
Births	. 3
Birth-rates	3
Blind, welfare of the	53
Cerebro-spinal meningitis	50
Cheshire Joint Sanatorium	37
Cleansing of persons	48
Clinics: Ante-natal	67
Post-natal	66
Dental	80
Minor ailments	79
Minor ailments Tuberculosis	80
Venereal diseases	32
Corkhill fund	43 32
Deaths	-
Death-rates	5
Deaths, uncertified	5
Density of population	3
Dental inspection and treatment	80
Diphtheria antitoxin	48
Disinfection after infectious diseases, etc.	48
Drugs	30
Elementary schools (medical inspection and treatment)	76
Elementary schools (dental inspection and treatment)	80
Encephalitis lethargica	47
Factories and workshops	61
Food inspection	28
Food and drugs, sale of	29
Food, unsound	30
Health of school children	71
Home nursing	50
Hospital infectious diseases	49
Hospital, Leasowe	38
Houses, new	55
Housing and general sanitation	55
Increase of rent, etc., Act, 1920	59
Industries, local	22
Infantile mortality	6
Infectious diseases hospital	49
Infectious diseases (notifiable) Inquests	46 5
Laboratory	51
Leasowe hospital	38
Local industries	22
Lodging houses	60
Maternity and child welfare	63
Medical inspection and treatment of school children	76
Mental deficiency	52
Meteorological results	1
Midwives, inspection and supervision of	64
Milkshops	21
Milk supply	24
Milk (Mothers and Children) Order, 1919	66
Notification of Tuberculosis; efficiency of	32
Nursing, home	50
Decupations	22
Orthopædic scheme, draft of	72
Poisons and Pharmacy Act, 1908, and Orders, 1909	61
Poor law relief: amount of	22
Population	3
Property uninhabited	56

## INDEX .- CONTINUED.

Rag flock
Rats and mice
Ringworm, treatment of
Sanatorium, Thingwall
School children, health of
Secondary schools (medical inspection and treatment)
Smallpox
Special school for mentally defective children
Surgical tuberculosis
l'heatres, music halls, etc.
Phingwall sanatorium
l'uberculosis
Uncleanliness: treatment of
Unemployment
Vaccination
Venereal diseases
Water supply
Welfare of the blind
Workshops
X-Ray treatment of ringworm
T and or continue of anny and anny

## CONTENTS.

at 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PAGE
Short statistical summary	vi
Preface	vii
Weather	viii 1
Meteorological results	1-2
Population, births and deaths	3
Population	3
Births	3-4
Deaths	4-21
Local industries	22
Occupations	22
Unemployment	22
Amount of poor law relief	22-23
Water supply, food and drugs	24
Water supply	24
Milk supply	24-26
Other foods	28-29
Sale of Food and Drugs Acts	29-31
Tuberculosis	32
Administrative arrangements	32
Cases dealt with through the tuberculosis clinic	32-34 34-35
Home visiting, disinfection, etc.	35-36
Cheshire Joint Sanatorium	37-38
Leasowe hospital	38
Thingwall sanatorium	36-37
Statistical tables	39
Venereal diseases	40
Administrative arrangements	40
Treatment carried out at the clinic	43-44
Baeteriological work	41
Treament of Birkenhead patients carried out at other treatment	
centres	41-42
Issue of salvarsan substitutes	42
Propaganda Statistical tables	32 43-45
Other infectious diseases	46
Infectious diseases which are notifiable	46-48
Vaccination	48
Disinfection	48
Issue of diphtheria antitoxin	48
The infectious diseases hospital	49-5)
Home nursing	50
Laboratory	51
Mental denciency	52
Administrative arrangements	52
Cases dealt with under Mental Deficiency Act, 1913	52
Cases dealt with under the Elementary Education Defective and	50
Welfare of the blind	52 53
Administrative arrangements	53
General facts regarding blind persons in Birkenhead	53
Housing and general sanitation	55
Administrative arrangements	55
Staff	55
Area	55
New houses erected	55
Uninhabited property	55
Administrative action taken in connection with housing and	FO
general sanitation	56-60
Factories and workshops	61
Poisons and Pharmacy Act, 1908, and Orders, 1909	62 61
Factory and Workshop Acts, 1901 and 1907	62
Rag Flock Act, 1911	02

# CONTENTS .- CONTINUED.

Maternity and child welfare	PAGE 63
Administrative arrangements	63
Staff	64
Inspection and supervision of midwives	64-65
Home visiting of expectant mothers, mothers, and young children	65-66
Post-natal clinics	66-67
Ante-natal clinics	67-69
Other provision made by the local authority	69
Agencies assisted by the local authority	69-70
Agencies not provided or assisted by the local authority	70
Health of school children	71
Administrative arrangements	71-72
Draft orthopædic scheme	72-76
Medical inspection and treatment (elementary schools)	76-80
Dental inspection and treatment (elementary schools)	
Medical inspection and treatment (secondary schools)	
Miscellaneous	84-99

# SHORT STATISTICAL SUMMARY.

## 1924.

Area of Borough 3,909 acres, or a little over 6 squ	are miles
Estimated population (at midsummer)	154,100
Number of persons per acre (density of population)	39.4
Estimated number of houses in Borough	27,731
Number of inhabited houses at time of census, 1921	26,630
Rateable value	£873,605
Estimated product of penny rate	£3,200
Birth-rate per 1,000 of the population	21.1
Death-rate ,, ,,	11.9
Average death-rate for the last ten years	13.5
Phthisis death-rate per thousand of the population	0.88
Infantile mortality rate (per 1,000 births)	91
Percentage of total deaths which were uncertified	0.05
Average number of children in elementary schools	. 23,891
Total children medically inspected during year	8,248

## PREFACE.

In the tollowing pages will be found a statement of the Health work carried out, and of the information collected and analysed in Birkenhead during the year 1924.

Acknowledgment is here gratefully made of help received from the officials in charge of other Corporation departments, from the Clerk to the Guardians, from the Secretary of the Mersey Docks and Harbour Board, and from the Manager of the Birkenhead Employment Exchange, who have kindly supplied information used in the body of the report; and of the efficient and loyal services rendered by all members of the staff of this department during the past year.

## ADMINISTRATION.

Staff changes during the year .- Dr. Richardson Lovell and Dr. Campbell Brown relinquished their posts as Assistant Medical Officers, and their places were taken by Dr. A. R. Balmain and Dr. W. D. Hood; Dr. Hood going into residence at the Infectious Diseases Hospital.

Mr. H. L. Torrance was appointed to the new position of Veterinary

Miss Alexander, Miss Boydell, Miss Evans, Miss Gabbott, Miss Hood and Miss Robinson resigned their posts as Health Nurses; Miss Beattie, Miss Cotton, Miss Grogan, Miss Jones, Miss Kaneen and Miss Wilson being appointed to fill the vacancies.

Mrs. Williams was appointed to fill the post of Health Nurse which

was vacant at the end of 1923.

Mr. H. L. Baty was appointed to the position of Housing Inspector which had been vacant for a considerable period, and Mr. R. Baker was appointed to fill the vacancy created on the clerical staff.

Mr. A. Wood was appointed as an additional District Sanitary

Inspector.

Mr. S. G. Rackham resigned his post as Food and Drugs, etc.,

Inspector, and Mr. G. S. Reeman was appointed to fill the vacancy.

Messrs. H. T. Taylor (District Sanitary Inspector) and Isaac Taylor (Disinfecting Inspector) retired on superannuation during the year and their positions were filled by Messrs, G. Wills and E. Lea respectively.

General administrative arrangements.—The detailed arrangements made by the local authority for dealing with various branches of health work—e.g., maternity and child welfare, tuberculosis, etc.—are set out in the appropriate sections of this report.

Staff.—The staff engaged on the work of the department consisted at the end of 1924 of the following:—

Medical Officer of Health and Principal Administrative Medical Officer:

D. MORLEY MATHIESON, M.A., M.D. (Edin.), D.P.H.

Assistant Medical Officers (whole time):

MARY A. S. DEACON, M.B.E., M.B., B.S., D.P.H. H. MASON LEETE, M.D., B.S., B.HY., D.P.H. F. G. FOSTER, M.A., M.D., CH.B., D.P.H. A. R. BALMAIN, M.B., B.S., D.P.H. W. D. HOOD, M.B., Ch.B., D.P.H.

Dental Surgeon (whole time):

P. Wilson Smith, L.D.S. (Glas.).

Veterinary Officer (whole time):
H. L. TORRANCE, M.R.C.V.S., D.V.S.M. (Vict.).

Bacteriologist and Pathologist:

Professor J. M. BEATTIE, M.A., M.D., etc. Analyst:

HERBERT E. DAVIES, M.A., B.Sc., F.I.C.

Inspectors:

ALFRED LONGSTAFF (Chief Inspector and Inspector under the Food and Drugs Acts).

John M. Carnie (Meat, Fish, and Abattoir Inspector); H. L. Baty (Housing Inspector), John Lee, W. H. Tilston, Joseph Croshaw, George Wills, A. Wood (District Sanitary Inspectors); G. S. Reeman (Workshops, Food and Drugs, etc., Inspector); E. Lea (Disinfecting Inspector); William S. Edwards (Common Lodging Houses Inspector).

Matron, Isolation Hospital:

Miss EMILY YEOMANS.

Matron, Thingwall Sanatorium:

Miss M. A. GRAHAM.

Health Nurses:

Miss K. Nixon (Chief Health Nurse).

Mrs. L. E. Fletcher (Health Nurse and Inspector of Midwives).

Miss Beattie, Miss Cotton, Miss Craine, Miss Graham, Miss Grogan, Miss Jones, Miss Kaneen, Miss Lewis, Miss Meakin, Miss Parkinson, Miss Peace, Miss Steele, Miss Wilson, Mrs. Williams.

Clerks:

JOSEPH BENNETT (Chief Clerk). JOHN OWEN (Senior Clerk).
ROLAND E. JONES, ERIC P. ROGERS, THOMAS OVERSBY, ROBERT BAKER,
W. S. SHAW, J. CHALLINOR, N. WILSON, C. MARTIN, Miss E. M. PINCHES,
Miss H. TREVETHAN, L. PINGUEY, J. CHEMINANT.

General:

NURSING STAFF, FEVER HOSPITAL—18.
DOMESTIC STAFF, FEVER HOSPITAL—17.
MALE STAFF, FEVER HOSPITAL—4.
NURSING STAFF, THINGWALL SANATORIUM—7.
DOMESTIC STAFF, THINGWALL SANATORIUM—7.
MALE STAFF, THINGWALL SANATORIUM—4.
OTHER STAFF—4.

## WEATHER.

### METEOROLOGICAL RESULTS.

The mean barometer reading for the whole year was 29.880 inches, as compared with a mean of 29.924 for the past 55 years.

The number of wet days in 1924 was 207.

The total amount of rainfall at Bidston was 32.521 inches, as compared with an average annual rainfall for the past 57 years of 28.501 inches. The abnormally heavy rainfall during the summer is well shown in the tables below.

The mean temperature for the year was 49.0° Fahrenheit.

In Tables A 1 and A 2 monthly and weekly results are set out: those in Table A 2 being for the 52 weeks ending December 27th, 1924.

TABLE A 1.

Meteorological observations during 1924. Monthly results.

1924	Mean Temperature	Mean Barometer	Rainfall—1 ft above ground
	ο F.	INCHES	INCHES
January	40.8	29.882	1.858
February	39.2	30.057	0.502
March	40.3	29.863	0 909
April	44.2	29.858	1.684
May	52.8	29.818	5.221
June	56.7	29.979	1.855
July	59.4	29.839	3.802
August	57.5	29.787	4.938
September	55.8	29.767	3.366
October	50.1	29.866	3.355
November	45.7	30.017	1.876
December	45.4	29.824	3,155

2

TABLE A 2.
Meteorological observations during 1924. Weekly results.

	Barometer means	Means of	Ther-	Rain	nfall.	Average	Mean hourly	Percent'ge of time
Weeke	reduced to sea level & to 32°F.	Evapora- tion.	mometer means.	Hours.	Inches.	of cloud to clear sky.	hourly horizontal motion of airinmiles	wind blew fm S., SW. W. & NW.
1	30.118	41.2	42.0	22.2	1.019	82.85	16.41	69:04
2	29.536	34.4	36.1	18.5	0.416	70.00	21.00	21.43
3	29.522	39.2	41.0	17.2	0.527	88.57	19.60	30.95
4	30.055	41.3	43.5	31.1	0.838	67.14	18.83	59.52
5	30.391	41.1	48.0	7.8	0.056	72.85	25.75	100.00
6	29.915	41.1	43.0	11.1	0.221	92.85	26.90	77.97
7	29.799	34.8	36.7	0.6	0.018	75.71	15.84	17.26
8	30.343	36.7	38.7	2.9	0.089	74.28	12.53	48 21
0	29.950	34.0	36.3	12.4	0.274	72.85	23.51	
10	29.844	33.8	36.0	12.4	0.317	55.71		60.71
11	30.210	37.4	43.3	0.0	0.517		12.35	45.83
	ACCOUNT OF THE PARTY OF THE PAR				0.909	25.71	16.07	8.93
12	29.867	37.0	39.9	9.5	0.203	51.43	11.60	39.28
13	29.498	39.8	42.8	7.7	0.269	88.57	13.20	18.45
1st Qr.	29.926	37.8	40.1	153.4	4.247	70.65	17.96	45.96
14	30.300	35.0	39.1	0.0		62.85	10.60	8.33
15	29.686	38.1	40.5	14.8	0.179	58.57	14.74	62.50
16	29.966	41.3	44.8	10.7	0.311	61.43	13.24	80.95
17	29.858	46.8	48.7	18.3	0.417	92.85	15.31	68.45
18	29.524	46.0	48.4	12.2	0.827	81.43	16.61	64.28
19	29.800	44.1	46.7	31.0	1.080	77.14	15.81	82.73
20	29.986	50.0	52.5	13.5	0.396	62.85	11.51	87.50
21	29.725	52.8	56.5	32.1	1.239	82.85	12.44	38.09
22	29.822	53.5	57.7	24.5	2.456	78.57	13.20	55.95
0.0	29.982	50.5	53.8	23.5	0.515	88.57	9.20	47.02
0.4	29.859	51.6	54.9	18.8	0.917			
						71.43	13.54	63.69
25	29.953	53.9	59.5	9.4	0.266	67.14	9.75	64.25
26	30.163	55.0	58.9	8.2	0.121	70.00	12.73	97.01
2nd Qr.	29.894	47.6	50.9	217.0	8.724	73.49	12.97	63.13
27	29.624	52.7	57.1	17.8	0.499	74.28	18.47	86.90
28	29.960	57.4	62.5	2.4	0.026	64.28	13.94	74.40
29	29.946	54.8	59.3	3.2	0.086	60.00	15.91	92.26
30	29.918	54.2	57.7	32.9	1.875	81.43	17.55	66.07
31	29.733	56.4	59.1	33.7	2.008	90.00	12.17	67.85
32	30.212	54.7	58.5	10.5	0.552	70.00	14.63	95.83
33	29.777	55.8	59.1	15.7	1.084	74.28	11.27	80.33
34	29.424	52.8	55.9	22.7	1.010	78.57	21.54	92.85
35	29.872	53.6	55.9	21.2	1.028	92.85	15.93	85.71
36	29.971	55.7	59.2	8.1	0.245	81.43	13.03	39.28
37	29.619	53.6	56.2	19.0	1.540	87.14	17.77	81.54
38	29.805	53.0	56.7	16.1	0.271	71.43	21.48	88.09
39	29.647	48.4	51.9	33.0	1.103	67.14	16.43	57.74
3rd Qr.	29.808	54.08	57.62	236.3	11.327	76.37	16.16	83.73
	29.756	49.4	52.9	11.0	0.380	72.85	12.20	56.54
40								
41	29.712	48.1	50.4	30.4	1.137	74.28	14.34	82.14
42	30.268	50.3	52.1	9.1	0.479	60.00	10.57	36.90
43	29.987	43.4	46.1	16.0	0.884	60.00	15.05	26.78
44	29.512	48.1	51.1	32.0	1.132	90.00	16.47	72.62
45	30.129	42.1	45.2	5.2	0.170	68.57	14.01	42.32
46	30.128	42.7	44.5	5.8	0.182	77.14	13.59	13.69
47	30.455	43.6	45.4	5.2	0.111	72.85	15.84	72.02
	29.515	45.0	46.6	20.8	1.048	70.00	18.38	37.50
48		44.8	46.6	14.5	0.867	65.71	16.95	46.42
49	29.576			610 E	0.670	77.14	11.25	48.21
49 50	30.201	44.0	45.2	23.5				
49 50 51	30.201 29.977	44.0 44.6	46.8	6.6	0.233	71.43	14.80	79.16
49 50	30.201	44.0	17 (20 10 10 10 10 10 10 10 10 10 10 10 10 10					
49 50 51 52	30.201 29.977 29.707	44.0 44.6 43.0	46.8 45.3	6.6 23.4	0.23 <b>3</b> 0.908	71.43 62.85	14.80 17.88	79.16 54.16
49 50 51	30.201 29.977	44.0 44.6	46.8	6.6	0.233	71.43	14.80	79.16

# POPULATION, BIRTHS, AND DEATHS.

#### POPULATION.

Population.—The population of the Borough recorded at the time of the 1921 census was 145,592. This was certainly an understatement of the population; the census was taken in June, when a considerable number of residents were absent from the Borough. The estimated mid-year population, 1924, is 154,100. This estimate has been made by the Registrar-General on the basis of the "adjusted" 1921 figures, after allowance for the varying rate of natural increase as evidenced by the births and deaths in each area and of migration as indicated from other sources of information such as the change in the numbers in the Parliamentary Register and the migration returns obtained by the Board of Trade.

#### BIRTHS.

Births registered during 1924, and birth-rate.—During the year 3 252 births belonging to the Borough were registered. (This total includes 65 Birkenhead births registered in other areas and transferred to Birkenhead, and excludes 113 births belonging to other areas which occurred in Birkenhead and were transferred to the areas concerned. Among the latter are numerous births which occurred at the Birkenhead Maternity Hospital and the Birkenhead Infirmary.)

This corresponds to a birth-rate of 21.1 per 1,000 of the population.

Birth-rate in recent years.—The birth-rates since 1911 (calculated on population figures not revised in the light of the 1921 census) are as follows:—

1911	28.4 per 1,000
1912	28.2 ,,
1913	28.7 ,,
1914	27.3 ,,
1915	27.4 ,,
1916	26.9 ,,
1917	22.4 ,,
1918	21.1 ,,
1919	22.5 ,,
1920	27.7 ,,
1921	25.8 ,,
1922	23.1 ,,
1923	21.4 ,,
1924	21.1 ,,

## Comparison of birth-rate with rates for country generally .-

England and Wales	18.8
105 Great Towns (including London)	19.4
157 Other Towns above 20,000 population	18.9
London	18.7
Birkenhead	21.1

Sex-distribution of births.—Of the 3,252 births, 1,683 were males and 1,569 females; a proportion of 1,072; 1,000.

**Legitimacy.**—Of the 3,252 births registered, 139 were illegitimate; a percentage of 4.3.

Births notified during 1924.—During the year 3,291 births were notified in the Borough under the Notification of Births Acts, 1907 and 1915. Of these, 117 were still-births, leaving a total of 3,174 live births. This total includes births which occurred in the Birkenhead Maternity Hospital, the Birkenhead Infirmary and the Birkenhead Borough Hospital, many of which were transferable to other areas.

The following is an analysis of the above births:-

Births in Public Institutions:-

Maternity Hospital	211	(11	still-births) ,, ) ,, )
Notified by doctors	2524	(73	still-births) ,, ) ,, )
	3291	(117	,, )

Un-notified births.—The Registrars reported 78 cases of un-notified births. 34 of these were attended by medical practitioners, 43 by certified midwives and doctors, and 1 by the Maternity Hospital staff.

#### DEATHS.

Death-rate.—1,842 deaths occurred during the year; the total figure includes 104 deaths of Birkenhead residents which occurred outside the Borough, but excludes 165 deaths of non-residents which occurred in the area. This gives a death-rate of 11.9 per 1,000.

Deaths in recent years.—The death-rates since 1911 are as follows (the rates for 1912-1920 are given as they were published year by year, and are not calculated on revised estimates of population in the intercensal period):—

1911	16.0 per 1,000
1912	14.7 ,.
1913	14.9 ,,
1914	15.6 ,,
1915	15.6 ,,
1916	14.2 ,,
1917	13.3 ,,
1918	17.6 ,,
1919	13.7 ,,
1920	13.3 ,,
1921	11.6 ,,
1922	13.6 ,,
1923	11.0 ,,
1924	11.9 ,,

Seasonal deaths.—The following gives the deaths for each quarter of the years 1923 and 1924.

	No. of deaths		
	1923	1924	
First quarter	472	593	
Second quarter	426	433	
Third quarter	316	356	
Fourth quarter	459	460	
W. 4-1-	1070	1010	
Totals	1673	1842	

Sex-distribution of deaths.—Of the total deaths 964 were males and 878 females, a proportion of 1,097: 1,000.

Coroners' Inquests.—Coroners' inquests were held regarding 116 deaths—that is, in 6.3 per cent. of the total deaths during the year. There were no deaths due to overlaying during the year.

Uncertified deaths.—In 1924, out of the 1,842 deaths registered, 1 was marked "not certified", that is, 0.05 per cent. The cause of the death was entered in accordance with the statement of the person giving information to the registrar, viz.:—

Broncho-pneumonia, cardiac failure.

Causes of death.—From the beginning of 1920 the classification of causes of death previously employed was abandoned, and the recognised classification contained in the detailed international list was adopted. An analysis on this basis will be found in Tables P 1, P 2, and P 3.

Table P 1 (pages 8 to 17) shows the causes of death in detail, subclassified according to age.

Table P 2 (page 18) is a condensed form of Table P 1.

Table P 3 (page 19) is similar to Table P 2 but shows a subclassification according to districts instead of ages. Infantile mortality.—There were 298 deaths of infants under 1 year old. This corresponds to an infantile mortality rate of 91 per 1,000 births.

There were 12 deaths in illegitimate infants under 1 year old; giving an illegitimate infant mortality rate of 86 per 1,000.

The causes of infant deaths, and the ages at which death occurred, are shown in Table P 4 (page 20).

The corresponding rates for each year since 1911 are given below:-

1911 1912 1913 1914 1915 1916 1917 1918 1919 1920 1921 1922 1923 1924		•							-	,										м.											-
1913 1914 1915 1916 1917 1918 1919 1920 1921 1922 1923	1911	-			-								-																		
1914 1915 1916 1917 1918 1919 1920 1921 1922 1923	1912													 					 				 					 			
1914 1915 1916 1917 1918 1919 1920 1921 1922 1923	1913														Ü														-		
1915 1916 1917 1918 1919 1920 1921 1922 1923																															
1916 1917 1918 1919 1920 1921 1922 1923		-	-	-	-	-	-					-	-																		
1917 1918 1919 1920 1921 1922 1923	1915																														
1918 1919 1920 1921 1922 1923	1916																											 			
1918 1919 1920 1921 1922 1923	1917																														
1919 1920 1921 1922 1923																															
1920 1921 1922 1923	1918									.,							٠,			*	٠,						*	 			
1921 1922 1923	1919																		 				 					 			
1921 1922 1923	1090																														
1922 1923																															
1923	1921													 					 				 					 			
1923	1000																														
	1922																														
	1923																														-
1924	1004																														
	1924															 								 					 		

The higher infantile mortality rate as compared with that of 1923 (which was by far the lowest annual rate ever recorded for the Borough) was due chiefly to an increase in deaths from chest affections, and to a lesser degree to an increase in deaths associated with diarrhœa and with prematurity.

The following table will make this clear:-

Cause of death.	No. in 1923.	No. in 1924.	Increase,
(a) Pneumonia (all forms)	24	57	33
Bronchitis		26	13
Whooping Cough	2	14	12
Measles		5	5
(b) Diarrhœa and Enteritis		44	13
Premature Birth		51	13
(c) All other causes	96	101	5
		-	_
	204	298	94
		_	_

Deaths from Tuberculosis.—Tuberculosis was responsible for 10 per cent. of all the deaths recorded in the Borough in 1924. The deaths from the disease were as follows:—

				sis	
			Total		187

This gives a tuberculosis death-rate of 1.21 per 1,000 of the population.

Of the 136 deaths from pulmonary tuberculosis during 1924, 125 occurred in individuals between 15 and 65 years old—that is, of a wage-earning age.

This subject is further dealt with in the "Tuberculosis" section of this report.

Deaths from epidemic diseases.—The seven "principal epidemic diseases" caused 138 deaths, as follows:—

Diarrhœa and enteritis (under 2 years)	51
Whooping Cough	36
Measles	
Scarlet Fever	
Diphtheria (including membranous croup)	
"Fever" (enteric, typhus, and simple continued fever)	
Smallpox	1

This corresponds to a death-rate from all these diseases of 0.89 per 1,000 of the population.

Deaths from other notifiable infectious diseases.—Pneumonia caused, in its various forms, 217 deaths; puerperal fever caused 3; encephalitis lethargica caused 2.

Deaths from certain non-notifiable infectious diseases.—Syphilis was returned as the cause of 4 deaths. With the existing system of death registration there is every likelihood that many deaths caused directly or indirectly by this disease are not so recorded in the death certificates.

Comparison of Birkenhead death-rates with those for country generally.—In Table P 5 (page 21) Birkenhead rates are shewn together with those for the country generally. The latter are provisional figures kindly supplied by the Registrar-General. Non-civilians are included in the figures for England and Wales, but not for other areas.

TABLE P 1.

Deaths belonging to the County Borough of Birkenhead classified according to the detailed international list of causes, as adapted for use in England and Wales registered during the year ending 31st December, 1924.

285	20- 25- 35- 45- 55- 65- 75- up. 60		1 1											1 2 2 11 3 5 1		 	4 :		 			
Ages at death	5- 10- 15-		1 1 1									4 2 1	1	3		 			 	 		
	1- 2- 3- 4-		:	:	:				: 0		13 - 5 - 1	1 3		. 61		 	: :		 	 		
Months Total	0-3 3.6 6-12 under		:		1 1 1					0 :	3 2 9 14					 			 	 :		
	ages agenting ages	-General diseases.		2. Typhus	B. Mediterranean fever	4. Malaria	5. A. Smallpox—Vaccinated	33	& Manufaction Doubtful	Scarlet favor	Whooping cough		B. Membranous laryngitis	10. Influenza 30	77		Plague	Yellow fever		C. Varicella	D. Other epidemic diseases	Pvemia

[	::
	1111
1   1   104   1   1   1   1   1   1   1   1   1	1111
1 1 1 1 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	: : 64 00
[	1.00
111118 61111111111111111111111111111111	1111
11111.8 6 111111 1 11111 1 1111 10 8011 10	111:
	1117
111111111111111111111111111111111111111	1:11
	111
	: 1 101
	:::::
	1114
1111-11 11-00 1-01 11111111111111111111	111:
in inim iiimimir iiiiiiiiiiiiiiiiiiiiiii	. : : : -
	1111
	1111
	1111
: : : : : : : : : : : : : : : : : : :	: :00
Tetanus  A. Actinomycosis B. Other mycoses Pellagra. Beri-beri A. Pulmonary tuberculosis (not acute) B. Phthisis (not defined as tuberculous nor acute) B. Acute phthisis A. Acute phthisis B. Acute miliary tuberculosis Tuberculous meningitis A. Tabes mesenterica B. Other peritoneal and intestinal tubercle Tuberculosis of spinal column Tuberculosis of spinal column Tuberculosis of other organs— A. Lupus B. Scrofula C. Other tuberculosis Disseminated tuberculosis B. Other forms of bone softening C. Other forms of bone softening B. Gonococcus infection C. Purulent ophthalmia. Cancer of the buccal cavity stomach, liver, &c.  """ peritoneum, intestines and rectum female genital organs """ skin """ other or unspecified organs. """ skin	Other tumours (situation undefined)— A. Angioma B. Adenoma C. Other tumours Rheumatic fever
	R.O.B.A.
25. 25. 26. 27. 28. 38. 39. 29. 29. 29. 29. 29. 29. 29. 29. 29. 2	46.

TABLE P 1.—CONTINUED.

		1																					
	55 07		. :	:	:		:	:	:	:	: 9		:	:	:				:	-	:	111111	-
	885	up- wards	:		::	:		:	::	:			:	:	:	:	: :		:			111111	01
		10	:	:	:			:	:	:		:	:	:	:	:	:		:	***	:		01
		2	i		:	:		:	:	:		7	:		-	*					•	L : : : :	01
		-99	:	:			20	:	:	-	. 10		:	:		:	:		:		1	7 ! ! : ! 7 9	
		-97 -92	_	:	:	:	.7	:			: 0	7	:	:	:	:			:	:	:	1:: :::	
			-			:	:	:	:	-	:	:	:	:	:				-	:	1		-
		-62	:	:			.74	: "		:		:	:	:	:	•				-	:	111111	
		-06	:	:	:	:		:	:	-	:	:	:	:	:	:	:		:	:	*		:
th		- 12-	-:	:	:	:		:			:	:	:	:	:	:	: :		-	-		15 1115 1	:
at death		- 10	- :	:	-	:	:	:			1	:	: -	-									
Ages at	-	F 00			+	•	*	-		*	1/2			- 6	-	-					1		-
Ag	Total	under 5 years	. :	:	•		:	:	:	:	:	:		:		:			:	-	***	: ! ! ! ** ! !	
		+	-	:	:	:	:	:	:	:	:	:	:	:	:	:	:		:	:	:	1:11:11	-
		ob .	:	:	:	:	:	:		:	:	:	:			:	: :		:		:	111111	
		97	:	:	;	:	:	:	:	:	:		:	:	:	-	:		:	*	-	: : : : : : : :	
	_	4	- :	-	:	:	:		-	-	-	:	:	•	•	-	- //	_		:	:		-
	Total	under 1 year	:	:	:	:	:	:	:	:	:	-	:	:	:	:				-	:	1111711	***
	SI	6-12	:	:	:			:	:	:	-	:	:	:	:	:	:				-	11:11	:
	Months	3-6	- 3				:	-		***	:	:	:	:	:	:	: :		:	-	:	1111111	:
	-	-8-0	- 1	:	:	:	:	:		:	:	:	:	:	:	:	:		-	-	:	11:11	-
	IIV	nges	1	1	***	:;	10	:0	77 0	.4 -	7:	11	: -	-	:-		: :		***	***	:	22 : :402	6
	Canada of death	CONSTRUCTION OF THE PARTY OF TH				Scu		-	Ad	53. A. Leucocythæmia (Leuchæmia)		000	d p	D. I urpuis	D Other general diseases	56 Alcoholism (soute or chronic)	-	B.	(chronic)	Oth	59. ,, poisoning	Of the organor of the organor of the organor of the organor of the companities.  A. Cerebro-sp. B. Posterior b. C. Meningitis Locomotor at a Other diseases	64. A. Apoplexy

\$ : 4 : \( \alpha \) = \( \alpha \)	3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		2
2 : 4 : 20 4 70 : : 20 8 : 21 : 28 : : 70			1 1 1 1 1 1 1 1 1 1 1 1
3 : 4 : 10 0 4 10 : : 1 0 0 0 : 10 1 : 10 0 0 0 0 0 0			
E. Cerebral hemorrhage  A. Hemiplegia B. Paraplegia C. Other forms of paralysis General paralysis of the insane C. Other forms of mental alienation Epilepsy Convulsions (non-puerperal; 5 years & over A. Epileptiform convulsions B. Other forms of convulsions Infantile convulsions (under 5 years)— A. Convulsions with teething B. Other infantile convulsions Convulsions with teething B. Other infantile convulsions Convulsions with teething B. Other diseases of the nervous system C. Cerebral tumour C. Cerebral tumour D. Other diseases of the ear D. Other diseases of the ear D. Other diseases of the ear D. Other diseases of the heart C. Other acute endocarditis B. Infective endocarditis C. Other acute endocarditis C. Other diseases of arteries C. Other organic diseases C. Other organic diseases C. Other organic diseases C. Other organic diseases C. Other diseases C. Other diseases C. Other organic diseases C. O	2 4 60040 11	9000   914   9100   170	12888814288141
66. 66. 66. 70. 72. 73. 73. 74. 74. 74. 74. 75. 76. 880. 891. 881.	Park Park Park Park Park Park Park Park	AR DOOR AR AR OR AR	Per

TABLE P 1.—CONTINUED.

	56 C C C C C C C C C C C C C C C C C C C	
-	85 and up- wards	1::::::::::::::::::::::::::::::::::::::
	65- 75	14
	- 90	17 , 1 , 1 17 1 1 18 28 88 87 17 17 17 17 17 17 17 17 17 17 17 17 17
	45-5	
	100	-
	19	111111111 1111111111111111
	-02	
h	15-	
at death	10-	
s at	ds.	11:11:11:11:11:11:11:11:11:11:11:11:11:
Ages	Total under 5 years	
	+	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	do do	
	0,1	
	4	1:11:11:11:11:11:11:11:11:11
ı	Total under 1 year	-
	6-12	
	S-6	111:11111111111111111111111111111111111
_	8-0	
	All	L2    2 L     L4    4 C C 4 8 C C   L     L0 L
	Causes of death	83. Diseases of the veins—  A. Phlebitis. B. Varix C. Pylephlebitis D. Varicocele 84. A. Status lymphaticus B. Other diseases of the lymphatic system 85. A. Functional disease of the heart B. Epistaxis. C. Other diseases of the circulatory system 86. Diseases of the nasal fossæ. 87. A. Laryngismus stridulus 88. Diseases of the thyroid body C. Other diseases of the larynx 88. Diseases of the thyroid body 99. A. Enpyema 91. Broncho-pneumonia 92. A. Lobar pneumonia 92. A. Lobar pneumonia 93. A. Empyema B. Pulmonary apoplexy and infarction B. Other pleurisy B. Pulmonary cedema and congestion C. Hypostatic pneumonia C. Hypostatic pneumonia D. Collapse of lungs (3 months and over) 96. Asthma

Description of the plant of t	
Partitle applications stomatists   1   1   1   1   1   1   1   1   1	
Particle	111111111111111111111111111111111111111
Particle	1:11:1:1:00:1:1:1:00:1:1:1
Purest, apticlous stomatities   1	111111100101111111110001111 0 111011110
Threaty, aphthous stomatists   1	11111112 1112 111111 11 1 1 1 1 1 1 1 1
Theresh, aplations stomatisk   1   1   1   1   1   1   1   1   1	11111110000111111110011040111100 0 0 1111111
Paretitis   Pare	
Paretitis applications stomaticis 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Paretitis applications stomatitis 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Paretitis applications stomatitis 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Paretitis applications stomaticis 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Paretitis applications stomatitis 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Thrush, aphthous stomatitis  Pavotitis  Pavotitis  Cother diseases of the mouth and annexa  Tonsilitis  Ludwig's angina  Ludw	4
Thrush, aphthous stomatitis  Pavotitis  Pavotitis  Cother diseases of the mouth and annexa  Tonsilitis  Ludwig's angina  Ludw	
Thrush, aphthous stomatitis  Pavotitis  Pavotitis  Cother diseases of the mouth and annexa  Tonsilitis  Ludwig's angina  Ludw	
Thrush, aphthous stomatitis  Pavotitis  Pavotitis  Conding's angina  Conder diseases of the mouth and annexa  Tonsilitis  Ludwig's angina  Lud	
Thrush, aphthous stomatitis  Pavotitis  Pavotitis  Conding's angina  Conder diseases of the mouth and annexa  Tonsilitis  Ludwig's angina  Lud	
Thrush, aphthous stomatitis  Parottiss Other diseases of the mouth and annexa  Tonsillitis Ludwig's angina Tonsillitis Ludwig's angina Torating ulcer of stomach Inflammation of stomach Other diseases of stomach Inflammation of stomach Infective enteritis Infective inder 2 years Infective enteritis Infective of intestines Infective Infective enteritis Infective of intestines Infective Infec	-
Thrush, aphthous stomatitis  Parottiss Other diseases of the mouth and annexa  Tonsillitis Ludwig's angina Tonsillitis Ludwig's angina Torating ulcer of stomach Inflammation of stomach Other diseases of stomach Inflammation of stomach Infective enteritis Infective inder 2 years Infective enteritis Infective of intestines Infective Infective enteritis Infective of intestines Infective Infec	-
Thrush, aphthous stomatitis  Parottiss Other diseases of the mouth and annexa  Tonsillitis Ludwig's angina Tonsillitis Ludwig's angina Torating ulcer of stomach Inflammation of stomach Other diseases of stomach Inflammation of stomach Infective enteritis Infective inder 2 years Infective enteritis Infective of intestines Infective Infective enteritis Infective of intestines Infective Infec	111
Thrush, aphthous stomatitis  Parvitis  Other diseases of the mouth and annexa  Tonsillitis  Ludwig's angina.  Other diseases of the pharynx  Forating ulcer of stomach  Inflammation of stomach  Infective enteritis  Diarrhoa (not returned as infective)  Enteritis  Colic  Ulceration of intestines  Duodenal ulcer  Ulceration of intestines  Ludwig sangina  Enteritis  Interitis  Colic  Colic  Colic  Ulceration of intestines  Duodenal ulcer  Colic  Coli	111.11111111111111111111111111111111111
	-

TABLE P 1.—CONTINUED.

Causes of deeth   All   Months   Total   See   Carses of deeth   All   See   Carses of deeth   Carses of										Age	Ages at death	leath									
1 10	Causes of death	All	Me	onths	To	tal				Total			-			-		-		85 and	200
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				3-6				_		years	19	-							101	up- wards	
1 1 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1								-					-	-		-					
A. Bright's disease   4   4   4   4   4   4   4   4   4	VINon-venereal diseases of the genito-																				
Acute nephritis Acute nephritis (unqualified—10 years and 10	urinary system and annexa.	-											7		- 1						
B. Nephritis (unqualified—10 years and over) and uremin a cover) and uremin a cover of the without and annexa a cover cover) and uremin a cover co		4		:				:	-	***			-	-							
D. Open the Windushined - 10 years and over) and uremia and the A sheese of kidney and uremia and a sheese of kidney and uremia and annexa and the Chyluria and the Windushamera and the C. Suppression of urine and unnexa and the unn		40	7.	:	-		-		:	:	:	:	-	-		24				****	-
Chyluria A. Absess of kidney A. Absess of kidney B. Cysfo disease Calcul of the urinary passages A. Perineal absess B. Other diseases of the urethra, &c. Calcul of the urinary passages A. Perineal absess A. Menorrhagia (non-puerperal) B. Other diseases of the uterins Calcul or the urinary passages A. Menorrhagia (non-puerperal) B. Other uterine hemorriage (non-puerperal) Calcul or the uterins Calcul or the urinary passages A. Menorrhagia (non-cancerous) B. Other diseases of the uterins Calcul or the uterins Calcul or the urinary passages Calcul or the	B. Nephrits (unqualified-10 years and	30					- 12	-		1	100	100	-	-		-	0	6	-	-	
A Absecs of kidney B. Cystic disease Calculi of the urinary passages D. Other diseases of the kidney and annexa D. Other diseases of the kidney and annexa D. Steases of the bladder D. Steases of the bladder D. Steases of the urethra, &c. Diseases of the urethra, &c. Diseases of the uretransition (except D. Steases of the uretransition (except D. Steases of the uretransition (except D. Steases of the female genital D. Steases of the temple genital D. Steases of the female genital D. Steases of the temple genita	Olumba	10	:	:		100	:	:	:		:		7	-		-		4	1		:
B. Cystecase of the Nature of Suppression of urine D. Other diseases of the kidney and annexa 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5 -		:			:	•	:	:		:	1960	**								-
C. Suppressions of the kidney and annexa 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	40		1		:	25	:	:	:	-		:	:			*	:	:		:	
D. Other diseases of the kidney and annexa 1 Calculi of the urinary passages 3 Diseases of the bladder 3 A. Perineal abscess B. Other diseases of the urethra, &c. 1 Diseases of the prostate urethra, &c. 1 Diseases of menstruation (except urethraped) Diseases of menstruation (except urethraped) Diseases of the uterus Diseases of the urethraped	Cysuc disease	4	T				:	:		-	:		:	100		:	-	:			:
Calculi of the urinary passages  Calculi of the urinary passages  Diseases of the badder  A. Perineal abscess  A. Perineal abscess  B. Other diseases of the uretina, &c.  Diseases of the prostate  Diseases of the prostate  A. Menorhagia (non-puerperal)  B. Other uterine hamorrhage (non-puerperal)  B. Other uterine hamorrhage (non-puerperal)  C. Cherretain (accept non-ancerous)  A. Disorders of menstruation (except nenorrhagia)  A. Disorders of the uterins  B. Other diseases of the uterins  A. Disorders of unon-cancerous)  A. Diseases of overy (excluding overran tumour)  B. Other diseases of the female genital  C. C	C. Suppression of urine	***	:					: "	-			-	:				*	-			:
A. Perineal absess.  B. Other diseases of the urethra, &c. 1 Diseases of the prostate  B. Other diseases of the urethra, &c. 1 Diseases of the prostate  Diseases of the prostate  Non-veneral diseases of male genital organs  A. Menorrhagia (non-puerperal)  B. Other uterine hemorrhage (non-puerperal)  Cuterine tumour (non-cancerous)  A. Diseases of menstruation (except menorrhagia)  B. Other diseases of the uterus.  A. Diseases of ovary (excluding ovarian ryst, tumour (non-cancerous)  A. Diseases of ovary (excluding ovarian ryst, tumour)  B. Other diseases of the female genital organs  A. Diseases of ovary (excluding ovarian ryst, tumour)  B. Other diseases of the female genital organs  Ovarian cyst, tumour organical ryst,	9	1				:	:	-	:	1			:			-		*	:		:
A Prepared subsess of the urchira, &c. 1  B. Other diseases of the urchira, &c. 1  Diseases of the prostate  Non-veneral diseases of malegenital organs  A. Menorrhagia (non-puerperal)  B. Other uterine hamorrhage (non-puerperal)  C. Diseases of menstruation (except menorrhagia)  A. Disorders of menstruation (except menorrhagia)  B. Other diseases of ovary (excluding ovarian tumour)  A. Diseases of ovary (excluding ovarian tumour)  B. Other diseases of the female genital other diseases of the female genital  Other diseases of the female genital other diseases of the female genital  Other diseases of the female genital  Other diseases of the female genital				- 1	-0		-	-	:		:				100	3.00	-	-			:
A. Verment abscess A. Ferment abscess A. Ferment abscess A. Menorrhagia (non-puerperal) B. Other uterine hamorrhage (non-puerperal) C. Disorders of menstruation (except A. Disorders of menstruation (except Diso	SIG.	0	:				*		:	****	:		***	-				4	7		:
Diseases of the prostate are diseases of the urchina, &c. 1  Diseases of the prostate and diseases of the prostate and diseases of the uterus  A. Menorrhagia (non-puerperal)  B. Other uterine hamorrhage (non-puerperal)  Cuterine tumour (non-cancerous)  A. Diseases of the uterus  B. Other diseases of the uterus  Ovarian cyst, tumour (non-cancerous)  A. Diseases of ovary (excluding ovarian tumour)  B. Other diseases of the female genital  Corgans  Corgans  Corgans  Corgans	d'a		***				:	:	:		**						-	-	***		
Non-veneral diseases of the prostate  Non-veneral diseases of malegenital organs  A. Menorhagia (non-puerperal)  B. Other diseases of the uterus  Ovarian cyst, tumour (non-cancerous)  A. Diseases of ovary (excluding ovarian)  B. Other diseases of the female genital  Corpus  Diseases of the female genital  Corpus  Diseases of the female genital  Diseases of corpus  Corpus  Diseases of the female genital  Corpus  Diseases of corpus  Cor	90	-:	:	:	:	:	:	-	-	***						-	3	-		:0	:
A. Menorrhagia (non-puerperal) B. Other uterine hamorrhage (non-puerperal) Cuterine tumour (non-cancerous) A. Disorders of menstruation (except menorrhagia) B. Other diseases of the uterus. A. Diseases of ovary (excluding ovarian tumour) Cuterine tumour) Cuterine tumour (non-cancerous) Cuterine tumour (non-cancerous) Cuterine tumour (non-cancerous) Cuterine tumour) Cuterine tumour (non-cancerous) Cuterine tumour (non-cancer		11						:	:	***							1000	7	N	0	
A. Menorthagia (non-puerperal) B. Other uterine hemorrhage (non-puerperal)  W. Disorders of menstruation (except menorrhagia)  B. Other diseases of the uterus  A. Diseases of vary (excluding ovarian tumour)  A. Diseases of the female genital  B. Other diseases of the female genital  Corgans  Corgans			*						:									:			
A. Diseases of the female genital  B. Other diseases of the female genital  A. Diseases of the female genital  B. Other diseases of the female genital  Corgans  Corgans	A. Menorrhagna (non-puerperal)		**	:	***			:	:			:				*	:				:
A. Disorders of menstruation (except menorrhagia)  B. Other diseases of the uterus  A. Diseases of ovary (excluding ovarian tumour)  B. Other diseases of the female genital  Corgans  Corgans  Corgans	3	-						-		-			-			- 3		-		1	-
A. Disorders of menstruation (except menorrhagia) B. Other diseases of the uterus Ovarian cyst, tumour (non-cancerous) A. Diseases of ovary (excluding ovarian tumour) B. Other diseases of the female genital organs cancerous)	Uterine tumour (non-cancerous)			: :																***	
B. Other diseases of the uterus.  A. Diseases of ovary (excluding ovarian tumour)  B. Other diseases of the female genital organs.	A. Disorders of menstruation					8	-		100				W.				-				
B. Other diseases of the uterus.  A. Diseases of ovary (excluding ovarian tumour)  B. Other diseases of the female genital organs.	menorrhagia)	****	:		***				:	****	***		:					-			
Ovarian cyst, tumour (non-cancerous)	ō				-	-	:		**		***		***								
A. Diseases of ovary (excluding ovarian E. Other diseases of the female genital organs cancerous)		1	:		-	***	-		-	1000		**	***	-		**		-	-	****	***
2										-											
2 2 2 2	B. Other diseases of the female central				-			-		1			1	1		200				-	-
	organs.	2	:	***	140	-	-	-	***		***			144		- 23		-		***	***
	cancerous)	***	1	-	27.0	-						1	1			9					

		1111
	11111111111	::::
[]:[][][]	-::::::::	1111
	-:::::::::	17 11
	111117177	1111
		1:11
	1:111111111	1111
1111-1111 1- 1111	1111111111	11:1
		1111
		1111
		оп : :
	11111111111	1111
	111111011	1:11
		1111
		1:11
		1111
		1111
	111111001111	1111
		1111
	in this in	1111
		1111
111111111111	1::::::::::::	::::
	- 64         1 - 00 L L   64	ω ω i i.
B. Hemorrhage of pregnancy C. Uncontrollable vomiting D. Ectopic gestation E. Other accidents of pregnancy 135. Puerperal hemorrhage 136. Other accidents of childbirth 137. Puerperal fever 138. A. Puerperal albuminuria and Bright's Gisease C. Puerperal albuminuria and Bright's disease C. Puerperal convulsions B. Puerperal phlegmasia alba dolens, and phlebitis B. Puerperal mand sudden death 140. Puerperal diseases of the breast.		

TABLE P 1.-CONTINUED.

X—Malformations.  150. A. Congenital hydrocephalus  C. Congenital malformation of heart  D. Other congenital malformations  SI.—Diseases of early infancy.  151. A. Premature birth  D. Sclerema and cedema neonatorum  C. Icterus neonatorum  D. Sclerema and cedema neonatorum  E. Want of breast milk  D. Sclerema and cedema neonatorum  152. A. Diseases of umbilicus, &c.  E. Want of breast milk  D. Sclerema and cedema neonatorum  153. A. Diseases of umbilicus, &c.  Injuries at birth  S. A. Diseases of unbilicus, &c.  Infaritie at birth  S. A. Diseases of unbilicus, &c.  Infaritie dementia  S. A. Senile dementia  S. B. Asenile decay  Infaritie decay  S. Senile decay	Months 3 -6 6.12 2 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 1 2 2 1 1 1 1 2 2 1	Total under 1 year 2 8 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			Ages  Ages  2 2 4 4 4 51 3 3 1 1 2 3	Ages at death  Ages at death  5 5 10-1  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		g :::: !!!!!!!!!!!!!!	4 :::::::::::::::::::::::::::::::::::::	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9 ::::: :::::::::::::::::::::::::::::::	9 1111111111111111111111111111111111111	<u> </u>	and	228	
Suicide by poison asphyxia		111111	111111	111111	111111	111111	111111	7 : : : : :	17 17 111	124 : 1 : 100	1 2 1	- N			- 1- 1111	

Conflagration  Burns (conflagrations excepted)  A bsorption of deleterious gases (conflagra-	Accidental drowning 3	", cutting or piercing instruments.	:			Starvation	Excessive cold	300	Electricity (lightning excepted)		other means		Other violence	A Suppose (ared 1 year and under 70)	Sudden death (not otherwise defined)	Heart failure (aged 1 year and under 70)	Atrophy, debility, marasmus (aged 1	year and under (0)	Pyrexia		Cause not specified	Totals 1842
191	: : :	1 1	:	:	:	: :	:	:	: :	:	: :	:	:	:	:	: :	-	:	: :	:	_	165
101	1 : :	: :	:	:	:	: :	:	*	: :	:		:	:		:	: :		:	- ;	:	:	88
1117	: : :		3	:	:	: :	:	:	: :	:	:	:	:	:			-	:	: :	:	:	94
117	: : :	: :		:	-	: :	:	:	: :	;	: :	:		:		:		:	: :	:	1	298
1 1 00	::	. :			:	: :	:		: :	:	: :	:	:			: :	,	-	: :	:	:	1.18
111	- : :	: -	:	-	:	: :	:	:	: ::	:	: :	:	:	:	:	: :		:		:	:	40 26
1 104			:	-		:	:		: :	4	: :	:	-	:	•					-	:	18
:::9 -	- : :	:-	:	:	-	: :	:		: :	:	:			****	:		,	-	: :	:	1	500
: : 64	1 : :	1	1	:	00	: :	:	:	: :	:	: :	:	:	100	:			:	: :		:	60
1	1 1	-	:	-	-	: :	:		: :	:	: .	. :	:	:	:		1	:	: :		:	27
			1	:	64	1 1	:	:	: :		: :		:	:	:		-					1 1
1.1	. 64 -	-		-	1		-		:			:		:	:			:	: :	-	:	59 84
:::	111	14	:		23	. :	-	:	-	:	:	:	:	:	:	:		:	: :			1 3
	11	:01	:		-	: :	:	:	: :	:	;	:	:	:	:	: :		:	: :			84 111 190 256 304
117	-	: 4		:	23	: :	:	:	: :	:	:	:		-	:	: :	_	:	: :			56 30
100				-	1	: :	:	:	: :	:			-	:		: :		:	:		:	191
	: ' !			-		: :	:	:	: :	:	:		-	:	:	: :		:	:			46
		: 67	-	:	63	: :	:		:::				:	-	:			:	:		:	115

TABLE P 2.

Deaths: causes and ages.

	Newhet	t deat	hs at	the su	bjoin thin o	ed ag	es of hout t	reside he di	ents, strict.
Causes of death	All	Under 1 year	1 and under 2	2 and under 5	5 and under 15	15 and under 25	25 and under 45	45 and under 65	65 and upwards
All causes Certified	1841	298	118	84	60	100	195	446	540
Enteric fever	1							1	1
Smallpox					***				
Measles	38	5	17	13	3				***
Scarlet fever	36	14	13	6	3		***	***	***
Diphtheria and croup	8		1	3	4			***	
Influenza	30	1	2		1	2	4	14	6
Erysipelas	136			"	5	48	1	00	3
Phthisis (pulmonary tuberculosis) Tuberculous meningitis	19	2 2	4	7	5	1	46	28	
Other tuberculous diseases	32	2	4	7	4	4	8	1	2
Cancer (malignant disease)	179	1		***		1	16	89	72
Rheumatic fever	9	1	2	1	2	1	1	1	3
Organic heart disease	142		1	***	2	7	11	64	57
Bronehitis	174	26	4	1	1	1	12	51	78
Pneumonia (all forms)	217	57	49	25	9	8	22	21	26
Other diseases of respiratory organs Diarrhœa and enteritis (under 2 years)	27 51	3 43	8	2	1		5	8	7
Appendicitis and typhlitis	7				1	2	3	1	
Cirrhosis of liver	6							5	1
Alcoholism	-								0.5
Nephritis and Bright's disease Puerperal fever	54		***		***	1	5 2	20	25
Other accidents and diseases of pregnancy	0					1	2	***	***
and parturition	6				2.	1	5		***
Congenital debility and malformation,	100	100		0	1	3.8	1	1	
including premature birth Violent deaths, excluding suicide	106	102	2 3	2 5	7	5	10	ii	5
Suicides	16					1	7	8	
Other defined diseases	486	37	4	6	11	13	37	122	256
Diseases ill-defined or unknown	3	1	1					1	
							-		-
Totals	1842	298	118	84	60	100	195	446	541

TABLE P 3

Deaths: causes and districts.

	Deat	hs in	or below		o local	ities	
Causes of death	Whole Borough	Birkenhead*	Tranmere*	Claughton Ward	Oxton Ward	Bebington Ward	Total deaths in Public Institu- tions in the district
10.00	1041		****				man
All causes   Certified	1841	1114	558	84	41	44	723
Enteric fever	1	1					
Smallpox							
Measles Scarlet fever	38	28	8	2	***	***	6 3
Whooping cough	1000	25	10	1			1
Diphtheria and croup	8	4	3		***	1	6
Influenza		15	12	3			6
Erysipelas	136	82	45	5	1	3	64
Tuberculous meningitis	19	11	8				14
Other tuberculous diseases	32	17	13			2	16
Cancer (malignant disease)		90	74	7	4	4	82
Rheumatic fever		5	4			***	3 3
Meningitis	142	68	53	6	7	1 8	30
Bronchitis		116	48	6	2	2	67
Pneumonia (all forms)	217	161	41	12	1	2	56
Other diseases of respiratory organs	27	16	10	1			12
Diarrhea and enteritis (under 2 years)	51	43	7	1	***	***	24
Appendicitis and typhlitis	7 6	5 3	1	1	111	1	8 5
Alcoholism							
Nephritis and Bright's disease	54	28	22	3		1	19
Puerperal fever	3	3					2
Other accidents and diseases of preg- nancy and parturition	6	4	2				6
Congenital debility and malformation,	0	- 1	-	***	***		0
including premature birth	106	76	20	4	1	5	24
Violent deaths, excluding suicide	47	32	10	3	1	1	27
SuicidesOther defined diseases	16 486	7 264	6 159	3 27	23	13	234
Diseases ill-defined or unknown	3	204	109	21	25	10	3
The state of the s							
Totals	1842	1114	558	85	41	44	723

<sup>&</sup>quot;Birkenhead" district comprises Argyle, Grange and Cleveland wards. "Tranmere" district comprises Clifton, Egerton and Mersey wards.

OTE,—All deaths which occurred in institutions are classified in the district in which the patient resided.

TABLE P 4.

Infant deaths: causes and ages.

							_			-
Causes of death	Under 1 week	1-2 weeks	2-3 weeks	3-4 weeks	Total under 4 weeks	Over 4 weeks & under 3 months	3-6 months	6-9 months	9-12 months	Total under 1
All causes Certified	85	12	16	5	118	47	39	40	54	298
Gmallnor					***	***	***			**
Smallpox			***	***		***	***	ï	**	1
Measles					***	1			5	5
Scarlet fever			***		***					
Whooping cough			1		1	2	2	2	7	14
Diphtheria and croup										
Influenza							1			1
Tuberculous meningitis	***	***				1		***	1	2
Abdominal tuberculosis										
Other tuberculous diseases	***	***	***	***		***	**	2	2	4
Meningitis (not tuberculous)		***	***			***		1	**	1
Convulsions	3			4	3		1	**		4 3
Laryngitis	1		2	1	1 3	1 6	5	5	7	26
Pneumonia (all forms)	1	1	1	1	4	9	13	13	18	57
Diarrhœa and Enteritis	1	2	1		4	12	11	10	7	44
Gastritis						2	1		1	4
Syphilis			1000			2				2
Rickets									1	1
Suffocation (overlying)										
Injury at birth	1		***		1		***	222		1
Atelectasis	4			***	4		***			4
Congenital malformations	2	1	***	***	3	3	***	***	***	6
Premature birth	45	2	3		50	1				51
Atrophy, debility and marasmus Other causes	17	3	5	2	27 17	5	3 2	1 5	3	39
Other causes	10	,	0	1				,		20
Totals	85	12	16	5	118	47	39	40	54	298

Net births in the year-		Net deaths in the year-	
Legitimate	3113	Legitimate infants	286
Illegitimate	139	Illegitimate infants	12

TABLE P 5.

Death-rates: comparison with rest of country.

		Ann	ual deat	Annual death rate per 1000 civilian population	ner 1000	civilian	populat	ion		Rate per 1000 births	per	Percei	Percentage of deaths	total
	All causes	Enteric fever	Smallpox	Measles	Scarlet fever	congh whooping	Diphtheria	Influenza	Violence	Diarrhoea and enteritis (under 2 years)	Total deaths under I year	Certified causes of death	Inquest cases	Uncertified causes of death
England and Wales	12.2	0.01	0.00	0.12	0.05	0.10	90.0	0.49	0.44	7.3	72	92.3	6.6	1.1
105 County Boroughs and Great Towns including London (census population exceeding 50,000)	12.3	0.01	0.00	0.18	0.03	0.12	0.08	0.45	0.40	9.3	80	92.5	6.9	9.0
(1921 adjusted populations 20,000 to 50,000)	11.2	0.01	0.00	0.08	0.03	60.0	90.0	0.50	0.36	6.2	11	93.3	5.5	1.2
London	12.1	0.01	1	0.29	0.03	0.11	0.12	0.36	0.44	4.6	69	91.3	8.6	0.1
Birkenhead	11.9	0.006	1	0.24	0.03	0.23	0.05	0.19	0.40	15.6	91	93.6	6.3	0.05
							1							

## LOCAL INDUSTRIES.

## OCCUPATIONS.

The staple industries of the district are shipbuilding, ship-repairing and engineering.

Occupations of males and females aged 12 years and over .-- A statement setting out the occupations of males and females aged 12 years and over at the time of the 1921 census was given in my annual report for 1923.

## UNEMPLOYMENT.

The Ministry of Health requests Medical Officers to give in their annual reports an indication of the extent of unemployment and of the amount of poor law relief in their areas.

The returns of unemployment for each month of the year are shown below:-

TABLE O 1. Unemployment during 1924.

	Live	Increase or	Applicar	its placed
Month	register	decrease in live register	Locally	In other districts
January	6646	Dec. 118	261	46
February	5710	Dec. 936	338	18
March	5566	Dec. 144	333	91
April	5504	Dec. 62	499	20
May	4982	Dec. 522	390	56
June	4892	Dec. 90	409	22
July	4896	Inc. 4	460	71
August	4837	Dec. 59	230	45
September	5627	Inc. 790	239	72
October	6511	Inc. 884	341	38
November	6747	Inc. 236	210	55
December	5635	Dec. 1112	272	25

## AMOUNT OF POOR LAW RELIEF.

The following is a statement of the sums expended in the relief of the poor in the Birkenhead Union for the year ended 31st March, 1925:--

Union Institution	£10.891	2	10
Union Infirmary	16,162		
Children's Homes	2,631	4	8
Outdoor relief (actual cash payments			
to recipients of)	32,080	5	0
Outdoor relief (on loan to unemployed)	2,179	12	3
Lunatics in asylums and licensed			
houses (total cost of maintenance)	24,155	4	0
Persons maintained in other Institu-			
tions not under the control of the			
Guardians	6,565	11	11
	£94.665	15	0

The Birkenhead Union area covers the County Boroughs of Birkenhead and Wallasey, and the parishes of Bidston-cum-Ford and Noctorum. The populations of these three component parts were, in 1921:—

 Birkenhead
 145,592 (61.3 per cent.)

 Wallasey
 90,721 (38.2 per cent.)

 Bidston and Noctorum
 1,091 (0.5 per cent.)

# WATER SUPPLY, FOOD, AND DRUGS.

#### ADMINISTRATIVE ARRANGEMENTS.

Staff.—In April, 1924, Mr. H. L. Torrance, M.R.C.V.S., D.V.S.M., joined the staff of the Department as Veterinary Officer and Chief Meat Inspector. Mr. Torrance's appointment has greatly added to the resources of the Department in dealing with the inspection of meat slaughtered in the Borough, of food stuffs in transit, of dairy cattle, &c.

### WATER SUPPLY.

Particulars regarding the water supply of the Borough were given in detail in my annual report for 1921.

Bacteriological examinations.—Arrangements were made during the year for bacteriological examinations of the Alwen water supply to be carried out in the laboratory in the Medical Officer's Department. The procedure followed was indicated in my annual report for 1923.

During the past year, bacteriological examinations have been carried out in connection with—

53 samples of tap water in Birkenhead.

- 15 samples of water from tributary streams flowing into the Alwen Reservoir.
- 9 samples of water from Alwen Reservoir, before filtration. 7 samples of water at Alwen, after passing through the

filtration apparatus.

#### MILK SUPPLY.

Source.—Milk is supplied to the Borough chiefly from farms in Cheshire, Shropshire, Denbighshire and Flintshire.

Milkshops, etc.—The total number of milkshops in the Borough is 145. There are in addition 8 purveyors of milk, 4 cowsheds and 64 farmers resident outside Birkenhead registered to purvey milk inside the Borough.

Milkshops are regularly inspected and the register of milk sellers is revised week by week.

During the year 302 notices to whitewash and efficiently to cleanse milkshops, cowsheds, and dairies were served on occupiers of such premises, and complied with.

Milk and Dairies Amendment Act, 1922.—15 applications have been received during the year from persons desiring to retail milk within the Borough. Of these 14 have been placed on the register as purveyors of milk. In the remaining case registration was refused owing to lack of suitable accommodation for the storage and sale of milk in the premises occupied by the applicant.

Section 4 of the Act prohibits the addition of any colouring matter, or water, or any dried or condensed milk, or any fluid reconstituted therefrom, or any skimmed milk or separated milk, to milk intended for sale. It was not necessary to take any action under this section during the year as no infringement had been reported.

The Milk (Special Designations) Order, 1923.—During the year two licences were granted to persons other than producers to retail certified milk within the Borough.

Quality of milk.—The composition of the various samples of milk taken in the Borough and analysed during the year 1924 is set out in Table F. 1 (page 27). From this table an indication of the general quality of the milk supply can be obtained.

Preservatives in milk and cream.—Samples taken under the Public Health (Milk and Cream) Regulations, 1912 and 1917, during the year showed the following results:—

#### 1. Milk, and cream not sold as preserved cream.

Article	No. of samples examined for the presence of a preservative (a)	No. in which a preservative was reported to be present, and percentage of preserva- tive found in each sample (b)
Milk	114	Nil.
Cream	1	1 0.43%

Nature of preservative in each case in column (b).....

Borie acid.

Action taken under the Regulations

The sample containing a preservative was taken informally. A formal sample taken later was sold as preserved cream and was correctly labelled. The vendor was cautioned with regard to the informal sample.

#### 2. Cream sold as preserved cream.

(a) Instances in which samples have been submitted for analysis to ascertain if the statements on the label as to preservatives were correct.

(1) $(2)$	Correct stat Statements	incorre	s made	 	 	 	. 3
		Total		 	 	 	4

	_
(3) Percentage of preservative found in each sample.	Percentage stated on statutory label.
0.50	0.4
0.04	0.4
0.31	0.4
0.32	0.4

(c) Instances where (apart from analysis) the requirements as to labelling or declaration of preserved cream in Article V (1) and the proviso in Article V (2) of the regulations have not been observed.

Nil.

(d) Particulars of each case in which the regulations have not been complied with, and action taken:—

The sample which contained a preservative exceeding in amount that stated on the declaratory label was taken informally. A formal sample taken later contained boric acid within the prescribed amount. The vendor was cautioned with regard to the informal sample.

#### 3. Thickening substances.

The Public Analyst has not found any evidence of the addition of any thickening substances to the samples of cream or preserved cream which have been analysed.

TABLE F 1.

Composition of milk samples taken during 1924.

	No.	Percentage of fat	Percentage of solids not fat		tion No. in report	Percentage of fat	Percentage of solids not fat		don No. in report	Percentage of fat	Percentage of solids not fat
Date of	Identification N given in quarterly report	o es	t s	Date of	Identification given in quarterly repo	0 93	6 0	Date of	Identification given in quarterly repo	0 95	te o
sample	given in	itag	t fa	sample	Identificatio given in quarterly re	itag	tag t fa	sample	fica ren	tag	t fa
	rte rie	сеп	поп	1997	rte rte	cen	cen		giv	cen	Cen
	Ide	Per	Per		Ide	Per	Per		Ide	Per	Per
Jan. 22	26	3.31	8.33	Apl. 1	113	4.08	8.92	Nov.27	319	3.78	9.02
	27	3.29	8.40	8	114	5.05	8.79		320	4.05	8.85
0.1	28	3.00	8.56		115	2.67	8.83	00	321	3.53	8.87
24	37 40	3.63 3.66	8.38 8.34	11	116 123	3.67 3.70	9.22	28	323 324	4.17	8.81
29	41	3.47	8.23	11	124	3.88	8.72 8.56		325	3.62 5.00	8.50 9.13
28	42	3.47	8.41		125	4.09	8.95		326	3.80	8.84
Feb. 2	43	3.89	9.19	May20	178	4.90	8.50		327	3.58	8.64
Feb. 2	44	3.70	9.27	Biay 20	179	3.06	8.94		328	4.18	8.58
	45	5.80	8.81		180	3.02	9.16		329	3.57	8.73
	46	3.47	8.82		181	3.63	8.65		330	3.96	8.77
26	67	4 35	8.59	27	183	4.80	8.96	Dec. 1	333	4.05	8.93
	68	3.95	8.87		184	4.37	9.31		334	4.50	8.50
	69	4.35	8.97		185	4.07	9.39		335	4.92	8.68
Mar. 4	72	3.35	8.95		186	3.38	8.74		336	4.27	8.59
	73	3.60	8.74	June 17	201	3.83	9.04		337	3.35	8.59
	74	3.42	8.84		202	3.78	8.97		338	3.05	8.71
11	83	3.21	8.81		203	3.47	8.99	7	342	3.88	8.50
	84	3.41	8.74		204	3.61	9.09		343	3.45	8.41
	85	3.60	8.87		205	3.67	8.84		344	3.70	8.80
	86	3.12	8.90		206	3.90	8.74		345	4.15	8.16
	87	3.20	8.84	Aug. 12	233	3.40	8.99	-	346	3.58	8.74
11	88	3.10	8.96		234	3.76	8.88	10	347	3.97	9.01
14 18	89 90	2.94	8.52		235	4.48	8.77	16 30	358	3.80	8.44
10	91	3.27 3.10	8.95 8.96		236 237	3.98	8.63 8.86	30	359 360	3.60 3.02	3.74 8.70
	92	3.18	9.00		238	4.32	8.68		361	4.11	9.05
	93	8.20	8.92	Nov.26	306	3.15	8.59		362	3.77	8.94
22	97	3.65	9.12	2101120	307	3.33	8.57		363	2.64	9.01
25	102	3.10	8.50		308	3.62	8.52		364	5.90	8.75
1000	104	3.18	8.64		309	3.55	8.77	10000	365	4.21	8.71
	105	3.80	8.50		310	3.32	8.78	31	367	2.88	8.78
	106	3.31	8.99	1000	311	3.35	8.73	700	368	4.48	8.72
	107	3.20	8.98	27	314	4.03	8.97		369	3.25	8.59
Apl. 1	108	3.60	8.92		315	4.62	9.04		370	3.60	8.44
110	109	3.08	8.94		316	4.15	8.90		371	3.01	9.16
	110	3.32	8.60		317	3.30	8.72		372	3.78	8.80
	111	8.20	8.14		318	3.35	9.09		373	3.65	9.08
Marine San	112	3.68	8.88			E				Lance of the land	

Average percentage .......... Fat, 3.75 ... Solids (not fat), 8.74

#### OTHER FOODS.

Abattoirs in Birkenhead.—Particulars regarding these—the abattoir within the Woodside Lairages and the Corporation abattoir at Tranmere—were given in my annual report for 1920.

Food inspection.—The Meat and Food Inspector reports that during the year there were killed 67,396 oxen, 321 calves, 8,015 pigs, and 2,486 sheep and lambs; as set out in Table F 2.

TABLE F 2.

Animals dealt with during 1924.

	Oxen	Calves	Pigs	Sheep & Lambs	Total
No. of animals remaining over in lairages from 1923 (slaughtered in 1924)	981	-	278	1	1260
No. of animals landed from vessels at Birkenhead during the year 1924—  (a) From Isle of Man  (b) From Ireland  (c) From other places abroad	417 209405 52193		888 58007 —	4568 353055 4252	5873 620467 56445
Total	262996		59173	361876	684045
The above animals were dealt with as follows—  A—Slaughtered in Birkenhead—  (1) At Woodside lairages	67130 8 30 172648 1186	11111	4696 26 — 54792 76	462 651 2 228879	72288 685 32 456319
Total	241002	_	59590	230137	530729
No. of animals slaughtered in Birkenhead not included in the above statement— At Municipal Abattoir	228	321 321	3293	1371	5213

The total number of carcases seized was:-

At Woodside	566		192,505 lbs.
At "Wallasey Stage," B'head	2	,,	1,868 lbs.
At nos. 4 & 5 Sheds	29	,,	3,091 lbs.
At Tranmere Abattoir	25	,,	3,511 lbs.
At shops	10	,,	279 lbs.
At other premises	5	,,	520 lbs.
Total	637	,,	201,774 lbs.

160 of the above carcases were seized on account of tuberculosis; their aggregate weight being 81,292 lbs. The remainder were seized on account of transit injuries, dropsy, sepsis, &c.

The number of parts of carcases seized was:-

At Woodside	589 3	weighing	36,269 lbs. 179 lbs.
At nos. 4 & 5 Sheds	1 177		14 lbs. 3,058 lbs.
Total	770	,,	39,520 lbs.

Of the above, 696 were seized on account of tuberculosis; the aggregate weight being 36,616 lbs. 65 heads and 98 tongues, weighing 2,292 lbs., were seized on account of actinomycosis and actinobacillosis. 1 head and 2 tongues, weighing 36 lbs., were seized on account of papilloma.

The total weight of offal seized was 142,440 lbs.

Other articles of food.—The total weight of articles of food seized at various premises in the Borough was 4,534½ lbs.

One prosecution was taken under Section 117 of the Public Health Act, 1875, against a shopkeeper in the Borough, namely:—

For exposing for sale unsound fruit. A penalty of 10s. was imposed.

In 4 cases it was necessary to obtain magistrates' orders for destruction of diseased meat.

20 gallons of blood intended for food purposes were condemned on account of being stored in dirty receptacles.

#### SALE OF FOOD AND DRUGS ACTS.

During the year 373 samples were taken. Of these 120 were formal and 253 were informal. The articles sampled are set out in the following table.

TABLE F 3.
Samples taken during 1924.

Article	No. samples taken formally	No. samples taken informally	Article	No. samples taken formally	No. samples taken informall
Milk	114	1	Potted Shrimps		4
Butter		51	Cream (preserved)	1	3
Margarine	2	25	Mustard	2	4
Coffee		21	Liquorice powder		3
Self-raising flour		17	Sponge cake	_	3
Cocoa	-	14	Condensed milk	_	3
Rice		9	Boracic ointment	_	3
Glycerine	_	8	Castor oil	-	
Sweets	1	8	Camphorated oil	_	2 2 2
Am. tincture quinine		7	Sausage		2
Zine ointment	1	6	Glauber salts	-	2
Olive oil		6	Coffee mixture		1
Sago		- 6	Canned milk	_	1
White pepper	_	6	Honey	_	1
Baking powder	-	5	Cond. skimmed milk	_	1
Jam	_	5	Mincemeat	_	1
Lard	-	5 5	Rum and coffee	_	1
Malt vinegar	_	5	Marmalade	2	1
Epsom salts	-	5	Cream (fresh)	-	1
Medicine	1	4			150

Samples analysed formally	$\frac{120}{253}$
Total samples analysed during the year	373

Of the total number of samples analysed

11 samples of milk

4 samples of margarine

4 samples of potted shrimps

3 samples of butter

3 samples of zinc ointment

2 samples of medicine

1 sample of fresh cream

1 sample of preserved cream

1 sample of malt vinegar

1 sample of sponge cake

9 samples of milk.

were reported adulterated, and proceedings were taken in respect of:—
9 samples of milk

With reference to the remaining samples reported adulterated it was decided, after consideration of the circumstances, that it was inadvisable to institute proceedings.

Informal samples.—Suitable action was taken regarding each of the 14 informal samples reported adulterated. Particulars of the defects found in those samples with regard to which proceedings were taken, and the result of the proceedings, are set out in Table F 4.

The composition of each sample of milk analysed during the year will be found in Table F 1.

TABLE F 4.

Samples with reference to which proceedings were taken.

Nature of adulteration and result of proceedings.

Quarter ending Article		No. of sample	Adulteration	Fine inflicted		
Mar. 31	Milk	26	2 per cent added water	10/- including costs		
	Milk	27	1 per cent added water	10/- ,,		
	Milk	37	2 per cent added water	£1 10/- ,,		
	Milk	40	2 per cent added water	10/- ,,		
	Milk	41	3 per cent added water	£4 ,,		
	Milk	42	1 per cent added water	£4 ,,		
June 30	Milk	115	11 per cent deficient in fat	Case withdrawn		
Dec. 31	Milk	363	12 per cent deficient in fat	£1 including costs		
	Milk	367	4 per cent deficient in fat	£1 ,,		

#### TUBERCULOSIS.

#### ADMINISTRATIVE ARRANGEMENTS.

The arrangements made by the Birkenhead Corporation for dealing with tuberculosis in the area include

(a) The provision of a dispensary or clinic, opened in 1913. (This clinic is used on one half-day each week in connection with cases from the area of the administrative county of Chester.)

(b) The provision of garden shelters (two) for suitable cases at a

small rent.

(c) The retention since August, 1914, of twelve beds at Leasowe

Hospital for cases of surgical tuberculosis in children.

(d) A joint arrangement with the Cheshire County Council, and the Councils of the County Boroughs of Wallasey, Chester, Stockport and Stoke-on-Trent, for the provision of a sanatorium at Burntwood.

(e) The provision of a residential institution at Thingwall, Cheshire

Staff.—The medical and health visiting staff for tuberculosis at the end of 1924 was as set out in the annual report for 1921. The clinical work at Thingwall Sanatorium and at the Tuberculosis clinic has been carried out by Dr. Mason Leete and Dr. Foster.

The Corkhill Fund.—Under the will of the late Mr. John Lloyd Corkhill, of Oxton, a sum of money was provided for the assistance of persons suffering from consumption. By arrangement with the trustees, persons applying for help from the charity are passed through the municipal clinic for classification; and the trustees have been largely guided by the recommendations of the medical staff of the clinic.

#### PREVALENCE OF, AND MORTALITY FROM, TUBERCULOSIS.

Notifications.—The total number of primary cases of tuberculosis notified during 1924 was 294—208 pulmonary and 86 non-pulmonary. An analysis of these cases with reference to age and sex will be found in Table T 1 (page 39).

Mortality.—The total number of deaths, certified as due to tuberculosis, of patients who had previously been notified as suffering from the disease was 131—106 pulmonary and 25 non-pulmonary.

The total number of deaths, certified as due to tuberculosis, of patients who had not previously been notified as suffering from tuberculosis was 56—30 pulmonary and 26 non-pulmonary.

Adding these together, the total number of deaths certified as due to tuberculosis was as follows:—

Pulmonary	 136
Non-pulmonary	 51

187

An analysis of the tuberculosis mortality for the past eleven years will be found in Table T 2 (page 39).

Number of known cases.—After making deductions for patients who had died during the year, or who had permanently left the district, or whose names have been taken off the register as provisionally cured, the total number of known cases of tuberculosis in Birkenhead at the end of 1924 was as follows:—

	Insured persons		Dependents	Neitherinsured	
	Ex-service men	Others	of insured person	persons nor dependents	Total
PulmonaryMale	99	345	107	58	609
Non-pulmonaryMale	5	168 48	72 207	206	446 267
Female		32	226	20	278
TotalMale	104	393	314	65	876
Female	-	200	298	226	724
Total	104	593	612	291	1600

A complete revision of all the cases of tuberculosis on the register is carried out each year, with a view to seeing that only the names of patients still suffering from tuberculosis, and resident in Birkenhead, are kept on the roll. In connection with the revision the following procedure is observed:—

 Non-pulmonary tuberculosis. Cases of non-pulmonary or surgical tuberculosis are struck off the register as cured when complete arrest of the disease has been maintained for three years.

(2) Pulmonary tuberculosis.

(a) Patients who have probably been wrongly notified as tuberculous.

If the conclusion is come to that a notified case is not, and probably never was, one of active tuberculosis, the name is crossed off the register at the time of the annual revision after obtaining, if possible, the assent of the notifying practitioner.

(b) Patients diagnosed on good evidence as suffering from pulmonary tuberculosis, who at a later stage appear to have been cured.

Such cases are not removed from the register until at least five complete calendar years have elapsed since the date of notification and three complete calendar years after the disappearance of all symptoms.

Of the 136 patients who died from pulmonary tuberculosis during 1924, those who had been notified

Over four years numbered ... 4 (3.7% of total) Under ,, 8 (5.8 2 ( 1.4 three years ,, two years 13 ( 9.4 ,, one year 17 (12.4 2.2 ... ,, six months 16 (11.6 25 (18.2 ,, three months ,, ... ,, one month 11 ( 8.6 ... one week 10 (7.2 and those who had not been notified numbered ..... 30 (21.7

Thus only 62.5% of these cases were notified to this department three months or more before death. Although this is a slight improvement on the three preceding years, which showed percentages of 58.7, 48.2, and 48.1 respectively, the general position with regard to notification must be looked upon as very unsatisfactory.

Of the 51 patients who died from non-pulmonary tuberculosis during 1924 those who had been notified

Over three years nur		ed	2	( 3.9%	of total)
Under three years	,,		-	( -	,, )
,, two years	,,		-	( -	)
,, one year	,,		1	( 2.0	,, )
,, three months	,,		4	(7.8	,, )
,, one month	,,		2	(4.0	,, )
,, one week	11		16	(31.3	,, )
and those who had n	ot be	een		*******	
notified numbered			26	(51.0	,, )

# CASES DEALT WITH THROUGH THE TUBERCULOSIS CLINIC.

#### Attendances of patients at the clinic.

(a) During the year 1,145 patients made 1,529 attendances at the clinic for the purposes of medical examination. Of these, 473 had not been examined before at the clinic.

672 patients (who made 1,019 attendances) were cases who had previously been examined and were re-examined one or more times during the year for observation, treatment, or after-care purposes.

(b) In addition to attendances made for the purpose of medical examination, 739 other attendances were made by patients for weighing, interview, advice, or certification, and by patients' relations in connection with questions arising as to treatment, removal, home conditions, &c.

Examination of patients who were notified for the first time during 1924.—Of the 294 new patients notified in 1924, 105 were examined at the clinic during the year. Of these

- 94 had been sent down to the clinic by their own doctor for examination;
- 2 were ex-service men referred to the clinic as tuberculous cases by the Ministry of Pensions;

9 were sent for as contacts;

189 were not referred to, did not attend at, or were previously examined at, the clinic.

294

Classification of new cases.—The 473 new patients who attended during the year were classified as follows:—

	Insu	red	Depen-		
	Ex-service men	Others	dent	Neither	Total
Classed as suffering from \ Males	2	33	11	4	50
respiratory tuberculosis   Females	_	27	20	13	60
Classed as suffering from \ Males		6	13	_	19
other forms tuberculosis   Females	-	1	23	1	25
Males		37	102	_	143
Classed as non-tuberculous Females		17	80	12	109
i Malaa	1	18	14	1	34
Classed as "suspect" Females		7	17	9	33
m , (Males	7	94	140	5	246
Total   Males   Females	-	52	140	35	227
Total	7	146	280	40	473

Pensions cases.—Included in the 473 new patients were 7 patients examined for pensions purposes, with the following results:—

7

In addition to the above 170 re-examinations were made for pensions purposes.

During the year the following reports were made in connection with the examination at the tuberculosis clinic (or at their own homes) of ex-servicemen:—

War Pensions Cttee.	M.P.M.S. D. 28	M.P.M.S. D. 28A	36 T.O.	M. P. M. S. D. 122	Total	
Birkenhead	*17	+77	4	-	-	98
Manchester	-	-	-	1		1
Liverpool	-	-	-	-	<b>‡</b> 59	59
Total	17	77	4	1	59	. 158

<sup>\*</sup> Includes 1 visit paid to pensioner's home. † Includes 2 visits paid to pensioners' homes. ‡ Includes 1 visit paid to pensioner's home.

Examination of contacts.—132 persons who had been in close contact with known cases of tuberculosis were examined either at the elinic or at their own homes. Of these 4 were found to be suffering from respiratory tuberculosis, 5 were found to be suffering from other forms of tuberculosis, 104 were not suffering from tuberculosis, and 19 were classified as "suspect."

#### HOME VISITING, DISINFECTION, ETC.

During the year the health nurses paid 269 first visits and 1,857 re-visits to the homes of patients.

The number of houses disinfected after death or removal of patients was 149.

Spitting flasks were provided free of charge to 5 patients.

#### THINGWALL SANATORIUM.

(The Sanatorium was opened for the admission of patients on 4th November, 1921. The accommodation consists of 40 beds and 3 cots.)

Patients dealt with.—At the commencement of the year there were 42 cases under treatment in the Sanatorium.

82 patients were admitted during the year; 81 were discharged, 1 patient died; and 42 patients remained under treatment at the end of the year.

	Men		Children (under 16)	Total	
In Sanatorium January 1, 1924	18	7	17	42	
Admitted during year	21	21	40	82	
Discharged during year	34	16	31	81	
Died in Sanatorium	1	-	-	1	
In Sanatorium December 31, 1924	4	12	26	42	

Type of cases.—Children now form the greater proportion of cases and adults are becoming fewer. This is due to the fact that the number of beds available at the Cheshire Joint Sanatorium at Burntwood has been increasing, and as this institution now absorbs the majority of adult patients, more beds are available at Thingwall for children. Again, it has been found that certain types of surgical tuberculosis do very well at Thingwall, and during the past year the number of patients suffering from that type has gone up. Children suffering from tuberculosis of the mesenteric glands, abdomen, bones of the hands and feet, and of some joints such as the knee and hip which have not reached the state of disintegration of the bones and cartilages and abscess formation, show marked improvement when treated in the open air and sunlight and under general sanatorium conditions.

The following table shows the proportion of pulmonary to surgical cases:—

	Adul	lts.	Chi	ldren.
	Males.	Females.	Males.	Females.
Pulmonary	20	21	12	10
Surgical	-	_	14-	3
Not tuberculous	1	_	1	-

Nature of treatment.—There have been no new forms of treatment tried during the year. The defatted vaccines were given up—as has

been the case in other sanatoria—as the results obtained did not appear to justify their continuance. The same applied to the sodium morrhjate treatment, which in some cases of pulmonary tuberculosis appeared actually to do harm. Two cases with lung disease had hæmoptyses whenever they had injections of this drug. Tuberculin has been exhibited to the surgical cases, and some seemed to derive benefit from it. When possible sun treatment has been given to the surgical cases with undoubtedly good results.

After accustoming the children to sunlight by a gradual exposure of the limbs and trunk they were allowed to go about on warm days clad in bathing drawers only. In one or two cases the browning of the skin was visible even until January, 1925. Open sores, sinuses, etc., appeared to dry up rapidly after exposure of the general body surface to the sun.

Results of treatment.—A general statement as to the condition at the time of discharge of 81 patients who left the Sanatorium during the year may be given here:—

Disease quiescent	24
Much improved	
Improved	
Not improved	11
	7
Transferred to Cheshire soint Sanatorium	3
Transferred to Leasowe Hospital	2
Admitted for observation, and found free from	
active tuberculosis	2
	_
	81
	_

Average duration of stay.—The average length of stay in the Sanatorium of patients discharged during the year was 29½ weeks.

Development of grounds, etc.—During the year a considerable number of fruit trees, shrubs, and bushes were planted in the grounds of the Sanatorium.

A plentiful supply of potatoes and vegetables was obtained from the kitchen garden.

New recreation pavilion.—A new pavilion was generously presented to the Sanatorium by the Trustees of the Lloyd Corkhill Charity, and was formally handed over on 24th November.

Wireless installation.—A wireless installation was generously presented to the Sanatorium by a number of subscribers, and was formally handed over on 26th June.

#### CHESHIRE JOINT SANATORIUM.

The Cheshire Joint Sanatorium was opened on the 6th November, 1923, for 50% of the approved bed accommodation.

Birkenhead has reserved 32 beds, and the available accommodation for Birkenhead cases at the end of 1924 was 23 beds.

Patients dealt with.—At the beginning of the year 15 Birkenhead patients were under treatment. During the year 36 Birkenhead patients were admitted, 28 were discharged, and 1 died. 22 patients remained under treatment at the end of the year.

	Men.	Women.	Children (under 16).	Total.
In Sanatorium. January 1, 1924	7	8	-	15
Admitted during year	25	11	-	36
Discharged or left Sanatorium during year	19	9	-	28
Died in Sanatorium	1	-	-	1
In Sanatorium December 31, 1924	12	10		22

#### LEASOWE HOSPITAL.

The twelve beds reserved by the Corporation at Leasowe Hospital for cases of *surgical tuberculosis* among Birkenhead residents have been in occupation throughout the year.

There were 12 cases in hospital at the beginning of the year; 5 new cases have been admitted during the year, and 5 have been discharged or died; leaving 12 patients in hospital at the end of December.

The localisation of the disease in the 17 patients under treatment during the year was as follows:—

Tuberculosis of	spine
,,	hip
,,	peritoneum
,,	knee
,,	elbow
,,	face
,,	ankle
,,	left femur
Under observat	ion

The 5 cases discharged or died were as follows:-

Tuberculosis of	spine	2	(1 removed against
			advice, 1 quiescent)
,,	ankle		quiescent
,,	left hip		quiescent
.,	right hip	1	quiescent

TABLE T 1.

New cases notified for first time during the year.

		PRIM	IARY !	NOTIF	ICATI	ONS						
Age periods	0-1	1-5	5-10	10-15	15-20	20-25	25-35	35-45	45-55	55-65	65 and up	Tota
Pulmonary—Males	-	2	2	6	12	18	19	15	15	6	3	98
Females Non-pulmonary—Males	2	3 19	3 12	10 8	18	31	25	9	7	3 1	_	110 48
Females .	4	11	3	9	3	2	2	2	1	-	1	38
Totals	6	35	20	33	35	52	48	27	23	10	5	294

TABLE T 2.

Deaths from tuberculosis during the past eleven years.

	Year	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
Der	ths from tuberculo-											
	sis of the lungs-										1000	
	Number	141	173	177	172	167	146	116	154	141	109	136
	Rate per 1000	1.02	1.23	1.24	1.18	1.13	0.97	0.76	1.04	0.94	0.72	0.8
Α	Males-										100000000000000000000000000000000000000	
	Number	75	105	104	89	97	73	55	68	77	67	75
	Rate	0.54	0.74	0.72	0.61	0.65	0.48	0.36	0.46	0.51	0.44	0.4
В	Females-				100			1000				3
	Number	66	68	73	83	70	73	61	86	64	42	61
	Rate	0.47	0.48	0.51	0.57	0.47	0.48	0.40	0.58	0.42	0.28	0.4
Des	ths from other forms	1999										
	of tuberculosis-	7,750		1000							1000	1,3
	Number	46	67	61	69	66	38	56	40	50	43	5.
	Rate per 1000	0.32	0.47	0.42	0.46	0.44	0.25	0.36	0.27	0.32	0.28	0.3
A	Males (all ages)	190										
	Number	23	44	36	36	40	24	36	21	25	21	2.
	Rate	0.16	0.31	0.25	0.24	0.27	0.16	0.23	0.14	0.16	0.14	0.1
В	Females (all ages)	-				0.0						
	Number	23	23	25	33	26	14	20	19	25	22	2
	Rate	0.16	0.16	0.17	0.22	0.17	0.09	0.13	0.13	0.16	0.14	0.1
C	Children (un. 5 yrs)	100	22	223	2.00		-					1
	Number	27	42	44	44	36	22	26	17	21	20	20
	Rate	0.19	0.29	0.30	0.30	0.24	0.14	0.17	0.11	0.15	0.13	0.1
Dea	aths from tuberculo-					No.						
	sis (all forms) -								Lane I			
	Number	187	240	238	241	233	184	172	194	191	152	18
	Rate per 1000	1.35	1.70	1.66	1.66	1.58	1.23	1.13	1.31	1.28	1.00	1.2
	Rate per 1000 England & Wales	1.35	1.55	1.62	1.80	1.92	1.26	1.13	1.12	1.12	1.00	1.0

#### VENEREAL DISEASES.

#### ADMINISTRATIVE ARRANGEMENTS.

Dr. Richardson Lovell, who took up duty at the venereal diseases clinic on 6th November, 1922, relinquished his post on 30th September, 1924. Since the latter date the clinical work of the centre has been in the hands of Dr. F. G. Foster (male patients) and Dr. Mary S. Deacon (female patients).

The clinic is at the Borough Hospital, the arrangements being under the agreement of 1923.

There have been some slight modifications in the times at which patients attend. On Mondays and Wednesdays the clinic is now open at 5-30 p.m. instead of 6 p.m. As all the instrumental work is done on these evenings, this extra half-hour is allotted to patients who require this form of attention.

The irrigation rooms are now open every day except Sunday between 12 and 1 p.m., and male patients requiring irrigation can thus attend during their dinner-hour. The irrigation rooms were formerly open only on three days a week between 6 and 8 p.m., and thus patients suffering from acute gonorrhea could have only three irrigations per week. This arrangement was inadequate, and the new facilities have proved most beneficial.

More, however, might still usefully be done; for example, the irrigation room might with advantage be open for male patients for at least an hour morning, noon, and evening; and better facilities might be provided for continuous treatment of gonorrhœa in women.

Gonorrhea, if not treated vigorously from the first, proves difficult to cure, and tends to become chronic. Some patients have been under treatment for this disease for over a year.

#### GENERAL NOTES.

Patients who cease to attend.—One, if not the main, difficulty to be contended with is that many patients cease to attend before completion of treatment. As stated in last year's report, this is partly due to the fact that "the symptoms and signs of the diseases clear up before actual cure has taken place." Another reason is that Birkenhead, like other ports, has a "floating" population. Seamen, who are often on voyages which last for three or more months, are especially liable to expose themselves to infection, contract disease, find their way to the clinic and remain under treatment while they are in port—and then their ship leaves and they are lost sight of. In the last six months, natives of India, Africa, Denmark, Holland, and Spain have been for a short time under treatment at the clinic.

On the other hand, there is the wilfully ignorant and apathetic class who, when once the discomfort and the outwardly visible signs have disappeared, do not seem to take any further interest in their complete cure.

#### Changes in treatment.

#### (a) Syphilis.

Since the introduction of bismuth preparations in the treatment of syphilis, the use of injections of mercury has been abandoned. As well as causing much less discomfort, bismuth has proved more efficacious.

Galyl has now been given up in this, as in many other clinics.

#### (b) Gonorrhaa.

Douches are now given more systematically to all women suffering from gonorrhea. In the treatment of male patients, Béniqué's sounds and negative-pressure catheters have been recently obtained and have proved an useful adjunct in clearing up chronic cases.

Bacteriological work.—Beyond the fact that all cases of cerebral cr spinal syphilis are now being lumbar punctured and the fluid sent for Wassermann reaction, there has been no change in this work as compared with last year.

Posters.—Towards the end of the year metal placards were affixed in public urinals and lavatories throughout the town. At first these seemed to be efficacious in attracting cases to the clinic. Some, however, of the patients who attended by reason of these notices had never suffered from any form of venereal disease and had never exposed themselves to the risk of infection. Although such cases were only of psychological interest, yet the individuals often suffered from severe mental anxiety, and the advice tendered appeared to rid them of their neurosis and ease their mental stress. Two cases were found to be suffering from cancer and not from venereal disease.

It is to be regretted that so few persons avail themselves of the offer of abortive treatment after risk of infection. Only three such cases have presented themselves for this purpose, in spite of the advice tendered on these placards.

#### BACTERIOLOGICAL WORK.

- (a) At the clinic 513 smears were examined for the presence of gonococci, 12 specimens were examined for the detection of spirochetes, and 1 specimen was examined for the detection of other organisms.
- (b) At the University of Liverpool Professor Beattie examined 633 specimens, 434 of these being sent from the clinic, and 199 from private medical practitioners. Of the specimens sent, 622 were for the Wassermann reaction and 11 for the detection of gonococci.

# TREATMENT OF BIRKENHEAD PATIENTS CARRIED OUT AT OTHER TREATMENT CENTRES.

So far as has been ascertained from official returns which have been received from other areas, 19 Birkenhead patients attended other treatment centres, as shown in Table V 3.

#### ISSUE OF SALVARSAN SUBSTITUTES.

Salvarsan substitutes were issued during the year by the Medical Officer of Health

To the Medical Officers of the treatment centre at the Borough Hospital

To the Medical Officer, Birkenhead Union Infirmary To three approved local practitioners.

#### PROPAGANDA.

The following lectures were given under the auspices of the Merseyside Boroughs V.D. Education Committee, to which the Birkenhead Corporation pays an annual contribution:—

Feb. 18th—Old Chester Road. Lecture to Women's Labour Party by Dr. Deacon.

April 9th—Co-operative Hall, Catherine Street. Lecture to Trades' Council, Men, by Dr. Lovell.

May 8th—Co-operative Hall, Catherine Street. Lecture to Women by Dr. Deacon.

Cct. 24th-Town Hall. Public Lecture by Dr. Mackenna.

Nov. 27th—Co-operative Hall, Catherine Street. Lecture to Women by Dr. Deacon.

TABLE V 1.
Statement showing the services rendered at the Venereal Diseases Clinic during the year, classified according to the diseases dealt with.

	Sypl	hilis	Soft ch	nancre	Gono	rrhœa	Condi other vene	than	То	tal
	M.	F.	М.	F.	М.	F.	M	F.	M.	F.
<ol> <li>Number of persons who, on the 1st January, 1924, were under treatment or observation for</li> <li>Number of persons dealt with dur- ing the year in the out-patient</li> </ol>	81	43	3	_	45	3	8	1	140	47
clinic for the first time and found to be suffering from—  Syphilis only	59 _ _ 3	41 —	14 -3	- 1 - -	- 95 -	- 6 -		1111	59 14 95 6	41 1 6 —
Syphilis and gonorrhea	6 - 1 -	2 - - -	1		6 1 -	- - -	64		12 - 3 64	4 - 28
Total—Item 2	69	43	18	1	102	8	64	28	253	80
Total—Items 1 and 2	153	86	21	1	147	11	72	29	393	127
3. Number of persons who ceased to attend the out-patient clinic  (a) before completing the first course of treatment for  (b) after one or more courses, but		9	2		16	2	-	-	34	11
before completion of treatment for		8	-		-	_	-	-	4	8
4. Number of persons transferred to other treatment centres after	11	2	2	-	17	1	-	-	30	3
5. Number of persons discharged from the out-patient clinic after completion of treatment and observation for	4	1	2	_	21	-	1		9 27	1
1st January, 1925, were under treatment or observation for		65	15	1	87	8			217	84
Total—Items 3, 4, 5 and 6	153	86	21	1	147	11	-	_	311	108
Out-patient attendances— 7 (a) For individual attention by the Medical Officer (b) For intermediate treatment— e.g., irrigations, dressings, &c	1473	771	98	1 _	1332	93	296		3199 1174	1086
Total attendances 8. Aggregate number of "in-patient		771	98	1	2506	93	296	221	4373	1086
days" of treatment given to persons who were suffering from		28	25	_	94	29	19	20	197	77
9. Examinations of pathological ma				rochete	1	tection nococci	1 0	ther misms	Wasse	or ermann tion
(a) Specimens which were exami the medical officer of, the tr (b) Specimens from persons att	ned at eatmer endin	, and nt cent g at t	he	12	E	513		1		-
treatment centre, which we amination to an approved				_		1			4:	33

#### TABLE V 2.

Statement showing the services rendered at the Venereal Diseases Clinic during the year, classified according to the areas in which the patients resided.

	Birkenhead	Cheshire	Liverpool	Newport	Arklow, Fland	Bootle	Preston	Glasgow	Dublin	Wallasey	Chester	Lancaster	Colchester	Stornoway	Durham	Aldershot	Total
A. Number of persons from each area dealt with during the year, at or in connection with the out-patient clinic for the first time, and found to be suffering from—  Syphilis  Soft chancre.  Gonorrhea  Conditions other than venereal  Total	100 17 93 73 283	5 10	2 - 5 2 9	1	1 1	1 1	- - 1 - 1	- 2 - 2	1	1 3 4	- - 1 1	1	1 - 1		11	1-1	112 19 110 92
B. Total number of attendances at the out-patient clinic of all patients residing in each area  C. Aggregate number of "in-patient days" of all patients residing in each area  D. Number of doses of salvarsan substitutes given in the—  1. Out-patient clinic  2. In-patient department	4962 274 1732	-	45	1 - 1 -	1 -	1 -	4 -	2 -	2 -	47	1	3	1	2	1 -	1	5459 274 1926

#### TABLE V 3.

Statement showing particulars of Birkenhead cases treated at Venereal Diseases Clinics in other areas.

Name of town	No. of	Disease	Attend- ances at out-	No. of in-patient	Doses of substitute	
Name of town	pa- tients	Discase	patient clinic	days	Out-patient	In-patient department
Liverpool (David Lewis Northern Hos.)		Syphilis13 Conditions other than venereal 1	164	_	69	-
Wallasey	2	Gonorrhœa 2	11	_	-	-
Greenwich	4	Syphilis         3           Gonorrhæa         1	62	49	8	-

# TABLE V 4.

Statement showing the number of cases\* dealt with at the Venereal Disease Clinic for the first time during the year classified under age groups.

And the second or second or second	Under 1	11	1 to 5	19	5 to 14	-	14 to 16		16 to 17		17 to 18		18 to 19		Over 19	To	Total
at the treatment centre	W.	E.	M.	F.	M.	F	M. 1	F. 3	M. 1	F	M. F	F	M. F.	M.	E.	M.	F.
Syhilis— (a) Congenital	1	-	1	61	-	4	1	1	1	. 1	1	1	1	1	1	1	1-
(b) Acquired	1	1	1	1	1	-1	1	1	1	1	1	1	1	- 68	36	89	36
Soft chancre	1	1	1	1	-	1	1	1	1	1	-	1	-1	18	-	18	-
Gonorrhæa	- 1	- 1	1	1	1	1	1	1	1	1	1	-	-	- 102	1-	102	00
Conditions other than V. D	7	24	- 1	60	1	C1	1	-	-	1	-	-	1	- 58	19	64	28
*Total number of cases	4	20	1	1/3	-	9	1	-	-	1	-	01		- 246	63	253	08
*Total number of individuals	4	99	1	rd.	1	10	1	-	-	1	-	67	1 1	- 235	19	242	78

\* If any individual is found to be suffering from more than one venereal disease, the case should be accounted for under each disease, and in this event the total number of individuals shown above will be less than the total number of cases.

#### OTHER INFECTIOUS DISEASES.

#### INFECTIOUS DISEASES WHICH ARE NOTIFIABLE.

The infectious diseases which (in addition to tuberculosis, already dealt with) were compulsorily notifiable to the Medical Officer of Health at any time during the past year are as follows:—

Smallpox. Scarlatina.

Diphtheria and membranous croup.

Erysipelas. Typhus fever. Typhoid fever.

Continued fever. Relapsing fever.

Cerebro-spinal meningitis.

Acute encephalitis lethargica. Acute polio-encephalitis.

Acute poliomyelitis.

Puerperal fever.

Ophthalmia neonatorum.

Cholera.

Pneumonia (acute primary and influenzal).

Malaria. Dysentery.

Trench fever.

Cases notified in 1924.—During the year 1,020 cases of infectious diseases other than tuberculosis were notified to me. These are set out in Tables I 1 and I 2.

#### TABLE I 1.

Infectious diseases other than tuberculosis notified during 1924; showing seasonal incidence.

Disease	Jan.	Feb.	Mar.	Apl.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total
Smallpox		_	-	_	and a	_	_					_	
Scarlatina	39	16	14	18	28	31	13	16	22	40	39	52	328
nous croup	7	10	8	11	11	6	7	13	8	14	23	26	144
Erysipelas	4	5	6	3	1	5	4	5	5	7	6	9	60
Typhus fever	-	-		-	-	-	-	-	-			-	-
Typhoid fever	1	2	3	1	1	1	-	-	-	1	1	1	12
Continued fever	-	-	-	-	-	-	-	-		-	-	-	-
Relapsing fever	-	-	-	-	1	-	-	-	-	-	5	-	-
Cerebro-spinal meningitis Encephalitis lethargica	1	1	-	-	-	-		-	-	-	-	-	2
(acute)	-	3	-	-	2	4	2	1		-	-	-	12
Polio-encephalitis (acute)	-		-	-	-		-	-	-		-	-	-
Poliomyelitis (acute)	-		-	-	-	-	1		-	-	-	-	1
Puerperal fever	-		1	1	1	1	-	1	-	-	2	1	8
Ophthalmia neonatorum	5	3	3	8	6	2	3	3	1	3	3	8	48
Cholera	-	=	-	-	-	-	-	=	-	-	-	=	
Pneumonia	59	57	43	48	27	19	11	10	31	53	30	14	402
Malaria	-	-	-	1		1	-	-	-		-	1	3
Dysentery	-	-	-	-	-	-		-		-	-	-	-
Trench fever	-	-		-	-	-	-	-		-	=	-	-
Total	116	97	78	91	77	70	41	49	67	118	104	112	1020

Case-rates of certain diseases.—The case-rates of certain diseases for Birkenhead, and for England and Wales, per 1,000 living, are set out below:—

Case-rate per 1,00 living. Birkenhead England and Wales

Smallpox		0.10
Scarlet fever	2.12	2.16
Diphtheria	0.93	1.07
Enteric fever	0.07	0.11
Puerperal fever	0.05	0.06
Erysipelas	0.39	0.33

TABLE I 2.

Infectious diseases other than tuberculosis notified during 1924; showing ages.

Disease	und. 1 yr.	1-2 yrs.	2-3 yrs.	3-4 yrs.	4-5 yrs.	5-10 yrs.	10-15 yrs.	15-20 yrs.	20-35 yrs.	35-45 yrs.	45-65 yrs.	65 yrs. up	To- tal
Smallpox	_	_	_	_	_	_	_	_	_	_		1	_
Scarlatina	3	11	11	22	41	120	64	28	23	3	2	-	328
Diphtheria and membra-	20				-	5000	100	333		753			3333
nous croup	1	4	8	12	14	60	28	5	8	3	1	-	144
Erysipelas	-	-	-	-	-	2	3	1	15	4	33	2	60
Typhus fever		-	-			-	-	-		-	-	-	-
Typhoid fever	-	1	-	-	1	2	-	2	3	2	1	-	12
Continued fever			-		-			-		-	-	-	-
Relapsing fever	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal meningitis	1	-	-		-	-	-	-	1	-	-		2
Encephalitis lethargica													
(acute)	-	-	-	-	_	1	-	2	6	-	2	1	12
Polio-encephalitis (acute)	-		-	-		-	-	-		-		-	-
Poliomyelitis (acute)	1000	-	-	1	-	-			-	-	-		1
Puerperal fever		-	-	-	-	-	-	2	4	2	-	-	8
Ophthalmia neonatorum	48	-	-	-	-		-	-	-			-	48
Cholera		-	-	-	-	-		-	-	-	-	-	-
Pneumonia	65	69	38	28	21	32	13	25	41	20	32	18	402
Malaria		-	-	-	-	-		-	-	2	1		3
Dysentery	-	-	-	-	-	-	-	-	-			-	-
Trench fever	-	-		-	-	-		-		-	-	-	-
Total	118	85	57	63	77	217	108	65	101	36	72	21	1020

Encephalitis lethargica.—12 cases were notified during the year. Of these 2 cases were treated in general hospitals, 5 were treated in the Infectious Diseases Hospital, and 5 were treated at home. All recovered with the exception of 2 cases (M. 66 years and M. 61 years; both died at home).

The annual figures relating to notification of this disease are as follows:—

1919					 						. ,	*		 			 		-							4
1920					 									 												2
1921		 												 												3
1922					 									 												3
1923					 	-											 								1	4
1924	*							. ,													. ,				1	2

Cerebro-spinal fever.—2 cases were notified during the year, viz.—
Male, 20 years of age, and female, 8 months of age; treated at
Infectious Diseases Hospital, Birkenhead, and subsequently

recovered.

Smallpox.—There were no cases of smallpox notified in Birkenhead during the year. This disease was, however, present in epidemic form in many parts of England throughout the whole year, 3,792 cases being notified.

#### VACCINATION.

The following is the latest completed information relative to vaccination in the Borough and relates to the period 1st January, 1923, to 31st December, 1923, viz.:—

No. of births	1944
Had smallpox	
Number in respect of whom statutory declarations of conscientious objection have been received	402
Died unvaccinated	119
Postponements, removals, or cases not found, etc	325

#### DISINFECTION.

Books.—134 Public Library books were collected from infected houses and disinfected.

Dwellings.—594 house-disinfecting notices were served; 482 houses or parts of houses were disinfected during the year.

Bedding and clothes.—Infected bedding and clothes were collected from 743 dwellings and disinfected at the disinfecting station. In 346 further cases infected or discarded bedding and clothes were destroyed.

Visits and revisits paid to houses, etc., by Disinfecting Inspector.— 3,451 visits and revisits to property were made during the year in connection with disinfection after infectious diseases (including tuberculosis).

Cleansing of persons.—A special bath is provided at the disinfecting station in Corporation Road for dealing with persons who *voluntarily* apply under the Cleansing of Persons Act, 1897. During the year no cases were dealt with.

#### ISSUE OF DIPHTHERIA ANTITOXIN.

During the year, in accordance with the provisions of the Diphtheria Antitoxin (outside London) Order, 1910, diphtheria antitoxin was issued to 10 medical practitioners; a total of 126,000 units was given out.

#### INFECTIOUS DISEASES HOSPITAL.

Resident Assistant Medical Officer.—On the resignation of Dr. Lovell, Assistant Medical Officer, it was decided by the Health Committee that the new Assistant Medical Officer appointed to fill the vacancy should reside at the Infectious Diseases Hospital. Dr. W. D. Hood, D.P.H., was appointed, and took up residence on 1st December, 1924.

Cases treated during 1924.—At the beginning of the year there were 42 patients in hospital. New cases admitted during the year numbered 364, making a total of 406 patients dealt with. 66 patients were in hospital at the end of the year.

The diseases treated, together with the sex of the patients and particulars as to recoveries and deaths, are shewn below.

FET A	700	State of the last	I	66
	100	100		7-6

Patients sent in as suffering from	In hospital at beginning of year	Admitted during year	Died during year	Discharged cured during year	Remaining in hospital at end of year
Scarlet fever	17 19	117 125	1 2	111 121	20 23
Diphtheria		48 62	3 4	34 52	11 12
Enteric fever M.	=	<u>-</u> 5	=	<del>-</del> 5	=
Encephalitis lethargica		3 2	1 _	2 2	_
Cerebro-spinal meningitisM.		1 1	_	1 1	=
Total	42	364	11	329	- 66

Complications.—The complications met with among the 225 cases were as follows:—

5 (2.2%) suffered from arthritis. 6 (2.6%) ,, ,, albuminuria. 20 (9.0%) ,, ,, rhinitis. 23 (10.0%) ,, ,, otorrhœa. 43 (19.0%) ,, ,, adenitis. 10

Average stay in hospital.—The average length of stay in hospital of all notified cases was 36 days.

Time o	f adn	nission.—(	Of the 2	25 ca	ses-		
		admitted				disease.	
73	,,	,,	,,	3rd	,,	,,	
52	,,	,,	,,	4th	,,	,,	
22	,,	,,	,,	5th	,,	,,	
9	,,,	,,	,,	6th	"	,,	
3	122	25	2.0	7th		100	

Diphtheria.—Leaving out of account the 23 patients remaining in hospital at the end or the year, the total number of cases,

9th

10th

,, or later.

Tracheotomy.—The number of cases showing laryngeal obstruction was S. In 4 of these cases tracheotomy was performed.

Average stay in hospital.—The average stay in hospital of all notified cases was 35 days.

Time of admission .- Of the 71 true cases-

11 were admitted on the 2nd day of disease.

		Distance Comme	CAR GREAT				
13	,,	,,	,,	3rd	,,	,,	
13	,,	,,	,,	4th	,,	2.2	
14	,,	,,	,,	5th	,,	,,	
8	,,	"	,,	6th	,,	,,	
6	,,	,,	11	7th	,,	11	
3	,,	,,	,,	8th	,,	,,	
2	,,	.,	,,	9th 10th	,,	,,	or later.
- 4	1000	122	26	117611	14.4	1-1-1	or meer.

Enteric fever.—5 cases were admitted notified as enterical. The diagnosis was confirmed in 3 of these. There were no deaths.

Encephalitis lethargica .- 5 cases were admitted, and 1 died.

Cerebro-spinal meningitis.—2 cases were admitted under this natification. In neither case was the diagnosis confirmed. Both cases recovered.

#### E. P. SMITH MEMORIAL FUND.

2 suitable cases received benefit from this fund during 1924.

#### HOME NURSING.

The arrangement made between the Corporation and the Birkenhead District Nursing Society, dating from 1st July, 1919, provides for the home nursing of cases of influenza and pneumonia. During the year 1924 the Society's nurses paid 1,732 visits in respect of 111 cases.

#### MUNICIPAL LABORATORY.

Examination of clinical material.—The nature and number of the examinations, etc., made at the Municipal Laboratory during 1924 is shown in the following table:—

Examination	Pos.	Neg.	Total
Sputum for B. tuberculosis	62	332	394
Other material for B tuberculosis	-	5	ð
Cultures for B. diphtheriæ	140	278	418
Blood tests (Widal) against enteric group	2	15	17
	204	630	834

Other examinations were made as follows:-

Cerebro-spinal fluid	4 53
Urine	0.0
	64

Bacteriological examinations of water.—Examinations of the Alwen water supply were conducted at the laboratory during the year. The routine examinations were made weekly and included the following tests:—

(a) Estimation of total micro-organisms per cubic centimetre. (Incubation carried out for 24, 48, 72 hours and 7 days on gelatine and agar at room temperature, and on agar at 37°C for 24, 48 and 72 hours.)

(b) Examination for presence of organisms of the B. coli group in 100, 50, 10, 5 and 1 cc.; incubating for 24, 48

and 72 hours.

(c) Further examinations arising out of positive findings (if any) under (a) and (b) above; in the case of (b) for mobility, liquefaction of gelatine, indol formations, sugar reactions, etc.

(d) Control tests were carried out as a routine to check the

technique and material used for the examinations.

The weekly routine tests are made on the water as supplied in Birkenhead—drawn direct from the mains. In addition, every month a bacteriological examination is made of (a) raw Alwen water taken from the lake before filtration and (b) the water immediately after it has passed the filters. These samples are brought to the laboratory as rapidly as possible by motor transport. Without entering into detailed results it may be said that the Alwen water supply is of remarkable bacteriological purity and remained consistently so throughout the year. The local Alwen tests showed that the filters are worked in a most efficient manner and that water of great purity is delivered to the mains. The weekly routine tests show that the water as supplied to the consumers has undergone no deterioration; and is, from a bacteriological point of view, most satisfactory.

#### MENTAL DEFICIENCY.

#### ADMINISTRATIVE ARRANGEMENTS.

The work of dealing with cases of mental deficiency in the Borough in accordance with the provisions of the Mental Deficiency Act, 1913, is carried out under the Mental Deficiency Committee, with the Town Clerk as clerk to the committee.

Mentally defective children between the ages of 7 and 16 are dealt with by the Education Committee under the Elementary Education

(Defective and Epileptic Children) Acts, 1899 and 1914.

At the end of 1924 the medical staff engaged on the work of ascertainment of cases, certification, etc. consisted of the Medical Officer of Health and Assistant Medical Officers; and 15 nurses gave part time to home visiting.

# CASES DEALT WITH UNDER MENTAL DEFICIENCY ACT, 1913.

During the year 8 new cases were reported; bringing the total number of cases dealt with under the Mental Deficiency Act, 1913, s nce that Act came into force, to 202.

4 cases were sent to institutions by judicial order.

6 cases were placed under supervision pending institutional vacancy arising; 1 case was placed under home supervision; 3 cases were removed to hospital under Lunacy Acts; 1 case was discharged from institution.

1 case died during the year.

8 first visits and 213 revisits were paid to the homes of mental defectives by the health nurses.

# CASES DEALT WITH UNDER THE ELEMENTARY EDUCATION (DEFECTIVE AND EPILEPTIC CHILDREN) ACTS, 1899 and 1914.

Reference to this subject will be found in the school medical inspection section of this report (page 71).

#### WELFARE OF THE BLIND.

#### ADMINISTRATIVE ARRANGEMENTS.

The administrative arrangements throughout the year were as set out in my annual report for 1923.

### GENERAL FACTS REGARDING BLIND PERSONS IN BIRKENHEAD.

Number and ages of blind persons.—The total number of blind persons in Birkenhead coming within the scope of the Blind Persons Act, 1920, on 31st March, 1925, was 131; of these 69 were males and 62 females.

	M.		F.		Total.
	 _		-		-
	 2		5		7
	 4		2		6
	 6		1		7
	 7		3		10
	 10		7		17
	 10		10		20
	 15		16		31
	 15		18		33
Total	 69		62		131
	 	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

Age incidence of blindness.—So far as can be ascertained the age of onset of blindness is set out below:—

Age at onse	t of blind	ness	M.		F.	Total.
0-1			11		11	 22
1 5			2		2	 4
510			2		2	 4
10-20			9	***	5	 14
20-30			5		1	 6
30-40			7		4	 11
40 50			7	****	7	 14
50 - 60			5		15	 20
60-70			12	***	7	 19
Over70			2		4	 6
Not ascert	tained		7		4	 11
	Total		69		62	 131

Bilnd persons who are otherwise defective.—Thirteen of the blind persons on the register were handicapped in addition by other physical or mental defects:—

	M.		F.	Total.
Mentally defective	1		1	 2
Deaf	3		4	 7
Otherwise physically defective Both mentally and physically	3		-	 3
defective			1	 1
	7	***	6	 13
			-	_

Children under 16 years of age.—These numbered 7; 2 boys and 5 girls. The 2 boys and 3 of the girls were attending school; the other 2 girls were not attending school.

Conditions as regards employment.—The following table shows the position of blind persons in the area over the age of 16 with reference to employment:—

	M.		F.	Total.
Employed	20		4	 24
Trained but unemployed	3		. 4	 7
Under training	2		-	 2
Not trained, but probably				
trainable	7		3	 10
Probably unemployable	35	***	46	 81
	67		57	124
				-

The occupations of the employed blind in the area were as follows:—

						2
worke	rs					7
						2
						2
						1
						1
usic te	achers					1
						1
	***					3
						1
						3
						_
		Total				24
	worke	workers	workers	workers	workers	workers

#### HOUSING AND GENERAL SANITATION.

#### ADMINISTRATIVE ARRANGEMENTS.

The staff engaged on the work of housing and general sanitary inspection consisted, at the end of the year, of the Chief Inspector, one housing inspector, and five district sanitary inspectors.

The five district sanitary inspectors devoted such time to the work of housing inspection as their other duties permitted.

#### GENERAL.

Area of the Borough.—The area of the Borough (land and inland water) was at the time of the 1921 census 3,909 statute acres. This area is largely built over, or otherwise occupied, by domestic buildings, docks, factories, railway stations, and sidings, etc.

Number of dwelling houses in the Borough.—The approximate number of dwelling houses of all descriptions within the Borough, excluding institutions, on 31st December, 1924, was 27,731.

New dwellings erected, 1921-1924.—The new dwellings erected in the Borough between the date of the census and the end of 1924 were as follows:—

(1)	Between the date of the census and 31st December (a) With State assistance under the Housing Act, 1919	er, 192
	(i) By the Local Authority 254	
	(ii) By other bodies or person 19	
	(b) Other	
	(0)	327
(2)	During 1924	
	(a) With State assistance under the Housing Acts, 1919 or 1923	
	(i) By the Local Authority 202	
	(ii) By other bodies or persons 84	
	(b) Other 114	
		400
	Total	727

The number of houses not complying with the building byelaws or the requirements of the Minister of Health erected during 1924 with the consent of the local authority under Section 25 of the Housing, Town Planning, etc., Act, 1919, was 5.

Uninhabited property.—The following is a return of uninhabited property in Birkenhead for the past year:—

	Hali	f-year en	h June,	Half-year ended 31st Dec., 1924						
District	Private houses	Shops	Cot- tages	Dock cottag's		Private houses	Shops	Cot- tages	Dock cottag's	Total
Birkenhead Claughton and	12	10	3	-	25	5	10	2	-	17
Oxton	73	4	3	40	120	46	1	5	40	92
Tranmere and Bebington	60	8	-	-	68	77	19	2	-	98
Totals	145	22	6	40	213	128	30	9	40	207

The total uninhabited and unoccupied property, 31st December, 1923, was 202, so that there was an increase of 5 at the end of 1924 as compared with the previous year.

# ADMINISTRATIVE ACTION TAKEN IN CONNECTION WITH HOUSING AND GENERAL SANITATION.

#### (a) Mainly under Housing Acts.

During the twelve months ending December 31st, 1924, work was carried out by the department under the provisions of the various Housing Acts, and the regulations made by the Local Government Board dated 2nd September, 1910. The particulars of this work are as follows (the arrangement is based on that suggested by the Ministry of Health):—

#### Inspection.

Inspection.	
(1) Total number of dwelling-houses inspected for housing defects (under Public Health or Housing Acts). All	
these houses were also recorded under the Housing (Inspec-	
tion of District) Regulations, 1910	1168
	1100
(2) Number of dwelling-houses found to be in a state	
so dangerous or injurious to health as to be unfit for human	00
habitation	98
(3) Number of dwelling-houses (exclusive of those	
referred to under the preceding sub-heading) found not to	
be in all respect reasonably fit for human habitation	832
Remedy of defects without service of formal notices.	
Number of defective dwelling-houses rendered fit in	
consequence of informal action by the local authority or their	
officers	9
Action under statutory powers.	
A. Proceedings under section 28 of the Housing,	
Town Planning, etc., Act, 1919.	

(1) Number of dwelling-houses in respect of which notices were served requiring repairs ......

823

(2) Number of dwelling-houses which were rendered	
(a) by owners	
(1) Houses in respect of which notices were	905
served during 1924	285
(2) Houses in respect of which notices were	202
served prior to 1st January, 1924	235
(b) by local authority in default of owners	_
Total	520
(3) Number of dwelling-houses in respect of which	
closing orders became operative in pursuance of declarations	
by owners of intention to close	
B. Proceedings also taken under the Public Health connection with above properties.	Acts in
(1) Number of dwelling-houses in respect of which	
	345
notices were served requiring defects to be remedied	040
(2) Number of dwelling-houses in which defects were	
remedied—	0.15
(a) by owners	345
(b) by local authority in default of owners	_
C. Proceedings under sections 17 and 18 of the Housing Planning, etc., Act, 1909.	, Town
(1) Number of representations made with a view to the	00
making of closing orders	98
(2) Number of dwelling-houses in respect of which	
closing orders were made	6
(3) Number of dwelling-houses in respect of which	
closing orders were determined, the dwelling-houses having	
been rendered fit	_
(4) Number of dwelling-houses in respect of which	
demolition orders were made	12
(5) Number of dwelling-houses demolished in	
pursuance of demolition orders	12
pursuance of demonston orders	12
(b) Mainly under Public Health Acts.	
(0) mainly under I done Health Acts.	
In addition to the housing work outlined above, other	work, of
which the following is a summary, was carried out by the induring the year. (The work of scavenging, removal of references	nse and
care of sewers is entirely dealt with by the Borough Su	rvovor's
department.)	ii veyor s
Number of houses inspected (not included in preced-	5000
Number of re-inspections of houses	5002
	20313
Number of unhealthy conditions reported and	19/2000
investigated	7060
Number of formal notices given	1231
Number of informal notices given	3687
Number remedied after formal notice and without	
proceedings	
proceedings	1201

Number of cases in which proceedings had to be taken	1000
Number abated after proceedings	
Defects referred for action:—	
(a) to Borough Surveyor	354
(b) to Water Engineer	224
(c) to Borough Treasurer	122
(d) to Director of Education	2
(e) to West Cheshire Water Co	4
Number of excavations made for the purpose of testing	
the condition of house drains	54
Number of smoke tests applied to drains of premises	
reconstructed under the supervision of this	
department	78
Number of water tests applied to drains	36
Number of smoke tests applied to the drains of new	00
buildings, in conjunction with the Borough Surveyor's	
	101
Number of smoke observations taken	184
	14
Number of smoke nuisances from factory and other	0
chimneys reported to the Health Committee	8
Number of schools specially examined by the district	
inspectors	36
Number of cowsheds inspected	8
Number of dairies and milkshops inspected	259
Number of inspections re offensive trades	182
Number of sewer ventilators inspected	55
Number of street gullies inspected	33
Number of caravans inspected	48
Number of caravans re-inspected	94
Number of back passages inspected	189
Number of investigations regarding the keeping of pigs,	
fowls, and other animals	48
Miscellaneous inspections (not included above)	598
(c) Actual defects in domestic dwellings dealt with under (a	) and
(b) above.	
The following is a summary of sanitary improvements eff	acted of
lwelling houses during the year under the provisions of the	
Health and Housing Acts:—	1 done
	0.00
Houses— New sash cords provided	
Roofs repaired 773 Window fasteners renewed	
Chimney stacks pointed or Windows made to open .	
repaired 94 Firegrates repaired	
Rainwater gutters repaired or Ovens repaired or renewe	d 89
renewed	re-
Down spouts repaired or re- paired	210
newed	re-
Down spouts disconnected newed	157
from drains	769
Walls pointed or repaired 531 Skirting boards repaired	
Lighting improved 2 renewed	
Ventilation improved 64 Wall plaster repaired	
Windows repaired 446 Ceiling plaster repaired .	

	00	10 1 1 1 1 1	
Walls cleansed 9		Drains—inspection chambers	
Ceilings cleansed 8	809	provided	1
	51	Drains ventilated	9
Door fasteners repaired or re-		Drains cleansed1	002
	74	Self-cleansing gulleys provided	48
	71	Water closets—	
	259	Roofs repaired	359
Sink waste pipes trapped	8	Walls repaired	252
Washing boilers repaired 1	63	New basins fixed	129
Washing boilers—new pans		Connections repaired	340
	36	Cisterns repaired or renewed.	105
Washing boilers—firegrates	-	New flush pipes fixed	16
repaired 1	29	Provided with a sufficient	10
			138
Washing boilers—flues repaired		supply of water	
Dampness remedied	43	Doors repaired or renewed	323
Nuisances from animals abated	20	Ashpits—	
Yard surfaces relaid or re-		Provided with roofs	16
paired 5	593	Provided with doors	69
Yard surfaces - proper means		Roofs repaired	68
of drainage provided	11	Walls repaired	46
		Cemented inside	27
Drainage—	00	Abolished	180
	22		952
Old drains reconstructed 1	20	Ashbins provided	304
Drains repaired 1	109	Miscellaneous—	/1.17
		(not included above)	841

# (d) Increase of Rent and Mortgage Interest (Restriction) Acts, 1920-1923.

During the year 3 applications for certificates under section 2 of the Act were received and considered by the Health Committee. 2

certificates were granted, and 1 application was withdrawn.

Enquiries were subsequently made in order to keep a record of the work carried out after the granting of the certificates. 8 revisits were paid in this respect, and the whole of the defects stated in the certificates were remedied and the houses put into a satisfactory state of repair.

#### (e) Theatres, music halls, &c.

(Ministry of Health Circular No. 120, dated 25th August, 1920).

5 visits were made to theatres, music halls and other places of entertainment in which the conditions as to ventilation, structure of dressing rooms, &c., had been found not to be satisfactory and which had previously been reported upon to the Health Committee and to the Clerk to the Borough Justices for the information of the licensing authorities.

#### (f) Rats and mice.

The following is a summary of the work caried out by the district inspectors under the provisions of the Rats and Mice (Destruction) Act, 1919.

No. of premises inspected	185
No. of visits and revisits	267
No. of notices served on occupiers	112
No. of notices served on owners	54
No. of premises satisfactorily dealt with	98
No. of premises still under observation or where work is	
being carried out	12

#### (g) Inspection of lodging houses, &c.

During the year the inspector of common lodging houses, &c. paid regular visits to common lodging houses, and houses let in lodgings, and to the Corporation tenement dwellings. The number of inspections carried out is lower than was recorded last year, the inspector of lodging houses having been engaged for about three months on disinfection work while there was a vacancy on the disinfecting staff. The following is a summary of the work done:—

Registered common lodging houses (14 in number):	
Day inspections	2534
Night inspections	76
Insanitary conditions reported and dealt with	29
Houses let in lodgings (788 in number):	
Day inspections	762
Night inspections	_
Insanitary conditions reported and dealt with	74
Corporation tenement dwellings (132 in number, visited	
weekly): No. of visits	3960
Insanitary conditions reported and dealt with	174

## FACTORIES, WORKSHOPS AND WORKPLACES.

FACTORY AND WORKSHOP ACTS, 1901 AND 1907.

The Factory and Workshop Act, 1901 (s. 132), requires the Medical Cfficer of Health in his annual report to the Council to report specifically on the administration of that Act in workshops and workplaces. The following is a summary of the work carried out during the year.

## 1.-Inspection of factories, workshops and workplaces.

	No. of							
Premises	Inspections	Written notices	Prosecutions					
Factories (including Factory Laundries)	55	1	_					
Workshops (including Workshop Laundries)	1935	33	_					
Workshops (other than Outworkers' premises)	48	-						
Total	2038	34	_					

### 2.—Defects found in factories, workshops and workplaces.

		Number		
Particulars	Found	Remedied	Referred to H.M. Inspector	of prosecutions
Nuisances under the Public Health Acts*-				
Want of cleanliness	45	45	-	_
Want of ventilation				-
Overcrowding		-		2007
Want of drainage of floors		-		-
Other nuisances	22	22	-	-
Insufficient	2	2		
Unsuitable or defective	27	27		
Not separate for sexes	_		_	-
Offences under the Factory & Workshops' Acts- Illegal occupation of underground bake- house (s. 101) Other offences (Excluding offences relating to outwork and offences under the Sections mentioned in the Schedule to the Ministry of Health (Factories and Workshops Transfer of Powers) Order,	1 1	1 1		=
1921.) Total	98	98	1	_

<sup>\*</sup>Including those specified in sections 2, 3, 7 and 8 of the Factory and Workshop Act, 1901, as remediable under the Public Health Acts.

Home work .- Lists were received from employers as follows:-

From employers sending twice in the year—4 lists (10 workmen). From employers sending once in the year—7 lists (2 contractors, 12 workmen).

In each case the work handled was the making of wearing apparel.

Registered workshops.—The workshops on the register at the end of the year were:—

Bakehouses																0000000
Confectioner Laundries .																
Other works	hop	s	 	 	 	 			 							352
Workplaces			 	 	 		 	 								24
															-	537

Other matters.—During the year 1 instance of failure to affix the abstract of the Factory and Workshop Acts was dealt with.

At the end of the year there were 26 underground bakehouses in use in the Borough.

## RAG FLOCK ACT, 1911.

Pursuant to the provisions of the above Act, 7 visits were made.

At the time of these visits the rag flock being used or stored on the premises was to all appearance in a satisfactory condition; no samples were, therefore, taken for the purpose of analysis.

## POISONS AND PHARMACY ACT, 1908, AND ORDERS, 1909.

During the year 1 new application was made for a licence to sell poisonous substances under the provisions of Section 2 of the Poisons and Pharmacy Act, 1908, and 3 applications were made for renewal licences. Licences were granted in each case.

Visits were made to 10 shops and premises in the Borough, in which insecticides containing poison were likely to be kept for sale, but no infringement of the Act was reported.

## MATERNITY AND CHILD WELFARE.

### ADMINISTRATIVE ARRANGEMENTS.

General arrangements.—Provision has been made by the local authority for carrying out the requirements of:

The Notification of Births Acts, 1907 and 1915.

The Midwives' Acts, 1902 and 1918.

The Maternity and Child Welfare Act, 1918.

The authority's scheme now includes:-

Inspection of midwives practising in the area.

Health visiting.

- The provision of four post-natal clinics. 3. The provision of an ante-natal clinic.
- The supply of free milk, etc., for necessitous mothers and

Home visiting in connection with cases admitted to the 6. Birkenhead Day Nursery.

The provision of treatment at the Borough Hospital of cases of complications preceding and following confinement, and of cases of confinement where the home conditions are bad.

The payment in whole or in part of fees to medical practitioners called in by midwives to attend to difficult cases of confinement.

The payment in whole or in part of fees to midwives in attendance upon temporarily necessitous cases.

The provision of home nursing for children under five 10. suffering from certain diseases, and for expectant and nursing mothers.

Financial support of certain institutions engaged in work in the interests of mothers and infants belonging to the Borough, namely, Birkenhead Day Nursery, Birkenhead and District Rescue Association, The Birkenhead and Wirral Invalid Children's Association, and The Birkenhead Maternity Hospital.

The infant welfare or post-natal clinics are held at Hamilton Square. Brassey Street, St. Paul's Road, and Mount Grove. The Hamilton Square clinic was opened in 1916; Brassey Street and St. Paul's Road clinics in 1919: the Mount Grove clinic in 1923.

The ante-natal clinic, which is held at No. 9, Hamilton Square.

was opened in 1920.

The arrangements for home nursing came into force on 1st July, An agreement between the Corporation and the Birkenhead District Nursing Society provides for the nursing at home of cases of ophthalmia neonatorum; of measles, whooping cough, epidemic diarrhea, and poliomyelitis in children under the age of five years; and of illnesses of women associated with pregnancy and confinement.

## New arrangements made during past year .-

New agreement with Birkenhead Borough Hospital.—An agreement (which became operative on 1st April) has been made between the Corporation and the Birkenhead Borough Hospital whereby accommodation and treatment is provided at the hospital for cases of complicated pregnancy, for cases of complicated or difficult labour, and for cases in which complications follow confinement. Cases where the home environment is such as to make confinement at home dangerous are also covered by the arrangement. Patients who attend the ante-natal and post-natal clinics coming within the above categories can be treated at the hospital, and all the midwives practising in the town have been instructed to notify me of any cases who in their opinion should be dealt with under the scheme. In cases of urgency patients may be sent by midwives direct to the Borough Hospital. The new agreement takes the place of the previous agreement with the hospital, which dated from 16th April, 1917.

Payment of midwives' fees.—On the 1st November a scheme, approved by the Ministry of Health, for the payment of certain fees to midwives came into operation. This scheme (except under circumstances of extreme urgency) is confined to temporarily necessitous cases, as distinct from destitute cases which fall to be dealt with by the Poor Law Authority. If on engagement for a confinement a midwife considers that the patient is unable, by reason of temporary disability, to pay all or part of her fees, she may apply to the Corporation, stating her opinion that the case is one which might properly be attended as a private patient, but in respect of which all or part of her fees should be paid by the Corporation. On receipt of such an application, enquiries are made by a member of the Health Nursing Staff, and consideration of her report in conjunction with the circumstances of the case determine the decision of the Committee as to the payment of the fees, in full or in part.

Perambulator shelter, Mount Grove Clinic.—During the year a shelter for perambulators was erected at the post-natal clinic in Mount Grove.

#### STAFF.

The executive medical staff engaged on maternity and child welfare work at the end of the year consisted of Dr. Deacon (antenatal clinic, and Hamilton Square and Brassey Street post-natal clinics); Dr. Leete (St. Paul's Road post-natal clinic); and Dr. Foster (Mount Grove post-natal clinic).

In addition to the Chief Health Nurse and the Inspector of Midwives, the equivalent of the whole time of six nurses was, throughout the year, nominally available for infant welfare work; but owing to resignations of members of the staff, and the difficulty experienced in filling vacancies, the actual staff was considerably under this strength.

### INSPECTION AND SUPERVISION OF MIDWIVES.

Work under this section is concerned with the administration of the Midwives' Acts, 1902 and 1918; the visiting of the homes of midwives, inspecting their instruments, etc., advising them on the details of their work and on their duties as set out in the above Acts, and in the rules issued by the Central Midwives' Board, Number of midwives.—During the year 1924, 90 midwives entered their names on the local register as practising in the Borough. Of these, 9 subsequently left the district, and their names have been removed from the register accordingly. 3 midwives gave notice of change of addresses.

Of the 90 midwives, 81 were trained and 9 untrained.

Number of cases attended by midwives.—The cases attended by midwives alone (no doctor being in attendance) numbered 2,524; just over three-quarters of the total births in the Borough.

Visits of inspection.—The inspector of midwives paid 194 quarterly and 139 special visits of inspection.

Interviews in office.—41 midwives were interviewed during the year.

Cases of puerperal fever in practice of midwives.—The inspector investigated 8 cases.

Cases requiring medical help.—459 cases were notified by midwives in which medical aid had been called in, as against 451 last year. The inspector made 198 special inquiries regarding cases requiring medical help.

Notifications received from midwives.—45 cases of stillbirths were notified; 10 cases were notified of infants receiving artificial feeding; 3 cases were notified in which death had occurred in the practice of midwives; 4 cases of laying out dead bodies were notified.

Supply of silver nitrate to midwives.—Supplies of a colloid preparation of silver nitrate were issued to 3 midwives at cost price.

## HOME VISITING OF EXPECTANT MOTHERS, MOTHERS, AND YOUNG CHILDREN.

Home visiting.—The following is a summary of the visits paid by the health nurses in connection with expectant mothers, mothers, and young children:—

2899 routine first visits were paid to infants.

2214 routine revisits were paid to infants under one year

6827 routine visits were paid to children over 1 year and under 5 years old.

40 first visits and 22 revisits were paid in connection with the investigation of stillbirths.

472 visits were paid in connection with cases of pneumonia.

48 cases of ophthalmia neonatorum were visited and kept under supervision.

143 first visits were pad to expectant mothers.
143 first visits were paid to expectant mothers.

262 visits were made in connection with deaths of infants.

1929 visits were made in connection with miscellaneous matters.

Cases reported for special action.—The following cases after being visited were reported for special action:—

4 cases of sanitary defects in houses were passed to the Chief Sanitary Inspector.

9 cases were referred to the Charity Organisation Society.

1 case was reported to the Society for the Prevention of Cruelty to Children.

3 cases were referred to the Invalid Children's Association.

1 case were referred to the Poor Law Relieving Officers.

#### POST-NATAL CLINICS.

The main features of the work carried out at these clinics were set out in my annual report for 1923.

At the end of the year the clinics were being held as follows:-

Hamilton Square clinic: Monday and Wednesday afternoons, 2 to 5 p.m.

Brassey Street clinic: Thursday afternoon, 2 to 5 p.m. St. Paul's Road clinic: Tuesday afternoon, 2 to 5 p.m. Mount Grove clinic: Friday afternoon, 2 to 5 p.m.

The following table gives an indication of the work done at the clinics during the year:—

		ton Sq. ssions)		Street ssions)		l's Road ssions)	Mount Gro		
	1st visits	Re- visits	1st visits	Re- visits	1st visits	Re- visits	1st visits	Re- visits	
Attendances made by infants under 12 months Attendances made by children	426	3360	222	2553	223	2247	151	1053	
aged 1—2 years	20	389	4	497	8	527	5	149	
aged 2—5 years	5	166	11	166	-	130	8	69	
Children examined by Doctor	423	1699	233	1273	230	893	131	459	
Mothers advised by Doctor regarding their own health	18	228	39	145	7	57	24	45	

Yoluntary workers.—I have again to put on record the invaluable assistance given by voluntary workers at the various clinics.

Sewing classes.—22 sessions were held during the year. 23 mothers attended and paid 132 visits.

Supply of Milk.—Dried milk was sold at the clinics to suitable cases.

During the year supplies of milk were given free under the Milk (Mothers and Children) Order, 1919, to

122 expectant mothers

150 nursing mothers

143 children.

The income scale was the same as that set out in my annual

report for 1921.

The need for the very strictest economy in connection with the expenditure involved has been fully realised. Applications for free milk are allowed to go forward only where the doctors at the clinics have satisfied themselves, by a medical examination of the cases on whose behalf the applications have been made, that the supply is essential on grounds of health.

Milk is given only to-

(a) Nursing mothers who are actually suckling their children;

(b) Expectant mothers in the last three months of pregnancy;
 (c) Children up to twelve months whose mothers are unable to nurse them.

#### ANTE-NATAL CLINIC.

At the ante-natal clinic 51 sessions were held during the year; 346 new cases were seen, and 1,633 revisits were made. The total attendances thus numbered 1,979 visits.

Condition with regard to pregnancy.—The condition of the 346 cases with regard to pregnancy, at the time of their first attendance, was as follows:—

(a) 37 were in their first pregnancy.

(b) 219 were in their second or subsequent pregnancy (53 of these patients had attended the clinic during a previous pregnancy; 10 had attended during two previous pregnancies; and 1 had attended during three previous pregnancies).

(c) 90 were not pregnant.

Attendances.—The attendances made during the year were as follows:—

Attendances made by the new cases as classified above:

(a) 130 (b) 1549

(c) 102

Attendances made during 1924 by patients who were attending the clinic at the end of 1923 .......

198

1979

Abnormalities.—The abnormalities or diseases found to be present in the new cases who attended the clinic during 1924 were as follows:—

(a) Women who came to the clinic in their first pregnancy

Abnormality	No. of cases
Albuminuria	2
Adherent placenta	1
Retroversion of uterus Miscarriage	i

## (b) Women who came to the clinic in their second or subsequent pregnancy

Abnormality	No. of cases
Venereal disease	4
Albuminuria	3
Puerperal fever	2
Varicose veins	2
'uberculosis	2
Rheumatism	2
Diabetes	1
yst in vulva and miscarriage	1
detroversion of uterus	1
aricose ulcer	1
Other defects	2

### (c) Women who were not pregnant when they first attended the clinic

Abnormality	No. of cases
Anæmia after confinement	18
Retroversion of uterus	14
Venereal disease	12
Kidnev disease	3
Conditions associated with menopause	3
Cardiac disease	2
Tuberculosis	9
Dyspepsia	5
Vaginitis	9
Protio qualling in marine	1
Cystic swelling in vagina	1
Declares of storms	1
Prolapse of uterus	1
Torn peritoneum	1
Dysmenorrhœa	1
Abscess of breast.	1
Hæmorrhoids	1
Appendicitis	1
Other defects	13

### Progress of pregnancies.

(a) Of the 37 women who came in their first pregnancy

25 were delivered before the end of 1924, having 16 boys and 9 girls

2 had miscarriages

1 has left the town and has not been traced

9 were not delivered before the end of the year.

(b) Of the 219 in their second or subsequent pregnancy

169 were delivered before the end of the year; 8 had twins (7 boys and 9 girls), 82 had boys, and 73 had girls, and 6 had stillborn children

4 had miscarriages

3 left the district

43 were not delivered before the end of the year.

Maternity outfits.—19 outfits were lent out and returned during the year.

#### OTHER PROVISION MADE BY THE LOCAL AUTHORITY.

Cases dealt with at Borough Hospital.—From the 1st April, 1924 (date of commencement of agreement) up to the end of the year, 11 cases were admitted into the Borough Hospital under the terms of the agreement; the number of bed-days being 209.

Cases dealt with by the Birkenhead District Nursing Society.—During the year the Society's nurses paid 1,620 visits to 71 cases, as per agreement between the Society and the Corporation. In addition 2 120 visits were paid to 90 cases in children under 5 years of age not included in the agreement.

Cases of confinements attended by medical practitioners.—In 100 cases where doctors were called in to difficult cases of confinement the doctors' fees were paid by the Corporation under the provisions of the Midwives Act, 1918.

Cases of temporarily necessitous cases attended by midwives.—In 2 cases where midwives attended temporarily necessitous cases of confinement the midwives' fees were paid by the Corporation under the provisions of the Maternity and Child Welfare Act, 1918.

#### AGENCIES ASSISTED BY THE LOCAL AUTHORITY.

The Corporation gives financial support to certain other institutions, etc., for general services rendered in connection with maternity and child welfare work.

Birkenhead Maternity Hospital.—Here 22 beds are provided for maternity cases, but no beds are specially set apart for patients sent from this department. Under the direction of the Hospital Committee a clinic for mothers and babies is held at Grange Mount, Birkenhead.

Birkenhead Day Nursery.—Here accommodation is provided for 24 day children and 14 boarders.

Birkenhead and Wirral Invalid Children's Association.—Arrangements are made by this association to send children to convalescent homes, and to provide massage treatment for cases of infantile paralysis, etc.

Birkenhead and District Rescue Association.—This association provides 34 beds at St. Faith's Home for unmarried mothers and their children—22 beds for babies and 12 for mothers.

The grants made by the Corporation to the above agencies for the current financial year were as follows:—

Birkenhead	Day Nurse	Hospital Invalid Cnildren's Association ct Rescue Association	75
Birkenhead	and Wirral		30
			£355

### AGENCIES NOT PROVIDED OR ASSISTED BY THE LOCAL AUTHORITY.

Other agencies whose work in Birkenhead touches the welfare of mothers and infants, but which are not provided or assisted by the Birkenhead Corporation, are the following:-

The Birkenhead Union.

The Birkenhead and Wirral Children's Hospital.

The Charity Organisation Society.

The Society for the Prevention of Cruelty to Children.

The Naval and Military War Pensions Committee.
The Sisters of Charity (St. Elizabeth's) Welfare Centre, Claughton Road, Birkenhead.

The Gynæcological Clinic at the Borough Hospital.

## HEALTH OF SCHOOL CHILDREN.

#### ADMINISTRATIVE ARRANGEMENTS.

The arrangements made by the Birkenhead Education Committee for promoting the health of the children attending elementary and secondary schools in the Borough have been carried out during the past year on the general lines indicated in my annual report for 1921.

Staff.—During the year an arrangement was made between the Education Committee and the Health Committee, and received the approval of the Board of Education, by which the Assistant Medical Officers were appointed Assistant School Medical Officers. With the exception of Dr. Campbell Brown (who resigned in August) and Dr. A. R. Balmain (who succeeded Dr. Brown in October), the doctors engaged in school medical inspection and treatment devoted part only of their time to this work; Dr. Deacon, Dr. Foster and Dr. Love!l each carrying out medical examinations in schools and examinations at the general clinics.

Co-ordination with other health work.—As in previous years, there has been close co-ordination between the school medical service and the other public health arrangements of the borough.

## Possible extensions in existing arrangements calling for consideration—

1. Open-air school.—I have once again to direct attention to the absence of arrangements in Birkenhead for open-air school teaching for delicate and physically subnormal children. The value of open-air schools has been proved beyond question, and the provision of such schools should be regarded as an essential part of the local education authority's arrangements.

The results obtained in open-air teaching have an important bearing on the question of the design and placing of school buildings generally and will more and more influence our conception of the desirable setting for educational work.

In a recent note for the "School Government Chronicle" I made the following reference to this subject:—

- "There is a growing recognition of the need for careful selection of sites for new school buildings. It will be increasingly realised that schools should not be erected in congested, smoke-fouled, unhealthy and depressing parts of urban districts, but that so far as is possible they should be placed on the outskirts of towns, among healthy and inspiring surroundings.
- "More consideration will be given to healthful design than has been done in the past. In particular, facilities for semi-open-air teaching will be provided, classrooms being so constructed that one side can be thrown completely open and an approximation to the wholesome clean-air conditions found in modern sanatoria arrived at.

- "Again, the number of true 'Open-air Schools' is bound to increase. No one who has had experience of the transformation these schools can effect in the physique of children, and of the impetus they give to the development of increased power to resist disease, would hesitate to recommend their establishment in ever-increasing numbers.
- "The period of school life is subordinate in importance only to the antenatal and birth-to-five-years-old periods in the physical economy of the individual. In the past much harm has undoubtedly been done by herding together school children for a great part of the day during those precious nine years in the stagnant, debilitating and frequently infected atmosphere of wrongly designed school buildings, where ventilation' has meant a meagre ration of air supplied from outside in the form of justly-resented draughts."
- 2. Dental inspection and treatment.—The provision for this work is still on the limited scale to which reference was made in my last annual report. No dental attention is being given to children now entering school, or who entered subsequent to 1921. The group which is being dealt with—children born in the years 1914, 1915, 1916—is receiving adequate inspection annually, and regular treatment, with excellent results; but the other children in the elementary schools remain outside the scope of the local authority's arrangements.
- 3. Orthopædic scheme.—The following scheme for the early detection, treatment, and after-care of children suffering from crippling conditions was submitted to the Education Committee in November, 1924. The scheme has been adopted by the Committee, and submitted to the Board of Education for approval.

## DRAFT OF AN ORTHOPÆDIC SCHEME FOR CHILDREN IN BIRKENHEAD.

- 1. The term "orthopædics."—As the Committee are aware, the term "orthopædics" was originally applied to the study of deformities in children. It has by extension come to be employed in a wider sense, covering the study of crippling and deforming conditions in persons of all ages, and of the detection, treatment and prevention of such conditions.
- 2 Need for orthopædic schemes.—For some time the Board of Education has been urging upon the larger of the local education authorities the need for the establishment of orthopædic schemes in their districts. It is recognised that in an area which has no carefully organised and co-ordinated scheme the incidence of crippling must remain high, many cases will receive treatment too late to enable them to be dealt with advantageously, many will go untreated altogether, and the kindly and sympathetic activities of voluntary agencies, however efficient these may be, will be robbed of much of their potential usefulness.
- 3. Cases to be dealt with.—The cases which have to be dealt with in an orthopædic scheme include paralysis due to injury, or to an infectious disease which attacks the spinal cord; tuberculous

inflammation and destruction of the knee, hip, elbow, spine or other joints and their surrounding structure, producing deformities of the grossest and most disabling nature; deformities caused before or during birth; defective bone formation due to rickets; and distortions such as lateral curvature of the spine which arise from bad habits or faulty training. The incidence of crippling conditions is highest in the pre-school period—from birth up to five years of age.

- 4. The extent of the problem.—This naturally varies in different districts; thus, for example, rickets is much more prevalent in some districts than in others. The accepted view is that, taking the country as a whole, 13 out of every 1,000 children of school age suffer from crippling conditions; and that in 8 out of each 13 cripples the cause is tuberculosis. It may be assumed that the number of crippled children in Birkenhead is approximately 300, and that about 30 new cases occur each year.
  - 5 The objects of an orthopædic scheme.—These are—

1-Prevention.

2-Early detection.

3—Treatment (a) immediate.

- (b) convalescent or after-care treatment.
- 6. Prevention.—I have placed this first, because it is the most important object to be kept in mind. There is nothing spectacular or superficially attractive about the prevention of disease; the more efficient preventive measures are, the less in the way of results there is to be seen or displayed, and the less important and necessary these measures appear to the uninstructed and perhaps uninterested onlooker. It is only when the mechanism of prevention and control becomes strained to breaking-point, and, say, an epidemic occurs, that the imagination is stirred and a lively interest awakened.

There is hardly one of the crippling conditions of childhood which is not preventable, and which will not, I am confident, in time be prevented. This will not be effected until there can be secured for cur developing child-life clean air, clear sunlight, wholesome food and skilled physical training.

- 7. Early detection.—This comes next in importance to prevention. So long as the causes which produce crippling remain at work it is essential that every endeavour be made to aim at early discovery, so as to secure the application of treatment before marked deformity has occurred, and, if possible, in the pre-deformity stage.
- 8. Treatment.—The knowledge of the treatment of crippling conditions has been largely extended in recent years. It is based on the following:—
  - (a) Immobilisation of affected parts to secure complete rest.

(b) The application of splints and bandages to reduce and correct deformities.

(c) Later, the careful application of massage and electricity to build up wasted or undeveloped muscles and awaken functional activity.

(d) In particular cases, surgical operations for the removal of

deformities.

- (e) Natural and artificial sun treatment, X-Rays, general hygienic measures, &c.
- 9. Present special provision in Birkenhead.—Special measures for dealing with cripples have been taken in Birkenhead by—
  - (a) The municipality. Since August, 1914, the Health Committee of the Corporation have retained 12 beds at Leasowe Hospital for the treatment of cases of non-pulmonary tuberculosis. These beds have been kept constantly in use, the majority of the cases dealt with being tuberculous condition of bones and joints. The patients are selected by the Assistant Medical Officers and pass in the first instance through the Municipal Tuberculosis Clinic.
  - (b) The Birkenhead and Wirral Invalid Children's Association. The work carried out by this Association dates back to 1916, and includes the provision of splints, spinal chairs, massage, remedial exercises, &c., and sending selected cases to convalescent homes. The Association is recognised by the Corporation and receives annual grants as follows:—

In addition, children receive operative and other treatment for crippling conditions at the Birkenhead Board of Guardians' Infirmary at Tranmere and at the Birkenhead and Wirral Children's Hospital, many being referred from the latter institution to the Invalid Children's Association for splints, massage, &c.

- 10. Essentials of a scheme for Birkenhead.—The essential elements of an orthopædic scheme are—
  - (a) an orthopædic clinic.
  - (b) hospital accommodation for non-tuberculous cases.
  - (c) an orthopædic surgeon.(d) an orthopædic nurse.
  - (e) a masseuse.
  - (f) provision of splints, &c.
- 11. Orthopædic clinic.—This is the central unit and clearing-house of the scheme. To the clinic cases suffering from, or suspected to be suffering from, crippling conditions will be sent by medical practitioners practising in the area, by the Corporation's medical staff, by the staff of hospitals, &c., in the area, and by school teachers. At the clinic these cases will be examined and suitable treatment will be prescribed. At the clinic, also, certain forms of treatment will be carried out—massage, remedial exercises, fitting of splints, &c.

It would appear that the most suitable place for the Birkenhead Clinic is the premises occupied by the Birkenhead and Wirral Invalid Children's Association. These are central, and close to the other clinics; the premises (which are the property of the Education Committee and are let to the Invalid Children's Association by the Committee at an inclusive rental of £75 per annum) are already

equipped for carrying on remedial exercises, &c., and skilled staff is available. The most convenient time would appear to be Saturday mornings.

12. Hospital accommodation.—Provision for hospital treatment should be made at Leasowe Hospital; the Education Committee providing for non-tuberculous conditions, and thus supplementing the provision already made by the Health Committee for tuberculous conditions.

The patients dealt with will include short-stay cases (tenotomies, wrenchings, &c.), remaining in hospital for a few days only; but for others a longer stay will be necessary (operation of osteotomy for rickets, congenital deformities, &c.).

It does not appear desirable that the Committee should retain beds at the hospital, at any rate for the present. An arrangement should rather be made for payment on a patient-day basis. From inquiries which I have made I gather that an arrangement of this kind would be acceptable to the hospital authorities.

As to cost, it would appear that a sum of £150 should be inserted in the estimates of the first year s working to cover this item.

13. Orthopædic surgeon.—It is essential that the services of a specialist orthopædic surgeon be obtained in connection with the clinic. Approximately one attendance per month will probably be found necessary during the first year of working, though a few additional attendances may be found necessary from time to time—tor example at the outset, when some accumulation of cases may have to be dealt with.

In view of the fact that Mr. Hartley Martin, the Senior Surgeon of Leasowe Hospital, has charge of all the tuberculous cripples at present sent to hospital from the area by the municipality, and on the assumption that non-tuberculous cases requiring hospital treatment will also be sent to Leasowe, I have to recommend that the services of Mr. Hartley Martin should if possible be secured for the orthopædic clinic.

14. Orthopædic nurse.—A nurse specially trained in orthopædic work should be in attendance at the orthopædic clinic every Saturday morning. On the mornings when the surgeon is in attendance she will assist him; on the other mornings she will receive new cases, supervise treatment, fit splints, &c.

Mr. Hartley Martin, I am informed, has a specially trained nurse (on the staff of Leasowe Hospital) who assists him at other clinics which he attends. It would appear to be desirable that the services of this nurse be obtained.

15. Massage; remedial exercises; provision of splints, &c.—
The Birkenhead and Wirral Invalid Children's Association employs one masseuse for seven sessions per week, and another for five sessions per week. The Association also provides splints, &c., and renders other services to patients. I have to recommend that the Association be requested to continue to carry out those services under the new scheme.

As regards payment for this work and for the use of premises; the Committee will recollect that an annual grant of £40 is paid to the Association in recognition of work done at present (see above, paragraph 9) and that the premises at 46, Albion Street are let to the Association with the proviso that the Committee may have the use of them for clinic purposes on Saturday mornings.

It would not appear to be necessary to make any new financial arrangement with the Association at the present time, although this matter may require reconsideration in the light of experience.

- 16. General supervision.—The Board of Education require that the Committee's Chief Medical Officer should be the administrative Medical Officer for the scheme. The detailed working of the scheme should be subject to the general supervision and approval of the Medical Officer, acting on behalf of the Education Committee.
- 17. Co-operation of medical practitioners, &c.—It is of the greatest importance to the success of the scheme that the co-operation of the general medical practitioners in the area and of the medical staff of the Birkenhead and Wirral Children's Hospital and of the other medical institutions in Birkenhead should be secured.
- 18. Future developments.—In this report I intentionally make no reference to certain developments which may call for consideration at a later date, such as the provision of special vocational training for cripple children up to and beyond the age of 16, or the provision of convalescent and recovery hospital accommodation.
- 19. Provisional estimate of cost.—The following is a provisional estimate of the cost for one year of the scheme outlined above:—

Treatment at Leasowe Hospital Orthopædic surgeon: fees Orthopædic nurse: part of salary Payment to Birkenhead and Wirral Invalid Children's Association	£150 50 20 40
Sundries and contingencies	10
Total	£270
Deduct Government grant	135
Net annual cost to Education Committee	£135

# MEDICAL INSPECTION AND TREATMENT (ELEMENTARY SCHOOLS).

## (A) INSPECTION.

Number of elementary schools and school children.—The number of elementary schools in the borough is:

Council S	chools	 16	
Voluntary	Schoole	 19	Total 35

Total 20,786

The recognised accommodation of these schools on the 31st December, 1924, was:

Voluntary Schools ...... 12,715 Total 25,999 The average number of scholars on the rolls during the year was: Council Schools ...... 11,493 Voluntary Schools ..... Total 23,891 The average attendance was: 

Children inspected .- The following elementary school children were medically inspected during the year:-

1.	At Routine Inspections	7529
	At Special Inspections in the ordinary schools	260
	As prospective entrants to the Institute for Boys, the	
	Girls' Secondary School, St. Francis Xavier's College	
	and the Catholic Institute	243
4.	As entrants to the Claughton Road Special School for	
	Mental Defectives	46
5.	Under the Employment of Children Bye-laws	170
		-
	Total	8,248

The numbers examined in each school are given in Table S 7.

Re-examination of defective children.—During the year 1,198 children who at a previous examination had been found to require medical care were re-examined by the Assistant Medical Officers.

Co-operation of parents.—Parents attended at the examination of 4,740 (62.9 per cent.) of the 7,529 children dealt with at routine inspections; and 235 (96.7 per cent.) of the 243 prospective entrants to secondary schools.

Vaccination.—In the ordinary inspections children were examined as to vaccination marks. Of the 7,529 children examined

1590 (21.1%) showed no marks. 2530 (33.6%) showed one mark. 881 (11.7%) showed two marks. 305 (4.1%) showed three marks.

2223 (29.5%) showed four or more marks.

Infectious diseases.—Enquiry was made at each inspection as to the infectious diseases from which the children had suffered in the past. The information elicited is summarised in Table S 5.

Defects found requiring medical or dental treatment.—Out of the 7,789 children inspected at routine and special inspections, 1,807 were found to have defects requiring medical attention. The defects found were

re as	10110WS:-	Code	Special
	Diseases.	Group.	Cases.
	Ringworm	14	7
	Scabies	21	1
	Impetigo		16
	Other diseases	16	12

Eye Defects.  Defective vision and squint (for further details see		
Table S 2	411	102
External eye disease	40	16
Ear Defects		
Defective hearing	16	4
Ear disease	30	10
Teeth Defects	461	-
	401	
Nose and Throat Defects.		
Enlarged tonsils	126	5
Enlarged tonsils and adenoids	83	3
Adenoids	44	6
Pulmonary Tuberculosis.		
Definite	1	-
Suspected	15	-
Non-Pulmonary Tuberculosis.	0	
Glands	2 3	-
Other forms	3	1
Other Defects or Diseases	417	60

A full statement regarding the defects found, setting out the number of defective children, is given in Table S 2. In Table S 7 the defective children are classified according to the schools attended.

## (B) TREATMENT.

The parents or guardians of all children found at routine examinations to be defective are informed immediately of the need for medical advice or treatment. Such parents are visited at their homes by the Health Nurses and urged to obtain this advice or treatment, the Assistant Medical Officers making periodical re-examinations in the schools to ascertain what action has been taken.

During the past year the Health Nurses paid 1,544 visits to the homes of defective children in connection with "following up"—1,117 first visits and 427 re-visits; and 1,198 defective children were re-examined by the Assistant Medical Officers. In addition, the Nurses paid 17 special visits.

Head teachers can do much to ensure that the scheme of school medical inspection bears fruit in the way of an improved standard of health among children of school age. The teacher who realises the educational importance of good health to the scholar can by active co-operation with doctors and nurses help very materially to achieve that end; it is therefore highly gratifying to note the increasing interest shown by the teaching profession in the work of the school medical service.

Treatment of children found, at medical inspections held during 1924, to be suffering from defects which required medical attention.— As has been stated above, 1,807 out of the 7,789 children examined at routine or special inspections in elementary schools during 1924 were found to be suffering from defects requiring medical attention; of these 1,807, 434 or 24 per cent. received treatment before the end of the year.

Details of the various types of ailment treated will be found in Table S 4.

Treatment carried out at the Eye Clinic.—Children who were found by the Assistant Medical Officers to require spectacles, and whose parents were not in a position to secure the necessary attention privately, were seen at the Eye Clinic by Dr. Campbell Brown in the earlier, and by Dr. A. R. Balmain in the later part of the year.

During the year 312 new cases were examined, 485 children attended for re-examination, and 518 pairs of spectacles were supplied. The total cost of all the spectacles which were ordered during the year was £109 4s. 8d.; of this, £80 7s. 1d. was recovered from the parents.

The following is a summary of the visual defects of cases (new or re-examined) for whom spectacles were prescribed during the year —

Unarmetronia eroun.	W-manustrania		% 20.7
Hypermetropic group:	Hypermetropia	117	20.7
	Hyp. Astigmatism	226	39.9
Myopie group:	Myopia	70	12.3
	Myopic Astig	75	13.2
	Mixed Astig.	54	9.5
Heterometropia		21	3.7
Emmetropia		4	.7
		567	100

The following conditions were also recorded among the new cases who attended the clinic:—

Cataract	2
Nystagmus	2
Coloboma iris and choroid	1
Corneal opacities	4
Optic neuritis	2
Optic atrophy	1
Conical cornea	1
Amblyopia	1

The cases of strabismus in new cases noted during the year were as follows:—

Convergent: Right eye, 18; left eye, 21; alternating, 2; double, 2. Divergent: Left eye, 1.

Treatment carried out at the X-Rays Clinic.—Comparison with last year's figures shows a notable decrease in the number of cases of ringworm of the scalp. There can be little doubt that for this decrease treatment by X-Rays has been largely responsible, the rapidity of this treatment reducing greatly the period of infectivity of the disease and so minimising its spread from affected cases to other children.

During the year 55 cases were treated at the X-Rays Clinic, 53 for ringworm, 1 for favus, and 1 for alopecia. This number comprised 33 boys and 22 girls, of whom the average age was 8 years.

231 exposures to X-Rays were given; the average duration of exposure, which is strictly regulated by the pastille dose, was about 14 minutes. In most cases the whole scalp was done; this means an exposure to 5 separate areas of the head in order to ensure complete depilation.

All cases treated did well, with one exception. The hair fell out in 12 to 21 days and the new hair usually presented the soft, silky and curly appearance so characteristic after this treatment.

The exception is a case of alopecia not due to ringworm, and it is doubtful if any treatment will be of avail in this case.

No cases of X-Rays burns were noted during the year.

Children are allowed to return to school as soon as depilation is complete, viz., in about three weeks to a month from commencement of treatment.

Treatment carried out at the General School Clinic.—At this Clinic treatment is given for such defects as otitis media, external eye disease, impetigo, scabies, ringworm, etc.

The scheme for the treatment of cases of malnutrition, etc., was continued, as described in the annual report for 1920.

Details of the work will be found in Tables S 4 and S 6.

The number of children who received treatment at this Clinic was 1,952; the new cases seen during the year numbered 1,673; the total attendances numbered 9,583.

Treatment of uncleanliness.—The average number of visits paid during 1924 by the Health Nurses to each school was 12.3.

The total number of examinations of children made by the nurses in the schools was 19,696.

The number of individual children found unclean was 5,218.

The attention of the parents was directed to the condition of these children, and a considerable improvement was, in the aggregate, obtained.

The number of notices served on parents was 65.

The number of children compulsorily cleansed was 30.

115 home visits were paid; 88 first visits and 27 re-visits.

# DENTAL INSPECTION AND TREATMENT (ELEMENTARY SCHOOLS).

## (A) INSPECTION.

Scope of past year's work.—The work of dental inspection and treatment proceeded during 1924 on the lines of the curtailed scheme decided upon by the Education Committee and described in my annual report for 1922. This scheme was practically limited to the periodical re-inspection and treatment of those children who had been examined in the original dental inspection which was carried out during 1921 and the first part of 1922.

Number inspected.—4,667 children were dentally inspected during the year as follows:—

Aged nine years	
Aged seven years Aged eight years	preceding year (1923) were:—

Number requiring dental treatment.—Of the 4,667 children inspected, 2,454 (52.6%) were selected as requiring treatment, the parents being advised to obtain this treatment privately, or, if unable to do this, at the Dental Clinic.

Cleanliness of teeth.—The children examined were classified according to cleanliness of teeth as follows:—

	clean	1830 2294
***		543
		4667

Condition of gums.—The following figures show the condition of the gums of the children examined:—

Gums	healthy inflamed septic	3869 535 263
		4667

Condition of bite.—This was found to be as set out below:—

Bite	fair	 2979 1277 411
		4667

## (B) TREATMENT.

Notices were sent out to the parents of the 2,454 children found to require dental treatment, with the following results:—

Refused to have treatment done	245 631 1578	(10.0%) (25.7%) (64.3%)
	2454	

Treatment at the Dental Clinic.—Of the 1,578 children for whom treatment at the clinic was requested

1239 were treated before the end of the year
293 did not attend when sent for
46 were awaiting treatment at the end of the year

1578

In addition to the above 1,239 children treated at the clinic following on inspections held in 1924, 11 were treated who had been inspected in 1923 and had not been treated before the end of that year; and 302 children who were brought by the parents of their own initiative to the clinic were also treated. The total number of children treated at the clinic during 1924 was therefore

Following on 1923 inspections	11 1239
brought by parents of their own initiative	302
	1552
	-
Details of treatment carried out This was as follow	s:
Temporary teeth extracted	1774
Temporary teeth filled	132
Permanent teeth extracted	73
Permanent teeth filled	1310
Total extractions	1847
Total fillings	1442
Anæsthetics—general	-
local	1083
Sealings	1138
Dressings	510

The total attendances at the clinic numbered 1,940.

The number of treatments completed during the year was 1,414.

# MEDICAL INSPECTION AND TREATMENT (SECONDARY SCHOOLS AND CONTINUATION SCHOOLS.)

The powers and duties of local education authorities with regard to medical inspection and treatment in secondary schools and continuation schools are set out in Section 80 of the Education Act, 1921.

This Section makes it the duty of the local education authority to provide for the medical inspection of pupils in certain specified classes of schools, and also in such other schools or educational institutions (not being elementary schools) provided by them as the Board may direct. The Section does not require provision to be made for the medical inspection of pupils in secondary schools which are not provided by an authority, or in certain other higher education institutions not specifically referred to in the Section or directed by the Board of Education. It is, however, the expressed opinion of the Board that the pupils in such institutions will equally benefit from systematic medical inspection; and the Section empowers local education authorities to provide for the medical inspection of pupils attending any school or educational institution, whether aided by them or not, if so requested by or on behalf of the persons having the management thereof.

Schools at which medical inspection is carried out.—Medical inspection is arranged for at the following schools:—

	No. on Roll.
(a) Provided by the Local Education Authority-	
The Birkenhead Institute (Boys)	529
The Girls' Secondary School	362
(b) Not provided by the Local Education Authority-	
The Higher Tranmere High School for Girls	224

There are no continuation schools provided by the local education authority at which medical inspection has to be carried out.

Scope of medical inspection.—The existing arrangements provide for the examination of every child in the schools inspected once in each year; and for the re-examination of children found to be defective.

The opinion of the Board of Education in this connection is expressed in Circular 1153:—" In view of the many defects that may arise during the critical period of adolescence, the Board attach great importance to arrangements being made for all pupils to come annually, as a matter of routine, under medical supervision."

Birkenhead Institute.—At the annual inspection (held in December, 1924) 417 children were inspected. Included in that number there were 64 children now examined for the first time as secondary school children. 107 were found to have defects requiring medical or dental advice, the defects found being as follows:—

Defective	teeth 55	2
Defective	vision 1'	7
	throat defects 2	)
Deformitie		9
Heart dis	ease	6
Other defe	ects	5

Girls' Secondary School.—At the annual inspection 347 girls were examined—306 in the senior school and 41 in the junior school.

Included in the above total (347) there were 54 children now examined for the first time as secondary school children.

Of the 347 children examined, 95 were found to have defects requiring medical or dental attention; the defects found being as follows:—

Defective teeth	64
Defective vision	26
Deformities (spinal curvature, pigeon chest, etc.)	4
Heart and circulation defects	4
Nose and throat defects	5
Skin disease	1
Other defects	4

All the children found to be defective were kept under observation and re-inspected later in the year. By the end of the year 56 out of the 95 had received appropriate treatment as shown below:—

	Treated by end of year	
Defective teeth		45
Defective vision		65
Deformities		100
Heart, etc., defects	2	50
Nose and throat defects		40
Skin diseases	1	100
Other defects		100

Higher Tranmere High School for Girls.—34 girls were examined. Of these 4 were found to have defects requiring medical or dental treatment. The defects were as follows:—

Defeative	teeth	 3
Defective	vision	 1

#### MISCELLANEOUS.

Examination of entrants to the Girls' Secondary School, the Birkenhead Institute, St. Francis Xavier's College, and the Catholic Institute.—During the year 106 elementary school children were examined with a view to their admission to the above schools and to the new secondary schools for boys which are being provided by the Committee. 33 were found to require treatment for 35 defects, the latter being as follows:—

Defective teeth	23
Nose and throat defects	10
Other defects	1
	35
Other defects	35

The Special School for Mentally Defective Children.—The accommodation at the Special School for the year 1924 was 154. The average number on the rolls during the year was 138, and the average daily attendance was 114.

Six visits were paid to the school during the year by the Assistant Medical Officer. At these visits examinations were held of children suspected to be mentally deficient, with reference to their suitability for admission to the Special School. The results were as follows:—

Total number examined—Boys	40 6
Number certified for admission—Boys	26 4
Number not certified for admission—  (a) Regarded as fit for ordinary school—Boys  Girls	12 2
(b) Recommended for admission to School for the Blind—Boys	1
(c) Recommended for Home for Epileptics— Boys Girls	1
	-

As it is not possible to admit all the children nominated for the Special School, a careful selection is made from those presenting themselves for examination. Those children who are found capable of profiting from the ordinary instruction of their own school are not admitted, nor, on the other hand, are totally ineducable children. 23 children were permitted to leave the school after medical examination, as follows:—

Fit for work
*Left over 16 years of age
Transferred to elementary schools
Physically unfit
Died
Left the district
Referred to Mental Deficiency Act Committee
and the second s
Total

\*These will be followed up by the Voluntary Care Committee.

Of the 12 children who left to take up work-

2 are employed as domestic servants;

2 are employed as errand boys; 4 are employed in a shipyard;

1 is employed in a boatbuilding yard;

2 are employed in dairies;

1 is usefully employed at home.

The average ages of the children attending the school, and their classification, are shown below:—

CLASS.	BOYS AVERAGE AGE.	GIRLS AVERAGE AGE.
Class 1—Boys	$\frac{12\frac{1}{2}}{12}$	-
Class 2—Boys and Girls	12 11	12
Class 4—Boys and Girls	98	11 91
Class 6—Boys and Girls	9	92

School dinners have been provided throughout the year at a cost to the parent of 2d. per day.

The weekly menu was:-

Monday ..... Scotch broth; boiled suet pudding.

Tuesday ..... Irish stew; currant pudding.

Wednesday...Minced meat and potatoes; sago pudding.

Thursday ... Soup; fig or date pudding.

Friday.....Potato pie.

Provision of meals.—No figures are available for the calendar year 1924. During the financial year—1st April, 1924, to 31st March, 1925, 1,221 children have been supplied with 111,734 meals. Meals were provided five days per week, with the exception of Bank and Public Holidays.

Birkenhead and Wirral Invalid Children's Association.—During the year cases of deformity, paralysis, etc., were from time to time referred to this Association, and valuable assistance was given—massage and other suitable treatment being provided.

The following table shows the number of massage cases among children of school age dealt with by the Association during the year:—

	Sent from School Clinics	Other cases	Total
Children under treatment at the end of 1923	34	17	51
New children treated during the year	31	16	. 47
Children discharged during the year—Sent to hospitals or died	13	6	19
treatment or left the town	14	9	23
Children under treatment at end of 1924	38	18	56

The 65 cases referred from the school clinics to the Association were as follows:—

Disease	No. of	cases
Scoliosis	5	
Spinal curvature	5	
Chest deformity	. 2	
Infantile paralysis	9	
Bronchitis (chronic)		
Rickets and pigeon chest	15	
Depressed sternum		
Post-pneumonia	1	
Stiff arm from accident	1	
Loss of power right arm	1	
Debility		
Round shoulders	7	
Knock knee	1	
Old surgical Tb.	1	
Wasted muscles	1	
Rheumatic joints	1	
Flat feet	1	
Lordosis	1	
High shoulders	1	
	-	
	65	

Assistance has also been given to children of school age in the following ways:—

	Sent from School Clinics	Other cases	Total
Children supplied with milk	119	93	212
Children supplied with tonics	204	150	354
Children supplied with surgical apparatus	7	90	97
Children sent to convalescent and country hospitals	45	41	86

In every case the parents pay something towards the cost of treatment.

#### TABLE S 1.

Return of Medical Inspections during 1924 (see note a).

#### A .- ROUTINE MEDICAL INSPECTIONS.

Number of Code Group Inspections (see note b) Entrants	2389
Intermediates Leavers	$\frac{2478}{2662}$
Total	7529
Number of other routine inspections (see note e)	_
B.—OTHER INSPECTIONS.  Number of special inspections (see note d)	2961
Number of re-inspections (see note e)	1198
Total	4159

#### NOTES ON TABLE S 1.

(a) The return refers to a complete calendar year.

(b) This heading relates solely to the routine medical inspection of the three ordinary age groups, i.e., to medical inspections carried out:

(i) in compliance with Article 7 of the Consolidated Regulations relating to Special Services—Grant Regulations No. 19.
 (ii) on the school premises (or at a place specially sanctioned by the Board under Article 44 (h) of the Code);

(iii) for the purpose of making a report on each child on the lines of the

approved Schedule set out in Circular 582.

(c) Under this heading may be recorded routine inspections, if any, of children who do not fall under the three code age-groups, e.g., routine inspections of a fourth age-group or of other groups of children, as distinct from those who are individually selected on account of some suspected ill-health for a "Special"

(d) A Special Inspection is a medical inspection by the School Medical Officer himself or by one of the Assistant Medical Officers on his staff of a child specially selected or referred for such inspection, i.e., not inspected at a routine medical inspection as defined above. Such children may be selected during a visit to the school or may be referred for inspection by the teachers, health nurses, attendance officers, parents, or otherwise. It is immaterial for the purpose of this heading whether the children are inspected at the school or at the Inspection Clinic or elsewhere. If a child happens to come before the School Medical Officer for special inspection during a year in which it falls into one of the routine groups, its routine inspection is entered in Part A of Table S 1 and its special inspection in Part B. The inspection to be recorded under the heading of special inspections is only the first inspection of the child so referred for a particular defect. If a child who has been specially inspected for one defect is subsequently specially inspected for another defect, such subsequent inspection is recorded as a special inspection and not as a re-inspection.

(e) Under this heading are entered the medical inspections of children who as the result of a routine or special inspection come up later on for subsequent re-inspection, whether at the school or at the inspection clinic. The first inspection in every case is entered as a routine or special inspection as the case may be. Every subsequent inspection of the same defect is entered as a re-inspection.

Nothing is included under the head of special inspections or re-inspections except such inspections as are defined above. Attendances for treatment by a nurse or for examinations by anyone other than a doctor on the staff of the School Medical Service are not recorded as medical inspections. If, however, at any such attendance, a child is also examined by a member of the authority's medical staff, this is recorded as a special inspection or re-inspection as the case may be, even if treatment is also given; but such attendance may also of course be recorded as an attendance for treatment.

## TABLE S 2.

A Return of Defects found by Medical Inspection during the year ended 31st December, 1924.

	Routine I	nspections	Special In	spections
	No. of	defects	No. of	defects
Defect or disease . (1)	Requiring treatment (2)	Requiring to be kept under ob- servation, but not requiring treatment (3)	Requiring treatment	Requiring to be kept under ob- servation, but not requiring treatment (5)
(*/	(4)	(0)	(1)	(0)
Malnutrition	12	=	14	1 -
Skin Ringworm—Scalp	12	-	131	_
Body		-	72	-
Scabies	21	1	50	-
Impetigo	19	1000	454	-
Other diseases (non-tuberculous)  Eye			134 79	-
Conjunctivitis		1	130	
Keratitis	1	_	4	
Corneal opacities		1		_
Defective vision (excluding squint)		7	143	
Squint	69	4	41	-
Other conditions	7	3	67	
Ear Defective hearing		-	6	-
Otitis media	25	-	140	
Nose and throat. Enlarged tonsils only	5 125	47	37 32	-
Adenoids only		2	9	=
Enlarged tonsils and adenoids	83	3	15	-
Other conditions	25	1	138	1
Enlarged cervical glands (non-tuberculous)		17	17	-
Defective speech	2	1	1	-
Teeth Dental diseases (see note a)	461	1	46 -	
. (See Table S 4, Group IV.)				
Heart and circulation— Heart disease—Organic	16	9	0	
Functional	16 5	3 4	19	
Anæmia	43	3	48	4
Lungs Bronchitis	42	18	82	2
Other non-tuberculous diseases		-	119	2 4
TuberculosisPulmonary—Definite	1	1	3	-
Suspected	15	-	5	1
Non-pulmonary—Glands		-	2	-
Spine	_	1	1000	1
Other bones and joints	1		3	
Skin	_	_		-
Other forms	2	-	1	-
Nervous system Epilepsy	1	-	3	-
Chorea	2	-	30	2
Other conditions	5	3	9	
DeformitiesRickets	2 6	-	2 5	
Spinal curvature Other forms	18	4	5 14	
Other defects and diseases	133	10	924	8
Asian training results resources	100	10	Dat.	-

#### TABLE S 2-Continued.

B. Number of individual children (see note b) found at routine medical inspection to require treatment (excluding uncleanliness and dental diseases).

	Number	Percentage of children		
Group.	Inspected (see note c). (2)	Found to require treatment.	found to require treatment (see note d).	
Code Groups: Entrants Intermediates. Leavers	2389 2478 2662	402 580 582	16.8 23.4 21.9	
Total (code groups)	7529	1564	20.8	
Other routine inspections	-	-		

#### NOTES ON TABLE S 2.

- (a) The figures included in this space refer to the findings of the Medical Staff and not those resulting from dental inspection in the schools by the School Dental Surgeon. The findings of the School Dental Surgeon are recorded in Table S 4 Group IV
- (b) No individual child is counted more than once in this part of Table S 2, i.e., under B., even if it is found to be suffering from more than one defect.
  - (c) The figures in this column are the same as those given in Table S 1 A.
- (d) The figure in this column is the percentage of the figure in column (3) of tha; in column (2).

TABLE S 3. Return of all exceptional children in the area (see note a).

	1	,			
	(i) Suitable for train-	Attending certified schools or classes	Boys	Girls	Total
	ing in a school or class for the totally	for the blind Attending public elementary schools	4	3	7
Blind	blind	(see note c)	-	-	1 -
(including partially		At no school or institution	-	-	
blind) (see note b)	(ii) Suitable for training in a school or	for the blind	-	-	-
	class for the partially	(see note c,	4	5	9
	onna	At no school or institution	-	-	-
	(i) Suitable for train-	Attending certified schools or classes			9
Deaf	ing in a school or	for the deaf Attending public elementary schools	4	5	9
(including deaf and	deaf or deaf and dumb	(see note c)	-	-	-
dumb and partially		At no school or institution	-	-	-
deaf)	(ii) Suitable for train-	Attending certified schools or classes for the deaf	-	_	-
(see note d)	ing in a school or class for the partially	Attending public elementary schools (see note c)	-	-	-
	deaf	At other institutions	-	-	-
		Attending certified schools for men-			
	Feebleminded (cases not notifiable	tally defective children	96	42	138
	to the Local Control Authority.)	(see note c)	-	-	-
Mentally defective	(see note e.)	At no school or institution	-	1.1	-
	Notified to the Local	Feebleminded	1	-	1
	Control Authority during the year	Idiots	1.1	1.0	-
		Attending certified special schools for epileptics			0
	Suffering from severe	In institutions other than certified	2	-	2
Epileptics	epilepsy (see note $f$ )	special schools Attending public elementary schools	2	-	2
		(see note c)	-	1	1
	Suffering from epilepsy	Attending public elementary schools	1133	PRO	
	which is not severe (see note $g$ )	(see note c)	3 -	2 -	5
		At sanatoria or sanatorium schools			
	Infectious pulmonary and glandular tuber-	approved by the Ministry of Health or the Board	1	5	6
	culosis (see note h)	At other institutions	1	2	3
Dhani- II.		At sanatoria or sanatorium schools	Die I		
Physically defective	Non-infertional	approved by the Ministry of Health or the Board	10	7	17
	Non-infectious but ac- tive pulmonary and	At certified residential open air schools At certified day open air schools	-		7
	glandular tubercu- losis (see note h)	At public elementary schools (see note c)		10	21
		At other institutions At no school or institution	11 -	10	1
34.5		At he school of his steated in	4	3	7

#### TABLE S 3-Continued.

	pre-or latent tuber- culosis, malnutrition,	At certified residential open air schools At certified day open air schools At public elementary schools (see note c) At other institutions At no school or institution	- 5 1	- 5 - 4	- 10 1 4
Physically defective (continued)	Active non-pulmonary tuberculosis (see note h)	At sanatoria or hospital schools approved by the Ministry of Health or the Board  At public elementary schools (see note c).  At other institutions  At no school or institution	12 2 2 1	8 1 - 1	20 3 2 2
	Crippled children (other than those with active tuberculous disease), e.g., children suffering from paralysis, &c., and including those with severe heart disease (see note h)	At certified hospital schools	1 - 2	3 2 3	- 1 - 5 2 4

#### NOTES ON TABLE S 3.

(a) This Table is a return of all children in the area for whom the Local Education Authority are responsible and who (except in the case of children suffering from epilepsy which is not severe) have been ascertained to be blind, dear, defective or epileptic within the meaning of Part V of the Education Act 1921. It is the statutory duty of every Local Education Authority formally to ascertain all defective children in their area irrespective of the actual provision now made for their instruction in Special Schools. It is assumed by the Board of Education that every authority will have a complete list of such children compiled from returns made continuously during the year and kept constantly up to date. In order to secure uniformity, authorities are requested to make up this Table from their list of defective children as it stands on the last day of each calendar year.

Children who are living in residential schools in the area but who come from other areas are not included in this Table; but children are included who are uving in residential schools outside the area and who are being maintained there by the authority.

For the purpose of this Table no child is included whose defect has not been ascertained by the School Medical Officer or a medical member of the authority's staff.

The definitions of defective children as given in the Act are as follows-

A blind child is a child who is too blind to be able to read the ordinary school books used by children.

A deaf child is a child who is too deaf to be taught in a class of hearing children in an elementary school.

Mentally and physically defective children are children who, not being imbecile and not being merely dull and backward, are defective, that is to say, children who by reason of mental or physical defect are incapable of receiving proper benefit from the instruction in the ordinary public elementary schools, but are not incapable by reason of that defect of receiving benefit from instruction in such special classes or schools as under Part V of the Act may be provided for defective children.

Epileptic children are children who, not being idiots or imbeciles, are unfit by reason of severe epilepsy to attend the ordinary public elementary schools.

#### NOTES ON TABLE S 3-Continued.

(b) For the purpose of this return the Board require that children who are blind within the meaning of the Act should be divided into two categories, i.e., (1) those who are totally blind or so blind that they can only be appropriately taught in a school or class for totally blind children, and (2) those who though they cannot read ordinary school books, or cannot read them without injury to their eyesight, have such power of vision that they can appropriately be taught in a school or class for the partially blind.

It should be understood that children who are able by means of suitable glasses to read the ordinary school books used by children without fatigue or injury to their vision, are not included in this Table.

- (c) The Board emphasises the fact that it should be understood that none of the children in this Table (except children suffering from epilepsy which is not severe) should in fact be attending public elementary schools. When the heading is retained, it is merely because at present the insufficiency of Special School accommodation makes it impossible to do better for some defective children than to allow them to attend the ordinary school. No space is left for the entry of children with infectious pulmonary tuberculosis attending public elementary schools, as these children should, of course, be promptly excluded from such schools.
- (d) Children who are deaf within the meaning of the Act are classified for the purpose of this Table as (1) totally deaf or so deaf that they can only be appropriately taught in a school or class for the totally deaf, and (2) partially deaf, i.e., those who can appropriately be taught in a school or class for the partially deaf.
- (e) This category includes only those children for whose education and maintenance the Local Education Authority are resposible, and who are not eligible for notification to the Local Control Authority under the Mental Deficiency Act.
- (f) In this part of the Table only those children are included who are epileptic within the meaning of the Act.

(For practical purposes the Board are of opinion that children who are subject to attacks of major epilepsy in school should be recorded as "severe" cases and excluded from ordinary public elementary schools.)

- (g) In this part of the Table are entered the remainder of the epileptic children in the area, i.e., children whose disease is of such a kind as not to unfit them for attendance at an ordinary public elementary school.
- (h) The exact classification of physically defective is admittedly a matter of difficulty. The Board request School Medical Officers to record these defective children as accurately as possible under the selected sub-headings, taking care that no child is entered under more than one sub-heading.

## TABLE S 4.

Return of Defects treated during the year ended 31st December, 1924 (see note a).

#### TREATMENT TABLE.

Group I.-Minor Ailments (excluding uncleanliness, for which see Group V).

		defects treated ment during the		
Defect or disease (1)	Under the Authority's scheme (see note b.)	Otherwise (3)	Total	
Skin—Ringworm - scalp	119	_	119	
body	71	-	71	
Scabies	46	6	52	
Impetigo	437	1	438	
Other skin diseases	109	1	110	
Minor eye defects	265	5	270	
Minor ear defects	165	6	171	
Miscellaneous  (e.g., minor injuries, bruises, sores, chilblains, &c.)	565	41	606	
Total	1777	60	1837	

Group II.—Defective Vision and Squint (excluding minor eye defects treated as minor ailments—Group I.)

		Number of defec	ts dealt with	
Defect or disease	Under the Authority's scheme (see note b.)	Submitted to refraction by private prac- titioner or at hospital, apart from the Authority's scheme	Otherwise.	Total
(1)	(2)	(3)	(4)	(5)
squint) (operations for squint should be recorded separately in the body of the report)	567	24	_	591
ther defect or disease of the eyes (excluding those re-				
corded in Group I)	12	-	-	12
Total	579	24	_	603

Total number of children for whom spectacles were prescribed—  (a) Under the Authority's scheme	537
(b) Otherwise	24
Total number of children who obtained or received spectacles-	222
(a) Under the Authority's scheme	518

## TABLE S 4-Continued.

## Group III .- Treatment of Defects of Nose and Throat.

	1	Number of defects.		
Rece	ived operative treatn	nent.		
Under the Authority's scheme, in clinic or hospital (see note b.	By private practitioner or hos- pital, apart from the Authority's scheme,	Total.	Received other forms of treatment.	Total number treated.
-	15	15	10	25
(a) Inspe	Group hildren who were cted by the Dent tine age groups—	ist— -aged 8 aged 9		2418
Spec	cial (see note d)			460
202 200				
(d) Re-tre	eated during the	ne year as	the result of p	periodical 12
	Treatm made by childrer	ent n for treatment nent teeth		3 19 1310
5) Extractions	Perman	ent teeth		73
6) Administration	ons of general an	æsthetics for e	xtractions	
7) Other operati				
Group 1	V.—Uncleanliness	and Verminous	Conditions (see no	te f).
The same of the sa			during the year	
			in the schools b	
221 N 1	individual childre	en found unclea	n	52
iii) Number of				
iv) Number of	children cleansed Authority		ements made by t	

#### NOTES ON TABLE S 4.

- (a) The Table deals with all defects treated during the year, however they were brought to the Authority's notice, i.e., whether by routine inspection, special inspection, or otherwise, during the year in question or previously.
- (b) This heading includes all cases that received treatment under definite arrangements or agreements for treatment made by the Local Education Authority and sanctioned by the Board of Education under Sections 16 and 80 of the Education Act, 1921. Cases which, after being recommended for treatment or advised to obtain it, actually received treatment by private practitioners, or by means of direct application to Hospitals, or by the use of hospital tickets supplied by private persons, etc., are entered under other headings.
- (c) The Board request that if any treatment is given for more serious diseases of the ear (e.g., operative treatment in hospital) it should not be recorded here but in the body of the School Medical Officer's Annual Report.
- (d) The heading "Specials" in this Table relates to all children inspected by the School Dentist otherwise than in the course of the routine inspection of children in one of the age groups covered by the Authority's approved scheme, namely, to children specially selected by him, or referred by medical officers, parents, teachers, etc., on account of urgency. The number inspected in each age group is separately shown, as well as the total, but under "Specials" only the total number is given.
- (e) It should be understood that all the cases entered under this head are also entered under head (c)
- (f) A statement as to the arrangements made by the Local Education Authority for cleansing verminous children and a record of the cases in which legal proceedings were taken are included in the body of the School Medical Officer's report.
- N.B—Groups I—V above cover all the defects for which treatment is normally provided as part of the School Medical Service. The Board request that particulars as to the measures adopted by the Authority for providing treatment for other types of defect (e.g., for orthopædic treatment) or for securing improvement in types of defect which do not fall to be treated under the Authority's own scheme and for which the Authority neither incur expenditure nor accept any responsibility, together with a statement of the effect of the measures taken, should be included in the body of the School Medical Officer's report: such particulars following the headings of Table S 2.

## TABLE S 5.

## Past Infectious Diseases (Elementary School Children).

(1) Children aged 3—7	No. of Cases.	Percentage.
No Infectious Disease	477	20.0
Measles	1659	70.0
Whooping Cough	1057	41.3
Scarlet Fever	80	3.4
Diphtheria	31	1.3
Chicken Pox	567	23.8
Mumps	287	12.0
(2) Children aged 8—14	No. of Cases.	Percentage.
No Infectious Disease	262	5.1
Measles	3444	67.0
Whooping Cough	2268	44.1
Scarlet Fever	330	6.4
	100	2.6
Diphtheria	139	2.0
Diphtheria	1632	31.7

Note.—The same child may have had more than one of these diseases

Defects dealt with at the Minor Ailments Clinic month by month.

		NUMBER	40	ATTENDANCES	FOR	TREATMENT		BESULTS	
Month	Ringworm	ogibequi	Scabies	Ey diseases	Ear diseases	Other defects	Total No. of attendances	No. cured	Xo. of new cases
January	132	229	00	113	108	295	885	53	158
February	122	212	21	224	105	371	1055	45	163
March	101	- 172	18	219	139	457	1106	64	179
April	43	96	6	184	- 94	225	657	35	86
May	80	206	17	234	205	327	1069	43	163
June	63	163	14	204	153	327	924	68	149
July	30	64	10	106	62	157	424	10	52
August	52	16	00	62	46	110	370	14	63
September	95	159	1-	1112	43	599	715	33	147
October	41	187	17	155	84	300	784	22	154
November	45	176	14	141	128	386	890	42	218
December	84	228	12	85	116	288	810	20	184
Totals	888	1989	145	1856	1283	3542	9683	420	1673

TABLE S 7.

Number of children examined at Routine Medical Inspections in the Schools and number found defective in each School.

									-		1000			
Totals	79	28	75	09	75	34	73	68	4	93	99	52	12	338
Other defects and diseases	63	1	00	00	00	63	6.	67	1	1	9	9	1	10.
Deformities	1	1	1	21	1	1	1	00	1	-	21	1	22	1
Nervous	22	1	1	1	1	1	1	1	1	1	1	1	1	01
Tuberculosis (non-pul'nary)	1	1	1	1	1	1	1	1	1	-	1	1	1	-
Tuberculosis (pulmonary)	1	1	1	1	1	1	1	1	1	-	1	1	1	
Lungs	63	1	23	9	-	1	00	50	1	11	1	00	.1	01
Heart and circulation	4	67	-	9	99	1	03	1	1.	1	1	1	!	
Деерр	22	1	37	7	7	19	14	16	-	32	19	17	4	00 20
Defective speech	-	1	1	1	1	1	1	1	1	1	1	1	1	
Cervical glands (non-tubercular)	00	4	61	4	63	1	1	1	1	1	8	1	1	
Nose and throat	19	1-	6	12	22	1	12	15	1	17	14	9	-	60 60
Ears	-	1	21	1	1	-	0.9	63	1	77	-	1	1	60
Eyes	22	12	14	12	27	1-	21	21	C1	17	18	15	2	G. 364
Skin diseases	0.1	63	-	00	2	00	+	00	1	2	?	00	1	6
Malnutrition	1	1	1	1	1	i	1	-	1	1	1	1	-	01 01
Number of band defects found	7.9	28	7.5	09	75	34	73	89	4	93	99	52	12	00.00
Number of	17	25	29	22	89	600	62	22	4	64	54	47	111	90
Parents present	223	113	219	152	263	186	133	239	36	203	226	206	51	7.0
Total ordinary inspections	300	156	326	176	304	298	199	381	44	319	317	326	69	114
Leavers	107	.1	113	1	87	7.9	46	150	1	118	103	88	1	26
Intermediates	82	22	1112	85	126	119	11	115	44	105	91	109	45	14
Entrants	1111	19	101	94	16	100	91	116	1	96	123	128	24	1 4
SCHOOL.	Bidston Avenue	Brassey Street Infants	Catheart Street	Hemingford St. Infants	Laird Street	Mersey Park	Pilgrim Street	Rock Ferry	Temple Road Infants	The Woodlands	Well Lane	Woodchurch Road	Park Road Temporary	Price Street
	Entrants Intermediates I.eavers Total ordinary inspections Aumber of defective child defective child throat Cervical glands (non-tuberculosis (non-tuberculosis (pulmonary) Theeth Theoremiation Theeth Theoremiation System Theoremiation Theor	25 Total ordinary 26 Total ordinary 27 Total ordinary 28 Total ordinary 29 Total ordinary 20 Total ordinary 20 Total ordinary 21 Aumber of 22 Gerets found 23 Lare 24 Lare 25 Eyes 26 Eyes 27 Eyes 27 Eyes 28 Lare 29 Lare 20 Lare 20 Lare 21 Langs 22 Lare 23 Lare 24 Lare 25 Teeth 26 Lare 27 Langs 28 Teeth 29 Langs 20 Langs 20 Langs 21 Langs 22 Langs 23 Langs 24 Langs 25 Langs 26 Lare 27 Langs 28 Langs 29 Langs 20 Langs 20 Langs 20 Langs 21 Langs 22 Langs 23 Langs 24 Langs 25 Langs 26 Langs 27 Langs 28 Langs 29 Langs 20 Langs 20 Langs 20 Langs 20 Langs 21 Langs 22 Langs 23 Langs 24 Langs 25 Langs 26 Langs 27 Langs 28 Langs 29 Langs 20 Lang	fig. 2. Intermediates  1. 2. Total ordinary  1. 2. Total ordinary  1. 2. Total ordinary  2. 2. Total ordinary  2. 2. Total ordinary  2. 2. Total ordinary  2. 2. Eyes  2. 2. Teeth  2. 2. Eyes  2. 2. Teeth  2. 2. Eyes  2. 2. Eyes  3. Anmber of  4. 3. Cervical glands  4. 4. Cervical glands  5. 5. Teeth  5. 5. Teeth  6. Lungs  7. 5. Teeth  7. 10 Tuberculosis  8. 5. 10 Tuberculosis  1. 2. Skin diseases  1. 2. Skin diseases  1. 3. Skienn  1. 5. Tuberculosis  1. 5. Skienn  2. 5. Teeth  2. 5. Teeth  3. Tuberculosis  4. 5. Teeth  5. Teeth  6. Tuberculosis  7. 5. Teeth  7. Tuberculosis  8. 5. 5. Teeth  9. Tuberculosis  1. 5. 5. Teeth  1. 5. Teeth  1. 5. Teeth  1. 5. Total sind  1. 5. Teeth  1. Tuberculosis  1. 5. Teeth  2. 5. Teeth  2. 5. Teeth  3. Teeth  4. 5. Teeth  5. Teeth  6. Total sind  6. Teeth  7. Tuberculosis  8. Teeth  7. Tuberculosis  8. Teeth  8. Teeth  9. Teeth  10 Tuberculosis  11 Tuberculosis  12 Tuberculosis  13 Tuberculosis  14 Tuberculosis  15 Tuberculosis  16 Tuberculosis  17 Tuberculosis  18 Tuberculosis  19 Tuberculosis  10 Tuberculosis  10 Tuberculosis  11 Tuberculosis  12 Tuberculosis  13 Tuberculosis  14 Tuberculosis  15 Tuberculosis  16 Tuberculosis  17 Tuberculosis  18 Tuberculosis  19 Tuberculosis  10 Tuberculosis  10 Tuberculosis  11 Tuberculosis  12 Tuberculosis  13 Tuberculosis  14 Tuberculosis  15 Tuberculosis  16 Tuberculosis  17 Tuberculosis  18 Tuberculosis  19 Tuberculosis  10 Tuberculosis  10 Tuberculosis  10 Tuberculosis  11 Tuberculosis  12 Tuberculosis  13 Tuberculosis  14 Tuberculosis  15 Tuberculosis  16 Tuberculosis  17 Tuberculosis  18 Tuberculosis  19 Tuberculosis  10 Tuberculosis  10 Tuberculosis  10 Tuberculosis  10 Tuberculosis  10 Tuberculosis  11 Tuberculosis  12 Tuberculosis  13 Tuberculosis  14 Tuberculosis  15 Tuberculosis  16 Tuberculosis  17 Tuberculosis  18 Tuberculosis  18 Tuberculosis  19 Tuberculosis  10 Tuberculosis  10 Tuberculosis  10 Tuberculosis  10	pfants  10	11   Entrants   11   Entrants   11   Entrants   11   Entrants   12   15   15   15   10   Intermediates   12   12   12   13   14   15   15   15   15   15   15   15	Infants   1   1   1   1   1   1   1   1   1	Infants   Infa	The continuary   The	Infants   11   11   12   12   13   14   14   15   15   15   15   15   15	Intermediates   Intermediate	Infants   Infa	Intermediates   Intermediate	Intermediates   Intermediate	Infants   11   11   12   12   12   13   14   15   15   15   15   15   15   15

9	22	900	62.	44	9	26	187	13	125	20	49	68	87	10	26	32	6	23	1788
1	-	63	70	67	1	62	00	1	00	-	00	67	10	67	-	00	1	1-	188
1	1	1	1	63	1	1	1	1	-	1	1	23	1	1	1	1	1	67	26
-	1	1	1	1	1	1	-1	1	1	1	1	1	1	1	1	1	1	1	8
I.	1	1	!	1	1	1	1	1	1	1	1	1	1	1	1	-	1	-	20
16	1	1	1	1	1	1	1	-	9	1	1	1	2	1	1	1	1	1	16
1	1	10	00	1	1	1	16	1	24	1	4	4	11	1	1	-	1	1	124
-	1	1	00	1	1	-	13	-	4	1	00	2	00	i	00	4	1	-	64
20	==	6	15	10	1	00	52	9	26	10	15	10	15	00	11	6	1	6	461
1	1	1	1	1	1	1	1	1	1	1	1	-	-	1	1	1	1	1	2
L	1	1	1	1	-	-	1	1	1	1	1	1	1	1	1	1	1	1	23
H	1	2	10	11	1	6	16	22	16	1	6	16	6	1	1	10	i	63	278
1	-	1	4	1	1	1	5	1	00	-	22	-	22	1	1	1	1	1	46
20	00	10	17	17	4	9	30	00	37	1-	12	21	53	4	00	6	6	1	520
U	-	1	20	1	1	62	4	1	22	1	1	7	2	1	63	1	1	1	70
1	1	1	1	1	1	1	1	1	00	1	1	1	1	1	1	1	1	1	12
9	22	33	62	44	9	26	187	13	125	20	49	89	87	10	26	32	6	23	1788
2	22	28	22	39	9	25	117	12	105	19	43	69	7.5	6	23	31	6	18	1564
36	149	68	139	127	64	74	210	42	190	171	85	147	147	80	20	29	44	12	
74	240	83	229	287	144	140	344	73	362	244	160	235	260	129	87	126	81	65	2662 7529 4740
30	88	24	92	86	99	22	187	21	144	86	09	28	84	43	87	126	81	65	2997
20	78	31	92	89	38	40	93	27	133	97	09	73	88	46	1	1	-1	1	2478
24	73	28	89	833	20	45	114	25	85	82	40	11	88	40	1	1	1	1	888
Oxton	Rock Ferry H.G	St. Andrew's	St. Anne's	St. Anne's R.C	St. Catherine's	St. James'	St. John's	St. Joseph's	St. Laurence's	St. Luke's	St. Paul's	St. Peter's	St. Werburgh's	Tranmere H.G	Brassey Street Central	Hemingford St. Central	Temple Road Central	St. Hugh's Central	Combined Totals 2389

\* The number of defects found is in excess of the number of defective children, as one child may have several defects.

