[Report 1941] / Medical Officer of Health, Bognor Regis U.D.C.

Contributors

Bognor Regis (England). Urban District Council.

Publication/Creation

1941

Persistent URL

https://wellcomecollection.org/works/mghnrcge

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.





BOGNOR REGIS URBAN DISTRICT

1941

INTERIM REPORT

ON THE STATE

OF THE

PUBLIC HEALTH


OF

BOGNOR REGIS

BY

H. MICHAEL AYRES

MEDICAL OFFICER OF HEALTH



PUBLIC HEALTH DEPARTMENT .

TOWN HALL.

BOGNOR REGIS.

July, 1942.

TO THE CHAIRMAN AND MEMBERS OF

THE URBAN DISTRICT COUNCIL

Mr. Chairman and Gentlemen,

Following instructions from the Ministry of Health, a short Interim Report has been prepared for the year 1941, but has been delayed, as in previous years because of the necessity to await receipt of the vital statistics from the Registrar General's Office.

There is nothing outstanding on which a special report should be made to you, but all the routine work of the Department has been maintained in spite of the enormous amount of Air Raid Precautions duties, duties in connection with the Evacuation Scheme, and the general increase of Public Health work in consequence of the present emergency.

BIRTH AND DEATH RATES.

There has been an increase in the birth rate, but this is rather negatived by an increase in the death rate. Both are of little significance in view of the fact that the Registrar General's estimate of resident population has been decreased to 21,260. This has made comparison with last year's rates per thousand, somewhat difficult.

INFECTIOUS DISEASE.

An exceptionally high standard of health has been maintained in the area. This is very satisfactory considering the movement of population in the town, including evacues and military.

It will be noted that there is a very large decrease in the serious forms of infectious disease, such as diphtheria and cerebro-spinal fever. Cases of measles amongst residents dropped considerably, but there was an increase in cases amongst evacuees.

DIPHTHERIA INTUNISATION.

It will be noted from the records of immunisation carried out, that a most excellent standard has been reached. It is estimated that seventy eight per cent of children in Bognor Regis between the ages of 5 and 15, and forty nine per cent of children up to 5 years of age, have been protected.

It will be seen from the schedule of cases of infectious disease, that there were only two persons who contracted diphtheria during the year, and our records show that not a single child who has been immunised, has contracted the disease.

HILK.

It is considered that there should be no abatement whatever of the vigilence of your Health Officers with regard to milk and other food supplies, during the present emergency, and a large amount of sampling and inspection has been carried out.

HOUSING

I would draw your attention to the excellent work carried out by Mr. Cullen, the Chief Sanitary Inspector, and the Additional Sanitary Inspector, in the many branches of their duties in connection with housing, etc.

WATER

There has been complete co-operation between Mr. Lea, the Water Engineer, and the Health Department, on all matters apportaining to the water supply, which has maintained its very high standard of purity.

SCABIES AND TYPHUS.

Very important developments have taken place regarding the diagnosis and control of these two diseases, and it is imperative that an effective disinfecting plant should be at our disposal at all times. Our present plant, which was constructed at the Council's Refuse Destructor, is now out of commission, as steam cannot be obtained because combustible refuse, is being salvaged. All articles to be disinfected are now being sent to a neighbouring Authority at considerable expense.

A scheme has been considered by the Public Health Committee, and no doubt suitable a rrangements will be made at an early date.

I wish to place on record my appreciation of the help which has been accorded to me by members of the Council, my colleagues, the general practitioner and the public, as it is only by their assistance that such a high standard of public health administration can be obtained.

I am deeply indebted to the Chairman and members of the Public Health Committee for the unstinted support which has been accorded to me throughout the year.

I have the honour to be,

Your obodient Servant,

H.M. AYRES

Medical Officer of Health.

STATISTICS AND SOCIAL CONDITIONS OF THE AREA

1. General Statistics.

Area in acres Population (Census 1921) Population (Census 1931)	11,490
Registrar General's Estimate of Resident	(1941) 21,260
Number of inhabited houses (1921)	
Number of inhabited houses (1941)	7,269
Number of families or separate occupiers	(Census
	1921) 2,525
Number of families or separate occupiors	(Consus
	1931) 3,239
Rateable value	£309,262
Sum represented by a penny rate	£950

2. Social Conditions and Occupations.

The district is a residential one and essentially a seaside health resort. There are no large factories, and there are no occupations which have a definite prejudicial effect on health.

3. Extracts from Vital Statistics of the Year.

Births -					
		Ttl	:Malos	Fom:	Birth Rate per 1000 of the
Livo Births -	*	040	300	202	estimated popula-
	Logitimato		127	121	tion mid 1941
	Illegitimate	21	8	13	12.7
		269	135	134	

Still Births -					Rate per 1000 total
	Logitimate	18		9	(live & still births)
	Illegitimate		-	-	births 62.7
			9	9	011 0.0000
		10			
Doaths -		215	3.05	300	Dooth water new
		949	165	180	Death rate por 1000 of the estim-
					ated average
					population 16.23
					population losso
	f doaths occuring i			tions	98
	rcentage of total d				
	seases and accident				
	om sepsis				
	om other causes				
	hs of infants under				
	infants under 1 year				
	logitimate childre				
	eath rate per 1000				44.4
	illegitimate childr				
	ncer (all ages)				
	aslos (all agos)				
	coping Cough (all a				
Deaths from Di	arrhoea, etc, (unde	r two	years of a	ge)	0

STATISTICS FOR ENGLAND AND WALES.

Birth Rate		 	 14.2	(14.6)
Death Rate		 		(14.3)
Infant Mortality	Rate	 	 59	(55)

(The figures in brackets represent the rates for the year 1940)

The following cases were notified during 1941:-

	Cerebro-spinal fever.	Acute Poliomye- litis.	Paratyphoid Fever	Typhoid Fever	Whooping Cough	Encephalitis Lethargica	Measles	Puerperal Pyrexia	Pneumonia	Erysipelas	Scarlet Fever	Diphtheria			
28	1	1	1	1	32	1	6	1	1-1		1	1	Under 1		
31	1	1	1	1	10	1	19	i	1	1	1	1	250		
39	1	1	1	1	11	1	24	1	1	1	4	1	~ t N		
8	1	1	1	1	8		37	1	1	1	N	1	W to 4		
	1	1	1	1	19	1	24	1	1	1	7		5 6 4		
51 218 48 W 31	1	1	1	1	59	1	132	1	4	,	22	1	50		2 11
46	1	1	1	1	4	1	38	1	1	,	0	1	150	-	RESIDENTS
K	1	1	-	1	-	1	ထ	1	1	1	N	1	20 5 5	AGES	IDE
37.	1	1	1	1	0	1	36	N	N	1	6	1	35 620		SIN
30	1	1	1	1	10	Н	no	1	1	1	1	i	45 5 3		
6	1	1	1	1	H	1	٢	1	1	2	1	1	238		
4	1	1	1	1	N	1	i	1	-	1	1	1	45 65 to plus		
530	1	2	1	N	143	1	309	N	10	0	52	1	TOTAL		
7	1	1	1	1	-	1	0)	1	:		1		Under		
10	1	1	1	1	4	1	6	1	1	1	1	1	Not H		
25	1	1	1	1	7	1	17	1	1	1	1	1	300		
21	1	1	1	1	4	1	17	1	:	1	1	1	4 6 3		
25 21 36 76	1	1	1	1	7	1	29	1	1	1	1	1	450		
76	1	1	1	1	12	1	59	1	1	1	U)	1	F\$ 2		
6 -	1	1	1	1	1	1	U	1	1	1	3	1	150		EVA
	1	1	1	1	1	1	1	- 1	1	-	1	1	20 5 5	AGES	EVACUEES
i,	1	1	1.	1	-	1		-			1	1	350	CO	CO
1	1	1	1	1		1	-	1	- 1	-	1	-	45 5		
1		!	1	1			1.	1				1	45 65 65 phus	-	
1	1	1	1	1 .		1	1	1	1	1	1	1	hus		
184	1	1	1	1	56		137	1	1	1	89	1	TOTAL		
714	.1	N.	1	2	179	٢	446	3 .	11	6	60	2	TOTAL EVACUEES & RESI- DENTS		

It is gratifying to be able to note that the incidence of infectious disease amongst evacuees compares very favourably with that of residents.

NOTIFIABLE INFECTIOUS DISEASE (Cont'd)

TUBERCULOSIS

Fifty new cases (compared with 26 in 1940) were added to the register during 1941:-

2 4	Non-pulmonary Males " Females	22	Pulmonary Males " Females
6		44	

There were eighteen deaths from tuberculosis during the year, 17 from pulmonary tuberculosis, and 1 from non-pulmonary tuberculosis.

This gives a death rate of 0.847 per thousand of the population as compared with 0.728 for England and Wales.

The number of cases of tuberculosis on the Register at December 31st 1941, was 217 as compared with 197 at December 31st 1940.

BACTERIOLOGICAL SPECIMENS.

As in previous years, swabs for examination for the presence of K.L.B. or Haemolytic streptoccoci, and specimens for typhoid bacilli have been submitted to Dr. F. Standish for examination during 1941, both by the Health Department and by general practitioners.

The number of examinations of swabs and specimens submitted was as follows:-

	Specimens	No: Submitted for Examination.
(1)	Swabs for Diphtheria Bacilli.	177
	Virulence Tests for Diphtheria	2
(2)	Swabs for Scarlet Fever	26
(3)	Specimens for Typhoid and paratyphoid Fever.	6
(4)	Specimens for Cerebro Spinal Meningitis.	2
(5)	Other specimens	19
		232

DIPHTHERIA INJUNISATION

Diphtheria is a dangerous infectious disease, mainly affecting children.

Every year about 60,000 children in England and Wales contract diphtheria and some 3,000 of them die of it. Practically all these children should be saved.

There is now a safe and reliable means of preventing this disease, -by inoculation.

Inoculation against diphtheria is carried out by giving two small injections under the skin of the arm, at an interval of three weeks. The injections cause no disturbance to the child, do not produce a sore, and do not leave a scar. It is extremely rare that a child is even slightly unwell as a result of the injections.

The protection does not reach its full strength for several months after the second injection, so that it is useless waiting until an epidemic occurs.

Once protected, however, children remain so for many years, and possibly for life.

Diphtheria immunisation is purely voluntary, and completely free of cost. Parents can accept the privilege offered by the Government or not, as they like, but the responsibility of leaving their children unprotected will be entirely theirs.

If parents wish to have their children protected, they should obtain a consent form from the Head Teacher of the elementary school attended by the child, the Health Centre, or from the Health Department, Town Hall, Bognor Regis.

DIPHTHERIA INGUNISATION IN BOGNOR REGIS.

Bognor Regis was early in the field in connection with diphtheria immunisation, the original scheme being started in 1927.

The following are details of children who have been immunised against diphtheria.

	AGES								TOTAL								
YEAR	1	2	3	4	5	6	7	8	9	10	11	12	13	14 & over			
1927	-	1	1	-	7	4	7	11	10	9	9	8	6	1		74	
1936-7	22	31	32	53	75	95	85	115	107	94	60	40	31	8		848	
1938	1	3	2	4	13	20	8	5	7	6	8	14	5	4		100	
1940	-	2	3	2	3	3	1	1	-	-	-	-		1		16	
1941	33	150	125	119	170	189	207	196	191	179	176	130	146	149		2160	
1942 to 30th June)		Under 5 Over 5 91								218							
															Total	3416	

DEPENDENT.

It is estimated that up to June 1942, 49% of children under 5 in Bognor Regis had been immunised, and 78% of children between the ages of 5 and 15.

As far as can be ascertained, not a single clinical case of diphtheria has occurred amongst these children, whilst during 1941, only two cases of diphtheria occurred in the area, and, of these, one only was a child (aged 2 years) and this child had not been immunised.

GENERAL PROVISION OF HEALTH SERVICES IN THE AREA.

INFECTIOUS DISEASES HOSPITAL.

The following cases of infectious disease were admitted during 1941:-

Scarlet Fever			61
Diphthoria			11
Chickon-pox			2
Encephalitis			1
Whooping Cough	1		10
Erysipolas			3
Meningitis			2
Mumps		'	9
Pneumonia			2
Measles			29
Infantile) Paralysis)			2
Anterior police	omyclit:	is	1
Typhoid Fever			1
Paratyphoid fe	vor		2
Observation			26
			162

HOSPITALS PROVIDED OR SUBSIDISED BY THE COUNTY COUNCIL

(1) TUBERCULOSIS

There is no change from the previous year with regard to the treatment of tuberculosis. Cases are admitted either to Aldingbourne House (accommodation 70 persons) or to a ward at Worthing Isolation Hospital, Swandean (accommodation 12 beds), whilst surgical cases are admitted to St. Richards Hospital, Chichester, to the Royal Sea-Bathing Hospital, Margate, or to the Lord Mayor Treloar's Hospital, Alton, Hants (for children).

HOSPITALS PROVIDED OR SUBSIDISED BY THE COUNTY COUNCIL (Cont'd)

(2) MATERNITY

The County Council arranged for resident and evacuated expectant mothers to be admitted to:-

- (a) Brighton Hospital for Women.
- (b) Southlands Hospital, Shoreham.
- (c) Worthing Hospital Maternity Home.
- (d) Improvised Maternity Homes at Haselmere, Hindhead and Woking

(3) CHILDREN.

The County Council arranges whenever necessary for the admission of children under the age of 12 months to the Alexandra Hospital for Children, Brighton. No cases were received there during the year from this area.

(4) SMALLPOX.

The County Council's reservation of two beds in the Brighton Small-Pox Hospital at Fulking remains unchanged.

(5) GENERAL.

St. Richard's Hospital Chichester, has an accommodation of 144 beds which are available for general cases.

HOSPITALS NOT SUBSIDISED BY THE LOCAL AUTHORITY
OR THE COUNTY COUNCIL BUT AVAILABLE FOR PATIENTS
RESIDENT IN THE DISTRICT.

- (1) Bognor Regis War Memorial Hospital (27 beds).
- (2) Royal West Sussex Hospital, Chichester (334 beds).

AMBULANCE FACILITIES

- (a) For infectious cases, the Local Authority possesses a modern motor ambulance.
- (b) For non-infectious and accident cases, the Local Authority has a modern motor ambulance staffed by a whole-time driver-mechanic and volunteers from the local St. John Ambulance Brigade and the British Red Cross Detachments. During the year the mileage covered on non-infectious and accident cases, was 9,417, and the cases conveyed were as follows:-

Accident Cases 35

Medical Cases ... 482

-

CLINIC & TREATMENT CENTRES.

A. MATERNITY & CHILD WELFARE

Arrangements are unchanged from the previous year.

Special ante-natal Clinics have been conducted at weekly intervals for resident and evacuated expectant mothers.

B. SCHOOL CLINICS

School Clinics have been held as during the previous year and the service has been extended to evacues school-children.

CLINIC & TREATMENT CENTRES (Cont'd)

C. NUTRITION CLINICS

Those have been conducted as during the previous year.

Evacuoe school children are inspected, and, if necessary provided with extra milk or malt and oil.

D. TUBERCULOSIS CLINICS

Those have been held at the Chapel Street Clinic, Chichester, as proviously.

E. VENEREAL DISEASES

The County Council's arrangements for clinics to be held at Worthing and Portsmouth are unchanged.

PROFESSIONAL NURSING IN THE HOME.

The Bognor Regis District Nursing Association employs five nurses, three of whom carry out general district nursing.

The West Sussex County Council makes a grant to the County Nursing Association for nursing services in connection with child welfare and home visiting of cases of tuberculosis.

Two other nurses under the direct supervision of the County Nursing Association, attend the Minor Ailments and Nutrition Clinics and carry out duties in connection with the School Medical Service.

BOGNOR REGIS AND DISTRICT CHILDREN'S CARE FUND.

The Children's Care Fund was inaugurated in 1932 to assist necessitous cases among the children living in Bognor Regis and is entirely supported by voluntary contributions.

Its assistance in such cases has been continued in 1941, and, in certain circumstances, has been extended to evacuees.

There is, at the present time, a considerable number of necessitous cases in the town, the reason for this being the higher cost of living and other circumstances.

Under the Boot Club Scheme, any children may obtain boots or have them repaired, and there is no need for any of the local children to be without footwear.

Arrangements have also been made to supply clothing, and gifts of second-hand articles are urgently required.

WATER

Details of the water undertaking have not been included in this Report, but the Water Engineer has submitted a separate report to the Council giving details of the precautions which have been taken to cover all emergencies.

HOUSING.

The important work on housing has continued, and 998 visits have been made, notwithstanding the large amount of extra work the Sanitary Inspectors have been called upon to carry out. The details of this work are omitted from this Report but are always available.

INSPECTION AND SUPERVISION OF FOOD.

Milk and ice-cream sampling has been carried out as in previous years, and visits have been paid to cowsheds, dairies, bakehouses, stores and places where food is prepared and sold. Details of the foregoing inspections are available.

Inspection of carcases slaughtered locally was carried out until January, 1940, when local slaughtering ceased. Meat inspection at butchers' shops continued, however, to be carried out.

FACTORIES ACT 1937 & SHOPS ACT 1934

Visits have been paid in accordance with the scope of these Acts.

RATS AND MICE.

Many visits have been paid to premises in connection with rats and mice, advice given, and appropriate action taken.

MISCELLANEOUS MUISANCES.

All complaints have been investigated, and where necessary, action has been taken.

SANITARY CIRCUMSTANCES OF THE AREA.

COMPREHENSIVE SEWERAGE SCHEME.

The Comprehensive Sewerage Scheme, providing for main drainage facilities and the abolition of cesspits in the added areas was completed early in 1940. Some progress was made with cesspit abolition, 11 cesspits being abolished during the year. At the 31st December 1941, there were 639 cesspits in the a rea.

It is a matter for regret that the making up and sewering of private streets which had been prepared for, had to be postponed.

INDEX

	Page		Page
Ambulance Facilities Area Births and Birth-Rate	8 3 3	Scarlet Fever Sewerage Shops Act 1934 Social Conditions Still Births	3,4,5 and 7 10 10 3
Cancer	3 10 9 8 & 9	Treatment Centres Tuberculosis Venereal Diseases. Vital Statistics .	8 & 9 5,7 & 9 9
Diphtheria Immunisation Drainage Factories and Workplaces Foods, Meat and Other	10	Water Whooping Cough	10
General Statistics Hospitals Houses (Inhabited) Housing	3 7 &8 3 10		
Infantile Mortality Infectious Diseases Hospi	3,4,5,6 and 7 tal 7		
Measles Meat and Other Foods Milk	5 10 10		
Nuisances Nursing in the Home Population Rateable Value	10 9 3		
Rats and Mice Destruction	HCC IO		

.... ... · WOOD STATE . .

