Contributors

Bradford and Melksham (Wiltshire, England). Rural District Council.

Publication/Creation

1947

Persistent URL

https://wellcomecollection.org/works/q3at4sbq

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org



BRADFORD AND MELKSHAM RURAL DISTRICT COUNCIL.

ANNUAL REPORT

OF THE

MEDICAL OFFICERS OF HEALTH

FOR THE YEAR

1947.

STATISTICS AND SOCIAL CONDITIONS OF THE AR	REA.	A	THE	OF	CONDITIONS	SOCIAL	AND	STATISTICS	S
--	------	---	-----	----	------------	--------	-----	------------	---

Area	26,881 acres
Population	9,797
Number of inhabited houses	2,710
Rateable Value (1st April, 1947)	£65,473
Sum represented by a Penny Rate 1947/48	e £306

Although on first seeing this district would appear to be entirely rural and therefore it might be concluded our villages would depend entirely on agriculture, the close proximity of several small industrial towns has had effect on the population. Also, as a result of the war, several villages have had influxes of industrial workers, some of whom are still resident in the new houses provided for them.

	Population.		
Atworth	780	Agriculture	One new industry
Broughton Gifford	690	Mainly Agriculture	
Hilperton	850	Agriculture	
Holt	1,200	Agriculture	Tanyard and Leather Factory Mattress Factory
Limpley Stoke	500	Agriculture	Residential
Melksham Without	2,130	Mainly Agriculture	
Monkton Farleigh	410	Agriculture	Large Government works
Semington	440	Mainly Agriculture.	
South Wraxall	430	Mainly Agriculture	
Staverton	270	Agriculture	Large " Milk " factory
Westwood	850	Agriculture	Industrial transferred war industry
Wingfield	290	Agriculture	the state has east month and a
Winsley	950	Agriculture	Residential

VITAL STATIS							
Births.			M.	F.	Total		
	T						
Live Births-			91	97	188		
	Illegitimate		10	4	14		
		-					
			101	101	202		
		_					
Still Births-	Legitimate		2	1	3		
Sun Dirtis-			2	1	3		
	Illegitimate		_	_			
		-					
			2	1	3		
		-					
Deaths of In	fants under 1	vear :					
Legitimate			2	4	6		
Illegitimate			ĩ		1		
megninate			1	-	1		
			3	4	7		
and the second	-						
Deaths of In	fants under 2	years					
	rhoea and Er						
Deaths from			53	54	107		
Deuting from	un cuases				101		
Birth and Death Rate						England.	
		0.00	1.000			England a	and the second second
Live Birth ra	te 2	20.62 per	1,000 of	populatio	on. Com).5
Still Birth ra	te	0.30 per	1.000 of	populatio	on.).50
Dun Duu io							
						41	
Death rate ur	ider 1 year 3	84.65 per				" 41	L
Death rate un Death rate un	der 1 year 3 der 2 years					41	L
Death rate un Death rate un from Diarr	der 1 year 3 der 2 years	84•65 per	1,000 liv	e births.		" 41	
Death rate un Death rate un from Diarr Enteritis	ider 1 year 3 der 2 years hoea and	0 per	1,000 liv	e births. e births.		" 41 " 5	5.8
Death rate un Death rate un from Diarr	ider 1 year 3 der 2 years hoea and	84•65 per	1,000 liv	e births. e births.		" 41 " 5	
Death rate un Death rate un from Diarr Enteritis Death rate—a	ider 1 year 3 der 2 years hoea and all causes 1	0 per	1,000 liv	e births. e births. populatio	on.	" 41 " 5 " 12	5.8
Death rate un Death rate un from Diarr Enteritis Death rate—a Analysis of deaths fro	Ider 1 year 3 der 2 years hoea and all causes 1 m all causes.	0 per 0.92 per	1,000 liv 1,000 liv 1,000 of	e births. e births.		" 41 " <u>ş</u>	5.8
Death rate un Death rate un from Diarr Enteritis Death rate— Analysis of deaths fro Typhoid and	der 1 year 3 der 2 years hoea and all causes 1 m all causes. Paratyphoid 1	0 per 0.92 per	1,000 liv	e births. e births. populatio	on.	" 41 " 5 " 12	5.8
Death rate un Death rate un from Diarr Enteritis Death rate— Analysis of deaths fro Typhoid and Cerebro Spin	ader 1 year 3 der 2 years hoea and all causes 1 m all causes. Paratyphoid 1 al Fever	0 per 0.92 per	1,000 liv 1,000 liv 1,000 of	e births. e births. populatio	on.	" 41 " 5 " 12	5.8
Death rate un Death rate un from Diarr Enteritis Death rate— Analysis of deaths fro Typhoid and Cerebro Spin Scarlet Fever	Ider 1 year 3 der 2 years hoea and all causes 1 m all causes. Paratyphoid 1 al Fever	0 per 0.92 per Fevers	1,000 liv 1,000 liv 1,000 of	e births. e births. populatio	on.	" 41 " 5 " 12	5.8
Death rate un Death rate un from Diarr Enteritis Death rate— Analysis of deaths fro Typhoid and Cerebro Spin	Ider 1 year 3 der 2 years hoea and all causes 1 m all causes. Paratyphoid 1 al Fever	0 per 0.92 per Fevers	1,000 liv 1,000 liv 1,000 of 	e births. e births. populatio	on.	" 41 " 5 " 12	5.8
Death rate un Death rate un from Diarr Enteritis Death rate— Analysis of deaths fro Typhoid and Cerebro Spin Scarlet Fever Whooping Co	der 1 year 3 der 2 years hoea and all causes 1 m all causes. Paratyphoid 1 al Fever ough	0 per 0.92 per Fevers … …	1,000 liv 1,000 liv 1,000 of 	e births. e births. populatio	on.	" 41 " 5 " 12	5.8
Death rate un Death rate un from Diarr Enteritis Death rate	ider 1 year 3 der 2 years hoea and all causes 1 m all causes. Paratyphoid 1 al Fever ough	0 per 0.92 per Fevers 	1,000 liv 1,000 liv 1,000 of 	e births. e births. populatio	on.	", 41 ", 12 ", 12 "Total "- "- "-	5.8
Death rate un Death rate un from Diarr Enteritis Death rate— Analysis of deaths fro Typhoid and Cerebro Spin Scarlet Fever Whooping Co Diphtheria Tuberculosis	ader 1 year 3 der 2 years hoea and all causes 1 m all causes. Paratyphoid 1 al Fever ough of Respiratory	0 per 0.92 per Fevers y System	1,000 liv 1,000 liv 1,000 of 	e births. e births. populatio	on.	" 41 " 5 " 12	5.8
Death rate un from Diarr Enteritis Death rate— Death rate— Analysis of deaths fro Typhoid and Cerebro Spin Scarlet Fever Whooping Co Diphtheria Tuberculosis of Other forms	ider 1 year 3 der 2 years hoea and all causes 1 m all causes. Paratyphoid 1 al Fever ough of Respiratory of Tuberculos	0 per 0.92 per Fevers y System	1,000 liv 1,000 liv 1,000 of 	e births. e births. populatio	on.	", 41 ", 12 ", 12 "Total "- "- "-	5.8
Death rate un from Diarr Enteritis Death rate—a Death rate—a Analysis of deaths fro Typhoid and Cerebro Spin Scarlet Fever Whooping Co Diphtheria Tuberculosis Other forms o Syphilitic Dis	ider 1 year 3 der 2 years hoea and all causes 1 m all causes. Paratyphoid 1 al Fever ough of Respiratory of Tuberculos	0 per 0.92 per Fevers y System	1,000 liv 1,000 liv 1,000 of 	e births. e births. populatio	on. Female 2 2	", 41 ", 12 ", 12 "Total "- "- "-	5.8
Death rate un from Diarr Enteritis Death rate—a Analysis of deaths fro Typhoid and Cerebro Spin Scarlet Fever Whooping Co Diphtheria Tuberculosis Other forms of Syphilitic Dis Influenza	ider 1 year 3 der 2 years hoea and all causes 1 m all causes. Paratyphoid 1 al Fever ough of Respiratory of Tuberculos	0 per 0.92 per Fevers y System	1,000 liv 1,000 liv 1,000 of 	e births. e births. populatio	on.	", 41 ", 12 ", 12 "Total "- "- "-	5.8
Death rate un from Diarr Enteritis Death rate—a Analysis of deaths fro Typhoid and Cerebro Spin Scarlet Fever Whooping Co Diphtheria Tuberculosis of Other forms of Syphilitic Dis Influenza Measles	ider 1 year 3 der 2 years hoea and all causes all causes. Paratyphoid 1 al Fever ough ough	0 per 0.92 per Fevers y System is 	1,000 liv 1,000 of 	e births. e births. populatio	on. Female 2 2	", 41 ", 12 ", 12 "Total "- "- "-	5.8
Death rate un from Diarr Enteritis Death rate—a Analysis of deaths fro Typhoid and Cerebro Spin Scarlet Fever Whooping Co Diphtheria Tuberculosis Other forms of Syphilitic Dis Influenza	ider 1 year 3 der 2 years hoea and all causes all causes. Paratyphoid 1 al Fever ough ough	0 per 0.92 per Fevers y System is 	1,000 liv 1,000 of 	e births. e births. populatio	on. Female 2 2	", 41 ", 12 ", 12 "Total "- "- "-	5.8
Death rate un from Diarr Enteritis Death rate—a Analysis of deaths fro Typhoid and Cerebro Spin Scarlet Fever Whooping Co Diphtheria Tuberculosis of Other forms of Syphilitic Dis Influenza Measles Acute Polio-I	ider 1 year 3 der 2 years hoea and all causes all causes m all causes. Paratyphoid I al Fever ough ough ough	0 per 0.92 per Fevers v System is Polio-Enc	1,000 liv 1,000 of ephalitis	e births. e births. populatio	on. Female 2 2	", 41 ", 12 ", 12 "Total "- "- "-	5.8
Death rate un from Diarr Enteritis Death rate—a Analysis of deaths fro Typhoid and Cerebro Spin Scarlet Fever Whooping Co Diphtheria Tuberculosis of Other forms of Syphilitic Dis Influenza Measles Acute Polio-I Acute Infecti	ider 1 year 3 der 2 years hoea and all causes all causes m all causes. Paratyphoid I al Fever ough ough of Respiratory of Tuberculos seases	0 per 0.92 per Fevers y System is Polio-Ence	1,000 liv 1,000 of ephalitis	e births. e births. populatio	on. Female 2 2	", 41 ", 12 ", 12 "Total "- "- "-	5.8
Death rate un from Diarr Enteritis Death rate— Death rate— Death rate— Death rate— Analysis of deaths fro Typhoid and Cerebro Spin Scarlet Fever Whooping Co Diphtheria Tuberculosis Other forms of Syphilitic Dis Influenza Measles Acute Polio-I Acute Infecti Cancer of Mo	ider 1 year 3 der 2 years hoea and all causes all causes mall causes. Paratyphoid I al Fever ough ough ough	0 per 0.92 per Fevers y System is Polio-Ence	1,000 liv 1,000 of ephalitis and	e births. population Male — — — — 1 — 1 — 1 — 1 — 1 — —	on. Female 2 2	", 41 ", 12 "Total " 3 1 	5.8
Death rate un from Diarr Enteritis Death rate— Death rate— Death rate— Death rate— Death rate— Death rate— Death rate— Constant from Scarlet Fever Whooping Constant Diphtheria Tuberculosis Other forms Syphilitic Dis Influenza Measles Acute Polio-I Acute Infecti Cancer of Mo Uterus (F)	ider 1 year 3 der 2 years hoea and all causes all causes m all causes. Paratyphoid I al Fever ough ough ough	0 per 0.92 per Fevers v System is Polio-Ence tis gus (M)	1,000 liv 1,000 of ephalitis	e births. e births. populatio	on. Female 2 2	", 41 ", 12 ", 12 "Total "- "- "-	5.8
Death rate un from Diarr Enteritis Death rate— Death rate— Death rate— Death rate— Death rate— Death rate— Death rate— Carebro Spin Scarlet Fever Whooping Co Diphtheria Tuberculosis Other forms Syphilitic Dis Influenza Measles Acute Polio-I Acute Infecti Cancer of Mo Uterus (F)	ider 1 year 3 der 2 years hoea and all causes all causes m all causes. Paratyphoid Dal Fever all Fever ough ough ough	0 per 0.92 per Fevers v System is Polio-Ence tis gus (M)	1,000 liv 1,000 of ephalitis and	e births. population Male — — — — 1 — 1 — 1 — 1 — 1 — —	on. Female 2 0 1	", 41 ", 12 "Total 	5.8
Death rate un from Diarr Enteritis Death rate— Death rate— Death rate— Death rate— Death rate— Death rate— Death rate— Analysis of deaths fro Typhoid and Cerebro Spin Scarlet Fever Whooping Co Diphtheria Tuberculosis Other forms of Syphilitic Dis Influenza Measles Acute Polio-I Acute Infecti Cancer of Mo Uterus (F)	ider 1 year 3 der 2 years hoea and all causes all causes m all causes. Paratyphoid Dal Fever all Fever ough ough ough	0 per 0.92 per Fevers v System is Polio-Ence tis gus (M)	1,000 liv 1,000 of ephalitis and 	e births. population Male — — — — 1 — 1 — 1 — 1 — 1 — —	on. Female 2 0 1 2	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	5.8
Death rate un from Diarr Enteritis Death rate— Death rate— Death rate— Death rate— Death rate— Death rate— Death rate— Carebro Spin Scarlet Fever Whooping Co Diphtheria Tuberculosis Other forms of Syphilitic Dis Influenza Measles Acute Polio-I Acute Infecti Cancer of Mo Uterus (F) Cancer of Sto Cancer of Br	ider 1 year 3 der 2 years hoea and all causes all causes m all causes. Paratyphoid I al Fever ough ough ough Myelitis and I .	0 per 0.92 per Fevers y System is Polio-Ence tis gus (M) iodenum	1,000 liv 1,000 of ephalitis and 	e births. population Male — — — — 1 — 1 — 1 — 1 — 1 — —	on. Female 2 0 1	", 41 ", 12 "Total 	5.8
Death rate un from Diarr Enteritis Death rate— Analysis of deaths fro Typhoid and Cerebro Spin Scarlet Fever Whooping Co Diphtheria Tuberculosis Other forms of Syphilitic Dis Influenza Measles Acute Polio-I Acute Infecti Cancer of Mo Uterus (F) Cancer of Sto Cancer of Br Cancer of all of	ider 1 year 3 der 2 years hoea and all causes all causes m all causes. Paratyphoid I al Fever ough ough ough Myelitis and I .	0 per 0.92 per Fevers y System is Polio-Ence tis gus (M) iodenum	1,000 liv 1,000 of ephalitis and 	e births. population Male — — — — 1 — 1 — 1 — 1 — 1 — —	on. Female 2 0 1 2	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	5.8
Death rate un from Diarr Enteritis Death rate— Analysis of deaths fro Typhoid and Cerebro Spin Scarlet Fever Whooping Co Diphtheria Tuberculosis Other forms Syphilitic Dis Influenza Measles Acute Polio-I Acute Infecti Cancer of Mo Uterus (F) Cancer of Sto Cancer of all Diabetes	ider 1 year 3 der 2 years hoea and all causes all causes rn all causes. Paratyphoid I al Fever ough ough ough ough Myelitis and I <td< td=""><td>0 per 0.92 per Fevers v System is Polio-Ence tis gus (M) iodenum </td><td>1,000 liv 1,000 of ephalitis and </td><td>e births. population Male — — — — — — — — — — — — — — — — — — —</td><td>on. Female 2 0 1 2 3 </td><td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td><td>5.8</td></td<>	0 per 0.92 per Fevers v System is Polio-Ence tis gus (M) iodenum 	1,000 liv 1,000 of ephalitis and 	e births. population Male — — — — — — — — — — — — — — — — — — —	on. Female 2 0 1 2 3 	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	5.8
Death rate un from Diarr Enteritis Death rate	ider 1 year 3 der 2 years hoea and all causes all causes rn all causes. Paratyphoid J al Fever ough ough ough ough ough ough	0 per 0.92 per Fevers v System is Polio-Ence tis gus (M) iodenum 	1,000 liv 1,000 of ephalitis and 	e births. e births. population Male 	on. Female 2 0 1 2 3 1 5	", 41 ", 12 "Total - - - - - - - - - -	5.8
Death rate un from Diarr Enteritis Death rate— Analysis of deaths fro Typhoid and Cerebro Spin Scarlet Fever Whooping Co Diphtheria Tuberculosis Other forms Syphilitic Dis Influenza Measles Acute Polio-I Acute Infecti Cancer of Mo Uterus (F) Cancer of Sto Cancer of all Diabetes	ider 1 year 3 der 2 years hoea and all causes all causes rn all causes. Paratyphoid J al Fever ough ough ough ough ough ough	0 per 0.92 per Fevers v System is Polio-Ence tis gus (M) iodenum 	1,000 liv 1,000 of ephalitis and 	e births. population Male — — — — — — — — — — — — — — — — — — —	on. Female 2 0 1 2 3 	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	5.8
Death rate un from Diarr Enteritis Death rate	ider 1 year 3 der 2 years hoea and all causes all causes Paratyphoid I al Fever ough ough ough ough ough	0 per 0.92 per Fevers v System is Polio-Ence tis gus (M) iodenum polio - Ence 	1,000 liv 1,000 of ephalitis and 	e births. e births. population Male 	on. Female 2 0 1 2 3 15 12 	", 41 ", 12 ", 13	5.8
Death rate un from Diarr Enteritis Death rate	ider 1 year 3 der 2 years hoea and all causes all causes rn all causes. Paratyphoid J al Fever ough ough ough ough ough ough	0 per 0.92 per Fevers v System is Polio-Ence tis gus (M) iodenum polio - Ence 	1,000 liv 1,000 of ephalitis and 	e births. e births. population Male 	on. Female 2 0 1 2 3 1 5	", 41 ", 12 "Total - - - - - - - - - -	5.8

			Male	Female	Total
Brought Forwa	ard		31	35	66
Other Diseases of Circulatory S			-		_
Bronchitis			4	4	8
Pneumonia			1	4	5
Other Respiratory Diseases			1	-	1
Ulcer of Stomach or Duodenum			1	1	2
Diarrhoea, under 2 years			-		-
Appendicitis			-		_
Other Digestive Diseases			_	2	2
Nephritis			2	2	4
Puerperal and Post Abortive Ser	osis			_	_
Other Maternal causes			_	and the second second	_
Premature Birth			_		_
Congenital Malformation, Birth	Injurie	s and			
Infantile Diseases			3	1	4
Suicide			1		1
Road Traffic Accidents			1	-	1
Other Violent Causes			1	2	3
All Other Causes			7	3	10
TOTAL			53	54	107

NOTE.—By far the largest "cause of death" it will be seen, is from "heart disease." It must be realised that nearly all the deaths from this cause occur in the very old age groups and it is not to be taken as evidence of rheumatic or other acute heart affections.

GENERAL PROVISION OF HEALTH SERVICES IN THE AREA.

- I(a) One part-time Medical Officer who is a full-time Public Health Officer acting also for the Bradford-on-Avon U.D., the Trowbridge U.D., and being in addition an Assistant County Medical Officer. One part-time M.O. General Practitioner.
- (b) One whole-time Sanitary Inspector.
- II(a) Laboratory facilities: No change. The County Pathologist, Salisbury General Infirmary, undertakes all routine examination of swabs, blood and sputum specimens and water samples for bacteriological and chemical analyses.

(b) Ambulance facilities :

- 1. Melksham portion of area-Melksham Hospital ambulance.
- 2. Bradford-on-Avon portion of area—St. John's ambulance; Bradford-on-Avon ambulance.
- 3. Trowbridge, Bradford-on-Avon and Melksham Town ambulances, and Red Cross and St. John ambulance and Hospital Car Service. (Local Organiser, Miss Bond, Court House, Trowbridge).
- 4. Bath portion of area—Ambulances from Bath as required; and the Car Pool Service operating through the County Council.
- (c) Nursing in the Home: The villages are covered by the Wilts Nursing Association; most of the nurses have more than one village to attend.

3

(d) Treatment Centres and Clinics: The Child Welfare Clinics in each of Trowb. dow, Bradford-on-Avon and Melksham, receive children from the neighbouring districts Westwood village has a Weighing Clinic taken by the County Health Visitor for the district.

(e) Hospital Accommodation and Maternity Homes.

- 1. Melksham and District Hospital.
- 2. Trowbridge and District Hospital, with Maternity Block.
- 3. Bradford-on-Avon and District Hospital.
- 4. Bath Royal United and St. Martin's Hospitals; Mineral Water Hospital.

(f) Infectious Diseases Hospital :

Bradley Road, Trowbridge.—This hospital, originally intended for Trowbridge, Bradford-on-Avon, Melksham and the neighbouring rural districts, has for the last few years also had to admit cases from the Westbury-Warminster area.

SANITARY CIRCUMSTANCES OF THE AREA.

WATER SUPPLIES.

There is no change to report on supplies as existing in 1946, but the preparation of a major water distribution scheme is well advanced and it is hoped that certain of the much needed work below referred to will actively commence in 1948.

Atworth and South Wraxall.

The arrangement outlined in last year's report has been modified after further consultations with the Ministry of Health, and plans are in an advanced stage for inviting tenders for laying a large trunk main which when completed will benefit the above-named parishes.

Shaw and Whitley.

The original joint scheme having been abandoned, the Trowbridge, Melksham and District Water Board are investigating the possibilities of increasing the supply to Shaw and Whitley.

HOUSING.

Permanent. Sites have been arranged for houses in each village. By the end of the year the position was as follows :—

Broughton Gifford	 	18 still under construction (Traditional Type).
Hilperton	 	4 completed (Swedish Timber).
Staverton	 	2 under construction (Swedish Timber), 2 completed (Swedish Timber).
Wingfield	 	4 still under construction (Traditional Type).
Atworth	 	No change. (Site approved and purchased).
Hilperton	 	No change. (Site approved).
Holt	 	No change. (Site approved and purchased).
Limpley Stoke	 	No change. (Site approved and purchased).
Melksham Without	 	No change. (Site submitted for approval).
Monkton Farleigh	 	No change. (Site submitted for approval).
Semington	 	Site works practically completed.
South Wraxall	 	No change. (Site approved and purchased).
Westwood	 	No change. (Site submitted for approval).
Winsley	 	No change. (Site approved and Compulsory
		Purchase Order confirmed).

Age Group	Scarlet	Fever	Who Cou	oping ugh	Measles		
Age Group	М	F	М	F	М	F	
0	_	_	3	2	2		
1		-	8	2 5	2 7	10	
3	1	-	6	9	10	16	
5	1	-	6	11	22	31	
10	1	1	1	2	4	4	
15 25 and over	-	-	_	-	=	-	
Total	3	1	24	29	45	61	
Non-civilian 15 and upwards	11	-	_	-	-	_	
A	Pneumonia		Encephalitis		Erysipela		
Age Group	М	F	М	F	М	F	
0	-	1000	_	-	_	_	
5			-		-	-	
15	-	-	-	-	-		
45	1			1	1	-	
65	-	_	-	-	-	-	
Total	1	-	-	1	1	-	
Non-civilian 15 and upwards	5				3		

INFECTIOUS DISEASES.

Diphtheria. Immunisation was carried out continuously by the County Council, great assistance being given by the school staffs, who assisted greatly by allowing the under schoolage children to attend the sessions held at the schools.

We are grateful to the County Medical Officer for supplying the following details.

IMMUNISATION IN RELATION TO CHILD POPULATION.

Number of children who had completed a full course of Immunisation at any time up to 31st December, 1947.

Age at 31st December, 1947	Under 1	1	3	3	4	5 to 9	10 to 14	Total under 15
<i>i.e.</i> , born in year	1947	1946	1945	1944	1943	1938-42	1933-7	
Number Immunised	2	42	103	94	95	486	541	1363
Estimated Mid-Year Population 1946	31	1.00	836		an E an	13	314	2150

It cannot be emphasised too greatly that the protection of child life offered by immunisation is of the greatest value; both to parents of individual children and to all children and the State in general.

> JEAN MURRAY, M.B., Ch.B., D.P.H. D. LEIGH SPENCE, M.A., M.B. Medical Officers of Health.

July, 1949.

MASSEY & Co., PRINTERS, TROWBRIDGE.