

Pharmacopoeia of the Great Northern Central Hospital, Holloway Road, London.

Contributors

Great Northern Central Hospital.

Publication/Creation

London : printed by The Hollway Press, 1908.

Persistent URL

<https://wellcomecollection.org/works/qse4tj5m>

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

Pharmacopœia
OF THE
Great Northern Central Hospital,
HOLLOWAY ROAD, LONDON.
—
REVISED, 1908.

QV740
.BE5
1908
G78P

M
25342

M25342



22500288051

PHARMACOPŒIA

OF THE

Great Northern Central Hospital.

HOLLOWAY ROAD, LONDON.

FOURTH REVISION.

London :

Printed by THE HOLLOWAY PRESS Co.,

449, HOLLOWAY ROAD, N.

1908.

41 016 000

M25342

WELLCOME INSTITUTE LIBRARY	
Coll.	WelMOmec
Coll.	
No.	QV 740
	. BE5
	1908
	G-78p

INDEX.

—0—

	PAGE
Balnea	5
Collunarium	5
Cremores	6
Emulsio	6
Enemata	7
Gargarismata	8
Gelatum	9
Glycerinum	10
Guttæ	10
Injectio Hypodermica	12
Insufflationes	13
Linctus	13
Linimentum	14

Lotiones	14
Misturæ	16
Nebula	26
Pastum	27
Pessus	27
Pigmenta	27
Potus	28
Pulveres	29
Tabellæ vel Pilulæ	30
Trochiscus	33
Unguenta	33
Vapores	35
—					
CHILDREN'S PRESCRIPTIONS	38
Preparation of Peptonised Milk	42
„ „ Raw Beef Juice	42
„ „ Normal Saline Solution	43
Diet Scale	44

BALNEA.

BALNEUM ALKALINUM.

Crystals of Sodium Carbonate	4	ozs.
Hot Water	- - - -	30 gals.

BALNEUM POTASSÆ SULPHURATÆ.

Sulphurated Potash	- -	4	ozs.
Water at 95° to 105° f.	- -	30	gals.

BALNEUM SODII CHLORIDI.

Sea Salt	- - - -	8	lbs.
Water at 98° f.	- - - -	30	gals.

COLLUNARIUM.

COLLUNARIUM ALKALINUM.

Bicarbonate of Sodium	- -	grs	x.
Borax	- - - -	grs.	x.
Carbolic Acid	- - - -	gr.	iv.
White Sugar	- - - -	gr.	xx.
Water	- - - -	fl. oz.	j.

To be used in the proportion of one part of the lotion to three parts of warm water.

CREMORES (SKIN).

CREMOR ZINCI.

Oxide of Zinc	-	-	-	dr. iv.
Soap	-	-	-	dr. j.
Distilled Water	-	-	-	fl dr. iij.
Parenol	-	-	-	dr. iv.

CREMOR CALAMINÆ.

Prepared Calamine	-	-	dr. j.
Oxide of Zinc	-	-	dr. j.
Liquid Parenol	-	-	to fl. oz. j.

EMULSIO.

EMULSIO IODOFORMI.

Iodoform	-	-	-	dr. j.
Glycerine	-	-	-	fl. dr. vj.
Solution of Perchloride of Mercury (1 in 2000)	-	-	-	fl. dr. ij.

ENEMATA.

ENEMA NUTRIENS.

Pancreatic Solution	-	-	fl. dr. j.
Bicarbonate of Sodium	-	-	gr. x.
One Egg	-	-	-
Strong Beef Tea	-	-	fl. oz. ij.
Milk	-	-	fl. oz. ij.

Beat up the egg and add the milk, constantly stirring; add the other constituents and heat to 100° f. for 20 minutes.

ENEMA SIMPLEX.

Soap Solution*	-	-	fl. oz. ij.
Water	-	-	to fl. oz. xx.

ENEMA TEREBINTHINÆ.

Oil of Turpentine	-	-	fl. dr. iv.
Mucilage of Starch	-	-	to fl. oz. x.

*Soap Solution is a mixture of equal parts of Soft Soap (B. P.) and distilled water.

GARGARISMATA.

GARGARISMA ACIDI CARBOLICI.

Glycerine of Phenol	-	-	m. x.
Water	-	-	to fl. oz. j.

GARGARISMA ACIDI TANNICI.

Glycerine of Tannic Acid	-	fl. dr. ss.
Water	-	to fl. oz. j.

GARGARISMA BORACIS COMPOSITUM.

Glycerine of Borax	-	fl. dr. j.
Tincture of Myrrh	-	m. xx.
Water	-	to fl. oz. j.

GARGARISMA CHLORI.

Chlorate of Potassium	-	grs. viij.
Hydrochloric Acid	-	m. iij.
Glycerine	-	fl. dr. ss.
Water	-	to fl. oz. j.

GARGARISMA POTASSII CHLORATIS.

Chlorate of Potassium	-	-	-	gr. xv.
Glycerine	-	-	-	fl. dr. ss.
Water	-	-	-	to fl. oz. j.

GARGARISMA POTASSII
PERMANGANATIS.

Solution of Permanganate of Potassium	-	-	-	m. xij.
Water	-	-	-	to fl. oz. j.

GELATUM:

GELATUM ZINCI OXIDI
(Unna's Paste).

Oxide of Zinc	-	-	-	oz iij.
Glycerine	-	-	-	fl. oz. vij.
Gelatine	-	-	-	oz. iij.
Water	-	-	-	fl. oz. vij.

GLYCERINUM.

GLYCERINUM BELLADONNÆ.

Green Extract of Belladonna				dr. iv.
Boiling Water	-	-	-	fl. dr. iv.
Glycerine	-	-	-	fl. dr. iv.

GUTTÆ.

GUTTÆ ACIDI BORICI (AURAL).

Boracic Acid	-	-	-	fl. dr. j.
Glycerine	-	-	-	fl. dr. ij.
Rectified Spirit	-	-	to	fl. oz. j.

GUTTÆ ARGYROL (OPHTHALMIC).

Argyrol	-	-	-	-	gr. xlvij.
Distilled Water	-	-	to	fl. oz. j.	

GUTTÆ ATROPINÆ (OPHTHALMIC).

Sulphate of Atropine	-	-	gr. iv.
Distilled Water	-	-	to fl. oz. j.

GUTTÆ COCAINÆ (OPHTHALMIC).

Hydrochloride of Cocaine	-	gr. ix.
Chlorbutol	- - -	gr. j.
Boiled Distilled Water	-	to fl. oz. j.

GUTTÆ ESERINÆ (OPHTHALMIC).

Sulphate of Eserine	- -	grs. ij.
Water	- - -	fl. oz. j.

GUTTÆ HOMATROPINÆ (OPHTHALMIC).

Hydrobromide of Homatropine	grs. ix.
Hydrochloride of Cocaine	- grs. ix.
Chlorbutol	- - - gr. j.
Boiled Distilled Water	to fl. oz. j.

GUTTÆ MORPHINÆ ET COCAINÆ (AURAL).

Hydrochloride of Cocaine	-	gr. xxiv.
Hydrochloride of Morphine	-	gr. iv.
Glycerine	- - -	fl. dr. j.
Distilled Water	- -	to fl. oz. ss.

Glyc. et aqua. carb. 3 1/2
Gly et aqua ad 3 i
Fiat Gutta 12

For ears.

GUTTÆ SPIRITUS CUM FORMALIN (AURAL).

Rectified Spirit	-	-	-	fl. oz. ss,
Glycerine	-	-	-	fl. oz. ss.
Solution of Formaldehyde	-	-	-	m. xij.

GUTTÆ ZINCI CHLORIDI (AURAL).

Chloride of Zinc	-	-	-	gr. iv.
Glycerine	-	-	-	fl. dr. ij.
Rectified Spirit	-	-	-	to fl. oz. j.

GUTTÆ ZINCI SULPHATIS (OPHTHALMIC).

Sulphate of Zinc	-	-	-	grs. ij.
Distilled Water	-	-	-	fl. oz. j.

INJECTIO HYPODERMICA.

INJECTIO MORPHINÆ ET ATROPINÆ

Tartrate of Morphine	-	-	-	gr. $\frac{1}{20}$
Sulphate of Atropine	-	-	-	gr. $\frac{1}{500}$
Boiled Distilled Water	-	-	-	to m. j.

Dose 2 to 5 minims.

INSUFFLATIONES.

INSUFFLATIO IODOFORMI (THROAT).

Iodoform (in fine powder)	-	dr. ij.
Boric Acid (in fine powder)	to	oz. j.

INSUFFLATIO MENTHOL COMPOSITA.

(THROAT).

Menthol	- - -	-	gr. viij.
Hydrochloride of Cocaine	-	-	gr. ij.
Chloride of Ammonium	-	-	gr. xx.
Camphor	- - -	-	gr. viij.
Lycopodium	- - -	-	gr. lxx.
Oxychloride of Bismuth	-	-	gr. xx.
Starch (in fine powder)	-	to	oz. j.

LINCTUS.

LINCTUS HEROINI.

Hydrochloride of Heroin	-	gr. $\frac{1}{20}$
Spirit of Chloroform	- -	m. iij.
Glycerine	- - -	to fl. dr. j.

LINCTUS MORPHINÆ.

Solution of Acetate of Morphine	m.	iiij.
Spirit of Chloroform	-	- m. iiij.
Glycerine	-	- to fl. dr. j.

LINCTUS SIMPLEX.

Tincture of Squills	-	- m. v.
Syrup of Lemons	-	- m. xx.
Syrup of Virginian Prune	-	- m. xx.
Glycerine	-	- to fl. dr. j.

LINIMENTUM.

LINIMENTUM CALCIS COMPOSITUM.

Oil of Turpentine	-	- fl. drs. vj.
Olive Oil	-	- fl. oz. vj.
Lime Water	-	- to fl. oz. xx.

LOTIONES.

LOTIO ACIDI BORICI.

Boric Acid	-	- grs. x.
Water	-	- fl. oz. j.

LOTIO CALAMINÆ.

Prepared Calamine	-	-	grs. xv.
Oxide of Zinc	-	-	grs. xv.
Lime Water	-	-	fl dr. j.
Glycerine	-	-	fl. dr. ss.
Water	-	-	to fl. oz. j.

LOTIO KRAMERIÆ COMPOSITA (DENTAL).
(Miller's Tincture).

Oil of Cinnamon	-	-	m. vij.
Oil of Peppermint	-	-	m. vij.
Saccharin	-	-	grs. xl.
Benzoic Acid	-	-	grs. xl.
Tincture of Rhatany	-	-	fl. oz. j.
Alcohol	-	-	fl. oz. iii. ss.

LOTIO PLUMBI EVAPORANS.

Solution of Subacetate of Lead	m. x.
Methylated Spirit	- fl. dr. j.
Water	- to fl. oz. j.

LOTIO RUBRA.

Sulphate of Zinc	-	grs. ij.
Compound Tincture of Lavender	m. x.	
Water	-	to fl. oz. j.

LOTIO SODII BICARBONATIS (OPHTHALMIC).

Bicarbonate of Sodium	-	-	gr. cc.
Distilled Water	-	-	to fl. oz. xx.

MISTURÆ.

MISTURA ACIDA.

Dilute Hydrochloric Acid	-	m. x.
Compound Infusion of Gentian	to fl. oz. j.	

MISTURA ACIDI PHOSPHORICI.

Dilute Phosphoric Acid	-	m. xv.
Tincture of Quassia	-	m. xxx.
Syrup of Orange	-	m. xx.
Water	-	to fl. oz. j.

MISTURA ALBA.

Sulphate of Magnesium	-	grs. lx.
Carbonate of Magnesium	-	grs. x.
Peppermint Water	-	fl. oz. j.

MISTURA ÆTHERIS CUM AMMONIA.

Aromatic Spirit of Ammonia	-	m. xxx.
Spirit of Ether	- - -	m. xxx.
Tincture of Orange	- -	m. x.
Camphor Water	- -	to fl. oz. j.

MISTURA ALKALINA AMARA.

Bicarbonate of Sodium	- -	gr. xv.
Aromatic Spirit of Ammonia	-	m. xx.
Compound Infusion of Gentian		to fl. oz. j.

MISTURA AMMONII CITRATIS
COMPOSITA.

Solution of Citrate of Ammonium		fl. dr. ij.
Spirit of Nitrous Ether	- -	m. xxx.
Camphor Water	- -	to fl. oz. j.

MISTURA AMMONII CARBONATIS ET
SENEGÆ.

Carbonate of Ammonium	-	grs. v.
Tincture of Senega	- - -	m. xxx.
Chloroform Water	- -	to fl. oz. j.

MISTURA ARSENICI ACIDA.

Hydrochloric Solution of Arsenic	m. iij.
Dilute Hydrochloric Acid	- m. x.
Chloroform Water	- to fl. oz. j.

MISTURA BINIODIDI.

Solution of Perchloride of Mercury	fl. dr. j.
Iodide of Potassium	- - gr. x.
Glycerine	- - - m. x.
Infusion of Quassia	- to fl. oz. j.

MISTURA BISMUTHI.

Carbonate of Bismuth	- - gr. xx.
Bicarbonate of Sodium	- - gr. xx.
Mucilage of Tragacanth	- - fl. dr. j.
Chloroform Water	- to fl. oz. j.

MISTURA BROMIDI COMPOSITA.

Bromide of Ammonium	- grs. v.
Bromide of Potassium	- - grs. v.
Bromide of Sodium	- - grs. x.
Chloroform Water	- to fl. oz. j.

MISTURA BROMIDI ET AMMONII
CHLORIDI.

Tincture of Nux Vomica	-	m. v.
Chloride of Ammonium	- -	gr. xv.
Bromide of Potassium	- -	gr. x.
Glycerine	- - - -	m. x.
Compound Infusion of Gentian	to	fl. oz. j.

MISTURA BUCHU COMPOSITA.

Benzoate of Sodium	- -	grs. x.
Tincture of Hyoscyamus	-	m. xx.
Infusion of Buchu	- -	to fl. oz. j.

MISTURA CARYOPHYLLI.

Bicarbonate of Sodium	- -	grs. xv.
Aromatic Spirit of Ammonia	-	m. xx.
Spirit of Chloroform	- -	m. x.
Infusion of Cloves	- -	to fl. oz. j.

MISTURA CASCARÆ.

Liquid Extract of Cascara	-	m. xx.
Liquid Extract of Liquorice	-	m. xx.
Bicarbonate of Sodium	- -	gr. v.
Water	- - - -	to fl. oz. j.

MISTURA CHLORALAMIDI.

Chloralamide	-	-	-	-	gr. xx.
Bromide of Potassium	-	-	-	-	gr. x.
Alcohol	-	-	-	-	fl. dr. i. ss.
Water	-	-	-	-	to fl. oz. j.

MISTURA CINCHONÆ COMPOSITA.

Tincture of Nux Vomica	-	-	-	-	m. iv.
Liquid Extract of Cinchona	-	-	-	-	m. x.
Dilute Hydrochloric Acid	-	-	-	-	m. v.
Spirit of Chloroform	-	-	-	-	m. x.
Water	-	-	-	-	to fl. oz. j.

MISTURA COLCHICI COMPOSITA.

Wine of Colchicum	-	-	-	-	m. x.
Citrate of Potassium	-	-	-	-	gr. xx.
Sulphate of Magnesium	-	-	-	-	gr. xx.
Pimento Water	-	-	-	-	to fl. oz. j.

MISTURA COPAIBÆ.

Copaiba	-	-	-	-	m. xx.
Solution of Potash	-	-	-	-	m. xx.
Tincture of Opium	-	-	-	-	m. v.
Mucilage of Acacia	-	-	-	-	fl. dr. j.
Peppermint Water	-	-	-	-	to fl. oz. j.

MISTURA CRETÆ CUM HÆMATOXYLO.

Tincture of Catechu	-	-	m. xxx.
Chalk Mixture	-	-	fl. oz. ss.
Decoction of Logwood	-	to	fl. oz. j.

MISTURA DIURETICA.

Acetate of Potassium	-	-	grs. xxx.
Tincture of Squills	-	-	m. xv.
Spirit of Nitrous Ether	-	-	m. xxx.
Decoction of Broom	-	to	fl. oz. j.

MISTURA EFFERVESCENS.

Bicarbonate of Potassium	-	grs. xx.
Water	-	fl. oz. j.
Add Citric Acid	-	grs. xvij.
Water	-	fl. oz. j.

To be taken during effervescence.

MISTURA ERGOTÆ.

Liquid Extract of Ergot	-	m. xxx.
Dilute Sulphuric Acid	-	m. xx.
Sulphate of Magnesium	-	gr. xx.
Spirit of Peppermint	-	m. v.
Cinnamon Water	-	to fl. oz. j.

MISTURA ERGOTÆ SEDATIVA.

Ammoniated Tincture of Ergot	m.	xxx.
Bromide of Potassium	- -	gr. viij.
Chlorate of Potassium	- -	gr. viij.
Glycerine	- - -	m. xv.
Chloroform Water	-	to fl. oz. j.

MISTURA EXPECTORANS.

Carbonate of Ammonium	-	grs. v.
Nitrate of Potassium	- -	grs. vj.
Ipecacuanha Wine	- -	m. x.
Compound Tincture of Camphor	m.	xxx.
Chloroform Water	-	to fl. oz. j.

MISTURA FERRI ACIDA.

Tincture of Perchloride of Iron	m.	x.
Spirit of Chloroform	- -	m. x.
Glycerine	- - -	fl. dr. ss.
Infusion of Quassia	-	to fl. oz. j.

MISTURA FERRI ALKALINA.

Citrate of Iron and Ammonium	grs.	x.
Carbonate of Ammonium	-	grs. iij.
Bicarbonate of Sodium	- -	gr. x.
Chloroform Water	-	to fl. oz. j.

MISTURA FERRI APERIENS.

Sulphate of Iron	-	-	-	gr. ij.
Sulphate of Magnesium	-	-	-	gr. xxx.
Dilute Sulphuric Acid	-	-	-	m. v.
Peppermint Water	-	-	to	fl. oz. j.

MISTURA FERRI ARSENICALIS.

Fowlers' Solution	-	-	-	m. ij.
Mistura Ferri Alkalina	-	-	to	fl. oz. j.

MISTURA FILICIS.

Liquid Extract of Male Fern	-	-	-	fl. dr. j.
Syrup of Ginger	-	-	-	fl. dr. j.
Liquid Extract of Quillaia	-	-	-	m. v.
Distilled Water	-	-	to	fl. oz. j.

MISTURA GENTIANÆ CUM RHEO.

Bicarbonate of Sodium	-	-	-	grs. x.
Spirit of Chloroform	-	-	-	m. x.
Essence of Peppermint	-	-	-	m. v.
Infusion of Rhubarb	-	-	-	fl. oz. ss.
Compound Infusion of Gentian	to fl. oz. j.			

MISTURA IPECACUANHÆ CUM SODIO

Bicarbonate of Sodium	-	-	grs. x.
Ipecacuanha Wine	-	-	m. xx.
Spirit of Nitrous Ether	-	-	m. xv.
Syrup	-	-	fl. dr. j.
Water	-	-	to fl. oz. j.

MISTURA POTASSII IODIDI.

Iodide of Potassium	-	-	grs. v.
Carbonate of Ammonium	-	-	grs. iij.
Spirit of Chloroform	-	-	m. v.
Water	-	-	to fl. oz. j.

MISTURA POTASSII IODIDI CUM FERRO.

Iodide of Potassium	-	-	grs. v.
Ammoniated Citrate of Iron	-	-	grs. x.
Chloroform Water	-	-	fl. oz. j.

MISTURA POTASSII IODIDI CUM
STRAMONIO.

Tincture of Stramonium	-	-	m. x.
Iodide of Potassium	-	-	gr. iii.
Carbonate of Ammonium	-	-	gr. iij.
Spirit of Ether	-	-	m. xv.
Syrup of Tolu	-	-	fl. dr. j.
Chloroform Water	-	-	to fl. oz. j.

MISTURA QUININÆ.

Sulphate of Quinine	-	-	gr. j.
Dilute Sulphuric Acid	-	-	m. v.
Water	-	-	to fl. oz. j.

MISTURA QUININÆ CUM FERRO.

Tincture of the Perchloride of			
Iron	-	-	m. xv.
Sulphate of Quinine	-	-	gr. ij.
Sulphate of Magnesium	-	-	gr. xxx.
Glycerine	-	-	fl. dr. j.
Chloroform Water	-	-	fl. oz. j.

MISTURA QUININÆ CUM SODIO
SALICYLATE.

Ammoniated Tincture of Quinine	m.	xxx.
Salicylate of Sodium	-	grs. x.
Syrup of Orange	-	m. xxx.
Water	-	to fl. oz. j.

MISTURA SODII SALICYLATIS.

Bicarbonate of Sodium	-	grs. x.
Salicylate of Sodium	-	grs. x.
Peppermint Water	-	fl. oz. j.

MISTURA STRYCHNINÆ.

Solution of Hydrochloride of
 Strychnine - - - m. iij.
 Compound Infusion of Gentian to fl. oz. j.

MISTURA VALERIANÆ.

Ammoniated Tincture of Valerian m. xxx.
 Fetid Spirit of Ammonia - m xx.
 Camphor Water - - to fl. oz. j.

NEBULA (THROAT).

NEBULA ALKALINA,

Bicarbonate of Sodium - - gr. xv.
 Borax - - - - - gr. xv.
 Carbolic Acid - - - gr. ij.
 Glycerine - - - - fl. dr. j.
 Water to - - - - fl. oz. j.

PASTUM.

PASTUM ZINCI.

(Lassar's Paste).

Oxide of Zinc	-	-	-	dr. ij.
Powdered Starch	-	-	-	dr. ij.
Salicylic Acid	-	-	-	grs. x.
Soft Paraffin	-	-	-	oz. ss.

PESSUS.

PESSUS ACIDI TANNICI (OBSTETRIC).

Tannic Acid	-	-	-	grs. x.
Oil of Theobroma	-	-	-	to grs. cxx.

PIGMENTA.

PIGMENTUM IODI.

Tincture of Iodine	}	of each equal parts.
Solution of Iodine		

PIGMENTUM IODI COMPOSITUM
(Mandl's Pigment) (THROAT).

Iodine	-	-	-	-	grs, vj.
Iodide of Potassium	-	-	-	-	gr. xx.
Oil of Peppermint	-	-	-	-	m. v.
Glycerine	-	-	-	-	to fl oz. j.

PIGMENTUM MENTHOL CUM GUAIACOL.
(THROAT).

Menthol	-	-	-	-	gr. l.
Guaiacol in Crystals	-	-	-	-	gr. l.
Oil of Sweet Almonds	-	-	-	-	to fl. oz. j.

PIGMENTUM IODI FORTIOR (OBSTETRIC).

Iodine	-	-	-	-	dr. j.
Iodide of Potassium	-	-	-	-	dr. j.
Rectified Spirit	-	-	-	-	fl. dr. j.
Distilled Water	-	-	-	-	to fl. dr. iv.

POTUS.

POTUS IMPERIALIS.

Syrup of Lemon	-	-	-	-	fl. oz. iss.
Acid Tartrate of Potassium	-	-	-	-	dr. j.
Water	-	-	-	-	to fl. oz. xx.

PULVERES.

DENTIFRICIUM.

Prepared Chalk	.	-	-	oz. iv.
Hard Soap (in powder)		-	-	oz. j.
Solution of Formaldehyde			-	m. c.

DENTIFRICIUM FORTIOR.

Precipitated Chalk	-	-	-	oz. iiij.
Powdered Cuttlefish		-	-	oz. j.
Hard Soap (in powder)		-	-	oz. j.
Solution of Formaldehyde			-	m. c.

PULVIS LOBELIÆ COMPOSITUS.

Nitrate of Potassium	-	-	oz. $4\frac{1}{4}$
Lobelia Powder	-	-	} of each oz. 4
Powdered Stramonium Leaves			
Powdered Aniseed Fruit			

Burn half a drachm and inhale the smoke.

PULVIS SALIUM.

Dried Sulphate of Sodium	-	grs. xx.
Dried Sulphate of Magnesium		grs. xxx.
Dried Chloride of Sodium	-	grs. ij.
Dried Bicarbonate of Sodium	-	grs. v.
Sugar of Milk	- -	to dr. j.

PULVIS ZINCI ET ACIDI BORICI.

Oxide of Zinc	- - -	} of each oz. j.
Starch	- - -	
Boric Acid	- - -	

PULVIS ZINCI ET AMYLI.

Oxide of Zinc	- - -	oz. j.
Starch	- - -	oz. ij.

TABELLÆ.

VEL
PILULÆ.

TABELLA ACIDI CARBOLICI.

Carbolic Acid	- - -	gr. j.
Powdered Rhubarb	- -	grs. j. ss.
Compound Tragacanth Powder		gr. j.
Water	- - -	a sufficiency

TABELLA ALOINÆ COMPOSITA.

Aloin	-	-	-	-	gr. $\frac{1}{4}$.
Green Extract of Belladonna	-	-	-	-	gr. $\frac{1}{8}$.
Extract of Nux Vomica	-	-	-	-	gr. $\frac{1}{16}$.
Liquorice Powder	-	-	-	-	gr. $\frac{1}{2}$.
Water	-	-	-	-	a sufficiency

TABELLA CALOMELANOS CUM
COLOCYNTHIDE.

Calomel	-	-	-	-	grs. ij.
Compound Colocynth and Hyoscyamus Pill	-	-	-	-	grs. iiij.

TABELLA DIURETICA CUM HYDRARGYRO.

Blue Pill	-	-	-	-	gr. j.
Squill Powdered	-	-	-	-	gr. j.
Digitalis Leaves Powdered	-	-	-	-	gr. j.
Extract of Hyoscyamus	-	-	-	-	grs. $1\frac{2}{3}$.

TABELLA EASTONII.

Phosphate of Iron	-	-	-	-	gr. ij.
Sulphate of Quinine	-	-	-	-	gr. j.
Strychnine	-	-	-	-	gr. $\frac{1}{32}$.
Starch	-	-	-	-	gr. j.

TABELLA FERRI ET ARSENIICI.

Dried Bicarbonate of Sodium	-	gr. ij.
Dried Sulphate of Iron	- -	gr. ij.
Arsenious Acid	- - -	gr. $\frac{1}{8\frac{1}{2}}$.
Starch	- - - -	gr. j.

TABELLA HYDRARGYRI CUM
HYOSCYAMO.

Mercurial Pill	- - -	grs. iij.
Extract of Hyoscyamus	- -	grs. ij.

TABELLA HYDRARGYRI CUM SCILLA.

Mercurial Pill	- - -	gr. iss.
Ipecacuhana Powder	- -	gr. ss.
Compound Squill Pill	- -	grs. ij.

TABELLA NITROGLYCERINÆ
COMPOSITA.

Nitroglycerine	- - -	gr. $\frac{1}{100}$
Menthol	- - -	gr. $\frac{1}{50}$
Oleo Resin of Capsicum	- -	gr. $\frac{1}{100}$
Paste of Theobroma	to	gr. v.

TABELLA PODOPHYLLI COMPOSITA.

Resin of Podophyllum	-	-	gr. $\frac{1}{3}$.
Extract of Barbadoes Aloes	-	-	gr. ij.
Green Extract of Belladonna	-	-	gr. $\frac{1}{4}$.
Compound Decoction of Aloes	a sufficiency		

TROCHISCUS.

TROCHISCUS GLYCYRRHIZÆ.

Extract of Liquorice	-	-	gr. iij.
Oil of Anise	-	-	m. ss.
Simple Basis	-	-	gr. x.

UNGUENTA.

UNGUENTUM ATROPINÆ (OPHTHALMIC).

Atropine (Alkaloid)	-	-	grs. iv.
Vaseline	-	-	oz. j.

UNGUENTUM FLAVUM (OPHTHALMIC).

Yellow Oxide of Mercury	-	grs. viij.
Vaseline	- - -	oz. j.

UNGUENTUM FLAVUM DILUTUM.

(OPHTHALMIC).

Yellow Oxide of Mercury	-	grs. iv.
Vaseline	- - -	oz. j.

UNGUENTUM FLAVUM DILUTUM CUM

ATROPINA.

(OPHTHALMIC).

Yellow Oxide of Mercury	-	grs. iv.
Atropine (Alkaloid)	- -	grs. iv.
Vaseline	- - -	oz. j.

UNGUENTUM HYDRARGYRI AMMONIATI
DILUTUM.

Ammoniated Mercury	- -	grs. xx.
Soft Paraffin	- - -	to oz j.

UNGUENTUM METALLORUM.

Ointment of Zinc	- -	} of each equal parts.
Ointment of Nitrate of Mercury	- -	
Ointment of Acetate of Lead	- -	

UNGUENTUM RESORCINI COMPOSITUM

(SKIN).

Resorcin	-	-	-	-	gr. xx.
Creolin	-	-	-	-	m xx.
Paranol	-	-	-	-	to oz. j.

UNGUENTUM SULPHURIS CUM ACIDO
SALICYLICO.

(SKIN).

Precipitated Sulphur	-	-	-	-	grs. xv.
Salicylic Acid	-	-	-	-	grs. x.
Hydrous Wool Fat	-	-	-	-	} of each oz. ss.
Soft Paraffin	-	-	-	-	

VAPORES.

The following are to be inhaled, a tea spoonful at a time, from a pint of hot water in a quart jug :—

VAPOR BENZOINI COMPOSITUS.

Benzoin (in powder)	-	-	-	-	oz. ij.
Prepared Storax	-	-	-	-	oz. iss.
Balsam of Tolu	-	-	-	-	oz. ss.
Methylated Alcohol	-	-	-	-	to pint j.

VAPOR BENZOL.

Benzol	-	-	-	-	-	m. xl.
Oil of Cassia	-	-	-	-	-	m ij.
Light Bicarbonate of Magnesium						grs. xx.
Water	-	-	-	-	to	fl. oz. j.

VAPOR PINI.

Oil of Pine	-	-	-	-	-	m. xl.
Light Carbonate of Magnesium						grs. xv.
Water	-	-	-	-	to	fl. oz. j.

The following are for continuous inhalation, ten drops at a time, on cotton wool in an oro-nasal respirator :—

VAPOR EUCALYPTI COMPOSITUS.

Oil of Eucalyptus	-	-	-	-	-	fl. dr. ij.
Compound Tincture of Benzoin						fl. dr. iij.
Thymol	-	-	-	-	-	dr. j.
Spirit of Chloroform					to	fl. oz. j.

VAPOR CREASOTI COMPOSITUS.

Liquified Carbolic Acid	-	-	fl. dr. ij.
Creasote	-	-	fl. dr. j.
Tincture of Iodine	-	-	fl. dr. ij.
Spirit of Ether	-	-	fl. dr. j.
Spirit of Chloroform	-	to	fl. oz. j.

CHILDREN'S PRESCRIPTIONS.

Except in the case of Pulvis Santonini Co., the doses are calculated for Children one year old.

CONFECTIO SENNÆ CUM SULPHURE.

Confection of Senna	} of each gr. vij.
Confection of Sulphur	

EMULSIO HYPOPHOSPHITIS.

Hypophosphite of Sodium	-	grs. ss.
Hypophosphite of Calcium	-	grs. ss.
Cod Liver Oil	- -	m. xxx.
Oil of Cassia	- - -	m. $\frac{1}{10}$.
Glycerine	- - -	m. x.
Mucilage of Acacia	- - -	m. x.
Lime Water	- - -	to fl. dr. j.

INJECTIO STRYCHNINÆ INFANTIBUS.

Hydrochloride of Strychnine	-	gr. $\frac{1}{100}$.
Boiled Distilled Water	-	to m. v.

MISTURA ANETHI.

Aromatic Spirit of Ammonia	-	m. ij.
Syrup of Ginger	-	m. ij.
Bicarbonate of Sodium	-	gr. iij.
Dill Water	-	to fl. dr. j.

MISTURA BISMUTHI COMPOSITA.

Carbonate of Bismuth	-	gr. iij.
Bicarbonate of Sodium	-	gr. ij.
Spirit of Chloroform	-	m. ij.
Mucilage of Tragacanth	-	m. x.
Carraway Water	-	to fl. dr. j.

MISTURA BROMIDI CUM BELLADONNA.

Tincture of Belladonna	-	m. iv.
Bromide of Potassium	-	grs. ij.
Carbonate of Ammonium	-	gr. ss.
Syrup of Tolu	-	m. xv.
Water	-	to fl. dr. j.

MISTURA IPECACUANHÆ COMPOSITA.

Wine of Ipecacuanha	-	m. iij.
Carbonate of Ammonium	-	gr. ss.
Syrup of Tolu	-	m. x.
Carraway Water	-	to fl. dr. j.

MISTURA MAGNESII ET RHEI.

Sulphate of Magnesium	-	-	grs. v.
Carbonate of Magnesium	-	-	grs. iiij.
Rhubarb Powder	-	-	grs. iiij.
Syrup of Ginger	-	-	m. v.
Carraway Water	-	-	to fl. dr. j.

MISTURA PHENAZONI COMPOSITA.

Phenazone	-	-	gr. j.
Bromide of Sodium	-	-	gr. ij.
Glycerine	-	-	m. x.
Chloroform Water	-	-	to fl. dr. j.

MISTURA RHEI ET SODII.

Powdered Rhubarb	-	-	gr. j.
Bicarbonate of Sodium	-	-	gr. ij.
Aromatic Spirits of Ammonia	-	-	m. iiij.
Water	-	-	to fl. dr. j.

MISTURA RICINI.

Castor Oil	-	-	m. v.
Mucilage	-	-	m. xv.
Syrup	-	-	m. xx.
Cinnamon Water	-	-	to fl. dr. j.

PULVIS ALTERATIVUS.

Mercury and Chalk	-	-	gr. j.
Rhubarb Powder	-	-	gr. j.
Bicarbonate of Sodium	-	-	grs. iij.

PULVIS HYDRARGYRI CUM OPIO.

Grey Powder	-	} of each gr. j.
Dover's Powder	-	

PULVIS SANATONINI COMPOSITUS.

Santonin	-	-	-	gr. ii. ss.
Compound Scammony Powder				gr. ij.
Calomel	-	-	-	gr. ss.
Dose grs. ij. to v. according to age.				

PULVIS SODII CUM RHEO.

Dried Bicarbonate of Sodium	}	of each
Rhubarb Powder		

VINUM FERRI.

Tartarated Iron	-	-	grs. ij.
Rectified Spirit	-	-	m. vj.
Distilled Water	-	-	to fl. dr. j.

PREPARATION OF PEPTONISED MILK.

Take two thirds of a pint of milk, dilute with one third of a pint of water, and divide the mixture into two equal portions. Heat one portion to the boiling point, and mix it with the cold portion in a covered vessel. Add to this two tea spoonfuls of Pancreatic Solution, and twenty grains of Bicarbonate of Sodium. Stir and keep in a warm place for from ten to twenty minutes. Finally heat the mixture to the boiling point.

PREPARATION OF RAW MEAT JUICE.

Take four ounces of beef free from fat, mince, add five ounces of cold water, and allow to stand for two hours, stirring

occasionally. Transfer to a piece of butter muslin, which has been previously wrung out with cold water, and obtain the juice by pressure.

PREPARATION OF
NORMAL SALINE SOLUTION (.9%).
FOR INFUSION.

Dissolve twenty-two ounces of Sodium Chloride in a gallon of hot water which has been heated to the boiling point before the addition, and filter. Two and a half ounces of the filtrate made up to two pints with sterile water will produce the dilution required.

DIET SCALE.

ADMISSION DIET.

Milk ($1\frac{1}{2}$ pint), Rice Pudding, Bread and Butter, 1 pint Beef Tea (ordinary).

ORDINARY DIET.

Breakfast (5.30 a.m.)—1 pint Coffee Cocoa, or Tea, Bread and Butter.

Lunch (9 a.m.)— $\frac{1}{2}$ pint Milk, and Bread.

Dinner (12 noon)—Men, Meat 4 oz., Women, 3 oz., Potatoes 8 oz., Rice or Sago Puddings, Greens twice a week, Bread.

Tea (4.30 p.m.)—Tea, Bread and Butter.

Supper (7 p.m.)— $\frac{1}{2}$ pint Broth.

FULL DIET.

The same as Ordinary Diet with 6 oz. of Meat instead of 4 oz. for Men, and 4 oz instead of 3 oz. for Women.

CHILDREN'S DIET.

Breakfast— $\frac{1}{2}$ pint Milk, with Bread and Butter.

Lunch— $\frac{1}{2}$ pint Milk, and Bread.

Dinner—2 oz. Meat, 4 oz. Potatoes, Pudding.

Tea—Tea and Bread and Butter.

Supper— $\frac{1}{2}$ pint Milk or Broth, and Bread.

N.B.—Beef twice a week, Fish once, Mutton other days.

 EXTRAS.

Supplied on an order written on the Diet Sheet and signed by the Resident Medical Officer in charge of the case.

Chops, Rabbit (roast or boiled), Fish (ordinary diet), New Laid Eggs, Broth, Extra Milk, Barley Water, Arrowroot, or Gruel, Soda Water, Lemonade, Lemons.

SPECIAL EXTRAS.

Supplied only on written order signed by a member of the Honorary Medical Staff and to be discontinued after four days unless re-ordered.

Special Beef Tea, Chicken, Pounded or Minced Meat, Meat Extracts, Patent Foods, Special Diabetic Foods, Rump Steak, Bacon, Soles, Plaice, & Whiting, Green Vegetables, Cream, Malt Liquors.



