#### Prescription formulae for use in naval hospitals.

#### **Contributors**

Great Britain. Admiralty.

#### **Publication/Creation**

London: H.M.S.O., 1914.

#### **Persistent URL**

https://wellcomecollection.org/works/au3qsymb

#### License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

# M 24989

N: QV740 BA1 1914 G78P

M24989



22101896132

Hibrath mBRI Jan 1918



M. 161 (Established Oct. 1898). (Revised Jan., 1914.)

## PRESCRIPTION FORMULÆ

FOR

# USE IN NAVAL HOSPITALS.



LONDON:

PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY EYRE AND SPOTTISWOODE, LTD.,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1914.

M.D.G. 1173/98. M.D. 6116/09. Sta. 174/13. 24562675

M24989

STATE OF THE PARTY NAMED IN COLUMN TWO IS NOT TH	WELI	COME INSTITUTE	
annual of the latest annual and a second	Coll.	welMomec	The second
The second second	Call	N'	and against of the same
	No.	QX740	democraps
		· BAL	Account
	/	1914	-
		G78p	-
	-		

Digitized by the Internet Archive in 2017 with funding from Wellcome Library

https://archive.org/details/b2899663x

### FORMULÆ.

### AQUA CHLORBUTOLIS.

Chlorbutol			1
Distilled Water			250

About one-half saturated solution.

#### COLLODIUM SALICYLICUM.

Salicylic Acid	12.00
Extract of Indian Hemp	2.00
Flexible Collodion to produce	100.00

#### COLLUTORIUM ACIDI CARBOLICI.

Potassiu	m Ch	loi	rate		1(1.)	20	grains.
Carbolic	Acid					1	grain.
Glycerin					1.	30	minims.
Water					to	1	ounce.

Half an ounce in a tumblerful of hot water as a mouth-wash.

E (12)25833 (24364) Wt 34166-D 903 500 12/14 E & S A 2

#### COLLYRIUM BORACIS.

Borax								20 grains.
Sodium	В	icai	boı	at	e			20 grains.
Sugar								20 grains.
Distilled	1	Wat	ter				to	1 ounce.

#### CREMOR MERCURIALIS.

Synonym: Injectio Mercurialis.


Mercury		20.00	by	weight.
Anhydrous Wool Fat			by	weight.
Chlorbutol		2.00	by	weight.
Liquid Paraffin				
to produ	ce	100.00	by	measure.

#### DECOCTUM HORDEI.

Pearl Barley	(w	ash	ed)		2 ounces.
Water					$1\frac{1}{2}$ pints.

Boil for 20 minutes and strain about 1 pint.

.



### DENTIFRICUM.

Powdered Hard Soap	14 ounces.
Powdered Orris Root	21 ounces.
Precipitated Chalk	7 pounds.
Heavy Magnesium Carbonate	7 pounds.
Oil of Eucalyptus	7 drachms.
Oil of Lavender	7 drachms.
Oil of Cloves	4 drachms.
Carmine (in solution)	Q.S.

### ELIXIR GLUSIDI.

Gluside			11.	4 ounces.
Sodium Bicarbonate				2 ounces.
Alcohol (90 per cent.)			,975	9 ounces.
Distilled Water . to I	oro	du	ce	73 ounces.

### ELIXIR GLUSIDI COMPOSITUM.

Tincture of Benzoin.				16 ounces.
Oil of Bitter Almond				
Chloroform			die	$1\frac{1}{2}$ ounces.
Elixir of Gluside	1.			24 ounces.
Alcohol (90 per cent.)	)			
to	pro	odu	ce	80 ounces.

EMULSIO IODOFORMI (STERILIZED).

(STERILIZED).
Powdered Iodoform 1 ounce.
Carbolic Acid Solution, 5 per
cent 5 ounces.
Glycerin (Sterilizel) 10 ounces.
Mix the Iodoform with the Carbolic Acid
Solution in a sterilized bottle, shake well and
leave for 24 hours; pour off the supernatant
liquid, and add the Glycerin, shaking well
together.
EMULSIO OLEI MORRHUÆ.
Cod-liver Oil 2 drachms.
Acacia Gum
Acacia Gum $\frac{1}{2}$ drachm. Compound Elixir of Gluside . 6 minims.
Water to produce 4 drachms.
Dose, 2 to 8 drachms.
EMULSIO PETROLEI cum
HYPOPHOSPHITIBUS.
Liquid Paraffin
Soft Paraffin (white) $2\frac{1}{2}$ grains.
Acacia Gum $12\frac{1}{2}$ grains.
Sodium Hypophosphite $\frac{1}{2}$ grain. Calcium Hypophosphite $\frac{1}{2}$ grain.
Calcium Hypophosphite † grain.
Compound Elixir of Gluside . 11 minims.
Water to produce 1 drachm.
Dose, 1 to 4 drachms.

#### ENEMA MAGNESII SULPHATIS.

Synonym: Enema Catharticum.

Magnesium Sulphat	е		1	ounce.
Olive Oil			1	ounce.
Mucilage of Starch			15	ounces.

#### ENEMA NUTRIENS.

(No. 1.)

One Egg.		
Strong Beef Tea		1 ounce.
Milk		1 ounce.
Brandy		4 drachms
Solution of Pancreatin		

#### ENEMA NUTRIENS.


(No. 2.)

Milk				1 pint.
Pure Dextrose				$1\frac{1}{2}$ ounces.
Solution of Pancr	ea	tin	•	$\frac{1}{2}$ ounce.

Boil and cool the Milk, add the Solution of Pancreatin and keep in an incubator at 98° F. for 24 hours, then add the Dextrose. Give 10 ounces every 8 hours.

# ENEMA OPII.

Tincture of Opium 30 minims	5.
Tincture of Opium 30 minims Mucilage of Starch 2 ounces	
ENEMA TEREBINTHINÆ.	
ENEMA TEREBINITHNE.	
Oil of Turpentine $\frac{1}{2}$ ounce. Mucilage of Starch $15$ ounces	
Mucilage of Starch 15 ounces	
EXTRACTUM MALTI cum OLEO	
MORRHUÆ.	
Extract of Malt 4 parts.	
Cod-liver Oil 1 part.	
Dose, 1 to 2 fluid drachms.	
GARGARISMA ACIDI CARBOLIC	I.
Glycerin of Phenol ½ ounce.	
Glycerin of Phenol $\frac{1}{2}$ ounce. Water to 8 ounces	
GARGARISMA ACIDI TANNICI.	
Glycerin of Tannic Acid 1 ounce.	
Water to 8 ounces	•
GARGARISMA ALUMINIS.	
Alum 80 grains.	
Water to 8 ounces	



# GARGARISMA BORACIS et MYRRHÆ.

Glycerin of Borax			6 drachms.
Tincture of Myrrh			80 minims.
Water		to	8 ounces.

#### GARGARISMA CHLORI.

Potassium Chlorate				80	grains.
Hydrochloric Acid				20	minims.
Water		. 1	o	8	ounces.

Place the Potassium Chlorate, in powder, in a dry bottle, add the Hydrochloric Acid and set aside for 10 minutes, loosely corked, then add the water in four or five successive portions, shaking well between each. Usually used diluted with an equal quantity of water.

#### GARGARISMA HYDRARGYRI PERCHLORIDI.

Mercuric Chloride				1	grain.
Diluted Hydrochlo	ric	Acid			minims.
Distilled Water .			to	8	ounces.

#### GARGARISMA HYDROGENI PEROXIDI.

Hydrogen Peroxide . . . 5 volumes.

#### GARGARISMA POTASSII CHLORATIS.

	UII	LON	AI	10.		
Potassium Distilled V	Chlora Vater	te .		to	80 8	grains. ounces.
GA	RGARI PERM					II
Potassium Distilled V	Permai Vater .	igana •	ite .	to	8	grains. ounces.
GLYC	ERINU	M I	BEL	LAL	ON	NÆ.
Green Ext Water . Glycerin						
GU	TTÆ	ACI	DI	BOI	RIC	I.
Boric Acid Distilled V	l Vater	ided.		to	1	grains. ounce.
G	UTTA	E A'	TRO	PIN	Æ.	

Atropine Sulphate . . . . 4 grains. Chlorbutol Water . . . . 1 ounce.

The state of the s

Atropine Sulphate 4 grains.  Cocaine Hydrochloride 8 grains.
Chlorbutol Water 1 ounce.
GUTTÆ HOMATROPINÆ et
COCAINÆ.
Homatropine Hydrobromide . 4 grains.
Cocaine Hydrochloride 8 grains.
Chlorbutol Water 1 ounce.
GUTTÆ PHYSOSTIGMINÆ.
Physostigmine Sulphate 2 grains.
Chlorbutol Water 1 ounce.
Dierillat Batter
HAUSTUS MORPHINÆ.
Synonym: Haustus Anodynus.
Solution of Morphine Hydro-
chloride 30 minims.
Camphor Water to 1 ounce.
Campion Water to Touriec.
HAUSTUS CHLORAL.
Potassium Bromide 10 grains.
Syrup of Chloral 2 drachms.
Water to 1 ounce.

# INJECTIO POTASSII PERMANGANATIS. Potassium Permanganate . . 1 grain. Distilled Water . . . . 1 ounce. INJECTIO PROTARGOL. Protargol . . . . . . . . . . 5 grains. Distilled Water . . . . . . . . . 1 ounce. INJECTIO ZINCI CHLORIDI. Zinc Chloride . . . . . $\frac{1}{4}$ grain. Distilled Water . . . . . 1 ounce. INJECTIO ZINCI SULPHATIS. Zinc Sulphate. . . . . . . 2 grains. Distilled Water . . . . . . . 1 ounce. INJECTIO ZINCI SULPHO-CARBOLATIS. Zinc Sulphocarbolate . . . 2 grains. Distilled Water . . . . 1 ounce. INJECTIO COCAINÆ et ADRENINI HYPODERMICA. Cocaine Hydrochloride . . . 2 grammes. Adrenine Solution (1 in 1,000) 7 c.c. Chlorbutol . . . . . 0.25 grammes

Sterile Water . . . to 100 c.c.

. . \*

### INJECTIO EUCAINÆ et ADRENINI HYPODERMICA.

Eucaine Lactate 2 grammes.  Adrenine Solution (1 in 1,000) 7 c.c.  Chlorbutol 0.25 grammes.  Sterile Water to 100 c.c.
TINOTHE MODDIINAE (OLADZE'S)
LINCTUS MORPHINAE (CLARKE'S).
Solution of Morphine Hydro-
chloride 6 minims.
Spirit of Chloroform 6 minims.
Diluted Hydrochloric Acid . $1\frac{1}{2}$ minims.
Syrup of Lemon 20 minims.
Glycerin 20 minims.
Water to 1 drachm.
Dose, I drachm.

### LINCTUS CHLORODYNI.

Tincture	e of	0	piu	ım				2	minims.
Diluted	Su	lph	uri	c	Acie	d	0.1	3	minims.
Chlorod	yne							4	minims.
Oxymel	of	Sq	uil	1				15	minims.
Syrup								15	minims.
Treacle	•						to	1	drachm.
			-						

Dose, 1 drachm.

# LINCTUS SCILLÆ.

Synonyms: Linctus Simplex, Gee's Linctus
Compound Tincture of Cam-
phor 20 minims.
Oxymel of Squill 20 minims.
Syrup of Tolu 20 minims.
Dose, 1 drachm.
LIQUOR IODI pro LIGATORIS.
Tincture of Iodine 1 part.
Tincture of Iodine 1 part. Alcohol (45 per cent.) 15 parts.
LOTIO ACIDI BORICI.
Boric Acid 300 grains.
Distilled Water to 20 ounces.
LOTIO ACIDI CARBOLICI.
Carbolic Acid 1 ounce.
Fuch sine solution (1 in 10,000) $\frac{1}{2}$ drachm.
Distilled Water to 20 ounces.
LOTIO ACIDI PICRICI.
Picric Acid 44 grains.
Water to 20 ounces.

#### LOTIO ALKALINA.

LUTIO ALKALIN	A.
Sodium Carbonate	
Water	9 ounces.
LOTIO CALAMIN	
Prepared Calamine	30 grains.
Prepared Calamine Zinc Oxide	20 grains.
Glycerin	
Water	1 oppos
Water to	1 ounce.
LOTIO CALCIS SULPH	
Synonym: Vleminckx's S	Solution.
Quicklime	
Sublimed Sulphur	2 pounds.
Water	2 gallons.
Evaporate to 1 gallon and a	
clear liquid.	
cicar requia.	
LOTIO CRINALI	S.
Tincture of Cantharides	4 drachms.
Strong solution of Ammonia .	3 drachms.
Almond Oil	1 ounce.
Oil of Rosemary	8 minims.
Alcohol (90 per cent.)	4 drachms.
Rose Water to	8 ounces.

### LOTIO EVAPORANS.

morro minimo.
Solution of Ammonium Ace-
tate 4 ounces.
Alcohol (90 per cent.) 1 ounce.
Oil of Lavender 5 minims.
Camphor Water to 1 pint.
LOTIO HYDRARGYRI
PERCHLORIDI (1 in 5,000).
Mercuric Chloride 14 grains.
Solution of Methylene Blue
$(1 \text{ in } 2,500)$ $\frac{1}{2}$ ounce.
$(1 \text{ in } 2,500)$ $\frac{1}{2}$ ounce. Distilled Water to $1 \text{ gallon}$ .
LOTIO IODI ANTISEPTICA.
Iodine
Alcohol (90 per cent ) 100.00
LOTIO PLUMBI EVAPORANS.
Strong solution of Lead Sub-
acetate 6 minims.
Alcohol (90 per cent.) 2 drachms.
Distilled Water to 1 ounce.
LOTIO PICIS CARBONIS.
Solution of Coal Tar
Water to 100.0

· . Telmings and Missan steam . Religi LANGE PRINCIPLE STATE OF THE ST

## LOTIO RUBRA.

Zinc Sulphate	2 grains.
Compound Tincture of Laven-	
der	5 minims.
Water to	1 ounce.
11 11101	r ounce.
MISTURA ACIDI NITRO	-HYDRO-
CHLORICI.	
Synonym: Mistura Amara	Acida.
Tincture of Nux Vomica	10 minims.
Spirit of Chloroform	20 minims.
Diluted Nitro-hydrochloric	
Acid	10 minims.
Compound Infusion of Gentian	TO MITHING.
	1 ounce.
	1 ounce.
Dose, 1 ounce.	
MISTURA ACONI	II.
Tincture of Aconite	2 minims.
Potassium Chlorate	5 grains.
Solution of Ferric Chloride .	20 minims.
Solution of Mercuric Chloride	
	10 minins.
Solution of Strychnine Hydro-	F : :
chloride	5 minims.
Glycerin	2 drachms
Chloroform Water to	1 ounce.
Dose, 1 ounce.	

E 25833

### MISTURA ALBA.

Magnesium Sulphate . . . 60 grains.

Magnesium Carbonate . . . 10 grains.

Peppermint Water . . . to 1 ounce.

Dose, 1 ounce.

#### MISTURA ALKALINA.

Potassium	Bicarbon	ate				20	grains.
Potassium	Acetate					20	grains.
Potassium	Nitrate				2.	5	grains.
Chloroform	Water				to	1	ounce.
	Dose	1	ou	ne	P		

### MISTURA AMMONII cum ÆTHERE.

Aromatic Spirit of	An	m	onia.	30 minims.
Spirit of Ether .				30 minims.
Chloroform Water			. to	1 ounce.
Dos	P 1	01	ince.	

### MISTURA ASTRINGENS.

Tincture of Catechu	30 minims.
Liquid Extract of Opium	10 minims.
Tincture of Cinnamon	15 minims.
Tincture of Ginger	
Chalk Mixture to	1 ounce.
Dose, 1 ounce.	

Chaptent 17 week 

. Terror terror 

MISTURA ASTRINGENS ACIDA.
Diluted Sulphuric Acid 10 minims.
Tincture of Opium 10 minims.
Spirit of Chloroform 10 minims.
Tincture of Capsicum 2 minims.
Peppermint Water to 1 ounce.
Dose, 1 ounce.
MISTURA BISMUTHI COMPOSITA.
Synonym: Mistura Bismuthi et Sodæ.
Sodium Bicarbonate 10 grains.
Tincture of Nux Vomica 5 minims.
Compound Tincture of Carda-
moms 20 minims.
Solution of Bismuth and Am-
monium Citrate 1 drachm.
Water to 1 ounce.
Dose, 1 ounce.
MISTURA BUCHU.
Synonym: Mistura Potassii Bicarbonatis et Buchu.
Potassium Bicarbonate 20 grains.
Tincture of Hyoscyamus 20 grains.
Infusion of Buchu to 1 ounce.
Dose, 1 ounce.
3,000, 1,000,

### MISTURA CARMINATIVA.

Synonym: Mistura Rhei Composita.

Sodium Bicarbonate	10 grains.
Compound Tincture of Rhu-	
barb	30 minims.
Compound Tincture of Carda-	
moms	20 minims.
Tincture of Ginger	
Water to	
Dans 1 simes	7. 18 20 1911
Dose, 1 ounce.	

### MISTURA CASCARÆ COMPOSITA.

Liquid Extract of Cascara	
Sagrada	20 minims.
Liquid Extract of Liquorice .	
Tincture of Belladonna	5 minims.
Tincture of Nux Vomica	5 minims.
Aromatic Spirit of Ammonia	20 minims.
Chloroform Water to	

MISTURA CHLORI et QUININÆ.
Potassium Chlorate 30 grains.
Hydrochloric Acid 60 minims.
Quinine Sulphate 24 grains.
Water to 12 ounces.
Place the powdered Potassium Chlorate
in a dry 16-ounce bottle with the Hydro-
chloric Acid, cork lightly, and when the gas
has been freely generated add the water in
several successive portions, shaking well
between each addition, finally adding the
Quinine Sulphate.
Dose, 1 ounce.
MISTURA CINCHONÆ COMPOSITA.
Compound Tincture of Cin-
chona
Potassium Chlorate 10 grains.
Glycerin 10 minims.
Chloroform Water to 1 ounce.
Dose, 1 ounce.
MISTURA COPAIBÆ.
Copaiba 15 minims.
Mucilage of Gum Acacia 30 minims.
Water to 1 ounce.

MISTURA DIAPHORETICA.
Spirit of Nitrous Ether 30 minims.
Solution of Ammonium
Acetate 60 minims.
Water to 1 ounce.
Dose, 1 ounce.
MISTURA DIGITALIS cum FERRO.
Tincture of Ferric Chloride . 10 minims.
Tincture of Digitalis 10 minims.
Infusion of Quassia to 1 ounce.
Dose, 1 ounce.
MISTURA DIGITALIS et
STRYCHNINÆ.
Tincture of Digitalis 5 minims.
Solution of Strychnine Hydro-
chloride 3 minims.
chloride 3 minims. Water to 1 ounce.
Dose, 1 ounce.
Door, I owner.
MISTURA DIURETICA.
Potassium Acetate 20 grains.
Tineture of Squill 15 minims.
Spirit of Nitrous Ether 20 minims.
Decoction of Broom to 1 ounce.
Dose, 1 ounce.

Policetate grax.
Tincher of Squill mix
Tind Digitali my
Spin actions hit mixix

MISTURA FERRI et ARSENII.
Iron and Ammonium Citrate . 5 grains.  Arsenical Solution 3 minims.  Chloroform Water to 1 ounce.  Dose, 1 ounce.
MISTURA FERRI et AMMONII CITRATIS.
Iron and Ammonium Citrate . 5 grains. Chloroform Water to 1 ounce.  Dose, 1 ounce.
MISTURA FERRI APERIENS.
Ferrous Sulphate 2 grains, Magnesium Sulphate 1 drachm. Diluted Sulphuric Acid 10 minims. Peppermint Water to 1 ounce.  Dose, 1 ounce.
MISTURA FERRI et POTASSII CHLORATIS.
Tincture of Ferric Chloride . 10 minims. Glycerin 10 minims. Potassium Chlorate 10 grains. Water 1 ounce.  **Dose*, 1 ounce.**

MISTURA FERRI PERCHLORIDI.
Tincture of Ferric Chloride . 15 minims.
Glycerin 20 minims.
Water to 1 ounce.
Dose, 1 ounce.
MISTURA FERRI et POTASSII
IODIDI.
Iron and Ammonium Citrate . 5 grains.
Potassium Iodide 5 grains.
Chloroform Water to 1 ounce.
Dose, 1 ounce.
MISTURA FERRI et QUININÆ
CITRATIS.
Iron and Quinine Citrate 5 grains.
Chloroform Water to 1 ounce.
Dose, 1 ounce.
MISTURA FERRI et STRYCH-
NINÆ.
Solution of Strychnine Hydro-
chloride 2 minims.
Hydrochloric Acid 2 minims.
Quinine Sulphate 2 grains.
Tincture of Ferric Chloride . 15 minims.
Spirit of Chloroform 10 minims.
Water to 1 ounce.
Dose, 1 ounce.

a a

Table Market Committee of the American Committee of the C 

### MISTURA FORMAMINÆ.

Synonym:	Mistura	Urotropini.	
		1	

Formamine				10 grains.
Tincture of Orange				
Water			. to	1 ounce.
Dose	, ]	lou	ince.	

### MISTURA GENTIANÆ cum SODA.

Ammonium Carbonate	5 grains.
Sodium Bicarbonate	
Compound Tincture of Car-	
damoms	15 minims.
Compound Infusion of Gentian	
to	1 ounce.

Dose, 1 ounce.

## MISTURA GUAIACOLIS.

Guaiacol			5 minims.
Alcohol (90 per cent.)			40 minims.
Syrup of Lemon			
Spirit of Chloroform			10 minims.
Water		to	1 ounce.

### MISTURA HYDRARGYRI BINIODIDI.

Mercuric Chloride				16 grain.
Potassium Iodide				5 grains.
Water		1	to	1 ounce.

Dose, 1 ounce.

### MISTURA HYDRARGYRI PERCHLORIDI.

Mercuric	Chloride	٠.			$\frac{1}{16}$	grain.
Distilled	Water .			to	1	ounce.

Dose, 1 ounce.

### MISTURA OLEORUM TRIUM.

Oil of Sandal Wood	1.			15 minims.
Oil of Cubebs				15 minims.
Oil of Copaiba .				15 minims.
Almond Oil				15 minims.
Acacia Gum				15 grains.
Chloroform Water			to	1 ounce.

32)180

481 10m 60m 8 gr 25 20m 3 120 h

## MISTURA PECTORALIS.

Synonym: Mistura Expectorans.
Ammonium Carbonate 2 grains. / Ipecacuanha Wine 5 minims. Compound Tincture of Camphor 30 minims. Oxymel of Squill 30 minims. Syrup of Tolu
Water to 1 ounce.
Dose, 1 ounce.
MISTURA PLUMBI cum OPIO.  Lead Acetate
Dose, 1 ounce.
MISTURA POTASSII BROMIDI.
Potassium Bromide 10 grains. Water to 1 ounce.

MISTURA POTASSII IODIDI.
Potassium Iodide 5 grains.
Aromatic Spirit of Ammonia. 10 minims.
Water to 1 ounce.
Dose, 1 ounce.
MISTURA POTASSII IODIDI cum
COLCHICO.
Potassium Iodide 5 grains.
Tincture of Colchicum Seeds 10 minims.
Water to 1 ounce.
Dose, 1 ounce.
MISTURA QUININÆ.
Quinine Sulphate 2 grains.
Diluted Sulphuric Acid 2 minims.
Compound Tincture of Car-
damoms 30 minims.
Spirit of Chloroform 10 minims.
Water to 1 ounce.
Dose, 1 ounce.
MISTURA QUININÆ AMMONIATÆ.
Ammoniated Tincture of Quinine 1 drachm.
Solution of Ammonium Acetate 2 drachms.
Spirit of Nitrous Ether $\frac{1}{2}$ drachm.
Spirit of Chloroform 5 minims.
Water to 1 ounce.
Dose, 1 ounce.

, 

## MISTURA QUININÆ EFFERVESCENS.

EFFERVESCENS.
Quinine Sulphate 2 grains. Citric Acid 18 grains.
Water to 1 ounce.
Sodium Bicarbonate 20 grains.
Water to 1 ounce.
Mix 1 ounce of each and drink during
effervescence.
ALLOWATED A CONTINUE TO
MISTURA QUININÆ et
STRYCHNINÆ.
Quinine Sulphate 2 grains.
Diluted Sulphuric Acid 2 minims.
Solution of Strychnine Hydro-
chloride 3 minims.
Compound Tincture of Car-
damoms 30 minims.
Spirit of Chloroform 10 minims.
Water to lounce.
Dose, 1 ounce.
MISTURA SANTALI.
Oil of Sandal Wood 20 minims.
Acacia Gum 10 grains.
Chloroform Water to 1 ounce.
Dose, 1 ounce.

## MISTURA SENEGÆ COMPOSITA (STOKE'S).

Ammonium Carbonate	4 grains.
Ether	10 minims.
Compound Tincture of Cam-	
phor	20 minims.
Tineture of Squill	
Syrup	
Infusion of Senega to	1 ounce.
Dose, 1 ounce.	

## MISTURA SIMARUBÆ (Rhein's Specific for Dysentery).

Simaruba Bark .			3	ounces.
Chinese Cinnamon			1	ounce.

Boil in 3 quarts of water and allow to evaporate to 1 pint. When cool, strain, add  $1\frac{1}{2}$  ounces of Brandy and make up to 24 ounces with washings of Marc.

Dose, a wineglassful three times a day.

### MISTURA SODII SALICYLATIS.

Sodium Salicylate .		15 grains.
Spirit of Chloroform		10 minims.
Water	. to	1 ounce.
TO 1		

.

## MISTURA SODII SALICYLATIS ALKALINA.

Sodium Salicylate .				10	grains.
Potassium Bicarbonate				10	grains.
Sodium Bicarbonate.				15	grains.
Peppermint Water .		. t	0	1	ounce.
Dose, 1	01	unce			

#### DEVITALISING PASTE.

Creosote						20	minims.
Morphine	Sul	ph	ate			1	drachm.
Arsenious	Ac	id				. 2	drachms.
Wool Fat						2	drachms.

### MUMMIFYING PASTE.

Burnt Alum				1.	2 drachms.
Thymol					2 drachms.
Glycerin .					2 drachms.


### NEBULA ALKALINA COMPOSITA.

Sodium Bicarl	001	nate	е.			1.50
Borax						1.50
Carbolic Acid						.75
Glycerin .						25.00
Water					to	100.00

For use as a Nasal or Throat spray.

## PILULA APERIENS. Colocynth and Hyoscyamus Pill, B.P. . . . . . 5 grains. PILULA CAMPHORÆ COMPOSITA. Camphor . . . . . . . 2 grains. Opium . . . . . . . . $\frac{1}{2}$ grain. Extract of Hyoscyamus . . $2\frac{1}{2}$ grains. Dose, 1 pill. PILULA DIGITALIS COMPOSITA. Dose, 1 pill. PILULA HYDRARGYRI cum RHEO. Mercury Pill . . . . . . $2\frac{1}{2}$ grains. Compound Rhubarb Pill . . $2\frac{1}{2}$ grains. Dose, 1 pill. POTUS IMPERIALIS. Acid Potassium Tartrate . . 60 grains. Fresh Lemon . . . . . $\frac{1}{2}$ No. Syrup . . . . . $1\frac{1}{2}$ ounces. Boiling Water. . . . . 1 pint.

Infuse till cold, and strain.



## POTUS AURANTII ACIDUS CONCENTRATUS.

Synonym: Concentrated Sulphuric Acid Orangeade.

Diluted Sulp	hurid	e Ac	id			12	.0	
Concentrated	I	nfus	sion		of			
Orange .						12	.0	
Syrup of Ora								
Water								
One part	t ad	ded	to	32	pa	rts	of	water

### PULVIS ANTISEPTICUS.

forms "Orangeade."

25833

(Antiseptic Dusting Powder.)

Calamine .				3 drachms.
Boric Acid.				6 drachms.
Zinc Oleate				3 drachms.
Starch				 12 drachms.
Oil of Lavende	er			15 minims.

### PULVIS CALOMELANOS et AMYLI.

Calomel		1			14-1	1	part.
Starch			•			4	parts.

0

### PULVIS CALOMELANOS et ZINCI OXIDI cum AMYLO.

Calomel				1 part.
Zinc Oxide.				2 parts.
Starch				2 parts.

### PULVIS ZINCI OXIDI et ACIDI BORICI.

Zine Oxide.			. }	Of each,
Boric Acid.			. 5	equal parts.

# PULVIS ZINCI OXIDI et AMYLI. (Dusting Powder.)

Zine Oxi	de.			. (	Of each,
Starch .				. }	equal parts.

#### SAPOFORM.

Soft Soa	р.							3	ounces.
Alcohol	(90)	per	cer	it.)				2	ounces.
Solution	of F	orn	nalo	leh	yde	9.	to	8	ounces.

One or 2 per cent. solution used as an antiseptic lotion.

distributed the street of the

#### SOLUTIO SAPONIS ÆTHEREA.

Soft Soap	1.		50 grammes.
Oil of Lavender			0.1 e.e.
Alcohol (90 per cent.)	) .		15 e.e.
Ether		to	100 grammes.

#### SPIRITUS SAPONATUS.

Soft Soap			12 ounces.
Oil of Lavender			10 minims.
Alcohol (90 per cent.)		to	1 pint.

#### SUPPOSITORIA MORPHINÆ.

Morphine Hydrochloride		$\frac{1}{4}$ or $\frac{1}{2}$ grain.
Oil of Theobroma	to	15 grains.

## TABLETTÆ ACETANILIDI COMPOSITÆ.

Acetanil	ide								2	grains.
Caffeine									-	grain.
Sodium	Bica	irl	ona	ate					1	grain.
		D	ose	, 1	or	2	tabi	lets.		

#### TABLETTÆ ANTIPYRINÆ.

Antipyrine						~	5 grains
------------	--	--	--	--	--	---	----------

#### TABLETTÆ CASCARÆ SAGRADÆ.

Extract of Cascara Sagrada . 3 grains.

## TABLETTÆ CRETÆ et KINO COMPOSITÆ.

(Diarrhœa Tablets.)

Compound Powder	of	Kin	10	5 grains.
Powdered Ginger				2 grains.
Prepared Chalk .				7 grains.
Sugar				14 grains.

Dose, 2 tablets mixed with 1 ounce of water 3 times a day.

## TABLETTÆ MISTURÆ GLYCYRRHIZÆ COMPOSITÆ.

(Cough Mixture Tablets.)

Opium							$\frac{1}{20}$ grain.
Tartarat	ted	Ai	ntin	noi	ny		1/4 grain.
Benzoic	A	cid				1.	$\frac{1}{20}$ grain.
Oil of A							$\frac{1}{20}$ minim.
Extract	of	Lie	que	ric	e		2 grains.
Sugar							3 grains.

Dose, 1 or 2 tablets.

#### TABLETTÆ HYDRARGYRI cum CRETA.

Mercury with Chalk . . 1 and 2 grains.

The state of the s

#### TABLETTÆ HYDRARGYRI SUB-CHLORIDI.

Calomel.		$\frac{1}{10}, \frac{1}{4}$	$\frac{1}{2}$ , 1	, 2, 3,	and 5	grains.
----------	--	-----------------------------	-------------------	---------	-------	---------

#### TABLETTÆ HYDRARGYRI SUB-CHLORIDI et JALAPÆ.

Calomel									-	
Jalap										
Ginger	•									grain.
		D	08	e, 1	01	. 5	tat	lets		

#### TABLETTÆ HYDRARGYRI SUB-CHLORIDI et COLOCYNTHIDIS.

Calomel	2 grains.
Dried Extract of Colocynth .	2 grains.
Dried Extract of Hyoscyamus	1 grain.
Dose, 1 tablet.	2 minyesian

#### TABLETTÆ OPII.

Powdered Opium					14	grain.
----------------	--	--	--	--	----	--------

#### TABLETTÆ PEPSINÆ COM-POSITÆ.

Pepsin									2	grains.
Bismuth		-								grains.
Strychni	ne	Su	lpl	nate					$\frac{1}{100}$	grain.
		D	000	1	092	0 1	41.1	oto		

TABLETTÆ PHENACETINI.
Phenacetin 5 grains.
TABLETTÆ PHENACETINI COMPOSITÆ.
Phenacetin 4 grains. Caffeine 1 grain.
TABLETTÆ PODOPHYLLINI et HYOSCYAMI.
Podophyllum Resin $\frac{1}{6}$ grain. Extract of Hyoscyamus $1\frac{1}{4}$ grains. Dose, 1 to 2 tablets.
TABLETTÆ POTASSII CHLORATIS. Potassium Chlorate 5 grains.
TABLETTÆ QUININÆ.
Quinine Hydrochloride 2, 3, and 5 grains.
TABLETTÆ SODII BICARBONATIS COMPOSITÆ. (Soda-Mint.)
Sodium Bicarbonate

TRINCIPALITY RANGE STREET

TABLETTÆ SULPHONAL.
Sulphonal 5 grains.
TABLETTÆ TRIONAL.
Trional 5 grains.
TABLETTÆ IPECACUANHÆ cum OPIO.
(Dover's Powder Tablets.)
Compound Ipecacuanha Powder
4 and 5 grains.
TROCHISCI CODEINÆ et
COCAINÆ.
Codeine $\frac{1}{8}$ grain.  Cocaine Hydrochloride $\frac{1}{20}$ grain.  Liquid Extract of Liquorice
and Tolu Basis to 12 grains.
TROCHISCI PARAFORMI. (Formalin Throat Lozenges.)
Paraform $\frac{1}{10}$ grain.
Citric Acid $\frac{1}{5}$ grain.
Oil of Lemon $\frac{1}{16}$ minim. Sugar Basis to 15 grains.
bugar Dasis to 10 grains.

## TROCHISCI pro TUSSI.

Cubebs in Pow						
Tincture of Cap	psicu	ım			•.	$\frac{1}{4}$ minim.
Oil of Pepperm	int					$\frac{1}{20}$ minim.
Oil of Aniseed						$\frac{1}{15}$ minim.
Liquid Extract	of I	iqu	nor	ice		4 minims.
Tolu Basis	7.				to	15 grains.

#### UNGUENTUM METALLORUM.

Mercuric Nitrate Ointmen	t	1	part.
Lead Acetate Ointment		1	part.
Zinc Ointment		1	part.

# UNGUENTUM RUBRUM. (Ointment of Scarlet Red.)

Scarlet-Red (Biel	orio	eh)			5	parts.
Almond Oil .					25	parts.
Paraffin Ointment				to	100	parts.

### UNGUENTUM ZINCI ANTI-SEPTICUM.

Zine Oxide		15 parts.
Ammoniated Mercury		3 parts.
Benzoated Lard		82 parts.

the last the same of the Toler Research to the second 

VAPOR CREOSOTI	COM	POSITA.
Creosote		2 drachms.
Liquefied Carbolic Acid		2 drachms.
Tincture of Iodine		1 drachm.
Spirit of Ether		1 drachm.
Spirit of Chloroform .		
For continuous inhalo	ution w	ith an oro-

nasal respirator.

#### VAPOR FORMALDEHYDI COMPOSITA.

Solution of	Forr	nale	deh	yde		15 minims.
Chloroform						1 drachm.
Menthol.						10 grains.
Oil of Pine						10 minims.
Alcohol (90	per	cei	nt.)			1 ounce.
T						

For continuous inhalation with an oro-

nasal respirator.

#### VAPOR FORMALDEHYDI et GUAIACOLIS.

Solution of	Fo	rm	ald	ehy	rde		35	minims.
Guaiacol								
Chloroform							1	drachm.
Menthol								
Oil of Pine								
Alcohol (90								
-	1			. / -				

For continuous inhalation with an oro-

nasal respirator.

### VAPOR GUAIACOLIS COMPOSITA.

Guaiacol						2 drachms.	
Chloroforn	1.					1 drachm.	
Menthol						15 grains.	
Terebene						1 drachm.	
Oil of Pine	9					15 minims.	
Alcohol (9	0 1	er	cen	t.)		1 ounce.	

For continuous inhalation with an oronasal respirator.

Mary to Park the second 

THE RESERVE OF A STATE OF


## INDEX.

		P	age
Acetanilide Tablets		-	35
Acid Astringent Mixture	-	-	19
"Bitter Mixture	-	-	17
Aconite Mixture	-	-	17
Alkaline Lotion	-	-	15
" Mixture	-	-	18
" Sodium Salicyl. Mixture -	-	-	31
., Spray, Compound	-	-	31
Alum. Gargle	-	-	8
Ammonia and Ether Mixture	-	-	18
Ammon. Carb. and Senega Mixture -	-	-	30
Ammoniated Quinine Mixture	-		28
Anodyne Draught	-0	-	11
Antipyrine Tablets	-	-	35
Antiseptic Dusting Powder		-	33
" Iodine Lotion	-	-	16
" , Solution for Ligatures	-	-	14
" Zinc Ointment	-	-	40
Aperient Pills	-	-	32
Aqua Chlorbutolis	-	-	3
Arsenic and Iron Mixture	-	-	23
Astringent Mixture	-	-	18
", ,, Acid	->	-	19
	-	-	10
" and Cocaine Eye Drops -	-	-	11
D1 W			11 18
Barley Water	7		4
Bismath Mix ture	-	-	19
,, and Soda Mixture	-	-	19

\ .					Pa	age
Boric Acid Eye Drops	-	-	-	-	-	10
" , Lotion -	-	× 1	-	-	-	14
", and Zinc Oxi	de Po	owder	-	-	-	34
Borax Eye Drops -	-	-	-	-	2	4
" and Myrrh Gargle	-	-	-	-	-	9
Buchu Mixture -	-	-	-	-	-	19
Caffein and Phenacetin T	able	ts	_		_	38
Calamine Lotion -			- 1	_		
Calomel Tablets -						
,, and Colocynth T						
,, and Jalap Table	ts	-	_		-	37
" and Starch Lowe	ler	-	2 10		-	33
,, and Zinc Oxide						
Camphor Pill, Compound		-				
Carbolic Acid Gargle						
" " Mouth Wa	sh	_	- 4	3 00	-	3
" " Lotion	-	-	_		-	14
Carminative Mixture	-	-	2000	_	-	20
Carthartic Enema -						7
Cascara Mixture -						20
,, Tablets -			-			
Chalk and Kino Tablets		_	-	-	-	36
Chloral Draught -	. 119	_	-	-	-	11
Chlorbutol Water -	-	_	-	_	-	3
Chlorine Gargle .		-	-	-	-	9
" and Quinine Mi		-	_	-	-	21
Chlorodyne Linctus -			_	-	-	13
Cinchona Mixture, Comp			-	-	-	21
Clark's Linctus -				-	-	13
Coal Tar Lotion -			_	_1	_	16
Cocaine and Adrenine H			Injec	tion	-	12
Codeine and Cocaine Loz			-	-	-	39
Cod-liver Oil Emulsion	-	-	-	-	_	6
" " and Malt	_	-	-	-	-	8
11						

	P	age
Colchicum and Pot. Iodid. Mixture		28
Collodium Salicylicum	-	3
Collutorium Acidi Carbol	-	3
Collyrium Boracis		4
Colocynth and Calomel Tablets -	0 -	37
Copaina Mixture	-	21
Cough Lozenges ·	-	40
" Mixture Tablets	-	36
Cremor. Mercurialis	-	4
Creosote Inhalant, Compound	-	41
Decoctum Hordei	-	4
Dentifricum	-	5
Devitalising Paste	-	31
Diaphoretic Mixture	-	22
Diarrhœa Mixture	-	18
", ,, Acid	-	19
" Tablets	-	36
Digitalis Pills, Compound	-	32
" and Iron Mixture	-	22
" and Strychnine Mixture	-	22
Diuretic Mixture	-	22
Dover's Powder Tablets	-	39
Dusting Powder	-	34
" Antiseptic	-	33
Dysentery Mixture, Rhein's	-	30
THE . CL . 11		
Elixir Glusidi	-	-5
", , , Comp	-	5
Emulsio Iodoformi	-	6
"Ol. Morrhuæ	-	6
" Petrolei Co	-	6
Enema Cartharticum	-	7
" Magnesii Sulph	-	7
"Nutriens	-	7


			P	age
Enema Opii	-		-	8
" Terebinthinæ	-	-	-	8
Ether and Ammonia Mixture -	-	-	-	18
Eucaine and Adrenine Hypodermic	Inje	ection	-	13
Evaporating Lotion	-	-	-	16
" Lead Lotion -	-	-	-	16
Expectorant Mixture		-	-	27
Extract of Malt and Cod-liver Oil	-	-	-	8
Eye Drops. Boric Acid	-	-	-	10
" ,, Atropine	-	-	-	10
" ,, Atropine and Cocaine	-	-	•	11
" Homatropine and Coc	aine	-	-	11
,, ,, Physostigmine -	-	-	-	11
Formaline Inhalant, Compound	-	-	-	41
,, and Guaiacol Inhalant		-	-	41
,, Throat Lozenges -	-	-	-	39
Formamine Mixture	-	-	-	25
Gargarisma Acidi Carbolici -				8
A -: 1: (T) : -:	-		-	8
	•		-	8
,, Aluminis Boracis et Myrrhæ -	-		-	9
,, Bolacis et Myllhæ-	- 7		-	9
,, Chlori			-	9
,, Hydrarg. Perchlor.		•	-	9
,, Hydrogeni Peroxidi Potass. Chlor	-		-	10
		-	-	
Cao's Linetus ,, Permang	-	-	-	10
Gee's Linctus			-	14
Gentian and Soda Mixture	-	( )	-	25
Gluside Elixir	•	-	-	5
,, Elixir, Compound -			-	5
Glycerine Belladonnæ	-	-	-	10
Grey Powder Tablets		1	-	36
Guaiacol Inhalant Co		-	-	42



.


	Pa	age
Guaiacol Mixture		25
Guttæ Acidi Borici	-	10
" Atropinæ	-	10
", et Cocainæ	-	11
" Homatropinæ et Cocainæ	-	11
" Physostigminæ	-	11
,, , , , , , , , , , , , , , , , , , , ,		
Hair Lotion	-	15
Haustus Anodynus	-	11
" Chloral	-	11
" Morphinæ	-	11
Homatropine and Cocaine Eye Drops -	-	11
Hydrogen Peroxide Gargle	-	9
Imperial Drink	-	32
Inhalant of Creosote Compound	-	41
" ,, Formaline Compound	-	41
" " and Guaiacol -	-	41
", ", Guaiacol Compound	-	42
Injectio Mercurialis	-	4
,, Potass. Permang	-	12
" Protargol	-	12
" Zinci Chloridi	- /	12
" " " Sulphatis	-	12
" Sulphocarb	-	12
" Cocainæ et Adrenini Hypodermica	-	12
" Eucaine et Adrenini Hypodermica	-	13
Iodine Antiseptic Lotion	-	16
., Solution for Ligatures	-	14
Iodoform Emulsion	-	6
Ipecacuanha and Opium Tablets	-	39
Iron and Ammon. Cit. Mixture	-	23
,, Aperient Mixture	-	23
,, and Arsenic Mixture	-	23
", " Digitalis Mixture	-	22
		1000


				P	age
Iron Perchloride Mixture -	-	-	-	-	24
" and Potass. Chlor. Mixtu	re	-	-	-	23
", ", " Iodid. Mixtur	e	-	-	-	24
" " Quinine Mixture	-	-	-	-	24
", ", Strychnine Mixture	-	-	-		24
17 - 17					
Jalap and Calomel Tablets	-	-	-	-	37
					-
Lead and Opium Mixture	-	-	-	5	27
Linctus Chlorodyni	-	-	-	-	13
" Morphinæ	-	-		-	13
,, Scillæ	-	-	-	-	14
,, Simplex	-	-	-	-	14
Liquor Iodi pro Ligatoris -	-	-	-	-	14
Liquorice Mixture Tablets	-	- 100	-	-	36
Lotio Acidi Borici	-	-	-	-	14
" , Carbolici -	-	-	-	-	14
,, ,, Pierici	-	-	-	-	14
,, Alkalina	-	-	-	-	15
" Calaminæ	-	-	-	-	15
,, Calcis Sulphuratæ -	-	-	-	-	15
,, Crinalis	-	-	-	-	15
" Evaporans	-	-		-	16
"Hydrargyri Perchloridi	-		-	-	16
" Iodi Antisepitca -	-	-	-	-	16
Plumbi Evanorane -	-	-	-	-	16
Piais Carbonis -	-	-	-	-	16
Rubro	-	-	-		17
,, mudia -					
Magnesium Sulphate Enema	-	-	-		7
Malt and Oil	-	-	-		8
Mercurial Cream	-	-	-	-	4
" Injection			-	-	4
Mercuric Chloride Gargle	-	-	-	-	9
Lotion	-				16
,, ,, 1,001011					1



					1	Page
Mercur	ric Chloride Mixture		-	-	-	26
,,	Biniodide Mixture	-	-	-	-	
Mercur	ous Chloride Tablets	-	-	-	_	37
,,	- 101					37
11	", ", Jalap			-		37
Mercur	y with Chalk Tablets	-	-			36
,,		_	_	_		32
	a Acidi Nitro-hydrochl.	-	-			17
,,	Aconiti					17
77	Amara Acida -					17
"	Alba				-	
,,	Alkalina					
11	Ammon. cum Æthere				-	18
	Astringens				-	18
"	,, Acida			- //	-	-0
77	Bismuthi Co				-	19
11	,, et Sodæ		-	-		19
. 25	Ruchu	-	-	-		19
, ,,	Buchu Carminavita -	-	-			19
- 77		-	-	-	-	20
,,	Cascaræ Segradæ	) -	-	-	-	20
"	Chlori et Quinin.	-	-	-	-	21
7:	Cinchonæ Co.	~	-	-	-	21
1.7	Copaibæ	-	-	-	-	21
7,9	Diaphoretica -	-		-	-	22
19	Digitalis cum Ferro	-	-	-	-	22
2.5	et Strychu.	-	-	-	-	22
1)	Diuretica	-	44	1-	-	22
,,	Expectorans -	-	-	-	-	27
"	Ferri et Arsenicalis	-	-	-	-	23
21	", ", Amm. Cit.	-	-	-	-	23
,,	,, 1	- 1	-	-	-	23
22	" Perchloridi -	-	-	- 4	-	24
13	", et Potass. Chlor.		-	-	-	23
7,	,, ,, ,, Iodid.		-		-	24
7,9	" " Quin. Cit.	-	-	-	-	24
E	25833				D	


							Ta	ge
Mistura 1	Ferri et Stry	chnin	æ -		-		-	24
	Formaminæ	-				-	-	25
,,	Gentianæ et	Sodæ			-	-	-	25
"	Guaiacolis -			-	-		-	25
	Hydrarg. Bir	niod.		-	-	-	-	26
**	" Per	rchlor		. 1	-	-	-	26
19	Oleorum Tri	um -		-	-	-	-	26
"	Pectoralis ·	. Ide		-	-	-	-	27
17	Plumbi cum	Opio		-	-	-	-	27
,,	Potass. Bicar	rb. et	Bucl	nu	A UNIX	-	-	19
71	Bron	nidi -		-	-	-	-	27
77	Todio			-	-	-	-	28
"			olch		_	-	-	28
"	Quininæ "	_	_	_	-	-	-	28
"	Am	m.	- 11	-	-	-	-	28
"	Eff	erves.		-	-	-	-	29
27	ot !	Strycl		-	~	-	-	29
77	Rhei Comp.			-	-	-	-	20
"	Santali		_	- 111	-	-	-	29
,,,	Senegæ	_	. 10	-	-	-	-	30
,,	Simarubæ	_	-	-	-	-	-	30
,,	Sodii Salicy	-1	_	4	_	-	-	30
"	Soun Sancy	Alk	_	_	- 1	-	-	31
- ;;	Urotropini	-		2000	-	-	-	25
7/	no Draught	_		_	_	-	-	11
	ne Draught Linetus			_	-	_	-	13
,,	Supposito	ries		-	-	-	-	35
,; M.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	fring paste	-		_	-		-	31
Mumm	ifying paste							0.7
Nebula.	Alkaline Co		-	-	- 3	-	-	31
Nitro-h	ydrochloric	Acid :	Mixt	ure	-	-	-	17
Nutrier	nt Enema	-	-	-	-	-	-	7
								8
Opium	Enema -	-	-	-	-	-	-	37
	Tablets	-	-	-	-	-	-	. 01





			Pa	age
Opium and Lead Mixture -	-	-	-	27
Orangeade, Sulphuric Acid -	-	-	-	33
Paste, Devitalising	-	-	-	31
" Mummifying	-	-	-	31
Pectoral Mixture	-	-	-	27
Pepsin Tablets, Compound -	-	-	-	37
Petroleum Emulsion, Compound	-	-	-	6
Phenacetin Tablets		-	-	38
,, and Caffeine Tablets	-	- 5	-	38
Phenazone Tablets	-	-	-	35
Physostigmine Eye Drops -	-		-	11
Picric Acid Lotion	-	-	-	14
Pilula Aperians	-	-	_	32
" Camphoræ Co		-	-	32
· · · · · · · · · · · · · · · · · · ·	-	-	-	32
,, Hydrarg. cum Rheo -		_	-	
Podophyllin and Hyosayamus Tabel				38
Potass. Bicarb. and Buchu Mixture		-		19
,, Bromide Mixture		-		27
,, Chlorate Gargle	-	- /		10
Tableta			-	38
Chlor and Iron Mixture	-	-	-	23
Indida Mintuna	-			28
and Calabiana Minte				
Inon Mirtuno				
,, Permang. Gargle		_	-	10
T-:	2		***	12
Protargol Injection		-		12
Potus Aurantii Acid Conc			_	33
Potus Aurantii Acid. Conc				32
Pulvis Calomel. et Amyli -				22
Time Oridi aum	Amul	0		34
Zinci Ovidi et Acidi Devici	Amyı	0		
,, Zinci Oxidi et Acidi Borici	-	-	-	34

				Pa	age
Pulvis Zinci Oxidi et Amyli	-	-	-		34
" Antisepticus					33
*					
Quinine Mixture	-	-	-	-	28
" Effervescent	-	-	-	-	29
,, Tablets		-	-	-	38
,, Ammoniated Mixture		-	-	-	28
,, and Chlorine Mixture		-	-		21
,, ,, Iron Mixture		_	-		24
", ", Strychnine Mixtu		-	-		29
,, ,, ,, ,, ,, ,,,,,,,,,,,,,,,,,,,,,,,,					
Red Lotion	-		-	-	17
Rhein's Specific for Dysentery		-	-	-	30
Rhubarb Mixture, Compound		- "	-100	-	20
", and Mercury Pill		-	-	-	32
Salicylic Collodion	-	-	-	-	3
Sandal Wool Oil Mixture -			-	-	29
Sapoform Con	-	-	-	-	34
Scarlet Red Ointment -	-	-	- 11	_	40
Senega and Ammonia Mixture					
Simaruba Mixture				-	30
Simple Linctus	-	_	-	_	
Simple Linctus Soap (Spirit)	_	_	-	-	35
,, (Ether)	-	-	-	_	35
Soda and Bismuth Mixture	-	-	_	_	19
Gentian Mixture	_	-	_	_	25
,, ,, Gentian Mixture Soda-Mint Tablets	_	-	-	_	38
Sodium Salicylate Mixture		_	3	-	30
,, ,, ,, ,, ,, Al	kalin	A		_	31
Solutio Sanonis Ætheres	Kann				35
Solutio Saponis Ætherea - Spiritus Saponatus					35
Spray Alkaline, Compound	-				31
Starch and Calomel Powder	-	-		-	22
Starch and Calomel Powder	-	-	-	-	00



			Pa	age
Starch Calomel, and Zinc Powde	er -	-	-	34
,, and Zinc Oxide Powder		-	-	34
Stoke's Senega Mixture	-	-	-	30
Strychnine and Digitalis Mixtur		-	-	22
" " Iron Mixture -		-	-	24
, Quinine Mixtur		-	-	29
Sulphonal Tablets	-	-	-	39
Sulphureted Lime Lotion -	-	-	-	15
Sulphuric Acid Orangeade -	-	-	-	33
Suppositoria Morphinæ			-	35
Tablettm Acatamilidi				35
Tablettæ Acetanilidi			-	35
,, Antipyrini		-	7	36
,, Cascaræ Sagradæ - ,, Cretæ cum Kino Co		-	-	36
,, Glycyrrhizæ Co				36
Hydrarg. cum Creta	-	-	-	36
Subahl -		-		37
-4 T-	lanm	-	-	37
0	lapæ locynth.	-	-	37
Inggon gum Onio		-	_	39
" Ipecac. cum Opio - " Opii	-	-	-	37
Panginm Co	-		-	37
Phonocotini			_	38
Co		-		38
Podoph of Hyogay				38
Potoga Chlon		_	_	38
Quining			_	38
Sodium Pigorbonata C		-	_	38
Sulphonal	0			39
Trional	7	-	-	39
Tannic Acid Gargle -				8
Tooth Powder		_	-	5
Trochiscus Codeinæ et Cocainæ		-	-	39
The state of the s				1.7 4.7

			P	age
Trochiscus Paraformi	-	-		39
,, Pro Tussi		-		
Turpentine Enema				
Trional Tablets				
Urotropine Mixture	-	-	-	25
Ung. Metallorum	-	-	-	40
" Rubrum	-	-	-	40
., Zinci Antisepticum	-	-	-	40
Vleminckx's Solution	-	-	-	15
Vapor Creasoti Co	-	-	-	41
" Formaldehydi Co	-	-	-	41
" et Guaiacolis	-	-	-	41
"Guaiacolis Co	-	-	-	42
White Mixture	-	-	-	18
Zinc Chloride Injection	-	-	-	12
"Sulphate "	-	-	-	12
" Sulpho-Carb. Injection -				
" Oxide and Boric Acid Powder	-		-	34
., ., Starch Powder	-	-	-	34





